

Production Supporting Systems in Factories

ระบบสนับสนุนการผลิตในโรงงานอุตสาหกรรม

HTTP `Get` Request

- Send a `get` request to `http://google.com`.
- Display a response to a `debug` panel.
- Write a response to `index.html`

HTTP Server

- Create a server that responds to the `GET` request to `/hello`.
 - Respond with a static string.
 - Respond with a dynamic string.

```
const date = new Date();  
msg.time = date.toLocaleTimeString();  
return msg;
```

- Reponse to `/home` with an HTML document.
 - Create flow `http in`, `read file`, `http response`, `debug`



- `http in` node
 - `Method` = `GET`
 - `URL` = `home`
- `http response` node
 - No need to do anything.

- read file node
 - Filename = html/index.html
 - See next page.

Edit read file node

Delete Cancel Done

Properties

Filename html/index.html

Output a single utf8 string

Encoding default

Name Name

Tip: The filename should be an absolute path, otherwise it will be relative to the working directory of the Node-RED process.

- Create a folder `html`
- Place an `index.html` in the folder
- Use web browser to the url `/home`

Public server

- Get `ngrok`
 - Create an account at <https://ngrok.com/>
 - **Verify email.**
 - Download the program.
 - Extract the program to the project folder.
 - Copy the command below.

2. Connect your account

Running this command will add your authtoken to the default `ngrok.yml` configuration file. This will grant you access to more features and longer session times. Running tunnels will be listed on the [endpoints](#) page of the dashboard.


```
$ ngrok config add-authtoken
```

- VSCode
 - Create New Terminal
 - Run `ngrok config add-authtoken <YOUR AUTHTOKEN>` (Remove `./` from what you just copied.)
 - Run `ngrok http 1880`
- Copy the `https` address (`ctrl` + `shift` + `c`)


```
ngrok by @inconshreveable (Ctrl+C to quit)

Session Status      online
Account             nnnpooh (Plan: Free)
Version             2.3.40
Region              United States (us)
Web Interface       http://127.0.0.1:4040
Forwarding           http://3fe2-2405-9800-b900-fda2-2d0a-b28f-a42c-1971.ngrok.io -> h
Forwarding           https://3fe2-2405-9800-b900-fda2-2d0a-b28f-a42c-1971.ngrok.io ->

Connections         ttl    opn    rt1    rt5    p50    p90
                   0      0      0.00   0.00   0.00   0.00
```



- Paste the address in the browser.
 - Don't forget to add the url in the end.



- Try sharing this link to your friends.