

Production Supporting Systems in Factories

ระบบสนับสนุนการผลิตในโรงงานอุตสาหกรรม

Local Tunnel

What is Local Tunnel?

- A tool to expose your local server to the internet.
- Useful for development and testing.
- Creates a secure tunnel from a public URL to your local machine.
- Examples: `ngrok`, `localtunnel`, `serveo`, `LocalXpose`
- In this lecture, we will use `LocalXpose`.

Get Started with LocalXpose

- Install Node.js (if not already installed)
- Go to [LocalXpose website](#)
- Sign up for an account

Installing LocalXpose CLI

- Open PowerShell as Administrator
- Set execution policy to allow script execution

```
Set-ExecutionPolicy -ExecutionPolicy RemoteSigned -Scope LocalMachine
```

Installing LocalXpose CLI

- Install Chocolatey package manager

- ```
Set-ExecutionPolicy Bypass -Scope Process -Force;
[System.Net.ServicePointManager]::SecurityProtocol =
[System.Net.ServicePointManager]::SecurityProtocol -bor 3072; iex ((New-Object
System.Net.WebClient).DownloadString('https://community.chocolatey.org/install.ps1'))
```

- Install LocalXpose

- ```
choco install localxpose
```

Other Installation Methods

- `npm install -g loclx`
 - Some people reported that it did not work on Windows.
- Download [binary](#)
 - Need to add the binary to your PATH environment variable.

Login to LocalXpose

- `loclx account login`
 - Paste your token from the [dashboard](#).

Start a Tunnel with LocalXpose

- `loc1x tunnel http --to localhost:1880`