

annotator_tool/

Contents of annotator_tool/

Last updated: 2026-04-17

Contents

Name	Type	Description
[DIR] .claude	Folder	Contents of .claude/ (2 files)
[DIR] artifacts	Folder	Contents of artifacts/ (8 files)
[DIR] backend	Folder	Contents of backend/ (5332 files)
[DIR] docs	Folder	Project documentation and specifications (102 files)
[DIR] public	Folder	Contents of public/ (3 files)
[DIR] scripts	Folder	Contents of scripts/ (2 files)
[DIR] src	Folder	Source code and primary content (16 files)
[DIR] supabase	Folder	Contents of supabase/ (3 files)
[DIR] tracking	Folder	Contents of tracking/ (3 files)
[DIR] .gitignore	File	0.2 KB

Name	Type	Description
[DIR] .trace-e2e.json	JSON	0.0 KB
[AST] confluence_after_clipboard_paste.png	PNG	268.3 KB
[AST] confluence_after_paste.png	PNG	166.0 KB
[AST] confluence_before.png	PNG	124.7 KB
[AST] confluence_final.png	PNG	237.7 KB
[AST] confluence_md_editor.png	PNG	126.3 KB
[AST] confluence_published.png	PNG	175.9 KB
[AST] confluence_step1.png	PNG	134.0 KB
[DOC] DLAT-[DL & AT] Framework Chất Lượng Annotation_ Metrics & QA Workflow-130426-080014.pdf	PDF	727.9 KB
[SRC] eslint.config.js	JS	0.6 KB
[DIR] gantt_plan.html	HTML	4.2 KB
[DIR] index.html	HTML	0.4 KB
[DIR] package-lock.json	JSON	108.1 KB
[DIR] package.json	JSON	0.8 KB
[DOC] recap-annotator-tool-13042026.md	MD	0.8 KB
[DIR] tsconfig.app.json	JSON	0.6 KB
[DIR] tsconfig.json	JSON	0.1 KB
[DIR] tsconfig.node.json	JSON	0.6 KB
[SRC] vite.config.ts	TS	0.2 KB

Traceability Matrix

Fill in UC refs from TraceabilityGraph after reorganization.

Document	Use Case / Program	Linked To	Status
—	—	—	—

Naming Convention

Files in this folder follow `snake_case.md` naming. README files use `README.md` (UPPERCASE).

Retention

- Archive superseded files to `archive/`
- Keep only the latest version of each document in `current/`