ECHO to Veritas - Master Handoff

Updated: 2026-11-07. Milestone: four selected features implemented and tested; local implementation commit recorded. No merge, push or deployment performed.

Objective and scope

Improve the existing text assistant with four small additions: local contextual help/suggestions, verified action feedback, Stop response, and copy message. Preserve navigation, filters, ordinary conversation, session isolation, desktop and Android. No voice, school-record writes, merge or deployment.

Repositories and exact local paths

- Source: https://github.com/echo-assistant-project/Echo
- Source path: F:\Downloads\Echo-Web-Preparation
- Source branch: feature/echo-web-readiness
- Source HEAD: dee9b7014f0c3e788570c85c4126820caa15d574
- Target: https://github.com/productivity-io/productivity.repo
- Target path: F:\Downloads\Veritas-Echo-Integration
- Target branch: feature/echo-context-and-controls
- Target baseline HEAD: 50f194969bc5042e6dfca3cd99460946c57a672d
- Target implementation commit: 15f2410d54748d7c6cd0f7d41c9947f6d9aee245
- Historical target main: 9c6e806692513342a1e7c30cfe7e2d85e7405826

The subsequent documentation commit contains this handoff; obtain its exact hash with git log -1. The implementation commit above is the audited code revision, and no implementation changes follow it in this task.

Existing architecture and features

Authenticated /api/echo/config selects a local shadow-DOM widget. EchoAssistant integrates the React router, year selector and read-only command registry. URL state drives existing page controls. The current remote adds a built-in TypeScript help engine at /api/echo/v1/sites, with optional server-side provider generation; external Python ECHO remains configurable. Model output is plain text and never executed as an action. Widget lifetime is tied to signed-in user ID; tokens/history are memory-only.

Source Python ECHO imports its existing headless Backend rather than the desktop orchestrator; its sessions bind site/origin/token and its references use client-local lexical retrieval. Desktop encrypted memories are not appropriate for this website and are not reused.

Implementation, affected files and evidence

All four selected additions are implemented. They were selected for high value, low complexity/risk and reuse of current registry, abort and text-rendering code. See FEATURE_CANDIDATES.md for scores, including deferred persistent memory/private summaries and excluded voice/device actions.

- src/lib/echoCommands.ts: role-aware page suggestions and local help with validated current filters. No scraping, record reads or context sent to a provider.
- src/lib/echoActionFeedback.ts: wait for observed state, with honest timeout/cancellation feedback.
- src/components/EchoAssistant.tsx: instance-scoped context events, route/role refresh, async router/browser

URL and academic-year confirmation. Existing account cleanup retained.
- echo-web/widget/widget.js: suggestions, pending-command state, completed-message copy, clipboard denial feedback, Stop, 45-second request deadline and stopped-token discard.
- tests/echo-commands.test.ts and tests/echo-browser.mjs: new regression coverage; existing commands retained.
- echo-web/README.md and echo-web/docs/: current architecture, inventory, ROI, plan, log, pending work, PR summary, Markdown/PDF handoff and PDF regeneration script.

Existing navigation, searches, filters, back navigation, attendance typo tolerance and ordinary conversation routing pass regression checks. New help and action handling make no extra model calls. Input remains busy during execution, preventing duplicate submits. Local history is not persisted.

Test results and commands

- PASS: node node_modules/tsx/dist/cli.mjs --test tests/echo-config.test.ts tests/echo-commands.test.ts (66/66).
- PASS: node node_modules/typescript/bin/tsc --noEmit.
- PASS: node node_modules/vite/bin/vite.js build (2043 modules).
- PASS: node --check echo-web/widget/widget.js and git diff --check.
- PASS: node tests/echo-browser.mjs with installed Chrome. Actual Express authentication and temporary synthetic demo DB; external ECHO HTTP/SSE is fake transport. Covered attendance/typos, filter controls, contextual help/suggestions, action success and forced URL mismatch, year change, copy success and denial, Stop/fresh follow-up, reset, HTTP 503 recovery, 390px viewport, logout abort, second-account isolation and no portal tokens/cookies sent to the external service. Read-only commands trigger GET-only portal requests.
- PASS: same harness checks actual built-in static-help HTTP responses, follow-up session isolation, invalid tokens and reset revocation with OPENAI_API_KEY disabled. This proves the built-in help engine, not a live model/provider.
- PASS: python -m unittest discover -s tests -p test_backend.py from F:\Downloads\Echo-Web-Preparation\desktop\EchoDesktop (7/7). Initial invocation from repository root failed imports; corrected working directory resolved it without code edits.
- PASS: mobile screenshot reviewed; PDF generated with ReportLab, rendered with Poppler and checked for copyable text. Final render reviewed before delivery.

Development browser failures (SSE assertion splitting and stale Ready status) were corrected. No final failing checks remain. Real provider round-trip, physical-device and other-browser tests were not performed. No credentials were added, no dependencies installed, and no real school records were used or modified.

Known blockers and pending Git state

Source has pre-existing uncommitted changes: README.md, docs/CODEX_HANDOFF.md, echo-web/README.md, backend/server.py, docs/ARCHITECTURE.md, docs/MIGRATION.md, docs/VALIDATION.md, tests/browser-check.mjs, tests/test_web.py, widget/widget.js; untracked echo-web/tests/live_smoke.py. Do not stage, overwrite or reset them.

Target implementation is committed on the feature branch; the documentation is saved in a separate local commit after it. Run git status --short --branch for authoritative current state; the expected final working tree is clean. Branch has not been pushed. PR_SUMMARY.md is ready for review, but no PR was created. No merge/deployment authorized or performed.

Existing production gates include fallback session signing secret, permissive CORS/public session issuance, unbounded process-local state and multi-instance revocation/history behavior. Session-token separation is not account-bound authentication. No private knowledge should be connected without separate authenticated

design. Real provider configuration has not been verified. This task adds no school-data access and does not change permissions.

Action confirmation verifies route/query/year state, not lazy page loading or database changes. Stop aborts the browser request and discards its token; next message starts a new remote conversation, while visible messages remain. An abandoned remote session expires there; provider cancellation/billing is not guaranteed. Refresh intentionally loses in-memory conversation. A physical mobile device was not tested.

Handoff locations

Primary Markdown:
F:\Downloads\Veritas-Echo-Integration\echo-web\docs\ECHO-WEB-MASTER-HANDOFF.md

Primary PDF: F:\Downloads\Veritas-Echo-Integration\echo-web\docs\ECHO-WEB-MASTER-HANDOFF.pdf

Secondary copies: F:\ECHO-Handoff\ECHO-WEB-MASTER-HANDOFF.md and F:\ECHO-Handoff\ECHO-WEB-MASTER-HANDOFF.pdf. Regenerate PDF with the bundled Python and echo-web/docs/render_handoff.py, then refresh secondary copies when updating.

Resume instructions and test commands

Read AGENTS.md where applicable, then git status, git log -1, git remote -v and git worktree list in both repositories. Read the planning documents before changing code. In target run npm run test:echo, node node_modules/typescript/bin/tsc --noEmit, npm run build and npm run test:echo:browser. Browser fixture uses a disposable demo database and fake ECHO transport. Keep all real school records untouched. Update this file and its PDF after meaningful milestones.

Ready-to-copy continuation prompt

Continue ECHO/Veritas in F:\Downloads\Veritas-Echo-Integration on feature/echo-context-and-controls. Read echo-web/docs/ECHO-WEB-MASTER-HANDOFF.md and all planning files first. Inspect git status, branch, log, remotes and worktrees before edits; implementation commit is 15f2410d54748d7c6cd0f7d41c9947f6d9aee245, based on 50f194969bc5042e6dfca3cd99460946c57a672d. All four selected features are implemented and tested; do not recreate them. PR_SUMMARY.md describes completed scope. No push/PR/merge/deployment has occurred. Source ECHO at F:\Downloads\Echo-Web-Preparation has pre-existing dirty changes and must be preserved. Next prioritize review and only separately authorized release work: existing backend session/security/hosting gates and a real configured provider test. Never treat fake SSE or static guidance as provider evidence. Preserve ordinary AI routing, permissions, filters, account isolation and logout/reset. Do not add voice, computer control, private-record access or writes. Any additional code changes require relevant command, TypeScript, build and browser regression checks with a disposable demo database. Keep the Markdown/PDF handoff and F:\ECHO-Handoff copies current. Do not merge, deploy, delete data or change permissions without explicit approval.