ECHO to Veritas - Master Handoff

Updated: 2026-11-07. Latest phase: intelligent typo recognition complete on local feature/echo-fuzzy-commands, with 87 tests, TypeScript, build and browser regression PASS. New branch not pushed. Prior parent PR #2 remains open and security-blocked. No merge/deployment performed.

Latest typo-recognition phase

Current branch: feature/echo-fuzzy-commands. Base: 67d238ffb52aa526a8db57957af3ea78abe37e1d. Implementation: 0445f910b7fb5a8308965f1954556c62da5cb572. Documentation commit follows it; use git log -1 for exact final documentation HEAD. No uncommitted user work was present at branch creation. Earlier commits, PR and source dirty work preserved.

Read FUZZY_COMMANDS.md for full aliases/strategy/thresholds. The recognizer reuses the existing exact parser and normalization, then scores real registry candidates with bounded edit distance/transposition. High >=0.82 with >=0.12 margin executes safe view navigation; medium >=0.62 or close competitors asks a choice; low executes nothing. Bare fuzzy fragments need confirmation. Conservative grammar preserves ordinary questions and words such as slow/shop/cake. Literal searches are never corrected/split. No extra model calls or dependencies.

Pending choices live for 60 seconds, scoped to widget/account, role, view/query, year and available options. Selected commands are re-resolved; reset, unrelated messages, view/role/year changes and logout discard old intent. At most three same-destination navigation/view clauses compose one final URL only after every part validates. Unsupported parts execute nothing. Existing router/URL confirmation verifies execution.

Existing authenticated Assignments subject buttons are now URL-bound and supply current names/codes/IDs locally. Maths aliases the actual Advanced Mathematics option; no new school record access/API calls. Student attendance has no Mathematics filter, so that request is rejected without partial navigation. Marks/grades alias the existing Examinations Results route; no Grades page created.

Files: src/lib/echoRecognition.ts, echoSubjectOptions.ts, echoCommands.ts; src/components/EchoAssistant.tsx; src/pages/AssignmentsPage.tsx; echo-web/widget/widget.js; tests/echo-commands.test.ts and echo-browser.mjs; existing echo-web/docs planning/handoff and README. No backend/auth or desktop/Android changes.

Final local checks PASS: 87 command/config tests (66 baseline retained), TypeScript, 2045-module production build, syntax/whitespace, full Chrome browser regression using disposable demo DB. Browser verifies actual fuzzy routes, Mathematics assignment cards, sports button, Results table, preserved filters, confidence/cancel/numbered choices, atomic plans, rejected unsupported actions, stale reset/away-back intent, ordinary chat, Stop/errors/mobile/logout/account isolation. Supported view commands cause no conversation call or school write. Fake SSE remains transport evidence, not a new provider test. Initial heap-limited build and development test failures were corrected; final feature checks pass. Separate security audit rerun: 3 PASS / 6 FAIL, unchanged and still blocking release.

Objective and authorized scope

Four additions are implemented: local contextual help/suggestions, verified action feedback, Stop and copy. Preserve navigation, filters, ordinary text conversations and per-account widget lifetime. No voice, computer control or school-record writes. User subsequently authorized push, PR, review, CI/provider/security checks and merge only if every gate passes. Deployment and permission changes are not authorized.

Repositories, local paths and commits

- Source: https://github.com/echo-assistant-project/Echo
- Source path: F:\Downloads\Echo-Web-Preparation
- Source branch: feature/echo-web-readiness
- Source HEAD: dee9b7014f0c3e788570c85c4126820caa15d574
- Target: https://github.com/productivity-io/productivity.repo
- Target path: F:\Downloads\Veritas-Echo-Integration
- Active target branch: feature/echo-fuzzy-commands (parent: feature/echo-context-and-controls)
- Current main baseline: 50f194969bc5042e6dfca3cd99460946c57a672d
- Historical main: 9c6e806692513342a1e7c30cfe7e2d85e7405826
- Feature implementation: 15f2410d54748d7c6cd0f7d41c9947f6d9aee245
- Initial handoff: eb69a8274d6281898d69bdbf1b7c01e95f8eff65
- CI/security/provider tests: 94b5231e7bcf142e5662182abec24a7e187e3d09
- Parent-branch PR only: https://github.com/productivity-io/productivity.repo/pull/2; latest local branch has no PR

Documentation commits follow this audited code/test revision. Obtain the exact current documentation HEAD with git log -1. Working tree should be clean after the handoff commit/push. No merge or auto-merge performed.

Existing architecture and reusable features

Authenticated /api/echo/config selects the local shadow-DOM widget. EchoAssistant owns React router/year commands and account teardown. URL controls drive navigation, tabs, search and filters. Model replies are text and cannot execute actions. Existing typo tolerance, streaming, reset and logout cleanup were preserved.

Current main supports a built-in TypeScript public-help engine at /api/echo/v1/sites and configurable external ECHO. These are distinct engines. Python ECHO imports the existing headless backend with client-specific references, bounded history, streaming and site/origin/token sessions. Desktop encrypted memories, tools and device actions are excluded. These changes supply no private school records to either assistant.

Selected additions and affected files

FEATURE_CANDIDATES.md records ROI: four high-value, low-complexity/risk additions using the current registry, abort plumbing and text rendering. Persistent memory/private-record summaries deferred; voice and device actions excluded.

- src/lib/echoCommands.ts: role-aware page help/suggestions from validated local controls. No scraping, record reads or extra model calls.
- src/lib/echoActionFeedback.ts: wait for observed state; explicit timeout/cancellation replies.
- src/components/EchoAssistant.tsx: instance-scoped context events and route/role refresh; confirm router/browser URL or academic-year state before success.
- echo-web/widget/widget.js: suggestions, pending-action status, completed-message copy, clipboard-denial feedback, Stop and 45-second request deadline. Stop discards remote context; next message starts fresh.
- tests/echo-commands.test.ts and tests/echo-browser.mjs: regressions using temporary synthetic demo data.
- .github/workflows/echo-checks.yml and tests/echo-security.test.ts: quality CI and genuine security release gates.
- tests/echo-provider-smoke.mjs and tests/echo-live-fixture.py: opt-in real browser to real external ECHO/provider; no fake engine.
- echo-web/README.md and echo-web/docs/: inventory, ROI, plan/log, pending work, release evidence, PR summary, Markdown/PDF handoff, PDF generator and binary PDF attributes.

Test results and commands

PASS: 66 tests via node node_modules/tsx/dist/cli.mjs --test tests/echo-config.test.ts tests/echo-commands.test.ts. PASS: TypeScript, build, widget syntax and browser regression on GitHub Linux. Browser regression uses actual portal authentication and fake external SSE, not provider evidence. Covered attendance/typos, page/tab/search/filter/day/back, preserved controls, help/suggestions, action success/forced mismatch, year selector, clipboard success/denial, Stop/reset/503 recovery, 390px mobile viewport, logout abort and second-account isolation. View commands made GET-only portal requests; portal credentials were not sent externally.

Source headless tests PASS 7/7: from desktop/EchoDesktop run python -m unittest discover -s tests -p test_backend.py. Source code unchanged. An initial root invocation failed imports and was corrected without source edits.

Real-provider PASS: user approved existing FreeLLMAPI configuration. Encrypted source settings select the compatible loopback gateway at port 31415. Source live_smoke.py passed two actual turns with four history messages. Target provider-smoke passed actual Veritas browser -> actual Python ECHO -> configured gateway: two HTTP 200 turns, ten deltas each, synthetic code recalled, then verified attendance navigation. Durations: 997ms/283ms. No mock replies, private records or keys/responses printed. Only Python backend read the key; never sent to OpenAI/browser/GitHub. This does not verify the built-in OpenAI-only path, upstream gateway internals or HTTPS deployment.

Reproduce from target: set ECHO_SOURCE_ROOT=F:\Downloads\Echo-Web-Preparation and ECHO_USE_DESKTOP_SETTINGS=true in the process, then node tests/echo-provider-smoke.mjs. Alternatively supply approved ECHO_MODEL_BASE_URL and ECHO_MODEL_API_KEY in backend environment. No secret command arguments. Fixtures stop services/remove temp DBs. Parallel local TypeScript/provider attempts exhausted memory; provider rerun sequentially with Node 22 bounded heaps passed. OOM is not TypeScript success; fresh CI provides that pass.

CI: https://github.com/productivity-io/productivity.repo/actions/runs/42366552606. Quality job 128385718936 PASS (including TypeScript/build/browser); security job 128385718831 FAIL. Documentation follow-ups rerun CI; inspect exact final head/checks before merge.

Blocking security findings and limits

Run node node_modules/tsx/dist/cli.mjs --test tests/echo-security.test.ts. Actual built-in router, ephemeral loopback, no DB/provider: 3 PASS / 6 FAIL. Failures: anonymous session issuance (201); unapproved origins accepted/reflected (200); usable public-default-secret forgery (200); malformed signed expiry (200); ignored token suffix (200); unsupported tools field accepted/ignored (200, not executed). Invalid signatures, expired tokens and same-process reset revocation PASS. Exact file/line evidence: RELEASE_VERIFICATION.md.

Pre-existing static findings: unbounded process-local stores, no account-bound session/logout invalidation, no rate/capacity limits, no durable multi-instance revocation. No real school data tested/exposed. No permissions changed. Agree on authenticated session/hosting design before remediation; do not weaken tests to green the PR. Security failures prohibit merge now.

Action confirmation covers view state, not lazy-page data readiness. Stop cannot guarantee billing cancellation/immediate remote deletion; abandoned sessions expire. Tokens/transcript remain memory-only. Physical mobile devices/other browsers remain release coverage. Built-in provider errors can fall back to static help: Ready alone is not provider proof.

Git state, pending work and exact handoff paths

Source pre-existing modified: README.md, docs/CODEX_HANDOFF.md, echo-web/README.md, backend/server.py, docs/ARCHITECTURE.md, docs/MIGRATION.md, docs/VALIDATION.md, tests/browser-check.mjs, tests/test_web.py, widget/widget.js. Untracked: echo-web/tests/live_smoke.py. Do not stage/overwrite/reset. Desktop/Android untouched.

Parent branch is pushed with PR #2 open; latest fuzzy branch is local only, clean after its documentation commit. Review its changes before any publication. Prior security/session design and remediation remain separate release gates. Latest user instruction prohibits merge/deployment without approval. No force-push, bypass or auto-merge.

Markdown: F:\Downloads\Veritas-Echo-Integration\echo-web\docs\ECHO-WEB-MASTER-HANDOFF.md

PDF: F:\Downloads\Veritas-Echo-Integration\echo-web\docs\ECHO-WEB-MASTER-HANDOFF.pdf

Backups: F:\ECHO-Handoff\ECHO-WEB-MASTER-HANDOFF.md and F:\ECHO-Handoff\ECHO-WEB-MASTER-HANDOFF.pdf. Regenerate using bundled Python with echo-web/docs/render_handoff.py; render/review and verify copyable text, then refresh backups.

Ready-to-copy continuation prompt

Continue ECHO/Veritas at F:\Downloads\Veritas-Echo-Integration on local feature/echo-fuzzy-commands, based on 67d238f with implementation 0445f910b7fb5a8308965f1954556c62da5cb572. Read this latest phase, FUZZY_COMMANDS.md, PENDING_WORK.md and IMPLEMENTATION_LOG.md first; inspect Git status/log/remotes/worktrees. Fuzzy recognition is complete, with 87 tests, TypeScript/build and full browser regression PASS. New branch not pushed and no new PR; prior parent PR #2 still has six baseline security failures. Preserve source ECHO dirty work and all prior commits. Do not recreate completed features or invent Grades/attendance-subject controls. Medium matches require expiring, scoped confirmation; unsupported multi-part plans execute nothing. Preserve ordinary chat, filters, role checks, logout and local-only recognition. No voice, computer control, new private-record access or writes. Do not weaken security tests or change permissions without agreement. Recheck relevant tests after further code edits. Keep Markdown/PDF handoffs and F:\ECHO-Handoff copies current. Latest instruction: do not merge or deploy without approval.