

#	帧 (Hex)	从站	功能码	起始地址	读寄存器数	CRC (计算/下发)
1	01 03 00 00 00 26 C4 10	0x01 (1号)	0x03 读保持寄存器	0x0000	0x0026 = 38 ↑	C4 10 / C4 10 ✓
2	02 03 00 00 00 26 C4 23	0x02 (2号)	0x03 读保持寄存器	0x0000	0x0026 = 38 ↑	C4 23 / C4 23 ✓
3	03 03 00 00 00 26 C5 F2	0x03 (3号)	0x03 读保持寄存器	0x0000	0x0026 = 38 ↑	C5 F2 / C5 F2 ✓
4	04 03 00 00 00 26 C4 45	0x04 (4号)	0x03 读保持寄存器	0x0000	0x0026 = 38 ↑	C4 45 / C4 45 ✓
5	05 03 00 00 00 26 C5 94	0x05 (5号)	0x03 读保持寄存器	0x0000	0x0026 = 38 ↑	C5 94 / C5 94 ✓
6	06 03 00 00 00 26 C5 A7	0x06 (6号)	0x03 读保持寄存器	0x0000	0x0026 = 38 ↑	C5 A7 / C5 A7 ✓
7	07 03 00 00 00 26 C4 76	0x07 (7号)	0x03 读保持寄存器	0x0000	0x0026 = 38 ↑	C4 76 / C4 76 ✓
8	08 03 00 00 00 26 C4 89	0x08 (8号)	0x03 读保持寄存器	0x0000	0x0026 = 38 ↑	C4 89 / C4 89 ✓

#	帧 (Hex)	从站	功能码	起始地址	读寄存器数	CRC (计算/下发)
9	09 03 00 00 00 26 C5 58	0x09 (9号)	0x03 读保持寄存器	0x0000	0x0026 = 38 ↑	C5 58 / C5 58