

ES1

```
MINGW64~/j/Pedrollo_Roberto_verifica-gpi
20390@w11STAT-7-219 MINGW64 ~
$ mkdir Pedrollo_Roberto_verifica-gpi

20390@w11STAT-7-219 MINGW64 ~
$ cd Pedrollo_Roberto_verifica-gpi/

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi
$ git clone https://github.com/Bobpetroleum/gpi-verifica-5GI-2526
Cloning into 'gpi-verifica-5GI-2526'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi
$
```

Es2

```
20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi
$ ls
gpi-verifica-5GI-2526/

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi
$ cd gpi-verifica-5GI-2526/

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526 (main)
$ mkdir PedrolloRoberto

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526 (main)
$ cd PedrolloRoberto/

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$
```

ES3

```
20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$ touch index.html

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$ nano index.html

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$ ls
index.html

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$ git status
on branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  ./

nothing added to commit but untracked files present (use "git add" to track)

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$ git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
  add

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$ git add .
warning: in the working copy of 'PedrolloRoberto/index.html', LF will be replaced by CRLF the next time Git touches it

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$ git commit -m "Creato file HTML iniziale-by Pedrollo Roberto"
[main c409cba] Creato file HTML iniziale-by Pedrollo Roberto
Committer: PEDROLLO ROBERTO <20390@EDU.MARCONI>
Your name and email address were configured automatically based on your username and hostname. Please check that they are accurate. You can suppress this message by setting them explicitly. Run the following command and follow the instructions in your editor to edit your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 12 insertions(+)
create mode 100644 PedrolloRoberto/index.html
```

ES4

```
20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$ git branch branch-Pedrollo

20390@w11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$ git checkout branch-Pedrollo
Switched to branch 'branch-Pedrollo'
```

ES5.1

```
20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$ git branch branch-Pedrollo

20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (main)
$ git checkout branch-Pedrollo
Switched to branch 'branch-Pedrollo'

20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (branch-Pedrollo)
$ ls
index.html

20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (branch-Pedrollo)
$ nano index.html

20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verifica-5GI-2526/PedrolloRoberto (branch-Pedrollo)
$ git diff index.html
warning: in the working copy of 'PedrolloRoberto/index.html', LF will be replaced by CRLF the next time Git touches it
diff --git a/PedrolloRoberto/index.html b/PedrolloRoberto/index.html
index 49d1e53..cf5e6bf 100644
--- a/PedrolloRoberto/index.html
+++ b/PedrolloRoberto/index.html
@@ -10,3 +10,9 @@
     </body>
 </html>

+<ul>
+  <li>Git</li>
+  <li>Branch</li>
+  <li>Merge</li>
+</ul>
+<p>Studiante: Roberto Pedrollo</p>
```

ES5.2

```
20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verific
a-5GI-2526/PedrolloRoberto (branch-Pedrollo)
$ git add .
warning: in the working copy of 'PedrolloRoberto/index.html', LF will be
replaced by CRLF the next time Git touches it

20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verific
a-5GI-2526/PedrolloRoberto (branch-Pedrollo)
$ git commit -m "Modifiche HTML su branch personale by Pedrollo Roberto"
[branch-Pedrollo 4170049] Modifiche HTML su branch personale by Pedrollo
Roberto
Committer: PEDROLLO ROBERTO <20390@EDU.MARCONI>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 6 insertions(+)
```

ES6

```
20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verific
a-5GI-2526/PedrolloRoberto (main)
$ git merge branch-Pedrollo
Updating c409cba..4170049
Fast-forward
 PedrolloRoberto/index.html | 6 ++++++
1 file changed, 6 insertions(+)
```

ES7

```
20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verific
a-5GI-2526/PedrolloRoberto (main)
$ git tag -a v1.0-PedrolloRoberto -m "Effettuato tra branch main e perso
nale"
```

ES8

```
20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verific
a-5GI-2526/PedrolloRoberto (main)
$ git remote -v
origin https://github.com/Bobpetroleum/gpi-verifica-5GI-2526 (fetch)
origin https://github.com/Bobpetroleum/gpi-verifica-5GI-2526 (push)

20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verific
a-5GI-2526/PedrolloRoberto (main)
$ git push
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (8/8), 930 bytes | 46.00 KiB/s, done.
Total 8 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/Bobpetroleum/gpi-verifica-5GI-2526
    80a706a..4170049  main -> main

20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verific
a-5GI-2526/PedrolloRoberto (main)
$ git push --all origin
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'branch-Pedrollo' on GitHub by visitin
g:
remote: https://github.com/Bobpetroleum/gpi-verifica-5GI-2526/pull/
new/branch-Pedrollo
remote:
To https://github.com/Bobpetroleum/gpi-verifica-5GI-2526
 * [new branch]      branch-Pedrollo -> branch-Pedrollo

20390@W11STAT-7-219 MINGW64 /j/Pedrollo_Roberto_verifica-gpi/gpi-verific
a-5GI-2526/PedrolloRoberto (main)
$
```