

ES.1:

```
MINGW64:/j/PereraEshan
21051@W11STAT-7-205 MINGW64 ~
$ mkdir PereraEshanA

21051@W11STAT-7-205 MINGW64 ~
$ mkdir PereraEshan

21051@W11STAT-7-205 MINGW64 ~
$ cd PereraEshan

21051@W11STAT-7-205 MINGW64 /j/PereraEshan
$ git clone https://github.com/EshanPerera06/gpi-verifica-5GI-2526
Cloning into 'gpi-verifica-5GI-2526'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.

21051@W11STAT-7-205 MINGW64 /j/PereraEshan
$ |
```

ES.2:

```
MINGW64:/j/PereraEshan/gpi-verifica-5GI-2526
$ cd gpi-verifica-5GI-2526/

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ mkdir PereraEshan

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ vim

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ ls
PereraEshan/  README.md  index.html

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
      index.html

nothing added to commit but untracked files present (use "git add" to track)

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ |
```

ES.3:

```
MINGW64:/j/PereraEshan/gpi-verifica-5GI-2526
error: pathspec 'HTML' did not match any file(s) known to git
error: pathspec 'iniziale' did not match any file(s) known to git
error: pathspec '-' did not match any file(s) known to git
error: pathspec 'by' did not match any file(s) known to git
error: pathspec 'Perera' did not match any file(s) known to git
error: pathspec 'Eshan'" did not match any file(s) known to git

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git commit index.html -m "Creato file HTML iniziale - by Perera Eshan"
error: pathspec 'file' did not match any file(s) known to git
error: pathspec 'HTML' did not match any file(s) known to git
error: pathspec 'iniziale' did not match any file(s) known to git
error: pathspec '-' did not match any file(s) known to git
error: pathspec 'by' did not match any file(s) known to git
error: pathspec 'Perera' did not match any file(s) known to git
error: pathspec 'Eshan'" did not match any file(s) known to git

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git commit
[main 4fa1a75] "Creato file HTML iniziale - by Perera Eshan"
1 file changed, 11 insertions(+)
create mode 100644 index.html

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ |
```

ES.4:

```
MINGW64:/j/PereraEshan/gpi-verifica-5GI-2526

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git branch Perera

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git checkout Perera
Switched to branch 'Perera'

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (Perera)
$
```

ES.5.1:

```

MINGW64:/j/PereraEshan/gpi-verifica-5GI-2526
Switched to branch 'Perera'

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (Perera)
$ vim index.html

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (Perera)
$ git diff
warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time G
it touches it
diff --git a/index.html b/index.html
index 4552669..5ab1230 100644
--- a/index.html
+++ b/index.html
@@ -6,6 +6,13 @@
</head>
<body>
  <h1>Verifica Git e GitHub</h1>
-  <p>Questo file serve per testare i comandi Git.</p>
+  <p>Questo file serve per testare i comandi Git.</p>
+
+  <ul>
+    <li>Git</li>
+    <li>Branch</li>
+    <li>Merge</li>
+  </ul>
+  <p>Studente: Eshan Perera</p>
</body>
</html>

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (Perera)
$

```

ES.5.2:

```

MINGW64:/j/PereraEshan/gpi-verifica-5GI-2526
index 4552669..5ab1230 100644
--- a/index.html
+++ b/index.html
@@ -6,6 +6,13 @@
</head>
<body>
  <h1>Verifica Git e GitHub</h1>
-  <p>Questo file serve per testare i comandi Git.</p>
+  <p>Questo file serve per testare i comandi Git.</p>
+
+  <ul>
+    <li>Git</li>
+    <li>Branch</li>
+    <li>Merge</li>
+  </ul>
+  <p>Studente: Eshan Perera</p>
</body>
</html>

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (Perera)
$ git add .
warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Gi
t touches it

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (Perera)
$ git commit
[Perera cd36f78] "Modifiche HTML su branch personale by Perera Eshan"
1 file changed, 8 insertions(+), 1 deletion(-)

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (Perera)
$

```

ES.6:

```
MINGW64:/j/PereraEshan/gpi-verifica-5GI-2526

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git merge Perera -no-ff
error: did you mean '--no-ff' (with two dashes)?

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git merge Perera --no-ff
Merge made by the 'ort' strategy.
 index.html | 9 ++++++--
 1 file changed, 8 insertions(+), 1 deletion(-)

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ |
```

ES.7:

```
MINGW64:/j/PereraEshan/gpi-verifica-5GI-2526

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git merge Perera -no-ff
error: did you mean '--no-ff' (with two dashes)?

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git merge Perera --no-ff
Merge made by the 'ort' strategy.
 index.html | 9 ++++++--
 1 file changed, 8 insertions(+), 1 deletion(-)

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git tag -a v1.0-PereraEshan -m "Effettuato merge tra branch main e personale"

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git tag
v1.0-PereraEshan

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ |
```

ES.8:

```
MINGW64:/j/PereraEshan/gpi-verifica-5GI-2526
$ git merge Perera -no-ff
error: did you mean '--no-ff' (with two dashes)?

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git merge Perera --no-ff
Merge made by the 'ort' strategy.
 index.html | 9 ++++++--
 1 file changed, 8 insertions(+), 1 deletion(-)

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git tag -a v1.0-PereraEshan -m "Effettuato merge tra branch main e personale"

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git tag
v1.0-PereraEshan

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ git push --all origin
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (7/7), 947 bytes | 78.00 KiB/s, done.
Total 7 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/EshanPerera06/gpi-verifica-5GI-2526
   80a706a..2c392c2  main -> main
* [new branch]      Perera -> Perera

21051@W11STAT-7-205 MINGW64 /j/PereraEshan/gpi-verifica-5GI-2526 (main)
$ |
```