PowerBridge CRM: Orders & Dashboard Spec

Stack: Supabase + Vercel | Prepared for: CRM developer | September 27, 2026

1. Summary

Add an **Orders** table linked to deals so each customer can have many orders, add an Orders section to the deal page and an Orders list page, build a sales dashboard from the orders data, and connect the powerbridgemedia.com contact form to Supabase. Order fields must live in their own table, not on the deal record, so repeat orders don't overwrite each other.

2. Field Mapping

Fields already in the CRM (no work needed):

Required field	Existing CRM field
Company	Company / Company name
First Name, Last Name	Contact record (confirm)
Phone, Email	Contact record (confirm they are stored there)
Vertical	Vertical
IMO	IMO / agency / parent
Lead Type	Product / lead type
States	States needed
Notes	Notes

New fields, all on the new **orders** table: Date Ordered, Age Range, Lead Provider, Quantity, Cost Per Record, Extra Free Leads, Leads Delivered, Paid Provider, Collected, Our Cost, Profit, Payment Method, Customer Paid, Payment Terms, Delivered, plus Due Date (calculated).

3. Database Migration

Swap `deals`, `contacts` and `organizations` for the actual table names, and copy the org-scoped RLS policies used on `deals`.

```
create table orders (
  id               uuid primary key default gen_random_uuid(),
  org_id           uuid not null references organizations(id),
  deal_id          uuid not null references deals(id) on delete cascade,
  contact_id       uuid references contacts(id),
  date_ordered     date not null default current_date,
  vertical         text,
  imo              text,
  lead_type        text,
  age_range        text,            -- e.g. '30-60 days', '181-365 days'
  lead_provider    text check (lead_provider in
                     ('Loyola Media','USMG','Klover Data')),
  states           text[],          -- e.g. {TX,FL,GA}
  quantity         integer not null check (quantity > 0),
  cost_per_record  numeric(10,4),   -- what we charge per lead
  extra_free_leads integer not null default 0 check (extra_free_leads >= 0),
  leads_delivered  integer check (leads_delivered >= 0),
  collected        numeric(12,2) default 0,  -- $ received from customer
```

```
  our_cost         numeric(12,2) default 0,  -- $ paid to provider
  profit           numeric(12,2) generated always as
                     (collected - our_cost) stored,
  paid_provider    boolean not null default false,
  payment_method   text check (payment_method in
                     ('ACH','Wire','Card','Zelle','Check','Other')),
  customer_paid    text not null default 'Unpaid'
                     check (customer_paid in ('Unpaid','Partial','Paid')),
  payment_terms    text check (payment_terms in
                     ('Prepaid','Net 7','Net 15','Net 30')),
  due_date         date generated always as (
                     date_ordered + case payment_terms
                       when 'Net 7'  then 7
                       when 'Net 15' then 15
                       when 'Net 30' then 30
                       else 0 end) stored,
  delivered        boolean not null default false,
  delivered_at     date,
  notes            text,
  created_at       timestamptz not null default now(),
  updated_at       timestamptz not null default now()
);

create index on orders (org_id, deal_id);
create index on orders (org_id, date_ordered desc);
create index on orders (org_id, lead_provider);

alter table orders enable row level security;
-- replicate the org-scoped select/insert/update/delete policies from deals
```

Field definitions

- **Cost Per Record**: price charged to the customer per lead.
- **Collected**: dollars actually received from the customer (entered manually).
- **Our Cost**: dollars paid to the lead provider.
- **Profit**: calculated by the database as Collected minus Our Cost. Read-only in the UI.
- **Customer Paid**: status of Unpaid, Partial or Paid.
- **Paid Provider**: yes/no, whether we've paid Loyola Media, USMG or Klover Data for that order.
- **Extra Free Leads**: bonus leads given at no charge. Not billed.
- **Leads Delivered**: actual count sent to the customer.
- **Delivered / Delivered At**: delivery status and date.
- **Due Date**: calculated from Date Ordered + Payment Terms, used for receivables.

Lead providers

Current providers are Loyola Media, USMG and Klover Data, enforced by the check constraint. If providers will be added often, replace the constraint with a small `lead_providers` table and a foreign key so new ones can be added from the UI without a migration.

4. UI Requirements

Deal page

- Add an **Orders** section under Pipeline fields with an **Add order** button and a table of orders, newest first.
- Order form prefills Vertical, IMO, Lead Type and States from the deal; all remain editable.
- Show a suggested **Invoice total** in the form as Quantity × Cost Per Record. Extra free leads are not billed.

- Prefill **Leads Delivered** with Quantity + Extra Free Leads, editable so short or partial deliveries can be logged.
- Profit and Due Date are read-only.
- Deal header rollups: total orders, lifetime collected, lifetime profit.

Orders list page

- All orders across deals, including Extra Free Leads and Leads Delivered columns.
- Filters: date range, lead provider, vertical, customer paid, paid provider, delivered.
- Totals row for Sold, Collected, Our Cost and Profit.

5. Dashboard

All dashboard data comes from `orders` except the Pipeline section. Every section respects a global date-range filter. **Do not include Extra Free Leads or Leads Delivered anywhere on the dashboard.**

KPI cards (top row)

Metric	Calculation
Sold	sum(quantity × cost_per_record)
Collected	sum(collected)
Profit	sum(profit)
Margin %	sum(profit) ÷ sum(collected)
Orders	count of orders
Avg order value	Sold ÷ Orders
Repeat rate	% of orders in period from customers with an earlier order

Money stuck (daily check)

- **Accounts receivable**: Sold minus Collected, split into current and overdue (today > due_date and customer_paid is not 'Paid'). List overdue customers with amount and days late.
- **Owed to providers**: sum of our_cost where paid_provider = false, one line each for Loyola Media, USMG and Klover Data.
- **Undelivered orders**: orders with customer_paid = 'Paid' or payment_terms = 'Prepaid' and delivered = false, with age in days. Highlight red after 24 hours.

Provider scorecard

One table, one row each for Loyola Media, USMG and Klover Data: Sold, Our Cost, Profit, Margin %, Order count, and repeat rate of customers who bought that provider's data.

Breakdowns

- Profit by week or month (bar chart) with Sold and Collected as lines.
- Revenue and margin by Vertical and by Age Range, each filterable by provider.
- Top 10 customers by lifetime profit, with last order date and most-used provider.
- Cost Per Record trend by vertical over time.

Retention

- **Customers due for reorder**: customers past their average gap between orders (30 days if they have only one order), sorted by lifetime profit. Used as the sales assistant's call list.

Pipeline (existing deal fields)

- Open deals by stage with total opportunity value.
- Deals with Sample sent or Pricing sent that have no orders yet.
- Follow-ups due today or overdue (Next follow-up).

6. Website Form Intake (powerbridgemedia.com)

The website is static HTML on Cloudways. Its `submit.php` inserts form submissions directly into a Supabase `leads` table through the REST API using the service role key, stored server-side only. The CRM needs to read and display these as new prospects. If a `leads` table already exists, tell Jake the column names so the form can be mapped to them.

```
create table if not exists leads (
  id uuid primary key default gen_random_uuid(),
  first_name text, last_name text, company text,
  phone text, email text, message text,
  source text, page text, ip text,
  status text default 'new',
  created_at timestamptz default now()
);
alter table leads enable row level security;
```

- Insert endpoint used by the site: `POST https://<project>.supabase.co/rest/v1/leads`.
- The site sends `source = 'powerbridgemedia.com'` on every lead.
- Optional: add a Supabase Database Webhook on insert into `leads` that calls a Vercel API route for rep assignment, alerts, or dedupe by phone. No change to the website is needed for this.