

YSGF (Yasir Sultan Geodesic Flux): A Rotational Geodesic Flux Framework for Maps and Globes

Author: Yasir Sultan

License: Creative Commons Attribution 4.0 International (CC BY 4.0)

Abstract

This paper introduces the Yasir Sultan Geodesic Flux (YSGF) framework, a generalized spatial representation methodology based on dynamic pole transformation and rotational normalization of spherical coordinates. The framework reinterprets geographic space by allowing any location on Earth to become a temporary pole, generating a new geodesic structure centered on that point.

Within this representation, longitudinal structures become geodesic flux trajectories converging toward the selected pole, while latitudinal structures represent equal-distance contours relative to the selected pole. The approach is independent from specific cartographic projections and may operate directly on the sphere or as an overlay layer applied to conventional map systems such as the Mercator projection.

The concept of Flux forms the central structural and interpretive component of the framework. Rather than treating coordinate systems as static Earth-fixed constructs, YSGF models geographic orientation as a dynamically normalized rotational field. This enables intuitive reinterpretation of navigation, distance relations, spatial flow analysis, and geodesic organization.

The framework additionally provides an intuitive interpretation of geodesic path construction through rotational pole-centered transformation.

1. Introduction

Traditional geographic coordinate systems define the Earth using fixed polar references. While mathematically effective, these systems impose a rigid orientation that does not adapt to arbitrary spatial focal points.

The YSGF framework proposes an alternative interpretation in which any selected geographic location may be transformed into a rotational pole through a process called Pole Transformation. After transformation, the coordinate structure reorganizes itself around the chosen location.

This creates a new geodesic field in which:

- The transformed longitudinal lines become the principal geodesic trajectories.
- The transformed latitudinal lines become equal-distance contours.
- Spatial organization becomes locally centered and rotationally normalized.

The framework introduces the concept of Geodesic Flux, where directional geodesic structures behave as continuous spatial flow trajectories across the Earth's surface.

2. Core Concepts

2.1 Flux

The term Flux is fundamental within YSGF.

In this context, Flux refers to the organized directional propagation of geodesic structures across a spherical surface after rotational normalization. Flux lines represent coherent spatial trajectories converging toward or diverging from the transformed pole.

Unlike traditional longitude systems tied permanently to the geographic poles, Flux structures are dynamically generated relative to any selected point on Earth.

2.2 Pole Transformation

Pole Transformation is the operation that redefines an arbitrary geographic location as a temporary pole of the coordinate system.

If a city such as London is selected as the transformed pole, then:

- The new longitudinal system becomes composed of geodesic trajectories converging at London.
- The new latitudinal system becomes composed of equal-distance contours relative to London.
- All spatial directions become normalized around the transformed coordinate orientation.

This transformation may be applied mathematically on:

- The physical sphere,
- A virtual globe,
- Or any projected mapping system.



[Figure 1]

Pole Transformation and Rotational Normalization centered on London.

The transformed longitude system forms geodesic flux trajectories converging at the selected pole, while transformed latitudes represent equal-distance contours.

2.3 Rotational Normalization

Rotational Normalization is the process of rotating the coordinate framework so that the selected reference point becomes the effective pole.

The transformation preserves spherical continuity while redefining directional geometry.

Conceptually:

- Standard Earth coordinates remain mathematically valid.
- The interpretive orientation changes.
- Geodesic behavior becomes centered around the selected location.

This normalization creates a locally intuitive spatial topology without requiring reconstruction of the underlying map projection.


3. Geodesic Flux Structure

When a pole transformation occurs:

- The newly generated longitude lines become geodesic flux trajectories.
- The newly generated latitude lines become equal-distance structures.

On the sphere:

- Flux trajectories correspond to great-circle geodesics passing through the transformed pole.



[Figure 2]

Geodesic flux trajectories for London on a Mercator map representation after rotational normalization.

On projected maps:

- The same transformed geodesic system may be rendered as an overlay layer independent of the underlying projection.

Thus, YSGF does not replace existing projections such as the Mercator projection. Instead, it introduces a higher-level geometric layer capable of operating on top of them.

4. Geodesic Path Construction

Within the YSGF framework, a geodesic path between two locations may be constructed through dynamic pole transformation.

Given two geographic points:

- Point A (origin)
- Point B (destination)

The procedure is defined as follows:

1. Point A is transformed into the temporary rotational pole using rotational normalization.
2. The coordinate system is rotated such that Point A becomes the effective pole of the transformed representation.
3. In the transformed system:
 - The longitude passing through Point B represents the geodesic trajectory connecting A and B.
 - The latitude of Point B represents the distance from Point A.

As a result, geodesic routing may be interpreted through the transformed longitudinal flux structure.

This interpretation applies consistently on:

- Physical spherical models,
- Virtual globes,
- Mercator projections,
- And arbitrary cartographic projections.

The framework therefore provides an intuitive geodesic routing interpretation independent of projection format.

5. Projection Independence

A central property of YSGF is projection independence.

The framework operates consistently across:


- Spherical representations,

- Globe renderings,
- Mercator projections,
- Cylindrical projections,
- Arbitrary map transformations.

The geodesic flux layer behaves as an abstract coordinate topology independent of visualization format.

Therefore:

- A Mercator map may preserve its original geometry,
- While YSGF overlays transformed flux trajectories and equal-distance contours dynamically.



[Figure 3]

YSGF flux overlay applied on a Mercator world map projection.

The flux layer remains independent from the underlying cartographic projection.

This separation between projection and flux structure allows compatibility with existing geographic systems.

6. Conceptual Interpretation

The YSGF framework may be interpreted as a dynamic reorientation methodology for spatial cognition and geodesic analysis.

Potential conceptual applications include:

- Navigation systems,
- GIS systems,
- Spatial analytics,
- Dynamic routing,
- Geodesic visualization,
- Educational geographic systems,
- Scientific modeling,
- Dynamic aviation routing,
- Maritime navigation,
- Spatial AI systems,
- Geodesic optimization,
- Adaptive GIS visualization,
- Large-scale Earth interaction systems.

The framework is especially suited for applications requiring intuitive understanding of geodesic relationships centered around arbitrary locations.

7. Mathematical Interpretation

The transformation process may be interpreted as a rotational mapping operation on the sphere:

$$R: S^2 \rightarrow S^2$$

where:

- S^2 denotes the spherical Earth surface,
- R represents a rotational normalization operator.

The selected point becomes the transformed pole after applying the rotational operator.

The resulting coordinate family produces:

- Geodesic flux trajectories,
- Equal-distance contour families,
- Rotationally normalized directional fields.

8. Compatibility With Existing Mapping Systems

YSGF is designed as an additive framework rather than a replacement cartographic standard.

The flux layer may coexist with:

- GPS systems,
- Existing geographic databases,
- Conventional map tiles,
- Mercator navigation environments,
- Alternative geometric projections including Conic, Azimuthal, and Equal-Area systems,
- Scientific Earth visualization systems.

This allows deployment without requiring abandonment of existing infrastructure.

9. Licensing and Attribution

This work is released under the Creative Commons Attribution 4.0 International (CC BY 4.0) license.

Any usage, redistribution, adaptation, citation, implementation, visualization, or derivative work based on this framework must include proper attribution to the original source and author.

Recommended attribution format:

“Based on the Yasir Sultan Geodesic Flux (YSGF) framework by Yasir Sultan, licensed under CC BY 4.0.”

10. Conclusion

The Yasir Sultan Geodesic Flux (YSGF) framework introduces a rotationally normalized interpretation of geographic space based on dynamic pole transformation and geodesic flux organization.

By allowing arbitrary locations to function as poles, the framework generates new geodesic structures and equal-distance fields while remaining compatible with existing projections and mapping systems.

The central concept of Flux provides a generalized spatial interpretation layer capable of operating independently from visualization format, potentially enabling new forms of geodesic analysis, navigation, and spatial cognition.

11. Implementation Demonstration

A functional implementation of the YSGF framework has been developed using Three.js and WebGL technologies.

The implementation dynamically generates geodesic flux structures for arbitrary geographic locations on both:

- 3D spherical Earth representations,
- and Mercator-based world maps.

The system supports real-time pole transformation and dynamic multi-origin flux visualization.

12. official website:

<https://professor-yasirsultan.github.io/ysgf/>