Facilitator notes

Completion Theater Hackathon: Build It, Prove It, Smash It

Wednesday 18 November 2026, 20:15–23:15, Room E2+E3, Potsdam local time (CET).

Facilitators: Dragan Spiridonov and Lalitkumar Bhamare. The responsibilities below are a proposed division to agree together. Rewards are OPEN; no product, subscription, value or sponsor commitment is included.

Purpose

Participants build with AI agents, then independently investigate whether the delivered behavior and evidence support the completion claims. Use the Completion Theater five-pattern field guide, the empty-tests example and independent-verification material. Keep the opening short. The primary learning comes from executing and auditing, not from another full conference talk.

Use rules/rubric version 1.1 consistently. The frozen source is the judged object. Honest failures still earn evidence credit. No team needs to use AQE or a particular vendor. Tool spend, agent count, coverage percentage and polish do not substitute for evidence.

Exact 180-minute run of show

Time (CET)	Minutes	Activity	Lead / output
20:15–20:30	15	Opening: empty-tests example, five patterns, verification reflex, rules	Dragan; common vocabulary
20:30–20:40	10	Teams, PRD, roles and published scoring rubric	Lalit; one bounded plan per team
20:40–21:40	60	Build with chosen AI tools	Both circulate; a runnable vertical slice
21:40–22:00	20	Self-verification, repairs until 21:55, source freeze and evidence packaging	Dragan on evidence, Lalit on flow
22:00–22:05	5	Short break and artifact handoff	Lalit assigns audit ring
22:05–22:40	35	Independent cross-audit	Both; two strongest investigations per team
22:40–23:00	20	Short demos, findings and contested-result checks	Dragan hosts, Lalit records provisional scores
23:00–23:10	10	Finish arithmetic and discuss lessons	Both; confirmed scoreboard
23:10–23:15	5	Close and personal takeaway	Both; one practice to take back

Total: 180 minutes. The build remains the advertised 60 minutes. No extra four-hour agenda is implied. Show the current phase and next deadline on the projector. Announce five-minute and one-minute warnings.

Before the day

- Agree roles with Lalit and check the live session slot and room with organizers.

- Plan for 3–8 teams, normally 4–6 people each. This is a planning range, not a registration count. At 49–50 attendees, use eight teams with two groups of seven if needed and redistribute roles. Do not promise unlimited facilitation capacity.

- Ask participants to arrive with a laptop, charger, working coding agent, available model access/credits, Git, one GitHub account per team, and one local runtime they know. Test each team's fork and ability to open an upstream

PR before the build; keep an archive tool available for offline fallback. They can use a local model. No specific subscription is required.

- Bring the deck as PPTX and PDF, participant PDFs, editable Markdown templates, a timer, USB/offline transfer media, paper and pens. Avoid relying on a single download link.

- Arrange power, projector/HDMI adapter, room Wi-Fi and a local transfer method. Check whether venue networking prevents peer transfer.

- Print one PRD and pattern card per team, one builder and audit checklist per team, one scoring sheet per team, and one master scoreboard for facilitators.

- Rehearse artifact transfer, source identity, cold start and a restart readback with a small local fixture before the event. An AI-assisted build and independent AI review have been executed on macOS; the public dry-run report gives scope and receipts. A mixed human-team and venue rehearsal still has not run.

- Calibrate the rubric together: score a complete example, an honest broken app and a convincing agent summary with no executable receipts. The third example cannot receive functional points.

Team roles and setup

Suggested roles: product/question owner, agent operator, implementer/integrator, verifier and evidence recorder. Combine roles in a small team and rotate after the build. Choose an audit lead who did not operate the target build. Different team ownership provides the independent perspective; using a different model alone does not guarantee it.

At 20:30 distribute 01–04, 06 and team-templates. Ask each team to name itself A–H, choose a known runtime, declare a local port and state directory, and read the eight acceptance criteria. Resolve questions publicly so all teams receive the same rule. A simple UI plus API and durable local state is enough. Discourage authentication, payment integrations and deployment.

Each team forks the organizer repository and works on `submission/<team-id>` in a fresh disposable directory. Follow docs/08-Submission-Workflow.md for the canonical delivery and intake procedure. Do not borrow a participant's production database, private repository or existing project memory store. Use fictional aliases. No credential sharing. Agents must stay inside the team workspace. Participants authorize and inspect their own fork pushes and submission PRs; agents must not publish unrelated content or contact people. Reviewing another team's supplied code does not authorize running arbitrary destructive scripts; inspect commands, dependency scripts and paths first and stop if a command escapes the fixture boundary.

Opening script and five patterns

1. Welcome and show the confident claim next to the empty tests directory. Introduce it as an illustrative example of a mismatch, not a measured result from tonight.

2. Walk the five Completion Theater patterns. Spend about one minute per pattern with an example of an observable check.

3. Explain that another team will execute checks against the exact delivered snapshot. An agent summary, a coverage badge or a persuasive demo alone cannot establish a pass.

4. Explain the timeline, source freeze, scope and reward status. Say only: 'Rewards have not been decided. Tonight's scoring follows the published rubric.'

Do not add numerical research claims, tool-cost claims or product statistics to this opening. They are unnecessary for the exercise and would require separate current source verification.

Build checkpoints

- 20:40: start. Each team writes the smallest plan in team-plan.md and assigns a verifier.

- 20:50: look for a running skeleton. If none, narrow the stack and provide human setup help.

- 21:10: ask to see one reservation response and a stored record. Ask which assumption could make that response misleading.

- 21:25: remind teams to prioritize capacity, replay and restart. Optional features come later.

- 21:35: five-minute warning. Ask teams to locate README, tests and the state path.

- 21:40: stop adding features. Verification begins. Repairs are allowed only until 21:55.

- 21:55: teams commit and push final source/tests. Record the full commit SHA and app path; no subsequent source pushes.

- 22:00: submission PR and evidence location ready. Record the observed head SHA, receipt time and timezone in an organizer-owned intake record; retain the exact app snapshot and its sourceId/archive SHA-256. PR text and Git dates alone do not prove timely delivery. Mark incomplete work explicitly.

Explain 'Uncommitted Illusion' as missing delivered work. The recorded commit must contain every intended app file and test; local untracked files do not count. The PR is the delivery channel, not a freeze mechanism. Preserve the accepted commit as a local ref and a checksummed app snapshot before review. If GitHub is unavailable, receive the checksummed snapshot and evidence by the same deadlines, record the exception and time, and later link the PR to those exact frozen bytes. Do not substitute a later repair.

Audit pairing and blocked targets

Use a directed ring: A audits B, B audits C, and the last team audits A. This gives every team one target even with an odd number of teams. For two teams, swap. With one team, facilitators audit and the team investigates a facilitator-approved copy; label the reduced independence.

Give the auditor the retained snapshot and organizer intake record, not the builder's working directory or a moving PR branch. Do not merge submissions into organizer main. Builders can explain run instructions, but auditors perform the checks. Audit evidence stays in a separate sidecar folder bound to the target source identity.

If a target cannot start after five minutes, record the exact failure and request a facilitator. The auditor may still inspect the target and report the blocked start. If enough time remains, assign a second reachable artifact and record its identity separately. Never present that second target as evidence about the first. Judge C2–C3 against the named target actually investigated. C1 requires a successful independent start. C4 can reward a well-evidenced blocked result. Do not reduce a sound target's score because peers found no bugs.

No repair to the frozen target during audit. A fix can be tried in a separately labelled copy, but scores still refer to the frozen baseline. This prevents a moving target and protects reproducibility.

Demos, scoring and debrief

With up to eight teams, allow two minutes per team plus four minutes total for transitions/adjudication. Each team gets 45 seconds of product behavior, 45 seconds for its strongest audit investigation, and 30 seconds for a lesson or limitation. For nine or more teams, use 90 seconds per team; do not extend the end time. No live install during demos. Prefer short replay of collected evidence plus a targeted rerun where possible.

Facilitators collect provisional AC results while circulating. The 20-minute demo round is not enough to rerun every criterion for every team; a functional score needs observed execution or a confirmed independent audit receipt. NOT RUN stays 0. Cross-check contested claims against their source identity and the PRD. Keep a decision log and apply clarifications equally.

Use the fixed 40/30/20/10 rubric. Each row is 0 or 5. Have the other facilitator check totals. Ties resolve by evidence, then audit, then app; share positions if still tied. Awards, prizes and sponsorships are not part of the calculation.

Debrief prompts: Which claim looked convincing until you investigated it? Which negative control changed your confidence? What did another team notice that you missed? Did any test validate the wrong requirement? What would you add to a daily handoff? Ask teams to state one practice, not one tool, they will take home.

Contingencies

Situation	Response
Ten-minute late start	Opening 10 minutes and team planning 5 minutes recover 10. Keep the 60-minute build, verification and audit. If lost time occurs later, reduce demos from 20 to 10. Finish at 23:15.
Wi-Fi or model outage	Continue with available local tools and manual work. No penalty for tool choice. Logs must label what actually ran. If building is impossible, switch to a documented paper review of the PRD and available source; score unexecuted functional rows 0 and report the mode honestly.
One team blocked by setup	Merge into a functioning team before build minute 20 or offer a verifier/evidence role. Avoid burning the whole session on installation.
No defects found	Require a documented challenge and bounded clean conclusion. Audit credit does not depend on finding a bug.
Dangerous command, real data or exposed secret	Stop the affected activity, isolate the fixture and ask its owner to handle the sensitive step. Do not project or copy the secret. Resume within scope.
Scoring dispute	Freeze the relevant receipt, ask for reproduction, record the ruling. No retroactive rubric inventions.

After the event

Return the team's evidence and score sheet. Share only materials teams authorize for sharing. Do not upload participant code, logs, identities or recordings automatically. Capture durable lessons without private data. Any later rewards decision is a separate organizer action.

Sources and preparation boundary

Program and scoring weights:
https://agiletestingdays.com/2026/session/completion-theater-hackathon-build-it-prove-it-smash-it/

Opening examples and the five-pattern field guide are by Dragan Spiridonov, adapted for this Completion Theater hackathon. The public dry-run report distinguishes executed technical evidence from untested human-team and venue assumptions.

Judge scoring sheet

Team: _____ Judge: _____ Source identity: _____

Published weights: working app 40, verification evidence 30, cross-audit catches/challenges 20, creativity 10. Total 100. Rewards remain open. Rubric version 1.1. Announce this same rubric to all teams before the build; changes after that need an equal, recorded ruling.

Every row scores either 0 or 5. Mark the observation PASS, FAIL or NOT RUN, with an evidence reference. Only EXECUTED PASS supports functional points. Missing evidence earns 0, not an inferred pass. A test that correctly rejects invalid input is a PASS.

A. Working app: 40 points

ID	Criterion	0 or 5	Evidence
A1 / AC-01	Reproducible start and usable basic UI	____	_____
A2 / AC-02	Seeded sessions, API counts and UI agreement	____	_____
A3 / AC-03	Valid reservation and independent record readback	____	_____
A4 / AC-04	Capacity holds sequentially AND under concurrent requests	____	_____
A5 / AC-05	Same-key replay and conflicting-key rejection	____	_____
A6 / AC-06	Cancellation, repeated cancellation and cancelled-key replay	____	_____
A7 / AC-07	Active and cancelled state survives process restart	____	_____
A8 / AC-08	All five invalid-input cases reject without state changes	____	_____

Working-app subtotal (0–40): _____

B. Verification evidence: 30 points

ID	Criterion	0 or 5	Evidence
B1	Frozen source hash/checksum and each receipt bound to it	____	_____
B2	Run/reset/test instructions independently reproduced	____	_____
B3	Fresh raw test output shows exit codes, failures and skipped work	____	_____
B4	Before/after state evidence includes a real process restart	____	_____
B5	A meaningful test fails under a deliberate negative control in a copy	____	_____
B6	Manifest distinguishes claims, executed results, FAIL and NOT RUN	____	_____

Evidence subtotal (0–30): _____

B3 can earn 5 even when tests fail, if the output is complete and honestly reported. B4 requires readable state evidence and a recorded observation; matching state earns AC-07 separately. B5 requires an important behavioral assertion, not just a syntax error. A known limitation must be disclosed, not fabricated to satisfy B6.

C. Cross-audit: 20 points

Target team: _____ Investigation references: _____

ID	Criterion	0 or 5	Evidence
C1	Auditor independently starts the exact frozen artifact	____	_____
C2	Auditor executes a high-risk functional challenge with an explicit oracle	____	_____
C3	Auditor challenges an evidence claim, test sensitivity or persistence independently	____	_____
C4	Report contains a reproducible mismatch OR a bounded clean result, plus limits and builder response	____	_____

Cross-audit subtotal (0–20): _____

Record the auditing team and target separately. Do not add points for an audit performed ON this team to its own score. A team must perform an audit to earn C points. An AI-only rehearsal is labelled rehearsal, not an independent human-team qualification.

No points per bug, no bonus for dramatic severity labels, no requirement to invent a finding. At most two investigations are considered. A blocked cold start can earn C4 with a reproducible, adjudicated report, but does not earn C1.

D. Creativity: 10 points

ID	Criterion	0 or 5	Evidence
D1	One optional improvement solves a concrete user problem and is demonstrated	____	_____
D2	One additional verification technique is demonstrated beyond the supplied checks, with a clear question and result	____	_____

Creativity subtotal (0–10): _____

Both can earn credit in a partial app; an unsupported feature promise cannot. Repeating the mandatory capacity check is not an additional technique. Novelty is judged relative to this starter, not to the wider industry.

Final decision

A ____ + B ____ + C ____ + D ____ = TOTAL ____ / 100

Judge and second facilitator confirm arithmetic: _____

Tie-break order: higher B, then higher C, then higher A. If still tied, share the position. Do not improvise a new criterion after the build. A new disputed rule applies to everyone or is left unscored; facilitators record the decision.

No penalty for selecting a cheaper tool, not using AQE, avoiding deployment, acknowledging a failure or receiving no defects from an auditor. Unsafe activity is stopped and the affected evidence is invalidated; unrelated earned points remain unless event organizers decide otherwise.

Master scoreboard

Event: 18 November 2026 Judge: _____

Team	Working /40	Evidence /30	Audit /20	Creativity /10	Total /100	Tie order / notes
A	____	____	____	____	____	_____
B	____	____	____	____	____	_____
C	____	____	____	____	____	_____
D	____	____	____	____	____	_____
E	____	____	____	____	____	_____
F	____	____	____	____	____	_____
G	____	____	____	____	____	_____
H	____	____	____	____	____	_____

Score owner: _____ Arithmetic checked by: _____

Outstanding disputes: _____

Rewards: OPEN. Do not announce products, subscriptions, values or sponsorship commitments.