WEB PROGRAMIRANJE PHP 1 DOKUMENTACIJA

Lazar Petrovic 125/19

Contents

Uvod 3

Korisceni jezici i tehnologije 3

Opis funkcionalnosti 3

Template 4

Organizaciona šema 4

Šema baze podataka 5

Sitemap 5

Stranice 6

Index.php 6

offers.php 8

login.php 10

register.php 11

about.php 14

Kodovi 15

index.php 15

offers.php 20

login.php 23

register.php 25

admin.php 27

about.php 33

veza.php 35

booking.php 35

kontakt.php 36

logging.php 37

logout.php 38

obradaK.php 38

obradaL.php 39
obradaR.php 39
registracija.php 40
survey.php 41
admin/add.php 41
admin/addBook.php 42
admin/addVac.php 42
admin/delete.php 43
admin/deleteBook.php 43
admin/deleteCon.php 44
admin/deleteVac.php 44
nav/admin_nav_mob.php 45
nav/admin_nav.php 45
nav/logged_mob.php 45
nav/logged.php 46
nav/unlogged_mob.php 46
nav/unlogged.php 47
adminAdd.js 47
carousel.js 47
generate.js 48
hamburger.js 48
login.js 48
register.js 48
submit.js 49

Uvod

Korisceni jezici i tehnologije

HTML, CSS, XML, JavaScript, JQuery, PHP i SQL.

Opis funkcionalnosti

- Linkovi u obe navigacije(verzija za kompjuter i verzija za telefon) se dohvataju iz baze i dinamički ispisuju na svim stranicama.
- Korisnik se može registrovati i ulogovati, unesene informacije se proveravaju i sa klijentske strane pomocu JS i sa serverske pomoću PHP pre nego što se upišu u bazu. Korisnik može naručiti odmor samo ako je ulogovan.
- U zavisnosti od nivoa privilegije(korisnik bez naloga, korisnik sa nalogom i administrator), sadržaj i dostupne stranice sajta se menjaju. Korisnik bez naloga neće videti dugme za naručivanje, dok korisnik sa nalogom neće moći da pristupi registraciji i loginu i administratorskom panelu.
- Galerija destinacija koja se učitava iz baze podataka i ispisuje na stranicu, pored slike učitava se ime mesta, kratak opis i cena.
- Anketa za korisnike čije se informacije čuvaju u bazi, dostupna je samo korisnicima koji su ulogovani a nisu odgovorili.
- Kontakt forma koja se proverava klijentski i serverski.
- Administratorski panel preko kojeg kroz većinom tabelarni prikaz možemo da vidimo, brišemo i dodajemo nove korisnike, da im dodelimo administratorsku privilegiju, takođe vidimo, brišemo i dodajemo nove destinacije, i imamo uvid u, brišemo i dodajemo nove porudžbine. Pored toga možemo takođe videti rezultate ankete sortirane po ID korisnika i takođe sve poruke poslate administratoru preko kontakt forme.

Template

Korišćen je template uzet sa sajta: https://templated.co/

Organizaciona šema

Korisnik koji nije ulogovan može pristupiti glavnoj stranici, destinacijama, loginu, registraciji i about stranici.

Korisnik koji je ulogovan može pristupiti glavnoj stranici, destinacijama i može se izlogovati.

Administrator može pristupiti glavnoj stranici, destinacijama, administratorskom panelu i može se izlogovati.

Šema baze podataka



Sitemap

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
 <loc>https://profkosmosic.github.io/</loc>
 <lastmod>2021-03-08</lastmod>
 <changefreq>monthly</changefreq>
 <priority>1</priority>
 </url>
```

```
 <url>
 <loc>https://profkosmosic.github.io/offers.php</loc>
 <lastmod>2021-03-08</lastmod>
 <changefreq>monthly</changefreq>
 <priority>0.8</priority>
 </url>
 <url>
 <loc>https://profkosmosic.github.io/login.php</loc>
 <lastmod>2021-03-08</lastmod>
 <changefreq>yearly</changefreq>
 <priority>0.6</priority>
 </url>
  <url>
 <loc>https://profkosmosic.github.io/register.php</loc>
 <lastmod>2021-03-08</lastmod>
 <changefreq>yearly</changefreq>
 <priority>0.6</priority>
 </url>
<url>
 <loc>https://profkosmosic.github.io/about.php</loc>
 <lastmod>2021-03-08</lastmod>
 <changefreq>monthly</changefreq>
 <priority>0.5</priority>
 </url>
</urlset>
```

Stranice

Index.php



A TIME OF YOUR LIFE GUARANTEE!

We promise you that you have never been on vacations like these! But you don't have to take our word for it, let this site guide you through the process and also show off the places our happy customers have enjoyed that you could be enjoying too if you give us a chance to win you over!

LEARN MORE

ABOUT US

WHO WE ARE

We are a traveling agency based in Belgrade, Serbia that will help you pick the best vacation that you've ever been on! We offer the best destinations for very affordable prices.

WHAT WE DO

We parse through all information and bookings we can possibly get our hands on so you don't have to and try to offer you the most luxury for the most reasonable price.

WHAT WE OFFER

FLEXIBLE DATES

Have you ever had problems with your time of arrival or departure not fitting in with your schedule? Worry not! We offer flexible dates that can be changed whenever you feel like it, we go even as far as allowing changes only days before the trip is supposed to take place with no additional charges!

TRANSPORTATION

We offer a lot of different kinds of modes of transportation to fit your needs and most importantly, your budget too. From small vans and buses all the way to first class airplanes, you name it, we got it parked outside waiting for you! Buckle up and get ready for the best vacation ever!

USER REVIEWS

Those pesky hotel stars are not always the best way of telling which place will offer the best services, so our site also comes equipped with user ratings and average scores for each country that our users have been to, telling you the best spots and sharing what they learned on their trip!

GET IN TOUCH WITH US

NAME

EMAIL

MESSAGE

SEND MESSAGE

© Untitled Design: TEMPLATED Made by: LAZAR PETROVIC 125/19

DOCUMENTATION

Na glavnoj stranici kao i na svakoj drugoj prikazana je dinamički ispisana navigacija, anketa ukoliko se korisnik ulogovao a već nije odgovorio na nju i takođe kao i na svakoj sem login i registracijskih stranica, prikazana je kontakt forma koja se proverava klijentski i serverski pre nego što se upiše u bazu i prikaže u admin panelu.

offers.php


Travel Advisor
HOME
OFFERS
CONTACT
OUR OFFERS
ANTALYA
BOOK NOW
ATHENS
BOOK NOW
CAIRO
BOOK NOW
GIZA
BOOK NOW
ISTANBUL
BOOK NOW
PARALIA
BOOK NOW
ROME
BOOK NOW
VENICE
BOOK NOW
GET IN TOUCH WITH US
NAME
EMAIL
MESSAGE
SEND MESSAGE

Na stranici sa ponudama korisnik može da naruči destinaciju ukoliko je ulogovan i ta narudžbina će se proslediti bazi i administratoru. Ako korisnik nema nalog dugme za kupovinu neće biti tu i korisniku će izaći poruka da ukoliko želi da naruči nešto da mora da ima nalog. Sve slike, naslovi, opisi i cene se generišu iz baze i ispisuju, takođe ih i administrator može brisati i ručno dodavati iz panela.

login.php



Login stranica je stranica koju samo korisnici koji nisu ulogovani mogu videti, pri upisu podataka i klikom na dugme vrši se klijentska i serverska provera unesenih podataka, proverava se da li takav korisnik postoji u bazi, ukoliko nešto ne odgovara korisniku se ispisuje šta nije u redu sa napisanim informacijama. Kada se korisnik uspešno uloguje šalje se na glavnu stranicu gde se navigacioni meni menja i ako već nije popunio, prikazuje anketa.

register.php



Stranica za registraciju je takođe stranica dostupna samo korisnicima koji nisu ulogovani, takođe se sve unesene informacije proveravaju klijentski i serverski, i van standardne provere napisanog i njegove dužine, takođe se proverava da li takav korisnik već postoji u bazi i odbija ih ukoliko pokušaju da koriste isti email ili šifru koja je već u bazi.

admin.php

← Back to the main page

ADMIN PANNEL

USER TABLE

ID	NAME	EMAIL	PASSWORD	ADMIN	DELETE
2	Lazar	lazar.petrovic@gmail.com	lazar123	0	DELETE
3	Miki	mikisiki@hotmail.com	12341234	0	DELETE
4	Vera	rajkovicvera@gmail.com	bjutigul	0	DELETE
6	Sara	brankovicsara@gmail.com	dobrodosli	0	DELETE
7	Bruh	bruh@hotmail.com	asdfasdf	0	DELETE
9	Dzoni	nikola@gmail.com	ghjkghjk	0	DELETE
10	Admin	[redacted]		1	DELETE
11	Goran	goran123@hotmail.com	vbvbvbvb	0	DELETE
12	Milos	shomi@gmail.com	qwqwqwqw	0	DELETE

ADD NEW USER

NAME	EMAIL	PASSWORD	ADMIN	ADD
				ADD

PRODUCT TABLE

ID	NAME	DESCRIPTION	FILE	PRICE	DELETE
13	antalya	Beautiful beaches and sea, great customer reviews, lots of amazing places to visit!	images/vacation/antalya.jpg	400	DELETE
14	athens	Visit the remains of an ancient civilization! Lots of cool monuments to see and places to visit!	images/vacation/athens.jpg	250	DELETE
15	cairo	Egypt's capital is sure to be bursting with wonders! Great reviews and stories to tell from our users!	images/vacation/cairo.jpg	450	DELETE
16	giza	Come on and see one of the original 7 wonders of the world, the Great Pyramid itself!	images/vacation/giza.jpg	550	DELETE
17	istanbul	Istanbul, the bridge between Europe and Asia, come for the cultural divide, stay for the amazing cuisine!	images/vacation/istanbul.jpg	300	DELETE
18	paralia	Amazing location for a very low price, if you are a beach person and you are shorter on cash then this is the perfect spot for you!	images/vacation/paralia.jpg	150	DELETE
19	rome	Take a trip down to Rome to the legendary colosseum! Bragging rights and great Italian cuisine are guaranteed!	images/vacation/rome.jpg	350	DELETE
20	venice	The one of a kind town where instead of cars all you will see are boats! A very unique experience according to our users!	images/vacation/venice.jpg	500	DELETE

ADD NEW PRODUCT

NAME	DESCRIPTION	FILE	PRICE	ADD
				ADD

ORDER TABLE

ORDER ID	PRODUCT ID	USER ID	DELETE
15	16	7	DELETE

ADD NEW ORDER

PRODUCT ID	USER ID	ADD
		ADD

SURVEY TABLE

SURVEY ID	USER ID	ANSWER
1	7	Yes
2	12	Yes
4	9	No

CONTACT

From: Admin

Email: testproba@gmail.com

Message:
Proba test admin poruka.

DELETE

From: Milos

Email: shomi@gmail.com

Message:
Proba poruke iz offera.

DELETE

Administratorski panel je dostupan samo korisnicima koji imaju administratorsku privilegiju na sajtu i preko njega možemo da kontrolišemo skoro sav dinamički sadržaj ovog sajta. Administratorsku privilegiju imaju svi korisnici koji imaju broj 1 u admin polju u bazi podataka dok svaki novi registrovani korisnik po defaultu ima 0, što znači da privilegiju može dodeliti samo drugi administrator preko panela.

Takođe odavde brišemo i dodajemo nove destinacije, njihova imena, cene i lokaciju fajla na kome se nalazi slika kao i sve porudžbine koje isto tako možemo da dodajemo i brišemo.

Ispod toga možemo videti tabelu sa rezultatima ankete i ispod nje poruke koje su stigle preko kontakt forme koje takođe možemo izbrisati.

about.php



Na about stranici je prikazan dinamički meni, kontakt forma kao i informacije o autoru strane.

Kodovi

index.php

```
<?php
    session_start();
?>
<!DOCTYPE HTML>
<html lang="en">
    <head>
        <title>Travel Advisor</title>
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1, user-
scalable=no" />
        <meta name="author" content="Lazar Petrović">
        <meta name="keywords" content="travel, advisor, destination, summer, vaca
tion">
        <meta name="description" content="Home page of Travel Advisor, a place fo
r affordable vacations!">
        <link rel="shortcut icon" type="icon" href="images/favicon.ico"/>
        <link rel="stylesheet" type="text/css" href="assets/css/page.min.css" />
        <link rel="stylesheet" type="text/css" href="https://cdnjs.cloudflare.com
/ajax/libs/slick-carousel/1.8.1/slick.min.css"/>
        <link rel="stylesheet" type="text/css" href="https://cdnjs.cloudflare.com
/ajax/libs/slick-carousel/1.8.1/slick-theme.min.css"/>
        <script type="text/javascript" src="https://cdnjs.cloudflare.com/ajax/lib
s/jquery/3.0.0/jquery.min.js"></script>
        <script type="text/javascript" src="https://cdnjs.cloudflare.com/ajax/lib
s/slick-carousel/1.8.1/slick.min.js"></script>
    </head>
    <body>
            <header id="header">
                <div class="inner">
                    <a href="index.php" class="logo">Travel Advisor</a>
                    <?php
                    if(isset($_SESSION["login"])) {
                        if($_SESSION["login"] == "admin") {
                            include("assets/php/nav/admin_nav.php");
                        }
                        else {
                            include("assets/php/nav/logged.php");
                        }
                    }
                    else {
                        include("assets/php/nav/unlogged.php");
```

```
                    }
                    ?>
                </div>
            </header>
            <a href="#menu" onclick="Burger()" class="navPanelToggle"><span class
="fa fa-bars"></span></a>
            <div id="burgerContent">
                <ul>
                    <?php
                    if(isset($_SESSION["login"])) {
                        if($_SESSION["login"] == "admin") {
                            include("assets/php/nav/admin_nav_mob.php");
                        }
                        else {
                            include("assets/php/nav/logged_mob.php");
                        }
                    }
                    else {
                        include("assets/php/nav/unlogged_mob.php");
                    }
                    ?>
                </ul>
            </div>
            <section id="banner">
                <div class="inner">
                    <h1>Welcome! <span>Prepare for<br/> a vacation of your lifeti
me!</span></h1>
                    <ul class="actions">
                        <li><a href="#two" class="button alt">Get Started</a></li
>
                    </ul>
                </div>
            </section>
            <section id="one">
                <div class="inner">
                    <header>
                        <h2>A time of your life guarantee!</h2>
                    </header>
                    <p>We promise you that you have never been on vacations like
these! But you don't have to take our word for it, let this site guide you throug
h the process and also show off the places our happy customers have enjoyed that
you could be enjoying too if you give us a chance to win you over!</p>
                    <ul class="actions">
                        <li><a href="#two" class="button alt">Learn More</a></li>
                    </ul>
```

```
                </div>
            </section>
            <?php
                if(isset($_SESSION["login"])) {
                    if($_SESSION["login"] == "korisnik") {
                        if(empty($_COOKIE["survey"])) {
                            echo "<section id='one'>";
                            echo "<div class='inner'>";
                            echo "<header>";
                            echo "<h2>CUSTOMER SURVEY</h2>";
                            echo "</header>";
                            echo "<p>Have you heard of our company before?</p>";
                            echo "<form method='POST' action='assets/php/survey.p
hp'/>";
                            echo "<input type='submit' name='survey' style='margi
n:5px;' value='Yes'/>";
                            echo "<input type='submit' name='survey' style='margi
n:5px;' value='No'/>";
                            echo "</form>";
                            echo "</div>";
                            echo "</section>";
                        }
                    }
                }
            ?>
            <section id="two">
                <h1 id="heads">ABOUT US</h1>
                <div class="inner">
                    <article>
                        <div class="content">
                            <header>
                                <h3>Who we are</h3>
                            </header>
                            <div class="image fit">
                                <img id="slika" src="images/pic1.jpg" alt="office
" />
                            </div>
                            <p>We are a traveling agency based in Belgrade, Serbi
a that will help you pick the best vacation that you've ever been on! We offer th
e best destinations for very affordable prices.</p>
                        </div>
                    </article>
                    <article class="alt">
                        <div class="content">
                            <header>
```

```
                            <h3>What we do</h3>
                        </header>
                        <div class="image fit" id="vacation">
                            <div><img id="slika" src="images/vacation/antalya
.jpg" alt="antalya"/></div>
                            <div><img id="slika" src="images/vacation/rome.jp
g" alt="rome"/></div>
                            <div><img id="slika" src="images/vacation/istanbu
l.jpg" alt="istanbul"/></div>
                            <div><img id="slika" src="images/vacation/giza.jp
g" alt="giza"/></div>
                            <div><img id="slika" src="images/vacation/athens.
jpg" alt="athens"/></div>
                        </div>
                        <p>We parse through all information and bookings we c
an possibly get our hands on so you don't have to and try to offer you the most l
uxury for the most reasonable price.</p>
                    </div>
                </article>
            </div>
        </section>
        <section id="three">
            <h1 id="heads">What we offer</h1>
            <div class="inner">
                <article>
                    <div class="content">
                        <span class="icon fa-calendar"></span>
                        <header>
                            <h3>Flexible Dates</h3>
                        </header>
                        <p>Have you ever had problems with your time of arriv
al or departure not fitting in with your schedule? Worry not! We offer flexible d
ates that can be changed whenever you feel like it, we go even as far as allowing
 changes only days before the trip is supposed to take place with no additional c
harges!</p>
                    </div>
                </article>
                <article>
                    <div class="content">
                        <span class="icon fa-plane"></span>
                        <header>
                            <h3>Transportation</h3>
                        </header>
                        <p>We offer a lot of different kinds of modes of tran
sportation to fit your needs and most importantly, your budget too. From small va
```

```
ns and buses all the way to first class airplanes, you name it, we got it parked
outside waiting for you! Buckle up and get ready for the best vacation ever!</p>
                    </div>
                </article>
                <article>
                <div class="content">
                        <span class="icon fa-thumbs-up"></span>
                        <header>
                            <h3>User Reviews</h3>
                        </header>
                        <p>Those pesky hotel stars are not always the best wa
y of telling which place will offer the best services, so our site also comes equ
ipped with user ratings and average scores for each country that our users have b
een to, telling you the best spots and sharing what they learned on their trip!</
p>
                    </div>
                </article>
            </div>
        </section>
        <section id="footer">
            <div class="inner">
                <header>
                    <h1 id="heads">GET IN TOUCH WITH US</h1>
                </header>
                <form method="POST" action="assets/php/kontakt.php" onsubmit=
"return Klik()">
                    <div class="field half first">
                        <label id="ime" for="name">Name</label>
                        <input type="text" name="name" id="name" />
                    </div>
                    <div class="field half">
                        <label id="mejl" for="email">Email</label>
                        <input type="text" name="email" id="email" />
                    </div>
                    <div class="field">
                        <label id="poruka" for="message">Message</label>
                        <textarea name="message" id="message" rows="6"></text
area>
                    </div>
                    <ul class="actions">
                        <li><input type="submit" value="Send Message" class="
alt"/></li>
                    </ul>
                    <br/>
                    <br id="delete"/>
```

```
                        <p id="userMessage"></p>
                    </form>
                    <div class="copyright">
                        <p id="fut">&copy; Untitled Design: <a href="https://templated.co/">TEMPLATED</a> Made by: <a href="about.php">LAZAR PETROVIC 125/19</a></p>
                        <p id="fut"><a href="DOKUMENTACIJA.pdf">DOCUMENTATION</a></p>
                    </div>
                </div>
            </section>
        <script type="text/javascript" src="assets/js/carousel.min.js"></script>
        <script type="text/javascript" src="assets/js/generate.min.js"></script>
        <script type="text/javascript" src="assets/js/submit.min.js"></script>
        <script type="text/javascript" src="assets/js/hamburger.min.js"></script>
    </body>
</html>
```

offers.php

```
<?php
    session_start();
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>Travel Advisor</title>
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1, user-scalable=no" />
        <meta name="author" content="Lazar Petrović">
        <meta name="keywords" content="travel, advisor, offers, vacation">
        <meta name="description" content="Our premium vacation offers!">
        <link rel="shortcut icon" type="icon" href="images/favicon.ico"/>
        <link rel="stylesheet" href="assets/css/page.min.css" />
    </head>
    <body>
        <header id="header">
            <div class="inner">
                <a href="index.php" class="logo">Travel Advisor</a>
                <?php
                    if(isset($_SESSION["login"])) {
                        if($_SESSION["login"] == "admin") {
                            include("assets/php/nav/admin_nav.php");
                        }
```

```
                    else {
                        include("assets/php/nav/logged.php");
                    }
                }
                else {
                    include("assets/php/nav/unlogged.php");
                }
            ?>
        </div>
    </header>
    <a href="#menu" onclick="Burger()" class="navPanelToggle"><span class="fa
 fa-bars"></span></a>
    <div id="burgerContent">
        <ul>
        <?php
                if(isset($_SESSION["login"])) {
                    if($_SESSION["login"] == "admin") {
                        include("assets/php/nav/admin_nav_mob.php");
                    }
                    else {
                        include("assets/php/nav/logged_mob.php");
                    }
                }
                else {
                    include("assets/php/nav/unlogged_mob.php");
                }
        ?>
        </ul>
    </div>
    <?php
    if(isset($_SESSION["order"])) {
        if($_SESSION["order"] == "dobar") {
            echo "<p style='text-align:center; padding:10px; background-
color:#3D72A4; color:white; font-weight:bold; position:sticky; top:100px; z-
index:10000000000;' id='popSuccess'>You have made an order successfully!</p>";
            unset($_SESSION["order"]);
        }
    }
    ?>
    <section id="three">
            <h1 id="heads">OUR OFFERS</h1>
            <?php
                include_once("assets/php/veza/veza.php");
                if(isset($veza)) {
                    $upit = "select * from vacation";
```

```
                        $rez = $veza -> query($upit);
                        $row = $rez -> fetchAll();
                        if(empty($_SESSION["login"])) {
                            echo "<h2 id='heads'>LOG IN TO BOOK THE OFFERS</h2>";
                        }
                        echo "<div class='inner'>";
                        echo "<section>";
                        foreach($row as $r) {
                            $id = $r -> id_img;
                            $name = $r -> name_img;
                            $desc = $r -> desc_img;
                            $file = $r -> file_img;
                            $price = $r -> price;
                            echo "<div class='content'>";
                            echo "<h3>".$name."</h3>";
                            echo "</div>";
                            echo "<div class='image fit'>";
                            echo "<img id='slika' src='".$file."' alt='".$name."'
/>";
                            echo "</div>";
                            echo "<p style='text-align:center;'>".$desc."</p>";
                            echo "<p style='text-align:center;'>$".$price."</p>";
                            if(isset($_SESSION["login"])) {
                                if($_SESSION["login"] == "korisnik") {
                                    echo "<form style='display:flex; flex-
direction:column; align-
items:center;' action='assets/php/booking.php' method='POST'>";
                                    echo "<button type='submit' name='vac_id' val
ue='".$id."' style='background-color:#3D72A4;'>BOOK NOW!</button>";
                                    echo "</form>";
                                }
                            }
                        }
                        echo "</section>";
                        echo "</div>";
                    }
                ?>
        </section>

        <section id="footer">
            <div class="inner">
                <header>
                    <h1 id="heads">GET IN TOUCH WITH US</h1>
                </header>
```

```
                <form method="POST" action="assets/php/kontakt.php" onsubmit="ret
urn Klik()">
                    <div class="field half first">
                        <label id="ime" for="name">Name</label>
                        <input type="text" name="name" id="name" />
                    </div>
                    <div class="field half">
                        <label id="mejl" for="email">Email</label>
                        <input type="text" name="email" id="email" />
                    </div>
                    <div class="field">
                        <label id="poruka" for="message">Message</label>
                        <textarea name="message" id="message" rows="6"></textarea
>
                    </div>
                    <ul class="actions">
                        <li><input type="submit" value="Send Message" class="alt"
 /></li>
                    </ul>
                    <br/>
                    <br id="delete"/>
                    <p id="userMessage"></p>
                </form>
                <div class="copyright">
                    <p id="fut">&copy; Untitled Design: <a href="https://template
d.co/">TEMPLATED</a> Made by: <a href="about.php">LAZAR PETROVIC 125/19</a></p>
                    <p id="fut"><a href="DOKUMENTACIJA.pdf">DOCUMENTATION</a></p>
                </div>
            </div>
        </section>
        <script type="text/javascript" src="assets/js/generate.min.js"></script>
        <script type="text/javascript" src="assets/js/submit.min.js"></script>
        <script type="text/javascript" src="assets/js/hamburger.min.js"></script>
    </body>
</html>
```

login.php

```
<?php
    session_start();
    if(empty($_SESSION["login"])):
?>
<!DOCTYPE html>
<html lang="en">
    <head>
```

```
        <title>Travel Advisor</title>
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1, user-
scalable=no" />
        <meta name="author" content="Lazar Petrović">
        <meta name="keywords" content="travel, advisor, login, vacation">
        <meta name="description" content="Log into your account!">
        <link rel="shortcut icon" type="icon" href="images/favicon.ico"/>
        <link rel="stylesheet" href="assets/css/form.min.css" />
    </head>
    <body>
        <header id="header">
            <div class="inner">
                <a href="index.php" class="logo">Travel Advisor</a>
                <?php
                    include("assets/php/nav/unlogged.php");
                ?>
            </div>
        </header>
        <a href="#menu" onclick="Burger()" class="navPanelToggle"><span class="fa
 fa-bars"></span></a>
        <div id="burgerContent">
            <ul>
            <?php
                include("assets/php/nav/unlogged_mob.php");
            ?>
            </ul>
        </div>
        <section id="footer">
            <div class="inner">
                <header>
                    <h1 id="heads">LOG IN</h1>
                </header>
                <br/>
                <form method="post" action="assets/php/logging.php" onsubmit="ret
urn provera()">
                    <div class="field centar">
                        <label id="mejl" for="email">Email</label>
                        <input type="email" name="email" id="email"/>
                    </div>
                    <br/>
                    <div class="field centar">
                        <label id="sifra" for="password">Password</label>
                        <input type="password" name="password" id="password" />
                    </div>
```

```
                    <ul class="actions centar">
                        <li><input type="submit" value="Log in" class="alt"/></li
>
                    </ul>
                    <br/>
                    <br id="delete"/>
                    <p id="userMessage"></p>
                </form>
                <p id="noacc">You don't have an account? <a href="register.php">C
lick here to register</a> and we will get you on your way to the vacation of your
 dreams!</p>
                <br/>
                <div class="copyright">
                    <p id="fut">&copy; Untitled Design: <a href="https://template
d.co/">TEMPLATED</a> Made by: <a href="about.php">LAZAR PETROVIC 125/19</a></p>
                    <p id="fut"><a href="DOKUMENTACIJA.pdf">DOCUMENTATION</a></p>
                </div>
                <br/>
            </div>
        </section>
        <script type="text/javascript" src="assets/js/login.min.js"></script>
        <script type="text/javascript" src="assets/js/generate.min.js"></script>
        <script type="text/javascript" src="assets/js/hamburger.min.js"></script>
    </body>
</html>
<?php
    endif;
?>
```

register.php

```
<?php
    session_start();
    if(empty($_SESSION["login"])):
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>Travel Advisor</title>
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1, user-
scalable=no" />
        <meta name="author" content="Lazar Petrović">
        <meta name="keywords" content="travel, advisor, register, vacation">
```

```
        <meta name="description" content="Register and start a vacation of your d
reams!">
        <link rel="shortcut icon" type="icon" href="images/favicon.ico"/>
        <link rel="stylesheet" href="assets/css/form.min.css" />
    </head>
    <body>
        <header id="header">
            <div class="inner">
                <a href="index.php" class="logo">Travel Advisor</a>
                <?php
                    include("assets/php/nav/unlogged.php");
                ?>
            </div>
        </header>
        <a href="#menu" onclick="Burger()" class="navPanelToggle"><span class="fa
 fa-bars"></span></a>
        <div id="burgerContent">
            <ul>
                <?php
                    include("assets/php/nav/unlogged_mob.php");
                ?>
            </ul>
        </div>
        <section id="footer">
            <div class="inner">
                <header>
                    <h1 id="heads">REGISTER</h1>
                </header>
                <br/>
                <form method="post" action="assets/php/registracija.php" onsubmit
="return provera()">
                    <div class="field centar">
                        <label id="ime" for="name">Name</label>
                        <input type="text" name="name" id="name"/>
                    </div>
                    <div class="field centar">
                        <label id="mejl" for="email">Email</label>
                        <input type="email" name="email" id="email"/>
                    </div>
                    <div class="field centar">
                        <label id="sifra" for="password">Password</label>
                        <input type="password" name="password" id="password" />
                    </div>
                    <div class="field centar">
```

```
                        <label id="psifra" for="cpassword">Confirm Password</label>
                        <input type="password" name="cpassword" id="cpassword" />
                    </div>
                    <ul class="actions centar">
                        <li><input type="submit" value="Register" class="alt" /></li>
                    </ul>
                    <br/>
                    <br id="delete"/>
                    <p id="userMessage"></p>
                </form>
                <div class="copyright">
                    <p id="fut">&copy; Untitled Design: <a href="https://templated.co/">TEMPLATED</a> Made by: <a href="about.php">LAZAR PETROVIC 125/19</a></p>
                    <p id="fut"><a href="DOKUMENTACIJA.pdf">DOCUMENTATION</a></p>
                </div>
                <br/>
            </div>
        </section>
        <script type="text/javascript" src="assets/js/register.min.js"></script>
        <script type="text/javascript" src="assets/js/generate.min.js"></script>
        <script type="text/javascript" src="assets/js/hamburger.min.js"></script>
    </body>
</html>
<?php
    endif;
?>
```

admin.php

```
<?php
    session_start();
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>Admin Pannel</title>
        <link rel="stylesheet" href="assets/css/admin.min.css" />
        <meta name="author" content="Lazar Petrović">
        <link rel="shortcut icon" type="icon" href="images/favicon.ico"/>
    </head>
        <?php
            include_once("assets/php/veza/veza.php");
```

```
            if(isset($_SESSION["login"])) {
                if($_SESSION["login"] == "admin") {
                    if(isset($veza)) {
                        $upit = "select * from user";
                        $rez = $veza -> query($upit);
                        $row = $rez -> fetchAll();
                        echo "<a href='index.php'>&larr; Back to the main page</a
>";
                        echo "<h1 style='text-align:center;'>ADMIN PANNEL</h1>";
                        echo "<h2 style='text-align:center;'>USER TABLE</h2>";

                        echo "<form action='assets/php/admin/delete.php' method='
POST'>";
                        echo "<table cellpadding='5' style='margin:auto;'>";
                        echo "<tr>";
                        echo "<th>ID</th>";
                        echo "<th>NAME</th>";
                        echo "<th>EMAIL</th>";
                        echo "<th>PASSWORD</th>";
                        echo "<th>ADMIN</th>";
                        echo "<th>DELETE</th>";
                        echo "</tr>";
                        foreach( $row as $r) {
                            $id = $r->id;
                            $name = $r->name;
                            $email = $r->email;
                            $password = $r->password;
                            $admin = $r->admin;
                            echo "<tr>";
                            echo "<td>".$id."</td>";
                            echo "<td>".$name."</td>";
                            echo "<td>".$email."</td>";
                            echo "<td>".$password."</td>";
                            echo "<td>".$admin."</td>";
                            echo "<td><button name='delete' type='submit' value='
$id' style='width:100%'>DELETE</button></td>";
                            echo "</tr>";
                        }
                        echo "</table>";
                        echo "</form><br/><br/>";

                        echo "<h2 style='text-align:center;'>ADD NEW USER</h2>";
                        echo "<form action='assets/php/admin/add.php' method='POS
T' onsubmit='return provera()'>";
                        echo "<table cellpadding='5' style='margin:auto;'>";
```

```
                        echo "<tr>";
                        echo "<th>NAME</th>";
                        echo "<th>EMAIL</th>";
                        echo "<th>PASSWORD</th>";
                        echo "<th>ADMIN</th>";
                        echo "<th>ADD</th>";
                        echo "</tr>";
                        echo "<tr>";
                        echo "<td><input type='text' name='name' id='name'</td>";
                        echo "<td><input type='email' name='email' id='email'</td
>";
                        echo "<td><input type='text' name='password' id='password
'</td>";
                        echo "<td><input type='number' name='admin' id='admin'</t
d>";
                        echo "<td><input type='submit' value='ADD' style='width:1
00%'></td>";
                        echo "</tr>";
                        echo "</table>";
                        echo "</form><br/><br/>";
                        echo "<script src='assets/js/adminAdd.min.js'></script>";

                        echo "<h2 style='text-align:center;'>PRODUCT TABLE</h2>";
                        $upit2 = "select * from vacation";
                        $rez2 = $veza -> query($upit2);
                        $row2 = $rez2 -> fetchAll();
                        echo "<form action='assets/php/admin/deleteVac.php' metho
d='POST'>";
                        echo "<table cellpadding='5' style='margin:auto;'>";
                        echo "<tr>";
                        echo "<th>ID</th>";
                        echo "<th>NAME</th>";
                        echo "<th>DESCRIPTION</th>";
                        echo "<th>FILE</th>";
                        echo "<th>PRICE</th>";
                        echo "<th>DELETE</th>";
                        echo "</tr>";
                        foreach( $row2 as $r2) {
                            $id_img = $r2->id_img;
                            $name_img = $r2->name_img;
                            $desc_img = $r2->desc_img;
                            $file_img = $r2->file_img;
                            $price = $r2->price;
                            echo "<tr>";
                            echo "<td>".$id_img."</td>";
```

```
                            echo "<td>".$name_img."</td>";
                            echo "<td>".$desc_img."</td>";
                            echo "<td>".$file_img."</td>";
                            echo "<td>".$price."</td>";
                            echo "<td><button name='deleteVac' type='submit' valu
e='$id_img' style='width:100%'>DELETE</button></td>";
                            echo "</tr>";
                        }
                        echo "</table>";
                        echo "</form><br/><br/>";

                        echo "<h2 style='text-
align:center;'>ADD NEW PRODUCT</h2>";
                        echo "<form action='assets/php/admin/addVac.php' method='
POST'>";
                        echo "<table cellpadding='5' style='margin:auto;'>";
                        echo "<tr>";
                        echo "<th>NAME</th>";
                        echo "<th>DESCRIPTION</th>";
                        echo "<th>FILE</th>";
                        echo "<th>PRICE</th>";
                        echo "<th>ADD</th>";
                        echo "</tr>";
                        echo "<tr>";
                        echo "<td><input type='text' name='name_img' id='name_img
'/></td>";
                        echo "<td><input type='text' name='desc_img' id='desc_img
'/></td>";
                        echo "<td><input type='text' name='file_img' id='file_img
'/></td>";
                        echo "<td><input type='number' name='price' id='price'/><
/td>";
                        echo "<td><input type='submit' value='ADD' style='width:1
00%'></td>";
                        echo "</tr>";
                        echo "</table>";
                        echo "</form><br/><br/>";

                        echo "<h2 style='text-align:center;'>ORDER TABLE</h2>";
                        $upit3 = "select * from booking";
                        $rez3 = $veza -> query($upit3);
                        $row3 = $rez3 -> fetchAll();
                        echo "<form action='assets/php/admin/deleteBook.php' meth
od='POST'>";
                        echo "<table cellpadding='5' style='margin:auto;'>";
```

```
                        echo "<tr>";
                        echo "<th>ORDER ID</th>";
                        echo "<th>PRODUCT ID</th>";
                        echo "<th>USER ID</th>";
                        echo "<th>DELETE</th>";
                        echo "</tr>";
                        foreach( $row3 as $r3) {
                            $id_book = $r3->id_book;
                            $id_vacation = $r3->id_vacation;
                            $id_user = $r3->id_user;
                            echo "<tr>";
                            echo "<td>".$id_book."</td>";
                            echo "<td>".$id_vacation."</td>";
                            echo "<td>".$id_user."</td>";
                            echo "<td><button name='deleteBook' type='submit' val
ue='$id_book' style='width:100%'>DELETE</button></td>";
                            echo "</tr>";
                        }
                        echo "</table>";
                        echo "</form><br/><br/>";

                        echo "<h2 style='text-align:center;'>ADD NEW ORDER</h2>";
                        echo "<form action='assets/php/admin/addBook.php' method=
'POST'>";
                        echo "<table cellpadding='5' style='margin:auto;'>";
                        echo "<tr>";
                        echo "<th>PRODUCT ID</th>";
                        echo "<th>USER ID</th>";
                        echo "<th>ADD</th>";
                        echo "</tr>";
                        echo "<tr>";
                        echo "<td><input type='number' name='product_id' id='prod
uct_id'/></td>";
                        echo "<td><input type='number' name='user_id' id='user_id
'/></td>";
                        echo "<td><input type='submit' value='ADD' style='width:1
00%'></td>";
                        echo "</tr>";
                        echo "</table>";
                        echo "</form><br/><br/>";

                        echo "<h2 style='text-align:center;'>SURVEY TABLE</h2>";
                        $upit5 = "select * from survey";
                        $rez5 = $veza -> query($upit5);
                        $row5 = $rez5 -> fetchAll();
```

```
                        echo "<table cellpadding='5' style='margin:auto;'>";
                        echo "<tr>";
                        echo "<th>SURVEY ID</th>";
                        echo "<th>USER ID</th>";
                        echo "<th>ANSWER</th>";
                        echo "</tr>";
                        foreach( $row5 as $r5) {
                            $id_surv = $r5->id_surv;
                            $id_user_s = $r5->id_user_s;
                            $answer = $r5->answer;
                            echo "<tr>";
                            echo "<td>".$id_surv."</td>";
                            echo "<td>".$id_user_s."</td>";
                            echo "<td>".$answer."</td>";
                            echo "</tr>";
                        }
                        echo "</table><br/><br/>";

                        echo "<h2 style='text-align:center;'>CONTACT</h2>";
                        $upit4 = "select * from contact";
                        $rez4 = $veza -> query($upit4);
                        $row4 = $rez4 -> fetchAll();
                        foreach( $row4 as $r4) {
                            $id_c = $r4 -> id_c;
                            $name_c = $r4 -> name_c;
                            $email_c = $r4 -> email_c;
                            $message_c = $r4 -> message_c;
                            echo "<section style='text-align:center; font-
size:18px;'>";
                            echo "<p>From: ".$name_c."</p>";
                            echo "<p>Email: ".$email_c."</p>";
                            echo "<p>Message:<br/>".$message_c."</p>";
                            echo "<form method='POST' action='assets/php/admin/de
leteCon.php'>";
                            echo "<button type='submit' value='".$id_c."' name='d
eleteCon'>DELETE</button>";
                            echo "</form>";
                            echo "</section><br/><br/>";
                        }
                    }
                    else http_response_code(503);
                }
                else http_response_code(404);
            }
            else http_response_code(404);
```

```
        ?>
    </body>
</html>
```

about.php

```
<?php
    session_start();
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <title>Travel Advisor</title>
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1, user-
scalable=no" />
        <meta name="author" content="Lazar Petrović">
        <meta name="keywords" content="travel, advisor, about, vacation">
        <meta name="description" content="How to get in touch with the creator of
 Travel Advisor.">
        <link rel="shortcut icon" type="icon" href="images/favicon.ico"/>
        <link rel="stylesheet" href="assets/css/page.min.css" />
    </head>
    <body>
        <header id="header">
            <div class="inner">
                <a href="index.php" class="logo">Travel Advisor</a>
                <?php
                    if(isset($_SESSION["login"])) {
                        if($_SESSION["login"] == "admin") {
                            include("assets/php/nav/admin_nav.php");
                        }
                        else {
                            include("assets/php/nav/logged.php");
                        }
                    }
                    else {
                        include("assets/php/nav/unlogged.php");
                    }
                ?>
            </div>
        </header>
        <a href="#menu" onclick="Burger()" class="navPanelToggle"><span class="fa
 fa-bars"></span></a>
        <div id="burgerContent">
```

```
            <ul>
            <?php
                    if(isset($_SESSION["login"])) {
                        if($_SESSION["login"] == "admin") {
                            include("assets/php/nav/admin_nav_mob.php");
                        }
                        else {
                            include("assets/php/nav/logged_mob.php");
                        }
                    }
                    else {
                        include("assets/php/nav/unlogged_mob.php");
                    }
            ?>
            </ul>
        </div>
        <section id="two">
            <h1 id="heads">ABOUT ME</h1>
            <div class="inner" id="aboutMe">
                <article>
                    <div class="content">
                        <div class="image fit">
                            <img id="slika" src="images/ja.jpg" alt="mojaSlika" /
>
                        </div>
                        <p>Name: Lazar Petrovic</p>
                        <p>Index: 125/19</p>
                        <p>Location: Obrenovac, Serbia</p>
                        <p>C, C#, Javascript, HTML, CSS and SQL</p>
                    </div>
                </article>
            </div>
        </section>
        <section id="footer">
            <div class="inner">
                <header>
                    <h1 id="heads">GET IN TOUCH WITH ME</h1>
                </header>
                <form method="POST" action="assets/php/kontakt.php" onsubmit="ret
urn Klik()">
                    <div class="field half first">
                        <label id="ime" for="name">Name</label>
                        <input type="text" name="name" id="name" />
                    </div>
                    <div class="field half">
```

```
                        <label id="mejl" for="email">Email</label>
                        <input type="text" name="email" id="email" />
                    </div>
                    <div class="field">
                        <label id="poruka" for="message">Message</label>
                        <textarea name="message" id="message" rows="6"></textarea
>
                    </div>
                    <ul class="actions">
                        <li><input type="submit" value="Send Message" class="alt"
/></li>
                    </ul>
                    <br/>
                    <br id="delete"/>
                    <p id="userMessage"></p>
                </form>
                <div class="copyright">
                    <p id="fut">&copy; Untitled Design: <a href="https://template
d.co/">TEMPLATED</a> Made by: <a href="#">LAZAR PETROVIC 125/19</a></p>
                    <p id="fut"><a href="DOKUMENTACIJA.pdf">DOCUMENTATION</a></p>
                </div>
            </div>
        </section>
        <script type="text/javascript" src="assets/js/generate.min.js"></script>
        <script type="text/javascript" src="assets/js/submit.min.js"></script>
        <script type="text/javascript" src="assets/js/hamburger.min.js"></script>
    </body>
</html>
```

veza.php

```
<?php
    include("podaci.php");
    $veza = new PDO("mysql:host=$serverDB;dbname=$bazaPodataka", $username, $pass
word);
    $veza->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    $veza->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
?>
```

booking.php

```
<?php
    session_start();
    include_once("veza/veza.php");
```

```
    $id_vacation = $_POST["vac_id"];
    $id_user = $_SESSION["id"];

    if(isset($veza)) {
        if(isset($_SESSION["login"])) {
            if($_SESSION["login"] == "korisnik") {
                if(isset($id_user)) {
                    $upit = "insert into booking(id_user, id_vacation) values(:us
er_id, :vac_id)";
                    $pr = $veza -> prepare($upit);
                    $pr -> bindParam("user_id", $id_user);
                    $pr -> bindParam(":vac_id", $id_vacation);
                    $pr -> execute();
                    $_SESSION["order"] = "dobar";
                    header("Location: ../../offers.php");
                }
            }
        }
    }
?>
```

kontakt.php

```
<?php
    include_once("veza/veza.php");
    include_once("obradaK.php");

    $ime = $_POST["name"];
    $mejl = $_POST["email"];
    $poruka = $_POST["message"];

    if(isset($veza)) {
        if($_SESSION["kontakt"] == "dobar") {
            unset($_SESSION["kontakt"]);
            $upit = "insert into contact(name_c, email_c, message_c) values(:name
, :email, :message)";
            $pr = $veza -> prepare($upit);
            $pr -> bindParam(':name', $ime);
            $pr -> bindParam(':email', $mejl);
            $pr -> bindParam(':message', $poruka);
            $pr -> execute();
            header("Location: ../../index.php");
        }
        else http_response_code(400);
```

```
    }
    else http_response_code(503);
?>
```

logging.php

```
<?php
    include_once("veza/veza.php");
    include_once("obradaL.php");

    $mejl = $_POST["email"];
    $sifra = $_POST["password"];

    if(isset($veza)) {
        if($_SESSION["log"] == "dobar") {
            unset($_SESSION["log"]);
            $upit = "select email, password, admin, id from user where email = :m
ejl and password = :sifra";
            $pr = $veza -> prepare($upit);
            $pr -> bindParam(':mejl', $mejl);
            $pr -> bindParam(':sifra', $sifra);
            $pr -> execute();
            $rez = $pr -> fetch();
            $row = $pr -> rowCount();
            if($row == 1) {
                if($rez -> admin == 1) {
                    $_SESSION["login"] = "admin";
                    $_SESSION["id"] = $rez -> id;
                    header("Location: ../../index.php");
                }
                else {
                    $_SESSION["login"] = "korisnik";
                    $_SESSION["id"] = $rez -> id;
                    header("Location: ../../index.php");
                }
            }
            else {
                http_response_code(404);
            }
        }
        else http_response_code(400);
    }
    else http_response_code(503);
?>
```

logout.php

```php
<?php
    session_start();
    unset($_SESSION["login"]);
    unset($_SESSION["id"]);
    header("Location: ../../index.php");
?>
```

obradaK.php

```php
<?php
    session_start();
    $errCount = 0;
    $ime = $_POST["name"];
    $mejl = $_POST["email"];
    $poruka = $_POST["message"];
    $regname = "/^[A-Z][a-z]/";

    if(preg_match($regname, $ime)) {
        if(strlen($ime) >= 2 && strlen($ime) <= 16) {
            $errCount++;
        }
        else $errCount--;
    }
    else $errCount--;

    if(filter_var($mejl, FILTER_VALIDATE_EMAIL)) {
        if(strlen($mejl) >= 6 && strlen($mejl) <= 48) {
            $errCount++;
        }
        else $errCount--;
   }
   else $errCount--;

   if(strlen($poruka) >= 15 && strlen($poruka) <= 128) $errCount++;
   else $errCount--;

   if($errCount == 0 || $errCount == 3) {
    $_SESSION["kontakt"] = "dobar";
   }
   else {
    $_SESSION["kontakt"] = "los";
   }
?>
```

obradaL.php

```php
<?php
    session_start();
    $errCount = 0;
    $mejl = $_POST["email"];
    $sifra = $_POST["password"];

    if(filter_var($mejl, FILTER_VALIDATE_EMAIL)) {
        if(strlen($mejl) >= 6 && strlen($mejl) <= 48) {
            $errCount++;
        }
        else $errCount--;
   }
   else $errCount--;

   if(strlen($sifra) >= 8 && strlen($sifra) <= 24) $errCount++;
   else $errCount--;

   if($errCount == 0 || $errCount == 2) {
        $_SESSION["log"] = "dobar";
   }
   else {
        $_SESSION["log"] = "los";
   }
?>
```

obradaR.php

```php
<?php
    session_start();
    include_once("veza/veza.php");
    $errCount = 0;
    $ime = $_POST["name"];
    $mejl = $_POST["email"];
    $sifra = $_POST["password"];
    $regname = "/^[A-Z][a-z]/";
    $upit = "select email, password from user where email = '$mejl' and password
= '$sifra'";
    $rez = $veza -> query($upit);
    $row = $rez -> rowCount();
    if($row > 0) {
        $errCount--;
    }
    else $errCount++;
```

```
    if(preg_match($regname, $ime)) {
        if(strlen($ime) >= 2 && strlen($ime) <= 16) {
            $errCount++;
        }
        else $errCount--;
    }
    else $errCount--;

    if(filter_var($mejl, FILTER_VALIDATE_EMAIL)) {
        if(strlen($mejl) >= 6 && strlen($mejl) <= 48) {
            $errCount++;
        }
        else $errCount--;
   }
   else $errCount--;

   if(strlen($sifra) >= 8 && strlen($sifra) <= 24) $errCount++;
   else $errCount--;

   if($errCount == 0 || $errCount == 4) {
    $_SESSION["podaci"] = "dobar";
   }
   else {
    http_response_code(404);
   }
?>
```

registracija.php

```
<?php
    include_once("veza/veza.php");
    include_once("obradaR.php");

    $ime = $_POST["name"];
    $mejl = $_POST["email"];
    $sifra = $_POST["password"];

    if(isset($veza)) {
        if($_SESSION["podaci"] == "dobar") {
            unset($_SESSION["podaci"]);
            $upit = "insert into user(name, email, password) values(:ime, :mejl,
:sifra)";
            $pr = $veza -> prepare($upit);
            $pr -> bindParam(':ime', $ime);
```

```
            $pr -> bindParam(':mejl', $mejl);
            $pr -> bindParam(':sifra', $sifra);
            $pr -> execute();
            $_SESSION["nalog"] = "uspesno";
            header("Location: ../../login.php");
        }
        else http_response_code(400);
    }
    else http_response_code(503);
?>
```

survey.php

```
<?php
    session_start();
    include_once("veza/veza.php");

    $answer = $_POST["survey"];
    $id = $_SESSION["id"];

    if(isset($_POST["survey"])) {
        if(isset($veza)) {
            if(isset($_SESSION["id"])) {
                $upit = "insert into survey(id_user_s, answer) values(:id, :answe
r)";
                $pr = $veza -> prepare($upit);
                $pr -> bindParam(":id", $id);
                $pr -> bindParam(":answer", $answer);
                $pr -> execute();
                setcookie("survey", $id, time() + (86400 * 30), "/");
                header("Location: ../../index.php");
            }
        }
    }
?>
```

admin/add.php

```
<?php
    include_once("../veza/veza.php");
    include_once("../obradaR.php");

    $ime = $_POST["name"];
    $mejl = $_POST["email"];
```

```
    $sifra = $_POST["password"];
    $admin = $_POST["admin"];

    if(isset($veza)) {
        if($_SESSION["podaci"] == "dobar") {
            $upit = "insert into user(name, email, password, admin) values(:ime,
:mejl, :sifra, :admin)";
            $pr = $veza -> prepare($upit);
            $pr -> bindParam(':ime', $ime);
            $pr -> bindParam(':mejl', $mejl);
            $pr -> bindParam(':sifra', $sifra);
            $pr -> bindParam(':admin', $admin);
            $pr -> execute();
            header("Location: ../../../admin.php");
        }
        else http_response_code(400);
    }
    else http_response_code(503);
?>
```

admin/addBook.php

```
<?php
    include_once("../veza/veza.php");

    $id_product = $_POST["product_id"];
    $id_user = $_POST["user_id"];

    if(isset($veza)) {
        $upit = "insert into booking(id_vacation, id_user) values(:id_vacation, :
id_user)";
        $pr = $veza -> prepare($upit);
        $pr -> bindParam(':id_vacation', $id_product);
        $pr -> bindParam(':id_user', $id_user);
        $pr -> execute();
        header("Location: ../../../admin.php");
    }
    else http_response_code(503);
?>
```

admin/addVac.php

```
<?php
    include_once("../veza/veza.php");
```

```
    $name = $_POST["name_img"];
    $desc = $_POST["desc_img"];
    $file = $_POST["file_img"];
    $price = $_POST["price"];

    if(isset($veza)) {
        $upit = "insert into vacation(name_img, desc_img, file_img, price) values
(:name_img, :desc_img, :file_img, :price)";
        $pr = $veza -> prepare($upit);
        $pr -> bindParam(':name_img', $name);
        $pr -> bindParam(':desc_img', $desc);
        $pr -> bindParam(':file_img', $file);
        $pr -> bindParam(':price', $price);
        $pr -> execute();
        header("Location: ../../../admin.php");
    }
    else http_response_code(503);
?>
```

admin/delete.php

```
<?php
    include_once("../veza/veza.php");

    $id = $_POST["delete"];

    if(isset($veza)) {
        $upit = "delete from user where id = :id";
        $pr = $veza -> prepare($upit);
        $pr -> bindParam(":id", $id);
        $pr -> execute();
        header("Location: ../../../admin.php");
    }
    else http_response_code(503);
?>
```

admin/deleteBook.php

```
<?php
    include_once("../veza/veza.php");

    $id = $_POST["deleteBook"];
```

```
    if(isset($veza)) {
        $upit = "delete from booking where id_book = :id";
        $pr = $veza -> prepare($upit);
        $pr -> bindParam(":id", $id);
        $pr -> execute();
        header("Location: ../../../admin.php");
    }
    else http_response_code(503);
?>
```

admin/deleteCon.php

```
<?php
    include_once("../veza/veza.php");

    $id = $_POST["deleteCon"];

    if(isset($veza)) {
        $upit = "delete from contact where id_c = :id";
        $pr = $veza -> prepare($upit);
        $pr -> bindParam(":id", $id);
        $pr -> execute();
        header("Location: ../../../admin.php");
    }
    else http_response_code(503);
?>
```

admin/deleteVac.php

```
<?php
    include_once("../veza/veza.php");

    $id = $_POST["deleteVac"];

    if(isset($veza)) {
        $upit = "delete from vacation where id_img = :id";
        $pr = $veza -> prepare($upit);
        $pr -> bindParam(":id", $id);
        $pr -> execute();
        header("Location: ../../../admin.php");
    }
    else http_response_code(503);
?>
```

nav/admin_nav_mob.php

```php
<?php
    include_once("assets/php/veza/veza.php");
    $arr = array("Home", "Offers", "Logout", "Admin");
    $upit = "select admin_nav from nav";
    $rez = $veza -> query($upit);
    $row = $rez -> fetchAll();
    $i = 0;
    foreach( $row as $r) {
        $user = $r -> admin_nav;
        if($i <= 3) {
            echo "<li><a href='$user' onclick='Close()'>".$arr[$i]."</a></li>";
            $i++;
        }
    }
?>
```

nav/admin_nav.php

```php
<?php
    include_once("assets/php/veza/veza.php");
    $arr = array("Home", "Offers", "Logout", "Admin");
    $upit = "select admin_nav from nav";
    $rez = $veza -> query($upit);
    $row = $rez -> fetchAll();
    echo "<nav id='nav'>";
    $i = 0;
    foreach( $row as $r) {
        $user = $r -> admin_nav;
        if($i <= 3) {
            echo "<a href='$user'>".$arr[$i]."</a>";
            $i++;
        }
    }
    echo "</nav>";
?>
```

nav/logged_mob.php

```php
<?php
    include_once("assets/php/veza/veza.php");
    $arr = array("Home", "Offers", "Logout");
    $upit = "select user_logged from nav";
    $rez = $veza -> query($upit);
```

```
    $row = $rez -> fetchAll();
    $i = 0;
    foreach( $row as $r) {
        $user = $r -> user_logged;
        if($i <= 2) {
            echo "<li><a href='$user' onclick='Close()'>".$arr[$i]."</a></li>";
            $i++;
        }
    }
?>
```

nav/logged.php

```
<?php
    include_once("assets/php/veza/veza.php");
    $arr = array("Home", "Offers", "Logout");
    $upit = "select user_logged from nav";
    $rez = $veza -> query($upit);
    $row = $rez -> fetchAll();
    echo "<nav id='nav'>";
    $i = 0;
    foreach( $row as $r) {
        $user = $r -> user_logged;
        if($i <= 2) {
            echo "<a href='$user'>".$arr[$i]."</a>";
            $i++;
        }
    }
    echo "</nav>";
?>
```

nav/unlogged_mob.php

```
<?php
    include_once("assets/php/veza/veza.php");
    $arr = array("Home", "Offers", "Login", "Register");
    $upit = "select user_unlogged from nav";
    $rez = $veza -> query($upit);
    $row = $rez -> fetchAll();
    $i = 0;
    foreach( $row as $r) {
        $user = $r -> user_unlogged;
        if($i <= 3) {
            echo "<li><a href='$user' onclick='Close()'>".$arr[$i]."</a></li>";
```

```
            $i++;
        }
    }
?>
```

nav/unlogged.php

```
<?php
    include_once("assets/php/veza/veza.php");
    $arr = array("Home", "Offers", "Login", "Register");
    $upit = "select user_unlogged from nav";
    $rez = $veza -> query($upit);
    $row = $rez -> fetchAll();
    echo "<nav id='nav'>";
    $i = 0;
    foreach( $row as $r) {
        $user = $r -> user_unlogged;
        if($i <= 3) {
            echo "<a href='$user'>".$arr[$i]."</a>";
            $i++;
        }
    }
    echo "</nav>";
?>
```

adminAdd.js

```
function provera() {
    var e = 0,
        t = document.getElementById("name").value,
        n = document.getElementById("email").value,
        l = document.getElementById("password").value;
    return /^[A-Z][a-z]/.test(t) && t.length >= 2 && t.length <= 16 ? e++ : e--
, -1 != n.indexOf("@") && n.length >= 6 && n.length <= 48 ? e++ : e--
, l.length >= 8 && l.length <= 24 ? e++ : e--, 0 == e || 3 == e
}
```

carousel.js

```
$("#vacation").slick({
    fade:!0,
    cssEase:"ease-in-out",
    autoplay:!0,
    autoplayspeed:1e3,
```

```
    dots:!0,prevArrow:!1,
    nextArrow:!1});
```

generate.js

```
for (var ikonice = new Array("facebook", "twitter", "instagram", "linkedin"), fut
er = document.querySelector("#fut"), k = 0; k < ikonice.length; k++) {
    var elementIkonice = document.createElement("a");
    elementIkonice.setAttribute("class", "icon fa-
" + ikonice[k]), elementIkonice.setAttribute("href", "https://www." + ikonice[k]
+ ".com"), elementIkonice.setAttribute("target", "_blank"), futer.appendChild(ele
mentIkonice)
}
```

hamburger.js

```
function Burger() {
    var e = document.getElementById("burgerContent");
    "block" == e.style.display ? e.style.display = "none" : (e.style.display = "b
lock", e.style.animationName = "fade", e.style.animationDuration = "1s")
}

function Close() {
    document.getElementById("burgerContent").style.display = "none"
}
```

login.js

```
function provera() {
    var e = 0,
        n = document.getElementById("email").value,
        t = document.getElementById("password").value;
    return -1 != n.indexOf("@") && n.length >= 6 && n.length <= 48 ? e++ : e--
, t.length >= 8 && t.length <= 24 ? e++ : e--, 0 == e || 2 == e
}
```

register.js

```
function provera() {
    var e = 0,
        n = document.getElementById("name").value,
        t = document.getElementById("email").value,
        O = document.getElementById("password").value,
        T = document.getElementById("cpassword").value,
```

```
        l = document.getElementById("ime"),
        m = document.getElementById("mejl"),
        d = document.getElementById("sifra");
    return /^[A-Z][a-
z]/.test(n) ? n.length >= 2 && n.length <= 16 ? (l.innerHTML = "NAME", e++) : (l.
innerHTML = "NAME (TOO LONG OR TOO SHORT)", e--
) : (l.innerHTML = "NAME (ERROR)", e--), -
1 != t.indexOf("@") ? t.length >= 6 && t.length <= 48 ? (m.innerHTML = "EMAIL", e
++) : (m.innerHTML = "EMAIL (TOO LONG OR TOO SHORT)", e--
) : (m.innerHTML = "EMAIL (ERROR)", e--
), O.length >= 8 && O.length <= 24 ? O == T ? (d.innerHTML = "PASSWORD", e++) : (
d.innerHTML = "PASSWORD (PASSWORDS DO NOT MATCH)", e--
) : (d.innerHTML = "PASSWORD (TOO LONG OR TOO SHORT)", e--), 0 == e || 3 == e
}
```

submit.js

```
function Klik() {
    var e = document.getElementById("userMessage"),
        t = document.getElementById("delete"),
        n = document.getElementById("email"),
        a = document.getElementById("name"),
        l = document.getElementById("message"),
        m = n.value,
        i = a.value,
        s = l.value,
        d = 0;
    (m.length < 5 || m.length > 48) && ((o = document.getElementById("mejl")).inn
erHTML = "EMAIL (YOUR EMAIL IS TOO LONG OR TOO SHORT)", d++);
    (i.length < 3 || i.length > 16) && ((r = document.getElementById("ime")).inne
rHTML = "NAME (YOUR NAME IS TOO LONG OR TOO SHORT)", d++);
    (s.length < 15 || s.length > 128) && ((u = document.getElementById("poruka"))
.innerHTML = "MESSAGE (YOUR MESSAGE IS TOO LONG OR TOO SHORT)", d++);
    if (m.length >= 5 && m.length <= 48) {
        let e = document.createElement("i");
        var o;
        e.style.animationName = "fadein", e.style.animationDuration = "1s", e.set
Attribute("class", "fa fa-
check"), (o = document.getElementById("mejl")).innerHTML = "EMAIL", o.appendChild
(e), d--
    }
    if (i.length >= 3 && i.length <= 16) {
        let e = document.createElement("i");
        var r;
```

```
        e.style.animationName = "fadein", e.style.animationDuration = "1s", e.set
Attribute("class", "fa fa-
check"), (r = document.getElementById("ime")).innerHTML = "NAME", r.appendChild(e
), d--
    }
    if (s.length >= 15 && s.length <= 128) {
        let e = document.createElement("i");
        var u;
        e.style.animationName = "fadein", e.style.animationDuration = "1s", e.set
Attribute("class", "fa fa-
check"), (u = document.getElementById("poruka")).innerHTML = "MESSAGE", u.appendC
hild(e), d--
    }
    if (0 == d || -3 == d) {
        var c = new Date,
            g = "0" + c.getHours(),
            E = "0" + c.getMinutes();
        return 3 == E.length && (E -= 0), 3 == g.length && (g -
= 0), t.style.display = "none", e.textContent = "Thank you " + i + "! Your messag
e was sent successfully at " + g + ":" + E + "!", !0
    }
    return t.style.display = "none", e.textContent = "We are sorry! An error occu
red and your message was not sent.", !1
}
```