

EVOP Python GitHub site:

<https://github.com/prog4biol/evop2026>

\$ mkdir # make a new directory to store all python files

\$ git clone <https://github.com/prog4biol/evop2026.git>

check on files

\$ git status

to update and download any new files

\$ git pull

Conda environment

This must be done once, so that conda can be used for the remaining software that utilize it (just need to do this once - yay!:

```
$ echo 'PATH="/opt/conda/bin:$PATH"' >> ~/.profile. # ">>" appending
```

```
$ echo 'PATH="/opt/conda/bin:$PATH"' >> ~/.bashrc
```

```
$ cd ~ # move back to your home directory
```

```
$ . .bashrc  (. space .bashrc)
```

```
$ conda init # initiating conda
```

```
$ # logout/in or source shell login files
```

(base) now at prompt: “base” is default environment after install conda

Conda environment

- If you don't want the base to activate by default:

```
$ conda config --set auto_activate_base false
```

- To deactivate environment:

```
$ conda deactivate
```

Turn it back on:

```
$ conda activate
```

Conda environment

anaconda

<https://www.anaconda.com/download>

miniforge - lightweight conda installer:

<https://github.com/conda-forge/miniforge>

documentation: <https://docs.conda.io/projects/conda/en/latest/>

Conda environment

Python virtual environments are contained environments where you can run python scripts.

It can contain all of your packages, libraries, files, software and dependencies

- It helps keep dependencies separate to avoid conflicts
- Helps with reproducibility - can create projects with same environments and dependencies
- Optimal for working with multiple projects

<https://docs.conda.io/projects/conda/en/latest/user-guide/getting-started.html>

We will create our own conda environments for the genome assembly workshop

Creating your own environments

```
$ conda create --name <env-name>
```

List your environments - active env will have an *

```
$ conda info --envs
```

Activate your env:

```
$ conda activate <env-name> (without a name - default env)
```

Deactivate your env:

```
$ conda deactivate <env-name>
```

```
$ conda install <channel/package name>
```