FROWEIN GmbH & Co. KG

DETMOLIN F

Revision date: 14.03.2017 Revision No: 1,1

Product code: 00434-0009

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DETMOLIN F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Pesticide

1.3. Details of the supplier of the safety data sheet

Company name: FROWEIN GmbH & Co. KG

 Street:
 Am Reislebach 83

 Place:
 D-72461 Albstadt

 Telephone:
 +49 (0) 74 32-956 - 0

 Telefax:
 +49 (0) 74 32-956 - 138

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

number: England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24

24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture according to 1272/2008/EC

Hazard categories:

Flammable liquid: Flam. Liq. 3 Aspiration hazard: Asp. Tox. 1

Hazardous to the aquatic environment: Aquatic Acute 1 Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard components for labelling

Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics Signal word:

Pictograms:



Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe vapour.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P285 In case of inadequate ventilation wear respiratory protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

FROWEIN GmbH & Co. KG

DETMOLIN F

Revision date: 14.03.2017

Revision No: 1,1

Product code: 00434-0009

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container to in accordance with local and national regulations.

2.3. Other hazards

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Preparation in aliphatic hydrocarbons

Hazardous components

CAS No	Chemical name						
	EC No	Index No	REACH No				
	Classification according to Regulation (EC) No. 1272/2008 [CLP]						
	Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics						
	923-037-2		01-2119471991-29				
	Flam. Liq. 3, Asp. Tox. 1, Aquatic Chronic 4; H226 H304 H413 EUH066						
918500-11-5	1-ethynyl-2-methylpent-2-enyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate						
	259-154-4						
	Aquatic Acute 1 (M-Factor = 100), Aquatic Chronic 1 (M-Factor = 100); H400 H410						
8003-34-7	Pyrethrum						
	232-319-8						
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Aquatic Acute 1 (M-Factor = 100), Aquatic Chronic 1 (M-Factor = 100); H302 H312 H332 H400 H410						

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

Consult a physician.

After contact with skin

Wash off immediately with plenty of water and soap for at least 15 minutes.

Consult a physician.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Consult (eye) doctor immediately.

After ingestion

Summon a doctor immediately.

Do not induce vomiting.

Immediately give plenty of water (if possible charcoal slurry).

Induce vomiting only upon the advice of a physician.

Attention. Beware, danger of aspiration.

4.2. Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

FROWEIN GmbH & Co. KG

DETMOLIN F

Revision date: 14.03.2017

Product code: 00434-0009

Revision No: 1.1

5.1. Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide (CO2), dry chemical, water-spray.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce:

carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Additional information

Vapours are heavier than air and spread along ground.

Do not release chemically contaminated water into drains, soil or surface waters. Sufficient measures

must be taken to retain water used for extinguishing.

The vapour/air mixture is explosive, even in empty, uncleaned receptacles.

Cool containers at risk with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.

Use only explosion-proof equipment.

Ensure adequate ventilation.

Remove persons to safety.

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

Clean contaminated surface thoroughly.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.

Vapours are heavier than air and spread along ground.

Avoid contact with the skin and the eyes.

In case of insufficient ventilation, especially in confined areas.

Do not breathe vapours or spray mist.

Advice on protection against fire and explosion

Do not smoke - volatile.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Pay attention to anti-explosion rules.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Pay attention to anti-explosion rules.

Advice on storage compatibility

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

FROWEIN GmbH & Co. KG

DETMOLIN F

Revision date: 14.03.2017 Revision No: 1.1

Product code: 00434-0009

7.3. Specific end use(s)

Pesticide

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
8003-34-7	Pyrethrum (purified of sensitising lactones)	-	1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Treat subsequently with skin cream.

Take off immediately all contaminated clothing.

Avoid contact with skin, eyes and clothing.

Eye/face protection

Tightly fitting goggles (EN 166).

Eye wash bottle with pure water (EN 15154).

Hand protection

Use multipurpose protective gloves (plant protection) when spreading/handling the product (EN 374).

Skin protection

Wear standard protective suit (plant protection) when spreading/handling the product (CE 93 0120).

Rubber apron (EN 467).

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: clear

Odour: Hydrocarbon-like

Changes in the physical state

Initial boiling point and boiling range: 140 °C *) Flash point: 35°C *)

Lower explosion limits: 0,6 vol. % *) *) Upper explosion limits: 7,0vol. %

Ignition temperature: > 200 °C *)

Vapour pressure: 2 hPa

(at 20 °C)

Vapour pressure: < 5 hPa

(at 25 °C)

Density (at 20 °C): 0,751 g/cm³ Water solubility: Immiscible

Viscosity / dynamic:

0,8 mPa·s

(at 20 °C) Viscosity / kinematic: < 20,5 mm²/s

(at 40 °C)

(at 20 °C)

FROWEIN GmbH & Co. KG

DETMOLIN F

Revision date: 14.03.2017

Revision No: 1.1

Product code: 00434-0009

Solvent content: > 95%

9.2. Other information

*) Hydrocarbons, C10-C12, isoalkanes, < 2% aromatics

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Vapour/air mixtures are explosive at intensive warming.

Heating can release vapours which can be ignited.

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

No toxicological data available.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

High concentration of vapours may cause irritation to eyes and respiratory system and produce narcotic effects.

Occasionally literature hints report that contact with Pyrethrum compounds may trigger hay fever similar reactions in particularly sensible persons.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

Very toxic to aquatic organisms. Harmful to aquatic life with long lasting effects.

FROWEIN GmbH & Co. KG

DETMOLIN F

Revision date: 14.03.2017

Product code: 00434-0009

Revision No: 1,1

1-ethynyl-2-methylpent-2-enyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate

LC50/Fish/96 h = 0,0017 mg/l EC50/Daphnia/48 h = 0,02 mg/l EC50/algae/72 h = 0,2 mg/l

Pvrethrum

LC50/Oncorhynchus mykiss/96 h = 0,005 mg/l LC50/Lepomis macrochirus/96 h = 0,01 mg/l LC50/Cyprinodon variegatus/96 h = 0,016 mg/l EC50/Daphnia magna/48 h = 0,012 mg/l

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Severe hazard to waters

Further information

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

Waste disposal number of waste from residues/unused products

200119 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); pesticides

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances

Classified as hazardous waste.

Contaminated packaging

Re-using the polluted packaging materials is not allowed.

Contaminated packagings are to be treated like the product itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3295

14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S.

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code:

Limited quantity: 5 L / 30 kg

FROWEIN GmbH & Co. KG

DETMOLIN F

Revision date: 14.03.2017 Revision No: 1.1

Product code: 00434-0009

Excepted quantity: E1 Transport category: 3 Hazard No: 30 Tunnel restriction code: D/E

Inland waterways transport (ADN)

UN 3295 14.1. UN number:

14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S.

14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: Hazard label: 3



Classification code: F1

Limited quantity: 5 L / 30 ka**Excepted quantity:** E1

Marine transport (IMDG)

UN 3295 14.1. UN number:

HYDROCARBONS, LIQUID, N.O.S. (1-ethynyl-2-methylpent-2-enyl 14.2. UN proper shipping name:

2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate)

14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: Hazard label: 3



Marine pollutant: Yes Limited quantity: 5 L / 30 kg Excepted quantity: E1 EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3295

14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S.

14.3. Transport hazard class(es): 3 14.4. Packing group: Ш Hazard label: 3



Limited quantity Passenger: 10 L Passenger LQ: Y344 Excepted quantity: F1

IATA-packing instructions - Passenger: 355 IATA-max. quantity - Passenger: 60 L IATA-packing instructions - Cargo: 366 IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



FROWEIN GmbH & Co. KG

DETMOLIN F

Revision date: 14.03.2017 Revision No: 1,1

Product code: 00434-0009

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): < 100 %

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 3 - highly water contaminating Biocide registry number: BAuA-Reg. Nr. N-51607

Biocide registry number: **15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.
 EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

FROWEIN GmbH & Co. KG

DETMOLIN F

Revision date: 14.03.2017 Revision No: 1,1

Product code: 00434-0009

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the

legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)