Corsi di Laurea Triennale in INFORMATICA

Gestalt laws

Le leggi della Gestalt. Layout del video e del testo secondo le leggi della Gestalt, formati di presentazione

Questi lucidi sono stati preparati da Maria Francesca Costabile, Università degli Studi di Bari, per uso didattico. Essi contengono materiale originale di proprietà dell'Università degli Studi di Bari e/o figure di proprietà di altri autori, società e organizzazioni di cui e' riportato il riferimento. Tutto o parte del materiale può essere fotocopiato per uso personale o didattico ma non può essere distribuito per uso commerciale. Qualunque altro uso richiede una specifica autorizzazione da parte dell'Università degli Studi di Bari e degli altri autori coinvolti.



Dipartimento di Informatica -Università di Bari -

Gestalt Laws


- Gestaltpsychologie was developed by psychologists in Germany around 1900
- > A gestalt is something we perceive as a unit or an object
- Gestalt is German and means a figure or a shape
- ➤ In Italian is said *Teoria* o *psicologia della forma* o semplicemente *Gestalt*
- Gestalt says that an object is perceived by dinamic processes of recognising the general structures in which the sensorial data are organised
- The gestalt laws say what we intuitively perceive as a coherent unit or object – without any training or conscious effort

Law of proximity

Law of Proximity: Pieces that are close together are perceived as beloning together

Ex A: the law of proximity makes us to perceive 4 vertical lines of bubbles, 4 horizontal lines of bubbles

Ex B: the law of proximity makes us to perceive the two lines that are closed together as a unit



Closure and Good continuation


Law of closure: The area inside a closed line is perceived as a shape.

Ex C: the closed lines around the broad wings creates stronger gestalts. The law of closure strongly suppresses the law of proximity.

Law of good continuation: Pieces on a smooth line are perceived as belonging together.

Ex D: the pieces that appear to be on a curved line create a clear gestalt.

Example D:




Closure versus continuation

Laws may interfere

In Examples E and F, we see partly 3 shapes (law of closure) but even stronger we see the curved line that seems to cross through the 3 shapes (line of good continuation).

In this case the law of good continuation seems a bit stronger.



Law of similarity

Law of similarity: Things that look alike are perceived as belonging together.

Ex G, H: the small crosses are perceived as a single, weak gestalt. We can also let colours signal the similarity. This is often useful on the screen, for instance if we have two things far apart on the screen and want the user to perceive them as related. We simply give them the same distinct colour. This only works if there aren't a lot of other colours on the same screen.

Example G	Example H
00000000	00000000
00000000	000×0000
00X00X00	0 0 X X 0 0 0 0
000XX000	00000000
000XX000	00000000
00000000	000000X0
00000000	00000000

Other gestalt laws

There are many other gestalt laws.

Law of parallel movement: Things that move in parallel are perceived as belonging together.


Although it is a very strong law, it rarely plays a role on user interfaces, which tend to be semi-static.

One exception is game programs.

Hearing about the law of parallel movement, a colleague said: 'This law is used on the screen; it makes the scroll bar work!'

To his surprise, he was wrong. Scroll bar and document move in opposite directions.

Many of the laws are important for our perception of things in nature, where they often are partially hidden by trees and tall grass. 'Good continuation' and 'parallel movement' make the hunter able to perceive small glimpses of an animal as a single gestalt.



Eye vs logic

Version C is still bad.


The alphabetical sequence does not help us since most of the texts are unfamiliar in that sequence.


The eye looks for some gestalts and may find the four bottom lines that look similar and are aligned.

The logical part of our brain cannot see the logical relationship between these four lines. In other words, the eye cannot support the logic and the logic is not even useful.



Two more examples (1)






Version D has 4 blocks of 'controls' that make 4 strong gestalts.

The law of proximity is the major force.

Inside each block, there are smaller gestalts that look alike, and the low of similarity further strengthens the block gestalts.

This version looks simpler and cleaner than the original one because there are fewer and stronger gestalts and the dominating box has disappeared.




In E, the frame around the radio buttons makes this gestalt even stronger For fun, the OK button is inside this frame. Huge confusion!

The user thinks: Why is the OK button here? Do you have to click OK after having chosen the print range? Why?

It is the same OK button as before and with the same functionality, only moved to another place.

The reason for the confusion is that the law of closure tells the user that everything inside the frame belongs together. In other words, the OK button works only on the print range.



Versione E shows that the gestalts can have a huge influence on our mental model of how the system operates.

Frames have a strong effect, but they occupy much space on the screen. An alternative is to replace them with a light background colour. It has much the same effect, but takes no space.

With old-fashioned computer terminals it was an easy solution. With Microsoft Windows it is a bit more difficult and against the guidelines. Various frames are used instead.

On the Web it has again become easy and widely used.

Applying gestalt laws to text layout

Table of contents

Introduction & Basic Concepts	7	Functional details	85
The role of requirements	8	Complex and simple functions	8.5
Project types	11	Tables and decision tables	88
Contents of the specification	13	Textual process descriptions	90
Problems observed in practice	16	State diagrams	92
Domain level and product level	18	State-transition matrices	94
The goal-design scale	20	Activity diagrams	95
Typical project models	24	Class diagrams	98
Data requirement styles	30	Collaboration diagrams	102
The hotel system example	30	Sequence diagrams	103
The data model	30	Special Interfaces	107
Data dictionary	37	Reports	107
Data expressions	39	Platform requirements	108
Virtual windows	42	Product integration - ordinary customers	110
Functional requirement styles	45	Product integration - main contractor	114
Human/computer - who does what?	45	Technical interfaces	115
Context diagrams	46	Quality requirements	117
Event list and function list	47	Quality Factors	118

introduction & Basic Concepts	7	Functional details	8
The role of requirements		Complex and simple functions	8
Project types	11	Tables and decision tables	8
Contents of the specification	13	Textual process descriptions	5
Problems observed in practice	16	State diagrams	5
Domain level and product level	18	State-transition matrices	9
The goal-design scale	20	Activity diagrams	
Typical project models		Class diagrams	5
Data requirement styles	30	Collaboration diagrams	10
The hotel system example	30	Sequence diagrams	10
The data model	30	Special Interfaces	10
Data dictionary	37	Reports	10
Data expressions	39	Platform requirements	10
Virtual windows	42	Product integration - ordinary customers	11
Functional requirement styles	45	Product integration - main contractor	11
Human/computer - who does what?	45	Technical interfaces	
Context diagrams	46	Quality requirements	11
Event list and function list	47	Quality Factors	11

Top: law of proximity suggests that page numbers in the middle belong to the right-hand entries rather than the left-hand ones

Bottom: traditional way to overcome the problem.


There are several gestalt laws at work.


First, laws of good continuation and proximity make the row of dots connect the entry with the page number.

The entire left-hand column is now a block of pieces with an imagined rectangular border.

The law of closure makes the block into a single gestalt of related pieces

Heading proximity





Sales of X-mas trees

Sales of X-mas trees There is a strong seasonal variation in the sales of...

There is a strong seasonal variation

in the sales of...

We have three gestalts: a figure, a line of bold text and some body text. What is the bold text? A caption for the figure or a heading for the body text? If we move it up a bit, the eye will perceive it as a figure caption. If we move it down a bit, it is a heading, as shown to the right.

The layout should signal the right answer by means of proximity. Typographical rule: Put headings closer to the text below than the text above.

Body text: which one is better?

This report is intended to provide background information which will facilitate the development of procedures and tools to improve the tware producers to manage and control software quality and to demonstrate the achievement of software quality requirements.

The report surveys published work relating to the detection of software quality characteristics, metrics relating to them, and inferences which can be drawn from the metrics. It does not attempt, however, to evaluate the published works to any great extent. It notes the ure, and identifies uality Management project. In summarising such large works it has not been possible to cover all the material, and the serious student way need to refer to the originals for further details.

Boehn et al's book entitled "Characteristics of Software Quality" reports on work done in the early seventies and is a precursor not only or McCall et al's work but also of Gilbs. The initial objectives of the study were to identify see of characteristics of software quality, and for each characteristic to aimed at measuring the degree to which a program possesses the characteristic and hence provide an overall software quality assessment.

nence provide an overall software quality assessment.

(Boehm et al soon abandoned the idea of an overall quality since they argued that the quality requirements for a given product will vary with the needs and priorities of the user, so there could be no single universally useful rating of software quality. They concluded that metrics would be best used as amonally indicators - ie to note that an item of software duffered from the normal pattern in a way that might be symptomatic of quality problems.)

This report is intended to provide background information which will facilitate the development of procedures and tools to improve the ability of software producers to manage and control software quality and to demonstrate the achievement of software quality requirements and improve the control software.

requirements and improve the control software.

The report surveys published work relating to the identification and specification of software quality characteristics, metrics relating to them, and inferences which can be drawn from the metrics. It does not attempt, however, to evaluate the published work to any great summarising such large works it has not been possible to ever all the material, and the serious student may need to refer to the originals for further details defin place.

refer to the originals for further details defin place.

Boehm et al's book entitled "Characteristics of Software Quality" reports on work done in the early seventies and is a precursor not only or McCall et al's work but also of Gilbs. The initial objectives of the study were to identify a set of characteristics of software quality, and for each characteristic to identify one or more metrics aimed at measuring the degree to which a program possesses the characteristic and hence provide an overall (Boehm et al scon abundoned the idea of an overall utility since they armed that the onality remembers for

(Boehm et al soon abandoned the idea of an overall quality since they argued that the quality requirements for a given product will vary with the needs and priorities of the user, so there could be no single universally useful arting of software quality. They concluded that metrics would be best used as anomaly indicators - ie to note that an item of software differed from the normal pattern in a way that might be symptomatic of quality problems.)

Version 1 is bad

This report is intended to provide background information which will facilitate the development of procedures and tools to improve the tware producers to manage and control software quality and to demonstrate the achievement of software quality requirements.

The report surveys published work relating to the identification and specification of software quality characteristics, metrics relating to them, and inferences which can be drawn from the metrics. It does not attempt, however, to evaluate the published work to any great extent. It notes the ure, and identifies uality Management project. In summarising such large works it has not been possible to cover all the material, and the serious student may need to refer to the originals for further-details.

Boehm et al's book entitled "Characteristics of Software Quality" reports on work done in the early seventies and is a precursor not only or McCall et al's work but also of Gilbs. The initial objectives of the study were to identify a set of characteristics of software quality, and for each characteristic to aimed at measuring the degree to which a program possesses the characteristic and hence provide an overall software quality assessment.

(Boehm et al soon abandoned the idea of an overall quality since they argued that the quality requirements for a given product will vary with the needs and priorities of the user, so there could be no single universally useful rating of software quality. They concluded that metrics would be best used as anomaly indicators - ie to note that an item of software differed from the normal pattern in a way that might be symptomatic of quality problems.) In version 1, the paragraphs are separated by a slight indent of the first line of each paragraph.

The lines are not right-aligned.

The result is some weak gestalts at the left margin - the white areas of indentation, but no clear signal in the right margin.

The paragraphs don't stand out as clear gestalts.

You often see this layout when amateurs set up a text

Version 2 is better

Version 2 is similar to 1 except for the right margin, which now is aligned.

There are now clear signals from the right margin too and they match the left-hand signals in most places. If you screw up your eyes, you can see each paragraph as a block of text. It is not a very strong gestalt, but clearly stronger than the first version.

The effect is stronger when the text column is narrow. Newspapers normally use this layout to save space, and since the columns of text are very narrow, the paragraphs stand out well.

This report is intended to provide backgroun information which will facilitate the development of procedures and tools to improve the ability of software

producers to manage and control software quality and to demonstrate the achievement of software quality requirements and improve the control software. The report surveys published work relating to the identification and specification of software quality characteristics, metrics relating to them, and inferences which can be drawn from the metrics. It does not attempt which can be drawn from the metrics. It does not attempt, however, to evaluate the published work to any great summarising such large works it has not been possible to cover all the material, and the serious student may need to refer to the originals for further details defin place.

refer to the originals for further details defin place.

Boehm et al's book entitled "Characteristics of Software Quality" reports on work done in the early seventies and is a precursor not only or McCall et al's work but also of Gilbs. The initial objectives of the study were to identify a set of characteristics of software quality, and for each characteristic to identify one or more metrics aimed at measuring the degree to which a program possesses the characteristic and hence provide an overall (Boehm et al soon abandoned the idea of an overall positions).

quality since they argued that the quality requirements for a given product will vary with the needs and priorities of the user, so there could be no single universally useful rating of software quality. They concluded that metrics would be best used as anomaly indicators - ie to note that an item of software differed from the normal pattern in a way that might be symptomatic of quality problems.)

Another version

This report is intended to provide background information which will facilitate the development of procedures and tools to improve the ability of software producers to manage and control software quality and to demonstrate the achievement of software quality requirements.

The report surveys published work relating to the identification and specification of software quality characteristics, metries relating to them, and inferences which can be drawn from the metrics. It does not altempt, however, to evaluate the published work to any great extent. It notes the existence of relevant software tools referred to in the literature, and domitties areas of work which might be pursued further which Testing Specification and Quality Management project. In summarising each large works it has not been possible to cover all the material, and the serious student may need to refer to the originals for further details.

Boehm et al's book entitled "Characteristics of Software Quality" reports on work done in the early seventies and is a precursor not only or McCall et al's work but also of Gilbs. The initial objectives of the study were to identify a set of characteristics of software quality, and for each characteristic to identify one or more metrics aimed at measuring the degree to which a program possesses the characteristic and hence provide an overall software quality assessment.

(Boelun et al soon abandoned the idea of an overall quality since they argued that the quality requirements for a given product will vary with the needs and priorities of the user, so there could be no single universally useful rating of software quality. They concluded that metrics would be best used as anomally indicators - ie to note that an interaction of software differed from the normal pattern in a way that might be synaptomatic of quality problems.

Clear gestalts but lines too long. Annoying to read.

In the third version, blank lines separate the paragraphs.

The law of proximity works fully, and each paragraph as a strong gestalt. The lines are not right-aligned, but still the gestalts are very clear. This layout is good for ordinary reports, and is often used in textbooks. Although this version has good gestalts, it is hard to read because the lines are too long.

Contrast


Sometimes we want to call attention to something on the screen or the page. Frames are one way to do it.

There are various ways of creating contrast, that is make something stand out with the rest as background.

In the example, shape differences are used as contrast.

The pattern of bubbles creates a background where the crosses stand out. Since the crosses are far from each other, they don't create a single gestalt.

If there were roughly the same number of crosses and bubbles, none of them would stand out.



More on contrast (1)

The next example creates contrast by means of size or line thickness.


The large text stands out from the rest.

The thick-line rectangle stands out from the crowd.

The rectangles also use simple 3-D effects to show that something is in front of the background. One of the boxes is in front of the others by means of two 3-D effects:

- the front box hides part of other boxes;
- (2) it is larger, suggesting that it is closer.

Size, thickness, or 3-D



More on contrast (2)

Deviating colour or darkness can also create a contrast, as shown in the example below.

One of the words is light grey (red in the real document), and stands out.

One of the boxes is darker than the rest.

Notice that also the text that is smaller than the rest gives a contrast, but not so much as a large text does.

Colour or darkness

mm dms m sp ab anem a tts , to fmst saåfprs fer s frfi smfe skt org. This like r sik smin set Org s fp4et gsæ fgtæ r mm dms m sp ab anem a tts , to fmst saåfprs fer s frfi smfe skt org s fp4et gsæm dmsm



More on contrast (3)

Flashes and movements give an intense contrast, which attracts the eye to the extent that it may be hard to focus on other things - even see what the flashing text says.


Many Web pages try to attract attention in this way, but fail to communicate a message.

Process control systems usually signal alarms with something flashing, It calls the operator's attention - even at a large distance.

In disaster situations, there will be many flashing things that the operator has to read. This is fine for calling attention, but bad for reading the messages. For this reason there is an important feature on the

interface: a button that stops the flashes so that the operator can think.

Flash or movement (intense)



Use contrast moderately


In order for the contrast to work, there must be a background for the contrast.

If you emphasize too many things, the effect disappears. If everything is in vivid colours, nothing is emphasized. If many things are already emphasized, you need an even larger effect to emphasize one of those.

The general rule is to use contrasts and emphasis moderately. Otherwise the effect disappears.

See the example in the next slide

Can you see how many points are earned?



Web page where frequent flyers can see their points.

Many people look at the list and expect to find the total at the bottom of the list. But it is not there. Then they start adding the points themselves. They don't notice that the total is somewhere above the list in a very large font.

Why don't they notice? Maybe there are too many things shouting at them up there, and although the total tries to shout even louder, it doesn't always succeed.

Why do you not see the earned points?

Maybe there are too many things shouting at them up there, and although the total tries to shout even louder, it doesn't always succeed.

The gestalt laws tell a different story:

the total doesn't seem to belong to the list of points, but to another gestalt.

In this case, the gestalt laws overwrite the contrasts - at least to many users.

Presentation formats

There are many ways to show data, and it is a good idea to experiment with the various forms.

Presentation is particularly critical if we are to provide a good overview of complex data.

Example: data about rooms in a hotel system

Room data in form format

Classical 'form' format Room form Boom no 011 Prices high med low 2 88 80 58 Normal As single 68 60 49 Bath full no Balcony Last renovated 20-08-03 no Seaview Occupied [21-08-03, 22-08-03, 31-08-03, 01-09]


Data about a single room. Classical way of presenting data: a *form* with many *data fields*

Good for details of the room: number of beds, whether there is sea view, the prices for different seasons and special prices if used as a single room.

Forms are excellent for showing lots of detail. If we don't have enough space on one screen, we can use scroll bars or tab forms to conceptually extend the form. However, if we want to show which dates the room has been occupied, we need a long list of dates. The example shows just the beginning of this list.

We get no overview and cannot even see the date of current interest.

Room data in *list* or *table* format



This format can show the states of all the hotel rooms over time. To limit the list, there are search criteria where we can specify the dates of interest. We can scroll to see more list items. For each list element we can see only a few fields. Selecting a line will bring out the details of this room as a classical form, in an adjoining frame or in a separate window. The list format is the most common way of presenting bulk data on the screen, and from a programming point of view it is easy to make.

Room data in *matrix* format

The matrix format is a way to improve the overview.


The dates are marked horizontally and the rooms vertically. Whether a room is occupied or booked at a given date is marked by an O or a B. It is easy to get an overview of when each room is free.

Scroll bars may be added to allow the receptionist to look at many rooms and a wide range of dates.

We would provide search criteria that allow the user to look only at rooms free in a certain period, rooms of a particular kind, etc.

The matrix form can give an excellent overview, but it is hard to find space for all the details, for instance details of who occupies the room at a certain date. We might again combine it with a detail window.

Room data in map format



The map format gives radically new possibilities.

Here a floor map is shown and rooms that are occupied or booked at a certain date are colour-marked.

It is easy for the receptionist to see which rooms are quiet, which have a balcony, etc.

The receptionist can also easily give the guest two neighbour rooms or two opposing rooms, for instance for parents with children.


It is more difficult to provide an overview of details such as the room prices, number of beds, etc. The form and list formats are better for this. Again formats may be combined, for instance with a detail window. Many other visual formats or representations will be shown.


Hierarchy representations

Hierarchy of things are very common in real life:

- a company divided into departments, each department divided into sub-departments, etc.
- folders and files in the computer.

There are many ways to show a hierarchy.






Other ways of presenting data (1) Example: history of a company over some years 1996 1997 1998 Matrix Customer satisfact 7 8 9 Employee satisfact 6 8 Sales 12.5 14.5 15.8 Profit 2.7 1.9 8.0 Sales Line graph 3-D surface Cust. Empl. Profit 97

Radar chart or spider web

Example: history of a company over some years



It has a spoke for each of the factors and a closed polygon for each of the years. It cannot handle negative values, as the spokes have only one free end. Radar charts are a popular way of presenting business data like this example, probably because progress in all areas shows up as a series of expanding circles.

In this case the 'circles' don't grow perfectly. There is some serious trouble with the profit and the employee satisfaction.

If we give the years different colours, the troubles will stand out more clearly.

Riferimento

S. Lauesen, User Interface Design: A Software Engineering Perspective, Addison Wesley, Pearson Education, 2005 (Cap. 3).