CHAPTER 11

AUTHORIZING OR CANCELLING A REPRESENTATIVE WEB SERVICE SPECIFICATIONS

2020 processing year (2019 tax year)

Ce document est disponible en français

TABLE OF CONTENTS

CHANGE LOG 3

WHAT'S NEW 4

GENERAL COMMENTS 4

CERTIFICATION PROCESS 4
DATES 4
XML SCHEMA FILES 4
PRE-TRANSMISSION REQUIREMENTS 5
POST-TRANSMISSION REQUIREMENTS 6
SOFTWARE PAGE FORMAT AND FIELD LAYOUT 6
SIGNATURE PAGE 6
CHARACTERS TO BE USED 7

TRANSMISSION SPECIFICATIONS 8

REQUEST TRANSMISSIONS 8
BATCH FILE SENT BY THE PREPARER/TRANSMITTER 9
XML MAPPING SPECIFICATIONS 11
BATCH RESPONSE TO THE PREPARER/TRANSMITTER 19
Batch responses containing W–Series codes 19

T AND W RESPONSE CODES 20

T RESPONSE CODES 20
List of T response codes 20
W RESPONSE CODES 27
List of W response codes 27

TRACING AND INQUIRY SPECIFICATIONS 29

EFILE HELP DESK INFORMATION 29

TRIS XML SCHEMAS 29

SCHEMA IMPORTS AND ASSOCIATIONS 30

SAMPLE XML 31

SAMPLE 1 – VALID BATCH, ONE REQUEST 31
SAMPLE 2 – VALID RESPONSE, ONE REQUEST 32
SAMPLE 3 – VALID BATCH, MULTIPLE REQUESTS 33
SAMPLE 4 – BATCH RESPONSE, MULTIPLE REQUESTS, NO ERRORS 35
SAMPLE 5 – BATCH RESPONSE, MULTIPLE REQUESTS, BATCH ERRORS 36
SAMPLE 6 – BATCH RESPONSE, MULTIPLE REQUESTS, REQUEST ERRORS 37
SAMPLE 7 – ONE VALID REQUEST, W-SERIES RESPONSE CODE 38
SAMPLE 8 – ONE VALID REQUEST, W-SERIES RESPONSE CODE, ONE REQUEST ERROR 38

THE REQUEST 39

REQUEST SOAP MESSAGE 40
UsernameID element (mandatory) 40

Password element (mandatory) *40*
Type element (mandatory) *41*
File element (mandatory) *41*

THE RESPONSE **41**

SUCCESSFUL RESPONSE 42
Response Codes *42*
Batch Level Response Codes *43*
Request Level response codes *44*
SOAP FAULT ERROR 46

WSDL **46**

PRODUCTION URL **46**

EXAMPLES **47**

JAVA CLASS EXAMPLE 47

APPENDIX A: HTTP REQUEST HEADERS **51**

APPENDIX B: ENCODING ISSUES **52**

APPENDIX C – SIGNATURE PAGE EXAMPLES **53**

AUTHORIZATION REQUEST 53
AUTHORIZATION /CANCELLATION SPECIFIC REP REQUEST 54
CANCELLATION REQUEST – ALL REPS 55
CANCELLATION REQUEST – SPECIFIC REP 56

CHANGE LOG

Version	Action
Version 1 (2019-11-04)	• Updated titles in the last 2 examples of Appendix C
Version 2 (2019-11-15)	• Modified requirements and statements associated with the printing of the signature page since we now accept electronic signatures (changes highlighted in yellow). Included new examples of the signature pages to reflect the revised instruction for step 1.

WHAT'S NEW

- amalgamated all Chapter 11 documents (3 documents) into one document
- removed certain W and T response codes
- added 2 new T response code
- modified text for certain W and T response codes
- removed Form T1013 and watermark requirements. The reference to 'T1013' and 'form' should only be used as part of the XML schema (schema requirements haven't changed) and should not be included in the software to reference this service.
    - **Background:**
        - The T1013 form has been revised and will be used to authorize representatives for access by phone and mail only (T1013 - Authorize a representative for access by phone and mail). A new form has been created to cancel authorizations (T1013X – Cancel authorization for a representative). Therefore, this process will no longer use the T1013 form format with the watermark to substantiate the taxpayer or legal representative's signature and retained in your records.

          Also the new T1013 or T1013X forms should not be included in the software.
- added new requirements for page format and field layout
- added new requirements for the signature page
- removed references for having to print the signature page in order to allow for the use of electronic signatures.

GENERAL COMMENTS

Certification process

While software products may pass the CRA certification test, we do not test or review the products for user-friendliness. Any comments you have regarding your software product should be directed to the developer.

Dates

All dates included in the examples are for reference only and may not reflect the current tax filing season or software versions.

XML Schema files

The XML Schema files (.xsd) which will be used to validate the incoming XML files describe all the Data Types and Elements that can be used in the TRIS batch file. The schema files define a set of rules for each element and its position in the XML file.

crat1013.xsd – Contains the standard definitions of high level elements and data types that represent the request.

standarddatatypes.xsd – Contains the definitions of related low level/simple data types.

crat1013response.xsd – Contains the definitions of high level elements and data types that represent the response.

Pre-transmission requirements

In order to avoid unnecessary rejections, prior to transmitting a batch file in XML format, your Efile software must:

- Validate the XML file against the provided schema, ensuring that all data conforms to schema constraints
- Prevent the preparer or transmitter from over-riding or otherwise bypassing any T series response codes and/or any diagnostic mechanisms generated by the schema validations
- Ensure that all errors detected by the schema validations are corrected by the preparer before re-attempting transmission.
- Add and display text for the agreement to the terms and conditions of use. User is required to accept or decline the conditions. If the user accepts, the user will be allowed to continue with the electronic submission. If the user declines, the process will abort.

"To maintain the confidentiality of taxpayer information as required by section 241 of the *Income Tax Act*, I agree to the two following conditions. I also acknowledge that if I do not meet these conditions, my privileges to electronically submit an authorization or cancellation request, could be suspended. I hereby agree,

1. that I will make sure that the taxpayer or legal representative has signed and dated the signature page for authorizing or cancelling a representative Note that Form T183, *Information Return for Electronic Filing of an Individual's Income Tax and Benefit Return*, is not appropriate for electronically submitting an authorization or cancellation request.; and
2. that I will retain, each signature page, for six years from the date that the information is transmitted to the CRA. I will also make available any signature pages to the CRA, upon request during that time.

□ I confirm □ I decline

- Add prompt for user to have the signature page signed and dated by the taxpayer or legal representative before electronically submitting the authorization and/or cancellation information to CRA.

Post-transmission requirements

Display of text associated with T and W response codes

The text for the T and W response codes must be displayed exactly as provided by the CRA.

Software page format and field layout

The requirements for the captured of the authorization or cancellation information in the software are as follows:

- headings and field names identified in the 'Signature page' section must be used,
- information must be captured and transmitted to CRA based on the requirements in the xml schema specifications,
- page format and layout of the sections and fields within the software is left to the discretion of the software developers, and
- a signature page must be generated based on the requirements in the 'Signature page' section.

Signature page

The software must generate a signature page that includes all the authorization request information, cancellation request information or combination of the two as captured in the software and transmitted electronically to CRA along with specific instructions and a certification section. Please refer to Appendix C for examples.

The following information must be included on the signature page.

Title: Authorization/Cancellation request – signature page
Instructions immediately under the page title

1. Have the taxpayer or legal representative sign and date this page.
2. Retain a copy of the signed and dated signature page in your files for six years from the date that this information is transmitted to the CRA. Do not send us the signature page by mail or fax unless requested to do so.

Representative information

Representative Identifier:	identifier of the representative being authorized (i.e. RepID, BN or GroupID)

Taxpayer information

Taxpayer social insurance number:	social insurance number of taxpayer that the representative is being authorized or cancelled on
Taxpayer given name:	given name of taxpayer that the representative is being authorized or cancelled on
Taxpayer surname:	surname of taxpayer that the representative is being authorized or cancelled on

Authorization information

Level of authorization:	level of authorization being requested

Expiry date:	expiry date of the authorization

Cancellation information

Cancel all representatives:	checkbox to request that all representatives be cancelled
Cancel specific representative:	checkbox to request that a specific representative be cancelled.
Representative given name:	given name of the representative that will be cancelled
Representative surname:	surname of the representative that will be cancelled
Business name:	name of the business that will be cancelled
Representative Identifier:	identifier of the representative that will be cancelled (i.e. RepID, BN or GroupID)

Signature information

Legal signature indicator:	checkbox indicating who is signing request i.e. taxpayer or legal representative
Name of the taxpayer or legal representative:	name of the individual that is signing the authorization or cancellation request (schema field : printed name)

Certification

Following statement must be directly under the 'certification' heading followed by the 2 fields below to allow for the taxpayer or legal reps signature and date.

By signing and dating this page, you authorize the Canada Revenue Agency to interact with and/or cancel the representative(s) mentioned above.

Signature:	signature of the taxpayer or legal representative
Date:	date the signature page was signed.

Characters to be used

CRA requires that the document be sent in characters from the ISO-8859-1 or UTF-8 character sets. These bilingual code pages have been certified with our system. Some of the other code pages may cause problems with translation from PC to mainframe and may stop transmitters from submitting.

The case of the letters is not important in XML except for the first line in the XML file. The line "<?xml version="1.0" encoding="ISO-8859-1"?>" must be in lower case for the parser to accept the file. For other lines in the XML file – elements can be in any case.

The sample data that is shown in this manual is valid XML data that meets the specifications of this document. The data used may not be valid for the submission as it is intended only to show how the XML elements should be set-up.

TRANSMISSION SPECIFICATIONS

In the context of XML submission, the **crat1013.xsd** schema is used as the format for the transmission. The **crat1013response.xsd** schema is used as the format to transmit response messages back to the transmitter. XML formatting and validation errors will be displayed back to the transmitter directly at the time of submission. Once an xml file has passed all initial validations, the batch will then be accepted by CRA with the accepted requests undergoing further processing and a confirmation number issued to the transmitter.

Request Transmissions

Once the batch has been created by the Preparer/Transmitter, it is then sent to CRA by way of the TRIS web service interface. If the batch of requests is clean with respect to the XML file structure and proper element values, CRA will generate a confirmation number that will be returned to the Preparer/Transmitter.

Prior to issuing the confirmation number, CRA will validate all the requests in the XML batch file. If the overall structure of the batch conforms to the **crat1013.xsd** schema, the individual requests will be examined to validate the contents. Those requests that meet the basic validation requirements will be submitted while those that do not will be discarded. A confirmation number will be issued when a minimum of one (1) request from the batch is accepted for processing. Each request that is rejected will be identified in the response with a maximum of eight (8) errors supplied.

It is important for the transmitter or preparer to retain a copy of the confirmation number, as it is the means for the transmitter or preparer to communicate with CRA regarding accepted batches.

Batch File Sent by the Preparer/Transmitter

The Preparer/Transmitter should send the XML file in the proper format that conforms to the **crat1013.xsd** schema. Each batch should have the following basic structure:

```
<tris:BatchRequest xmlns:sdt="http://www.cra-arc.gc.ca/xmlns/sdt/2-2-0"
xmlns:tris="http://www.cra-arc.gc.ca/xmlns/tris/1-0-0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.cra-arc.gc.ca/xmlns/tris/1-0-0 crat1013.xsd ">
  <tris:BatchDetail>
    <tris:FormNumber></tris:FormNumber>
    <tris:BatchFormCount></tris:BatchFormCount>
    <tris:FormVersion></tris:FormVersion>
    <tris:SoftwareVendorCodeReleaseDate>
      <tris:ReleaseDate>
        <tris:FormDateYear></tris:FormDateYear>
        <tris:FormDateMonth></tris:FormDateMonth>
        <tris:FormDateDay></tris:FormDateDay>
      </tris:ReleaseDate>
      <tris:SoftwareVendorCode></tris:SoftwareVendorCode>
    </tris:SoftwareVendorCodeReleaseDate>
  </tris:BatchDetail>
  <tris:BatchForms>
    <tris:PreparerSection>
      <tris:PreparerID></tris:PreparerID>
      <tris:SoftwareVendorCode></tris:SoftwareVendorCode>
      <tris:UniqueDocumentNumber></tris:UniqueDocumentNumber>
    </tris:PreparerSection>
    <tris:TaxpayerSection>
      <tris:ClientID></tris:ClientID>
      <tris:ClientName>
        <tris:GivenName></tris:GivenName>
        <tris:Surname></tris:Surname>
      </tris:ClientName>
    </tris:TaxpayerSection>
    <tris:AuthorizationSection>
      <tris:RegisteredRepresentativeAuthorization>
        <tris:RegisteredRepresentative>
          <tris:RepresentativeID></tris:RepresentativeID>
          <tris:BusinessNumber></tris:BusinessNumber>
          <tris:GroupID></tris:GroupID>
        </tris:RegisteredRepresentative>
        <tris:AuthorizationLevelOfPermission></tris:AuthorizationLevelOfPermission>
      </tris:RegisteredRepresentativeAuthorization>
      <tris:AuthorizationExpiryDate>
        <tris:FormDateYear></tris:FormDateYear>
        <tris:FormDateMonth></tris:FormDateMonth>
        <tris:FormDateDay></tris:FormDateDay>
      </tris:AuthorizationExpiryDate>
    </tris:AuthorizationSection>
    <tris:CancelSection>
      <tris:CancelAll></tris:CancelAll>
      <tris:CancelSpecific>
        <tris:CancelSpecificCheck></tris:CancelSpecificCheck>
        <tris:CancelRepresentativeName>
          <tris:ClientName>
            <tris:GivenName></tris:GivenName>
            <tris:Surname></tris:Surname>
          </tris:ClientName>
          <tris:BusinessName></tris:BusinessName>
        </tris:CancelRepresentativeName>
        <tris:CancelRepresentative>
```

```
          <tris:RepresentativeID></tris:RepresentativeID>
          <tris:BusinessNumber></tris:BusinessNumber>
          <tris:GroupID></tris:GroupID>
        </tris:CancelRepresentative>
      </tris:CancelSpecific>
    </tris:CancelSection>
    <tris:SignatureSection>
      <tris:PrintedName></tris:PrintedName>
      <tris:LegalRepresentativeSignature></tris:LegalRepresentativeSignature>
      <tris:SignatureDate>
        <tris:FormDateYear></tris:FormDateYear>
        <tris:FormDateMonth></tris:FormDateMonth>
        <tris:FormDateDay></tris:FormDateDay>
      </tris:SignatureDate>
    </tris:SignatureSection>
  </tris:BatchForms>
</tris:BatchRequest>
```

- The root element name should be BatchRequest. The schema files that will be used to populate and validate the XML file should be declared inside the root element definition as shown above.
- The first element in the XML file after the root element should be the BatchDetail element, containing specific sub-elements, as shown above and outlined in the schema.
- There must be at least one (1) request and a maximum of thirty (30) requests in a batch submission.

XML Mapping Specifications

The mapping information below provides information on the layout of a request.

NOTES:

1) If there is nothing to transmit in a field then the field should be omitted from the XML. If the tag is omitted from the schema then it is assumed that its value is 0 or NIL and if the tag is present, unless otherwise stated, the file expects a value greater than zero. An exception to this is being made in regard to the LegalRepresentativeSignature indicator check box. This field will be transmitted with a zero (0) in the field indicating that it is the taxpayer's name in the 'Name of taxpayer or legal representative' field (PrintedName element in the schema).

2) If an OPTIONAL group exists, then the elements within that group are MANDATORY in the schema.

3) In cases where an entry of 1 is required for processing purposes it still applies to the XML file in accordance with chapter 4.

4) Adherence to the following schema requirements and mandatory fields is required since T response codes will be generated if the schema validations fail and/or mandatory fields are not input.

BatchDetail (Mandatory Group)

Element Name	Annotation	Element requirement	Attributes
FormNumber	Must be "T1013"	**M**	**AN 5/5**
BatchFormCount	Number of requests contained in the batch submission **A minimum of 1 request must be present to a maximum of 30.**	**M**	**N 1/2**
FormVersion	Version used to prepare the request data. It should always reflect the 'tax year' **Eg. Valid value: "2015"**	**M**	**N 4/4**

SoftwareVendorCodeReleaseDate (Mandatory Group)

This group consists of the release date of the software package being used with the software vendor code assigned by the CRA appended to end.

Release Date (Mandatory Group)

The release date must equal to or greater than the date the CRA certified the software package.

Element Name	Annotation	Element Requirement	Attributes
FormDateYear	This represents the year portion of the release date of the software package.	**M**	**N 4/4**

FormDateMonth	This represents the month portion of the release date of the software package. **Valid values: 01 to 12**	**M**	**N 2/2**
FormDateDay	This represents the day portion of the release date of the software package. **Valid values: 01 to 31**	**M**	**N 2/2**
SoftwareVendorCode	Software Vendor Code	**M**	**AN 4/4** **Must end in an "H"**

Individual request

PreparerSection (Mandatory Group)			
Element Name	**Annotation**	**Element requirement**	**Attributes**
PreparerID	Tax Preparer EFiler Number	**M**	**AN 5/5**
SoftwareVendorCode	Software Vendor Code	**M**	**AN 4/4 Must end in an "H" for**
UniqueDocumentNumber	A unique number generated to identify a request. The value is a concatenation of the Client ID from the request and a date and time based on the time the request is completed. The Unique Document Number must appear in the following format: **999999999yyyyDDDhhmmssSSS** Where: ClientID on the request - 999999999 Current Year - yyyy Julian Day - DDD Hour - hh Minute - mm Second – ss Millisecond - SSS Each element must be the exact length specified where any length that is less must be zero-filled to the left. For instance, the month of May should appear as "05". NOTE: The Julian day represents a number from "001" to "365" (in a non leap year), where June 15 would appear as "166".	**M**	**N 25/25**

TaxpayerSection (Mandatory Group)

Element Name	Annotation	Element requirement	Attributes
ClientID	Taxpayer Social Insurance Number	**M**	**N 9/9**

ClientName (Mandatory Group)

Element Name	Annotation	Element requirement	Attributes
GivenName	Taxpayer Given Name	**M**	**A 1/30**
Surname	Taxpayer Surname	**M**	**A 1/30**

Authorization Section (Optional Group)

This section contains details pertaining to the authorization of a registered representative. While this is an optional section, to be a valid request either the Authorization Section or Cancel Section must be present.

RegisteredRepresentativeAuthorization (Mandatory Group)

RegisteredRepresentative (Mandatory Group)

An authorization can only contain one registered representative. While the RepresentativeID, BusinessNumber and GroupID are listed as optional one element must be present. Two or more elements from this group being present would invalidate the authorization request.

Element Name	Annotation	Element requirement	Attributes
RepresentativeID	The registered representative to be authorized. Only one of representativeID, BusinessNumber or GroupID can be present in this group.	**O**	**AN 7/7**
BusinessNumber	The registered business to be authorized. Only one of representativeID, BusinessNumber or GroupID can be present in this group.	**O**	**N 9/9**
GroupID	The registered group to be authorized Only one of representativeID, BusinessNumber or GroupID can be present in this group. **Must start with a "G" or "g"**	**O**	**AN 6/6**
AuthorizationLevelOfPermission	The level of permission granted to the representative being authorized. **Valid values:** **1= Allow CRA to disclose information** **2=Allow CRA to disclose and accept changes**	**M**	**N 1/1**

AuthorizationExpiryDate (Optional Group)

If present, the authorization expiry date must be in the future. All elements within the date must be populated and be a valid date.

Element Name	Annotation	Element requirement	Attributes

FormDateYear	This represents the year portion of the expiry date in which the authorization will expire. **It must be equal to or greater than the transmission date.**	**M**	**N 4/4**
FormDateMonth	This represents the month portion of the expiry date in which the authorization will expire. **Valid values: 01 to 12**	**M**	**N 2/2**
FormDateDay	This represents the day portion of the expiry date in which the authorization will expire. **Valid values: 01 to 31**	**M**	**N 2/2**

CancelSection (Optional Group)

This section contains details pertaining to the cancellation of registered or non-registered representatives. While this is an optional section, to be a valid request either the Authorization Section or Cancel Section must be present.

If present, the cancel section must contain one of the CancelAll element or the CancelSpecific group. The CancelAll is a check box that does not require any supporting information. When the CancelSpecificCheck box within the CancelSpecific group is selected further details are required.

Element Name	Annotation	Element requirement	Attributes
CancelAll	A check box to denote that all active authorizations are to be cancelled. **Valid values:** **1=cancel all**	**O**	**N 1/1**

CancelSpecific (Optional Group)

This group of elements is only necessary when a specific representative is to be cancelled. This action is requested when the CancelSpecificCheck box is selected. A non-registered representative is specified with the CancelRepresentativeName group, while a registered representative is denoted by the CancelRepresentative group.

Element Name	Annotation	Element requirement	Attributes
CancelSpecificCheck	A check box to denote that a specific authorization is to be cancelled. **Valid values:** **1=Cancel Specific**	**M**	**N 1/1**

CancelRepresentativeName (Optional Group)

This group contains the name of the non-registered representative contained on the authorization to cancel. If this group is present either both the GivenName and Surname, or the BusinessName elements are required. All three elements can be present, as well.

Element Name	Annotation	Element requirement	Attributes
GivenName	This is the given name of the non-registered representative to be cancelled. If the CancelRepresentativeName element is present, this element must be populated.	**M**	**A 1/30**
Surname	This is the surname of the non-registered representative to be cancelled. If the CancelRepresentativeName element is present, this element must be populated.	**M**	**A 1/30**
BusinessName	This is the business name associated to the non-registered representative that is being cancelled.	**M**	**AN 1/60**

CancelRepresentative (Optional Group)

This section will specify a cancel request for an authorization containing a registered representative. One of RepresentativeID, BusinessNumber of GroupID must be present.			
Element Name	**Annotation**	**Element requirement**	**Attributes**
RepresentativeID	The registered representative to be cancelled. Only one of representativeID, BusinessNumber or GroupID can be present in this group.	**O**	**AN 7/7**
BusinessNumber	The registered business number to be cancelled. Only one of representativeID, BusinessNumber or GroupID can be present in this group.	**O**	**N 9/9**
GroupID	The registered group to be cancelled. Only one of representativeID, BusinessNumber or GroupID can be present in this group. **Valid groupID must start with a "G" or "g".**	**O**	**AN 6/6**

SignatureSection (Mandatory Group)

This group contains the signature of the taxpayer or legal representative submitting the request, as well as an indicator to denote if the person signing the signature pageis currently authorized as a legal representative for the taxpayer.

NOTE: The LegalRepresentativeSignature indicator check box should only be selected if the person signing the request in the PrintedName field is currently authorized as a legal representative for the taxpayer. If this is not the case, the request will be rejected. The user submitting the request will not receive any indication that this has taken place.

Element Name	**Annotation**	**Element requirement**	**Attributes**
PrintedName	Taxpayer printed signature. **If the LegalRepresentativeSignature indicator is set to 1, or Yes, then this will be the signature of the authorized legal representative submitting the request.** **If the LegalRepresentativeSignature indicator is set to 0, or NO, the contents of the PrintedName field will be that of the taxpayer's given name and surname as contained on the request.** **Must contain two distinct strings separated by a blank space. Each string must be a minimum of one (1) character separated by a space. The first string represents the taxpayer's given name, while the second string is the taxpayer's surname. This comparison is only applicable if the LegalRepresentativeSignature indicator is set to 0, or No.**	**M**	**A 3/60**

	The given name must match exactly the contents of the GivenName field contained in the ClientName group. **The surname must match exactly the contents of the Surname field contained in the ClientName group.**		
LegalRepresentativeSignature	This indicator denotes if the PrintedName element contains the signature of the taxpayer, or that of a legal representative. **Valid values:** **0= Taxpayer Signature** **1= Legal Representative Signature**	**M**	**A 1/1**

SignatureDate (Mandatory Group)

This is the date the signature page was signed. It must be less than the transmission date, but cannot be more than six months in the past.

Element Name	Annotation	Element requirement	Attributes
FormDateYear	This represents the year portion of the date on the signature page . **It must be less than or equal to the transmission date.**	**M**	**N 4/4**
FormDateMonth	This represents the month portion of the date on the signature page. **Valid values: 01 to 12**	**M**	**N 2/2**
FormDateDay	This represents the year portion of the date on the signature page . **Valid values: 01 to 31**	**M**	**N 2/2**

Batch Response to the Preparer/Transmitter

The TRIS software will provide the following basic information for each XML batch submission that is received. The response format corresponds to the **CRAT1013response.xsd** schema.

The following is an example of a response.

```
<trisr:Response xmlns:trisr="http://www.cra-arc.gc.ca/xmlns/tris/response/2-0-0"
  <trisr:BatchResponse>
    <trisr:BatchResponseDetail>
      <trisr:TransmitterID></trisr:TransmitterID>
      <trisr:ReceivedFormsCount></trisr:ReceivedFormsCount>
      <trisr:AcceptedFormsCount></trisr:AcceptedFormsCount>
      <trisr:RejectedFormsCount></trisr:RejectedFormsCount>
      <trisr:ConfirmationNumber></trisr:ConfirmationNumber>
    </trisr:BatchResponseDetail>
    <trisr:ResponseCodes>
      <trisr:BatchLevelResponse>
        <trisr:BatchResponseCode>
          <trisr:ResponseCode></trisr:ResponseCode>
        </trisr:BatchResponseCode>
      </trisr:BatchLevelResponse>
      <trisr:FormLevelResponse>
        <trisr:FormID></trisr:FormID>
        <trisr:FormResponseCode>
          <trisr:ResponseCode></trisr:ResponseCode>
        </trisr:FormResponseCode>
      </trisr:FormLevelResponse>
    </trisr:ResponseCodes>
  </trisr:BatchResponse>
</trisr:Response>
```

- The root element name will be Response. The schema files that are used to populate response XML files will be declared inside the root element definition as shown above.
- The first element after the root element in the response XML file will be the BatchResponse element, containing the specific sub-elements as shown above and outlined in the schema.
- The confirmation number element is the only optional element in this section. A confirmation number will be included only when one (1), or more, of the requests in the batch are accepted for further processing.
- The BatchResponse element can contain response codes associated to the batch as well as those pertaining to the requests contained in the batch.
- Up to eight (8) response codes can be included for the batch.
- If batch response codes exist for the batch submission, no request level response codes will appear in the response.
- Each request with a response code will be assigned a sequential identifier based on its location in the batch file and eight (8) codes can be generated for each request.

Batch responses containing W–Series codes

These informational codes are returned on requests that have been accepted for processing.

T AND W RESPONSE CODES

The purpose of this section to provide assistance to the preparers in addressing submissions that generate T or W response codes.

While all preparers intend to transmit their clients' files free of error, mistakes sometimes occur as a result of keying errors or missing entries. One way to avoid errors is to review the data before it is transmitted to ensure that the file is correct.

The codes consist of 3 numeric characters preceded by the letter W or T (e.g.: W101 or T801).

T response codes

These codes are returned when the information included one or more of the requests in the batch does not pass our validations.

Validations of electronically submitted batches are done in stages, meaning an electronically submitted batch must pass the schema validations before validations in the next stage are performed. Depending on the errors, an electronically submitted batch could also be rejected based on batch and request validities.

If there is a problem with one or more requests within the batch, only the requests with errors will be rejected and each problematic request within the batch will be identified, on a sequential basis, with the associated T response code(s).Once the errors have been corrected, the batch can be retransmitted.

When a T code is received, you should be able to resolve the situation with the information contained in this section. However, if you encounter a code that is not covered, or if you need further clarification on the information contained in this section, call the EFILE Helpdesk in your local tax centre for assistance.

Before calling your EFILE Helpdesk, have all the relevant information concerning the applicable code available.

EFILE Helpdesks were established to help preparers and transmitters resolve technical matters related to the electronic filing process. Enquiries about whether you were updated to the Canada Revenue Agency (CRA) system as the representative or obtaining information on the taxpayer’s account should be directed to Individual Income Tax Enquiries at 1 800 959 8281. The Helpdesk phone numbers are for the exclusive use of preparers and transmitters who are electronically submitting an authorization or cancellation request and must not be provided to individual taxpayers.

For T response codes related to format, contact your software provider for assistance.

List of T response codes

Note: New or modified response codes are identified in bold font.

Electronic submission	
T801	**The attached file must contain a minimum of 1 to a maximum of 30 requests per batch. Please select a valid file of 30 or less requests and try again.**
T802	The transmitter's EFILE number or password is not entered or is invalid. Please carefully complete both identification fields and try again. If both the transmitter's EFILE number and password were entered correctly, contact your EFILE Helpdesk.
T803	Authentication failed. Access is locked - number of unsuccessful attempts exceeds access limits. Please contact your EFILE Helpdesk.
T804	The software used to prepare this file was not certified. Please contact your software developer to obtain the certified version of the software.
T805	The preparer's EFILE number is not entered or is invalid. Please carefully complete the field and try again. If the preparer's EFILE number was entered correctly, contact your EFILE Helpdesk.
T806	**The attached file contains requests completed with different preparer EFILE numbers. All requests within the file must be completed using the same preparer EFILE number.**
T807	**The attached file contains requests completed with different software products. You can only transmit a file containing requests prepared with the same software. Please use the same software for each request, re-save the file and try again.**
T808	**The Efiler number must be authorized to transmit an authorization or cancellation request. Please update your account information by indicating that you want to transmit the authorization/cancellation requests. Refer to the "EFILE for Electronic Filers" service at** https://www.canada.ca/en/revenue-agency/services/e-services/e-services-businesses/efile-electronic-filers/account-maintenance.html **for more information**
T809	**The software vendor code used to prepare the requests is either not indicated or is invalid. Please contact your T1 EFILE software developer.**
T810	**The request submitted must be for authorizing or cancelling a Representative.**
T811	**The number of requests in the batch is not equal to the number of requests declared in the file.**
T812	The software used to prepare this file was not certified for this tax year. Please obtain the latest version of this software product.
T813	The unique document number is invalid. Please contact your software developer.

T829	**The EFILE number used to prepare or transmit the authorization or cancellation request has not received the necessary approval. You should contact the EFILE Helpdesk.**
T830	**According to our records, the representative has already been authorized by this taxpayer. A new authorization request is not required unless the taxpayer would like to amend the original authorization.**
T857	**Message no longer relevant as of February 2020.**
T858	According to our records, the unique document number associated with transmission has already been submitted. Please contact your software developer.
Taxpayer Information	
T814	**The taxpayer's given name and surname must be provided. Only alpha characters and punctuation such as hyphens, apostrophes and periods will be accepted. Any other character types cannot be transmitted.**
T815	**Please verify the social insurance number and ensure it is correct.** **If this is a new social insurance number, it may not yet be registered with the Canada Revenue Agency. Please try re-submitting this request in two weeks.** **Authorizations for T3 and T5 accounts cannot be electronically submitted.**
T855	**Please check the spelling of the taxpayer's given name.** **Refer to a recent CRA correspondence for accuracy.** **Note:** **Only alpha characters and punctuation such as hyphens, apostrophes and periods will be accepted. Any other character types cannot be transmitted.** **If a name change was recently submitted, it may not yet be registered with the Canada Revenue Agency. Please try re-submitting this request in two weeks.**

T856	**Please check the spelling of the taxpayer's surname name.** **Refer to a recent CRA correspondence for accuracy.** **Note:** **Only alpha characters and punctuation such as hyphens, apostrophes and periods will be accepted. Any other character types cannot be transmitted.** **If a name change was recently submitted, it may not yet be registered with the Canada Revenue Agency. Please try re-submitting this request in two weeks.**
T862	**This service cannot be used for the specified taxpayer. Please have the taxpayer contact the Individual Income Tax enquiries at 1-800-959-8281.**
Authorize online access	
T816	**Please verify the RepID and ensure it is correct. For information on how to obtain a RepID, if you have not already done so, please refer to the CRA's Represent a Client online service at:**https://www.canada.ca/en/revenue-agency/services/e-services/represent-a-client.html
T817	**Please verify the GroupID to ensure it is correct. For information on how to obtain a GroupID, if you have not already done so, please refer to the CRA's Represent a Client online service at:** https://www.canada.ca/en/revenue-agency/services/e-services/represent-a-client.html
T818	**Please verify the business number and ensure it is correct. For information on how to register your business with the CRA's Represent a Client, if you have not already done so, please refer to the CRA's Represent a Client online service at:** https://www.canada.ca/en/revenue-agency/services/e-services/represent-a-client.html
T819	**Please provide either the RepID, the GroupID or the business number that has been registered with the Represent a Client online service. Only one of these fields should be populated.**
T820	**Please indicate the level of authorization your client consented to. A taxpayer may consent to a Level 1 or Level 2.**
T840	**The RepID is invalid or inactive on the Represent a Client service. For information, please refer to the Canada Revenue Agency's Represent a Client online service at:** https://www.canada.ca/en/revenue-agency/services/e-services/represent-a-client.html

T841	**The RepID is no longer valid. If you choose, you may register for a new RepID at:** https://www.canada.ca/en/revenue-agency/services/e-services/represent-a-client.html
T843	**The Business Number matches the social insurance number provided. Please verify the business number provided and ensure it is correct.**
T844	**We cannot proceed with your request because the RepID has not received the necessary approval.**
T845	**The GroupID is no longer active with Represent a Client. If you choose, you may register for a new GroupID with the CRA's Represent a Client online service at** https://www.canada.ca/en/revenue-agency/services/e-services/represent-a-client.html
T846	**We cannot proceed with your request because the GroupID has not received the necessary approval.**
T847	The business number provided is not registered with the CRA's online service *Represent a Client.* For information on how to register your business number with Represent a Client, please refer to the CRA's Represent a Client online service at: https://www.canada.ca/en/revenue-agency/services/e-services/represent-a-client.html
T848	**The Business Number you have entered is not eligible to use this service. For information, please refer to the Canada Revenue Agency's Represent a Client online service at:** https://www.canada.ca/en/revenue-agency/services/e-services/represent-a-client.html
T849	**We cannot proceed with your request because the business number has not received the necessary approval.**
T853	**The business number is registered, but not active, with the Represent a Client service. Please contact your employer for more information.**
Authorization expiry date	
T821	**The expiry date field is incomplete or has an invalid format.**
T850	Expiry date must be greater than submission date.
Cancel one or more existing authorization	
T822	**The assigned value for the check boxes checked on this request is invalid. Please contact your software developer.**

T823	**If you wish to cancel a specific representative, please provide the given name and surname of the representative. Only alpha characters and punctuation such as hyphens, apostrophes and periods will be accepted. Any other character types cannot be transmitted.**
T824	**If you wish to cancel a specific business, please provide the business name. Alpha and numeric characters and punctuation such as ampersands, hyphens, apostrophes and periods will be accepted. Any other character types cannot be transmitted.**
T825	**Please verify the RepID and ensure it is correct.**
T826	**Please verify the GroupID and ensure it is correct.**
T827	**Please verify the business number and ensure it is correct.**
T851	**You have checked the *cancel a specific representative* checkbox, yet have not indicated which authorization should be cancelled. Please provide the information or uncheck the box.**
Signature and date	
T822	The assigned value for the check boxes checked is invalid. Please contact your software developer.
T828	**The given name and surname of the taxpayer must be provided in the Name of taxpayer or legal representative field if the taxpayer has signed the signature page. Only alpha characters and punctuation such as hyphens, apostrophes and periods will be accepted. Any other character types cannot be transmitted.**
T831	**The signature date cannot be greater than the transmission date.**
T832	**Message no longer relevant as of February 2020.**
T833	The signature date field is incomplete or has an invalid format.
T854	**The name of the legal representative who signed the signature page must be provided. Please ensure that the legal representative is on file with the CRA and authorized to transact on behalf of the taxpayer prior to transmitting the request.** **If the taxpayer signed the signature page, confirm that the given name and surname of the taxpayer is provided in the name of taxpayer or legal representative field and that the legal representative signature checkbox has not been selected.** **Only alpha characters and punctuation such as hyphens, apostrophes and periods will be accepted. Any other character types cannot be transmitted.**
Mandatory fields	
T834	**There are mandatory fields that have not been filled out.**

Confirmation Message	
T835	**Thank you for using the e-submission service. Your submission has been accepted and will be processed shortly.** **Here is your confirmation number: XXXXXXX. Please retain it for your record.** **Please ensure to retain a copy of the signed and dated signature page in your files. Do not send it to us by mail or fax unless requested to do so.** **Prior to being updated as a representative, the authorization(s) must adhere to CRA policies and procedures. Once the online authorization has been processed, you can view your client's name in your client list via the Represent a Client online service.** **Questions regarding the processing of the authorization should be directed to Individual Income Tax Enquiries at 1-800-959-8281.**

Technical Messages

Web service: System - hours of service	
T836	**The web service is not operational at this time.** **Please see our hours of service.**
T837	**The web service is not operational at this time.** • **the transmission web service may be closed for a scheduled maintenance; or** • **we are experiencing technical difficulties and are unable to process your request at this time.** **Please try again later or check our News for further details.**
T838	**Web service** **We were unable to upload your file. Please reselect your file and try again. If the problem continues, please contact your EFILE Helpdesk.**
T859	You have submitted an incorrect form version
T860	**Due to routine systems maintenance, the web service is currently unavailable.** **Service will resume on Monday at 6 am Eastern time.**
T861	**We are currently experiencing technical difficulties updating our electronically submitted authorizations. You can continue to submit your requests electronically. The authorizations will be updated as applicable when the technical difficulties have been resolved. The authorization/cancellation requests will not need to be sent a second time.**

W response codes

These codes are used to indicate to the tax preparer that the request has been accepted but during the validation process, it was determined that this request is going to require additional processing.

This means that you will be required to check for the ResponseCodes object even for accepted requests in order to be able to display the W-Series codes.

List of W response codes

Note: New or modified response codes are identified in bold font.

Electronic submission	
W101	**Thank you for using the electronic submission service.** **The Canada Revenue Agency (CRA) requires additional time to process your request. Do not re-submit the request electronically or on paper.** **We strive to action this request within three business days. After this period, please review your client list in the Represent a Client portal to confirm that your submission has been processed.** **Please remember that you must retain a signed copy of the signature page in your records for six years.**
W103	**Message no longer relevant as of February 2020**
W104	**Message no longer relevant as of February 2020**
W105	**Message no longer relevant as of February 2020**
W106	**Thank you for using the electronic submission service.** **The Canada Revenue Agency (CRA) requires a legal document naming the person who signed the signature page as the individual's legal representative before it can be processed. Please send the required documentation to the appropriate tax center to avoid any additional delays. Go to canada.ca/revenue-agency for a list of tax centers nearest you.** **Your request will be processed once we receive and process the legal document. Do no re-submit this request electronically or on paper.** **Please remember that you must retain a signed copy of the signature page in your records for six years.**
W107	**Thank you for using the electronic submission service.** **Your request indicated that the authorization was signed by the taxpayer's legal representative. In order to process your request, the**

	Canada Revenue Agency (CRA) requires documentation naming the person who signed the request as the individual's legal representative. Please send the required documentation to the appropriate tax center to avoid any additional delays. Go to canada.ca/revenue-agency for a list of tax centers nearest you. **Your request will be processed once we receive and process the legal document. Do not re-submit this request electronically or on paper.** **Please remember that you must retain a signed copy of the signature page in your records for six years.**

TRACING AND INQUIRY SPECIFICATIONS

All requests and responses received or sent must be kept for tracing, inquiry and legal purposes.

Efile Help Desk Information

If a transmitter/preparer needs to contact the CRA Efile Help Desk to trace a batch, they should be ready to supply the help desk with as much of the following information as possible to aid in tracing:

- Batch Transmission Date and Time
- Transmitter EFiler Number
- Confirmation Number

TRIS XML SCHEMAS

This section explains how to read the TRIS schema documents and apply them in creating XML submissions.

Using schema documents to create and validate XML files

The TRIS schemas are contained in this section for ease of use, maintenance and support. These documents are referenced using the namespace attribute.

For example, the root element in a batch XML file defines a namespace and alias for the related schema file. Alias “tris” before an element name indicates that the element is defined in the schema that is pointing to the tris definition, defined as xmlns:tris=”http://www.cra-arc.gc.ca/xmlns/tris/1-0-0”. This is mapped to the schema definition that shows this schema name is **crat1013.xsd**.

This is the relevant part of the XML file:

```
<tris:BatchRequest xsi:schemaLocation="http://www.cra-arc.gc.ca/xmlns/tris/1-0-0
                       crat1013.xsd"
                   xmlns:tris="http://www.cra-arc.gc.ca/xmlns/tris/1-0-0"
                   xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
```

This is the relevant part of the **crat1013.xsd** schema document:

For the 2020 processing year (2019 tax year), the standarddatatypes.xsd remains the same:

```
http://www.cra-arc.gc.ca/xmlns/sdt/2-2-0
```

SCHEMA IMPORTS AND ASSOCIATIONS

There are 4 schemas defining the rules to create a Batch XML file and Batch Response XML file. This section describes which schemas import other schemas and what their alias names are.

The schema **xml.xsd** contains the definitions of the low level primitive data types such as string, decimal, token, integer, date, etc. For a more detailed definition of types and their properties, please refer to the xml.xsd schema document. This schema is referenced in all of the higher level schemas.

The schema **standarddatatypes.xsd** contains the definitions of the TRIS defined low level standard data types like AmountType, PercentType, NameType, IDType, etc. For a more detailed definition of types and their properties, please refer to the standarddatatypes.xsd schema. This schema imports the **xml.xsd** schema and is imported and referenced in all of the higher level schemas.

The schema **crat1013.xsd** defines high level elements and data types that represent the individual request. For a more detailed definition of types, elements, and their properties, please refer to the **crat1013.xsd** schema. This schema imports the **standarddatatypes.xsd** schema.

The schema **crat1013response.xsd** defines high level elements and data types that represent a TRIS response. For more detailed definition of types, elements, and their properties, please refer to the **crat1013.xsd** schema. This schema document imports the **standarddatatypes.xsd** documents.

SAMPLE XML

The values in the following sample are not real. They are properly formatted and conform to the related schema.

While the encoding of the examples is ISO-8859-1 the encoding can also be UTF-8.

Also note, in the following sample files, all elements (required and optional) are populated in order to show what kind of values should go into each element. For actual TRIS XML files, if the element is optional and has no value, it must be removed from the file (tags and the value) except where an exception exists. XML file validation will fail if the tags are left in the file and only the values are removed. The position of each element in the XML file must be in the order specified by the schema.

Sample 1 – Valid Batch, One Request

This XML file represents a batch that contains one request.

```
<tris:BatchRequest xmlns:tris="http://www.cra-arc.gc.ca/xmlns/tris/1-0-0"
        xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
        xsi:schemaLocation="http://www.cra-arc.gc.ca/xmlns/tris/1-0-0 crat1013.xsd">
  <tris:BatchDetail>
    <tris:FormNumber>T1013</tris:FormNumber>
    <tris:BatchFormCount>1</tris:BatchFormCount>
    <tris:FormVersion>2018</tris:FormVersion>
    <tris:SoftwareVendorCodeReleaseDate>
      <tris:ReleaseDate>
        <tris:FormDateYear>2018</tris:FormDateYear>
        <tris:FormDateMonth>12</tris:FormDateMonth>
        <tris:FormDateDay>15</tris:FormDateDay>
      </tris:ReleaseDate>
      <tris:SoftwareVendorCode>123A</tris:SoftwareVendorCode>
    </tris:SoftwareVendorCodeReleaseDate>
  </tris:BatchDetail>
  <tris:BatchForms>
    <tris:PreparerSection>
      <tris:PreparerID>A1234</tris:PreparerID>
      <tris:SoftwareVendorCode>123A</tris:SoftwareVendorCode>
      <tris:UniqueDocumentNumber>12345678920111750855302l8</tris:UniqueDocumentNumber>
    </tris:PreparerSection>
    <tris:TaxpayerSection>
      <tris:ClientID>123456789</tris:ClientID>
      <tris:ClientName>
        <tris:GivenName>John</tris:GivenName>
        <tris:Surname>Doe</tris:Surname>
      </tris:ClientName>
    </tris:TaxpayerSection>
    <tris:AuthorizationSection>
      <tris:RegisteredRepresentativeAuthorization>
        <tris:RegisteredRepresentative>
          <tris:RepresentativeID>CY3R56T</tris:RepresentativeID>
        </tris:RegisteredRepresentative>
        <tris:AuthorizationLevelOfPermission>2</tris:AuthorizationLevelOfPermission>
      </tris:RegisteredRepresentativeAuthorization>
      <tris:AuthorizationExpiryDate>
        <tris:FormDateYear>2018</tris:FormDateYear>
```

```
        <tris:FormDateMonth>04</tris:FormDateMonth>
        <tris:FormDateDay>01</tris:FormDateDay>
      </tris:AuthorizationExpiryDate>
    </tris:AuthorizationSection>
    <tris:CancelSection>
      <tris:CancelAll>1</tris:CancelAll>
    </tris:CancelSection>
    <tris:SignatureSection>
      <tris:PrintedName>John Doe</tris:PrintedName>
      <tris:LegalRepresentativeSignature>1</tris:LegalRepresentativeSignature>
      <tris:SignatureDate>
        <tris:FormDateYear>2018</tris:FormDateYear>
        <tris:FormDateMonth>06</tris:FormDateMonth>
        <tris:FormDateDay>01</tris:FormDateDay>
      </tris:SignatureDate>
    </tris:SignatureSection>
  </tris:BatchForms>
</tris:BatchRequest>
```

Sample 2 – Valid Response, One Request

This XML file represents the response to a TRIS batch submission that contains one request that was accepted for further processing. This could be an expected response to Sample 1.

```
<trisr:Response xmlns:trisr="http://www.cra-arc.gc.ca/xmlns/tris/response/2-0-0">
   <trisr:BatchResponse>
      <trisr:BatchResponseDetail>
         <trisr:TransmitterID>A1234</trisr:TransmitterID>
            <trisr:ReceivedFormsCount>1</trisr:ReceivedFormsCount>
            <trisr:AcceptedFormsCount>1</trisr:AcceptedFormsCount>
            <trisr:RejectedFormsCount>0</trisr:RejectedFormsCount>
            <trisr:ConfirmationNumber>2013123ABC</trisr:ConfirmationNumber>
      </trisr:BatchResponseDetail>
   </trisr:BatchResponse>
</trisr:Response>
```

Sample 3 – Valid Batch, Multiple Requests

The following XML example shows a batch submission containing three requests.

```
<tris:BatchRequest xmlns:tris="http://www.cra-arc.gc.ca/xmlns/tris/1-0-0"
        xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
        xsi:schemaLocation="http://www.cra-arc.gc.ca/xmlns/tris/1-0-0 crat1013.xsd">
  <tris:BatchDetail>
    <tris:FormNumber>T1013</tris:FormNumber>
    <tris:BatchFormCount>3</tris:BatchFormCount>
    <tris:FormVersion>2018</tris:FormVersion>
    <tris:SoftwareVendorCodeReleaseDate>
      <tris:ReleaseDate>
        <tris:FormDateYear>2018</tris:FormDateYear>
        <tris:FormDateMonth>02</tris:FormDateMonth>
        <tris:FormDateDay>15</tris:FormDateDay>
      </tris:ReleaseDate>
      <tris:SoftwareVendorCode>123A</tris:SoftwareVendorCode>
    </tris:SoftwareVendorCodeReleaseDate>
  </tris:BatchDetail>
  <tris:BatchForms>
    <tris:PreparerSection>
      <tris:PreparerID>A1234</tris:PreparerID>
      <tris:SoftwareVendorCode>123A</tris:SoftwareVendorCode>
      <tris:UniqueDocumentNumber>12345678920111750855302l8</tris:UniqueDocumentNumber>
    </tris:PreparerSection>
    <tris:TaxpayerSection>
      <tris:ClientID>123456789</tris:ClientID>
      <tris:ClientName>
        <tris:GivenName>John</tris:GivenName>
        <tris:Surname>Doe</tris:Surname>
      </tris:ClientName>
    </tris:TaxpayerSection>
    <tris:AuthorizationSection>
      <tris:RegisteredRepresentativeAuthorization>
        <tris:RegisteredRepresentative>
          <tris:RepresentativeID>CY3R56T</tris:RepresentativeID>
        </tris:RegisteredRepresentative>
        <tris:AuthorizationLevelOfPermission>2</tris:AuthorizationLevelOfPermission>
      </tris:RegisteredRepresentativeAuthorization>
      <tris:AuthorizationExpiryDate>
        <tris:FormDateYear>2018</tris:FormDateYear>
        <tris:FormDateMonth>04</tris:FormDateMonth>
        <tris:FormDateDay>01</tris:FormDateDay>
      </tris:AuthorizationExpiryDate>
    </tris:AuthorizationSection>
    <tris:CancelSection>
      <tris:CancelAll>1</tris:CancelAll>
    </tris:CancelSection>
    <tris:SignatureSection>
      <tris:PrintedName>John Doe</tris:PrintedName>
      <tris:LegalRepresentativeSignature>1</tris:LegalRepresentativeSignature>
      <tris:SignatureDate>
        <tris:FormDateYear>2018</tris:FormDateYear>
        <tris:FormDateMonth>06</tris:FormDateMonth>
        <tris:FormDateDay>01</tris:FormDateDay>
      </tris:SignatureDate>
    </tris:SignatureSection>
  </tris:BatchForms>
  <tris:BatchForms>
    <tris:PreparerSection>
      <tris:PreparerID>B2345</tris:PreparerID>
```

```
      <tris:SoftwareVendorCode>123A</tris:SoftwareVendorCode>
      <tris:UniqueDocumentNumber>23456789020111731322302l8</tris:UniqueDocumentNumber>
    </tris:PreparerSection>
    <tris:TaxpayerSection>
      <tris:ClientID>234567890</tris:ClientID>
      <tris:ClientName>
        <tris:GivenName>Jane</tris:GivenName>
        <tris:Surname>Doe</tris:Surname>
      </tris:ClientName>
    </tris:TaxpayerSection>
    <tris:AuthorizationSection>
      <tris:RegisteredRepresentativeAuthorization>
        <tris:RegisteredRepresentative>
          <tris:BusinessNumber>123456789</tris:BusinessNumber>
        </tris:RegisteredRepresentative>
        <tris:AuthorizationLevelOfPermission>1</tris:AuthorizationLevelOfPermission>
      </tris:RegisteredRepresentativeAuthorization>
      <tris:AuthorizationExpiryDate>
        <tris:FormDateYear>2020</tris:FormDateYear>
        <tris:FormDateMonth>10</tris:FormDateMonth>
        <tris:FormDateDay>15</tris:FormDateDay>
      </tris:AuthorizationExpiryDate>
    </tris:AuthorizationSection>
    <tris:CancelSection>
      <tris:CancelSpecific>
        <tris:CancelSpecificCheck>1</tris:CancelSpecificCheck>
        <tris:CancelRepresentativeName>
          <tris:ClientName>
            <tris:GivenName>John</tris:GivenName>
            <tris:Surname>Doe</tris:Surname>
          </tris:ClientName>
          <tris:BusinessName>John Doe Inc</tris:BusinessName>
        </tris:CancelRepresentativeName>
      </tris:CancelSpecific>
    </tris:CancelSection>
    <tris:SignatureSection>
      <tris:PrintedName>Jane Doe</tris:PrintedName>
      <tris:LegalRepresentativeSignature>1</tris:LegalRepresentativeSignature>
      <tris:SignatureDate>
        <tris:FormDateYear>2018</tris:FormDateYear>
        <tris:FormDateMonth>06</tris:FormDateMonth>
        <tris:FormDateDay>25</tris:FormDateDay>
      </tris:SignatureDate>
    </tris:SignatureSection>
  </tris:BatchForms>
  <tris:BatchForms>
    <tris:PreparerSection>
      <tris:PreparerID>C4321</tris:PreparerID>
      <tris:SoftwareVendorCode>123A</tris:SoftwareVendorCode>
      <tris:UniqueDocumentNumber>23456789020111831006242l8</tris:UniqueDocumentNumber>
    </tris:PreparerSection>
    <tris:TaxpayerSection>
      <tris:ClientID>234567890</tris:ClientID>
      <tris:ClientName>
        <tris:GivenName>Joe</tris:GivenName>
        <tris:Surname>Smith</tris:Surname>
      </tris:ClientName>
    </tris:TaxpayerSection>
    <tris:AuthorizationSection>
      <tris:RegisteredRepresentativeAuthorization>
        <tris:RegisteredRepresentative>
          <tris:GroupID>G12TN5</tris:GroupID>
        </tris:RegisteredRepresentative>
```

```
        <tris:AuthorizationLevelOfPermission>2</tris:AuthorizationLevelOfPermission>
      </tris:RegisteredRepresentativeAuthorization>
      <tris:AuthorizationExpiryDate>
        <tris:FormDateYear>2020</tris:FormDateYear>
        <tris:FormDateMonth>03</tris:FormDateMonth>
        <tris:FormDateDay>28</tris:FormDateDay>
      </tris:AuthorizationExpiryDate>
    </tris:AuthorizationSection>
    <tris:CancelSection>
      <tris:CancelSpecific>
        <tris:CancelSpecificCheck>1</tris:CancelSpecificCheck>
        <tris:CancelRepresentative>
          <tris:BusinessNumber>876543210</tris:BusinessNumber>
        </tris:CancelRepresentative>
      </tris:CancelSpecific>
    </tris:CancelSection>
    <tris:SignatureSection>
      <tris:PrintedName>Joe Smith</tris:PrintedName>
      <tris:LegalRepresentativeSignature>1</tris:LegalRepresentativeSignature>
      <tris:SignatureDate>
        <tris:FormDateYear>2018</tris:FormDateYear>
        <tris:FormDateMonth>05</tris:FormDateMonth>
        <tris:FormDateDay>20</tris:FormDateDay>
      </tris:SignatureDate>
    </tris:SignatureSection>
  </tris:BatchForms>
</tris:BatchRequest>
```

Sample 4 – Batch Response, Multiple Requests, No Errors

The following sample shows a response for a batch submission containing three requests where all requests were accepted. This could be a possible response to Sample 3.

```
<trisr:Response xmlns:trisr="http://www.cra-arc.gc.ca/xmlns/tris/response/2-0-0">
   <trisr:BatchResponse>
      <trisr:BatchResponseDetail>
         <trisr:TransmitterID>A1234</trisr:TransmitterID>
         <trisr:ReceivedFormsCount>3</trisr:ReceivedFormsCount>
         <trisr:AcceptedFormsCount>3</trisr:AcceptedFormsCount>
         <trisr:RejectedFormsCount>0</trisr:RejectedFormsCount>
         <trisr:ConfirmationNumber>2013123ABC</trisr:ConfirmationNumber>
      </trisr:BatchResponseDetail>
   </trisr:BatchResponse>
</trisr:Response>
```

Sample 5 – Batch Response, Multiple Requests, Batch Errors

The following sample shows a response for a batch submission containing three requests where a batch error was detected. This is a possible response to Sample 3.

In the event of a batch error, the requests contained in the batch will not be evaluated and all the requests will be rejected. It is possible to receive up to eight (8) batch error numbers in one response message.

```
<trisr:Response xmlns:trisr="http://www.cra-arc.gc.ca/xmlns/tris/response/2-0-0">
   <trisr:BatchResponse>
      <trisr:BatchResponseDetail>
         <trisr:TransmitterID>A1234</trisr:TransmitterID>
         <trisr:ReceivedFormsCount>3</trisr:ReceivedFormsCount>
         <trisr:AcceptedFormsCount>0</trisr:AcceptedFormsCount>
         <trisr:RejectedFormsCount>3</trisr:RejectedFormsCount>
      </trisr:BatchResponseDetail>
      <trisr:ResponseCodes>
         <trisr:BatchLevelResponse>
            <trisr:BatchResponseCode>
               <trisr:ResponseCode>T801</trisr:ResponseCode>
            </trisr:BatchResponseCode>
         </trisr:BatchLevelResponse>
      </trisr:ResponseCodes>
   </trisr:BatchResponse>
</trisr:Response>
```

Sample 6 – Batch Response, Multiple Requests, Request Errors

The following sample illustrates a batch submission where request error numbers were generated for some of the requests. This could be a possible response for Sample 3.

Request errors can occur on any request within the batch and the response will only report those requests where there are errors present. This shows the structure of a response where request errors were detected on the first and third requests in the batch. These two requests would be discarded during the processing of the batch. When resubmitted the requests in a new batch do not include any request that was previously accepted.

```
<trisr:Response xmlns:trisr="http://www.cra-arc.gc.ca/xmlns/tris/response/2-0-0">
   <trisr:BatchResponse>
      <trisr:BatchResponseDetail>
         <trisr:TransmitterID>A1234</trisr:TransmitterID>
         <trisr:ReceivedFormsCount>3</trisr:ReceivedFormsCount>
         <trisr:AcceptedFormsCount>1</trisr:AcceptedFormsCount>
         <trisr:RejectedFormsCount>2</trisr:RejectedFormsCount>
         <trisr:ConfirmationNumber>2013123ABC</trisr:ConfirmationNumber>
      </trisr:BatchResponseDetail>
      <trisr:ResponseCodes>
         <trisr:FormLevelResponse>
            <trisr:FormID>1</trisr:FormID>
            <trisr:FormResponseCode>
               <trisr:ResponseCode>T815</trisr:ResponseCode>
            </trisr:FormResponseCode>
         </trisr:FormLevelResponse>
         <trisr:FormLevelResponse>
            <trisr:FormID>3</trisr:FormID>
            <trisr:FormResponseCode>
               <trisr:ResponseCode>T817</trisr:ResponseCode>
            </trisr:FormResponseCode>
         </trisr:FormLevelResponse>
      </trisr:ResponseCodes>
   </trisr:BatchResponse>
</trisr:Response>
```

Sample 7 – One Valid Request, W-Series Response Code

The following sample illustrates a batch submission where a single request was accepted for processing, but this request generated a W-Series response code.

```
<trisr:Response xmlns:trisr="http://www.cra-arc.gc.ca/xmlns/tris/response/2-0-0">
   <trisr:BatchResponse>
      <trisr:BatchResponseDetail>
         <trisr:TransmitterID>A1234</trisr:TransmitterID>
         <trisr:ReceivedFormsCount>1</trisr:ReceivedFormsCount>
         <trisr:AcceptedFormsCount>1</trisr:AcceptedFormsCount>
         <trisr:RejectedFormsCount>0</trisr:RejectedFormsCount>
         <trisr:ConfirmationNumber>2013123ABC</trisr:ConfirmationNumber>
      </trisr:BatchResponseDetail>
      <trisr:ResponseCodes>
         <trisr:FormLevelResponse>
            <trisr:FormID>1</trisr:FormID>
            <trisr:FormResponseCode>
               <trisr:ResponseCode>W101</trisr:ResponseCode>
            </trisr:FormResponseCode>
         </trisr:FormLevelResponse>
      </trisr:ResponseCodes>
   </trisr:BatchResponse>
</trisr:Response>
```

Sample 8 – One Valid Request, W-Series Response Code, One Request Error

```
<trisr:Response xmlns:trisr="http://www.cra-arc.gc.ca/xmlns/tris/response/2-0-0">
   <trisr:BatchResponse>
      <trisr:BatchResponseDetail>
         <trisr:TransmitterID>A1234</trisr:TransmitterID>
         <trisr:ReceivedFormsCount>2</trisr:ReceivedFormsCount>
         <trisr:AcceptedFormsCount>1</trisr:AcceptedFormsCount>
         <trisr:RejectedFormsCount>1</trisr:RejectedFormsCount>
         <trisr:ConfirmationNumber>2013123ABC</trisr:ConfirmationNumber>
      </trisr:BatchResponseDetail>
      <trisr:ResponseCodes>
         <trisr:FormLevelResponse>
            <trisr:FormID>1</trisr:FormID>
            <trisr:FormResponseCode>
               <trisr:ResponseCode>W101</trisr:ResponseCode>
            </trisr:FormResponseCode>
         </trisr:FormLevelResponse>
         <trisr:FormLevelResponse>
            <trisr:FormID>2</trisr:FormID>
            <trisr:FormResponseCode>
               <trisr:ResponseCode>T827</trisr:ResponseCode>
            </trisr:FormResponseCode>
         </trisr:FormLevelResponse>
      </trisr:ResponseCodes>
   </trisr:BatchResponse>
</trisr:Response>
```

THE REQUEST

Making a request to the Web service requires that you send a properly structured SOAP request to the proper URL. The SOAP message consists of a SOAP envelope, which contains a SOAP header and a SOAP body. The header contains the security information consisting of the Efiler Id and password of the transmitter who is making the request. The body contains the type of operation and the batch of requests that are being submitted. The required structure is shown below.

The CRA web service will employ a mechanism in an attempt to minimize the impact of large quantities of batches being submitted by the same transmitter. This initiative is geared toward those who automate the process of submitting batches in quick succession. Submissions will be tracked based on the transmitters IP address. If the number of batches submitted within a pre-determined time frame is reached all further batch submissions will be rejected until that time period expires.

While the example below employs IS0-8859-1 encoding, the CRA web service will accept both UTF-8 and ISO-8859-1 encoding. Refer to Appendix B for more information concerning encoding.

The batches will be submitted in an asynchronous mode, where a response to the request will be provided. A batch that is accepted and has an associated confirmation number generated indicates that some or all of the requests contained in the batch will undergo further processing. It does not indicate that the actions outlined on each request have been applied. Those requests that are not accepted will be discarded with no further processing taking place.

Request SOAP Message

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/">
  <soap-env:Header>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-
wss-wssecurity-secext-1.0.xsd">
      <wsse:UsernameToken>
        <wsse:Username>EfilerId</wsse:Username>
        <wsse:Password>Password</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soap-env:Header>
  <soap-env:Body>
    <tris:Request  xmlns:tris="http://cra.gc.ca/tris"
                           xmlns:xsi="http://www.w3.org/2001/XMLSchema"
                           xsi:type="tris:Request">
      <type>2015</type>
      <file>XML data goes here</file>
    </tris:Request>
  </soap-env:Body>
</soap-env:Envelope>
```

The element contents shown in bold contain the data, which you need to modify. The rest of the SOAP message should be exactly as shown.

This batch request example contains all possible elements that can appear on a request regardless of restrictions imposed by the xml schema or business rule validities.

An explanation of each element follows. Also, see the XML Specification document for more detailed description of each element.

UsernameID element (mandatory)

The Efiler Id of the person who transmitted the batch of requests.

Password element (mandatory)

The transmitter's Efile password.

The Username and Password must be present (not null) and must be valid in order for the request to be processed. In order to be valid, the Efiler must have passed suitability screening.

Type element (mandatory)

This element denotes the tax year that is the basis for the batch submission.

For the 2020 process year, the only valid content of this tag will be “2019”.

File element (mandatory)

This element will contain the contents of the XML data for the batch of requests being submitted.

Refer to the specific section of this document for more complete details on the structure of the contents of the XML data.

THE RESPONSE

Making a call to the Web Service will result in a response being received. This response, like the request, will be a SOAP message.

There are two (2) possible types of result that you can receive from the Web Service. The first is a response indicating that the successful submission of a batch. The second type of response will be a SOAP Fault error message (T response code).

The first is a response indicating the successful submission of a batch that indicates the batch contains well-formed xml data.

Any batch where one or more of the requests contained in the batch is accepted for processing will generate a confirmation number contained in the response. No confirmation number will be included if all requests in a batch are rejected or if there are issues with the structure of the batch, but did not cause a unrecoverable error in processing.

A successful batch submission to the web service is one that contains well-formed xml data. Successful responses will include three counts based on the contents of the batch and the ensuing processing. These include the total number of requests in the batch, the number that passed front-end validations and the number that did not pass the same validations.

The other type of response message will be a SOAP Fault error message. This type of error message indicates some sort of fatal error in processing the request. This could be a problem with the structure of the SOAP message sent to the Web service or some other type of unexpected error. This type of error should be a rare occurrence.

Successful Response

The following is an example of a successful batch filing where all requests were accepted and a confirmation number is being returned.

```
<?xml version="1.0"?>
   <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
                     xmlns:xsd="http://www.w3.org/2001/XMLSchema"
                     xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
      <soapenv:Body>
         <trisr:Response xmlns:trisr="http://www.cra-arc.gc.ca/xmlns/tris/response/2-
0-0">
            <trisr:BatchResponse>
               <trisr:BatchResponseDetail>
                  <trisr:TransmitterID>F2464</trisr:TransmitterID>
                  <trisr:ReceivedFormsCount>1</trisr:ReceivedFormsCount>
                  <trisr:AcceptedFormsCount>1</trisr:AcceptedFormsCount>
                  <trisr:RejectedFormsCount>0</trisr:RejectedFormsCount>
               </trisr:BatchResponseDetail>
            </trisr:BatchResponse>
         </trisr:Response>
      </soapenv:Body>
   </soapenv:Envelope>
```

Response Codes

A listing of the response codes and their meanings is included in this document...

Response codes are generated when the web service identifies a situation with either the data submitted in the batch or with the data submitted being applied to the client. These situations can occur at either the batch or request level.

Batch level response codes are those that apply to the batch in general. A maximum of eight (8) codes will be included in the response message. Examples of batch level response codes that can be generated are if the transmitter ID is invalid, or the number of requests in the batch does not match the number declared in the BatchFormCount element.

Request level response codes are those dealing with either validation issues with the requests themselves or with the request being applied to the client. A sequential identifier will be assigned to each request in the batch and a maximum of eight (8) request response codes will be returned per request. Examples of request level response codes that can be generated would include requests with an invalid Group ID, requests with invalid signature dates, etc.

A response message can contain either batch level or request level response codes. If an error is detected with the batch then no validations are performed on the requests contained in the batch and no request level response codes are returned.

There are currently two types of response codes that can be returned. There are the T-Series response codes (I.E. T801) that indicate an error and the W-Series response codes (I.E. W101) that indicate extra information for a request.

T-Series response codes at the batch level indicate that the entire submission has been rejected. A T-Series response code at the request level indicates that the specific request identified by the FormID has been rejected.

W-Series response codes can only be returned at the request level. W-Series response codes at the request level indicate that the request has been accepted but requires additional processing before being applied.

Batch Level Response Codes

When batch level response codes are included in the response message, then no requests from the batch are accepted for processing.

Take note that in the case where no requests from the batch are accepted for processing, no confirmation number is included in the response.

The following response contains batch level response codes.

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
                  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
                  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
   <soapenv:Body>
      <trisr:Response xmlns:trisr="http://www.cra-arc.gc.ca/xmlns/tris/response/2-0-
0">>
         <trisr:BatchResponse>
            <trisr:BatchResponseDetail>
               <trisr:TransmitterID>A1234</trisr:TransmitterID>
               <trisr:ReceivedFormsCount>5</trisr:ReceivedFormsCount>
               <trisr:AcceptedFormsCount>0</trisr:AcceptedFormsCount>
               <trisr:RejectedFormsCount>5</trisr:RejectedFormsCount>
            </trisr:BatchResponseDetail>
            <trisr:ResponseCodes>
               <trisr:BatchLevelResponse>
                  <trisr:BatchResponseCode>
                     <trisr:ResponseCode>T800</trisr:ResponseCode>
                     <trisr:ResponseCode>T801</trisr:ResponseCode>
                     <trisr:ResponseCode>T805</trisr:ResponseCode>
                  </trisr:BatchResponseCode>
               </trisr:BatchLevelResponse>
            </trisr:ResponseCodes>
         </trisr:BatchResponse>
      <trisr:Response>
   </soapenv:Body>
</soapenv:Envelope>
```

Request Level response codes

Request level response codes are generated for individual requests within a batch submission. A request that produces a T-Series response code will be discarded while requests producing a W-Series response code or no response code have passed initial validations and will be processed further.

The AcceptedFormsCount and RejectedFormsCount elements will contain the number of requests from the batch that were accepted and rejected respectively. A confirmation number will be included provided a minimum of one request in the batch is accepted for processing.

The requests reported as being accepted should not be retransmitted.

The following example shows a response where some requests in the batch were identified with request level response codes. In this case, three (3) of the five (5) requests were rejected while two (2) were accepted for further processing. Requests 1, 4 and 5 were rejected with the relevant error numbers included with the request.

```
<?xml version="1.0"?>
<trisr:Response xmlns:trisr="http://www.cra-arc.gc.ca/xmlns/tris/response/2-0-0">
   <trisr:BatchResponse>
      <trisr:BatchResponseDetail>
         <trisr:TransmitterID>A1234</trisr:TransmitterID>
         <trisr:ReceivedFormsCount>5</trisr:ReceivedFormsCount>
         <trisr:AcceptedFormsCount>2</trisr:AcceptedFormsCount>
         <trisr:RejectedFormsCount>3</trisr:RejectedFormsCount>
         <trisr:ConfirmationNumber>XT45ER45K8</trisr:ConfirmationNumber>
      </trisr:BatchResponseDetail>
      <trisr:ResponseCodes>
         <trisr:FormLevelResponse>
            <trisr:FormID>1</trisr:FormID>
            <trisr:FormResponseCode>
               <trisr:ResponseCode>T801</trisr:ResponseCode>
            </trisr:FormResponseCode>
         </trisr:FormLevelResponse>
         <trisr:FormLevelResponse>
            <trisr:FormID>4</trisr:FormID>
            <trisr:FormResponseCode>
               <trisr:ResponseCode>T806</trisr:ResponseCode>
               <trisr:ResponseCode>T810</trisr:ResponseCode>
               <trisr:ResponseCode>T815</trisr:ResponseCode>
            </trisr:FormResponseCode>
         </trisr:FormLevelResponse>
         <trisr:FormLevelResponse>
            <trisr:FormID>5</trisr:FormID>
            <trisr:FormResponseCode>
               <trisr:ResponseCode>T801</trisr:ResponseCode>
               <trisr:ResponseCode>T806</trisr:ResponseCode>
               <trisr:ResponseCode>T807</trisr:ResponseCode>
               <trisr:ResponseCode>T812</trisr:ResponseCode>
               <trisr:ResponseCode>T815</trisr:ResponseCode>
            </trisr:FormResponseCode>
         </trisr:FormLevelResponse>
      </trisr:ResponseCodes>
   </trisr:BatchResponse>
</trisr:Response>
```

The following example illustrates when all requests in the batch were rejected:

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
                  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
                  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
   <soapenv:Body>
     <trisr:Response xmlns:trisr="http://www.cra-arc.gc.ca/xmlns/tris/response/2-0-0">
       <trisr:BatchResponse>
          <trisr:BatchResponseDetail>
             <trisr:TransmitterID>A1234</trisr:TransmitterID>
             <trisr:ReceivedFormsCount>3</trisr:ReceivedFormsCount>
             <trisr:AcceptedFormsCount>0</trisr:AcceptedFormsCount>
             <trisr:RejectedFormsCount>3</trisr:RejectedFormsCount>
          </trisr:BatchResponseDetail>
          <trisr:ResponseCodes>
             <trisr:FormLevelResponse>
                <trisr:FormID>1</trisr:FormID>
                <trisr:FormResponseCode>
                   <trisr:ResponseCode>T801</trisr:ResponseCode>
                </trisr:FormResponseCode>
             </trisr:FormLevelResponse>
             <trisr:FormLevelResponse>
                <trisr:FormID>2</trisr:FormID>
                <trisr:FormResponseCode>
                   <trisr:ResponseCode>T806</trisr:ResponseCode>
                   <trisr:ResponseCode>T810</trisr:ResponseCode>
                   <trisr:ResponseCode>T815</trisr:ResponseCode>
                </trisr:FormResponseCode>
             </trisr:FormLevelResponse>
             <trisr:FormLevelResponse>
                <trisr:FormID>3</trisr:FormID>
                <trisr:FormResponseCode>
                   <trisr:ResponseCode>T801</trisr:ResponseCode>
                   <trisr:ResponseCode>T806</trisr:ResponseCode>
                   <trisr:ResponseCode>T807</trisr:ResponseCode>
                   <trisr:ResponseCode>T812</trisr:ResponseCode>
                   <trisr:ResponseCode>T815</trisr:ResponseCode>
                </trisr:FormResponseCode>
             </trisr:FormLevelResponse>
          </trisr:ResponseCodes>
       </trisr:BatchResponse>
     <trisr:Response>
  </soapenv:Body>
</soapenv:Envelope>
```

SOAP Fault Error

This is an example of the SOAP fault error. It is returned as the response when there has been an unrecoverable error with the transmission.

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
                  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
                  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
   <soapenv:Body>
      <soapenv:Fault>
         <faultcode>soapenv:Server.generalException</faultcode>
         <faultstring>fatal error</faultstring>
         <detail>
          <ns1:hostname xmlns:ns1="http://xml.apache.org/axis/">127.0.0.1</ns1:hostname>
         </detail>
      </soapenv:Fault>
   </soapenv:Body>
</soapenv:Envelope>
```

WSDL

Web Services Description Language (WSDL) is an XML format used to describe Web services. It specifies the location of the service and the operations the service exposes. You can access the WSDL for this web service by going to the following URL:

https://apps-ct.cra-arc.gc.ca/ebci/tdws/esub/services/TRISWebService?wsdl

This WSDL is specific to the CT environment, which will be used for the certification process.

A number of tools exist for creating client code for accessing a Web service from the Web service's WSDL. As these tools vary from language to language, you will need to search the documentation for your chosen language if you use this.

PRODUCTION URL

The production environment should not be accessed by software that has not completed the certification process. While the production URL will not change from year to year, a date will be published denoting when the production environment will be available to accept the newly certified software packages.

The production URL can be accessed from the following URL:

https://apps.cra-arc.gc.ca/ebci/tdws/esub/services/TRISWebService

EXAMPLES

This section includes a basic JAVA class example. The idea behind Web services is that they can be used to connect diverse applications written in virtually any programming language. The fact that the example provided here was written in Java should not be construed as an attempt on CRA's part to promote or discourage any particular programming language. The example was written with the tools that were at hand at the time the documentation was written but calls to the Web service should work equally well with any version of any programming language which supports Web services.

JAVA Class example

Below is a JAVA class, which calls the CRA TRIS Web service and returns the result. This is a simple function which is only intended to illustrate the basics of using the Web service. It does not include any real error handling nor does it perform any validation of the data being included in the request, it simply receives them in the function call and assumes that they are valid.

```
package ca.gc.cra.xxxx.axisdemo.webservices;

import java.io.ByteArrayInputStream;
import java.util.Iterator;

import javax.xml.soap.MessageFactory;
import javax.xml.soap.MimeHeaders;
import javax.xml.soap.SOAPBody;
import javax.xml.soap.SOAPConnection;
import javax.xml.soap.SOAPConnectionFactory;
import javax.xml.soap.SOAPMessage;

import org.apache.axis.message.SOAPBodyElement;
import org.w3c.dom.Element;
import org.w3c.dom.Node;
import org.w3c.dom.NodeList;

public class WSSampleClient {

    public static String connect(String endpoint,String uid, String pwd, String type,
            String fileContents) {

        String returnCode = "ERROR";

        String xmlString = "<?xml version=\"1.0\" encoding=\"UTF-8\"?>"
                + " <soap-env:Envelope"
                + " xmlns:soap-env=\"http://schemas.xmlsoap.org/soap/envelope/\">"
                + " <soap-env:Header>"
                + " <wsse:Security xmlns:wsse=\"http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-secext-1.0.xsd\">"
                + " <wsse:UsernameToken>" + " <wsse:Username>"
                + uid.toUpperCase() + "</wsse:Username>" + " <wsse:Password>"
                + pwd.toUpperCase() + "</wsse:Password>"
                + " </wsse:UsernameToken>" + " </wsse:Security>"
                + " </soap-env:Header>" + " <soap-env:Body>"
```

```
                + " <Request>"
                + "<type>" + type.toUpperCase()
                + "</type><file>" + fileContents
                + "</file>"
                + " </Request>" + " </soap-env:Body>"
                + " </soap-env:Envelope>";

        try {
            MessageFactory mf = MessageFactory.newInstance();
            MimeHeaders headers = new MimeHeaders();

            //setting two headers
            headers.setHeader("Content-Type", "text/xml; charset=UTF-8");
            headers.setHeader("SOAPAction", "TRIS CALL");
            //create SOAP message using the matching encoding
            SOAPMessage smsg = mf.createMessage(headers,
                    new ByteArrayInputStream(xmlString.getBytes("UTF-8")));

            System.out.println("Making Web service call...");
            //make Web service call
            SOAPConnection conn = SOAPConnectionFactory.newInstance().createConnection();

            //handle response
            SOAPMessage response = conn.call(smsg, endpoint);
            SOAPBody responseBody = response.getSOAPPart().getEnvelope().getBody();
            Iterator items = responseBody.getChildElements();
            while (items.hasNext()) {
                SOAPBodyElement element = (SOAPBodyElement) items.next();
                Element el = element.getAsDOM();
                NodeList list = el.getChildNodes();
                for (int i = 0; i < list.getLength(); i++) {
                    Node item = list.item(i);
                    returnCode = item.getFirstChild().getNodeValue();
                    System.out.println(returnCode);
                }
            }
        } catch (Exception e) {
            System.out.println("HELP");
            System.out.println(e.getMessage());
        }
        return returnCode;
    }

    public static void main(String[] args) {

        try {
            String endpoint = "http://localhost:7001/ebci/xxxx/axisdemo/services/SampleService";

            String trisPayloadXMLRequest = "<tris:BatchRequest xmlns:sdt=\"http://www.cra-
arc.gc.ca/xmlns/sdt/2-2-0\"\r\n" +
                    "    xmlns:tris=\"http://www.cra-arc.gc.ca/xmlns/tris/1-0-0\"\r\n" +
                    "    xmlns:xsi=\"http://www.w3.org/2001/XMLSchema-instance\"\r\n" +
                    "    xsi:schemaLocation=\"http://www.cra-arc.gc.ca/xmlns/tris/1-0-0 crat1013.xsd\">\r\n" +
                    "    <tris:BatchDetail>\r\n" +
                    "        <tris:FormNumber>12342</tris:FormNumber>\r\n" +
                    "        <tris:BatchFormCount>2</tris:BatchFormCount>\r\n" +
```

```
"       <tris:FormVersion>1.0.0</tris:FormVersion>\r\n" +
"       <tris:SoftwareVendorCodeReleaseDate>\r\n" +
"           <tris:ReleaseDate>\r\n" +
"               <tris:FormDateYear>2015</tris:FormDateYear>\r\n" +
"               <tris:FormDateMonth>12</tris:FormDateMonth>\r\n" +
"               <tris:FormDateDay>23</tris:FormDateDay>\r\n" +
"           </tris:ReleaseDate>\r\n" +
"           <tris:SoftwareVendorCode/>\r\n" +
"       </tris:SoftwareVendorCodeReleaseDate>\r\n" +
"   </tris:BatchDetail>\r\n" +
"   <tris:BatchForms>\r\n" +
"       <tris:PreparerSection>\r\n" +
"           <tris:PreparerID>12345</tris:PreparerID>\r\n" +
"           <tris:SoftwareVendorCode/>\r\n" +
"           <tris:UniqueDocumentNumber/>\r\n" +
"       </tris:PreparerSection>\r\n" +
"       <tris:TaxpayerSection>\r\n" +
"           <tris:ClientID>1233232</tris:ClientID>\r\n" +
"           <tris:ClientName>\r\n" +
"               <tris:GivenName>Smith</tris:GivenName>\r\n" +
"               <tris:Surname>Jone</tris:Surname>\r\n" +
"           </tris:ClientName>\r\n" +
"       </tris:TaxpayerSection>\r\n" +
"       <tris:AuthorizationSection>\r\n" +
"           <tris:RegisteredRepresentativeAuthorization>\r\n" +
"               <tris:RegisteredRepresentative>\r\n" +
"                   <tris:RepresentativeID>12311</tris:RepresentativeID>\r\n" +
"                   <tris:BusinessNumber>1234567BN0001</tris:BusinessNumber>\r\n" +
"                   <tris:GroupID>123</tris:GroupID>\r\n" +
"               </tris:RegisteredRepresentative>\r\n" +
"               <tris:AuthorizationLevelOfPermission/>\r\n" +
"           </tris:RegisteredRepresentativeAuthorization>\r\n" +
"           <tris:AuthorizationExpiryDate>\r\n" +
"               <tris:FormDateYear>2018</tris:FormDateYear>\r\n" +
"               <tris:FormDateMonth>08</tris:FormDateMonth>\r\n" +
"               <tris:FormDateDay>28</tris:FormDateDay>\r\n" +
"           </tris:AuthorizationExpiryDate>\r\n" +
"       </tris:AuthorizationSection>\r\n" +
"       <tris:CancelSection>\r\n" +
"           <tris:CancelAll/>\r\n" +
"           <tris:CancelSpecific>\r\n" +
"               <tris:CancelSpecificCheck/>\r\n" +
"               <tris:CancelRepresentativeName>\r\n" +
"                   <tris:ClientName>\r\n" +
"                    <tris:GivenName/>\r\n" +
"                    <tris:Surname/>\r\n" +
"                   </tris:ClientName>\r\n" +
"                   <tris:BusinessName/>\r\n" +
"               </tris:CancelRepresentativeName>\r\n" +
"               <tris:CancelRepresentative>\r\n" +
"                   <tris:RepresentativeID/>\r\n" +
"                   <tris:BusinessNumber/>\r\n" +
"                   <tris:GroupID/>\r\n" +
"               </tris:CancelRepresentative>\r\n" +
"           </tris:CancelSpecific>\r\n" +
"       </tris:CancelSection>\r\n" +
```

```
                "        <tris:SignatureSection>\r\n" +
                "            <tris:PrintedName/>\r\n" +
                "            <tris:LegalRepresentativeSignature/>\r\n" +
                "            <tris:SignatureDate>\r\n" +
                "                <tris:FormDateYear/>\r\n" +
                "                <tris:FormDateMonth/>\r\n" +
                "                <tris:FormDateDay/>\r\n" +
                "            </tris:SignatureDate>\r\n" +
                "        </tris:SignatureSection>\r\n" +
                "    </tris:BatchForms>\r\n" +
                "</tris:BatchRequest>";

            WSSampleClient.connect(endpoint, "B0899", "9487899p", "FILE", trisPayloadXMLRequest);

        } catch (Exception e1) {
            e1.printStackTrace();
        }
    }
}
```

APPENDIX A: HTTP REQUEST HEADERS

It is important to ensure that certain headers are set in the HTTP Request. Two important ones are the Content-Type and SOAPAction headers. If these are not set, or set incorrectly problems could arise with a batch submission.

See Appendix B for a discussion of the HTTP Request header and its interaction with the values in the prologs of the SOAP message and CDATA section.

Another header within the HTTP Request that should be set is called the SOAPAction. The Axis engine that is being used by the CRA can throw this general exception if this header does not appear in the HTTP Request headers. The header can contain any value that is a non-empty string, such as “T1013”, for example.

A useful tool that can be used to debug some transmission issues would be a TCP/IP Monitor. Using this tool would enable the user to view the HTTP headers of each submission. This information could be useful in determining the cause of any transmission problems that occur. The header information would be useful in communicating with CRA concerning any issues with a transmission.

APPENDIX B: ENCODING ISSUES

In most circumstances, problems should not arise when using default implementations of systems and software for encoding XML files for transmission between your software and CRA. However, in order to mitigate problems you may potentially encounter, the following must be noted when building a SOAP Request for CRA web services.

1. Determine the encoding that your system will use when creating the SOAP message.

   This encoding can vary depending on, for example, the default encoding for your operating system (e.g., Windows, Unix, etc.), the programming language you're using (e.g., Java, .NET, Delphi, Visual Basic, etc.) or the Web Service tool employed (e.g. Axis)

2. The *charset* attribute in the HTTP *Content-Type* header of the HTTP Request and the encoding type identified in the prolog of the SOAP Request (versus the encoding type of the XML file within the SOAP Body) must match the encoding used to create the file.

   Examples:

   ISO-8859-1 encoding:
   HTTP Header – Content-Type:text/xml; charset=”ISO-8859-1”
   SOAP Request Prolog – <?xml version =”1.0” encoding=”ISO-8859-1”?>

   UTF-8 encoding:
   HTTP Header – Content-Type:text/xml; charset=”UTF-8”
   SOAP Request Prolog – <?xml version =”1.0”?>

   - OR -

   <?xml version =”1.0” encoding=”UTF-8”?>

   If the encoding identified in the HTTP *Content-Type* header and in the prolog of the SOAP Request do NOT match the encoding used to create the XML you will receive either:

   - an error number indicating an “invalid character” has been encountered, (*if the file is encoded using UTF-8 but the charset used in either or both the HTTP Content-Type and SOAP Request Prolog is ISO-8859-1*), or

   - a SOAP fault with a message similar to the following: MalformedByteSequenceException: Invalid byte 2 of 3-byte UTF-8 sequence (*if the file is encoded using ISO-8859-1 but the charset used in the HTTP Content-Type is UTF-8 or has no encoding identified*)

3. Use French accented characters in your test cases, whenever possible, to help identify possible encoding issues.

APPENDIX C – SIGNATURE PAGE EXAMPLES

Authorization request

Authorization/Cancellation request – signature page

1. Have the taxpayer or legal representative sign and date this page.
2. Retain a copy of the signed and dated signature page in your files for six years from the date that this information is transmitted to the CRA. Do not send us the signature page by mail or fax unless requested to do so.

Representative Information

Representative identifier: _____

Taxpayer information

Taxpayer social insurance number: _____
Taxpayer given name: _____
Taxpayer surname: _____

Authorization information

Level of authorization: _____
Expiry date: _____

Signature information

Legal representative signature: ☐
Name of taxpayer or legal representative: _____

Certification

By signing and dating this page, you authorize the Canada Revenue Agency to interact with and/or cancel the representative(s) mentioned above.

Signature: _____
Date: _____

Authorization /Cancellation specific rep request

Authorization/Cancellation request – signature page

1. Have the taxpayer or legal representative sign and date this page.
2. Retain a copy of the signed and dated signature page in your files for six years from the date that this information is transmitted to the CRA. Do not send us the signature page by mail or fax unless requested to do so.

Representative information

Representative identifier: _____

Taxpayer information

Taxpayer social insurance number: _____
Taxpayer given name: _____
Taxpayer surname: _____

Authorization information

Level of authorization: _____
Expiry date: _____

Cancellation information

Cancel specific representative: ☐
Representative given name: _____
Representative surname:_____

Signature information

Legal representative signature: ☐
Name of taxpayer or legal representative:_____

Certification

By signing and dating this page, you authorize the Canada Revenue Agency to interact with and/or cancel the representative(s) mentioned above.

Signature: _____
Date: _____

Cancellation request – all reps

Authorization/Cancellation request – signature page

1. Have the taxpayer or legal representative sign and date this page.
2. Retain a copy of the signed and dated signature page in your files for six years from the date that this information is transmitted to the CRA. Do not send us the signature page by mail or fax unless requested to do so.

Taxpayer information

Taxpayer social insurance number: _____
Taxpayer given name: _____
Taxpayer surname: _____

Cancellation information

Cancel all representatives: ☐

Signature information

Legal representative signature: ☐
Name of taxpayer or legal representative: _____

Certification

By signing and dating this page, you authorize the Canada Revenue Agency to interact with and/or cancel the representative(s) mentioned above.

Signature: _____
Date: _____

Cancellation request – specific rep

Authorization/Cancellation request – signature page

1. Have the taxpayer or legal representative sign and date this page.
2. Retain a copy of the signed and dated signature page in your files for six years from the date that this information is transmitted to the CRA. Do not send us the signature page by mail or fax unless requested to do so.

Taxpayer information

Taxpayer social insurance number: _____
Taxpayer given name: _____
Taxpayer surname: _____

Cancellation information

Cancel specific representative: ☐
Representative given name: _____
Representative surname:_____

Signature information

Legal representative signature: ☐
Name of taxpayer or legal representative: _____

Certification

By signing and dating this page, you authorize the Canada Revenue Agency to interact with and/or cancel the representative(s) mentioned above.

Signature: _____
Date: _____