

ABCWUA Compliance Division Protocol Agreement

Effective Date:	12/1/10	Program: WT	Protocol: COLI	Revision: 05
effective Date:	12/6/18	Program: wi	Protocol: COLI	Revision: 05

Objective: Testing of facilities including wells, collector lines, new lines, etc. after rehabilitation, maintenance or new construction. Water may or may not be chlorinated. For use when Presence/Absence only, colony count not required.

Reference Document(s): NMAC 20.7.10.400 - General Operating Requirements; AWWA C652-02; AWWA Standard for Disinfecting Water Storage Facilities; AWWA C654-03; Standard for Disinfection of Wells.

Sample Purpose: NMAC General operating requirements Compliance sampling. Results not reported, but required to be on record.

Sample Collection Type/Details: Grab

Sample Collection Frequency: As needed

Sample Matrix: Water

Sample Point Nomenclature Convention: May include WW (water wells), WPS (water pump stations), WR (Water Reservoirs), RT field blanks (ie, RT100FB) and other facility prefixes.

Sampling Personnel: Certified Water Operator - Level II minimum. NM Sampler ID must be logged.

Field Instructions: Flush tap for five (5) minutes. Use colorimeter to determine free and total chlorine residual. "0.0" should be recorded for non-chlorinated waters. Mark bottle label with sample point ID, date, collection time, and sampler's initials. Store on ice at <10°C. Temperature verification not required if sample is delivered to laboratory within two (2) hours of collection.

Laboratory Instructions: Free and total chlorine is required at log in. Analysis must begin within 8 hours of sample collection. When possible run the 18hr Colilert. Report results as soon as possible.

External Laboratory Instructions: N/A

Special Handling Instructions: Field parameters, Sampler's initials, NM Sampler ID, and meter serial number to be logged as sample attributes.

Chain of Custody:

Required Yes No

QA/QC Data Requirements: QA/QC data required and available upon request.

		Revision History
Revision	Effective Date	Description of Changes: Removed requirement to "always use 18 hour
# 04		colilert". Changed "Turn Around Time" from 18 hours. Changed price from \$25 to \$37

ipliance Division Protocol Agreement

Current approved version of this document is only available on SharePoint

07/17/2014

Page 1 of 2



ABCWUA Compliance Division Protocol Agreement

	05	Added in	field blanks and o	changed persor	nnel.
Client Consample):	ntact(s) (include n	ames of persons resp	onsible for taking	action if there	is an exceedance or problem with
Priority	Contact	Title	Phone	Cell Phone	Email
1	Pete English	Pete English WQ Specialist			penglish@abcwua.org
2	Michael Richardson WQ Supervisor		289-3383	553-5731	mrichardson@abcwua.org
3	Elizabeth Ande	rson Program Manag	er/WQ 289-3382	414-4043	eanderson@abcwua.org
Reportin	g Criteria: Reportin	ng Format:	Email notificatio	n as PDF with a	database view available to query results
Billing M	ethod (expedited	turnaround time cost	s more): 21160		
Protocol	Agreement:				
	greement can only be resentative, and WQL		1) Compliance Divisio	n Manager, 2) Tw	o Program Managers, or 3) Designated External
MICHAE Prepared b	L RICHARDSON	WATER QUALITY SI	JPERVISOR		//2018
	STA	ac -	12/4	12018	
50			Approve	al Date	
Program	Variager		Арргоча		

Compliance Division Manager

Approval Date

			7								Reg	Limit	Flag	g Limit	
rimary Laboratory	External Laboratory	Sample Kit	Analyte	Method	Preservation	Units	EPA D/Q Limit EPA D/Q Limit Type	Hald Time	Turn Around Time	Analyte Cost	Low	High	Low	High	
WQL NA		One (1) 125 mL sterile	Escherichia Coli	SM9223 B-2004	<10° C	Presence=1 Absence=0		8 hrs.	24 hr.		0	1	0	1	
	microbiological collection bottle with Na ₂ S ₂ O ₃ as supplied by WQL	Total Coliform	5M9223 B-2004	<10°C	Presence=1 Absence=0		8 hrs.	24 hr.	\$37.00	0	1	0	1		
Field		Pocket	FLDCL2 (Free Chlorine Residual)	SM4500 Cl, G-2000							0.2	4	0.3	2	
	Field		FLDTCL2 (Total Chlorine Residual)	SM4500 Cl, G-2000							0.2	4	0,3	2	
		NA NA	Sampler's Initials and ID #												
			Hach Meter Number												