


# Demo Guru99 Test Report

29 Jan 2024, 05:48:58


Start : Jan 29, 5:48:57.650 am	End : Jan 29, 5:48:58.140 am	Duration : 0.490 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Create New User Account</u>	0.490 s	1	0	1	0	6	0	0	6

#	Feature Name	Scenario Name
1	<u>Create New User Account</u>	<u>New User credential are generated using e-mail and user move back to Bank Home page</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@newUserCredential	1	0	1	0	1	0	1	0
@AllTest	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Create New User Account	1	0	1	0	0.490 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Create New User Account	New User credential are generated using e-mail and user move back to Bank Home page	6	0	0	6	0.486 s

## Create New User Account

<b>FAILED</b>	DURATION - 0.490 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 0 Skip - 6	
/ 5:48:57.650 am // 5:48:58.140 am /					

## New User credential are generated using e-mail and user move back to Bank Home page

FAILED	DURATION - 0.486 s		Steps	
/ 5:48:57.654 am // 5:48:58.140 am /			Total - 6	
Create New User Account			Pass - 0	
@newUserCredential @AllTest			Fail - 0	
			Skip - 6	

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.guru99.demo.hook.Hooks.setUp()</b> io.github.bonigarcia.wdm.config.WebDriverManagerException: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1404) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1420) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1401) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1394) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:420) at com.guru99.demo.common.Browser.initChrome(Browser.java:17) at com.guru99.demo.common.Browser.launchBrowser(Browser.java:68) at com.guru99.demo.hook.Hooks.setUp(Hooks.java:10) Caused by: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1558) at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:108)	<b>FAILED</b>	0.466 s

#	Step / Hook Details	Status	Duration
	at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1253) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1172) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1420) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1401) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1394) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:420) at com.guru99.demo.common.Browser.initChrome(Browser.java:17) at com.guru99.demo.common.Browser.launchBrowser(Browser.java:68) at com.guru99.demo.hook.Hooks.setUp(Hooks.java:10) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		



#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)  at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)  at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)  at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at org.junit.runner.JUnitCore.run(JUnitCore.java:137)  at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)  at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)  at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)  at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)  Caused by: java.net.UnknownHostException: chromedriver.storage.googleapis.com  at java.base/java.net.InetAddress\$CachedAddresses.get(InetAddress.java:953)  at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1673)  at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1533)  at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43)  at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141)  at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447)  at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162)  at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172)  at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)  at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)  at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)  at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)  at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)  at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170)  at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87)  at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) </p>		

#	Step / Hook Details	Status	Duration
	at org.apache.http.client.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1543)		
1	Given I navigate to Guru99Com-popup page	SKIPPED	0.001 s
2	When I click on here link	SKIPPED	0.000 s
3	And I enter user "shaikkh12223344@gmail.com" in to Email ID field	SKIPPED	0.000 s
4	And I click on SubmitBtn button	SKIPPED	0.001 s
5	And User ID and Password are displayed after few seconds	SKIPPED	0.001 s
6	Then user closed all open tabs and move back to Bank HomePage.	SKIPPED	0.001 s