

<sup>\*</sup> The report title has been cropped to fit in the available space.


Feature		Scenario				Step			
Name	Duration	<i>T</i>	P	F	S	<i>T</i>	P	F	S
User can access sign-up page	0.432 s	1	0	1	0	6	0	0	6

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	User can access sign-up page	Customer can access the signup page


TAG		Scei	nario		Feature			
Name	<b>T</b>	P	F	S	T	P	F	S
@TestDB	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	User can access sign-up page	1	0	1	0	0.432 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User can access sign-up page	Customer can access the signup page	6	0	0	6	0.428 s

DETAILED SECTION -- 7 -

## User can access sign-up page

FAILED	DURATION - 0.432 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 5:27:17.607 am //	5:27:18.039 am /	Pass - 0	1	Pass - 0	6
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 6	

## **Customer can access the signup page**



#	Step / Hook Details	Status	Duration
	BEFORE - com.automationpractice.hook.Hook.setUp()	FAILED	0.412 s
	io.github.bonigarcia.wdm.config.WebDriverManagerException: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.		
	UnknownHostException: chromedriver.storage.googleapis.com		
	at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1404)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178)		
	at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1420)		
	at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1401)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178)		
	at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1394)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178)		
	at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:420)		
	at com.automationpractice.common.Browser.initChrome(Browser.java:18)		
	at com.automationpractice.common.Browser.launchBrowser(Browser.java:63)		
	at com.automationpractice.hook.Hook.setUp(Hook.java:10)		
	Caused by: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.		
	com		
	at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1558)		
	at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:108)		

#	Step / Hook Details	Status	Duration
	at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1425)		
	at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1253)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1172)		
	at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1420)		
	at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1401)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178)		
	at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1394)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178)		
	at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:420)		
	at com.automationpractice.common.Browser.initChrome(Browser.java:18)		
	at com.automationpractice.common.Browser.launchBrowser(Browser.java:63)		
	at com.automationpractice.hook.Hook.setUp(Hook.java:10)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: java.net.UnknownHostException: chromedriver.storage.googleapis.com		
	at java.base/java.net.InetAddress\$CachedAddresses.get(InetAddress.java:953)		
	at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1673)		
	at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1533)		
	at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43)		
	at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141)		
	at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447)		
	at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162)		
	at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172)		
	at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142)		
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
	at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192)		
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
	at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96)		
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
	at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152)		
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
	at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115)		
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
	at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170)		
	at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87)		
	at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.apache.hc.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1543)		
1	Given i navigate to Home Page	SKIPPED	0.001 s
2	And I can click on Sign-Up or Login link	SKIPPED	0.001 s
3	When I enter the Name	SKIPPED	0.000 s
4	And I enter the Email Address	SKIPPED	0.001 s
5	And I click on Sign-up button	SKIPPED	0.000 s
6	Then sing-up page should be dispaly	SKIPPED	0.001 s