

^{*} The report title has been cropped to fit in the available space.

Feature			Scenario P F S				Step			
Name	Duration	<i>T</i>	P	F	S	<i>T</i>	P	F	S	
File feature for uploading, downloading reading or writing	32.419 s	1	0	1	0	3	1	1	1	
User can access sign-up page	4.352 s	1	0	1	0	6	1	1	4	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	File feature for uploading, downloading reading or writing	Customer can successfully download an invoice
2	User can access sign-up page	Customer can access the signup page


TAG		Scei	nario			Fea	ture	ure	
Name	T	P	F	S	T	P	F	S	
@TestDB	2	0	2	0	2	0	2	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	File feature for uploading, downloading reading or writing	1	0	1	0	32.419 s
2	User can access sign-up page	1	0	1	0	4.352 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	File feature for uploading, downloading reading or writing	Customer can successfully download an invoice	3	1	1	1	32.414 s
2	User can access sign-up page	Customer can access the signup page	6	1	1	4	4.352 s

DETAILED SECTION -- 7 -

File feature for uploading, downloading reading or writing

FAILED DURATION - 32.41	S	Scenarios		Steps	
		Total - 1		Total - 3	
/ 11:27:33.472 am // 11:28:05.891 am /		Pass - 0	1	Pass - 1	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	


Customer can successfully download an invoice




#	Step / Hook Details	Status	Duration
1	Given I paid for my shopping on payment-done page	PASSED	2.255 s
2	When I click on download invoice button	FAILED	25.757 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#aswift_1"} (Session info: chrome=121.0.6167.139) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'sheikhs-iMac. local', ip: '192.168.0.18', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.15.7', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.139, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: /var/folders/qr/zblrzmd50rm), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50125}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a7dff76eaae8586bca76cda8d1081a2f *** Element info: {Using=css selector, value=#aswift_1} at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420)		
	at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy19.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.frame(RemoteWebDriver.java:891)		
	at com.automationpractice.pages.BasePage.switchTolframe(BasePage.java:110)		
	at com.automationpractice.pages.PaymentDonePage.clickOnDownloadInvoice(PaymentDonePage.java:49)		
	at com.automationpractice.stepDefinitions.FileUitilityForMultipurposesSteps.		
	i_click_on_download_invoice_button(FileUitilityForMultipurposesSteps.java:22)		
	at ?.I click on download invoice button(file:///Users/sheikhgeeuk/IdeaProjects/Test.Automationpractice.Project/src/test/java/com/		
	automationpractice/features/FileUitilityForMultipurposes.feature:9)		
	* Not displayable characters are replaced by '?'.		
3	Then Invoice of customer's shopping downloaded	SKIPPED	0.001 s

User can access sign-up page



Customer can access the signup page



#	Step / Hook Details	Status	Duration
1	Given i navigate to Home Page	PASSED	1.749 s
2	And I can click on Sign-Up or Login link	FAILED	0.164 s
2	java.lang.RuntimeException: com.mysql.cj.jdbc.exceptions.CommunicationsException: Communications link failure The last packet sent successfully to the server was 0 milliseconds ago. The driver has not received any packets from the server. at com.automationpractice.pages.BasePage.connectToMySQLDB(BasePage.java:156) at com.automationpractice.pages.HomePage.clickOnLoginLink(HomePage.java:31) at com.automationpractice.stepDefinitions.InfoUserNewAccountSteps.icanclickonsignuporloginlink(InfoUserNewAccountSteps.java:23) at ?.I can click on Sign-Up or Login link(file:///Users/sheikhgeeuk/IdeaProjects/Test.Automationpractice.Project/src/test/java/com/automationpractice/features/InfoUserNewAccount.feature:9) Caused by: com.mysql.cj.jdbc.exceptions.CommunicationsException: Communications link failure The last packet sent successfully to the server was 0 milliseconds ago. The driver has not received any packets from the server. at com.mysql.cj.jdbc.exceptions.SQLError.createCommunicationsException(SQLError.java:175)	FAILED	0.164 \$
	at com.mysql.cj.jdbc.connectionImpl.createNewIO(ConnectionImpl.java:819) at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:819) at com.mysql.cj.jdbc.ConnectionImpl.creitior(ConnectionImpl.java:819) at com.mysql.cj.jdbc.ConnectionImpl.setInstance(ConnectionImpl.java:239) at com.mysql.cj.jdbc.NonRegisteringDriver.connect(NonRegisteringDriver.java:188) at java.sql/java.sql.DriverManager.getConnection(DriverManager.java:683) at java.sql/java.sql.DriverManager.getConnection(DriverManager.java:230) at com.automationpractice.pages.BasePage.connectToMySQLDB(BasePage.java:128) at com.automationpractice.pages.HomePage.clickOnLoginLink(HomePage.java:31) at com.automationpractice.stepDefinitions.InfoUserNewAccountSteps.icanclickonsignuporloginlink(InfoUserNewAccountSteps.java:23) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.dolnvoke(Invoker.java:66) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.AbstractGlueDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinition.Match.runStep(PickleStepDefinitionMatch.java:63)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		

#	Step / Hook Details	Status	Duration
	Caused by: com.mysql.cj.exceptions.CJCommunicationsException: Communications link failure The last packet sent successfully to the server		
	was 0 milliseconds ago. The driver has not received any packets from the server.		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:62)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:105)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:150)		
	at com.mysql.cj.exceptions.ExceptionFactory.createCommunicationsException(ExceptionFactory.java:166)		
	at com.mysql.cj.protocol.a.NativeSocketConnection.connect(NativeSocketConnection.java:89)		
	at com.mysql.cj.NativeSession.connect(NativeSession.java:121)		
	at com.mysql.cj.jdbc.ConnectionImpl.connectOneTryOnly(ConnectionImpl.java:939) at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:809)		
	57 more Caused by: java.net.ConnectException: Connection refused		
	at java.base/sun.nio.ch.Net.connect0(Native Method)		
	at java.base/sun.nio.ch.Net.connect(Net.java:580)		
	at java.base/sun.nio.ch.Net.connect(Net.java:569)		
	at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:576)		
	at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327)		
	at java.base/java.net.Socket.connect(Socket.java:666)		
	at com.mysql.cj.protocol.StandardSocketFactory.connect(StandardSocketFactory.java:153)		
	at com.mysql.cj.protocol.a.NativeSocketConnection.connect(NativeSocketConnection.java:63)		
	* Not displayable characters are replaced by '?'.		
3	When I enter the Name	SKIPPED	0.000 s
4	And I enter the Email Address	SKIPPED	0.001 s
5	And I click on Sign-up button	SKIPPED	0.000 s
6	Then sing-up page should be dispaly	SKIPPED	0.000 s