Automation Practice Test Report

| Start : Sept 14, 9:59:33.366 pm	End : Sept 14, 9:59:39.291 pm	Duration : 5.925 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 4

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User can access sign-up page	*5.925 s*	*1*	*0*	*1*	*0*	*6*	*1*	*1*	*4*

#	Feature Name	Scenario Name
1	*User can access sign-up page*	*Customer can access the signup page*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TestDB	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	User can access sign-up page	1	0	1	0	5.925 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User can access sign-up page	Customer can access the signup page	6	1	1	4	5.921 s

User can access sign-up page

FAILED	DURATION - 5.925 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 9:59:33.366 pm // 9:59:39.291 pm /		Pass - 0		Pass - 1	
		Fail - 1	1	Fail - 1	6
		Skip - 0		Skip - 4	

Customer can access the signup page

FAILED	DURATION - 5.921 s		Steps	
/ 9:59:33.370 pm // 9:59:39.291 pm /			Total - 6	
User can access sign-up page			Pass - 1	6
@TestDB			Fail - 1	
			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given i navigate to Home Page	PASSED	2.417 s
2	And I can click on Sign-Up or Login link	FAILED	0.130 s

	java.lang.RuntimeException: com.mysql.cj.jdbc.exceptions.CommunicationsException: Communications link failure The last packet sent successfully to the server was 0 milliseconds ago. The driver has not received any packets from the server.
	    at com.automationpractice.pages.BasePage.connectToMySQLDB(BasePage.java:156)
	    at com.automationpractice.pages.HomePage.clickOnLoginLink(HomePage.java:31)
	    at com.automationpractice.stepDefinitions.InfoUserNewAccountSteps.icanclickonsignuporloginlink(InfoUserNewAccountSteps.java:23)
	    at ?.I can click on Sign-Up or Login link(file:///Users/sheikhgeeuk/IdeaProjects/Test.Automationpractice.Project/src/test/java/com/automationpractice/features/InfoUserNewAccount.feature:9)
	Caused by: com.mysql.cj.jdbc.exceptions.CommunicationsException: Communications link failure The last packet sent successfully to the server was 0 milliseconds ago. The driver has not received any packets from the server.
	    at com.mysql.cj.jdbc.exceptions.SQLError.createCommunicationsException(SQLError.java:175)
	    at com.mysql.cj.jdbc.exceptions.SQLExceptionsMapping.translateException(SQLExceptionsMapping.java:64)
	    at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:819)
	    at com.mysql.cj.jdbc.ConnectionImpl.<init>(ConnectionImpl.java:440)
	    at com.mysql.cj.jdbc.ConnectionImpl.getInstance(ConnectionImpl.java:239)
	    at com.mysql.cj.jdbc.NonRegisteringDriver.connect(NonRegisteringDriver.java:188)
	    at java.sql/java.sql.DriverManager.getConnection(DriverManager.java:683)		

#	Step / Hook Details	Status	Duration
	at java.sql/java.sql.DriverManager.getConnection(DriverManager.java:230)		
	at com.automationpractice.pages.BasePage.connectToMySQLDB(BasePage.java:128)		
	at com.automationpractice.pages.HomePage.clickOnLoginLink(HomePage.java:31)		
	at com.automationpractice.stepDefinitions.InfoUserNewAccountSteps.icanclickonsignuporloginlink(InfoUserNewAccountSteps.java:23)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: com.mysql.cj.exceptions.CJCommunicationsException: Communications link failure The last packet sent successfully to the server was 0 milliseconds ago. The driver has not received any packets from the server.		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:62)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:105)		
	at com.mysql.cj.exceptions.ExceptionFactory.createException(ExceptionFactory.java:150)		
	at com.mysql.cj.exceptions.ExceptionFactory.createCommunicationsException(ExceptionFactory.java:166)		
	at com.mysql.cj.protocol.a.NativeSocketConnection.connect(NativeSocketConnection.java:89)		
	at com.mysql.cj.NativeSession.connect(NativeSession.java:121)		
	at com.mysql.cj.jdbc.ConnectionImpl.connectOneTryOnly(ConnectionImpl.java:939)		
	at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:809)		
	... 57 more Caused by: java.net.ConnectException: Connection refused		
	at java.base/sun.nio.ch.Net.connect0(Native Method)		
	at java.base/sun.nio.ch.Net.connect(Net.java:580)		
	at java.base/sun.nio.ch.Net.connect(Net.java:569)		
	at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:576)		
	at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327)		
	at java.base/java.net.Socket.connect(Socket.java:666)		
	at com.mysql.cj.protocol.StandardSocketFactory.connect(StandardSocketFactory.java:153)		
	at com.mysql.cj.protocol.a.NativeSocketConnection.connect(NativeSocketConnection.java:63)		
	* Not displayable characters are replaced by '?'.		
3	When I enter the Name	SKIPPED	0.001 s
4	And I enter the Email Address	SKIPPED	0.000 s
5	And I click on Sign-up button	SKIPPED	0.000 s
6	Then sing-up page should be dispaly	SKIPPED	0.000 s