

# Automation Test Report For \*

29 Jan 2024, 05:11:57

**Start : Jan 29, 5:11:55.333 am**

**End : Jan 29, 5:11:56.575 am**

**Duration : 1.242 s**

*Features*

*Scenarios*

*Steps*

PASSED - 0

FAILED - 2

SKIPPED - 0

PASSED - 0



FAILED - 2

SKIPPED - 0

PASSED - 0

FAILED - 0

SKIPPED - 9



\* The report title has been cropped to fit in the available space.

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>File feature for uploading, downloading reading or writing</u>	1.077 s	1	0	1	0	3	0	0	3
<u>User can access sign-up page</u>	0.145 s	1	0	1	0	6	0	0	6

#	Feature Name	Scenario Name
1	<u>File feature for uploading, downloading reading or writing</u>	<u>Customer can successfully download an invoice</u>
2	<u>User can access sign-up page</u>	<u>Customer can access the signup page</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TestDB	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>File feature for uploading, downloading reading or writing</u>	1	0	1	0	1.077 s
2	<u>User can access sign-up page</u>	1	0	1	0	0.145 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>File feature for uploading, downloading reading or writing</u>	<u>Customer can successfully download an invoice</u>	3	0	0	3	1.074 s
2	<u>User can access sign-up page</u>	<u>Customer can access the signup page</u>	6	0	0	6	0.145 s

## File feature for uploading, downloading reading or writing

<b>FAILED</b>	DURATION - 1.077 s	Scenarios		Steps	
/ 5:11:55.333 am // 5:11:56.410 am /		Total - 1		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 3	

## Customer can successfully download an invoice

<div>FAILED</div> <div>DURATION - 1.074 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 5:11:55.336 am // 5:11:56.410 am /				
File feature for uploading, downloading reading or writing				
@TestDB				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.automationpractice.hook.Hook.setUp()</b> io.github.bonigarcia.wdm.config.WebDriverManagerException: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1404) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1420) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1401) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1394) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:420) at com.automationpractice.common.Browser.initChrome(Browser.java:19) at com.automationpractice.common.Browser.launchBrowser(Browser.java:59) at com.automationpractice.hook.Hook.setUp(Hook.java:10) Caused by: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1558) at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:108)	<b>FAILED</b>	1.059 s



#	Step / Hook Details	Status	Duration
	at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1253) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1172) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1420) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1401) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1394) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:420) at com.automationpractice.common.Browser.initChrome(Browser.java:19) at com.automationpractice.common.Browser.launchBrowser(Browser.java:59) at com.automationpractice.hook.Hook.setUp(Hook.java:10) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		





#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)  at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)  at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)  at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at org.junit.runner.JUnitCore.run(JUnitCore.java:137)  at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)  at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)  at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)  at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)  Caused by: java.net.UnknownHostException: chromedriver.storage.googleapis.com  at java.base/java.net.InetAddress\$CachedAddresses.get(InetAddress.java:953)  at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1673)  at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1533)  at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43)  at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141)  at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447)  at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162)  at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172)  at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)  at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)  at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)  at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)  at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)  at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170)  at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87)  at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) </p>		

#	Step / Hook Details	Status	Duration
	at org.apache.http.client.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1543)		
1	Given I paid for my shopping on payment-done page	SKIPPED	0.001 s
2	When I click on download invoice button	SKIPPED	0.000 s
3	Then Invoice of customer's shopping downloaded	SKIPPED	0.000 s

## User can access sign-up page

<b>FAILED</b>	DURATION - 0.145 s	Scenarios		Steps	
/ 5:11:56.430 am // 5:11:56.575 am /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 6 Pass - 0 Fail - 0 Skip - 6	

## Customer can access the signup page

<b>FAILED</b>	DURATION - 0.145 s		Steps	
/ 5:11:56.430 am // 5:11:56.575 am /			Total - 6 Pass - 0 Fail - 0 Skip - 6	
User can access sign-up page				
@TestDB				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.automationpractice.hook.Hook.setUp()</b>	<b>FAILED</b>	0.141 s
	io.github.bonigarcia.wdm.config.WebDriverManagerException: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1404) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1420) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1401) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1394)		

#	Step / Hook Details	Status	Duration
	<p>at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178)  at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:420)  at com.automationpractice.common.Browser.initChrome(Browser.java:19)  at com.automationpractice.common.Browser.launchBrowser(Browser.java:59)  at com.automationpractice.hook.Hook.setUp(Hook.java:10)  Caused by: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com  at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1558)  at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:108)  at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1425)  at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1253)  at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1172)  at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1420)  at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1401)  at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178)  at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1394)  at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1178)  at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:420)  at com.automationpractice.common.Browser.initChrome(Browser.java:19)  at com.automationpractice.common.Browser.launchBrowser(Browser.java:59)  at com.automationpractice.hook.Hook.setUp(Hook.java:10)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.TestCase.run(TestCase.java:78)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p>		

#	Step / Hook Details	Status	Duration
	<p> at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)  at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)  at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)  at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at org.junit.runner.JUnitCore.run(JUnitCore.java:137)  at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)  at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)  at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)  at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)  Caused by: java.net.UnknownHostException: chromedriver.storage.googleapis.com  at java.base/java.net.InetAddress\$CachedAddresses.get(InetAddress.java:953)  at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1673)  at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1533)  at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43)  at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141)  at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447)  at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162)  at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172)  at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)  at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192)  at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) </p>		

#	Step / Hook Details	Status	Duration
	at org.apache.http.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.http.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.http.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152) at org.apache.http.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.http.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115) at org.apache.http.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.http.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.http.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87) at org.apache.http.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) at org.apache.http.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1543)		
1	Given i navigate to Home Page	SKIPPED	0.000 s
2	And I can click on Sign-Up or Login link	SKIPPED	0.001 s
3	When I enter the Name	SKIPPED	0.000 s
4	And I enter the Email Address	SKIPPED	0.000 s
5	And I click on Sign-up button	SKIPPED	0.000 s
6	Then sing-up page should be display	SKIPPED	0.000 s