



Linux Lab Lab Manual

www.maven-silicon.com

Table of Contents

Lab Instructions	3
Lab - 1: Basic Linux commands	4
Lab - 2: vi editor commands	5

Lab Instructions

1. The recommended editor is vi or gvim editor
2. Need to practise basic Linux commands.
3. Need to practise vi editor commands.
4. For any technical support to do the lab exercises, please reach out to us on tech_support@maven-silicon.com

Lab - 1: Basic Linux commands

Objective : *Understand the usage of different Linux commands.*

Working Directory : Linux_labs/Lab1

Source Code : dir1, dir2, folder1, check

Instructions : The following instructions have to be followed:

- ✓ Open the terminal.
- ✓ Go to Linux_labs directory.
- ✓ Go to Lab1 directory.
- ✓ You will find dir2 directory, go inside it such that the present working directory is dir2.
- ✓ You will find sample1 directory.
- ✓ Inside the sample1 directory, file1, file2, file3, file4 files and folder1 directory will be there.
- ✓ Remove the file1 ordinary file.
- ✓ Remove the folder1 directory file.
- ✓ Copy the file2 to the destination dir1 directory using relative path of dir1.
- ✓ Move the file3 to the destination check directory using relative path of check.
- ✓ Move the file4 to the destination check directory using relative path of check.

Learning outcomes :

We learn here how to copy files, directories, remove files & directories, move files from one location to another.

Lab - 2: vi editor commands

Objective : *Understand the usage of different vi editor commands.*

Working Directory : Linux_labs/Lab2

Source Code : vi_editor

Instructions : The following instructions have to be followed:

- ✓ n dd will delete n lines starting from the current cursor position.
- ✓ n dw will delete n words at the right side of the cursor.
- ✓ x will delete the character on which the cursor is positioned
- ✓ :n moves to line n of the file.
- ✓ :w will save (write) the file
- ✓ :q will exit the editor.
- ✓ :q! forces the exit when you want to quit a file containing unsaved changes.
- ✓ :wq will save and exit
- ✓ :w newfile will save the text to newfile.
- ✓ :wq! overrides read-only permission (if you have the permission to override permissions, for instance when you are using the root account.
- ✓ /astring will search the string in the file and position the cursor on the first match below its position.
- ✓ / will perform the same search again, moving the cursor to the next match.
- ✓ :1,\$s/word/anotherword/g will replace word with anotherword throughout the file.
- ✓ yy will copy a block of text.
- ✓ n p will paste it n times.

Learning outcomes :

We learn here about the vi editor commands and how to edit within the file.