

The Amazon PPC Wiki

Expanded Fresh-Graduate Training Manual

Version 2.0 | Built for VAs, junior strategists, brand owners, and agency teams

How to read this manual: Each numbered topic is written as a wiki-ready data record. Every entry includes plain-English teaching, operational use, beginner mistakes, a workflow, a worked example, and metadata for future app or wiki import.

Fresh graduate promise: You do not need Amazon experience to begin. Read every page as: what is this, why does it matter, what data do I need, what can go wrong, and what should I do next?

Start Here Paths

- **Beginner VA:** Read Sections 1-4, then 5-11, then 22. Practice with checklists before touching live accounts.
- **Junior Strategist:** Read Sections 1-11, 14-15, 18, 22-23. Focus on diagnosis and business interpretation.
- **Senior Strategist:** Read all core sections, then 12-13, 17, 21, 25, and 32. Build systems and review strategy.
- **Brand Owner:** Read Sections 1, 3, 10, 14-15, 18, 20, and 23. Focus on decisions, targets, and expectations.
- **Agency Owner:** Read Sections 2, 10-11, 16-17, 22-23, 26-27, and 32. Focus on repeatability and scalable delivery.

How this expanded version is different

- **Beginner-first language:** Each page explains the topic like the reader has never seen Amazon Seller Central or Ads Console.
- **Operator-ready detail:** Each page says what to check, what action to take, what mistake to avoid, and when to escalate.
- **Data-ready structure:** Each page includes page_id, tags, learner level, owner, and review cycle so this can become a wiki database.
- **Training-ready format:** The content supports lessons, quizzes, handouts, simulator scenarios, and SOPs.

0. Front Matter

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

0.1 Home / Landing Page

Wiki data field	Value
page_id	ppc-0-1-home-landing-page
wiki_title	0.1 Home / Landing Page
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: This is the front door of the wiki. It tells a new reader what Amazon PPC is, who the wiki is for, and where to start based on role.

Explain it to a fresh graduate: A fresh graduate should not start with bidding formulas. Start with the map. Think of this page like the reception desk in a big office building.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Add role paths: Beginner VA, Junior Strategist, Senior Strategist, Brand Owner, Agency Owner. Put the link map here and update the version log every time the wiki changes.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

0.2 How to Use This Wiki

Wiki data field	Value
page_id	ppc-0-2-how-to-use-this-wiki
wiki_title	0.2 How to Use This Wiki
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: This page explains reading order, notation, examples, and where to find definitions.

Explain it to a fresh graduate: New people get lost when every page uses abbreviations. Put [[Glossary]] and [[Formula Appendix]] up front so nobody has to pretend they know what TACOS means.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use a suggested order: Foundations, Campaign Types, Targeting, Keywords, Bidding, Budgets, Metrics, Reporting, then advanced topics.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

0.3 Contributor / Maintenance Guide

Wiki data field	Value
page_id	ppc-0-3-contributor-maintenance-guide
wiki_title	0.3 Contributor / Maintenance Guide
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: This explains how team members add, review, update, and retire pages.

Explain it to a fresh graduate: Amazon changes often. A stale PPC wiki is like a map with old roads. It still looks official, but it gets people lost.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use page owners, review dates, stale flags, and an approval checklist. Add a changelog template for every update.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

1. Foundations & Fundamentals

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

1.1 What is Amazon PPC

Wiki data field	Value
page_id	ppc-1-1-what-is-amazon-ppc
wiki_title	1.1 What is Amazon PPC
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Amazon PPC means pay-per-click advertising on Amazon. You pay when a shopper clicks your ad, not simply when the ad appears.

Explain it to a fresh graduate: Imagine placing your product on a shelf near the entrance of a store. You pay only when someone picks up the product to inspect it. PPC helps products get seen while organic ranking is still growing.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Teach the flywheel: paid clicks can create sales; sales can help ranking; ranking can create more organic sales; better conversion makes ads cheaper to run.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

1.2 The Amazon Advertising Ecosystem

Wiki data field	Value
page_id	ppc-1-2-the-amazon-advertising-ecosystem
wiki_title	1.2 The Amazon Advertising Ecosystem
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Amazon Ads includes the Ads Console, Seller Central or Vendor Central access, ad products, reports, API access, and learning resources.

Explain it to a fresh graduate: Seller Central is usually for third-party sellers. Vendor Central is usually for brands selling wholesale to Amazon. The Ads Console is where campaigns are built and managed.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Show the account access flow: login, account switcher, campaign manager, reports, brand store, billing, permissions.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

1.3 Core Terminology Primer

Wiki data field	Value
page_id	ppc-1-3-core-terminology-primer
wiki_title	1.3 Core Terminology Primer
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: This page introduces basic words like impressions, clicks, CTR, CVR, CPC, ACOS, TACOS, ROAS, campaign, ad group, keyword, and target.

Explain it to a fresh graduate: Do not memorize everything at once. Learn the hierarchy first: campaign is the folder, ad group is the subfolder, target is what tells Amazon where to show the ad.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Link every term to [[Glossary]]. Add tiny examples: 1,000 impressions, 20 clicks, 2 orders means 2% CTR and 10% CVR.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

1.4 Eligibility & Prerequisites

Wiki data field	Value
page_id	ppc-1-4-eligibility-and-prerequisites
wiki_title	1.4 Eligibility & Prerequisites
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Not every product can advertise. Amazon may require an active account, eligible listings, Featured Offer or Buy Box eligibility, Brand Registry for some ad types, and good account standing.

Explain it to a fresh graduate: Before blaming PPC, check if the product is even allowed to show ads. Sometimes the campaign is fine and the listing is the problem.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Create a pre-flight checklist: active listing, inventory, price, shipping, Buy Box or Featured Offer, category approval, policy compliance, Brand Registry if needed.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

2. Account & Campaign Architecture

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

2.1 Account Structure Philosophy

Wiki data field	Value
page_id	ppc-2-1-account-structure-philosophy
wiki_title	2.1 Account Structure Philosophy
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: This defines how accounts, portfolios, campaigns, and naming conventions should be organized.

Explain it to a fresh graduate: Good structure makes the account easy to audit. Bad structure turns every optimization into a treasure hunt, but with worse music.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use a standard naming format such as Brand | Parent ASIN | Country | Ad Type | Strategy | Target Type | Match | Theme.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

2.2 Campaign Structuring Models

Wiki data field	Value
page_id	ppc-2-2-campaign-structuring-models
wiki_title	2.2 Campaign Structuring Models
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Campaigns can be grouped by SKU, category, match type, funnel stage, defense or offense, launch stage, and maturity stage.

Explain it to a fresh graduate: There is no one perfect structure. The best structure makes reporting clear and keeps budgets controlled.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Separate research from performance. Separate branded defense from non-branded growth. Separate auto, broad, phrase, exact, and product targeting when control matters.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

2.3 Ad Group Best Practices

Wiki data field	Value
page_id	ppc-2-3-ad-group-best-practices
wiki_title	2.3 Ad Group Best Practices
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Ad groups should hold tightly related products and targets. One-theme-per-ad-group keeps data clean.

Explain it to a fresh graduate: If an ad group mixes baby bottles, hiking bags, and gaming keyboards, the data will be useless. Amazon may still spend, but you will not know why.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use SKAGs only when you need very tight bid and budget control. Otherwise, use small themed ad groups.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

2.4 Portfolio & Budget Grouping

Wiki data field	Value
page_id	ppc-2-4-portfolio-and-budget-grouping
wiki_title	2.4 Portfolio & Budget Grouping
primary_level	Foundational
topic_tags	budget
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Portfolios group campaigns for reporting and budget caps.

Explain it to a fresh graduate: A portfolio is like a department budget. It helps you see spend by product line, brand, season, or owner.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use portfolios for product lines, major ASIN groups, seasonal campaigns, or P&L ownership. Avoid creating too many tiny portfolios.

Operator view: Budgets control how much opportunity a campaign can capture. A good budget protects cash while feeding proven performers.

Practical workflow:

- Check whether the campaign runs out of budget.
- Separate strong campaigns from testing campaigns.
- Increase budget on campaigns with profitable or strategic performance.
- Reduce budget on campaigns that waste spend or lack strategic purpose.
- Review pacing before seasonal events.

Worked mini-example: A campaign with 20% ACOS and frequent budget-outs deserves review for a budget increase. A campaign with 90% ACOS and no strategic purpose needs diagnosis before more spend.

Common beginner mistakes:

- Giving equal budget to every campaign.
- Starving a campaign that already proves it can sell efficiently.
- Scaling spend without checking inventory and margin.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

3. Campaign Types

This cluster contains 6 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

3.1 Sponsored Products (SP)

Wiki data field	Value
page_id	ppc-3-1-sponsored-products-sp
wiki_title	3.1 Sponsored Products (SP)
primary_level	Foundational
topic_tags	sp
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Sponsored Products promote individual listings. They are usually the main workhorse for Amazon PPC and often send clicks to the product detail page.

Explain it to a fresh graduate: If Amazon ads were a team, Sponsored Products would be the reliable operations person who shows up every day with a spreadsheet.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Teach Auto, Manual Keyword, Manual Product Targeting, bidding strategies, and placements: Top of Search, Rest of Search, Product Pages.

Operator view: Sponsored Products are usually the daily optimization core. They are closest to conversion and product-level demand capture.

Practical workflow:

- Confirm advertised products are eligible and in stock.
- Choose auto, manual keyword, product targeting, or category targeting.
- Set daily budget, bid strategy, and starting bids.
- Monitor search terms, placements, budget status, and target performance.
- Harvest, negate, and adjust bids based on data.

Worked mini-example: A launch structure may use Auto for discovery, Broad for expansion, Exact for control, and Product Targeting for competitor and defensive placements.

Common beginner mistakes:

- Treating auto campaigns as set-and-forget.
- Mixing too many unrelated products in one ad group.
- Ignoring placement performance.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

3.2 Sponsored Brands (SB)

Wiki data field	Value
page_id	ppc-3-2-sponsored-brands-sb
wiki_title	3.2 Sponsored Brands (SB)
primary_level	Foundational
topic_tags	sb, brand
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Sponsored Brands promote a brand using product collections, Store spotlight, or video formats. They usually need Brand Registry or vendor access.

Explain it to a fresh graduate: SB is less about one product only and more about making shoppers recognize the brand. It is useful for discovery, defense, video, and Store traffic.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use SB when the brand has a strong store, good creative, and products that make sense together.

Operator view: Sponsored Brands help shape brand discovery. They need stronger creative and a clear landing destination.

Practical workflow:

- Confirm Brand Registry or eligibility.
- Choose Product Collection, Store Spotlight, or Video.
- Select landing page, products, headline, and creative.
- Separate branded defense from non-branded growth.
- Review CTR, CVR, new-to-brand metrics, and Store impact.

Worked mini-example: A Sponsored Brands Video campaign can introduce a product on high-intent category keywords while Product Collection ads defend branded searches.

Common beginner mistakes:

- Running SB before the Store or listings are ready.
- Using generic headlines.
- Expecting every SB campaign to behave like bottom-funnel SP exact.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

3.3 Sponsored Display (SD)

Wiki data field	Value
page_id	ppc-3-3-sponsored-display-sd
wiki_title	3.3 Sponsored Display (SD)
primary_level	Foundational
topic_tags	sd
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Sponsored Display reaches shoppers using product targeting and audience targeting such as remarketing or in-market audiences.

Explain it to a fresh graduate: SD is useful when you want to follow up with shoppers who viewed or considered products. Think of it as the polite reminder ad.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use SD for product detail page defense, competitor targeting, remarketing, and audience expansion.

Operator view: Sponsored Display supports product page defense, competitor visibility, and audience remarketing.

Practical workflow:

- Choose product targeting or audience targeting.
- Define defense, conquering, remarketing, or expansion purpose.
- Check creative and product readiness.
- Start with controlled budgets.
- Review view-through and click-attributed performance carefully.

Worked mini-example: A brand can target its own ASINs to defend detail pages, then target competitor ASINs with better-rated or lower-priced alternatives.

Common beginner mistakes:

- Judging upper-funnel display only by immediate ACOS.
- Targeting too broadly with small budgets.
- Using weak images or uncompetitive listings.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

3.4 Sponsored TV / Streaming TV Ads

Wiki data field	Value
page_id	ppc-3-4-sponsored-tv-streaming-tv-ads
wiki_title	3.4 Sponsored TV / Streaming TV Ads
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Sponsored TV and streaming video help brands reach shoppers through video inventory and upper-funnel placements.

Explain it to a fresh graduate: This is not usually the first tool for a tiny budget. It is for awareness and brand recall, not instant keyword harvesting.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Check eligibility, creative specs, minimums, and measurement plan before recommending it.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

3.5 Amazon DSP

Wiki data field	Value
page_id	ppc-3-5-amazon-dsp
wiki_title	3.5 Amazon DSP
primary_level	Foundational
topic_tags	dsp
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.

review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.
---------------------	---

What this page teaches: Amazon DSP is a demand-side platform for programmatic display, video, audio, and streaming ads across Amazon and third-party inventory.

Explain it to a fresh graduate: DSP is the advanced machine. It can be powerful, but you need audience strategy, budget, creative, and measurement discipline.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use DSP when Sponsored Ads are mature and the brand needs retargeting, prospecting, or full-funnel measurement.

Operator view: DSP is for advanced audience strategy across display, video, audio, and streaming placements. It needs stronger planning than basic Sponsored Ads.

Practical workflow:

- Define audience and funnel stage.
- Confirm budget, creative, and measurement plan.
- Separate prospecting from retargeting.
- Use AMC or reporting to evaluate overlap and path to purchase.
- Coordinate DSP learnings with Sponsored Ads strategy.

Worked mini-example: DSP prospecting may build audience reach while SP exact captures purchase intent. Together they can support a full-funnel plan.

Common beginner mistakes:

- Launching DSP without enough budget or creative.
- Comparing DSP prospecting directly against SP exact ACOS.
- Ignoring frequency and audience overlap.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

3.6 Cross-Campaign-Type Strategy

Wiki data field	Value
page_id	ppc-3-6-cross-campaign-type-strategy
wiki_title	3.6 Cross-Campaign-Type Strategy
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: This maps SP, SB, SD, STV, and DSP across the shopper journey.

Explain it to a fresh graduate: Different ad types do different jobs. Do not ask a hammer to cook rice.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Map campaigns by funnel: awareness, consideration, conversion, defense, retention. Budget by brand maturity and margin.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.

- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

4. Targeting & Match Types

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

4.1 Keyword Match Types

Wiki data field	Value
page_id	ppc-4-1-keyword-match-types
wiki_title	4.1 Keyword Match Types
primary_level	Foundational
topic_tags	keyword
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Broad, phrase, and exact control how closely a shopper search must match your keyword.

Explain it to a fresh graduate: Broad explores. Phrase narrows. Exact controls. Broad is the scout, phrase is the filter, exact is the sniper.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Run broad and phrase for discovery, then harvest proven search terms into exact campaigns.

Operator view: Keywords and search terms reveal shopper language. Your job is to separate discovery from control.

Practical workflow:

- Collect seed keywords from listings, competitors, autocomplete, tools, and reports.
- Launch discovery campaigns with controlled budgets.
- Mine search terms after enough clicks or spend.
- Promote proven terms into exact campaigns.
- Negate waste or harvested terms based on structure.

Worked mini-example: The keyword "beer bong" may match the search term "beer bong funnel for party." If that search term gets orders at target ACOS, harvest it into exact match.

Common beginner mistakes:

- Confusing keyword with customer search term.
- Promoting terms too early from one lucky sale.
- Adding negatives without checking whether another campaign needs the traffic.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

4.2 Product Targeting

Wiki data field	Value
page_id	ppc-4-2-product-targeting
wiki_title	4.2 Product Targeting
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Product targeting lets you advertise on specific ASINs or categories, including competitor products or your own product pages.

Explain it to a fresh graduate: Instead of targeting a word shoppers type, you target a product page they visit.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use own-ASIN targeting for defense and competitor ASIN targeting for conquering. Use category refinements for price, rating, brand, and Prime eligibility.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]] , [[Formula Appendix]] , [[Metrics & KPIs]] , [[Campaign Types]] , [[Targeting & Match Types]] , [[Reporting]] , and any directly related page from this section.
--

4.3 Audience Targeting

Wiki data field	Value
page_id	ppc-4-3-audience-targeting
wiki_title	4.3 Audience Targeting
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Audience targeting uses shopper behavior signals such as views, purchases, lifestyle, or in-market interest.

Explain it to a fresh graduate: This is closer to saying, 'show ads to people who behaved like potential buyers,' instead of 'show ads when someone types this keyword.'

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use audience targeting in Sponsored Display and DSP for remarketing and upper-funnel expansion.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.

- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

4.4 Auto-Targeting Categories

Wiki data field	Value
page_id	ppc-4-4-auto-targeting-categories
wiki_title	4.4 Auto-Targeting Categories
primary_level	Foundational
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Auto campaigns can use close match, loose match, substitutes, and complements.

Explain it to a fresh graduate: Auto campaigns let Amazon explore where your product may fit. They are helpful, but not magic. They need mining and negatives.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use auto as a discovery engine. Pull converting search terms into manual campaigns and negate waste.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

5. Keyword Research & Search Term Mining

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

5.1 Research Methodology

Wiki data field	Value
page_id	ppc-5-1-research-methodology
wiki_title	5.1 Research Methodology
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Keyword research finds how customers search. Sources include brainstorming, competitor listings, autocomplete, search term reports, reverse ASIN tools, and Brand Analytics.

Explain it to a fresh graduate: Do not start with what the brand calls the product. Start with what customers type when they want to buy it.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Build a seed list, expand it, score relevance, group by intent, then map keywords to campaigns.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

5.2 Keyword Research Tools

Wiki data field	Value
page_id	ppc-5-2-keyword-research-tools
wiki_title	5.2 Keyword Research Tools
primary_level	Applied
topic_tags	keyword
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Tools like Helium 10, Data Dive, Brand Analytics, and Amazon reports help find keyword opportunities.

Explain it to a fresh graduate: Tools do not replace judgment. A keyword with volume but weak relevance can burn money very efficiently. Fancy bonfire, still a bonfire.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use tools to collect data, then human review to judge relevance, intent, and campaign fit.

Operator view: Keywords and search terms reveal shopper language. Your job is to separate discovery from control.

Practical workflow:

- Collect seed keywords from listings, competitors, autocomplete, tools, and reports.
- Launch discovery campaigns with controlled budgets.
- Mine search terms after enough clicks or spend.
- Promote proven terms into exact campaigns.
- Negate waste or harvested terms based on structure.

Worked mini-example: The keyword "beer bong" may match the search term "beer bong funnel for party." If that search term gets orders at target ACOS, harvest it into exact match.

Common beginner mistakes:

- Confusing keyword with customer search term.
- Promoting terms too early from one lucky sale.
- Adding negatives without checking whether another campaign needs the traffic.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

5.3 Search Term Harvesting Workflow

Wiki data field	Value
page_id	ppc-5-3-search-term-harvesting-workflow
wiki_title	5.3 Search Term Harvesting Workflow
primary_level	Applied
topic_tags	keyword
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Harvesting means moving search terms that prove performance into stronger manual control, usually exact match.

Explain it to a fresh graduate: If a search term makes sales, promote it. If it wastes spend, negate it. That is the heartbeat of PPC operations.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use rules such as: promote terms with orders and acceptable ACOS; negate terms with enough clicks and zero sales; review before applying.

Operator view: Keywords and search terms reveal shopper language. Your job is to separate discovery from control.

Practical workflow:

- Collect seed keywords from listings, competitors, autocomplete, tools, and reports.
- Launch discovery campaigns with controlled budgets.
- Mine search terms after enough clicks or spend.
- Promote proven terms into exact campaigns.
- Negate waste or harvested terms based on structure.

Worked mini-example: The keyword "beer bong" may match the search term "beer bong funnel for party." If that search term gets orders at target ACOS, harvest it into exact match.

Common beginner mistakes:

- Confusing keyword with customer search term.

- Promoting terms too early from one lucky sale.
- Adding negatives without checking whether another campaign needs the traffic.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

5.4 Long-Tail vs. Head Term Strategy

Wiki data field	Value
page_id	ppc-5-4-long-tail-vs-head-term-strategy
wiki_title	5.4 Long-Tail vs. Head Term Strategy
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Head terms are short and high-volume. Long-tail terms are longer, more specific, and often cheaper or more conversion-friendly.

Explain it to a fresh graduate: 'Shoes' is a head term. 'women waterproof hiking shoes size 8' is long-tail. The second tells you much more about buyer intent.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Bid more carefully on head terms. Use long-tail terms for efficient scaling and cleaner search intent.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

6. Bidding Strategies & Bid Management

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

6.1 Manual Bidding Fundamentals

Wiki data field	Value
page_id	ppc-6-1-manual-bidding-fundamentals
wiki_title	6.1 Manual Bidding Fundamentals
primary_level	Applied
topic_tags	bidding
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Bids decide how much you are willing to pay for a click. Formulas help keep bids aligned with price, conversion rate, and target ACOS.

Explain it to a fresh graduate: A bid is not a guess. It should connect to what a click is worth. If every sale gives little profit, you cannot bid like a billionaire raccoon.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use $CPC\ max = Price \times Target\ ACOS \times Conversion\ Rate$. Compare to Amazon suggested bids, then start conservatively when data is limited.

Operator view: Bids control how aggressively you enter auctions. Bid changes should follow evidence, not mood, caffeine, or panic.

Practical workflow:

- Confirm the target ACOS or ROAS.
- Calculate a safe CPC from price, conversion rate, and target ACOS.
- Check clicks, orders, spend, and placement before changing the bid.
- Increase bids only where relevance and conversion justify more traffic.
- Decrease bids where spend is inefficient but the target is still relevant.

Worked mini-example: If price is \$20, target ACOS is 25%, and CVR is 10%, the target CPC is $\$20 \times 25\% \times 10\% = \0.50 . A \$1.20 bid may be too aggressive unless conversion is much higher.

Common beginner mistakes:

- Raising bids on keywords with weak conversion.
- Cutting bids too early before enough clicks exist.
- Ignoring placement modifiers that may be causing high CPC.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

6.2 Dynamic & Rule-Based Bidding

Wiki data field	Value
page_id	ppc-6-2-dynamic-and-rule-based-bidding
wiki_title	6.2 Dynamic & Rule-Based Bidding
primary_level	Applied
topic_tags	bidding
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Amazon can adjust bids using dynamic bids down only, up and down, or fixed bids. Tools can also automate bid changes with rules.

Explain it to a fresh graduate: Dynamic bidding means Amazon may lower or raise bids depending on estimated conversion chance. It is helpful, but it should not replace account strategy.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use Down Only for controlled testing, Up and Down for proven high-converting campaigns, Fixed when you need strict control.

Operator view: Bids control how aggressively you enter auctions. Bid changes should follow evidence, not mood, caffeine, or panic.

Practical workflow:

- Confirm the target ACOS or ROAS.
- Calculate a safe CPC from price, conversion rate, and target ACOS.
- Check clicks, orders, spend, and placement before changing the bid.
- Increase bids only where relevance and conversion justify more traffic.
- Decrease bids where spend is inefficient but the target is still relevant.

Worked mini-example: If price is \$20, target ACOS is 25%, and CVR is 10%, the target CPC is $\$20 \times 25\% \times 10\% = \0.50 . A \$1.20 bid may be too aggressive unless conversion is much higher.

Common beginner mistakes:

- Raising bids on keywords with weak conversion.
- Cutting bids too early before enough clicks exist.
- Ignoring placement modifiers that may be causing high CPC.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

6.3 Bid Adjustment Cadence

Wiki data field	Value
page_id	ppc-6-3-bid-adjustment-cadence
wiki_title	6.3 Bid Adjustment Cadence
primary_level	Applied
topic_tags	bidding
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Bids should be reviewed on a rhythm, not every time one click happens.

Explain it to a fresh graduate: One bad click is not a trend. Changing bids too early is like changing your college major because of one quiz.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use daily checks for spend leaks, weekly for optimization, monthly for strategy. Wait for enough clicks, spend, or orders before major changes.

Operator view: Bids control how aggressively you enter auctions. Bid changes should follow evidence, not mood, caffeine, or panic.

Practical workflow:

- Confirm the target ACOS or ROAS.
- Calculate a safe CPC from price, conversion rate, and target ACOS.
- Check clicks, orders, spend, and placement before changing the bid.
- Increase bids only where relevance and conversion justify more traffic.
- Decrease bids where spend is inefficient but the target is still relevant.

Worked mini-example: If price is \$20, target ACOS is 25%, and CVR is 10%, the target CPC is $\$20 \times 25\% \times 10\% = \0.50 . A \$1.20 bid may be too aggressive unless conversion is much higher.

Common beginner mistakes:

- Raising bids on keywords with weak conversion.
- Cutting bids too early before enough clicks exist.
- Ignoring placement modifiers that may be causing high CPC.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

6.4 Placement Bid Modifiers

Wiki data field	Value
page_id	ppc-6-4-placement-bid-modifiers
wiki_title	6.4 Placement Bid Modifiers
primary_level	Applied
topic_tags	bidding
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Placement modifiers increase bids for Top of Search or Product Pages placements.

Explain it to a fresh graduate: Top of Search can convert well, but it can also get expensive. Treat modifiers like seasoning. Too much and the whole dish becomes chaos.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Increase modifiers only when placement data proves better performance and the campaign has enough budget.

Operator view: Bids control how aggressively you enter auctions. Bid changes should follow evidence, not mood, caffeine, or panic.

Practical workflow:

- Confirm the target ACOS or ROAS.
- Calculate a safe CPC from price, conversion rate, and target ACOS.
- Check clicks, orders, spend, and placement before changing the bid.
- Increase bids only where relevance and conversion justify more traffic.
- Decrease bids where spend is inefficient but the target is still relevant.

Worked mini-example: If price is \$20, target ACOS is 25%, and CVR is 10%, the target CPC is $\$20 \times 25\% \times 10\% = \0.50 . A \$1.20 bid may be too aggressive unless conversion is much higher.

Common beginner mistakes:

- Raising bids on keywords with weak conversion.
- Cutting bids too early before enough clicks exist.
- Ignoring placement modifiers that may be causing high CPC.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

7. Budget Management & Pacing

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

7.1 Budget Allocation Frameworks

Wiki data field	Value
page_id	ppc-7-1-budget-allocation-frameworks
wiki_title	7.1 Budget Allocation Frameworks
primary_level	Applied
topic_tags	budget
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Budgets can be set from the top down as a spend target or bottom up by SKU opportunity and margin.

Explain it to a fresh graduate: Budget is not just money available. It is a decision about where growth is allowed to happen.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Protect budget for winners, reserve testing budget for discovery, and avoid spreading small budgets across too many campaigns.

Operator view: Budgets control how much opportunity a campaign can capture. A good budget protects cash while feeding proven performers.

Practical workflow:

- Check whether the campaign runs out of budget.
- Separate strong campaigns from testing campaigns.
- Increase budget on campaigns with profitable or strategic performance.
- Reduce budget on campaigns that waste spend or lack strategic purpose.
- Review pacing before seasonal events.

Worked mini-example: A campaign with 20% ACOS and frequent budget-outs deserves review for a budget increase. A campaign with 90% ACOS and no strategic purpose needs diagnosis before more spend.

Common beginner mistakes:

- Giving equal budget to every campaign.
- Starving a campaign that already proves it can sell efficiently.
- Scaling spend without checking inventory and margin.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

7.2 Pacing and Ran Out of Budget Diagnostics

Wiki data field	Value
page_id	ppc-7-2-pacing-and-ran-out-of-budget-diagnostics
wiki_title	7.2 Pacing and Ran Out of Budget Diagnostics
primary_level	Applied
topic_tags	budget
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Pacing checks whether campaigns run out of budget too early or underspend despite opportunity.

Explain it to a fresh graduate: If a strong campaign runs out by lunch, the best hours may be gone before shoppers even arrive after work.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Check budget status, hourly spend, lost opportunity, ACOS, and campaign importance before increasing budgets.

Operator view: Budgets control how much opportunity a campaign can capture. A good budget protects cash while feeding proven performers.

Practical workflow:

- Check whether the campaign runs out of budget.
- Separate strong campaigns from testing campaigns.
- Increase budget on campaigns with profitable or strategic performance.
- Reduce budget on campaigns that waste spend or lack strategic purpose.
- Review pacing before seasonal events.

Worked mini-example: A campaign with 20% ACOS and frequent budget-outs deserves review for a budget increase. A campaign with 90% ACOS and no strategic purpose needs diagnosis before more spend.

Common beginner mistakes:

- Giving equal budget to every campaign.
- Starving a campaign that already proves it can sell efficiently.
- Scaling spend without checking inventory and margin.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

7.3 Seasonal Budget Planning

Wiki data field	Value
page_id	ppc-7-3-seasonal-budget-planning
wiki_title	7.3 Seasonal Budget Planning
primary_level	Applied
topic_tags	budget, seasonal
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Seasonal planning prepares budgets for Prime Day, Q4, Black Friday, Cyber Monday, holidays, and category peaks.

Explain it to a fresh graduate: During big events, normal budgets can collapse faster than a cheap umbrella in a typhoon.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Plan pre-event ramp, event-day scale, and post-event wind-down. Tie budget to inventory and promo calendar.

Operator view: Budgets control how much opportunity a campaign can capture. A good budget protects cash while feeding proven performers.

Practical workflow:

- Check whether the campaign runs out of budget.
- Separate strong campaigns from testing campaigns.
- Increase budget on campaigns with profitable or strategic performance.
- Reduce budget on campaigns that waste spend or lack strategic purpose.
- Review pacing before seasonal events.

Worked mini-example: A campaign with 20% ACOS and frequent budget-outs deserves review for a budget increase. A campaign with 90% ACOS and no strategic purpose needs diagnosis before more spend.

Common beginner mistakes:

- Giving equal budget to every campaign.
- Starving a campaign that already proves it can sell efficiently.
- Scaling spend without checking inventory and margin.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

8. Placements & Placement Optimization

This cluster contains 2 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

8.1 Placement Types Explained

Wiki data field	Value
page_id	ppc-8-1-placement-types-explained
wiki_title	8.1 Placement Types Explained
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Sponsored Products placements include Top of Search, Rest of Search, and Product Pages.

Explain it to a fresh graduate: Placement means where the ad appears. Same campaign, different shelf location, different buyer behavior.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use Top of Search for high-intent visibility, Product Pages for comparison shopping, and Rest of Search for broader reach.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

8.2 Placement Reporting & Diagnosis

Wiki data field	Value
page_id	ppc-8-2-placement-reporting-and-diagnosis
wiki_title	8.2 Placement Reporting & Diagnosis
primary_level	Applied
topic_tags	reporting
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Placement reports show performance by placement so you can adjust modifiers.

Explain it to a fresh graduate: Do not assume Top of Search is always best. Let the placement report be the referee.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Raise modifiers where CVR and ACOS support it. Reduce or remove modifiers when spend rises without profitable sales.

Operator view: Reports turn raw PPC activity into decisions. The best report explains what happened, why it happened, and what happens next.

Practical workflow:

- Choose the right report for the question.
- Clean and label the data.
- Compare against target and previous period.
- Find the root cause, not only the metric movement.
- Write the action plan with owner and deadline.

Worked mini-example: Instead of saying ACOS rose from 25% to 32%, explain that CPC rose on two non-branded exact campaigns while conversion dropped after price increased.

Common beginner mistakes:

- Sending tables without interpretation.
- Mixing attribution windows or date ranges.
- Reporting only ad metrics when stakeholders need business impact.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]] , [[Formula Appendix]] , [[Metrics & KPIs]] , [[Campaign Types]] , [[Targeting & Match Types]] , [[Reporting]] , and any directly related page from this section.
--

9. Negative Keywords & Negation Strategy

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

9.1 Negative Match Types

Wiki data field	Value
page_id	ppc-9-1-negative-match-types
wiki_title	9.1 Negative Match Types
primary_level	Applied
topic_tags	negation
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Negative exact blocks one exact query. Negative phrase blocks searches containing that phrase. Negative product targeting blocks specific ASIN targets.

Explain it to a fresh graduate: Negatives tell Amazon where not to show the ad. They are the brakes of the account.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use negative exact for precise waste. Use negative phrase for clearly irrelevant word groups. Use product negatives for bad ASIN placements.

Operator view: Negative keywords prevent spend on bad traffic or protect clean campaign structure.

Practical workflow:

- Review search terms by spend, clicks, orders, ACOS, and relevance.
- Mark terms as irrelevant, inefficient, harvested, or still testing.
- Use negative exact for precise blocking.
- Use negative phrase only when the entire phrase family is unwanted.
- Check conflicts before uploading negatives.

Worked mini-example: If a premium leather wallet campaign spends on "cheap plastic wallet," the term may be negated. If "brown leather wallet" spent \$8 with no sale but only 6 clicks, keep testing unless thresholds are met.

Common beginner mistakes:

- Using negative phrase too aggressively.
- Negating a term that performs in another campaign.
- Blocking discovery before the campaign has enough data.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

9.2 Negation Strategy by Campaign Structure

Wiki data field	Value
page_id	ppc-9-2-negation-strategy-by-campaign-structure
wiki_title	9.2 Negation Strategy by Campaign Structure
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Negatives prevent waste and protect clean campaign segmentation.

Explain it to a fresh graduate: If a term is harvested into exact, you may negate it in broad or auto so data moves to the controlled campaign.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Apply cross-campaign negatives carefully. Keep a change log so you know why terms were blocked.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

9.3 Common Negation Mistakes

Wiki data field	Value
page_id	ppc-9-3-common-negation-mistakes
wiki_title	9.3 Common Negation Mistakes
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Common errors include over-negating, blocking good terms, creating conflicts, and negating too early.

Explain it to a fresh graduate: Negatives are powerful. The wrong negative can quietly kill sales and sit there like a tiny villain in a spreadsheet.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Review search volume, sales history, relevance, and positive targets before applying broad negative phrase rules.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

10. Metrics, KPIs & Analytics

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

10.1 Core Metrics Deep Dive

Wiki data field	Value
page_id	ppc-10-1-core-metrics-deep-dive
wiki_title	10.1 Core Metrics Deep Dive
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Core metrics include impressions, clicks, CTR, CPC, CVR, spend, sales, ACOS, TACOS, and ROAS.

Explain it to a fresh graduate: Metrics are the dashboard lights. They do not fix the car, but they tell you where to inspect.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Teach formulas: CTR = clicks/impressions; CVR = orders/clicks; ACOS = ad spend/ad sales; ROAS = ad sales/ad spend; TACOS = ad spend/total sales.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

10.2 Advanced Metrics

Wiki data field	Value
page_id	ppc-10-2-advanced-metrics
wiki_title	10.2 Advanced Metrics
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Advanced metrics include new-to-brand, halo sales, attribution windows, brand halo, and cross-channel impact.

Explain it to a fresh graduate: Not all value appears as same-SKU immediate sales. Some ads introduce new customers or influence later purchases.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use advanced metrics for SB, SD, DSP, AMC, and stakeholder reporting beyond basic ACOS.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

10.3 Health Check Frameworks

Wiki data field	Value
page_id	ppc-10-3-health-check-frameworks
wiki_title	10.3 Health Check Frameworks
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: A health scorecard quickly shows what is healthy, risky, or broken in the account.

Explain it to a fresh graduate: A beginner should not stare at 50 columns and panic. Use a simple red-yellow-green system.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Score spend, sales, ACOS, TACOS, CTR, CVR, budget status, search term waste, and scaling opportunities.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.

- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

10.4 Benchmarking

Wiki data field	Value
page_id	ppc-10-4-benchmarking
wiki_title	10.4 Benchmarking
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Benchmarks compare performance against category, account history, margin, and business goal.

Explain it to a fresh graduate: There is no universal 'good ACOS.' A 35% ACOS may be great for launch and bad for a low-margin mature product.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Calculate break-even ACOS from margin. Use category benchmarks only as directional guidance.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

11. Reporting & Data Analysis

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

11.1 Native Amazon Reports

Wiki data field	Value
page_id	ppc-11-1-native-amazon-reports
wiki_title	11.1 Native Amazon Reports
primary_level	Applied
topic_tags	reporting
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Key reports include Search Term, Targeting, Placement, Advertised Product, Purchased Product, Budget, and Bulk files.

Explain it to a fresh graduate: Reports are where the account tells the truth. The console summary is useful, but reports reveal the details.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Teach where each report lives, what question it answers, and how often to use it.

Operator view: Reports turn raw PPC activity into decisions. The best report explains what happened, why it happened, and what happens next.

Practical workflow:

- Choose the right report for the question.
- Clean and label the data.
- Compare against target and previous period.
- Find the root cause, not only the metric movement.
- Write the action plan with owner and deadline.

Worked mini-example: Instead of saying ACOS rose from 25% to 32%, explain that CPC rose on two non-branded exact campaigns while conversion dropped after price increased.

Common beginner mistakes:

- Sending tables without interpretation.
- Mixing attribution windows or date ranges.
- Reporting only ad metrics when stakeholders need business impact.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

11.2 Brand Analytics

Wiki data field	Value
page_id	ppc-11-2-brand-analytics
wiki_title	11.2 Brand Analytics
primary_level	Applied
topic_tags	reporting, brand
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Brand Analytics includes tools such as Search Query Performance, Market Basket Analysis, Item Comparison, and Repeat Purchase reports where available.

Explain it to a fresh graduate: Brand Analytics helps you see market behavior, not just your ad clicks.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use SQP to compare query-level impressions, clicks, cart adds, purchases, and share trends.

Operator view: Reports turn raw PPC activity into decisions. The best report explains what happened, why it happened, and what happens next.

Practical workflow:

- Choose the right report for the question.
- Clean and label the data.
- Compare against target and previous period.
- Find the root cause, not only the metric movement.
- Write the action plan with owner and deadline.

Worked mini-example: Instead of saying ACOS rose from 25% to 32%, explain that CPC rose on two non-branded exact campaigns while conversion dropped after price increased.

Common beginner mistakes:

- Sending tables without interpretation.
- Mixing attribution windows or date ranges.
- Reporting only ad metrics when stakeholders need business impact.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

11.3 Custom Reporting & Dashboards

Wiki data field	Value
page_id	ppc-11-3-custom-reporting-and-dashboards
wiki_title	11.3 Custom Reporting & Dashboards
primary_level	Applied
topic_tags	reporting
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Custom dashboards translate raw data into views for operators, strategists, clients, and executives.

Explain it to a fresh graduate: An operator needs details. A CEO needs the story. Do not give both the same 47-column spreadsheet unless you enjoy meetings with sighing.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Build dashboard layers: executive summary, growth drivers, waste, keyword opportunities, budget pacing, action log.

Operator view: Reports turn raw PPC activity into decisions. The best report explains what happened, why it happened, and what happens next.

Practical workflow:

- Choose the right report for the question.
- Clean and label the data.
- Compare against target and previous period.
- Find the root cause, not only the metric movement.
- Write the action plan with owner and deadline.

Worked mini-example: Instead of saying ACOS rose from 25% to 32%, explain that CPC rose on two non-branded exact campaigns while conversion dropped after price increased.

Common beginner mistakes:

- Sending tables without interpretation.
- Mixing attribution windows or date ranges.
- Reporting only ad metrics when stakeholders need business impact.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

11.4 Data Storytelling

Wiki data field	Value
page_id	ppc-11-4-data-storytelling
wiki_title	11.4 Data Storytelling
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Data storytelling explains what happened, why it happened, what you will do, and what result you expect.

Explain it to a fresh graduate: Numbers alone do not persuade. A good PPC report turns data into business decisions.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use a simple format: headline, evidence, cause, action, expected impact, owner, deadline.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

12. Amazon Marketing Cloud

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

12.1 What AMC Is and Who Needs It

Wiki data field	Value
page_id	ppc-12-1-what-amc-is-and-who-needs-it
wiki_title	12.1 What AMC Is and Who Needs It
primary_level	Advanced
topic_tags	amc
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Amazon Marketing Cloud is a privacy-safe clean room used for deeper analytics and audience building across Amazon Ads signals and advertiser inputs.

Explain it to a fresh graduate: AMC is for advanced measurement. It helps answer questions the normal console cannot answer cleanly.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use AMC when the brand has enough media activity, wants cross-channel attribution, or needs custom audience logic.

Operator view: AMC is a clean-room analytics tool for advanced measurement and audience building. It is not a beginner campaign manager screen.

Practical workflow:

- Define the business question.
- Confirm available signals and privacy constraints.
- Run or request a query.
- Interpret results for overlap, path to conversion, or audience creation.
- Translate the insight into media action.

Worked mini-example: AMC can help answer whether shoppers exposed to DSP and Sponsored Ads convert differently from shoppers exposed to only one channel.

Common beginner mistakes:

- Using AMC without a clear question.
- Expecting it to replace daily campaign reports.
- Sharing or exporting data outside allowed privacy rules.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

12.2 AMC Use Cases

Wiki data field	Value
page_id	ppc-12-2-amc-use-cases
wiki_title	12.2 AMC Use Cases
primary_level	Advanced
topic_tags	amc
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: AMC can support overlap analysis, path-to-purchase analysis, cross-channel attribution, frequency analysis, and audience creation.

Explain it to a fresh graduate: It helps answer questions like: Did DSP exposure improve Sponsored Ads conversion? Are we showing too many ads to the same shoppers?

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Start with business questions before writing queries. Do not run SQL just because it sounds senior.

Operator view: AMC is a clean-room analytics tool for advanced measurement and audience building. It is not a beginner campaign manager screen.

Practical workflow:

- Define the business question.
- Confirm available signals and privacy constraints.
- Run or request a query.
- Interpret results for overlap, path to conversion, or audience creation.
- Translate the insight into media action.

Worked mini-example: AMC can help answer whether shoppers exposed to DSP and Sponsored Ads convert differently from shoppers exposed to only one channel.

Common beginner mistakes:

- Using AMC without a clear question.
- Expecting it to replace daily campaign reports.
- Sharing or exporting data outside allowed privacy rules.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

12.3 AMC SQL Basics

Wiki data field	Value
page_id	ppc-12-3-amc-sql-basics
wiki_title	12.3 AMC SQL Basics
primary_level	Advanced
topic_tags	amc
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: AMC uses SQL-style queries on permitted data tables to create aggregated insights.

Explain it to a fresh graduate: SQL is a way to ask structured questions of data. It is less scary once you see it as filtered spreadsheet logic.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Teach SELECT, FROM, WHERE, GROUP BY, date windows, privacy thresholds, and template queries.

Operator view: AMC is a clean-room analytics tool for advanced measurement and audience building. It is not a beginner campaign manager screen.

Practical workflow:

- Define the business question.
- Confirm available signals and privacy constraints.
- Run or request a query.
- Interpret results for overlap, path to conversion, or audience creation.
- Translate the insight into media action.

Worked mini-example: AMC can help answer whether shoppers exposed to DSP and Sponsored Ads convert differently from shoppers exposed to only one channel.

Common beginner mistakes:

- Using AMC without a clear question.
- Expecting it to replace daily campaign reports.
- Sharing or exporting data outside allowed privacy rules.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

13. Amazon DSP

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

13.1 DSP Fundamentals

Wiki data field	Value
page_id	ppc-13-1-dsp-fundamentals
wiki_title	13.1 DSP Fundamentals
primary_level	Advanced
topic_tags	dsp
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Amazon DSP allows programmatic buying across display, video, audio, and streaming inventory using Amazon audience signals.

Explain it to a fresh graduate: Sponsored Ads often capture demand. DSP can create and re-engage demand across more placements.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Explain managed service vs. self-service, budget expectations, audience strategy, creative, and measurement.

Operator view: DSP is for advanced audience strategy across display, video, audio, and streaming placements. It needs stronger planning than basic Sponsored Ads.

Practical workflow:

- Define audience and funnel stage.
- Confirm budget, creative, and measurement plan.
- Separate prospecting from retargeting.
- Use AMC or reporting to evaluate overlap and path to purchase.
- Coordinate DSP learnings with Sponsored Ads strategy.

Worked mini-example: DSP prospecting may build audience reach while SP exact captures purchase intent. Together they can support a full-funnel plan.

Common beginner mistakes:

- Launching DSP without enough budget or creative.
- Comparing DSP prospecting directly against SP exact ACOS.
- Ignoring frequency and audience overlap.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

13.2 DSP Campaign Types

Wiki data field	Value
page_id	ppc-13-2-dsp-campaign-types
wiki_title	13.2 DSP Campaign Types
primary_level	Advanced
topic_tags	dsp
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: DSP campaigns can include display, online video, audio, over-the-top/streaming TV, retargeting, and prospecting.

Explain it to a fresh graduate: Retargeting talks to people who already showed interest. Prospecting looks for new likely buyers.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Map campaign type to objective: awareness, consideration, retargeting, loyalty, or category expansion.

Operator view: DSP is for advanced audience strategy across display, video, audio, and streaming placements. It needs stronger planning than basic Sponsored Ads.

Practical workflow:

- Define audience and funnel stage.
- Confirm budget, creative, and measurement plan.
- Separate prospecting from retargeting.
- Use AMC or reporting to evaluate overlap and path to purchase.
- Coordinate DSP learnings with Sponsored Ads strategy.

Worked mini-example: DSP prospecting may build audience reach while SP exact captures purchase intent. Together they can support a full-funnel plan.

Common beginner mistakes:

- Launching DSP without enough budget or creative.
- Comparing DSP prospecting directly against SP exact ACOS.
- Ignoring frequency and audience overlap.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

13.3 DSP Audience Building

Wiki data field	Value
page_id	ppc-13-3-dsp-audience-building
wiki_title	13.3 DSP Audience Building
primary_level	Advanced
topic_tags	dsp
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Audiences can use Amazon segments, remarketing pools, first-party data, and lookalikes where available.

Explain it to a fresh graduate: The audience is the 'who.' Bad audience targeting can waste even beautiful creative.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Document audience source, logic, exclusions, frequency cap, and expected behavior.

Operator view: DSP is for advanced audience strategy across display, video, audio, and streaming placements. It needs stronger planning than basic Sponsored Ads.

Practical workflow:

- Define audience and funnel stage.
- Confirm budget, creative, and measurement plan.
- Separate prospecting from retargeting.
- Use AMC or reporting to evaluate overlap and path to purchase.
- Coordinate DSP learnings with Sponsored Ads strategy.

Worked mini-example: DSP prospecting may build audience reach while SP exact captures purchase intent. Together they can support a full-funnel plan.

Common beginner mistakes:

- Launching DSP without enough budget or creative.
- Comparing DSP prospecting directly against SP exact ACOS.
- Ignoring frequency and audience overlap.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

13.4 DSP + Sponsored Ads Synergy

Wiki data field	Value
page_id	ppc-13-4-dsp-sponsored-ads-synergy
wiki_title	13.4 DSP + Sponsored Ads Synergy
primary_level	Advanced
topic_tags	dsp
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: DSP and Sponsored Ads work best when budgets, audiences, and search coverage support each other.

Explain it to a fresh graduate: A shopper may see a video, later search Amazon, click SP, then buy. Good reporting should respect that journey.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use full-funnel planning: DSP builds reach, SD retargets, SB shapes brand consideration, SP captures purchase intent.

Operator view: DSP is for advanced audience strategy across display, video, audio, and streaming placements. It needs stronger planning than basic Sponsored Ads.

Practical workflow:

- Define audience and funnel stage.
- Confirm budget, creative, and measurement plan.
- Separate prospecting from retargeting.
- Use AMC or reporting to evaluate overlap and path to purchase.
- Coordinate DSP learnings with Sponsored Ads strategy.

Worked mini-example: DSP prospecting may build audience reach while SP exact captures purchase intent. Together they can support a full-funnel plan.

Common beginner mistakes:

- Launching DSP without enough budget or creative.
- Comparing DSP prospecting directly against SP exact ACOS.
- Ignoring frequency and audience overlap.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

14. Brand Presence & Content Tie-Ins

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

14.1 Brand Registry

Wiki data field	Value
page_id	ppc-14-1-brand-registry
wiki_title	14.1 Brand Registry
primary_level	Applied
topic_tags	brand
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Brand Registry unlocks or improves access to brand features like Sponsored Brands, Stores, brand assets, and A+ Content.

Explain it to a fresh graduate: Brand Registry proves you control the brand. Without it, some brand-building ad tools may not be available.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Check trademark, brand ownership, store readiness, and user permissions before planning SB-heavy strategies.

Operator view: Brand assets influence trust, conversion, and ad formats available to the account.

Practical workflow:

- Confirm Brand Registry or eligibility.
- Audit Store, A+ Content, images, video, and brand messaging.
- Map SB and SD campaigns to brand assets.
- Measure Store and product detail page performance.
- Refresh creative when performance decays.

Worked mini-example: A strong Brand Store can turn Sponsored Brands traffic into multi-product discovery instead of sending every shopper to one listing.

Common beginner mistakes:

- Sending SB traffic to a weak Store.
- Using inconsistent product messaging.
- Ignoring creative fatigue.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

14.2 Brand Store

Wiki data field	Value
page_id	ppc-14-2-brand-store
wiki_title	14.2 Brand Store
primary_level	Applied
topic_tags	brand
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: A Brand Store is a branded landing space inside Amazon with pages for product lines, collections, and campaigns.

Explain it to a fresh graduate: Think of it as a mini website inside Amazon. SB ads often send traffic there.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Build pages by shopper intent: best sellers, categories, use cases, bundles, seasonal offers.

Operator view: Brand assets influence trust, conversion, and ad formats available to the account.

Practical workflow:

- Confirm Brand Registry or eligibility.
- Audit Store, A+ Content, images, video, and brand messaging.
- Map SB and SD campaigns to brand assets.
- Measure Store and product detail page performance.
- Refresh creative when performance decays.

Worked mini-example: A strong Brand Store can turn Sponsored Brands traffic into multi-product discovery instead of sending every shopper to one listing.

Common beginner mistakes:

- Sending SB traffic to a weak Store.
- Using inconsistent product messaging.
- Ignoring creative fatigue.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

14.3 A+ Content / Premium A+

Wiki data field	Value
page_id	ppc-14-3-a-content-premium-a
wiki_title	14.3 A+ Content / Premium A+
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: A+ Content improves product detail pages with richer images, comparison charts, and brand storytelling.

Explain it to a fresh graduate: Ads bring shoppers to the page. A+ helps convince them once they arrive.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Audit A+ before scaling traffic. Weak content lowers CVR and makes every click feel expensive.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

15. Listing Optimization

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

15.1 Why Listing Quality Gates PPC Performance

Wiki data field	Value
page_id	ppc-15-1-why-listing-quality-gates-ppc-performance
wiki_title	15.1 Why Listing Quality Gates PPC Performance
primary_level	Applied
topic_tags	listing
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: PPC performance depends on listing conversion rate. A weak listing limits what ads can achieve.

Explain it to a fresh graduate: If the product page does not persuade shoppers, buying more traffic just buys more disappointment.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Check title, images, reviews, rating, price, coupon, inventory, A+ content, and competitor comparison before scaling.

Operator view: Listings set the ceiling for PPC performance. Ads can bring traffic, but the page must convert that traffic.

Practical workflow:

- Audit title, images, bullets, A+ Content, price, reviews, inventory, and offers.
- Compare against top competitors.
- Check CVR and unit session percentage trends.
- Fix major listing issues before scaling bids.
- Test images, titles, and promotions when possible.

Worked mini-example: If CTR is strong but CVR is weak, the ad may be attracting shoppers but the listing may fail to convince them.

Common beginner mistakes:

- Blaming PPC for a weak product page.
- Scaling spend while reviews, price, or images are uncompetitive.
- Ignoring mobile listing experience.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

15.2 Title, Bullet, Backend Keyword Optimization

Wiki data field	Value
page_id	ppc-15-2-title-bullet-backend-keyword-optimization
wiki_title	15.2 Title, Bullet, Backend Keyword Optimization
primary_level	Applied
topic_tags	keyword
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Listings should place important keywords in title, bullets, description/A+, and backend search terms based on relevance and policy.

Explain it to a fresh graduate: Keywords help Amazon understand the product. But keyword stuffing makes listings ugly and can hurt trust.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use high-relevance terms naturally. Avoid claims or terms that violate Amazon policy.

Operator view: Keywords and search terms reveal shopper language. Your job is to separate discovery from control.

Practical workflow:

- Collect seed keywords from listings, competitors, autocomplete, tools, and reports.
- Launch discovery campaigns with controlled budgets.
- Mine search terms after enough clicks or spend.
- Promote proven terms into exact campaigns.
- Negate waste or harvested terms based on structure.

Worked mini-example: The keyword "beer bong" may match the search term "beer bong funnel for party." If that search term gets orders at target ACOS, harvest it into exact match.

Common beginner mistakes:

- Confusing keyword with customer search term.
- Promoting terms too early from one lucky sale.
- Adding negatives without checking whether another campaign needs the traffic.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

15.3 Image & Video Impact on CTR/CVR

Wiki data field	Value
page_id	ppc-15-3-image-and-video-impact-on-ctr-cvr
wiki_title	15.3 Image & Video Impact on CTR/CVR
primary_level	Applied
topic_tags	metrics
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Main images affect click-through. Secondary images and videos affect conversion.

Explain it to a fresh graduate: A great ad cannot rescue a confusing main image. The shopper scrolls fast and judges faster.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use image testing, competitor comparison, lifestyle images, infographics, and video where available.

Operator view: Use metrics to diagnose performance before touching bids or budgets. Metrics are symptoms first, decisions second.

Practical workflow:

- Check the date range and confirm enough data exists.
- Separate traffic metrics such as impressions, clicks, CTR, and CPC from outcome metrics such as CVR, orders, ACOS, ROAS, and TACOS.
- Compare the metric against target, margin, previous period, and campaign purpose.
- Decide whether the issue is traffic, conversion, cost, or structure.
- Write the recommendation in plain business language.

Worked mini-example: A campaign has 1,000 impressions, 20 clicks, 1 order, \$20 spend, and \$40 ad sales. CTR is 2%, CVR is 5%, CPC is \$1, ACOS is 50%, and ROAS is 2.0. The operator checks margin before deciding whether 50% ACOS is acceptable.

Common beginner mistakes:

- Judging a campaign from one day of data.
- Treating ACOS as the only success metric.

- Ignoring total sales, margin, inventory, and launch stage.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

15.4 Pricing & Promotions Interplay with PPC

Wiki data field	Value
page_id	ppc-15-4-pricing-and-promotions-interplay-with-ppc
wiki_title	15.4 Pricing & Promotions Interplay with PPC
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Price, coupons, deals, and discounts change ad conversion and competitiveness.

Explain it to a fresh graduate: A coupon can lift CVR. A bad price can sink PPC even with good keywords.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Coordinate PPC with promo calendar, Prime eligibility, inventory, and margin.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

16. Automation, Rules & Scripts

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

16.1 Native Amazon Automation

Wiki data field	Value
page_id	ppc-16-1-native-amazon-automation
wiki_title	16.1 Native Amazon Automation
primary_level	Applied
topic_tags	automation
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Amazon offers rule-based options for budgets and bids in some areas of the console.

Explain it to a fresh graduate: Rules are useful for repeatable tasks. They should not run wild without guardrails.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Document trigger, condition, action, cap, owner, and review date for every rule.

Operator view: Automation should apply rules consistently, but humans must set the strategy and guardrails.

Practical workflow:

- Define the exact decision rule.
- Set data thresholds and max change limits.
- Test on a low-risk scope.
- Review logs and exceptions.
- Keep human approval for high-impact actions.

Worked mini-example: A rule can lower bids when spend exceeds threshold and orders are zero, but it should not touch launch campaigns that are intentionally gathering data.

Common beginner mistakes:

- Automating before the process is understood.
- Letting rules fight each other.
- Changing bids too often without enough data.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

16.2 Bulk Operations

Wiki data field	Value
page_id	ppc-16-2-bulk-operations
wiki_title	16.2 Bulk Operations
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Bulk files let you create and edit many campaigns, ad groups, keywords, targets, budgets, bids, and negatives at once.

Explain it to a fresh graduate: Bulk operations are powerful and mildly terrifying. One wrong upload can change hundreds of campaigns.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use backup downloads, versioned files, QA columns, small test uploads, and clear change logs.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

16.3 Custom Scripts & API-Based Automation

Wiki data field	Value
page_id	ppc-16-3-custom-scripts-and-api-based-automation
wiki_title	16.3 Custom Scripts & API-Based Automation
primary_level	Applied
topic_tags	automation, api
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: The Amazon Ads API can pull reports and manage campaigns programmatically when access is approved.

Explain it to a fresh graduate: API work turns repeated console clicks into software. It is great for scale, but it needs validation.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use scripts for reporting, classification, alerts, and draft changes. Keep final execution human-approved for high-risk actions.

Operator view: Automation should apply rules consistently, but humans must set the strategy and guardrails.

Practical workflow:

- Define the exact decision rule.
- Set data thresholds and max change limits.
- Test on a low-risk scope.
- Review logs and exceptions.
- Keep human approval for high-impact actions.

Worked mini-example: A rule can lower bids when spend exceeds threshold and orders are zero, but it should not touch launch campaigns that are intentionally gathering data.

Common beginner mistakes:

- Automating before the process is understood.
- Letting rules fight each other.
- Changing bids too often without enough data.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

16.4 AI-Augmented PPC Management

Wiki data field	Value
page_id	ppc-16-4-ai-augmented-ppc-management
wiki_title	16.4 AI-Augmented PPC Management
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: AI can classify search terms, summarize reports, draft recommendations, and detect anomalies.

Explain it to a fresh graduate: AI is a helpful analyst, not the account owner. It can suggest. Humans approve.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use human-in-the-loop guardrails, evidence requirements, and rollback plans for AI-assisted changes.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

17. Software & Tools Ecosystem

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

17.1 All-in-One Suites

Wiki data field	Value
page_id	ppc-17-1-all-in-one-suites
wiki_title	17.1 All-in-One Suites
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Suites like Helium 10, Jungle Scout, SellerApp, Perpetua, Pacvue, and Teikametrics can combine research, automation, and reporting features.

Explain it to a fresh graduate: Tools save time, but each has blind spots. Do not outsource your brain to a dashboard with nice gradients.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Build a living comparison table: research, bid automation, reporting, API access, cost, support, marketplace coverage.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

17.2 Point Solutions

Wiki data field	Value
page_id	ppc-17-2-point-solutions
wiki_title	17.2 Point Solutions
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Point solutions solve one job well, such as keyword research, bid automation, reporting, review tracking, or market intelligence.

Explain it to a fresh graduate: A point tool is like a specialist. Great at one thing, not always the whole workflow.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use when the team has a specific gap and an all-in-one platform would be too expensive or too broad.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

17.3 Build vs. Buy

Wiki data field	Value
page_id	ppc-17-3-build-vs-buy
wiki_title	17.3 Build vs. Buy
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Build internal tooling when workflows are unique, repeated, and strategically important. Buy when the need is standard and vendor tools already solve it well.

Explain it to a fresh graduate: Building is not free. You pay with time, maintenance, bugs, and future headaches wearing a tiny hat.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use a decision matrix: cost, speed, control, data ownership, maintenance, integrations, risk.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

17.4 Tool Evaluation Framework

Wiki data field	Value
page_id	ppc-17-4-tool-evaluation-framework
wiki_title	17.4 Tool Evaluation Framework
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: A tool should be judged by data accuracy, workflow fit, automation safety, reporting quality, user permissions, integrations, and total cost.

Explain it to a fresh graduate: The best tool is the one your team will actually use correctly.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Run a pilot with real tasks. Score before buying. Require export access and change logs.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

18. Strategy by Business Lifecycle Stage

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

18.1 New Product Launch

Wiki data field	Value
page_id	ppc-18-1-new-product-launch
wiki_title	18.1 New Product Launch
primary_level	Applied
topic_tags	launch
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Launch strategy accepts more learning cost to generate data, visibility, and early sales.

Explain it to a fresh graduate: A new product has little history. PPC helps test demand, discover terms, and support ranking.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use controlled auto, broad, phrase, exact seed campaigns, product targeting, and careful budget caps.

Operator view: Launch strategy balances learning, ranking, reviews, and budget control.

Practical workflow:

- Audit listing readiness.
- Define launch goals and acceptable ACOS range.
- Start discovery and exact control campaigns.
- Watch budget, terms, and CVR closely.
- Harvest winners and cut waste after thresholds.

Worked mini-example: A new product may tolerate higher ACOS during the first weeks if the goal is data collection and ranking support.

Common beginner mistakes:

- Expecting mature efficiency on day one.
- Launching without enough reviews or inventory.
- Changing everything before data stabilizes.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

18.2 Growth Stage

Wiki data field	Value
page_id	ppc-18-2-growth-stage
wiki_title	18.2 Growth Stage
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Growth stage focuses on scaling proven winners and expanding coverage.

Explain it to a fresh graduate: Once the account knows what works, spend more where evidence is strong.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Increase budgets, expand exact winners, test SB/SD, add competitor targeting, and monitor TACOS.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

18.3 Mature/Steady-State

Wiki data field	Value
page_id	ppc-18-3-mature-steady-state
wiki_title	18.3 Mature/Steady-State
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Mature accounts focus on efficiency, defense, incremental growth, and clean operations.

Explain it to a fresh graduate: The goal is not constant chaos. It is controlled improvement.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Reduce waste, protect branded terms, refine long-tail coverage, and improve placement and bid efficiency.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

18.4 Decline/Sunset

Wiki data field	Value
page_id	ppc-18-4-decline-sunset
wiki_title	18.4 Decline/Sunset
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Declining products may need budget reduction, inventory liquidation support, or strategic pause.

Explain it to a fresh graduate: Not every product deserves more ad spend. Sometimes the smart move is to stop feeding the zombie SKU.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Lower bids, reduce budget, focus on liquidation keywords, or pause if margin and inventory do not support ads.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

19. Strategy by Product Category

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

19.1 High-Consideration / High-Price Categories

Wiki data field	Value
page_id	ppc-19-1-high-consideration-high-price-categories
wiki_title	19.1 High-Consideration / High-Price Categories
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Expensive or complex products often need more education, longer decision time, and stronger content.

Explain it to a fresh graduate: A shopper buying a \$400 item behaves differently from someone buying a \$9 sponge.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use richer content, SB video, retargeting, comparison pages, and longer attribution thinking.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

19.2 Low-Price / Impulse Categories

Wiki data field	Value
page_id	ppc-19-2-low-price-impulse-categories
wiki_title	19.2 Low-Price / Impulse Categories
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Low-price products need tight CPC control because profit per sale is small.

Explain it to a fresh graduate: Cheap products cannot afford expensive clicks unless conversion is excellent or repeat purchase value is strong.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use strict bids, bundles, coupons, high-CVR terms, and careful waste control.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

19.3 Seasonal/Gift Categories

Wiki data field	Value
page_id	ppc-19-3-seasonal-gift-categories
wiki_title	19.3 Seasonal/Gift Categories
primary_level	Applied
topic_tags	seasonal
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Seasonal products require early preparation, aggressive event pacing, and fast post-season wind-down.

Explain it to a fresh graduate: Timing matters. If you optimize after the season, congratulations, you are now ready for last year.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Plan keywords, budgets, deals, inventory, creative, and reporting before the demand spike.

Operator view: Seasonal planning prevents last-minute budget chaos and inventory-aware mistakes.

Practical workflow:

- Identify event dates and lead-in period.
- Forecast spend and inventory needs.
- Prepare campaigns and creatives early.
- Scale bids and budgets gradually.
- Wind down after the event and analyze learnings.

Worked mini-example: Prime Day planning should include pre-event ranking work, event-day monitoring, and post-event harvesting and budget normalization.

Common beginner mistakes:

- Increasing budgets only on event day.
- Ignoring inventory limits.
- Forgetting post-event cleanup.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

19.4 Regulated Categories

Wiki data field	Value
page_id	ppc-19-4-regulated-categories
wiki_title	19.4 Regulated Categories
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Regulated categories such as supplements or restricted goods face stricter claims, approvals, and policy review.

Explain it to a fresh graduate: Ads can be rejected because of wording, claims, images, or category rules.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Review policy before launch. Avoid medical, exaggerated, or unsupported claims.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

20. Seasonal & Event Planning

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

20.1 Prime Day Playbook

Wiki data field	Value
page_id	ppc-20-1-prime-day-playbook
wiki_title	20.1 Prime Day Playbook
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Prime Day planning covers pre-event ramp, event-day spend and bid control, and post-event retargeting or cleanup.

Explain it to a fresh graduate: Prime Day is not one day of work. It is a campaign season wearing a sale sticker.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Prepare 3-6 weeks ahead: inventory, deals, budgets, bids, Store pages, SB video, defensive coverage.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

20.2 Q4 / Holiday Playbook

Wiki data field	Value
page_id	ppc-20-2-q4-holiday-playbook
wiki_title	20.2 Q4 / Holiday Playbook
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Q4 includes Black Friday, Cyber Monday, gifting, shipping cutoffs, and post-holiday behavior.

Explain it to a fresh graduate: Q4 rewards prepared accounts and punishes messy ones loudly.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use inventory-aware scaling, daily pacing checks, holiday keyword expansion, and post-event budget normalization.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

20.3 Other Key Dates

Wiki data field	Value
page_id	ppc-20-3-other-key-dates
wiki_title	20.3 Other Key Dates
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Other events include Back to School, Spring Cleaning, summer, Mother's Day, Father's Day, category launches, and local marketplace events.

Explain it to a fresh graduate: Every category has its own weather pattern. Learn yours.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Build a seasonal calendar by marketplace, category, promo window, content deadline, and budget plan.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

21. International & Multi-Marketplace PPC

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

21.1 Marketplace Differences

Wiki data field	Value
page_id	ppc-21-1-marketplace-differences
wiki_title	21.1 Marketplace Differences
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Marketplaces differ by language, currency, CPC, competition, shopper behavior, ad features, and policy details.

Explain it to a fresh graduate: Copying US campaigns into Germany without localization is not strategy. It is international copy-paste with extra steps.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Research each marketplace separately. Translate intent, not just words.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

21.2 Cross-Marketplace Account Structure

Wiki data field	Value
page_id	ppc-21-2-cross-marketplace-account-structure
wiki_title	21.2 Cross-Marketplace Account Structure
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Brands can manage markets centrally or locally depending on team setup, language needs, and budget ownership.

Explain it to a fresh graduate: Centralized control gives consistency. Localized control gives nuance. Most mature teams need both.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use global naming standards with local keyword research and local performance targets.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

21.3 Localization Considerations

Wiki data field	Value
page_id	ppc-21-3-localization-considerations
wiki_title	21.3 Localization Considerations
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Localization means adapting keywords, copy, content, seasonality, and shopper assumptions to the market.

Explain it to a fresh graduate: A direct translation may miss how real shoppers search.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use native speakers, local autocomplete, local competitor listings, marketplace reports, and language-specific negatives.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

22. Agency & Team Operations

This cluster contains 4 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

22.1 Team Roles & RACI

Wiki data field	Value
page_id	ppc-22-1-team-roles-and-raci
wiki_title	22.1 Team Roles & RACI
primary_level	Applied
topic_tags	ops
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: RACI defines who is responsible, accountable, consulted, and informed for PPC work.

Explain it to a fresh graduate: Clear roles stop the classic team sport of 'I thought someone else did it.'

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Define Strategist, Analyst, VA/Executor, Account Manager, QA reviewer, and escalation owner.

Operator view: Team operations protect quality, accountability, and repeatability.

Practical workflow:

- Define owner, reviewer, and approver.
- Document inputs and outputs.
- Use checklists for recurring work.
- Log changes and decisions.
- Review mistakes in a blameless post-mortem.

Worked mini-example: A VA mines search terms, a strategist reviews the recommendations, and a QA reviewer checks the bulk file before upload.

Common beginner mistakes:

- Relying on memory instead of SOPs.
- Letting juniors make high-risk changes without review.
- Not documenting client-specific rules.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

22.2 SOPs & Workflow Documentation

Wiki data field	Value
page_id	ppc-22-2-sops-and-workflow-documentation
wiki_title	22.2 SOPs & Workflow Documentation
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: SOPs standardize repeated tasks like weekly optimization, search term mining, budget checks, and reporting.

Explain it to a fresh graduate: A good SOP lets a new hire do the task without guessing or asking five people in Slack.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Write SOPs with purpose, inputs, steps, decision rules, QA checks, output, owner, and change log.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

22.3 VA Training & Enablement

Wiki data field	Value
page_id	ppc-22-3-va-training-and-enablement
wiki_title	22.3 VA Training & Enablement
primary_level	Applied
topic_tags	training
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: VA training should teach concepts, console navigation, daily tasks, QA discipline, and escalation rules.

Explain it to a fresh graduate: A VA should not only click buttons. They should understand why the click matters.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Build a 5-day bootcamp: foundations, campaign types, targeting, search terms, negatives, metrics, reporting, capstone.

Operator view: Training assets turn the wiki into repeatable onboarding. Each page should teach, test, and support real work.

Practical workflow:

- Create a learning aid.
- Create a quiz with explanations.
- Create a teaching guide for instructors.
- Create a handout for live work.
- Tag by level, role, time, and prerequisites.

Worked mini-example: A targeting page can include a flowchart, a 10-question quiz, and a practice exercise using a fake Search Term Report.

Common beginner mistakes:

- Writing only prose with no practice.
- Testing memory instead of judgment.
- Skipping answer explanations.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

22.4 QA & Review Process

Wiki data field	Value
page_id	ppc-22-4-qa-and-review-process
wiki_title	22.4 QA & Review Process
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: QA prevents harmful changes by reviewing bids, budgets, negatives, bulk files, and reports before execution.

Explain it to a fresh graduate: In PPC, small mistakes can spend real money. QA is not bureaucracy; it is a seatbelt.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use peer review for high-impact changes, bulk upload previews, before/after logs, and rollback plans.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

23. Client & Stakeholder Communication

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

23.1 Reporting Cadence

Wiki data field	Value
page_id	ppc-23-1-reporting-cadence
wiki_title	23.1 Reporting Cadence
primary_level	Applied
topic_tags	reporting
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Reporting cadence defines weekly, monthly, and quarterly communication rhythms.

Explain it to a fresh graduate: Clients should not wonder what is happening. Silence creates anxiety faster than a campaign with 80% ACOS.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use weekly action summaries, monthly performance narratives, and quarterly strategy reviews.

Operator view: Reports turn raw PPC activity into decisions. The best report explains what happened, why it happened, and what happens next.

Practical workflow:

- Choose the right report for the question.
- Clean and label the data.
- Compare against target and previous period.
- Find the root cause, not only the metric movement.
- Write the action plan with owner and deadline.

Worked mini-example: Instead of saying ACOS rose from 25% to 32%, explain that CPC rose on two non-branded exact campaigns while conversion dropped after price increased.

Common beginner mistakes:

- Sending tables without interpretation.
- Mixing attribution windows or date ranges.
- Reporting only ad metrics when stakeholders need business impact.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

23.2 Setting Expectations

Wiki data field	Value
page_id	ppc-23-2-setting-expectations
wiki_title	23.2 Setting Expectations
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Expectation-setting explains volatility, launch learning periods, budget limits, and what PPC can or cannot fix.

Explain it to a fresh graduate: A launch campaign may run inefficiently while collecting data. That does not always mean failure.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Explain target ACOS, break-even ACOS, testing budget, timeline, and leading indicators before campaigns go live.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

23.3 Handling Difficult Conversations

Wiki data field	Value
page_id	ppc-23-3-handling-difficult-conversations
wiki_title	23.3 Handling Difficult Conversations
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Difficult conversations cover underperformance, inventory issues, listing problems, margin constraints, and goal changes.

Explain it to a fresh graduate: Trust grows when you explain problems clearly and bring a plan, not excuses.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use: what happened, evidence, root cause, action plan, owner, deadline, expected trade-off.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

24. Compliance, Policy & Account Health

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

24.1 Advertising Policy Basics

Wiki data field	Value
page_id	ppc-24-1-advertising-policy-basics
wiki_title	24.1 Advertising Policy Basics
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Ad policy controls claims, prohibited content, trademarks, restricted products, creative rules, and landing page compliance.

Explain it to a fresh graduate: A strong ad that violates policy is still a rejected ad.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Check claims, images, category rules, prohibited words, trademark use, and landing page accuracy.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

24.2 Account Health Interplay

Wiki data field	Value
page_id	ppc-24-2-account-health-interplay
wiki_title	24.2 Account Health Interplay
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Account health problems can affect advertising eligibility and product visibility.

Explain it to a fresh graduate: Sometimes ads stop because the account or listing has a health issue, not because the campaign manager broke something.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Monitor suppressed listings, inventory, policy warnings, Buy Box, shipping, product condition, and category approval.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

24.3 Competitor & Ethical Boundaries

Wiki data field	Value
page_id	ppc-24-3-competitor-and-ethical-boundaries
wiki_title	24.3 Competitor & Ethical Boundaries
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Competitor targeting can be legal and useful, but misleading copy, trademark misuse, and false claims create risk.

Explain it to a fresh graduate: Aggressive is not the same as reckless. PPC is not a pirate ship, sadly.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use competitor ASIN/category targeting ethically. Avoid using protected brand names in ad copy unless allowed.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

25. Advanced & Emerging Topics

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

25.1 Retail Media Network Trends

Wiki data field	Value
page_id	ppc-25-1-retail-media-network-trends
wiki_title	25.1 Retail Media Network Trends
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Retail media includes ad platforms from retailers like Amazon, Walmart, Target, Instacart, and others.

Explain it to a fresh graduate: Amazon PPC skills transfer, but each retail network has its own data, rules, and ad products.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Compare inventory, attribution, audience data, reporting, self-service access, and shopper journey.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

25.2 AI's Growing Role in Amazon Ads

Wiki data field	Value
page_id	ppc-25-2-ai-s-growing-role-in-amazon-ads
wiki_title	25.2 AI's Growing Role in Amazon Ads
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: AI is increasingly used for creative generation, campaign suggestions, bidding, reporting, and predictive optimization.

Explain it to a fresh graduate: AI can speed up work, but weak prompts and bad data still produce bad decisions faster.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Track Amazon's native AI features, third-party automation, and internal AI workflows with approval guardrails.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

25.3 Privacy & Signal Loss

Wiki data field	Value
page_id	ppc-25-3-privacy-and-signal-loss
wiki_title	25.3 Privacy & Signal Loss
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Privacy changes reduce some tracking signals and increase the value of first-party data and clean-room measurement.

Explain it to a fresh graduate: Marketers are losing some old tracking shortcuts. Better data discipline matters more now.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Invest in first-party audiences, AMC, incrementality thinking, and reporting that does not rely on one fragile metric.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.

- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

26. Career, Certification & Learning

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

26.1 Certifications

Wiki data field	Value
page_id	ppc-26-1-certifications
wiki_title	26.1 Certifications
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Amazon Ads Academy offers learning paths and certifications that validate Amazon Ads knowledge.

Explain it to a fresh graduate: Certifications help prove basic knowledge, but real skill comes from managing accounts and explaining decisions.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Start with beginner certifications, then Sponsored Ads, measurement, retail, DSP, and AMC tracks as role requires.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

26.2 Career Pathing

Wiki data field	Value
page_id	ppc-26-2-career-pathing
wiki_title	26.2 Career Pathing
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Career progression can move from VA or Junior Analyst to PPC Specialist, Strategist, Team Lead, and Agency Owner.

Explain it to a fresh graduate: Each level adds judgment, communication, ownership, and risk management.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Create a skills matrix: console navigation, reporting, search terms, bidding, strategy, client communication, leadership.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

26.3 Continuing Education

Wiki data field	Value
page_id	ppc-26-3-continuing-education
wiki_title	26.3 Continuing Education
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Continuing education includes Amazon updates, communities, newsletters, conferences, case studies, and internal post-mortems.

Explain it to a fresh graduate: PPC is not a one-time course. Amazon changes. Competitors change. Shoppers change. Your brain must update too.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Maintain a monthly learning log and quarterly wiki update review.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.
--

27. Case Studies & Templates

This cluster contains 3 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

27.1 Case Study Template

Wiki data field	Value
page_id	ppc-27-1-case-study-template
wiki_title	27.1 Case Study Template
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: A case study should follow situation, strategy, execution, results, and lessons.

Explain it to a fresh graduate: Case studies teach judgment. They show why a decision worked, not just what button was clicked.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Template: context, problem, constraints, analysis, actions, results, what changed, what to repeat.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

27.2 Downloadable Templates

Wiki data field	Value
page_id	ppc-27-2-downloadable-templates
wiki_title	27.2 Downloadable Templates
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Templates include campaign structure sheets, optimization checklists, client reports, naming cheat sheets, QA logs, and bulk upload trackers.

Explain it to a fresh graduate: Templates turn knowledge into action. They reduce memory load for beginners.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Build templates in Sheets, DOCX, PDF, and app-ready JSON where useful.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

27.3 Real Case Studies

Wiki data field	Value
page_id	ppc-27-3-real-case-studies
wiki_title	27.3 Real Case Studies
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Real case studies should be tagged by category, lifecycle stage, problem type, and skill level.

Explain it to a fresh graduate: A beginner learns faster from realistic examples than abstract rules.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Add cases like ACOS spike, launch learning period, wasted spend cleanup, branded defense, budget starvation, and listing-CVR issue.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

28. Glossary & Acronyms

This cluster contains 1 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

The glossary is the learner safety net. Keep terms short, concrete, and linked to the page where the term becomes operational.

Term	Fresh-graduate definition	Why it matters	Related wiki links
ACOS	Advertising Cost of Sales. Ad spend divided by ad sales.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
TACOS	Total Advertising Cost of Sales. Ad spend divided by total sales.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
ROAS	Return on Ad Spend. Ad sales divided by ad spend.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
CTR	Click-through Rate. Clicks divided by impressions.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
CVR	Conversion Rate. Orders divided by clicks.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
CPC	Cost Per Click. Average cost paid for each ad click.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
SP	Sponsored Products.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
SB	Sponsored Brands.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
SD	Sponsored Display.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
STV	Sponsored TV or streaming TV ads.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
DSP	Demand Side Platform for programmatic media buying.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
AMC	Amazon Marketing Cloud, a privacy-safe clean room for advanced analytics.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
SQP	Search Query Performance report in Brand Analytics.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
ASIN	Amazon Standard Identification Number, the Amazon product ID.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
SKU	Seller Stock Keeping Unit, the seller's internal product code.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
Buy Box / Featured Offer	The offer Amazon selects as the main purchase option on a detail page.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
Negative Keyword	A keyword that blocks ads from showing for certain searches.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]
Placement	Where the ad appears, such as Top of Search or Product Pages.	Learners will see this in reports, campaign setup, optimization notes, or client communication.	[[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Formula Appendix]]

29. Appendix: Formulas & Calculators

This cluster contains 1 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

Use these formulas as calculators inside the wiki or simulator. Always explain the business meaning beside the math.

Metric	Formula	Plain meaning	Example	Beginner warning
CTR	Clicks / Impressions	How often impressions turn into clicks.	1,000 impressions and 20 clicks = 2% CTR.	A high CTR does not matter if shoppers do not buy after clicking.
CVR	Orders / Clicks	How often clicks turn into orders.	100 clicks and 10 orders = 10% CVR.	CVR can be hurt by price, images, reviews, inventory, and listing quality.
CPC	Spend / Clicks	How much each click costs on average.	\$50 spend and 100 clicks = \$0.50 CPC.	CPC is cost per click, not cost per sale.
ACOS	Ad Spend / Ad Sales	A decision metric used to interpret performance.	\$100 spend and \$500 ad sales = 20% ACOS.	Never use formulas without checking context and data quality.
ROAS	Ad Sales / Ad Spend	How many dollars of ad sales you get for every dollar spent.	\$500 ad sales and \$100 spend = 5.0 ROAS.	Higher ROAS usually means better efficiency, but it may also mean limited scale.
TACOS	Ad Spend / Total Sales	How much total revenue depends on ad spend.	\$100 spend and \$1,000 total sales = 10% TACOS.	TACOS needs total sales, not only ad-attributed sales.
Target CPC	Price x Target ACOS x CVR	The highest click cost you can usually afford at a target ACOS and conversion rate.	\$20 price x 25% target ACOS x 10% CVR = \$0.50 target CPC.	The formula is only as good as the CVR and target ACOS you put into it.
Break-even ACOS	Gross Profit Margin %	The ACOS level where ads roughly stop being profitable before other business goals.	If margin is 30%, break-even ACOS is about 30% before other costs.	Break-even is not always the target. A brand may need profit, launch growth, or rank support.

30. Meta / Changelog

This cluster contains 1 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

30. Meta / Changelog

Wiki data field	Value
page_id	ppc-30-meta-changelog
wiki_title	30. Meta / Changelog
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: This section records version history, Amazon updates, stale pages, open questions, and review status.

Explain it to a fresh graduate: A changelog tells future readers what changed and why. It is boring until the day it saves you from confusion.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use fields: date, version, page, change summary, source, reviewer, impact, next review date.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

31. Training Layer Template

This cluster contains 7 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

31.1 Learning Aid

Wiki data field	Value
page_id	ppc-31-1-learning-aid
wiki_title	31.1 Learning Aid
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Each core page should have a one-page visual summary, key terms, common mistakes, and a worked example.

Explain it to a fresh graduate: This turns a wiki page into a training asset.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use diagrams, flowcharts, annotated console screenshots, and mini scenarios with numbers.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

31.2 Quiz

Wiki data field	Value
page_id	ppc-31-2-quiz
wiki_title	31.2 Quiz
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Each topic should include 5-10 questions with answer keys and short explanations.

Explain it to a fresh graduate: Quizzes prove whether the learner can apply the idea, not just nod politely.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Mix multiple-choice, scenario judgment, and calculation questions. Tag difficulty.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

31.3 Teaching Guide

Wiki data field	Value
page_id	ppc-31-3-teaching-guide
wiki_title	31.3 Teaching Guide
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: The teaching guide helps trainers deliver the topic consistently.

Explain it to a fresh graduate: A trainer should know what to explain, demo, ask, and assign.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Include timing, talking points, live-demo checklist, discussion prompts, and links to quiz and handout.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

31.4 Handout

Wiki data field	Value
page_id	ppc-31-4-handout
wiki_title	31.4 Handout
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: A handout is a printable job aid used while working inside the Ads Console.

Explain it to a fresh graduate: The learner should be able to keep it open while doing the task.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Include definition, formula, checklist, common mistakes, and QR/link back to full page.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

31.5 Tagging & Assembly System

Wiki data field	Value
page_id	ppc-31-5-tagging-and-assembly-system
wiki_title	31.5 Tagging & Assembly System
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Tags let you assemble custom curricula by topic, level, format, and estimated time.

Explain it to a fresh graduate: This makes the wiki modular. You can build a VA bootcamp without rewriting content.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use tags: Topic, Learner Level, Format, Estimated Time, Prerequisites, Role.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

31.6 Rollout Priority

Wiki data field	Value
page_id	ppc-31-6-rollout-priority
wiki_title	31.6 Rollout Priority
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Not every topic needs full training treatment on day one. Start where new hires need the most help.

Explain it to a fresh graduate: Build the airport runway before the luxury lounge.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Prioritize Sections 1-4, then 5-9, then 10-11, then 22, then advanced tracks.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

31.7 Assessment & Certification Tie-In

Wiki data field	Value
page_id	ppc-31-7-assessment-and-certification-tie-in
wiki_title	31.7 Assessment & Certification Tie-In
primary_level	Applied
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Assessments should combine topic quizzes, capstone scenarios, role checklists, and retake rules.

Explain it to a fresh graduate: Certification should prove readiness to touch real accounts safely.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Define pass threshold, retake policy, practical task review, and role-level competency checklist.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

32. App-Building Layer

This cluster contains 8 wiki page entries. Read it as a mini-module: learn the concept, see the operator workflow, then practice with a report, campaign draft, or simulator scenario.

32.1 Content-as-Data Separation

Wiki data field	Value
page_id	ppc-32-1-content-as-data-separation
wiki_title	32.1 Content-as-Data Separation
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Wiki content should be human-readable and app-readable.

Explain it to a fresh graduate: If the Console Simulator or quiz app needs it, store it as structured data, not only paragraphs.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use markdown plus JSON/YAML frontmatter or database rows for quizzes, glossary, scenarios, and progress.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

32.2 Standardized Schemas

Wiki data field	Value
page_id	ppc-32-2-standardized-schemas
wiki_title	32.2 Standardized Schemas
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Schemas define how each content object should be stored.

Explain it to a fresh graduate: A schema is a container shape. Without it, apps cannot reliably use the content.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Define quiz, glossary, scenario, learner progress, page metadata, asset manifest, and prerequisite schemas.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

32.3 Simulator Scenario Bank

Wiki data field	Value
page_id	ppc-32-3-simulator-scenario-bank
wiki_title	32.3 Simulator Scenario Bank
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Scenario banks store fake but realistic campaign states for training apps.

Explain it to a fresh graduate: A trainee should practice decisions without risking real ad spend. Beautiful concept. Wallet-safe too.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Each scenario needs before state, correct actions, common mistakes, scoring rubric, and linked wiki topics.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.

- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

32.4 Asset Library with Naming Convention

Wiki data field	Value
page_id	ppc-32-4-asset-library-with-naming-convention
wiki_title	32.4 Asset Library with Naming Convention
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Assets include screenshots, diagrams, flowcharts, and annotated console captures.

Explain it to a fresh graduate: If files are named randomly, future updates become archaeology.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Use names like section-topic-assettype-version.png and maintain an asset manifest.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

32.5 Content Versioning & Sync Contract

Wiki data field	Value
page_id	ppc-32-5-content-versioning-and-sync-contract
wiki_title	32.5 Content Versioning & Sync Contract
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: Define whether the wiki updates first or the app updates first, and how changes sync.

Explain it to a fresh graduate: Without versioning, the app may teach old information while the wiki says something new.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Add `last_verified_against_live_console`, `source_url`, `schema_version`, and `review_owner` fields.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

32.6 API/Export Layer

Wiki data field	Value
<code>page_id</code>	ppc-32-6-api-export-layer
<code>wiki_title</code>	32.6 API/Export Layer
<code>primary_level</code>	Advanced
<code>topic_tags</code>	api
<code>owner_role</code>	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
<code>review_cycle</code>	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: The wiki should export structured content to apps through API, database, or scheduled JSON files.

Explain it to a fresh graduate: Do not scrape pages later if you can design clean exports now.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Create export endpoints or scheduled jobs for quizzes, glossary, scenarios, assets, and prerequisite graph.

Operator view: API work is for scaling reporting and campaign management programmatically. It requires permissions, documentation, and validation.

Practical workflow:

- Define the use case and endpoint.
- Confirm account authorization.
- Request reports or campaign objects.
- Validate results against the Ads Console.
- Log every automated write action.

Worked mini-example: An internal tool can pull daily targeting reports and flag wasted spend, while a human approves the final negative keyword upload.

Common beginner mistakes:

- Writing changes through the API without backup.
- Assuming API fields always match UI labels.
- Skipping rate limits and error handling.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

32.7 Difficulty & Progression Graph

Wiki data field	Value
page_id	ppc-32-7-difficulty-and-progression-graph
wiki_title	32.7 Difficulty & Progression Graph
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or after major Amazon Ads update.

What this page teaches: A progression graph stores prerequisites between topics.

Explain it to a fresh graduate: Some lessons depend on earlier lessons. You should not teach placement modifiers before the learner knows bids.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Store as topic_id plus prerequisite_ids. Use it to unlock lessons and build curricula.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [[Glossary]], [[Formula Appendix]], [[Metrics & KPIs]], [[Campaign Types]], [[Targeting & Match Types]], [[Reporting]], and any directly related page from this section.

32.8 Multi-Consumer Design

Wiki data field	Value
page_id	ppc-32-8-multi-consumer-design
wiki_title	32.8 Multi-Consumer Design
primary_level	Advanced
topic_tags	general
owner_role	PPC Strategist owns content; PPC Lead approves changes; VA uses as job aid.
review_cycle	Verify against live Amazon Ads UI and official docs every 90 days or

What this page teaches: The same content should support the wiki, simulator, quiz UI, reports, and future tools.

Explain it to a fresh graduate: Write once, reuse many times. That is the whole trick.

Why this matters in real accounts: This topic affects money, visibility, campaign control, reporting clarity, or team execution. A beginner should understand the business reason before learning the console clicks.

What to build into the wiki: Design schemas for at least three consumers from day one: wiki, simulator, quiz engine.

Operator view: Use this page to understand the decision the topic supports, the data needed before acting, and the safest first move for a beginner.

Practical workflow:

- Read the definition and linked glossary terms.
- Identify what decision this topic affects.
- Find the report, console screen, or input data required.
- Make a small reversible change first when working in a live account.
- Write down what changed and why.

Worked mini-example: A junior operator reviews the page, opens the correct report, checks the required metric, makes one controlled change, and records it in the change log.

Common beginner mistakes:

- Skipping the context and copying tactics blindly.
- Changing a live account without checking eligibility, budget, or data window.
- Forgetting to log the reason behind the change.

Definition of done:

- The learner can explain the topic without jargon.
- The learner can name the report, console area, or data input used for this topic.
- The learner can describe one safe action, one risky action, and one escalation trigger.

Internal links to add: [\[\[Glossary\]\]](#), [\[\[Formula Appendix\]\]](#), [\[\[Metrics & KPIs\]\]](#), [\[\[Campaign Types\]\]](#), [\[\[Targeting & Match Types\]\]](#), [\[\[Reporting\]\]](#), and any directly related page from this section.

Reusable Training Assets

Use these patterns to turn each wiki page into a training unit.

- **Learning aid:** One-page visual summary with key terms, common mistakes, one flowchart, and one worked example.
- **Quiz:** 5-10 questions with answer key. Include multiple choice, scenario judgment, and calculation questions where useful.
- **Teaching guide:** Trainer notes with delivery time, talking points, live demo steps, discussion prompts, and practice activity.
- **Handout:** Printable job aid with definition, formula if applicable, checklist, warning signs, and link back to the wiki.
- **Simulator scenario:** Fake but realistic campaign state with starting data, correct actions, common mistakes, scoring rubric, and ideal after-state.

Capstone Practice Scenarios

- **Broad match wasted spend:** A broad campaign spends \$80 with 42 clicks, zero orders, and three irrelevant search terms. Learner must classify terms, choose negatives, and decide whether to lower bid.
- **Budget-starved winner:** An exact campaign has 18% ACOS, runs out of budget by noon, and advertises an in-stock product with healthy margin. Learner must recommend a budget increase and explain why.
- **Listing problem disguised as PPC problem:** CTR is strong, CPC is reasonable, but CVR drops after price increases and coupon ends. Learner must diagnose listing and offer issues before cutting all bids.
- **Branded defense cleanup:** Branded and non-branded terms are mixed in one campaign. Learner must separate branded defense, protect exact terms, and clarify reporting.
- **Launch learning period:** A new product has high ACOS but search terms show relevant demand. Learner must decide what to keep testing, what to harvest, and what to pause.

Official Source Checklist for Maintenance

Use official Amazon sources when verifying platform facts. Keep a verification date inside each wiki page metadata. Amazon changes UI, eligibility, and feature names, so do not treat any guide as permanent scripture. Very official-looking wrong docs are still wrong docs.

Source	Use it for	URL
Sponsored Ads overview	Verify official wording, eligibility, setup behavior, and current feature support before updating wiki pages.	https://advertising.amazon.com/products/sponsored-ads
Sponsored Products targeting guide	Verify official wording, eligibility, setup behavior, and current feature support before updating wiki pages.	https://advertising.amazon.com/library/guides/targeting-with-sponsored-products
Sponsored Products bidding strategies	Verify official wording, eligibility, setup behavior, and current feature support before updating wiki pages.	https://advertising.amazon.com/help/GCU2BUWJH2W3A8Z7
Sponsored Products campaign creation	Verify official wording, eligibility, setup behavior, and current feature support before updating wiki pages.	https://advertising.amazon.com/help/GKLSYGFS2YD33FER
Sponsored Brands overview	Verify official wording, eligibility, setup behavior, and current feature support before updating wiki pages.	https://advertising.amazon.com/solutions/products/sponsored-brands
Sponsored Brands eligibility requirements	Verify official wording, eligibility, setup behavior, and current feature support before updating wiki pages.	https://advertising.amazon.com/help/G5DAD7ZM3N639QF4
Amazon Marketing Cloud overview	Verify official wording, eligibility, setup behavior, and current feature support before updating wiki pages.	https://advertising.amazon.com/solutions/products/amazon-marketing-cloud
Amazon Ads API overview	Verify official wording, eligibility, setup behavior, and current feature support before updating wiki pages.	https://advertising.amazon.com/API/docs/en-us/info/api-overview
Amazon Ads Academy certifications	Verify official wording, eligibility, setup behavior, and current feature support before updating wiki pages.	https://advertising.amazon.com/academy/certifications

Deep Operational Playbooks

This appendix turns the wiki into real operator guidance. Use it when a learner asks, "Okay, but what do I actually do on Monday morning?"

A. PPC Diagnostic Framework

Before changing bids, diagnose the problem. Amazon PPC issues usually come from one of four places: traffic, cost, conversion, or structure.

Symptom	Likely root cause	What to check first	Beginner-safe action	Escalate when
Low impressions	Bid too low, budget too low, low relevance, ineligible listing, low search volume	Eligibility, campaign status, budget, bid, keyword relevance, category volume	Check listing eligibility and campaign status before raising bids	Product is eligible but still has very low delivery after bid and budget review
High impressions, low clicks	Poor relevance, weak main image, poor title, uncompetitive offer	CTR, search term relevance, main image, price, coupon, reviews	Pause or reduce irrelevant targets; flag listing issue if relevant traffic ignores ad	CTR is weak across many relevant targets
Good clicks, low orders	Listing conversion issue, price issue, review issue, poor product-market fit	CVR, price, coupon, reviews, images, competitor pages	Do not blindly cut all bids; identify listing or offer problem	CVR drops across multiple campaigns at the same time
High CPC	Competitive auction, bid too high, placement modifier too aggressive	CPC trend, bid, Top of Search modifier, competitor pressure	Lower bids or placement modifier only after checking orders and ACOS	High CPC is paired with strategic launch or branded defense goals
High ACOS	High CPC, low CVR, low order value, irrelevant traffic, launch phase	ACOS components: CPC, CVR, AOV, relevance, target ACOS	Classify as bid problem, listing problem, targeting problem, or expectation problem	ACOS is high but TACOS and rank are improving
Campaign spends but no sales	Irrelevant traffic, too broad targeting, weak listing, not enough data	Clicks, spend, terms, CVR, listing quality	Apply threshold-based negatives or bid reductions	Spend exceeds agreed threshold and root cause is unclear
Strong campaign runs out of budget	Budget cap too low for demand	Budget status, ACOS, orders, inventory, margin	Recommend budget increase with expected impact	Inventory is low or client cash limit blocks scaling

B. Search Term Mining SOP

Search term mining is the weekly process of turning messy shopper language into clean account decisions.

- Input reports:** Search Term Report, Targeting Report, Campaign report, SKU/order data, margin or target ACOS.
- Minimum review window:** Use 7 days for high-volume accounts, 14 to 30 days for slower accounts, and longer windows for expensive or low-volume products.
- Classification labels:** Promote, keep testing, negate exact, negate phrase, reduce bid, listing issue, irrelevant but not enough data, brand defense.
- Output files:** Promoted exact keyword list, negative keyword list, bid-change list, QA notes, client-facing summary if needed.

Decision	Suggested beginner threshold	Why	Action
Promote to exact	At least 1 order and ACOS at or below target, or multiple orders with acceptable strategic value	The term has proven buyer intent	Add as exact target in the correct performance campaign
Keep testing	Relevant term with clicks but not enough spend or order data	Early data can be noisy	Leave active; review next cycle
Negative exact	Irrelevant term, or enough clicks/spend with no orders	Blocks only that exact shopper query	Add negative exact to the source campaign or ad group
Negative phrase	Whole phrase family is irrelevant	Blocks broader phrase variations	Use carefully; check for false positives before upload
Reduce bid	Relevant target but ACOS is too high after enough clicks/orders	Keeps learning while reducing cost	Lower bid by a controlled percentage
Escalate listing issue	Relevant searches click but do not convert across many terms	The ad may be fine; listing may be weak	Flag price, images, reviews, offer, or content issue

C. Bid and Budget Decision Matrix

Bids should change because the data tells a story. Budgets should change because the campaign has earned or lost the right to spend.

Situation	Check first	Suggested move	Risk control
Keyword has low ACOS and enough orders	Orders, ACOS, CVR, stock, margin	Increase bid 5-20% or test placement modifier	Do not scale if inventory is low
Keyword has high ACOS but orders	Relevance, CPC, CVR, placement	Lower bid 5-20%, or move to lower-intent bucket	Do not pause if term is strategic or branded defense
Keyword has spend and zero orders	Clicks, spend threshold, relevance, data window	Reduce bid or negate depending on relevance	Avoid acting before agreed threshold
Auto campaign finds good term	Search term, source campaign, duplicate coverage	Harvest to exact; optionally negative exact in source	Do not over-negate discovery campaign
Campaign out of budget with	Budget status, sales, inventory,	Increase daily budget or portfolio	Confirm client/account spend limit

strong ACOS	margin	cap	
Campaign out of budget with poor ACOS	Search terms, bids, listing, strategy	Do not increase budget first; diagnose waste	Prevent budget from feeding bad traffic

D. New Product Launch Blueprint

Launch PPC is not the same as mature PPC. A launch account pays for learning, demand discovery, and ranking support. That does not mean unlimited waste.

Campaign bucket	Purpose	Starter setup	What to watch	Common adjustment
Auto discovery	Find terms and ASINs Amazon thinks are relevant	Low to moderate budget, grouped by tight product theme	Search terms, close/loose/substitutes/complements, CPC, orders	Harvest winners; negative irrelevant terms
Broad discovery	Explore keyword variations	Use researched seed keywords, controlled bids	Search term quality, spend per term, early orders	Promote exact winners; reduce/negate poor terms
Phrase refinement	Bridge between broad and exact	Use mid-confidence keywords	Phrase families, relevance, ACOS	Harvest precise terms; prune waste
Exact control	Control proven buyer terms	Use highest-confidence keywords	ACOS, rank movement, budget-outs	Increase bid/budget on winners
Product targeting defense	Protect own detail pages	Target own ASINs and variations	Detail page visibility, defensive sales	Expand to related own ASINs
Competitor conquering	Test competitor detail page traffic	Target selected competitor ASINs or categories	CTR, CVR, CPC, price/review comparison	Keep only where offer advantage exists

E. Client Reporting Narrative Builder

A report should not read like a data dump. Use this structure to turn numbers into a clear business update.

Report block	Question it answers	Example sentence
Headline	What changed?	Ad sales rose 18% week over week while ACOS stayed within the 25% target.
Driver	Why did it change?	Growth came from exact non-branded campaigns after we increased bids on three high-converting terms.
Constraint	What limited performance?	Two launch campaigns ran out of budget by early afternoon, which capped additional sales.
Action taken	What did we do?	We harvested five converting search terms and added seven irrelevant terms as negatives.
Next action	What happens next?	Next week we will test a moderate budget increase on profitable exact campaigns and review placement performance.
Risk or ask	What do we need from the client?	Please confirm inventory coverage before Prime Day scaling.

F. Bulk Upload and Change QA Checklist

- **Before export:** Confirm date range, account, marketplace, campaign names, ad type, and goal.
- **Before upload:** Check match type, negative match type, bid values, budgets, campaign state, ad group state, SKU/ASIN, and duplicates.
- **High-risk fields:** Budget, bid, state, negative phrase, portfolio, campaign name, targeting expression, placement modifier.
- **Rollback plan:** Save the original file, upload file, timestamp, owner, reviewer, and a short reason for every material change.
- **Approval rule:** Require strategist or lead approval for large budget increases, bulk negatives, account-wide rule changes, and automation changes.

G. Wiki-to-App Data Schemas

Use these as starting schemas when this wiki feeds a Console Simulator, quiz app, LMS, or reporting assistant.

Schema	Fields	Use
topic_page	id, title, section, learner_level, summary, body, tags, prerequisites, owner, last_verified, sources	Render wiki pages and build lesson paths
glossary_term	term, short_def, long_def, related_terms, first_section, examples	Power hover definitions and glossary pages
quiz_question	id, topic_id, difficulty, question, options, correct_answer, explanation, skill_tag	Build quizzes and capstone assessments
scenario	scenario_id, topic_tags, starting_state, learner_task, correct_actions, common_mistakes, scoring_rubric	Power simulator exercises
change_log	date, account, campaign, action, old_value, new_value, owner, reviewer, reason	Audit live account changes
learner_progress	learner_id, topic_id, status, quiz_score, practice_score, last_activity	Track training completion