TRAKTOR NUSANTARA

GAUSIUM

OMNIE

AI-Powered Robot Floor Cleaner
for High-Dynamic Environments

TRAKNUS 1500 974 CONTACT CENTER

PT Traktor Nusantara
Jl. Pulogadung No.32 Kawasan Industri Pulogadung Jakarta 13930 T: (021) 460 8836 / 460 8840 www.traknus.co.id

Key Features

OmniVision

360° camera coverage with 360° object detection and a bird's-eye view for enhanced obstacle avoidance and precise navigation.

OmniClean

Pre-sweeping FREE*, scrubbing with a wider 520 mm cleaning path while simultaneously swallowing up to 10L trash per hour.

*Available soon.

OmniLiDAR

360° LiDAR coverage, optimized for large highly dynamic industrial environments.



OmniSpotCleaning

Precisely identifying and cleaning both dry and wet waste powered by AI deep learning.



Applicable Flooring Types

Natural Stone

Artificial Stone



Ceramic

Concrete

PVC

Epoxy

Specification

Dimension (L×W×H)	810×700×1,070 mm | 31.9×27×42.1 in
Net Weight	157 kg | 346 lb
Main Brush	Disc Brush
Cleaning Width	Scrubbing: 520 mm | 20.5 in; Dust Mopping: 715 mm | 28 in
Max. Cleaning Efficiency (Theoretical)	Scrubbing: 2,621 m^2/h | 28,212 ft^2/h; Dust Mopping: 3,604 m^2/h | 38,793 ft^2/h
Max. Runtime	Scrubbing 3 h; Dust Mopping 8 h
Charging Time	2 h
Clean/Waste Water Tank	33L / 24 L | 8.7 gal / 6.3 gal
Gradeability	4.6°
Min. Pass Width	800 mm | 31.5 in
Min. U-turn Width	1,100 mm | 43.3 in
Max. Cleaning Speed	1.4 m/s | 3.1 mph
Sensor System	3D LiDAR, 2D LiDAR, 3D Depth Camera, RGB Camera, Anti-Collision, Anti-Drop

Note : The specifications are derived from Gausium lab test results; actual performance data may vary in specific applications.

TRAKTOR NUSANTARA
GET IN TOUCH NOW!
TRAKNUS
1500 974
CONTACT CENTER
powered by UT Call
PT Traktor Nusantara
Jl. Pulogadung No.32
Kawasan Industri Pulogadung
Jakarta 13930
021 460 8836 / 460 8840
www.traknus.co.id
traknusofficial
Traktor Nusantara - Traknus
Traktor Nusantara
Traktor Nusantara Official