TRAKTOR NUSANTARA

GAUSIUM

PHANTAS

Commercial Robot Floor Cleaner
for Small to Midsize Spaces

TRAKNUS 1500 974 CONTACT CENTER

PT Traktor Nusantara
Jl. Pulogadung No.32 Kawasan Industri Pulogadung Jakarta 13930 T: (021) 460 8836 / 460 8840 www.traknus.co.id

Key Features

Versatile Cleaning

All-in-One Solution
Integrates vacuuming, scrubbing, sweeping, and dust mopping in a single solution for comprehensive floor care.

Floor Type Recognition
Identifies flooring types and automatically adjusts brush height to protect flooring materials.

AI-Powered Perception

Smart Obstacle Avoidance
Recognizes obstacle types and makes advanced behavior decisions according to the types and features of obstacles.

Spot Cleaning Mode*
Proactively detects and cleans waste using RGB camera and AI algorithms, bringing up to 400% efficiency improvement.

*Available via OTA upgrade.

Agile Maneuverability

Strong Passability
Able to pass through aisles as narrow as 600mm and as low as 650mm to clean under desks.

Zero-distance Edge Cleaning
Able to clean along the edges at zero distance, leaving the edges spot-free.

Advanced Safety

Flashing Light
Ensures safety and effective performance in low-light conditions by alerting nearby pedestrians.

Warning Flag (Optional)
Enhances the robot's visibility, ensuring it can still be seen even when partially blocked by cargo or other objects.

Effortless Maintenance

Smart Handle
Automatic mode shift (Auto/Manual) via handle position detection, and effortless control with power assistance.

Docking Stations
Optional workstation for auto charging and water management, and an optional mobile water tank for on-demand water supply.

Applicable Flooring Types


Low pile Carpeting

Natural Stone

Artificial Stone


Ceramic


Hardwood

Concrete


PVC

Epoxy

Specification

Dimension (L×W×H)	540×440×617 mm | 21.3×17.3×24.3 in
Net Weight	53 kg | 117 lb
Vacuuming/Sweeping Width	410 mm | 16.2 in
Scrubbing/Dust Mopping Width	330 mm | 13 in
Max. Cleaning Efficiency (Theoretical)	Scrubbing / Dust Mopping: 950 m^2/h | 10,226 ft^2/h Vacuuming / Sweeping: 1,180 m^2/h | 12,701 ft^2/h
Practical Cleaning Efficiency	350-700 m^2/h | 3,367-7,535 ft^2/h
Max. Runtime	Scrubbing 4.5 h; Vacuuming 4 h; Sweeping 14 h; Dust Mopping 10 h
Charging Time	2 h
Clean Water/Waste Water Tank	11.5 L / 10.5 L | 3.0 gal / 2.8 gal
Trash Can Capacity	0.7 L | 0.2 gal
Dust Bag Capacity	6L (Holds 3-7 days' dust)
Edge Cleaning Capability	0 mm | 0 in
Gradeability	8°
Min. Pass Width	600 mm | 23.6 in
Min. U-turn Width	750 mm | 29.5 in
Max. Cleaning Speed	0.8 m/s | 1.8 mph
Sensor System	LiDAR, 3D Depth Camera, RGB Camera, Anti-Drop, Anti-Collsion

Note : The specifications are derived from Gausium lab test results; actual performance data may vary in specific applications.

TRAKTOR NUSANTARA
GET IN TOUCH NOW!
TRAKNUS
1500 974
CONTACT CENTER
powered by UT Call
PT Traktor Nusantara
Jl. Pulogadung No.32
Kawasan Industri Pulogadung
Jakarta 13930
021 460 8836 / 460 8840
www.traknus.co.id
traknusofficial
Traktor Nusantara - Traknus
Traktor Nusantara
Traktor Nusantara Official