Nuclei Scan Report

Generated: 2026-02-03 06:44:39

Total Findings: 6

Summary by Severity

Info: 6

Detailed Findings

Finding #1 - INFO

Template ID: caa-fingerprint

Template: CAA Record

Host: scanme.sh

Matched: scanme.sh

Type: dns

Description:
A CAA record was discovered. A CAA record is used to specify which certificate authorities (CAs) are allowed to issue certificates for a domain.

Tags:
dns, caa, discovery

Request:
```
;; opcode: QUERY, status: NOERROR, id: 39012
;; flags: rd; QUERY: 1, ANSWER: 0, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version 0; flags:; udp: 4096

;; QUESTION SECTION:
;scanme.sh. IN	 CAA
```

Response:
```
;; opcode: QUERY, status: NOERROR, id: 39012
;; flags: qr rd ra; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version 0; flags:; udp: 512

;; QUESTION SECTION:
;scanme.sh. IN	 CAA

;; AUTHORITY SECTION:
scanme.sh. 449 IN SOA ns69.domaincontrol.com. dns.jomax.net. 2025061301 28800 7200 604800 600
```

References:
- https://support.dnsimple.com/articles/caa-record/#whats-a-caa-record

Finding #2 - INFO

Template ID: nameserver-fingerprint

Template: NS Record Detection

Host: scanme.sh

Matched: scanme.sh

Extracted: ns69.domaincontrol.com., ns70.domaincontrol.com.

Type: dns

Description:
An NS record was detected. An NS record delegates a subdomain to a set of name servers.

Tags:
dns, ns, discovery

Request:

```
;; opcode: QUERY, status: NOERROR, id: 7042
;; flags: rd; QUERY: 1, ANSWER: 0, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version 0; flags:; udp: 4096

;; QUESTION SECTION:
;scanme.sh. IN  NS
```

Response:

```
;; opcode: QUERY, status: NOERROR, id: 7042
;; flags: qr rd ra; QUERY: 1, ANSWER: 2, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version 0; flags:; udp: 512

;; QUESTION SECTION:
;scanme.sh. IN  NS

;; ANSWER SECTION:
scanme.sh. 3600 IN NS ns69.domaincontrol.com.
scanme.sh. 3600 IN NS ns70.domaincontrol.com.
```

Finding #3 - INFO

Template ID:	tls-version
Template:	TLS Version - Detect
Host:	scanme.sh
Matched:	scanme.sh:443
Extracted:	tls10
IP Address:	128.199.158.128
Type:	ssl

Description:
TLS version detection is a security process used to determine the version of the Transport Layer Security (TLS) protocol used by a computer or server.
It is important to detect the TLS version in order to ensure secure communication between two computers or servers.

Tags:
ssl, tls, discovery

Finding #4 - INFO

Template ID:	tls-version
Template:	TLS Version - Detect
Host:	scanme.sh
Matched:	scanme.sh:443
Extracted:	tls11
IP Address:	128.199.158.128
Type:	ssl

Description:
TLS version detection is a security process used to determine the version of the Transport Layer Security (TLS) protocol used by a computer or server.
It is important to detect the TLS version in order to ensure secure communication between two computers or servers.

Tags:
ssl, tls, discovery

Finding #5 - INFO

Template ID:	tls-version
Template:	TLS Version - Detect
Host:	scanme.sh
Matched:	scanme.sh:443
Extracted:	tls12
IP Address:	128.199.158.128
Type:	ssl

Description:
TLS version detection is a security process used to determine the version of the Transport Layer Security (TLS) protocol used by a computer or server.
It is important to detect the TLS version in order to ensure secure communication between two computers or servers.

Tags:
ssl, tls, discovery

Finding #6 - INFO

Template ID: tls-version

Template: TLS Version - Detect

Host: scanme.sh

Matched: scanme.sh:443

Extracted: tls13

IP Address: 128.199.158.128

Type: ssl

Description:
TLS version detection is a security process used to determine the version of the Transport Layer Security (TLS) protocol used by a computer or server.
It is important to detect the TLS version in order to ensure secure communication between two computers or servers.

Tags:
ssl, tls, discovery