

Time as Shape: Investigating Polygon-Based Temporal Mapping in AI-Generated Narratives, Visual Arcs, and Causal Structures

I. Introduction: Time as Shape in Generative Systems

A. Framing the Core Inquiry

The generation of narrative through computational means represents a significant frontier in artificial intelligence, blending creativity with algorithmic control.¹ As AI models become increasingly sophisticated, the challenge shifts from mere text or image generation to imbuing these outputs with deeper structural coherence, symbolic meaning, and predictable temporal logic. This report investigates a novel approach to this challenge: the use of multi-sided polygons as abstract scaffolds or symbolic containers for encoding temporal structures within AI-generated narratives and associated visual representations.

The central hypothesis posits that the geometric properties of polygons—their side count (n), symmetries, and potential for nesting—can be systematically mapped to narrative concepts such as plot phases, causal relationships, structural recursion, narrative symmetry, and temporal compression. This exploration resides at the intersection of computational narrative theory³, symbolic computation⁵, semiotics⁷, and geometric formalism.⁹ By leveraging the precise language of geometry, this approach seeks to provide a framework for more explicit control over the temporal architecture of AI-generated stories and visuals, potentially bridging the gap between abstract symbolic intent and concrete computational implementation.

B. Potential Benefits and Inherent Challenges

Employing geometric structures as temporal blueprints offers several potential advantages. It could enhance the structural integrity and coherence of generated narratives by providing a clear, quantifiable framework for plot progression and cyclicity. Explicitly mapping polygon sides to narrative phases allows for precise control over the pacing and structure of story arcs. Furthermore, the inherent visual nature of polygons facilitates the integration of narrative logic with visual grammar, potentially useful in generating storyboards, visual narratives, or game levels where structure is paramount.⁹ The rich symbolic history associated with certain geometric forms, particularly in traditions like sacred geometry¹¹, offers the potential to imbue generated narratives with deeper layers of meaning through resonance and association.

However, this approach faces significant hurdles. A primary challenge lies in the semantic gap between human symbolic intention and the interpretive capabilities of current AI systems.¹³ AI models often excel at pattern matching but may struggle with genuine abstract understanding, potentially treating geometric prompts as mere stylistic suggestions or ornamentation rather than structural or causal directives. The polysemy inherent in geometric symbols—where a single shape like a pentagram can hold numerous, sometimes contradictory meanings across different contexts¹⁵—further complicates interpretation. There is a substantial risk that the geometric formalism, intended to provide structure, could devolve into visual noise or lose its causal coherence if not carefully implemented and constrained. Evaluating whether an AI truly "understands" the temporal or narrative meaning encoded in a polygon, versus simply mimicking associated patterns, remains a difficult problem.¹⁴

C. Report Structure and Methodology

This report systematically investigates the "Time as Shape" hypothesis through the lens-based research

framework outlined in the initial query. It proceeds as follows:

- **Section II (Polygonal Temporality):** Examines the mapping of polygon sides (n) to narrative phases, exploring the relationship between side-count, established narrative models, and symbolic meaning.
- **Section III (Geometric Symmetry and Recursion):** Investigates the use of geometric operations like folding and nesting to model narrative symmetry and recursive structures.
- **Section IV (Geometric Causality):** Compares the use of polygons for representing narrative progression and causality against established graph-theoretic models like DAGs and FSMs.
- **Section V (Temporal Compression and Fractal Narratives):** Explores nested polygons as representations of time dilation/compression and fractal narrative patterns.
- **Section VI (Failure Modes and Temporal Ambiguity):** Documents potential AI misinterpretations of temporal polygon prompts and discusses strategies for mitigation, focusing on the challenge of temporal binding.
- **Section VII (Synthesis):** Proposes a preliminary Temporal Polygon Prompt Grammar (TPPG) and a Polygon-to-Phase Mapping Lexicon, consolidating the findings.
- **Section VIII (Reflexive Insights and Future Directions):** Addresses overarching questions about the approach's efficacy, proposes actionable prompt modules, and outlines avenues for future research.

The analysis synthesizes insights from narrative theory¹⁷, semiotics⁷, geometric principles⁹, AI capabilities and limitations¹³, and computational modeling⁵, drawing upon the provided research materials to ground the discussion.

II. Polygonal Temporality: Mapping Sides to Narrative Phases (Lens 1)

A. The Principle of N-Gon to N-Phase Mapping

The foundational concept of this approach involves establishing a direct correlation between the number of sides (n) of a polygon and the number of distinct phases, beats, steps, or acts within a narrative structure. This mapping aims to provide a quantifiable and visually representable framework for temporal progression in generated stories. Specific examples illustrate this principle:

- **Triangle (3-gon):** The simplest polygon, potentially mapping to a basic 3-Act Structure (Setup, Confrontation, Resolution)²⁷ or fundamental triads in narrative or character dynamics. Symbolically linked to spirituality (trinity) or basic stability.¹¹
- **Square (4-gon):** Could map to a 4-part structure or represent stability, the material world, or the four elements/directions.¹¹
- **Pentagon (5-gon):** Directly applicable to 5-Act structures, such as Freytag's Pyramid in its common formulation.¹⁹ Its rich symbolic history connects it to humanity (Agrippa's depiction), perfection, protection (warding off evil, knightly virtues), the five elements in Wicca, health (Pythagoreans), and potentially cosmic significance via the golden ratio inherent in its geometry.¹⁵ The Pentagon Memorial uses age lines within the site's geometry as a timeline, linking the shape to temporal representation in a specific context.³⁰
- **Hexagon (6-gon):** Maps to 6 stages. Symbolically potent, representing the 6 days of creation³¹, balance, harmony (honeycomb structure³¹), human life stages or fall/redemption cycles (linked to the Samaritan woman's story and the sixth day/Holy Friday³²). Its use in architecture signifies structure and potentially passage or journey.³¹
- **Heptagon (7-gon):** Maps to 7 stages. Strongly associated with temporal cycles: the 7 days of the

week/creation³³, planetary hours.³³ Also linked to spiritual concepts like the 7 chakras, divine rest/completion (seventh day), and potentially the 7 deadly sins (derived historically from 9 divine forms³⁵). The heptagram form symbolizes the flow of time or energy.³³

- **Octagon (8-gon):** Maps naturally to 8-stage cyclical structures like Dan Harmon's Story Circle.²⁰ Symbolically represents rebirth, regeneration, renewal (baptismal fonts are often octagonal³⁸), cosmic balance, infinity (visual link to the lemniscate ∞), completion, and the Universal Cycle of Existence.³⁸ It bridges the square (earth) and circle (heaven), symbolizing transition or "squaring the circle".³⁹
- **Enneagon (9-gon):** Maps to 9 stages. Most notably linked to the 9 concepts (Holy Ideas, Virtues, Passions, Fixations) in Ichazo's Enneagram system, which explores the relationship between essential nature and ego distortions.³⁵ Also associated with completion of cycles (9 months gestation) and spiritual maturity.¹² The Enneagram symbol itself is taught by Gurdjieff as representing cosmic processes³⁵, though its use for personality typing is Ichazo's development and subject to some controversy.⁴⁰
- **Decagon (10-gon):** Maps to 10 stages. Symbolically associated with divine order, law, wholeness, and completion with structure.¹²
- **Dodecagon (12-gon):** Maps well to 12-stage narrative models like Christopher Vogler's adaptation of the Hero's Journey.¹⁸ Strongly associated with cosmic and temporal cycles: the 12 months of the year, the 12 signs of the Zodiac.²⁹ Symbolizes the universe or cosmos (Plato, al-Biruni²⁹), authority and advanced geometric understanding (Inca Twelve-Angled Stone⁴²). Plato associated it with the heavens or quintessence.²⁹ It may also symbolize the absolute or creative unconscious.²⁹
- **Tetradecagon (14-gon):** Could map to less common 14-step structures, such as a specific interpretation of Campbell's Hero's Journey (though his primary model has 17 steps, often adapted to 12).¹⁸ This highlights the need for specificity in mapping.

B. Semantic Resonance vs. Structural Formality

A critical consideration is whether the choice of a specific polygon primarily imposes a structural constraint (forcing the narrative into n phases) or if it also leverages the inherent symbolic meaning associated with that shape to enrich the narrative content.⁷ Sacred geometry traditions, for instance, imbue shapes like circles, squares, triangles, and pentagons with profound meanings related to unity, stability, divinity, and cosmic principles.¹¹ Using a hexagon, therefore, might implicitly invoke themes of creation, order, or the human condition explored in its symbolism³¹, while a dodecagon might suggest cosmic scale or cyclical completeness.²⁹

However, this mapping is fraught with ambiguity. Many established narrative models themselves have variations in their phase counts. The Hero's Journey is cited with 17 steps (Campbell's original), 12 steps (Vogler's popular adaptation), and potentially other counts like 14.¹⁸ Freytag's Pyramid is commonly described with 5 parts, but sometimes expanded to 7.¹⁹ Furthermore, individual polygons carry a multitude of symbolic meanings, often varying across cultures and historical periods, and sometimes even holding contradictory connotations (e.g., the pentagram representing both divine perfection and demonic association).¹⁵ This inherent polysemy⁸ means that simply invoking a polygon, say Polygon(12), is insufficient for unambiguous control. The intended narrative model or symbolic interpretation must be explicitly declared within a generative system, for example, Polygon(12, model=VoglerHeroJourney) or Polygon(5, model=FreytagPyramidBasic). Relying solely on the polygon's side count provides structural formality, but achieving semantic resonance requires careful contextualization.

The rich symbolic heritage of geometric shapes, especially those prominent in sacred geometry ¹¹, presents both an opportunity and a risk. On one hand, leveraging these deep-seated associations could add layers of meaning and resonance to generated narratives. On the other hand, AI models, primarily trained on pattern recognition from vast datasets, may not possess the nuanced cultural or symbolic understanding to interpret these meanings correctly.¹³ Using a historically charged symbol like a pentagram ¹⁵ purely for its five sides might inadvertently trigger unintended associations in the output or for the audience, unrelated to the structural intent. Effective use likely requires either relying on symbols with near-universal interpretations (which may be scarce) or explicitly defining the intended symbolic mapping within the prompt system, thereby limiting the reliance on inherent, unstated resonance.

C. Proposed Lexicon Framework

To navigate this complexity and provide a foundation for a prompt grammar, a structured lexicon mapping polygons to potential narrative and symbolic correlates is necessary. The table below offers a draft framework, acknowledging the ambiguities discussed.

Table 1: Polygon-to-Narrative Structure Mapping Lexicon (Draft)

Polygon Type	Side Count (n)	Potential Narrative Model(s) (Phases)	Key Symbolic Associations (Keywords)	Potential Temporal Interpretation	Relevant Sources
Triangle	3	3-Act Structure (Setup, Confrontation, Resolution)	Trinity, stability, spirit	Linear Progression	11
Square	4	4-Part Sequence	Stability, material world, 4 elements, 4 directions, earth	Static Structure / Cycle	11
Pentagon	5	5-Act Structure (Freytag), 5 Stages	Humanity, perfection, protection, health, 5 elements (Wicca), golden ratio, cosmos	Linear / Cyclical Progression	15
Hexagon	6	6 Stages, 6 Days of Creation	Creation, balance, harmony, human life/fall/redemption , work/rest cycle	Cyclical / Phase-Based	31
Heptagon	7	7 Stages, 7 Days of Week	Weekly cycle, planetary hours, divine rest, completion, spirituality (chakras, sins), time flow	Cyclical (Weekly)	33

Octagon	8	8-Stage Cycle (Harmon's Story Circle)	Rebirth, regeneration, renewal, infinity (∞), cosmic balance, completion, transition (earth/heaven), time/space (directions/seasons)	Cyclical	20
Enneagon	9	9 Stages (Ichazo's Enneagram types/processes)	Divine forms, essence/ego, completion of cycles, spiritual maturity, cosmic process	Cyclical / Process-Based	12
Decagon	10	10 Stages	Divine order, law, wholeness, completion with structure	Structured Progression	12
Dodecagon	12	12-Stage Cycle (Vogler's Hero Journey), Zodiac Cycle, Annual Cycle	Cosmic order, universe, heavens, authority, completeness, time cycles (year/zodiac), absolute unconscious	Cyclical (Annual/Cosmic)	18
Tetradecagon	14	14-Step Hero's Journey (specific interpretation)	Specific narrative structures	Linear / Cyclical Progression	[Query]
High-n gon	>14	Custom phase counts, potential approximation of circle	Unity, infinity (as $n \rightarrow \infty$), complexity, mandala	Cyclical / Continuous	11

Note: This lexicon is illustrative. The actual mapping used in a generative system must be explicitly defined.

III. Geometric Symmetry and Recursion in Narrative Arcs (Lens 2 & 4)

Beyond simple phase counting, the geometric properties of polygons offer mechanisms for encoding more complex narrative structures like symmetry and recursion.

A. Edge-Folding for Narrative Symmetry

Geometric transformations, particularly reflection and rotation, applied to the vertices and edges of a polygon can serve as formal operations to simulate narrative symmetry.²² For instance, consider an enneagon (9-gon) representing a 9-part narrative. Folding this polygon along an axis of symmetry—perhaps a line connecting a

vertex to the midpoint of the opposing side or edge—could establish a direct mapping rule. This rule might dictate that narrative elements associated with edges or phases in the first part of the story (e.g., phases 1, 2, 3) must mirror or correspond in a defined way to elements in the latter part (e.g., phases 9, 8, 7). This provides a precise method for constructing plots where, for example, Act I mirrors Act III.

Similarly, radial reflection across the polygon's center could model narratives involving return or causal loops.¹⁷ In such a structure, the narrative state at the end (final vertex/edge) might be required to mirror or invert the state at the beginning (initial vertex/edge). These geometric operations possess well-defined mathematical rules that can be implemented computationally.⁴⁵ This capability moves beyond merely describing a plot as "symmetrical" or "looped"; it offers an algorithmic means to *construct* such structures by enforcing geometric constraints on the narrative generation process. For example, an AI could be tasked to ensure that the character's emotional state at phase n is the inverse of their state at phase 1, based on a reflection rule applied to the polygon.

B. Nested Polygons for Recursive Structures

The concept of nesting polygons—placing one polygon geometrically inside another—provides a powerful visual and structural metaphor for representing embedded or recursive narrative elements.⁴⁷ This aligns well with fractal geometry, where patterns exhibit self-similarity across different scales.⁴⁸ A narrative might possess a fractal structure if its main plot arc is echoed in its subplots, character arcs, or even thematic elements within individual scenes.

Using nested polygons, a prompt could instruct an AI to generate such structures with controllable depth. For example, Polygon(A) nested inside Polygon(B) could signify:

- A story within a story (e.g., a character recounts a tale).
- A dream sequence or flashback occurring within a larger act.
- A subplot unfolding within the context of a main plot phase.
- A recurring motif or theme explored at different narrative levels.

The depth of nesting (e.g., depth=3) could specify the number of recursive layers. This geometric nesting provides a more formal and potentially more intuitive language for AI instruction compared to abstract requests for "recursion" or "self-similarity." A prompt like "Storywheel: Polygon(8).Nest(Polygon(2), depth=3).Each = [plot, echo, recursion]" offers a structured command: generate a main 8-part cycle, where each part contains a 2-part echo, which in turn contains another recursive element, down three levels. This allows for the algorithmic generation of complex, layered narratives based on geometric principles.

C. Syntax for Geometric Narrative Operations

Based on these concepts, a preliminary syntax for a Temporal Polygon Prompt Grammar (TPPG) can be outlined. This syntax aims to provide building blocks for specifying polygon-based temporal structures:

- Polygon(n , [attributes]): Defines the base polygon with n sides. Attributes might include regular=True, model=FreitagPyramid, theme='Betrayal'.
- .Map(PhaseType) or .Phase(Function): Assigns a semantic label or function to each phase/edge/vertex. E.g., .Phase(Archetype) suggests each phase corresponds to an archetypal stage; .Map(EmotionalState) might require tracking character emotion per phase.
- .Fold(axis, mapping_rule): Specifies a symmetry operation. axis could be defined by vertices, midpoints, or a symmetry count (e.g., symmetry=6 for a dodecagon). mapping_rule defines how mirrored phases relate (e.g., map=Phase $_i \leftrightarrow$ Phase $_{n-i+1}$ for direct mirroring).
- .Loop(condition, depth): Defines conditions for narrative looping. condition could be an event trigger (e.g.,

event='CharacterDeath') or reaching a specific phase. depth limits the number of loops.

- .Nest(Polygon(m), [mapping], depth): Specifies geometric nesting. Polygon(m) defines the inner shape. mapping could link inner phases to outer phases or define the nested element's role (e.g., map=Subplot, map=Flashback). depth controls recursion levels.

This syntax is illustrative and requires rigorous formal definition, parsing logic, and validation against AI model capabilities.

D. Visualization: Recursive Storywheels and Narrative Maps

A significant advantage of the geometric approach is its potential for direct visualization. The TPPG specifications could be used not only to guide narrative generation but also to render visual representations like "storywheels" or narrative maps.⁴⁷ These visualizations could serve as planning tools for human creators or as outputs accompanying the generated narrative.

For example, a prompt requesting "a recursive enneagon storywheel" could generate an image depicting a 9-sided polygon. Nested polygons within it could visually represent the embedded narrative levels specified by .Nest(). Colors, line styles, or icons associated with edges and vertices could represent phase types (.Phase()) or symmetric relationships established by .Fold(). Such maps offer an intuitive way to grasp complex temporal structures.

IV. Geometric Causality: Polygons vs. Narrative Graphs (Lens 3)

Exploring polygons as models for narrative causality involves interpreting their structure in terms of progression and consequence.

A. Edge Traversal as Narrative Progression

In this model, the vertices of the polygon represent key events, decision points, or boundaries between narrative phases. The edges connecting these vertices represent the causally linked phases or transitions themselves. Traversing the perimeter of the polygon, edge by edge, corresponds to the unfolding of the narrative sequence. Additional information could be encoded through edge attributes: edge length might represent phase duration, edge color or style could indicate the type of causal link (e.g., necessary, probabilistic), and edge weight could represent the likelihood of a transition in interactive scenarios.

B. Comparison with Directed Acyclic Graphs (DAGs)

Directed Acyclic Graphs (DAGs) are a well-established formalism for representing causal relationships and dependencies, particularly in computational systems and increasingly in narrative analysis.²⁵ A DAG consists of nodes (representing events or states) and directed edges (representing causal influence or dependency), with the critical constraint that there are no directed cycles.²⁵ This means one cannot start at a node and follow a sequence of directed edges back to the starting node.

Comparing polygons and DAGs reveals fundamental structural differences relevant to narrative modeling. Polygons, as closed geometric figures, inherently embody sequence and cyclicity. Traversing the perimeter naturally leads back to the starting point, making them an intuitive fit for modeling narratives with fixed-phase cycles, such as mythological structures (like the monomyth¹⁸), recurring routines, time loops¹⁷, or cyclical models like Dan Harmon's Story Circle.²⁰

DAGs, conversely, excel at representing branching possibilities and complex, non-repeating causal chains. Their

acyclic nature makes them suitable for narratives where choices lead down different paths without a guaranteed return to an earlier state. They can model intricate webs of cause and effect, including "backdoor paths" where confounding variables create spurious correlations, a concept crucial for causal inference.⁵¹ While polygons enforce a relatively rigid sequence, DAGs offer greater flexibility to represent multiple potential outcomes stemming from a single event or decision point. Therefore, the inherent cyclicity of polygons provides a strong structural prior advantageous for modeling cyclical narratives, whereas DAGs are more naturally suited for representing the branching, non-cyclical causal structures common in many linear or interactive stories.

C. Comparison with Finite State Machines (FSMs)

Finite State Machines (FSMs) provide another relevant comparison point. FSMs model systems that can exist in a finite number of states, transitioning between them based on inputs or conditions.²⁶ They are frequently used in game development for controlling character AI, managing game states, or implementing simple interactive dialogue systems.⁵²

A polygon-based temporal model bears resemblance to an FSM. Each vertex can be viewed as a state, and traversing an edge represents a state transition. In a simple sequential narrative mapped to a polygon, the "input" triggering the transition is simply the completion of the previous phase. In a more interactive interpretation, reaching a vertex might present choices (branching off the polygon, perhaps?), with the chosen input determining the next edge traversed.

However, standard FSMs have limitations, particularly in handling complex context, memory, or nuanced character motivations.²⁶ A simple polygon model, relying solely on position along the perimeter, might share these limitations unless augmented with additional mechanisms to track narrative state beyond the current vertex or edge. FSMs do benefit from established methods for formal verification and analysis⁵², which might be adaptable to polygon models under certain conditions. Storytelling and visual aids like animations can make FSM concepts more accessible²⁶, suggesting that the visual nature of polygons might similarly aid comprehension.

D. Strengths and Weaknesses of Polygonal Causality

Evaluating polygons as a framework for narrative causality highlights specific strengths and weaknesses:

- **Strengths:**
 - Provides a visually intuitive and contained structure.
 - Naturally enforces sequence and, potentially, cyclicity.
 - Geometric grounding might be easier for certain AI processes to parse or manipulate compared to abstract graph representations.
 - Offers a strong structural template for phase-based or cyclical narratives.
- **Weaknesses:**
 - Less flexible than DAGs for representing complex, non-cyclical branching and dependencies.
 - Risk of oversimplifying intricate causal relationships.
 - The inherent cyclicity can be restrictive for narratives that are fundamentally linear or branching without return.
 - Representing concurrent events or multiple interacting causal chains is not straightforward within a single polygon structure.

Ultimately, using polygons to model narrative causality imposes a discrete, highly ordered framework. This structural constraint can be beneficial for controlling AI generation within specific narrative paradigms (e.g., myth

structures, ritual cycles) and potentially enhancing interpretability due to the clear visual metaphor. However, this same constraint limits the model's expressiveness for capturing the complex, open-ended, and often non-cyclical causal networks found in many contemporary narratives. For such cases, more flexible graph structures like DAGs remain a more suitable tool. The choice between polygonal and graph-based models depends on the specific type of narrative structure and causal complexity one aims to represent and generate.

V. Temporal Compression and Fractal Narratives via Geometric Nesting (Lens 4)

The concept of geometric nesting, introduced earlier for recursive structures, can be specifically adapted to represent variations in temporal experience and scale within a narrative.

A. Nested Polygons as Temporal Containers

By placing one polygon representation (Polygon(A)) inside another (Polygon(B)), we can create a symbolic mapping for different layers or qualities of time within the narrative. This draws metaphorical inspiration from concepts like time dilation in physics, where time passes at different rates for observers in different frames of reference⁵³, although the implementation here is purely symbolic, not physically literal. Potential mappings include:

- **Subjective Time Dilation/Compression:** The inner polygon could represent a narrative segment (like a dream, memory, or altered state) where time feels subjectively faster or slower than the time of the main narrative frame (outer polygon). For example, a brief moment of crisis (inner triangle) might feel stretched out within a longer scene (outer hexagon).
- **Embedded Temporal Cycles:** Nesting can represent cycles occurring at different frequencies. An outer dodecagon representing the annual cycle of seasons could contain inner heptagons representing the weekly cycle of events for a character.
- **Narrative Depth and Layering:** An inner polygon can represent a story told *within* the main story, such as a character recounting a past event or reading from a diary. The nesting visually separates the embedded narrative's timeline from the primary one.

This use of nesting provides a visual and structural language to instruct AI on managing multiple temporal scales or layers within a single narrative framework.

B. Fractal Narrative Mechanics

This geometric nesting connects directly to the theory of fractal narratives, which are characterized by self-similarity—the repetition of patterns, themes, or structures at different scales within the story.⁴⁸ A fractal story might feature a main plot conflict that is mirrored in the conflicts of subplots or in the internal struggles of individual characters.

Nested polygons offer a mechanism to algorithmically generate such fractal structures. Consider a main narrative structured as an octagon (Polygon(8)) representing a journey with a theme of 'Trust'. Each of the 8 phases could be mandated to contain a nested subplot, represented by a triangle (Polygon(3)), exploring a specific facet or 'trial' of trust. The .Nest() operation in the proposed grammar could specify this relationship, ensuring that the theme or structural pattern of the outer polygon recurs within the inner ones. This allows for the generation of narratives with inherent thematic resonance and structural complexity arising from the repetition of core elements across scales. Examples like *Cloud Atlas* or *Everything Everywhere All at Once* exhibit characteristics potentially interpretable through a fractal lens, with recurring characters or themes across disparate timelines or universes.⁴⁹

C. Prompting for Fractal Time

Building on the proposed grammar, prompts can be designed to explicitly control the generation of fractal temporal structures. An example illustrates this:

```
"Storywheel: Polygon(8, theme='Journey', model=HarmonCircle).Nest(Polygon(3, theme='Trial'), depth=2, map='Subplot').EachPhase ="
```

This prompt instructs the AI to:

1. Use an octagon as the primary structure, potentially following Dan Harmon's 8 steps²⁰, with an overarching theme of 'Journey'.
2. Nest within each phase a triangular structure representing a 'Trial' related to the journey.
3. Apply this nesting recursively to a depth of 2 (main plot -> subplot -> sub-subplot).
4. Map the nested elements as 'Subplots'.
5. Ensure each phase (at all levels) contains elements corresponding to Action, Reflection, and Consequence.

Such prompts aim to exert fine-grained control over both the macro-level narrative arc and the micro-level structures embedded within it, linking them through thematic coherence and recursive geometric representation.

VI. Failure Modes and Temporal Ambiguity in AI Interpretation (Lens 5)

Despite the potential of polygon-based temporal mapping, its practical implementation hinges on the ability of AI models to correctly interpret and adhere to the geometric and symbolic constraints. Based on known limitations of current AI systems, several failure modes can be anticipated.

A. Documenting Potential Misinterpretations

AI models may misunderstand or misapply temporal polygon prompts in various ways:

- **Geometry as Ornament:** The most straightforward failure mode is the AI treating the polygon specification purely as a visual or stylistic request, ignoring its intended structural or temporal meaning. A prompt requesting a narrative structured around a Polygon(20) might result in a visually complex, mandala-like image or a story with an arbitrary number of phases, with the AI focusing on the aesthetic suggestion of a "many-sided shape" rather than the precise constraint of 20 phases [Query example]. This reflects a bias towards surface patterns over underlying logic, a known issue in AI interpretation.¹⁴
- **Loss of Temporal/Causal Linkage:** The AI might generate visual elements corresponding to the polygon's vertices and edges but fail to translate this structure into a coherent temporal sequence or causal chain in the accompanying narrative text or events. The generated story might mention elements associated with different phases but present them out of order, or without the implied causal connections represented by edge traversal [Query example]. This points to the difficulty AI has in maintaining consistent temporal relationships across generated sequences.²⁴
- **Symbol Drift / Misinterpretation:** The rich and often ambiguous symbolic meanings associated with specific polygons¹⁵ can lead to unintended consequences. An AI might ignore the intended structural mapping (e.g., 5 phases for a pentagon) and instead generate content based on a tangential symbolic association it picked up from its training data (e.g., generating occult themes for a pentagon prompt intended for a simple 5-act structure). Conversely, it might completely ignore the historical symbolism, rendering the choice of a specific polygon semantically arbitrary. This stems from the AI's lack of deep, culturally grounded symbolic

understanding.¹³

- **Ignoring Constraints:** Explicit instructions within the prompt, such as enforcing a specific side-count ($n=14$) or applying a folding rule (`.Fold(symmetry=6)`), might be overridden by the model's internal biases, stylistic tokens, or its tendency to revert to more common structures learned during training. The AI might "smooth over" the constraints to produce a more probable, albeit incorrect, output.
- **Abstraction Failure:** AI models, particularly transformer-based architectures, can struggle with systematic generalization and abstract reasoning.¹³ While they might learn to associate a specific polygon (e.g., octagon) with a specific structure (e.g., Harmon's Circle) if trained on sufficient examples, they may fail to generalize the underlying *concept* of "time as shape." They might struggle to apply the principle to novel polygon types, complex nested configurations, or intricate folding rules not explicitly encountered during training.

B. The Challenge of Temporal Binding

A specific and critical challenge, particularly for AI models generating sequential outputs like text, video, or event series, is **temporal binding**.²⁴ This refers to the ability to accurately associate specific pieces of information (like narrative events or descriptions) with designated temporal segments or points in the output sequence.

When a prompt describes multiple events or phases intended to occur in a specific order dictated by a polygon structure (e.g., "Phase 1: Departure, Phase 2: Trials Begin... Phase 12: Return"), current models often struggle to bind each event reliably to its correct temporal slot.²⁴ They might merge events, omit some entirely, generate them out of the intended sequence, or fail to allocate appropriate duration to each phase. Simply listing the phases sequentially in the prompt does not guarantee their correct temporal placement and ordering in the generated narrative. This limitation suggests that the polygon structure, even if understood geometrically, might not automatically translate into a correctly timed narrative sequence without additional mechanisms.

C. Strategies for Enforcing Adherence

Addressing these failure modes requires developing strategies to constrain AI behavior and bridge the semantic gap:

- **Explicit Constraints and Keywords:** Incorporating explicit commands into the prompt grammar, such as `PhaseSync: Polygon(14).NarrativeStep(n=14)` [Query example], aims to directly instruct the model to treat the side count as a strict narrative phase count. Using keywords that emphasize sequence, causality, and structure might also help guide the AI.
- **Temporal Positional Encoding Analogues:** Techniques developed for multi-event video generation, like Relative Rotary Positional Encoding (ReRoPE), embed temporal information directly into the model's attention mechanism, allowing it to associate specific input descriptions with specific time ranges in the output video.²⁴ Analogous techniques might be necessary for narrative generation, perhaps by developing positional encodings that map directly to polygon segments (vertices or edges) and guide the generation process step-by-step along the perimeter.
- **Multimodal Disambiguation Probes:** Designing prompts that require the AI to generate *both* a visual representation (e.g., the polygon storywheel) *and* a textual explanation explicitly linking the geometric elements (sides, vertices) to the narrative timeline or events.⁵⁶ This forces the model to attempt a reconciliation between the geometric structure and the narrative content, potentially revealing and correcting misinterpretations. For example: "Generate an image of a heptagonal story map representing the 7 stages of alchemy. Then, provide a description explaining which alchemical process corresponds to each side of the heptagon, following the sequence around the perimeter."
- **Structured Output Formats:** Requiring the AI to output the narrative not as free-form text, but in a structured format (e.g., JSON, XML) where narrative segments are explicitly tagged with their corresponding polygon

phase (e.g., <Phase id="Polygon12_Phase3">...</Phase>). This makes adherence verifiable and potentially easier for downstream processing.

- **Fine-tuning and Specialized Training:** Developing curated datasets that pair polygon-based prompts with correctly structured narrative outputs could allow for fine-tuning models to better understand and execute these specific types of instructions.

D. AI Interpretation Failure Atlas

The following table summarizes the anticipated failure modes and potential mitigation strategies, providing a reference for developing and troubleshooting temporal polygon prompts.

Table 2: AI Interpretation Failure Atlas for Temporal Polygons

Geometric Prompt Element	Intended Temporal/Narrative Meaning	Observed/Potential AI Misinterpretation	Likely Cause	Mitigation Strategy	Relevant Sources
Polygon(n) (esp. high n)	Strict n-phase structure	Interpreted as circle/orb/mandala ; n ignored or approximated	Visual bias; focus on aesthetics over structure; pattern matching	PhaseSync(n=...) constraint; Multimodal probe; Structured output	[Query] ⁵⁵
Edge Traversal (Sequence)	Ordered progression of narrative phases/events	Phases generated out of order, merged, or omitted	Temporal binding failure; lack of sequential coherence	Temporal positional encoding analogue; Step-by-step generation prompting; FSM analogy	24
Edge/Vertex Mapping (Causality)	Causal link between phases; decision points	Visual rendering without causal impact in text; events lack consequence	Disconnect between visual/symbolic layer and narrative logic	Explicit causal keywords; DAG comparison; Structured output linking cause/effect	[Query] ⁵¹
Specific Polygon Choice (e.g., Hexagon)	Structural constraint + Symbolic resonance	Symbolism ignored (treated as generic 6-gon); Symbolism misinterpreted	Lack of symbolic grounding; Polysemy; Context mismatch	Explicit theme attribute; Provide symbolic context in prompt; Use neutral shapes	13
.Fold(), .Nest() Operations	Specific symmetry or recursive structure	Operations ignored; Incorrect implementation; Structure collapses into noise	Abstraction failure; Complexity overload; Lack of geometric reasoning	Break down complex prompts; Visual examples in prompt; Fine-tuning on examples	13
Temporal Attributes	Control over phase length or	Attributes ignored; Uniform pacing	Difficulty mapping abstract concepts to generation	Quantifiable duration markers; Link to explicit	53

(Duration, Pace)	narrative speed	applied	parameters	time units (if applicable)	
------------------	-----------------	---------	------------	----------------------------	--

This atlas highlights the critical need for robust prompt engineering, explicit constraints, and potentially new AI architectures or training paradigms to reliably implement the "Time as Shape" concept.

VII. Synthesis: A Temporal Polygon Prompt Grammar and Lexicon

Bringing together the preceding analysis, this section presents the consolidated lexicon, proposes a more formalized (though still preliminary) grammar, and discusses the role of recursive narrative map diagrams.

A. Consolidated Polygon-to-Phase Mapping Lexicon

The lexicon presented in Table 1 (Section II.C) serves as a starting point for associating polygons with narrative structures and symbolic meanings. It underscores the necessity of context: a pentagon might map to Freytag's 5 acts in one prompt but represent the 5 Wiccan elements in another. The lexicon's primary value lies in cataloging possibilities and highlighting the semantic range that a prompt grammar must accommodate, often through explicit declaration within the prompt itself.

B. Proposed Temporal Polygon Prompt Grammar (TPPG)

Based on the elements discussed throughout this report, a more structured (though still conceptual) Temporal Polygon Prompt Grammar (TPPG) can be proposed. Its core components might include:

- Base Definition:** Polygon(n::Int,)
 - o n: Number of sides (required).
 - o attributes: Optional key-value pairs (e.g., regular=True, model="VoglerHeroJourney", theme="Redemption").
- Phase Mapping:** .Phase(mapping::Union{Symbol, Function})
 - o Assigns a type, category, or computational function to each phase/edge. Examples: .Phase(Archetype), .Phase(PlotPointType), .Phase(CalculateTension).
- Geometric Operations:**
 - o .Fold(axis::SymbolicAxis, map::MappingRule): Defines symmetry. axis could be center, vertex_pair(i,j), symmetry_count=k. map defines the relationship between mirrored phases (e.g., InverseTheme, MirroredAction).
 - o .Nest(inner_poly::Polygon,, depth::Int): Defines recursion/embedding. inner_poly is another TPPG definition. map links inner to outer (e.g., SubplotOfPhase, FractalTheme). depth controls recursion levels.
- Temporal Control:**
 - o .Loop(condition::Event/State, depth::Int): Defines looping. condition triggers the loop.
 - o .PhaseSync(strict::Bool, count::Int): Enforces adherence to the phase count. strict=True mandates exactly count phases.
- Output Specification:** .Output(, [elements::List])
 - o Specifies desired output format (e.g., Text, JSON, StorywheelImage) and required narrative elements per phase (e.g., ``).

Example TPPG Strings:

- TaleArc = Polygon(12, model="ZodiacCycle", theme="CosmicInfluence").Phase(Archetype).Fold(axis=symmetry_count=6,

map=OppositionTheme).Loop(condition=ReturnToOrigin, depth=2).Output(format=Text, elements=[Event, CharacterImpact])

- *Interpretation:* A 12-phase narrative based on the Zodiac cycle, with each phase embodying an archetype. Opposite phases (1 vs 7, 2 vs 8, etc.) should have opposing themes. The entire cycle can loop twice if a "ReturnToOrigin" condition is met. Output should be text describing events and character impact.
- Dreamscape = Polygon(7, theme="InnerConflict", regular=False).Nest(Polygon(5, theme="MemoryFragment"), map=RecursiveInsight, depth=3).PhaseSync(strict=True, count=7).Output(format=StorywheelImage)
 - *Interpretation:* A 7-phase, potentially irregular heptagon structure representing inner conflict. Each phase contains nested 5-sided structures representing memory fragments, recurring down 3 levels, offering recursive insights. The 7-phase structure must be strictly adhered to. Output should be a visual storywheel.

This grammar aims for expressiveness but requires significant work on parser implementation, semantic interpretation by AI, and validation of its effectiveness in controlling generative output.

C. Recursive Narrative Maps (Diagrams)

Visual diagrams are crucial for understanding and communicating the structures generated by TPPG. Conceptual examples include:

* *Description:* Shows a regular hexagon. A dashed line indicates a fold axis (e.g., connecting opposite vertices). Arrows or color-coding show how phases 1, 2, 3 are mapped to phases 6, 5, 4 respectively, illustrating the `.Fold()` operation creating a mirrored plot structure.

* *Description:* Shows an octagon with arrows indicating traversal sequence. A central point represents a reflection operation. Arrows show how reaching phase 8 might trigger a reflection, mapping the character state back to an inverse of the state at phase 1, initiating a `.Loop()`.

* *Description:* Shows a large dodecagon representing the main plot. Inside each of the 12 segments (or near each vertex), a smaller pentagon is drawn, representing the `.Nest(Polygon(5)...) operation. Optionally, even smaller pentagons could be shown inside those, illustrating 'depth=2'. Consistent coloring or icons could indicate thematic self-similarity (' map=FractalTheme').`

These diagrams serve as visual counterparts to the TPPG syntax, clarifying the intended narrative architecture derived from geometric rules.

VIII. Reflexive Insights and Future Directions

Evaluating the "Time as Shape" proposal requires reflecting on its core assumptions and potential impact, alongside outlining practical tools and future research pathways.

A. Addressing the Core Questions (Reflexive Insight Loop)

- **Enhancement vs. Obscurity:** Does polygonal structure clarify narrative intent for AI, or does it obscure it? The analysis suggests a conditional answer. For narratives naturally suited to cyclical or fixed-phase structures (e.g., myths, rituals, certain game loops), the geometric formalism can provide a clear, constrained scaffold that *enhances* structural coherence, assuming the AI can be made to adhere to it. However, the reliance on potentially ambiguous symbolism¹⁵ and the inherent difficulty AI faces with abstraction¹³ mean that without careful grammar design, explicit constraints (like PhaseSync), and robust interpretation mechanisms, the geometric layer could easily become confusing or be ignored, thus *obscuring* intent. Success is not automatic; it depends on bridging the semantic gap.
- **Model Treatment of Polygon(n):** How do current AI models likely interpret a Polygon(n) prompt? By default, contemporary models (especially multimodal ones) are prone to treating Polygon(n) primarily as a descriptor of *visual geometry* or *ornamentation*. They may render the shape but fail to connect its structural properties (like side count or symmetry) to the temporal or causal flow of a generated narrative. Shifting this treatment towards recognizing the polygon as a *narrative scaffold* requires deliberate intervention: explicit instructions within the prompt (TPPG), targeted fine-tuning on datasets linking geometry to narrative structure, or multimodal prompting techniques that force reconciliation between visual form and textual meaning.²⁴
- **Symbolic Saturation Point:** At what point does the complexity of "time-as-shape" collapse into visual noise or lose causal coherence? Saturation likely occurs when the geometric complexity—using polygons with very high side counts (n), deep nesting (.Nest(..., depth=...)), multiple chained transformations (.Fold().Nest().Fold()...)—outstrips the AI's capacity for coherent symbolic processing and temporal binding.¹³ If the model cannot reliably track the state and relationships across numerous phases, nested levels, or symmetric mappings, the structure dissolves. Furthermore, layering multiple polygons with potentially conflicting symbolic associations (e.g., nesting a pentagram within a hexagon) could create semantic ambiguity faster than the geometry provides structural clarity, leading to incoherent or nonsensical outputs.
- **Best Application Domain:** Is this approach better suited for visual storyboarding, plot token chaining, or symbolic diagrams? The approach appears strongest for generating **symbolic diagrams** (like the narrative maps discussed) and potentially **visual storyboarding**, where the geometric form is an explicit and primary component of the output. Its application to **plot token chaining** (generating sequential narrative text) is promising *if* the challenge of temporal binding²⁴ can be effectively addressed through techniques like specialized positional encodings or structured output formats. Generating nuanced prose directly from complex TPPG prompts without intermediate translation layers seems less likely, as the grammar focuses on structure and temporal logic rather than linguistic style or character voice. The approach favors structure and pattern over nuanced, emergent causality.

B. Proposed Prompt Upgrade Modules (Actionable Tools)

To make this approach more practical, tools could be developed to assist users in constructing TPPG prompts:

- **Causal Polygon Composer:**
 - *Functionality:* A tool (potentially a guided prompt or simple UI) that takes user input specifying desired causal relationships (e.g., "Event A leads to B," "Phase 3 consequences mirror Phase 7," "Loop back if condition X occurs") and a chosen polygon (e.g., decagon).
 - *Output:* Generates a TPPG string encoding these relationships using edge traversal logic, vertex mapping for consequences, .Fold() for mirroring, and .Loop() for cycles. Example prompt for the composer:
"Construct a causal loop prompt using a decagon, where each edge represents a decision and opposite

vertices represent mirrored consequences."

- **Temporal Fractal Prompt Generator:**

- *Functionality:* Takes inputs like desired nesting depth, base polygon type/theme, nested polygon type/theme, and the mapping relationship between levels (e.g., subplot, flashback, thematic echo).
- *Output:* Generates a TPPG string using .Nest() with the specified parameters, automatically handling the recursive structure definition. Example prompt for the generator: *"Design a recursive time structure using nested polygons (base: Octagon-Journey, nested: Triangle-Obstacle, depth: 2) that simulate a story within a story. Map each level to its own symbolic time dilation (e.g., inner levels feel slower)."*

- **Visual-Narrative Disambiguation Probe:**

- *Functionality:* A diagnostic tool. Takes a TPPG prompt, sends it to an AI model capable of both image and text generation. It requests both a visual representation (e.g., storywheel) and a textual explanation of how the generated narrative maps onto that visual structure.
- *Output:* Presents the visual output alongside the AI's textual explanation, allowing the user to compare them against the original TPPG intent and identify where the AI's interpretation diverged (e.g., ignored side count, failed temporal binding, misinterpreted symmetry). Example prompt for the probe: *"Generate a visual storywheel for TPPG_Prompt_X using a 14-gon. Then, force the model to explain this visual output as a timeline, detailing the event corresponding to each of the 14 segments. Compare its explanation to the original polygonal prompt sequence in TPPG_Prompt_X."*

C. Future Research Directions

The "Time as Shape" concept opens several avenues for future investigation:

- **Empirical Validation:** Rigorously test the proposed TPPG with various state-of-the-art generative AI models (LLMs, text-to-image, text-to-video) to assess its actual effectiveness in controlling narrative structure and temporal coherence. Measure adherence to constraints like phase count, symmetry, and nesting.
- **Model Training and Adaptation:** Develop specialized datasets pairing TPPG prompts with high-quality narrative outputs that exemplify the desired structures. Use these datasets to fine-tune existing models or train new architectures specifically designed to interpret geometric-temporal instructions. Investigate modifications to attention mechanisms or positional encodings inspired by geometric principles.
- **Expanding Geometric Vocabulary:** Explore the potential of non-regular polygons, curved shapes (like spirals, which also have symbolic links to cycles and time¹¹), or higher-dimensional geometric objects for representing more complex temporal or narrative phenomena.
- **Cognitive Impact:** Study how human creators interact with and utilize TPPG. Does it enhance creative control, impose unhelpful constraints, or lead to novel narrative forms? Investigate audience reception: are narratives generated with explicit geometric structures perceived differently?
- **Integration with Existing Systems:** Explore methods for integrating TPPG into existing narrative planning frameworks, interactive narrative engines (like those used in game development), or procedural content generation pipelines.⁴

The "Time as Shape" concept introduces a novel formalism for structural control in generative narrative, operating through a geometric control language. Its viability hinges on concurrently developing an expressive grammar (like TPPG) and reliable methods—ranging from prompt constraints and multimodal checks to potential architectural innovations—to ensure AI systems faithfully adhere to the intended temporal, causal, and symbolic semantics encoded within the geometry. This dual focus on language design and AI alignment defines the core research challenge.

The approach seems particularly well-suited for applications where symbolic resonance, structural patterning, and cyclicity are paramount. This includes areas like myth generation, abstract visual art, procedural music

composition based on temporal shapes, and designing game levels or quests around narrative beats. These domains can leverage the strengths of geometric structure and symbolism while being potentially more tolerant of the nuances and ambiguities that challenge current AI reasoning about complex, linear causality.

IX. Conclusion

The investigation into using polygon-based temporal mapping—"Time as Shape"—reveals a conceptually rich and potentially powerful approach for imposing structure and symbolic depth onto AI-generated narratives and visuals. By correlating geometric properties like side count, symmetry, and nesting with narrative elements such as phases, causality, recursion, and temporal scale, this framework offers a novel pathway towards more controllable and interpretable generative systems. The inherent visual nature of polygons provides an intuitive bridge between abstract structure and concrete representation, potentially benefiting fields like procedural generation, visual storytelling, and game design.

However, the practical realization of this concept faces substantial obstacles rooted in the current limitations of AI. The primary challenges include the semantic gap between human symbolic intent and AI interpretation, the tendency for models to treat geometric constraints as mere ornamentation, the difficulty in ensuring accurate temporal binding of narrative events, and the inherent ambiguity of geometric symbolism. Without careful mitigation, the "Time as Shape" formalism risks becoming ineffective or producing incoherent results.

Success requires a multi-pronged strategy. This includes refining a precise and expressive Temporal Polygon Prompt Grammar (TPPG), developing robust prompt engineering techniques incorporating explicit constraints and multimodal disambiguation probes, and pursuing research into AI model adaptation through specialized training or architectural innovations inspired by temporal and geometric logic.

Ultimately, the "Time as Shape" framework serves as a valuable tool for thought and experimentation in computational narrative. It pushes the boundaries of how we conceptualize and control AI creativity, offering a structured language grounded in the timeless principles of geometry to shape the temporal flow of generated stories. While significant challenges remain in achieving reliable AI adherence, the potential to introduce greater structural coherence and symbolic resonance into generative media warrants continued exploration and development.

Works cited

1. Computational Creativity in Narrative Generation: Utility and Novelty Based on Models of Story Comprehension - AAAI, accessed May 13, 2025, <https://aaai.org/papers/0023-ss08-03-023-computational-creativity-in-narrative-generation-utility-and-novelty-based-on-models-of-story-comprehension/>
2. The Final Frontier? - Computational Creativity, accessed May 13, 2025, <https://computationalcreativity.net/iccc2014/wp-content/uploads/2013/09/ComputationalCreativity.pdf>
3. A Survey on Story Generation Techniques for Authoring Computational Narratives, accessed May 13, 2025, <https://cs.engr.uky.edu/~sgware/reading/papers/kybartas2016survey.pdf>
4. Procedural Content Generation in Games: A Survey with Insights on Emerging LLM Integration - arXiv, accessed May 13, 2025, <https://arxiv.org/html/2410.15644v1>
5. Erik T. Mueller - Computational Models of Narrative, accessed May 13, 2025, <https://www.cs.uky.edu/~sgware/reading/papers/mueller2013cmn.pdf>

6. Computational Model Theory: An Overview - Rice University, accessed May 13, 2025, <https://www.cs.rice.edu/~vardi/papers/wollic97-igpl.pdf>
7. SHAPES: SEMIOTICS + SYMBOLISM - BRAD DAILEY, accessed May 13, 2025, <https://www.braddailey.com/shapes-semiotics-and-symbolism>
8. Semiotics and Sign Systems in Literature | Intro to Literary Theory Class Notes - Fiveable, accessed May 13, 2025, <https://library.fiveable.me/introduction-to-literary-theory/unit-3/semiotics-sign-systems-literature/study-guide/ZQOTqXK1UOcNGTaF>
9. A Grammar of Graphics - Stat 20, accessed May 13, 2025, <https://stat20.berkeley.edu/fall-2024/2-summarizing-data/03-a-grammar-of-graphics/notes.html>
10. Visual Grammar - poradora, accessed May 13, 2025, <https://www.poradora.com/visual-grammar/>
11. UNDERSTANDING THE SACRED MEANINGS IN GEOMETRIC PATTERNS A.Meghna Tushar Sutaria* B. Nigam Oza** *Associate Professor, Sal Sc - International Journal of Multidisciplinary Research Review, accessed May 13, 2025, <http://www.ijmdrr.com/admin/downloads/240820241.pdf>
12. Sacred Geometry and the Symbolism of Numbers - Fr. Maurice Emelu, accessed May 13, 2025, <https://revemelu.com/sacred-geometry-and-the-symbolism-of-numbers/>
13. Quantifying artificial intelligence through algebraic generalization - arXiv, accessed May 13, 2025, <https://arxiv.org/html/2411.05943v1>
14. Why GPT can't think like us - ScienceDaily, accessed May 13, 2025, <https://www.sciencedaily.com/releases/2025/02/250221125814.htm>
15. Pentagon | Design, Shape, Star, Supernatural, Definition ..., accessed May 13, 2025, <https://www.britannica.com/topic/pentagram>
16. from equation to explanation: leveraging large language models for interactive math education - Abstract View, accessed May 13, 2025, <https://library.iated.org/view/IZQUIERDODOMENECH2025FRO>
17. Introduction: Time Loops, Temporal Uncertainty, and Problem-Solving in Narrative | Poetics Today | Duke University Press, accessed May 13, 2025, <https://read.dukeupress.edu/poetics-today/article/46/1/1/396858/Introduction-Time-Loops-Temporal-Uncertainty-and>
18. Writing the Hero's Journey: Steps, Examples & Archetypes - Scribophile, accessed May 13, 2025, <https://www.scribophile.com/academy/the-heros-journey-ultimate-guide>
19. Freytag's Pyramid: Definition and Examples - Quickbase, accessed May 13, 2025, <https://www.quickbase.com/articles/an-online-resource-guide-to-freytags-pyramid>
20. What Is Dan Harmon's Circle Theory of Story? Circle Story Guide & Examples, accessed May 13, 2025, <https://glcoverage.com/2024/06/12/dan-harmons-circle-theory-of-story/>
21. How to Structure a Story: The Fundamentals of Narrative - article - Plot Planning - Fiction, accessed May 13, 2025, <https://www.authorlearningcenter.com/writing/fiction/w/plot-planning/6366/how-t>

- [o-structure-a-story-the-fundamentals-of-narrative---article](#)
22. Symmetry - Wikipedia, accessed May 13, 2025, <https://en.wikipedia.org/wiki/Symmetry>
 23. From Images to Stories: Exploring Player-Driven Narratives in Games - INF/PUC-Rio, accessed May 13, 2025, <https://www-di.inf.puc-rio.br/~casanova/Publications/Papers/2025-Papers/2025-CCIS-Edirlei.pdf>
 24. Mind the Time: Temporally-Controlled Multi-Event Video Generation - arXiv, accessed May 13, 2025, <https://arxiv.org/html/2412.05263v2>
 25. What is a DAG? A Practical Guide with Examples - DataCamp, accessed May 13, 2025, <https://www.datacamp.com/blog/what-is-a-dag>
 26. Narrative-Driven Learning: Teaching Finite State Machines Through Storytelling - SciTePress, accessed May 13, 2025, <http://www.scitepress.org/Papers/2025/134716/134716.pdf>
 27. Data Storytelling Arc: Demystifying Narrative Structure In Data Stories, accessed May 13, 2025, <https://www.effectiveadatastorytelling.com/post/data-storytelling-demystifying-narrative-structure-in-data-stories>
 28. Freytag's Pyramid: Definition and Examples of Dramatic Structure - Kindlepreneur, accessed May 13, 2025, <https://kindlepreneur.com/freytags-pyramid/>
 29. (PDF) Archetypal Dodecahedron - ResearchGate, accessed May 13, 2025, https://www.researchgate.net/publication/315735578_Archetypal_Dodecahedron
 30. Design Elements - 9/11 Pentagon Memorial, accessed May 13, 2025, <https://www.pentagonmemorial.org/design-elements/>
 31. Why In Design: The Long History of Hexagon Shapes in Our Home & Architecture, accessed May 13, 2025, <https://nestnestnest.blogspot.com/2016/09/why-in-design-long-history-of-hexagon.html>
 32. The Samaritan Woman, Baptism and the Hexagon - Orthodox Arts ..., accessed May 13, 2025, <https://orthodoxartsjournal.org/the-samaritan-woman-baptism-and-the-hexagon/>
 33. What is Planetary Hours, part 3. - Time Nomad, accessed May 13, 2025, <https://timenomad.app/posts/astrology/philosophy/2018/12/09/what-is-planetary-hours-part-three.html>
 34. Sacred Geometry Symbols and Their Meanings: A Complete Guide - wikiHow, accessed May 13, 2025, <https://www.wikihow.com/Sacred-Geometry-Symbols>
 35. Traditional Enneagram (History) - The Enneagram Institute, accessed May 13, 2025, <https://www.enneagraminstitute.com/the-traditional-enneagram/>
 36. Dan Harmon Story Circle: The Simplified Hero's Journey for Writers - Spines, accessed May 13, 2025, <https://spines.com/dan-harmon-story-circle/>
 37. The Dan Harmon Story Circle: The Ultimate Guide in 8 Steps - Kindlepreneur, accessed May 13, 2025, <https://kindlepreneur.com/dan-harmon-story-circle/>
 38. Symbiation - Part Seven - Yoga Flavored Life, accessed May 13, 2025, <https://www.yogaflavoredlife.com/symbiation-part-seven/>

39. The Octagon, symbole of "The Leader" - Geo-numerology, accessed May 13, 2025, <https://geo-numerology.com/symbolism-of-the-number-80>
40. The Enneagram: A tool for wisdom or a spiritual trap? - Catholic World Report, accessed May 13, 2025, <https://www.catholicworldreport.com/2024/10/31/the-enneagram-a-tool-for-wisdom-or-a-spiritual-trap/>
41. The Hero's Journey Examples — 12 Stages Story Structure - Storyboard That, accessed May 13, 2025, <https://www.storyboardthat.com/articles/e/heroic-journey>
42. Twelve Angled Stone Peru Guide: History, Hiking, Facts, Maps, and Tours, accessed May 13, 2025, <https://www.evolutiontreksperu.com/peru/tourist-attraction/twelve-angled-stone/>
43. Hero's journey - Wikipedia, accessed May 13, 2025, https://en.wikipedia.org/wiki/Hero%27s_journey
44. Joseph Campbell's Hero's Journey: A Better Screenplay in 17 Steps - StudioBinder, accessed May 13, 2025, <https://www.studiobinder.com/blog/joseph-campbells-heros-journey/>
45. Geometric Mechanics and Symmetry: - Imperial College London, accessed May 13, 2025, <https://www.imperial.ac.uk/~dholm/classnotes/GMS-FinalMar09.pdf>
46. Data Structure For Recursion In Geometric Algorithms - Restack, accessed May 13, 2025, <https://www.restack.io/p/geometric-algorithms-answer-recursion-data-structure-s-cat-ai>
47. A Narrative Approach to Foster the Construction of Recursive Thinking in High School Students - MDPI, accessed May 13, 2025, <https://www.mdpi.com/2227-7102/14/4/350>
48. Intro – Fabula-NET, accessed May 13, 2025, <https://centre-for-humanities-computing.github.io/fabula-net/blog/intro>
49. New Storytelling Paradigms – Crots And Fractals (Part 2) - Creative Screenwriting, accessed May 13, 2025, <https://www.creativescreenwriting.com/new-storytelling-paradigms-crots-and-fractals-part-2/>
50. Narrative Maps: An Algorithmic Approach to Represent and Extract Information Narratives - Brian Keith Norambuena, accessed May 13, 2025, https://briankeithn.github.io/files/2021_CSCW.pdf
51. 3 Directed Acyclic Graphs –
52. Finite State Machines: An Introduction to FSMs and their Role in Computer Science - SoftwareDominos, accessed May 13, 2025, <https://softwaredominos.com/home/software-engineering-and-computer-science/finite-state-machines-an-introduction-to-fsms-and-their-role-in-computer-science/>
53. Time dilation - Wikipedia, accessed May 13, 2025, https://en.wikipedia.org/wiki/Time_dilation
54. Time dilation on the road - Einstein-Online, accessed May 13, 2025,

https://www.einstein-online.info/en/spotlight/time_dilation_road/

55. Embedding Artificial Intelligence in Geometry: A Topos-Theoretic Approach to Probabilities and Transformers - ResearchGate, accessed May 13, 2025, https://www.researchgate.net/publication/384068098_Embedding_Artificial_Intelligence_in_Geometry_A_Topos-Theoretic_Approach_to_Probabilities_and_Transformers
56. Multimodal text and image prompting | Solutions for Developers, accessed May 13, 2025, <https://developers.google.com/solutions/ai-images>