



مقدمة في شبكات الحاسب

10:00-11:00

26/11/2022

د/طارق محمد عبدالقادر

Faculty of Computers & Information, Assiut University

Course code: (Add the course code)

3rd Level

Midterm Exam

Duration: 1 hour

Total Marks: 25

This exam for the following program(s) : (Add the program's name(s))



Hi, Eman. When you submit this form, the owner will see your name and email address.

Required

الإسم الرباعي (بالعربي فقط).1



رقم الجلوس.2



المستوي.3



الاول

- ☐ الثاني
- ☐ الثالث
- ☐ الرابع 2013
- ☐ الرابع 2014
- ☐ الرابع 2015
- ☐ الرابع 2016
- ☐ الرابع 2017
- ☐ الرابع 2018
- ☐ الرابع 2019

البرنامج.4



- ☐ عام
- ☐ بايو
- ☐ هندسة
- ☐ أهلية
- ☐ ذكاء صناعي

رقم المعمل.5



Select your answer

رقم الكمبيوتر.6



الكود (قد تمت مراجعة بيانات الطالب ورقم الجلوس).7



8.The only control that the application developer has on the transport-layer side is



(1 Point)

- ☐ the choice of transport protocol
- ☐ perhaps the ability to fix a few transport-layer parameters
- ☒ all of the mentioned

9.When this client-server interaction is taking place over TCP, the application developer needs to make an important decision—should each request/response pair be sent over a separate TCP connection, or should all of the requests and their corresponding responses be sent over the same TCP connection? In the former approach, the application is said to use ---



(1 Point)

- ☒ non-persistent connections
- ☐ persistent connections
- ☐ none of the above

10.In the layer hierarchy as the data packet moves from the upper to the lower layers, headers are _____



(1 Point)

- ☐ Added
- ☐ Removed
- ☐ Rearranged

11.In computer network nodes are _____



(1 Point)

- ☐ the computer that originates the data
- ☐ the computer that routes the data
- ☒ all of the mentioned

12. Processes on two different end systems communicate with each other



(1 Point)

- ☒ by exchanging messages across the computer network
- ☐ with interprocess communication
- ☐ all of the mentioned

13. The number of layers in ISO / OSI reference model is _____



(1 Point)

- ☐ 10
- ☒ 7
- ☐ 5

14. What is client process



(1 Point)

- ☒ Process that initiates communication
- ☐ Process that waits to be contacted
- ☐ protocol in the application layer

15. A _____ is the physical path over which a message travels



(1 Point)

- ☐ Path
- ☒ Medium

☐ Protocol

16.The RTT includes



(1 Point)

☐ packet-propagation delays

☐ packet-queuing delays

☒ all of the mentioned

17.Two devices are in network if _____



(1 Point)

☒ a process in one device is able to exchange information with a process in another device

☐ a process is running on both devices

☐ PIDs of the processes running of different devices are same

18.the rate at which data is transferred is referred to _____



(1 Point)

☐ transmission rate

☒ transfer ratio

☐ compression rate

19.Which is not a application layer protocol



(1 Point)

☐ HTTP

☐ SMTP

☒ TCP

20.A _____ set of rules that governs data communication



(1 Point)

- ☒ Protocols
- ☐ Standards
- ☐ RFCs

21.malware can record keystrokes, web sites visited, upload info to collection site



(1 Point)

- ☐ virus
- ☐ worm
- ☒ spyware

22.Which protocol is a protocol of application layer



(1 Point)

- ☒ HTTP
- ☐ TCP
- ☐ IP

23.data over DSL phone line goes to.....



(1 Point)

- ☒ internet
- ☐ telephone net
- ☐ none of the above

24.P2P applications face the challenge



(1 Point)

- ☐ ISP Friendly
- ☐ Security
- ☐ all of the mentioned

25. Which of this is not a network edge device



(1 Point)

- ☐ PC
- ☐ Smartphones
- ☐ Switch

26. ----- can make use of as much, or as little, throughput as happens to be available



(1 Point)

- ☐ bandwidth-sensitive applications
- ☐ elastic applications
- ☐ all of the mentioned

27. A list of protocols used by a system, one protocol per layer, is called _____



(1 Point)

- ☐ protocol architecture
- ☐ protocol stack
- ☐ protocol suite

28. What is the HTTP port number



(1 Point)

- ☐ 25
- ☐ 110



80

29.End systems access the Internet through _____



(1 Point)



Internet Service Providers ISPs



Customer premises Equipment CBE



Digital subscriber line DSL

30.A _____ is a device that forwards packets between networks by processing the routing information included in the packet



(1 Point)



bridge



firewall



router

31.Network congestion occurs _____



(1 Point)



in case of traffic overloading



when a system terminates



when connection between two nodes terminates

32.The structure or format of data is called _____



(1 Point)



Syntax



Semantics



Struct



Send me an email receipt of my responses

Submit

This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Powered by Microsoft Forms

|

[Privacy and cookies](#)

| [Terms of use](#)