

1. A computer network:

- (a) Is a collection of hardware components and computers
- (b) Is interconnected by communication channels
- (c) Allows sharing of resources and information
- (d) All of the above**

2. What is a firewall in a computer network?

- (a) The physical boundary of the network
- (b) An operating system of a computer network
- (c) A system designed to prevent unauthorized access**
- (d) A web browsing software

3. What is the use of Bridge in the network?

- (a) To connect LANs**
- (b) To separate LANs
- (c) To control network speed
- (d) All of the above

4. Each IP packet must contain:

- (a) Only Source address
- (b) Only Destination address
- (c) Source and Destination address**
- (d) Source or Destination address

5. Which of these is not a communication channel?

- (a) Satellite
- (b) Microwave
- (c) Radio wave
- (d) Wi-Fi**

6. MAN Stands for _____.

(a) Metropolitan Area Network

(b) Main Area Network

(c) Metropolitan Access Network

(d) Metro Access Network

7. Which of these is not an example of unguided media?

(a) Optical Fibre Cable

(b) Radio wave

(c) Bluetooth

(d) Satellite

8. In which topology is all the nodes connected through a single Coaxial cable?

(a) Star

(b) Tree

(c) Bus

(d) Ring

9. Which of the following is the smallest network?

(a) WAN

(b) MAN

(c) LAN

(d) Wi-Fi

10. Which protocol is used for the transfer of hypertext content over the web?

(a) HTML

(b) HTTP

(c) TCP/IP

11. Two devices are in network if

(a) a process in one device is able to exchange information with a process in another device

(b) a process is running on both devices

(c) the processes running of different devices are of same type

(d) none of the mentioned

12. What is a standalone computer?

(a) A computer that is not connected to a network

(b) A computer that is being used as a server

(c) A computer that does not have any peripherals attached to it

(d) A computer that is used by only one person

13. Central Computer which is powerful than other computers in the network is called as

(a) Client

(b) Server

(c) Hub

(d) Switch

14. Network in which every computer is capable of playing the role of a client, or a server or both at same time is called

(a) peer-to-peer network

(b) local area network

(c) dedicated server network

(d) wide area network

15. In peer-to-peer network, each computer in a network is referred as

(a) server

(b) client

(c) peer

(d) sender

16. Which transmission media is capable of having a much higher bandwidth (data capacity)?

- (a) Coaxial
- (b) Twisted pair cable
- (c) Untwisted cable
- (d) Fiber optic**

17. Which type of transmission media is the least expensive to manufacture?

- (a) Coaxial
- (b) Twisted pair cable**
- (c) CAT cable
- (d) Fiber optic

18. Which of these components is internal to a computer and is required to connect the computer to a network ?

- (a) Wireless Access Point
- (b) Network Interface card**
- (c) Switch
- (d) Hub

19. A device that forwards data packet from one network to another is called a

- (a) Bridge
- (b) Router**
- (c) Hub
- (d) Gateway

20. Which of the following is the fastest media of data transfer?

- (a) Co-axial Cable
- (b) Untwisted Wire
- (c) Telephone Lines
- (d) Fiber Optic**

21. Hub is a

- (a) Broadcast device**
- (b) Uni-cast device
- (c) Multi-cast device
- (d) None of the above

22. Switch is a

- (a) Broadcast device
- (b) Uni-cast device**
- (c) Multi-cast device
- (d) None of the above

23. The device that can operate in place of a hub is a :

- (a) Switch**
- (b) Bridge
- (c) Router
- (d) Gateway

24. A repeater takes a weak and corrupted signal and _____ it.

- (a) Amplifies
- (b) Regenerates**
- (c) Resembles
- (d) Reroutes

25. Which of the following is not a type of cloud?

- (a) Private
- (b) Public
- (c) Protected**
- (d) Hybrid

27. Protocols are

- (a) Agreements on how communication components and devices are to communicate**
- (b) Logical communication channels for transferring data
- (c) Physical communication channels used for transferring data
- (d) None of above

28. In computer, converting a digital signal in to an analog signal is called

- (a) modulation**
- (b) demodulation
- (c) conversion
- (d) transformation

37. Protocol/Standard that is used to transfer data among computers on the Internet

- (a) FTP
- (b) Archie
- (c) TCP**
- (d) Gopher

1. Which address is used in an internet employing the TCP/IP protocols?

- a. physical address and logical address
- b. port address
- c. specific address
- d. all of the mentioned**

2. Which address identifies a process on a host?

- a. physical address
- b. logical address
- c. port address**
- d. specific address

3. Transmission data rate is decided by

- a. network layer
- b. physical layer**
- c. data link layer
- d. transport layer

4. When collection of various computers seems a single coherent system to its client, then it is called
- a. computer network
 - b. distributed system**
 - c. both (a) and (b)
 - d. none of the mentioned
5. Which one of the following computer network is built on the top of another network?
- a. prior network
 - b. chief network
 - c. prime network
 - d. overlay network**
6. Bluetooth is an example of
- a. personal area network**
 - b. local area network
 - c. virtual private network
 - d. none of the mentioned
7. A _____ is a device that forwards packets between networks by processing the routing information included in the packet.
- a. bridge
 - b. firewall
 - c. router**
 - d. all of the mentioned
8. A list of protocols used by a system, one protocol per layer, is called
- a. protocol architecture
 - b. protocol stack**
 - c. protocol suit
 - d. none of the mentioned
9. Network congestion occurs
- a. in case of traffic overloading**
 - b. when a system terminates
 - c. when connection between two nodes terminates
 - d. none of the mentioned
10. Which one of the following extends a private network across public networks?
- a. local area network
 - b. virtual private network**
 - c. enterprise private network
 - d. storage area network
11. The structure or format of data is called
- a. Syntax**
 - b. Semantics
 - c. Struct
 - d. None of the mentioned

14. Which of this is not a network edge device?

- a. PC
- b. Smartphones
- c. Servers
- d. Switch**

15. Delimiting and synchronization of data exchange is provided by

- a. Application layer
- b. Session layer**
- c. Transport layer
- d. Link layer

16. The _____ address identifies a process on a host.

- a. physical
- b. IP
- c. port**
- d. specific

17. The _____ address uniquely defines a host on the Internet.

- a. physical
- b. IP**
- c. port
- d. specific

20. A _____ connection provides a dedicated link between two devices.

- a. point-to-point**
- b. multipoint
- c. primary
- d. secondary

21. Devices may be arranged in a _____ topology.

- a. ring
- b. mesh
- c. bus
- d. all of the above**

22. A _____ is a data communication system within a building, plant, or campus, or between nearby buildings.

- a. LAN**
- b. MAN
- c. WAN
- d. none of the above

23. Which of the following is required to communicate between two computers?

- a. communications software
- b. protocol
- c. communication hardware
- d. all of above including access to transmission medium**

24. What is NIC used for?

- a. To remotely access PC
- b. To connect computer to a network**
- c. It is used in Juniper routers for gateway card
- d. None

25. In a type of computer network, what does MAN stand for?

- a. Major area network
- b. Mini area network
- c. Metropolitan area network**
- d. Micro area network

27. Which of the following is the type of the computer network?

- a. Metropolitan area network (MAN)
- b. Local area network (LAN)
- c. Personal area network (PAN)
- d. All of the above**

28. How many layers does OSI have?

- a. 4
- b. 7**
- c. 5
- d. 6

29. Collection of network or networks is called

- a. Intranet
- b. Internet**
- c. Extranet
- d. LAN network

31. What is a Firewall in Computer Network?

- a. The physical boundary of Network
- b. An operating system of Computer Network
- c. A system designed to prevent unauthorized access**
- d. A web browsing software

32. What is the meaning of Bandwidth in Network?

- a. Transmission capacity of a communication channel**
- b. Connected computers in the network
- c. Class of IP used in network
- d. None of above

33. ADSL is the abbreviation of

- a. Asymmetric Dual Subscriber Line
- b. Asymmetric Digital System Line
- c. Asymmetric Dual System Line
- d. Asymmetric Digital Subscriber Line**

34.The Internet is an example of

- a.Cell switched network
- b.circuit switched network
- c.Packet switched network**
- d.All of above

35.Which of the following includes the benefit of the Networking?

- a.File Sharing
- b.Easier access to Resources
- c.Easier Backups
- d.All of the Above**

36.Which of the following is not the Networking Devices?

- a.Gateways
- b.Linux**
- c.Routers
- d.Firewalls

37.We can divide today's networks into ____ broad categories based on switching.

- a.four
- b.three**
- c.five
- d.two

38.A _____ is a device that operates only in the physical layer.

- a.passive hub
- b.repeater**
- c.bridge
- d.router

40.Which protocol assigns IP address to the client connected in the internet?

- a.DHCP**
- b.IP
- c.RPC
- d.none of the above

41. _____ is a network that covers geographic areas that are larger, such as districts or cities.

- a.LAN
- b.MAN**
- c.WAN

42.HTTP is the acronym of

- a.Hyper Text Transfer Protocol**
- b.Hyper Test Transfer Protocol
- c.Hyper Text Transport Protocol
- d.Hyper Text Transport Program

44. DHCP is the abbreviation of

- A. Dynamic Host Control Protocol
- B. Dynamic Host Configuration Protocol**
- C. Dynamic Hyper Control Protocol
- D. Dynamic Hyper Configuration Protocol

47. In DSL telco provides these services

- a) Wired phone access
- b) ISP
- c) All of the mentioned**
- d) None of the mentioned

48. Physical or logical arrangement of network is _____

- a) Topology**
- b) Routing
- c) Networking
- d) None of the mentioned

49. In which topology there is a central controller or hub?

- a) Star**
- b) Mesh
- c) Ring
- d) Bus

50. This topology requires multi point connection

- a) Star
- b) Mesh
- c) Ring
- d) Bus**

51. Data communication system within a building or campus is _____

- a) LAN**
- b) WAN
- c) MAN
- d) None of the mentioned

1-6 DNS is the abbreviation of

- A. Dynamic Name System
- B. Dynamic Network System
- C. Domain Name System**
- D. Domain Network Service

1-8 ADSL is the abbreviation of

- A. Asymmetric Dual Subscriber Line
- B. Asymmetric Digital System Line
- C. Asymmetric Dual System Line
- D. Asymmetric Digital Subscriber Line**

1-9 What is the use of Bridge in Network?

- A. to connect LANs**
- B. to separate LANs
- C. to control Network Speed
- D. All of the above

2-9 How many layers are in the TCP/IP model?

- A. 4 layers**
- B. 5 layers
- C. 6 layers
- D. 7 layers

2-1 Each IP packet must contain

- A. Only Source address
- B. Only Destination address
- C. Source and Destination address**
- D. Source or Destination address

2-2 Bridge works in which layer of the OSI model?

- A. Appliation layer
- B. Transport layer
- C. Network layer
- D. Datalink layer**

2-3 _____ provides a connection-oriented reliable service for sending messages

- A. TCP**
- B. IP
- C. UDP
- D. All of the above

2-4 Which layers of the OSI model are host-to-host layers?

- A. Transport, Session, Persentation, Application**
- B. Network, Transport, Session, Presentation
- C. Datalink, Network, Transport, Session
- D. Physical, Datalink, Network, Transport

2-7 The last address of IP address represents

- A. Unicast address
- B. Network address
- C. Broadcast address**
- D. None of above

2-10 Which of the following layer of OSI model also called end-to-end layer?

- A. Presentation layer
- B. Network layer
- C. Session layer
- D. Transport layer**

1. Which is not a application layer protocol?

- a) HTTP
- b) SMTP
- c) FTP
- d) TCP**

2. The packet of information at the application layer is called _____

- a) Packet
- b) Message**
- c) Segment
- d) Frame

3. Which one of the following is an architecture paradigms?

- a) Peer to peer
- b) Client-server
- c) HTTP
- d) Both Peer-to-Peer & Client-Server**

4. Application developer has permission to decide the following on transport layer side

- a) Transport layer protocol
- b) Maximum buffer size
- c) Both Transport layer protocol and Maximum buffer size**
- d) None of the mentioned

5. Application layer offers _____ service.

- a) End to end**
- b) Process to process
- c) Both End to end and Process to process
- d) None of the mentioned

6. E-mail is _____

- a) Loss-tolerant application
- b) Bandwidth-sensitive application
- c) Elastic application**
- d) None of the mentioned

8. Which of the following is an application layer service?

- a) Network virtual terminal
- b) File transfer, access, and management
- c) Mail service
- d) All of the mentioned**

3. The time required to examine the packet's header and determine where to direct the packet is part of _____

- a) Processing delay**
- b) Queuing delay
- c) Transmission delay
- d) Propagation delay

8. In a network, If P is the only packet being transmitted and there was no earlier transmission, which of the following delays could be zero?

- a) Propagation delay
- b) Queuing delay**
- c) Transmission delay
- d) Processing delay

9. Transmission delay does not depend on _____

- a) Packet length
- b) Distance between the routers**
- c) Transmission rate
- d) Bandwidth of medium

10. Propagation delay depends on _____

- a) Packet length
- b) Transmission rate
- c) Distance between the routers**
- d) Speed of the CPU

1. The attacker using a network of compromised devices is known as _____

- a) Internet
- b) Botnet**
- c) Telnet
- d) D-net

1. Which of this is not a guided media?

- a) Fiber optical cable
- b) Coaxial cable
- c) Wireless LAN**
- d) Copper wire

1. The number of objects in a Web page which consists of 4 jpeg images and HTML text is _____

- a) 4
- b) 1
- c) 5**
- d) 7

2. The default connection type used by HTTP is _____

- a) Persistent**
- b) Non-persistent
- c) Can be either persistent or non-persistent depending on connection request
- d) None of the mentioned

8. The _____ method when used in the method field, leaves entity body empty.

- a) POST
- b) SEND
- c) GET**
- d) PUT

7. The values GET, POST, HEAD etc are specified in _____ of HTTP message

- a) Request line**
- b) Header line
- c) Status line
- d) Entity body

6. The first line of HTTP request message is called _____

- a) Request line**
- b) Header line
- c) Status line
- d) Entity line

9. The HTTP response message leaves out the requested object when _____ method is used
- a) GET
 - b) POST
 - c) HEAD**
 - d) PUT
10. Find the oddly matched HTTP status codes
- a) 200 OK
 - b) 400 Bad Request
 - c) 301 Moved permanently
 - d) 304 Not Found**
13. Which of the following is present in both an HTTP request line and a status line?
- a) HTTP version number**
 - b) URL
 - c) Method
 - d) None of the mentioned
12. The conditional GET mechanism
- a) Imposes conditions on the objects to be requested
 - b) Limits the number of response from a server
 - c) Helps to keep a cache upto date**
 - d) None of the mentioned
1. The physical layer is concerned with _____
- a) bit-by-bit delivery**
 - b) process to process delivery
 - c) application to application delivery
 - d) port to port delivery
4. The portion of physical layer that interfaces with the media access control sublayer is called _____
- a) physical signalling sublayer**
 - b) physical data sublayer
 - c) physical address sublayer
 - d) physical transport sublayer
5. The physical layer provides _____
- a) mechanical specifications of electrical connectors and cables
 - b) electrical specification of transmission line signal level
 - c) specification for IR over optical fiber
 - d) all of the mentioned**
7. The physical layer is responsible for _____
- a) line coding
 - b) channel coding
 - c) modulation
 - d) all of the mentioned**
8. The physical layer translates logical communication requests from the _____ into hardware specific operations.
- a) data link layer**
 - b) network layer
 - c) transport layer
 - d) application layer

9. A single channel is shared by multiple signals by _____

- a) analog modulation
- b) digital modulation
- c) multiplexing**
- d) phase modulation

10. Wireless transmission of signals can be done via _____

- a) radio waves
- b) microwaves
- c) infrared
- d) all of the mentioned**

1. The network layer is concerned with _____ of data.

- a) bits
- b) frames
- c) packets**
- d) bytes

2. Which one of the following is not a function of network layer?

- a) routing
- b) inter-networking
- c) congestion control
- d) error control**

3. A 4 byte IP address consists of _____

- a) only network address
- b) only host address
- c) network address & host address**
- d) network address & MAC address

6. Which of the following is not correct in relation to multi-destination routing?

- a) is same as broadcast routing
- b) contains the list of all destinations
- c) data is not sent by packets**
- d) there are multiple receivers

9. The network layer protocol for internet is _____

- a) ethernet
- b) internet protocol**
- c) hypertext transfer protocol
- d) file transfer protocol

1. Transport layer aggregates data from different applications into a single stream before passing it to _____

- a) network layer**
- b) data link layer
- c) application layer
- d) physical layer

2. Which of the following are transport layer protocols used in networking?

- a) TCP and FTP
- b) UDP and HTTP
- c) TCP and UDP**
- d) HTTP and FTP

3. User datagram protocol is called connectionless because _____

- a) **all UDP packets are treated independently by transport layer**
- b) it sends data as a stream of related packets
- c) it is received in the same order as sent order
- d) it sends data very quickly

4. Transmission control protocol _____

- a) is a connection-oriented protocol
- b) uses a three way handshake to establish a connection
- c) receives data from application as a single stream
- d) **all of the mentioned**

5. An endpoint of an inter-process communication flow across a computer network is called _____

- a) **socket**
- b) pipe
- c) port
- d) machine

8. A _____ is a TCP name for a transport service access point.

- a) **port**
- b) pipe
- c) node
- d) protocol

9. Transport layer protocols deals with _____

- a) application to application communication
- b) **process to process communication**
- c) node to node communication
- d) man to man communication

10. Which of the following is a transport layer protocol?

- a) **stream control transmission protocol**
- b) internet control message protocol
- c) neighbor discovery protocol
- d) dynamic host configuration protocol