

Chapter 8: Multiform Projects

Multiple Choice Questions - Study Guide

Forms and Project Structure

1. What is displayed when a C# application runs if it contains only one form named Form1?

- A) The last opened form
- B) The startup form set in project properties
- **C) Form1, and the application ends when Form1 closes ✓**
- D) Nothing until a button is clicked

2. Each form in a Visual C# project is represented by a:

- A) Method
- **B) Class ✓**
- C) Namespace
- D) Control

3. How do you add a new Windows Form to a C# project in Visual Studio?

- A) File → New → Form
- **B) Project → Add Windows Form... ✓**
- C) Tools → Add Form
- D) Build → New Form

4. What file extension is used for a C# form class file?

- A) .vb
- **B) .cs ✓**
- C) .form
- D) .win

5. To switch between forms in the Visual Studio Designer, you can:

- A) Use the Debug menu
- **B) Double-click the form's entry in Solution Explorer ✓**

- C) Press Ctrl+F
- D) Use the Build toolbar

6. What option removes a form from a project without deleting the file from disk?

- A) Delete
 - B) Remove
 - **C) Exclude From Project ✓**
 - D) Archive
-

Displaying Forms

7. To display a form named ErrorForm, you first must:

- A) Call ErrorForm.Display()
- **B) Create an instance of ErrorForm ✓**
- C) Set ErrorForm.Visible = true
- D) Write an event handler for ErrorForm

8. Which method displays a form modally?

- A) Show()
- B) Display()
- **C) ShowDialog() ✓**
- D) Open()

9. When a modal form is displayed:

- A) Other forms can still receive focus
- **B) No other form in the application can receive focus until it is closed ✓**
- C) The form cannot be closed
- D) It runs in the background

10. A modeless form is displayed using:

- A) ShowDialog()
- B) Load()
- **C) Show() ✓**
- D) OpenWindow()

39. In a modal form displayed with ShowDialog(), code execution after the method call:

- A) Continues immediately

- **B) Waits until the form is closed ✓**
- C) Skips the next statement
- D) Runs in a separate thread

40. If a form is displayed with Show(), code execution after the method call:

- A) Stops
- B) Waits for user input
- **C) Continues immediately ✓**
- D) Pauses for 1 second

59. In a modal dialog, if you want to return a result, you can set the form's:

- **A) DialogResult property ✓**
- B) ReturnValue property
- C) Result property
- D) Output property

60. Which is true about a modeless form?

- A) It must be closed before accessing other forms
- B) It blocks interaction with other forms
- **C) It allows switching focus to other forms ✓**
- D) It pauses code execution

62. To display a form named DetailsForm modally, you write:

- A) DetailsForm.Show()
- B) DetailsForm.Display()
- **C) DetailsForm.ShowDialog() ✓**
- D) new DetailsForm().Open()

76. Which statement creates an instance of a form named LoginForm?

- A) LoginForm = new Form()
- B) LoginForm.Show()
- **C) LoginForm myLogin = new LoginForm() ✓**
- D) new LoginForm.Open()

Control Access and Modifiers

11. By default, controls on a form have what access level?

- A) Public
- **B) Private ✓**
- C) Protected
- D) Internal

12. To allow a control to be accessed from another form, you should change its:

- A) Name property
- **B) Modifiers property ✓**
- C) Access property
- D) Visibility property

13. If a Label named messageLabel on GreetingsForm has its Modifiers set to Public, how can you set its text from another form?

- A) messageLabel.Text = "Hello"
- B) GreetingsForm.messageLabel.Text = "Hello"
- **C) greetingsForm.messageLabel.Text = "Hello" ✓**
- D) Label.Text = "Hello"

61. If you change a control's Modifiers property to Public, it can be accessed:

- A) Only within the same form
- **B) From any class in the project ✓**
- C) Only from the parent form
- D) From other assemblies

ToolTip Control

14. A ToolTip control appears in the:

- A) Toolbox
- **B) Component tray ✓**
- C) Menu bar
- D) Status bar

15. Which property determines how long a ToolTip remains on screen?

- A) InitialDelay
- **B) AutoPopDelay ✓**
- C) ReshowDelay
- D) ShowDuration

16. Setting the AutomaticDelay property to 500 will set AutoPopDelay to:

- A) 500
- **B) 5000 ✓**
- C) 100
- D) 50

51. Which property determines how long before a ToolTip appears?

- **A) InitialDelay ✓**
- B) AutoPopDelay
- C) ReshowDelay
- D) ShowDelay

58. Which property of a ToolTip holds the text displayed when the mouse hovers over a control?

- A) ToolTipText
- **B) ToolTip on ToolTipControl ✓**
- C) Hint
- D) Description

68. Which property determines the time between displaying different ToolTips as the mouse moves?

- A) InitialDelay
- B) AutoPopDelay
- **C) ReshowDelay ✓**
- D) ToolTipDelay

75. To set a ToolTip for a button, you modify the button's:

- A) ToolTip property
- **B) ToolTip on toolTip1 property ✓**
- C) Hint property
- D) Description property

ComboBox Control

17. A combo box is similar to a list box but also includes:

- A) A button
- **B) A text box area ✓**

- C) A scroll bar
- D) A check box

18. Which combo box style does not allow the user to type text?

- A) DropDown
- B) Simple
- **C) DropDownList ✓**
- D) Standard

19. To get user input from a combo box, which property is most reliable?

- A) SelectedIndex
- B) SelectedItem
- **C) Text ✓**
- D) Value

20. Which control is best if you want to conserve space but still limit selection to a list?

- A) ListBox
- B) DropDown ComboBox
- **C) DropDownList ComboBox ✓**
- D) TextBox

41. The Items.Add method can be used with:

- A) ComboBox only
- B) ListBox only
- **C) Both ComboBox and ListBox ✓**
- D) Neither

44. Which method is used to add an item to a ComboBox at runtime?

- A) AddItem()
- **B) Items.Add() ✓**
- C) Insert()
- D) Append()

45. The SelectedIndex property of a ComboBox returns -1 if:

- A) The list is empty
- **B) Nothing is selected ✓**
- C) The style is DropDownList
- D) The Text property is empty

47. The Text property of a ComboBox contains:

- A) Only items from the list
- B) Only user-typed text
- **C) The currently selected or typed text ✓**
- D) The first item in the list

48. A simple combo box:

- A) Drops down when clicked
- **B) Always shows the list ✓**
- C) Does not allow typing
- D) Has no text area

63. The Items.Count property of a ComboBox returns:

- A) The number of selected items
- **B) The total number of items in the list ✓**
- C) The index of the selected item
- D) The length of the text

64. Which combo box style is the default?

- A) Simple
- **B) DropDown ✓**
- C) DropDownList
- D) Standard

73. If you want the user to select from a list but also allow typing, use a:

- A) DropDownList ComboBox
- B) ListBox
- **C) DropDown ComboBox ✓**
- D) CheckedListBox

ScrollBar Control

21. The Value property of an HScrollBar represents:

- A) The width of the scroll bar
- **B) The position of the slider ✓**
- C) The color of the scroll bar
- D) The visibility state

22. Which property of a scroll bar controls how much the Value changes when the user clicks the scroll area?

- A) SmallChange
- **B) LargeChange ✓**
- C) Increment
- D) Step

42. Which scroll bar property changes when the user clicks the arrows at the ends?

- A) LargeChange
- **B) SmallChange ✓**
- C) Increment
- D) StepSize

46. Which event of a scroll bar is triggered when the slider is moved?

- A) ValueChanged
- **B) Scroll ✓**
- C) Move
- D) Slide

65. A horizontal scroll bar control is named:

- **A) HScrollBar ✓**
- B) HorizontalBar
- C) ScrollBarH
- D) HBar

66. Moving a vertical scroll bar's slider down will:

- A) Decrease the Value property
- **B) Increase the Value property ✓**
- C) Not change the Value
- D) Reset the Value to 0

TabControl

23. A TabControl contains:

- A) TextBoxes
- **B) TabPages ✓**
- C) Panels

- D) GroupBoxes

24. To add more TabPages to a TabControl, you modify which property?

- A) Pages
- B) Tabs
- **C) TabPages ✓**
- D) Items

49. To change the text displayed on a TabPage's tab, you set the:

- A) Title property
- B) Header property
- **C) Text property ✓**
- D) Name property

72. Which control would you use to organize a form into multiple pages?

- A) Panel
 - B) GroupBox
 - **C) TabControl ✓**
 - D) SplitContainer
-

ErrorProvider Component

25. The ErrorProvider component displays a(n):

- A) Message box
- **B) Blinking error icon ✓**
- C) Audible beep
- D) Log file

26. To clear an error icon from a control using ErrorProvider1, you call:

- A) ClearError()
- **B) SetError(control, "") ✓**
- C) RemoveError()
- D) HideIcon()

50. The ErrorProvider's SetError method requires:

- **A) Control name and error message ✓**
- B) Error code only

- C) Form name and icon
- D) Message box text

74. The ErrorProvider component is found in which Toolbox group?

- A) Common Controls
 - B) Containers
 - **C) Components ✓**
 - D) Dialogs
-

TextBox Selection

27. Which TextBox property holds the starting position of selected text?

- **A) SelectionStart ✓**
- B) SelectionLength
- C) SelectedText
- D) CaretIndex

28. To select all text in a TextBox, you set SelectionStart to 0 and SelectionLength to:

- **A) Text.Length ✓**
- B) TextBox.Length
- C) MaxLength
- D) 1

67. To automatically select all text in a TextBox named txtInput, you set:

- A) txtInput.SelectAll()
 - **B) txtInput.SelectionStart = 0; txtInput.SelectionLength = txtInput.Text.Length ✓**
 - C) txtInput.HighlightAll()
 - D) txtInput.Focus(); txtInput.Select(0, txtInput.Text.Length)
-

MenuStrip and Menu Items

29. A menu system is created using which control?

- A) ContextMenuStrip
- **B) MenuStrip ✓**
- C) ToolStrip
- D) StatusStrip

30. Shortcut keys for a menu item are configured in the:

- A) Text property
- **B) ShortcutKeys property ✓**
- C) AccessKeys property
- D) Accelerator property

31. To make a menu item appear with a checkmark, you set:

- **A) Checked = True ✓**
- B) CheckOnClick = True
- C) IsChecked = True
- D) Marked = True

32. A disabled menu item has its Enabled property set to:

- A) True
- **B) False ✓**
- C) Visible
- D) Grayed

33. To insert a separator bar in a menu, you can type:

- A) |
- B) :
- **C) - ✓**
- D) /

34. A submenu is indicated by a:

- A) Checkmark
- **B) Right arrow ✓**
- C) Plus sign
- D) Dot

35. To delete a menu item in the menu designer, you can:

- A) Press Delete key
- B) Right-click and select Delete
- **C) Both A and B ✓**
- D) None of the above

36. Menu items can be rearranged by:

- A) Editing the .cs file directly

- **B) Clicking and dragging in the menu designer ✓**
- C) Using the Properties window
- D) Rebuilding the project

37. To make a menu item functional, you typically write a handler for which event?

- A) Load
- **B) Click ✓**
- C) Select
- D) Open

38. Which property controls whether a shortcut key is displayed next to a menu item?

- **A) ShowShortcut ✓**
- B) DisplayKeys
- C) ShortcutVisible
- D) ShowKey

52. A menu item's default name is based on:

- A) Its shortcut key
- B) The form name
- **C) The text typed in the designer ✓**
- D) A random ID

53. To create a shortcut key Ctrl+S, you select the key 'S' and check:

- **A) Ctrl ✓**
- B) Alt
- C) Shift
- D) Win

54. Which property allows a menu item to be checked/unchecked when clicked?

- **A) CheckOnClick ✓**
- B) ToggleCheck
- C) Checkable
- D) SwitchMode

55. A separator bar in a menu is used to:

- **A) Group related items ✓**
- B) Show a shortcut key
- C) Display an icon
- D) Hide items

56. To insert a new menu item above an existing one, you:

- A) Double-click the existing item
- **B) Right-click and choose Insert → MenuItem ✓**
- C) Press Insert key
- D) Drag from Toolbox

57. The MenuStrip control is found in which Toolbox section?

- A) Common Controls
- B) Containers
- **C) Menus & Toolbars ✓**
- D) Dialogs

69. The menu designer shows "Type Here" when:

- **A) A MenuStrip is selected ✓**
- B) A form is running
- C) A button is clicked
- D) The project is built

70. A ToolStripMenuItem's Click event handler is created by:

- **A) Double-clicking the menu item in the designer ✓**
- B) Typing code manually only
- C) Using the Debug menu
- D) Right-clicking the form

71. To enable a disabled menu item named pasteToolStripMenuItem, you write:

- A) pasteToolStripMenuItem.Visible = true
- **B) pasteToolStripMenuItem.Enabled = true ✓**
- C) pasteToolStripMenuItem.Active = true
- D) pasteToolStripMenuItem.Grayed = false

Component Tray

43. The component tray in the Designer holds:

- A) Visible controls
- **B) Invisible controls like Timer and ErrorProvider ✓**
- C) Only menu items
- D) Only toolbar items

Chapter Examples

77. In Example 2, nutritional information is displayed on:

- A) MainForm
- **B) NutritionForm ✓**
- C) ErrorForm
- D) MessageForm

78. In Example 4, the scroll bar's value is displayed in a:

- A) TextBox
- **B) Label ✓**
- C) Status bar
- D) Message box

79. In Example 6, the ErrorProvider checks for:

- A) Text length
- **B) Numeric values ✓**
- C) Date format
- D) Empty fields

80. Chapter 8 is titled:

- **A) Multiform Projects ✓**
- B) Advanced Controls
- C) Windows Forms Basics
- D) Event Programming

End of Study Guide

Wish you all the best!

Fathy.