GoForm

ambrym

Table of Contents

Table of Figures

Stereotypes

UseCase		
Tagged Value Definitions	**Level**	
	Type	Enumeration
	Enumeration Values	Summary, User, Subfunction
	Project Management	**Name** / **Value**
		Author / ambrym
		Create Date Time / 8 mars 2016 12:19:17
		Last Modified / 10 mars 2016 09:24:25
	Complexity	
	Type	Enumeration
	Enumeration Values	Low, Medium, High
	Project Management	**Name** / **Value**
		Author / ambrym
		Create Date Time / 8 mars 2016 12:19:17
		Last Modified / 10 mars 2016 09:24:25
	Use Case Status	
	Type	Enumeration
	Enumeration Values	Name Only, Initial, Base, Complete, Deferred
	Project Management	**Name** / **Value**
		Author / ambrym
		Create Date Time / 8 mars 2016 12:19:17
		Last Modified / 10 mars 2016 09:24:25
	Implementation Status	
	Type	Enumeration
	Enumeration Values	Scheduled, Started, Partially Complete, Complete, Partially Deferred
	Project Management	**Name** / **Value**
		Author / ambrym
		Create Date Time / 8 mars 2016 12:19:17
		Last Modified / 10 mars 2016 09:24:25
	Preconditions	
	Type	Multi-line Text

	Project Management	Name	Value
		Author	ambrym
		Create Date Time	8 mars 2016 12:19:17
		Last Modified	10 mars 2016 09:24:25

Post-conditions		
Type	Multi-line Text	
Project Management	Name	Value
	Author	ambrym
	Create Date Time	8 mars 2016 12:19:17
	Last Modified	10 mars 2016 09:24:25

Author		
Type	Text	
Project Management	Name	Value
	Author	ambrym
	Create Date Time	8 mars 2016 12:19:17
	Last Modified	10 mars 2016 09:24:25

Assumptions		
Type	Multi-line Text	
Project Management	Name	Value
	Author	ambrym
	Create Date Time	8 mars 2016 12:19:17
	Last Modified	10 mars 2016 09:24:25

Case Story

requirement

Tagged Value Definitions	Text		
	Type	HTML	
	Project Management	Name	Value
		Author	ambrym
		Create Date Time	8 mars 2016 12:19:16
		Last Modified	10 mars 2016 09:24:25
	ID		
	Type	Text	

Project Management	Name	Value
	Author	ambrym
	Create Date Time	8 mars 2016 12:19:16
	Last Modified	10 mars 2016 09:24:25

source	
Type	Text

Project Management	Name	Value
	Author	ambrym
	Create Date Time	8 mars 2016 12:19:16
	Last Modified	10 mars 2016 09:24:25

kind	
Type	Enumeration
Enumeration Values	Functional, Performance, Interface

Project Management	Name	Value
	Author	ambrym
	Create Date Time	8 mars 2016 12:19:16
	Last Modified	10 mars 2016 09:24:25

verifyMethod	
Type	Enumeration
Enumeration Values	Analysis, Demonstration, Inspection, Test

Project Management	Name	Value
	Author	ambrym
	Create Date Time	8 mars 2016 12:19:16
	Last Modified	10 mars 2016 09:24:25

risk	
Type	Enumeration
Enumeration Values	High, Medium, Low

Project Management	Name	Value
	Author	ambrym
	Create Date Time	8 mars 2016 12:19:16
	Last Modified	10 mars 2016 09:24:25

status	
Type	Enumeration
Enumeration Values	Proposed, Approved, Rejected, Deferred, Implemented, Mandatory, Obsolete

Project Management	Name	Value
	Author	ambrym
	Create Date Time	8 mars 2016 12:19:16
	Last Modified	10 mars 2016 09:24:25

Include

Extend

boundary

control

entity

enumeration

Interface

Use Case Diagram

Name	Value
Name	Use Case Diagram
Author	ambrym
Create Date Time	10 mars 2016 09:15:46
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0

Summary

Name	Description
👤 Anonyme	L'anonyme est une personne pas encore inscrite sur l'application et qui souhaite le faire.
👤 Utilisateur	L'utilisateur va pouvoir utiliser naivguer dans l'applicaion une fois connnecté.
👤 Administrateur	Il jouera surtout le rôle de base de données. L'application fait en sorte que l'utilisateur puisse être libre de faire ce qu'on ne lui propose pas.
🔵 Ajout entrainement	Précondition : L'utilisateur connecté souhaite ajouter un entrainement à son espace personnel ou l'administrateur l'ajouter a la base de données

	Post condition : Un entrainement a été créé par un utilisateur ou par un administrateur Paramètres : Utilisateur, administrateur, exercices, type d'entrainement (fitness, endurance, intense) Chronologie : L'utilisateur demande la création d'un entrainement Il renseigne tous les champs demandés Après validation de l'utilisateur, le système ajoute l'entrainement à sa base de données
Consulter profil	Précondition : L'utilisateur souhaite visionner son profil une fois connecté Post condition : L'utilisateur a accès à son profil et au conseil du jour Paramètres : utilisateur, profil
Connexion	Précondition : L'utilisateur demande une connexion Post condition : L'utilisateur est connecté ou ne l'est pas Paramètres : Adresse mail, mot de passe Chronologie : L'utilisateur entre son adresse et son mot de passe Le système vérifie que l'adresse a été validée Choix 1 : Passe a la vérification du mot de passe Choix 2 : Refuse la connexion Le système verifie que le mot de passe est valide Choix 1 : Refuse la connexion Choix 2 : Autorise la connexion
Gestion d'entrainement	Précondition : L'utilisateur souhaite pouvoir faire l'entrainement qui lui est proposé entre ceux de la base de données et ceux qu'il aura créés. Post condition : L'utilisateur a validé son entrainement et a répondu a une question de fin afin d'évaluer son prochain entrainement. Paramètre : temps, utilisateur, type d'entrainement, liste séances, question final. Chronologie : L 'utilisateur choisi sa catégorie d'entrainement ou celle de la base de donnée, la date du jour et accède à la séance du jour en question Après chaque exercice il le valide Le système propose alors l'exercice suivant L'utilisateur valide son entrainement Le système propose a l'utilisateur une note d'effort fournis. L'utilisateur répond Le système propose l'entrainement suivant enfonction de cette réponse.

🔵 Gestion des réglages	Précondition : L'utilisateur demande la modification de ses paramètres personnels, relatifs aux paramètres de l'application ou relatifs à ses entrainements. Post condition : Les modifications ont été apporté et les changements engendré aussi. Paramètres : utilisateur, réglages (options de l'application, infos personnels, niveau entrainement,...) Chronologie : L'utilisateur modifie un paramètre Le système effectue les modifications apporté et met à jour les données.
🔵 Générer suivis d'entrainement	Précondition : L'administrateur veut générer un programme d'entrainement qui sera proposé par la suite aux utilisateurs Postcondition : Un suivis d'entrainement a été saisi Paramètres : Une connexion, un administrateur , un utilisateur
🔵 S'inscrire	Précondition : Une personne non-inscrite souhaite s'inscrire Post condition : La personne est désormais inscrite et devient un utilisateur Paramètres : sexe, poids, taille, âge, fréquence d'activité, type d'entrainement Chronologie : L'utilisateur rentre les paramètres d'inscription demandé. Le système calcul puis renvoie l'IMC Un mail de confirmation est envoyé
🗋 Application GoForm	

Details

☿ Anonyme

Name	Value
Description	L'anonyme est une personne pas encore inscrite sur l'application et qui souhaite le faire.
ID	AC04
Visibility	public
Abstract	false
Leaf	false
Root	false

Business Model	false	
Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	18 mars 2016 10:12:46
	Last Modified	18 mars 2016 10:38:35

Relationships

Unnamed Association			
To	**Name**	**Value**	
	End Model Element	🔵 S'inscrire	
	Provide Property Getter Method	false	
	Provide Property Setter Method	false	
	Multiplicity	Unspecified	
	Visibility	Unspecified	
	Aggregation Kind	None	
	Navigable	Navigable	
	Derived	false	
	Derived Union	false	
	Read Only	false	
	Static	false	
	Leaf	false	
	Type	🔵 S'inscrire	
	Project Management	**Name**	**Value**
		Author	ambrym
		Create Date Time	18 mars 2016 10:20:12
Abstract	false		
Leaf	false		
Visibility	Unspecified		
Derived	false		
Project Management	**Name**	**Value**	
	Author	ambrym	
	Create Date Time	18 mars 2016 10:20:12	
	Last Modified	18 mars 2016 10:38:35	

⚉ Utilisateur

Name	**Value**
Description	L'utilisateur va pouvoir utiliser naivguer dans l'applicaion une fois connnecté.

ID	AC05
Visibility	public
Abstract	false
Leaf	false
Root	false
Business Model	false
Project Management	**Name** / **Value**
	Author / ambrym
	Create Date Time / 18 mars 2016 10:12:52
	Last Modified / 18 mars 2016 10:38:35

Relationships

Unnamed Association

To	**Name**	**Value**	
	End Model Element	🔵 Gestion des réglages	
	Provide Property Getter Method	false	
	Provide Property Setter Method	false	
	Multiplicity	Unspecified	
	Visibility	Unspecified	
	Aggregation Kind	None	
	Navigable	Navigable	
	Derived	false	
	Derived Union	false	
	Read Only	false	
	Static	false	
	Leaf	false	
	Type	🔵 Gestion des réglages	
	Project Management	**Name** / **Value**	
		Author / ambrym	
		Create Date Time / 18 mars 2016 10:28:39	
Abstract	false		
Leaf	false		
Visibility	Unspecified		
Derived	false		
Project Management	**Name**	**Value**	
	Author	ambrym	
	Create Date Time	18 mars 2016 10:28:39	
	Last Modified	18 mars 2016 10:38:35	

Unnamed Association

To	Name	Value
	End Model Element	🔵 Gestion d'entrainement
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	Unspecified
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	🔵 Gestion d'entrainement
	Project Management	**Name** / **Value** Author — ambrym Create Date Time — 18 mars 2016 10:30:50

Abstract	false
Leaf	false
Visibility	Unspecified
Derived	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	18 mars 2016 10:30:50
	Last Modified	18 mars 2016 10:38:35

Unnamed Association

To	Name	Value	
	End Model Element	🔵 Connexion	
	Provide Property Getter Method	false	
	Provide Property Setter Method	false	
	Multiplicity	Unspecified	
	Visibility	Unspecified	
	Aggregation Kind	None	
	Navigable	Navigable	
	Derived	false	
	Derived Union	false	
	Read Only	false	
	Static	false	
	Leaf	false	
	Type	🔵 Connexion	
	Project Management	**Name**	**Value**
		Author	ambrym
		Create Date Time	18 mars 2016 10:31:13
Abstract	false		
Leaf	false		
Visibility	Unspecified		
Derived	false		
Project Management	**Name**	**Value**	
	Author	ambrym	
	Create Date Time	18 mars 2016 10:31:13	
	Last Modified	18 mars 2016 10:38:35	

Unnamed Association

To	Name	Value		
	End Model Element	🔵 Consulter profil		
	Provide Property Getter Method	false		
	Provide Property Setter Method	false		
	Multiplicity	Unspecified		
	Visibility	Unspecified		
	Aggregation Kind	None		
	Navigable	Navigable		
	Derived	false		
	Derived Union	false		
	Read Only	false		
	Static	false		
	Leaf	false		
	Type	🔵 Consulter profil		
	Project Management	**Name**	**Value**	
		Author	ambrym	
		Create Date Time	18 mars 2016 10:31:40	
Abstract	false			
Leaf	false			
Visibility	Unspecified			
Derived	false			
Project Management	**Name**	**Value**		
	Author	ambrym		
	Create Date Time	18 mars 2016 10:31:40		
	Last Modified	18 mars 2016 10:38:35		

⚲ Administrateur

Name	Value
Description	Il jouera surtout le rôle de base de données. L'application fait en sorte que l'utilisateur puisse être libre de faire ce qu'on ne lui propose pas.
ID	AC06
Visibility	public
Abstract	false
Leaf	false
Root	false
Business Model	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	18 mars 2016 10:13:03
	Last Modified	18 mars 2016 10:38:35

Relationships

Unnamed Association		
To	**Name**	**Value**
	End Model Element	🔵 Générer suivis d'entrainement
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	Unspecified
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	🔵 Générer suivis d'entrainement
	Project Management	**Name** / **Value** Author — ambrym Create Date Time — 18 mars 2016 10:27:38
Abstract	false	
Leaf	false	
Visibility	Unspecified	
Derived	false	
Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	18 mars 2016 10:27:38
	Last Modified	18 mars 2016 10:38:35
Unnamed Association		

To	Name	Value
	End Model Element	● Ajout entrainement
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	Unspecified
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	● Ajout entrainement
	Project Management	**Name** / **Value** Author — ambrym Create Date Time — 18 mars 2016 10:33:25

Abstract	false
Leaf	false
Visibility	Unspecified
Derived	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	18 mars 2016 10:33:25
	Last Modified	18 mars 2016 10:38:35

● Ajout entrainement

Name	Value
Description	Précondition : L'utilisateur connecté souhaite ajouter un entrainement à son espace personnel ou l'administrateur l'ajouter a la base de données Post condition : Un entrainement a été créé par un utilisateur ou par un administrateur Paramètres : Utilisateur, administrateur, exercices, type d'entrainement (fitness, endurance, intense) Chronologie : L'utilisateur demande la création d'un entrainement Il renseigne tous les champs demandés

	Après validation de l'utilisateur, le système ajoute l'entrainement à sa base de données
ID	UC16
Abstract	false
Leaf	false
Root	false
Stereotypes	UseCase
Business Model	false
Status	Identify
Rank	Unspecified
Project Management	

Name	Value
Author	ambrym
Create Date Time	18 mars 2016 10:32:10
Last Modified	27 mars 2016 12:17:58

Extension Points

Gestion d'entrainement	
Project Management	

Name	Value
Author	ambrym
Create Date Time	18 mars 2016 10:32:39

Relationships

Unnamed Include	
To	Connexion
Visibility	Unspecified
Stereotypes	Include
Project Management	

Name	Value
Author	ambrym
Create Date Time	18 mars 2016 10:32:26
Last Modified	18 mars 2016 10:38:35

Unnamed Extend	
To	Gestion d'entrainement
Visibility	Unspecified
Stereotypes	Extend
Extension Point	Gestion d'entrainement
Project Management	

Name	Value
Author	ambrym
Create Date Time	18 mars 2016 10:32:39
Last Modified	18 mars 2016 10:38:35

Unnamed Association

From	Name	Value
	End Model Element	⚲ Administrateur
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	Unspecified
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	⚲ Administrateur
	Project Management	**Name** — **Value** Author — ambrym Create Date Time — 18 mars 2016 10:33:25
Abstract	false	
Leaf	false	
Visibility	Unspecified	
Derived	false	
Project Management	Name	Value
	Author	ambrym
	Create Date Time	18 mars 2016 10:33:25
	Last Modified	18 mars 2016 10:38:35

Sub Diagrams

Name	Description
Ajout entrainement	Chronologie de l'ajout d'entrainement

Consulter profil

Name	Value
Description	Précondition : L'utilisateur souhaite visionner son profil une fois connecté Post condition : L'utilisateur a accès à son profil et au conseil du jour Paramètres : utilisateur, profil
ID	UC15
Abstract	false
Leaf	false

Root	false
Stereotypes	UseCase
Business Model	false
Status	Identify
Rank	Unspecified
Project Management	

Name	Value
Author	ambrym
Create Date Time	18 mars 2016 10:31:21
Last Modified	25 mars 2016 16:33:37

Relationships

Unnamed Include	
To	🔵 Connexion
Visibility	Unspecified
Stereotypes	Include
Project Management	

Name	Value
Author	ambrym
Create Date Time	18 mars 2016 10:31:30
Last Modified	18 mars 2016 10:38:35

Unnamed Association	
From	

Name	Value
End Model Element	👤 Utilisateur
Provide Property Getter Method	false
Provide Property Setter Method	false
Multiplicity	Unspecified
Visibility	Unspecified
Aggregation Kind	None
Navigable	Navigable
Derived	false
Derived Union	false
Read Only	false
Static	false
Leaf	false
Type	👤 Utilisateur
Project Management	

Name	Value
Author	ambrym
Create Date Time	18 mars 2016 10:31:40

Abstract	false
Leaf	false

Visibility	Unspecified	
Derived	false	
Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	18 mars 2016 10:31:40
	Last Modified	18 mars 2016 10:38:35

Sub Diagrams

Name	Description
Consulter profil	Chronologies de la consultation du profil

Connexion

Name	Value
Description	Précondition : L'utilisateur demande une connexion Post condition : L'utilisateur est connecté ou ne l'est pas Paramètres : Adresse mail, mot de passe Chronologie : L'utilisateur entre son adresse et son mot de passe Le système vérifie que l'adresse a été validée Choix 1 : Passe a la vérification du mot de passe Choix 2 : Refuse la connexion Le système verifie que le mot de passe est valide Choix 1 : Refuse la connexion Choix 2 : Autorise la connexion
ID	UC14
Abstract	false
Leaf	false
Root	false
Stereotypes	UseCase
Business Model	false
Status	Identify
Rank	Unspecified
Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	18 mars 2016 10:31:12
	Last Modified	25 mars 2016 16:33:37

Relationships

Unnamed Association

From	Name	Value	
	End Model Element	♀ Utilisateur	
	Provide Property Getter Method	false	
	Provide Property Setter Method	false	
	Multiplicity	Unspecified	
	Visibility	Unspecified	
	Aggregation Kind	None	
	Navigable	Navigable	
	Derived	false	
	Derived Union	false	
	Read Only	false	
	Static	false	
	Leaf	false	
	Type	♀ Utilisateur	
	Project Management	Name	Value
		Author	ambrym
		Create Date Time	18 mars 2016 10:31:13

Abstract	false	
Leaf	false	
Visibility	Unspecified	
Derived	false	
Project Management	Name	Value
	Author	ambrym
	Create Date Time	18 mars 2016 10:31:13
	Last Modified	18 mars 2016 10:38:35

Unnamed Include		
From	🔵 Consulter profil	
Visibility	Unspecified	
Stereotypes	Include	
Project Management	Name	Value
	Author	ambrym
	Create Date Time	18 mars 2016 10:31:30
	Last Modified	18 mars 2016 10:38:35

Unnamed Include	
From	🔵 Ajout entrainement
Visibility	Unspecified
Stereotypes	Include

Project Management	Name	Value
	Author	ambrym
	Create Date Time	18 mars 2016 10:32:26
	Last Modified	18 mars 2016 10:38:35

Sub Diagrams

Name	Description
🔲 Connexion	Chronologie de la connexion d'un utilisateur

🔵 Gestion d'entrainement

Name	Value
Description	Précondition : L'utilisateur souhaite pouvoir faire l'entrainement qui lui est proposé entre ceux de la base de données et ceux qu'il aura créés. Post condition : L'utilisateur a validé son entrainement et a répondu a une question de fin afin d'évaluer son prochain entrainement. Paramètre : temps, utilisateur, type d'entrainement, liste séances, question final. Chronologie : L 'utilisateur choisi sa catégorie d'entrainement ou celle de la base de donnée, la date du jour et accède à la séance du jour en question Après chaque exercice il le valide Le système propose alors l'exercice suivant L'utilisateur valide son entrainement Le système propose a l'utilisateur une note d'effort fournis. L'utilisateur répond Le système propose l'entrainement suivant enfonction de cette réponse.
ID	UC13
Abstract	false
Leaf	false
Root	false
Stereotypes	UseCase
Business Model	false
Status	Identify
Rank	Unspecified
Project Management	Name	Value

	Name	Value
	Author	ambrym
	Create Date Time	18 mars 2016 10:30:50
	Last Modified	31 mars 2016 14:46:08

Relationships

Unnamed Association		
From	**Name**	**Value**
	End Model Element	⚥ Utilisateur
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	Unspecified
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	⚥ Utilisateur
	Project Management	**Name** / **Value** Author — ambrym Create Date Time — 18 mars 2016 10:30:50
Abstract	false	
Leaf	false	
Visibility	Unspecified	
Derived	false	
Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	18 mars 2016 10:30:50
	Last Modified	18 mars 2016 10:38:35
Unnamed Extend		
From	🔵 Ajout entrainement	
Visibility	Unspecified	
Stereotypes	Extend	
Extension Point	Gestion d'entrainement	
Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	18 mars 2016 10:32:39
	Last Modified	18 mars 2016 10:38:35

Sub Diagrams

Name	Description

Gestion d'entrainement	Chronologie de la gestion d'entrainement

Gestion des réglages

Name	Value
Description	Précondition : L'utilisateur demande la modification de ses paramètres personnels, relatifs aux paramètres de l'application ou relatifs à ses entrainements. Post condition : Les modifications ont été apporté et les changements engendré aussi. Paramètres : utilisateur, réglages (options de l'application, infos personnels, niveau entrainement,...) Chronologie : L'utilisateur modifie un paramètre Le système effectue les modifications apporté et met à jour les données.
ID	UC12
Abstract	false
Leaf	false
Root	false
Stereotypes	UseCase
Business Model	false
Status	Identify
Rank	Unspecified

Project Management	Name	Value
	Author	ambrym
	Create Date Time	18 mars 2016 10:28:39
	Last Modified	25 mars 2016 16:59:22

Relationships

Unnamed Association

From	Name	Value
	End Model Element	♀ Utilisateur
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	Unspecified
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	♀ Utilisateur
	Project Management	**Name** / **Value** Author / ambrym Create Date Time / 18 mars 2016 10:28:39
Abstract	false	
Leaf	false	
Visibility	Unspecified	
Derived	false	
Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	18 mars 2016 10:28:39
	Last Modified	18 mars 2016 10:38:35

Sub Diagrams

Name	Description
🗐 Gestion des réglages	Chronologie de la gestion des réglages

🔵 Générer suivis d'entrainement

Name	Value
Description	Précondition : L'administrateur veut générer un programme d'entrainement qui sera proposé par la suite aux utilisateurs Postcondition : Un suivis d'entrainement a été saisi Paramètres : Une connexion, un administrateur , un utilisateur
ID	UC10
Abstract	false
Leaf	false

Root	false
Stereotypes	UseCase
Business Model	false
Status	Identify
Rank	Unspecified

Project Management	Name	Value
	Author	ambrym
	Create Date Time	18 mars 2016 10:27:38
	Last Modified	25 mars 2016 16:53:47

Relationships

Unnamed Association		
From	**Name**	**Value**
	End Model Element	♀ Administrateur
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	Unspecified
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	♀ Administrateur
	Project Management	**Name** / **Value** — Author: ambrym; Create Date Time: 18 mars 2016 10:27:38
Abstract	false	
Leaf	false	
Visibility	Unspecified	
Derived	false	
Project Management	**Name** / **Value** — Author: ambrym; Create Date Time: 18 mars 2016 10:27:38; Last Modified: 18 mars 2016 10:38:35	

Sub Diagrams

Name	Description
🖼 Générer suivis d'entrainement	Chronologie de la génération d'un suivis d'entrainement

🔵 S'inscrire

Name	Value
Description	Précondition : Une personne non-inscrite souhaite s'inscrire Post condition : La personne est désormais inscrite et devient un utilisateur Paramètres : sexe, poids, taille, âge, fréquence d'activité, type d'entrainement Chronologie : L'utilisateur rentre les paramètres d'inscription demandé. Le système calcul puis renvoie l'IMC Un mail de confirmation est envoyé
ID	UC09
Abstract	false
Leaf	false
Root	false
Stereotypes	UseCase
Business Model	false
Status	Identify
Rank	Unspecified
Project Management	<table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>ambrym</td></tr><tr><td>Create Date Time</td><td>18 mars 2016 10:20:12</td></tr><tr><td>Last Modified</td><td>25 mars 2016 16:27:12</td></tr></table>

Relationships

Unnamed Association

From	Name	Value	
	End Model Element	♀ Anonyme	
	Provide Property Getter Method	false	
	Provide Property Setter Method	false	
	Multiplicity	Unspecified	
	Visibility	Unspecified	
	Aggregation Kind	None	
	Navigable	Navigable	
	Derived	false	
	Derived Union	false	
	Read Only	false	
	Static	false	
	Leaf	false	
	Type	♀ Anonyme	
	Project Management	Name	Value
		Author	ambrym
		Create Date Time	18 mars 2016 10:20:12
Abstract	false		
Leaf	false		
Visibility	Unspecified		
Derived	false		
Project Management	Name	Value	
	Author	ambrym	
	Create Date Time	18 mars 2016 10:20:12	
	Last Modified	18 mars 2016 10:38:35	

Sub Diagrams

Name	Description
🗐 S'inscrire	Chronologie de l'inscription

🗌 Application GoForm

| Name	Value	
Abstract	false	
Leaf	false	
Root	false	
Project Management	Name	Value
	Author	ambrym
	Create Date Time	18 mars 2016 10:33:37
	Last Modified	18 mars 2016 10:38:35

Children

Name	Description
S'inscrire	Précondition : Une personne non-inscrite souhaite s'inscrire Post condition : La personne est désormais inscrite et devient un utilisateur Paramètres : sexe, poids, taille, âge, fréquence d'activité, type d'entrainement Chronologie : L'utilisateur rentre les paramètres d'inscription demandé. Le système calcul puis renvoie l'IMC Un mail de confirmation est envoyé
Générer suivis d'entrainement	Précondition : L'administrateur veut générer un programme d'entrainement qui sera proposé par la suite aux utilisateurs Postcondition : Un suivis d'entrainement a été saisi Paramètres : Une connexion, un administrateur , un utilisateur
Gestion des réglages	Précondition : L'utilisateur demande la modification de ses paramètres personnels, relatifs aux paramètres de l'application ou relatifs à ses entrainements. Post condition : Les modifications ont été apporté et les changements engendré aussi. Paramètres : utilisateur, réglages (options de l'application, infos personnels, niveau entrainement,...) Chronologie : L'utilisateur modifie un paramètre Le système effectue les modifications apporté et met à jour les données.
Gestion d'entrainement	Précondition : L'utilisateur souhaite pouvoir faire l'entrainement qui lui est proposé entre ceux de la base de données et ceux qu'il aura créés. Post condition : L'utilisateur a validé son entrainement et a répondu a une question de fin afin d'évaluer son prochain entrainement. Paramètre : temps, utilisateur, type d'entrainement, liste séances, question final. Chronologie : L 'utilisateur choisi sa catégorie d'entrainement ou celle de la base de donnée, la date du jour et accède à la séance du jour en

	question Après chaque exercice il le valide Le système propose alors l'exercice suivant L'utilisateur valide son entrainement Le système propose a l'utilisateur une note d'effort fournis. L'utilisateur répond Le système propose l'entrainement suivant enfonction de cette réponse.
⬭ Connexion	Précondition : L'utilisateur demande une connexion Post condition : L'utilisateur est connecté ou ne l'est pas Paramètres : Adresse mail, mot de passe Chronologie : L'utilisateur entre son adresse et son mot de passe Le système vérifie que l'adresse a été validée Choix 1 : Passe a la vérification du mot de passe Choix 2 : Refuse la connexion Le système verifie que le mot de passe est valide Choix 1 : Refuse la connexion Choix 2 : Autorise la connexion
⬭ Consulter profil	Précondition : L'utilisateur souhaite visionner son profil une fois connecté Post condition : L'utilisateur a accès à son profil et au conseil du jour Paramètres : utilisateur, profil
⬭ Ajout entrainement	Précondition : L'utilisateur connecté souhaite ajouter un entrainement à son espace personnel ou l'administrateur l'ajouter a la base de données Post condition : Un entrainement a été créé par un utilisateur ou par un administrateur Paramètres : Utilisateur, administrateur, exercices, type d'entrainement (fitness, endurance, intense) Chronologie : L'utilisateur demande la création d'un entrainement Il renseigne tous les champs demandés Après validation de l'utilisateur, le système ajoute l'entrainement à sa base de données

Diagramme de classe GoForm

Name	Value
Name	Diagramme de classe GoForm
Author	Maxiime
Create Date Time	27 mars 2016 12:40:58
Last Modified	22 avr. 2016 23:32:57
Teamwork Create Date Time	0

Summary

Name	Description
Sexe	Permettra de choisir entre homme et femme afin d'eviter les champs autres
Admin	Statut permettent de supprimer ou créer un entrainement
Entrainement	Classe principale permettant de lancer ses entrainement ou d'en créer
Suivi	Propre à chaque utilisateur, le suivis affiche des statistiques relative aux entrainements
Personne	Représentation d'un personne
GoForm	Interface visible lorsque l'utilisateur n'est pas connecté
Anonyme	Il s'agit d'une personne sans droits
Seances	Ensemble d'exercices a faire a une date donnée
Utilisateur	Statut d'une personne ayant un imc et plusieurs droits relatif aux entrainement

📄 Reglages	Permet de modifier les réglages de différents type et de ce déconnecter
📄 TypeReglage	Permet de catégoriser dans "option" les réglages relatif à l'application et "profil" pour ce qui est des informations de l'utilisateur.
📄 Exercices	Exercice réalisé durant une séance
📄 Profil	Interface d'accueil lorsque l'utilisateur sera connecté

Details

📄 Sexe

Name	Value
Description	Permettra de choisir entre homme et femme afin d'eviter les champs autres
Active	false
Business Key Mutable	true
Business Model	false
Visibility	public
Leaf	false
Root	false
Stereotypes	enumeration
Project Management	**Name** / **Value**

Name	Value
Author	ABDE
Create Date Time	1 avr. 2016 09:12:02
Last Modified	7 avr. 2016 19:29:02

Enumeration Literals

HOMME

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:12:11
	Last Modified	1 avr. 2016 09:12:38

FEMME

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:12:14
	Last Modified	1 avr. 2016 09:12:38

Relationships

Unnamed Association

To	Name	Value		
	End Model Element	📄 Personne		
	Provide Property Getter Method	false		
	Provide Property Setter Method	false		
	Multiplicity	1		
	Visibility	Unspecified		
	Aggregation Kind	None		
	Navigable	Navigable		
	Derived	false		
	Derived Union	false		
	Read Only	false		
	Static	false		
	Leaf	false		
	Type	📄 Personne		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	1 avr. 2016 09:14:30	
Abstract	false			
Leaf	false			
Visibility	Unspecified			
Derived	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	1 avr. 2016 09:14:30		
	Last Modified	22 avr. 2016 23:31:55		

📄 Admin

Name	Value	
Description	Statut permettent de supprimer ou créer un entrainement	
Active	false	
Business Key Mutable	true	
Business Model	false	
Visibility	public	
Leaf	false	
Root	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	1 avr. 2016 09:25:52
	Last Modified	7 avr. 2016 20:58:51

Operations

public creationEntrainement ()	
Description	Permet de créer un entrainement proposé dans une catégorie precise de l'utilisateur
Leaf	false
Ordered	false
Unique	true
Query	false
Project Management	

Name	Value
Author	ABDE
Create Date Time	1 avr. 2016 09:53:47
Last Modified	7 avr. 2016 20:58:51

public supprimer ()	
Description	Permet de supprimer un entrainement
Leaf	false
Ordered	false
Unique	true
Query	false
Project Management	

Name	Value
Author	ABDE
Create Date Time	5 avr. 2016 11:09:48
Last Modified	7 avr. 2016 20:58:51

Relationships

Unnamed Association

To	Name	Value
	End Model Element	Entrainement
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	1
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	Entrainement
	Project Management	

		Name	Value
		Author	ABDE
		Create Date Time	1 avr. 2016 09:26:29

Abstract	false
Leaf	false
Visibility	Unspecified
Derived	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:26:29
	Last Modified	22 avr. 2016 23:31:55

Unnamed Generalization	
From	Personne
Substitutable	false
Visibility	Unspecified

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 10:26:57
	Last Modified	1 avr. 2016 10:29:19

Entrainement

Name	Value
Description	Classe principale permettant de lancer ses entrainement ou d'en créer
Active	false

Business Key Mutable	true
Business Model	false
Visibility	public
Leaf	false
Root	false
Project Management	**Name** / **Value**
	Author / ABDE
	Create Date Time / 1 avr. 2016 08:48:25
	Last Modified / 7 avr. 2016 21:08:52

Attributes

private typeEntrainement : boolean			
Description	Type d'entrainement (force, endurance, etc.)		
Type	🟢 boolean		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	5 avr. 2016 11:17:12	
	Last Modified	7 avr. 2016 21:08:52	

private libelleEntrainement : string			
Description	Nom de l'entrainement		
Type	🟢 string		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 23:17:32
	Last Modified	7 avr. 2016 21:08:52

Operations

public getNbSeance () : int	
Description	Nombre de séance dans l'entrainement
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	5 avr. 2016 09:05:15
	Last Modified	7 avr. 2016 21:08:52

public creationEntrainement ()	
Description	Création de l'entrainement
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 10:58:24
	Last Modified	7 avr. 2016 21:08:52

public supprimer ()	
Description	Méthode supprimant l'entrainement
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 11:10:23
	Last Modified	7 avr. 2016 21:08:52

Relationships

Unnamed Association

To	Name	Value	
	End Model Element	Seances	
	Provide Property Getter Method	false	
	Provide Property Setter Method	false	
	Multiplicity	Unspecified	
	Visibility	Unspecified	
	Aggregation Kind	None	
	Navigable	Navigable	
	Derived	false	
	Derived Union	false	
	Read Only	false	
	Static	false	
	Leaf	false	
	Type	Seances	
	Project Management	**Name**	**Value**
		Author	hassaina
		Create Date Time	6 avr. 2016 17:29:03
Abstract	false		
Leaf	false		
Visibility	Unspecified		
Derived	false		
Project Management	**Name**	**Value**	
	Author	hassaina	
	Create Date Time	6 avr. 2016 17:29:03	
	Last Modified	22 avr. 2016 23:31:55	
Unnamed Association			

From	Name	Value		
	End Model Element	📄 Suivi		
	Provide Property Getter Method	false		
	Provide Property Setter Method	false		
	Multiplicity	1..*		
	Visibility	Unspecified		
	Aggregation Kind	None		
	Navigable	Navigable		
	Derived	false		
	Derived Union	false		
	Read Only	false		
	Static	false		
	Leaf	false		
	Type	📄 Suivi		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	1 avr. 2016 08:59:45	
Abstract	false			
Leaf	false			
Visibility	Unspecified			
Derived	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	1 avr. 2016 08:59:45		
	Last Modified	22 avr. 2016 23:31:55		
Unnamed Association				

From	Name	Value
	End Model Element	📄 Admin
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	1..*
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	📄 Admin
	Project Management	

	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:26:29

Abstract	false
Leaf	false
Visibility	Unspecified
Derived	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:26:29
	Last Modified	22 avr. 2016 23:31:55

📄 Suivi

Name	Value
Description	Propre à chaque utilisateur, le suivis affiche des statistiques relative aux entrainements
Active	false
Business Key Mutable	true
Business Model	false
Visibility	public
Leaf	false
Root	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 08:57:19
	Last Modified	22 avr. 2016 23:31:55

Attributes

private idSeance : int			
Description	Identifiant de la séance sur laquelle porte le suivi		
Type	🟢 int		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 23:07:40
	Last Modified	7 avr. 2016 20:58:51

private date : date			
Description	La date permet de mettre a jour le suivi quotidiennement		
Type	date		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 23:08:58
	Last Modified	7 avr. 2016 20:58:51

private nbExercice : int	
Description	Statistique représentant le nombre d'exercice réalisé

Type	🟢 int		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		5 avr. 2016 23:09:38
	Last Modified		7 avr. 2016 20:58:51

Operations

public creationSuivi (id : int)		
Parameters	**id**	
	Multiplicity	Unspecified
	Type	🟢 int
	Direction	inout
	Project Management	**Name** Author / Create Date Time / Last Modified — **Value** ABDE / 1 avr. 2016 09:39:30 / 1 avr. 2016 09:45:56
Description	Génère le suivis complet	
Leaf	false	
Ordered	false	
Unique	true	
Query	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	1 avr. 2016 09:39:18
	Last Modified	7 avr. 2016 21:08:52

public Stat (date : date, idSeance : int, nbExercice : int)

Parameters	**date**		
	Multiplicity	Unspecified	
	Type	date	
	Direction	inout	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	5 avr. 2016 23:17:09
		Last Modified	22 avr. 2016 23:31:55
	idSeance		
	Multiplicity	Unspecified	
	Type	🟢 int	
	Direction	inout	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	5 avr. 2016 23:17:09
		Last Modified	22 avr. 2016 23:31:55
	nbExercice		
	Multiplicity	Unspecified	
	Type	🟢 int	
	Direction	inout	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	5 avr. 2016 23:17:09
		Last Modified	22 avr. 2016 23:31:55
Description	Génère des statistiques		
Leaf	false		
Ordered	false		
Unique	true		
Query	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	5 avr. 2016 23:15:46	
	Last Modified	22 avr. 2016 23:31:55	

Relationships

Unnamed Association

To	Name	Value
	End Model Element	Entrainement
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	1
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	Entrainement
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	1 avr. 2016 08:59:45

Abstract	false
Leaf	false
Visibility	Unspecified
Derived	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 08:59:45
	Last Modified	22 avr. 2016 23:31:55

Unnamed Association

From	Name	Value	
	End Model Element	📄 Utilisateur	
	Provide Property Getter Method	false	
	Provide Property Setter Method	false	
	Multiplicity	1	
	Visibility	Unspecified	
	Aggregation Kind	None	
	Navigable	Navigable	
	Derived	false	
	Derived Union	false	
	Read Only	false	
	Static	false	
	Leaf	false	
	Type	📄 Utilisateur	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	1 avr. 2016 09:14:35
Abstract	false		
Leaf	false		
Visibility	Unspecified		
Derived	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	1 avr. 2016 09:14:35	
	Last Modified	22 avr. 2016 23:31:55	

📄 Personne

Name	Value	
Description	Représentation d'un personne	
Active	false	
Business Key Mutable	true	
Business Model	false	
Visibility	public	
Leaf	false	
Root	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	1 avr. 2016 09:14:00
	Last Modified	7 avr. 2016 21:13:11

Attributes

private prenom : string			
Description	Prénom de la personne		
Type	🟢 string		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		1 avr. 2016 09:17:05
	Last Modified		7 avr. 2016 21:13:11

private nom : string			
Description	Nom de la personne		
Type	🟢 string		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		1 avr. 2016 09:17:10
	Last Modified		7 avr. 2016 21:13:11

private mail : string			
Description	Mail de la personne		
Type	🟢 string		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		

Multiplicity	Unspecified
Aggregation	None
Derived Union	false
Read Only	false
Is ID	false
Leaf	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:17:15
	Last Modified	7 avr. 2016 21:13:11

private mdp : string

Description	Mot de passe de la personne		
Type	🟢 string		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:17:38
	Last Modified	7 avr. 2016 21:13:11

private age : int

Description	Age de la personne		
Type	🟢 int		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:18:53
	Last Modified	7 avr. 2016 21:13:11

Operations

public getPrenom () : string		
Leaf	false	
Ordered	false	
Unique	true	
Query	false	
Project Management	Name	Value
	Author	ambrym
	Create Date Time	5 avr. 2016 09:04:21
	Last Modified	5 avr. 2016 09:17:20

public getNom () : string		
Leaf	false	
Ordered	false	
Unique	true	
Query	false	
Project Management	Name	Value
	Author	ambrym
	Create Date Time	5 avr. 2016 09:04:28
	Last Modified	5 avr. 2016 09:17:20

public getMail () : string		
Leaf	false	
Ordered	false	
Unique	true	
Query	false	
Project Management	Name	Value
	Author	ambrym
	Create Date Time	5 avr. 2016 09:04:32
	Last Modified	5 avr. 2016 09:17:20

public getMdp () : string	
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	5 avr. 2016 09:04:40
	Last Modified	5 avr. 2016 09:17:20

public getAge () : int

Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	5 avr. 2016 09:04:45
	Last Modified	5 avr. 2016 09:17:20

public personne ()

Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 11:04:20
	Last Modified	5 avr. 2016 11:07:55

Relationships

Unnamed Generalization

To	📄 Utilisateur
Substitutable	false
Visibility	Unspecified

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:15:13
	Last Modified	1 avr. 2016 09:19:34

Unnamed Generalization

To	📄 Anonyme
Substitutable	false
Visibility	Unspecified

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:15:26
	Last Modified	1 avr. 2016 09:19:34

Unnamed Generalization	
To	📄 Admin
Substitutable	false
Visibility	Unspecified
Project Management	**Name** **Value** Author — ABDE Create Date Time — 1 avr. 2016 10:26:57 Last Modified — 1 avr. 2016 10:29:19

Unnamed Association		

From	**Name**	**Value**
	End Model Element	📄 Sexe
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	Unspecified
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	📄 Sexe
	Project Management	**Name** **Value** Author — ABDE Create Date Time — 1 avr. 2016 09:14:30

Abstract	false
Leaf	false
Visibility	Unspecified
Derived	false
Project Management	**Name** **Value** Author — ABDE Create Date Time — 1 avr. 2016 09:14:30 Last Modified — 22 avr. 2016 23:31:55

Unnamed Realization	
From	📄 GoForm
Visibility	Unspecified

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 10:27:12
	Last Modified	1 avr. 2016 10:29:19

GoForm

Name	Value
Description	Interface visible lorsque l'utilisateur n'est pas connecté
Active	false
Business Key Mutable	true
Business Model	false
Visibility	public
Leaf	false
Root	false
Stereotypes	Interface
Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 10:24:28
	Last Modified	7 avr. 2016 23:42:44

Operations

public calculIMC ()	
Leaf	false
Ordered	false
Unique	true
Query	false
Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:30:48
	Last Modified	7 avr. 2016 23:42:44

public enregistre () : Utilisateur	
Leaf	false
Ordered	false
Unique	true
Query	false
Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:31:09
	Last Modified	7 avr. 2016 23:42:44

Relationships

Unnamed Realization	
To	📄 Anonyme
Visibility	Unspecified
Project Management	**Name** / **Value**

Name	Value
Author	ABDE
Create Date Time	1 avr. 2016 10:25:27
Last Modified	1 avr. 2016 10:29:19

Unnamed Realization	
To	📄 Personne
Visibility	Unspecified
Project Management	**Name** / **Value**

Name	Value
Author	ABDE
Create Date Time	1 avr. 2016 10:27:12
Last Modified	1 avr. 2016 10:29:19

📄 Anonyme

Name	Value
Description	Il s'agit d'une personne sans droits
Active	false
Business Key Mutable	true
Business Model	false
Visibility	public
Leaf	false
Root	false
Project Management	**Name** / **Value**

Name	Value
Author	ABDE
Create Date Time	1 avr. 2016 09:15:16
Last Modified	7 avr. 2016 19:29:02

Operations

public Inscription ()	
Description	Permet de s'insrire apères avoir renseigné tous les attributs de la super classe personne
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 10:13:35
	Last Modified	7 avr. 2016 19:29:02

Relationships

Unnamed Generalization	
From	📄 Personne
Substitutable	false
Visibility	Unspecified

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:15:26
	Last Modified	1 avr. 2016 09:19:34

Unnamed Realization	
From	📄 GoForm
Visibility	Unspecified

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 10:25:27
	Last Modified	1 avr. 2016 10:29:19

📄 Seances

Name	Value
Description	Ensemble d'exercices a faire a une date donnée
Active	false
Business Key Mutable	true
Business Model	false
Visibility	public
Leaf	false
Root	false

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	27 mars 2016 12:41:01
	Last Modified	7 avr. 2016 21:08:52

Attributes

private date : date	
Description	Date de réalisation de la séance
Type	date

Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		
Project Management	**Name**		**Value**
	Author		ambrym
	Create Date Time		5 avr. 2016 09:04:00
	Last Modified		7 avr. 2016 21:08:52

Operations

public getNbExercice () : int	
Leaf	false
Ordered	false
Unique	true
Query	false
Project Management	**Name** · **Value**
	Author · ambrym
	Create Date Time · 5 avr. 2016 09:05:06
	Last Modified · 5 avr. 2016 09:17:20

public getDate () : date	
Leaf	false
Ordered	false
Unique	true
Query	false
Project Management	**Name** · **Value**
	Author · ambrym
	Create Date Time · 5 avr. 2016 09:05:11
	Last Modified · 5 avr. 2016 09:17:20

public creationSeances ()	
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 10:59:07
	Last Modified	5 avr. 2016 11:07:55

public supprimer ()	
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 11:10:28
	Last Modified	5 avr. 2016 11:20:46

Relationships

Unnamed Association		
To	Name	Value
	End Model Element	📄 Exercices
	Provide Property Getter Method	false
	Provide Property Setter Method	false
	Multiplicity	Unspecified
	Visibility	Unspecified
	Aggregation Kind	None
	Navigable	Navigable
	Derived	false
	Derived Union	false
	Read Only	false
	Static	false
	Leaf	false
	Type	📄 Exercices
	Project Management	**Name** / **Value** Author / hassaina Create Date Time / 6 avr. 2016 17:29:06
Abstract	false	
Leaf	false	
Visibility	Unspecified	
Derived	false	

Project Management	Name	Value
	Author	hassaina
	Create Date Time	6 avr. 2016 17:29:06
	Last Modified	22 avr. 2016 23:31:55

Unnamed Association		

From (collectionSeances)	Name	Value		
	End Model Element	📄 Entrainement		
	Provide Property Getter Method	false		
	Provide Property Setter Method	false		
	Multiplicity	1..*		
	Visibility	Unspecified		
	Aggregation Kind	Shared		
	Navigable	Navigable		
	Derived	false		
	Derived Union	false		
	Read Only	false		
	Static	false		
	Leaf	false		
	Type	📄 Entrainement		
	Project Management	Name	Value	
		Author	hassaina	
		Create Date Time	6 avr. 2016 17:29:03	

Abstract	false
Leaf	false
Visibility	Unspecified
Derived	false

Project Management	Name	Value
	Author	hassaina
	Create Date Time	6 avr. 2016 17:29:03
	Last Modified	22 avr. 2016 23:31:55

📄 Utilisateur

Name	Value
Description	Statut d'une personne ayant un imc et plusieurs droits relatif aux entrainement
Active	false
Business Key Mutable	true
Business Model	false
Visibility	public

Leaf	false		
Root	false		
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		1 avr. 2016 09:14:39
	Last Modified		7 avr. 2016 19:29:02

Attributes

private id : int			
Description	Identifiant permettant de différencier les utilisateurs		
Type	🟢 int		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		1 avr. 2016 09:16:21
	Last Modified		7 avr. 2016 19:29:02

private imc : int			
Description	Imc de chaque utilisateur		
Type	🟢 int		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		1 avr. 2016 09:16:48
	Last Modified		7 avr. 2016 19:29:02

Operations

public getImc () : int	
Description	Récupere l'imc de l'utilisateur
Leaf	false
Ordered	false
Unique	true
Query	false
Project Management	<table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>ABDE</td></tr><tr><td>Create Date Time</td><td>1 avr. 2016 09:33:31</td></tr><tr><td>Last Modified</td><td>7 avr. 2016 19:29:02</td></tr></table>

public creationEntrainement ()	
Description	Permet de créer un entrainement
Leaf	false
Ordered	false
Unique	true
Query	false
Project Management	<table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>ABDE</td></tr><tr><td>Create Date Time</td><td>1 avr. 2016 09:53:18</td></tr><tr><td>Last Modified</td><td>7 avr. 2016 19:29:02</td></tr></table>

public connexion (mail : string, mdp : string)	
Parameters	**mail**
	<table><tr><td>Multiplicity</td><td colspan="2">Unspecified</td></tr><tr><td>Type</td><td colspan="2">🟢 string</td></tr><tr><td>Direction</td><td colspan="2">inout</td></tr><tr><td>Project Management</td><td><table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>ABDE</td></tr><tr><td>Create Date Time</td><td>1 avr. 2016 10:00:43</td></tr><tr><td>Last Modified</td><td>1 avr. 2016 10:06:43</td></tr></table></td></tr></table>
	mdp
	<table><tr><td>Multiplicity</td><td colspan="2">Unspecified</td></tr><tr><td>Type</td><td colspan="2">🟢 string</td></tr><tr><td>Direction</td><td colspan="2">inout</td></tr><tr><td>Project Management</td><td><table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>ABDE</td></tr><tr><td>Create Date Time</td><td>1 avr. 2016 10:00:43</td></tr><tr><td>Last Modified</td><td>1 avr. 2016 10:06:43</td></tr></table></td></tr></table>
Description	Permet de se connecter en respectant les paramètres fixés

Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 10:00:09
	Last Modified	7 avr. 2016 19:29:02

public modifier ()	
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 11:10:45
	Last Modified	5 avr. 2016 11:20:46

public validationEntrainement () : Entrainement	
Description	Après chaque entrainement, l'utilisateut peu le valider afin qu'on lui en propose un autre
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 11:22:12
	Last Modified	7 avr. 2016 19:29:02

public abandonnerEntrainement ()	
Description	Pendant chaque entrainement, un utilisateur peu abandonner un entrainement, ce qui annulera sa progression dans ce dernier
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 11:22:53
	Last Modified	7 avr. 2016 19:29:02

Relationships

Unnamed Association				
To	**Name**	**Value**		
	End Model Element	📄 Suivi		
	Provide Property Getter Method	false		
	Provide Property Setter Method	false		
	Multiplicity	1		
	Visibility	Unspecified		
	Aggregation Kind	None		
	Navigable	Navigable		
	Derived	false		
	Derived Union	false		
	Read Only	false		
	Static	false		
	Leaf	false		
	Type	📄 Suivi		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	1 avr. 2016 09:14:35	
Abstract	false			
Leaf	false			
Visibility	Unspecified			
Derived	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	1 avr. 2016 09:14:35		
	Last Modified	22 avr. 2016 23:31:55		
Unnamed Generalization				
From	📄 Personne			
Substitutable	false			
Visibility	Unspecified			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	1 avr. 2016 09:15:13		
	Last Modified	1 avr. 2016 09:19:34		
Unnamed Realization				
From	📄 Profil			
Visibility	Unspecified			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:38:52
	Last Modified	1 avr. 2016 09:45:56

Unnamed Association			
From	**Name**	**Value**	
	End Model Element	📄 **Reglages**	
	Provide Property Getter Method	false	
	Provide Property Setter Method	false	
	Multiplicity	Unspecified	
	Visibility	Unspecified	
	Aggregation Kind	None	
	Navigable	Navigable	
	Derived	false	
	Derived Union	false	
	Read Only	false	
	Static	false	
	Leaf	false	
	Type	📄 **Reglages**	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	1 avr. 2016 10:22:38
Abstract	false		
Leaf	false		
Visibility	Unspecified		
Derived	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	1 avr. 2016 10:22:38	
	Last Modified	22 avr. 2016 23:31:55	

📄 Reglages

Name	Value
Description	Permet de modifier les réglages de différents type et de ce déconnecter
Active	false
Business Key Mutable	true
Business Model	false

Visibility	public	
Leaf	false	
Root	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	1 avr. 2016 08:54:04
	Last Modified	22 avr. 2016 23:31:55

Operations

public Modifier (TypeReglage)			
Parameters	**TypeReglage**		
	Multiplicity	Unspecified	
	Direction	inout	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	1 avr. 2016 10:21:57
		Last Modified	22 avr. 2016 23:31:55
Description	Changer les informations d'un réglages entré en paramètre		
Leaf	false		
Ordered	false		
Unique	true		
Query	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	1 avr. 2016 10:18:59	
	Last Modified	22 avr. 2016 23:31:55	

public Deconnexion ()		
Description	Deconnecte l'utilisateur de sa session	
Leaf	false	
Ordered	false	
Unique	true	
Query	false	
Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	5 avr. 2016 09:04:14
	Last Modified	7 avr. 2016 19:29:02

Relationships

Unnamed Association

To	Name	Value		
	End Model Element	📄 Utilisateur		
	Provide Property Getter Method	false		
	Provide Property Setter Method	false		
	Multiplicity	1		
	Visibility	Unspecified		
	Aggregation Kind	None		
	Navigable	Navigable		
	Derived	false		
	Derived Union	false		
	Read Only	false		
	Static	false		
	Leaf	false		
	Type	📄 Utilisateur		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	1 avr. 2016 10:22:38	
Abstract	false			
Leaf	false			
Visibility	Unspecified			
Derived	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	1 avr. 2016 10:22:38		
	Last Modified	22 avr. 2016 23:31:55		
Unnamed Association				

From	Name	Value	
	End Model Element	📄 TypeReglage	
	Provide Property Getter Method	false	
	Provide Property Setter Method	false	
	Multiplicity	Unspecified	
	Visibility	Unspecified	
	Aggregation Kind	None	
	Navigable	Navigable	
	Derived	false	
	Derived Union	false	
	Read Only	false	
	Static	false	
	Leaf	false	
	Type	📄 TypeReglage	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	1 avr. 2016 10:22:19
Abstract	false		
Leaf	false		
Visibility	Unspecified		
Derived	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	1 avr. 2016 10:22:19	
	Last Modified	1 avr. 2016 10:29:19	

📄 TypeReglage

Name	Value
Description	Permet de catégoriser dans "option" les réglages relatif à l'application et "profil" pour ce qui est des informations de l'utilisateur.
Active	false
Business Key Mutable	true
Business Model	false
Visibility	public
Leaf	false
Root	false
Stereotypes	enumeration

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 10:20:04
	Last Modified	7 avr. 2016 19:19:02

Enumeration Literals

OPTION		
Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 10:20:43
	Last Modified	1 avr. 2016 10:29:19

PROFIL		
Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 10:20:58
	Last Modified	1 avr. 2016 10:29:19

Relationships

Unnamed Association			
To	Name	Value	
	End Model Element	Reglages	
	Provide Property Getter Method	false	
	Provide Property Setter Method	false	
	Multiplicity	Unspecified	
	Visibility	Unspecified	
	Aggregation Kind	None	
	Navigable	Navigable	
	Derived	false	
	Derived Union	false	
	Read Only	false	
	Static	false	
	Leaf	false	
	Type	Reglages	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	1 avr. 2016 10:22:19
Abstract	false		
Leaf	false		
Visibility	Unspecified		
Derived	false		

Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 10:22:19
	Last Modified	1 avr. 2016 10:29:19

📄 Exercices

Name	Value
Description	Exercice réalisé durant une séance
Active	false
Business Key Mutable	true
Business Model	false
Visibility	public
Leaf	false
Root	false
Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 08:47:20
	Last Modified	7 avr. 2016 21:08:52

Attributes

private libelle : string			
Description	Nom de l'entrainement		
Type	🟢 string		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		
Project Management	Name		Value
	Author		ABDE
	Create Date Time		1 avr. 2016 09:31:28
	Last Modified		7 avr. 2016 21:08:52

private quantite : int	
Description	Nombre de répétition de cet entrainement
Type	🟢 int
Allow Empty Name	false

Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		1 avr. 2016 09:32:22
	Last Modified		7 avr. 2016 21:08:52

Operations

public getLibelle () : string	
Leaf	false
Ordered	false
Unique	true
Query	false
Project Management	**Name** / **Value**

	Name	**Value**
	Author	ABDE
	Create Date Time	1 avr. 2016 09:54:32
	Last Modified	1 avr. 2016 09:55:57

public getQuantite () : int	
Leaf	false
Ordered	false
Unique	true
Query	false
Project Management	**Name** / **Value**

	Name	**Value**
	Author	ABDE
	Create Date Time	1 avr. 2016 09:54:52
	Last Modified	1 avr. 2016 09:55:57

public creationExercices ()	
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 11:00:32
	Last Modified	5 avr. 2016 11:07:55

public supprimer ()	
Leaf	false
Ordered	false
Unique	true
Query	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 11:10:32
	Last Modified	5 avr. 2016 11:20:46

Relationships

Unnamed Association			
From (collectionExercices)	Name	Value	
	End Model Element	📄 Seances	
	Provide Property Getter Method	false	
	Provide Property Setter Method	false	
	Multiplicity	1..*	
	Visibility	Unspecified	
	Aggregation Kind	Shared	
	Navigable	Navigable	
	Derived	false	
	Derived Union	false	
	Read Only	false	
	Static	false	
	Leaf	false	
	Type	📄 Seances	
	Project Management	Name	Value
		Author	hassaina
		Create Date Time	6 avr. 2016 17:29:06
Abstract	false		
Leaf	false		
Visibility	Unspecified		
Derived	false		

Project Management	Name	Value
	Author	hassaina
	Create Date Time	6 avr. 2016 17:29:06
	Last Modified	22 avr. 2016 23:31:55

Profil

Name	Value	
Description	Interface d'accueil lorsque l'utilisateur sera connecté	
Active	false	
Business Key Mutable	true	
Business Model	false	
Visibility	public	
Leaf	false	
Root	false	
Stereotypes	Interface	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:36:05
	Last Modified	7 avr. 2016 19:39:03

Relationships

Unnamed Realization		
To	Utilisateur	
Visibility	Unspecified	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	1 avr. 2016 09:38:52
	Last Modified	1 avr. 2016 09:45:56

Sequence Diagram
Ajout entrainement

Name	Value
Name	Ajout entrainement
Author	ambrym
Create Date Time	25 mars 2016 16:53:43
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
Administrateur	
: Entrainement	

📇 Operand14	
📇 Operand13	
📇 Pour chaque exercice	
📇 Scéance entrainement= true	

Details

📇 Administrateur

Name	Value	
Stereotypes	boundary	
Multiplicity	Unspecified	
Active	false	
Stopped	false	
Multi Object	false	
Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	25 mars 2016 16:53:59
	Last Modified	5 avr. 2016 17:47:48

Relationships

Séance d'entrainement : Message		
To	**Name**	**Value**
	End Model Element	📇 N/A
	Project Management	**Name** / **Value**
		Author / ABDE
		Create Date Time / 31 mars 2016 15:19:09
Type	Message	
Sequence Number	1.2	
Action Type	**Name**	**Value**
	Name	Return
	Iteration	false
	Asynchronous	false
	Project Management	**Name** / **Value**
		Author / ABDE
		Create Date Time / 31 mars 2016 15:19:09
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 15:19:09
	Last Modified	5 avr. 2016 10:55:30

Fréquence : Message

To	Name	Value		
	End Model Element	N/A		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:26:09	
Type	Message			
Sequence Number	4.1			
Action Type	**Name**	**Value**		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:26:09	
Asynchronous	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 15:26:09		
	Last Modified	5 avr. 2016 10:55:30		

Type : Message

To	Name	Value		
	End Model Element	N/A		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:25:36	
Type	Message			
Sequence Number	3.1			
Action Type	**Name**	**Value**		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:25:36	
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 15:25:36
	Last Modified	5 avr. 2016 10:55:30

Demande l'ajout d'un entrainement : Message

To	Name	Value		
	End Model Element	🏳 N/A		
	Project Management	**Name**	**Value**	
		Author	Maxiime	
		Create Date Time	27 mars 2016 12:22:26	
Type	Message			
Sequence Number	1			
Asynchronous	false			
Project Management	**Name**	**Value**		
	Author	Maxiime		
	Create Date Time	27 mars 2016 12:22:26		
	Last Modified	5 avr. 2016 10:55:30		

Valider : Message

To	Name	Value		
	End Model Element	🏳 N/A		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:28:41	
Type	Message			
Sequence Number	5.1			
Action Type	**Name**	**Value**		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:28:41	
Asynchronous	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 15:28:41		
	Last Modified	5 avr. 2016 10:55:30		

Demande quantité d'exercice : Message

From	Name	Value		
	End Model Element	🚩 N/A		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 15:23:41
Type	Message			
Sequence Number	2			
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 15:23:41	
	Last Modified		5 avr. 2016 10:55:30	

Demande type d'exercice : Message

From	Name	Value		
	End Model Element	🚩 N/A		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 15:24:53
Return Message	→ Type			
Type	Message			
Sequence Number	3			
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 15:24:53	
	Last Modified		5 avr. 2016 10:55:30	

Demande fréquence : Message

From	Name	Value		
	End Model Element	🚩 N/A		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 15:25:45
Return Message	→ Fréquence			
Type	Message			
Sequence Number	4			
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 15:25:45
	Last Modified	5 avr. 2016 10:55:30

Demande validation : Message				
From	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:28:08	
Return Message	→ Valider			
Type	Message			
Sequence Number	5			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 15:28:08		
	Last Modified	5 avr. 2016 10:55:30		

Demande séance d'entrainement : Message				
From	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:18:43	
Return Message	→ Séance d'entrainement			
Type	Message			
Sequence Number	1.1			
Action Type	Name	Value		
	Name	Send		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:18:43	
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 15:18:43
	Last Modified	5 avr. 2016 10:55:30

⬚ : Entrainement

Name	Value
Multiplicity	Unspecified
Base Classifier	📄 Entrainement
Active	false
Stopped	false
Multi Object	false
Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:53:46
	Last Modified	5 avr. 2016 17:47:48

Relationships

Demande quantité d'exercice : Message			
To	Name	Value	
	End Model Element	⬚ Administrateur	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 15:23:41
Type	Message		
Sequence Number	2		
Asynchronous	false		
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 15:23:41	
	Last Modified	5 avr. 2016 10:55:30	
Demande fréquence : Message			
To	Name	Value	
	End Model Element	⬚ Administrateur	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 15:25:45
Return Message	→ Fréquence		
Type	Message		

Sequence Number	4		
Asynchronous	false		
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		31 mars 2016 15:25:45
	Last Modified		5 avr. 2016 10:55:30

Demande séance d'entrainement : Message			
To	**Name**		**Value**
	End Model Element		🚩 Administrateur
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 15:18:43
Return Message	→ Séance d'entrainement		
Type	Message		
Sequence Number	1.1		
Action Type	**Name**		**Value**
	Name		Send
	Iteration		false
	Asynchronous		false
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 15:18:43
Asynchronous	false		
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		31 mars 2016 15:18:43
	Last Modified		5 avr. 2016 10:55:30

Demande type d'exercice : Message			
To	**Name**		**Value**
	End Model Element		🚩 Administrateur
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 15:24:53
Return Message	→ Type		
Type	Message		
Sequence Number	3		
Asynchronous	false		

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 15:24:53
	Last Modified	5 avr. 2016 10:55:30

Demande validation : Message		

To	Name	Value
	End Model Element	🚩 Administrateur
	Project Management	**Name** / **Value** Author — ABDE Create Date Time — 31 mars 2016 15:28:08
Return Message	→ Valider	
Type	Message	
Sequence Number	5	
Asynchronous	false	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 15:28:08
	Last Modified	5 avr. 2016 10:55:30

Valider : Message		

From	Name	Value
	End Model Element	🚩 Administrateur
	Project Management	**Name** / **Value** Author — ABDE Create Date Time — 31 mars 2016 15:28:41
Type	Message	
Sequence Number	5.1	
Action Type	Name	Value
	Name	Return
	Iteration	false
	Asynchronous	false
	Project Management	**Name** / **Value** Author — ABDE Create Date Time — 31 mars 2016 15:28:41
Asynchronous	false	

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 15:28:41
	Last Modified	5 avr. 2016 10:55:30

Type : Message		

From	Name	Value		
	End Model Element	🚩 Administrateur		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:25:36	
Type	Message			
Sequence Number	3.1			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:25:36	
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 15:25:36		
	Last Modified	5 avr. 2016 10:55:30		

Séance d'entrainement : Message		

From	Name	Value		
	End Model Element	🚩 Administrateur		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:19:09	
Type	Message			
Sequence Number	1.2			

Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:19:09	
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 15:19:09		
	Last Modified	5 avr. 2016 10:55:30		

Fréquence : Message

From	Name	Value		
	End Model Element	🖳 Administrateur		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:26:09	
Type	Message			
Sequence Number	4.1			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:26:09	
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 15:26:09		
	Last Modified	5 avr. 2016 10:55:30		

Demande l'ajout d'un entrainement : Message

From	Name	Value	
	End Model Element	🖭 Administrateur	
	Project Management	Name	Value
		Author	Maxiime
		Create Date Time	27 mars 2016 12:22:26
Type	Message		
Sequence Number	1		
Asynchronous	false		
Project Management	Name	Value	
	Author	Maxiime	
	Create Date Time	27 mars 2016 12:22:26	
	Last Modified	5 avr. 2016 10:55:30	

🗗 Operand14

Name	Value		
Guard	Name	Value	
	Constraint	Pour chaque exercice	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 15:26:34
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 15:24:19	
	Last Modified	31 mars 2016 23:29:05	

🗗 Operand13

Name	Value		
Guard	Name	Value	
	Constraint	Scéance entrainement= true	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 15:15:10
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 15:15:02	
	Last Modified	31 mars 2016 23:29:05	

⊞ Pour chaque exercice

Name	Value	
Operator Kind	loop	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 15:24:19
	Last Modified	31 mars 2016 15:29:45

Interaction Operands

Value
Operand14

Covered LifeLines

Name	Description
⊤ N/A	
⊤ Administrateur	

⊞ Scéance entrainement= true

Name	Value	
Operator Kind	loop	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 15:15:02
	Last Modified	31 mars 2016 15:21:00

Interaction Operands

Value
Operand13

Covered LifeLines

Name	Description
⊤ N/A	
⊤ Administrateur	

Sequence Diagram

Connexion

Name	Value
Name	Connexion
Author	ambrym
Create Date Time	25 mars 2016 16:30:37
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
Utilisateur	
Connexion	
Operand4	
CombinedFragment2	

Details

Utilisateur

Name	Value
Stereotypes	boundary
Multiplicity	Unspecified

Active	false
Stopped	false
Multi Object	false

Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	25 mars 2016 16:50:07
	Last Modified	5 avr. 2016 23:51:04

Relationships

Mot de passe : Message		

To	**Name**	**Value**	
	End Model Element	Connexion	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:23:37

Type	Message
Sequence Number	1.4

Action Type	**Name**	**Value**	
	Name	Return	
	Iteration	false	
	Asynchronous	false	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:23:37

Asynchronous	false

Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 13:23:37
	Last Modified	5 avr. 2016 17:47:48

Demande à se connecter : Message		

To	**Name**	**Value**	
	End Model Element	Connexion	
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	27 mars 2016 12:24:43

Type	Message
Sequence Number	1
Asynchronous	false

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	27 mars 2016 12:24:43
	Last Modified	5 avr. 2016 17:47:48

Adresse mail : Message		
To	Name	Value
	End Model Element	🚩 Connexion
	Project Management	Name / Value Author / ABDE Create Date Time / 31 mars 2016 13:23:06
Type	Message	
Sequence Number	1.2	
Action Type	Name	Value
	Name	Return
	Iteration	false
	Asynchronous	false
	Project Management	Name / Value Author / ABDE Create Date Time / 31 mars 2016 13:23:06
Asynchronous	false	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:23:06
	Last Modified	5 avr. 2016 17:47:48

[NON OK] Demande adresse mail : Message		
From	Name	Value
	End Model Element	🚩 Connexion
	Project Management	Name / Value Author / ABDE Create Date Time / 31 mars 2016 13:31:37
Type	Message	
Sequence Number	2	
Asynchronous	false	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:31:37
	Last Modified	5 avr. 2016 17:47:48
Demande mot de passe : Message		

From	Name	Value		
	End Model Element	🖳 Connexion		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 13:23:22
Return Message	→ Mot de passe			
Type	Message			
Sequence Number	1.3			
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 13:23:22	
	Last Modified		5 avr. 2016 17:47:48	

Demande adresse mail : Message

From	Name	Value		
	End Model Element	🖳 Connexion		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 13:22:51
Return Message	→ Adresse mail			
Type	Message			
Sequence Number	1.1			
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 13:22:51	
	Last Modified		5 avr. 2016 17:47:48	

[OK] Autorisation : Message

From	Name	Value		
	End Model Element	🖳 Connexion		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 13:27:33
Type	Message			
Sequence Number	3			
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:27:33
	Last Modified	5 avr. 2016 17:47:48

⬚ Connexion

Name	Value
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false
Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:30:39
	Last Modified	5 avr. 2016 22:59:08

Relationships

[OK] Autorisation : Message		
To	Name	Value
	End Model Element	⬚ Utilisateur
	Project Management	Name / Value
		Author — ABDE
		Create Date Time — 31 mars 2016 13:27:33
Type	Message	
Sequence Number	3	
Asynchronous	false	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:27:33
	Last Modified	5 avr. 2016 17:47:48
Demande mot de passe : Message		
To	Name	Value
	End Model Element	⬚ Utilisateur
	Project Management	Name / Value
		Author — ABDE
		Create Date Time — 31 mars 2016 13:23:22
Return Message	→ Mot de passe	
Type	Message	
Sequence Number	1.3	

Asynchronous	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 13:23:22
	Last Modified	5 avr. 2016 17:47:48

Demande adresse mail : Message

To	**Name**	**Value**	
	End Model Element	🖳 Utilisateur	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:22:51
Return Message	→ Adresse mail		
Type	Message		
Sequence Number	1.1		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:22:51	
	Last Modified	5 avr. 2016 17:47:48	

[NON OK] Demande adresse mail : Message

To	**Name**	**Value**	
	End Model Element	🖳 Utilisateur	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:31:37
Type	Message		
Sequence Number	2		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:31:37	
	Last Modified	5 avr. 2016 17:47:48	

Mot de passe : Message

From	Name	Value		
	End Model Element	🖳 Utilisateur		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:23:37	
Type	Message			
Sequence Number	1.4			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:23:37	
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:23:37		
	Last Modified	5 avr. 2016 17:47:48		
Adresse mail : Message				
From	Name	Value		
	End Model Element	🖳 Utilisateur		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:23:06	
Type	Message			
Sequence Number	1.2			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:23:06	
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:23:06
	Last Modified	5 avr. 2016 17:47:48

Demande à se connecter : Message			
From	Name	Value	
	End Model Element	📍 Utilisateur	
	Project Management	Name	Value
		Author	Maxiime
		Create Date Time	27 mars 2016 12:24:43
Type	Message		
Sequence Number	1		
Asynchronous	false		
Project Management	Name	Value	
	Author	Maxiime	
	Create Date Time	27 mars 2016 12:24:43	
	Last Modified	5 avr. 2016 17:47:48	

🔲 Operand4

Name	Value		
Guard	Name	Value	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 13:32:02
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:32:02	
	Last Modified	5 avr. 2016 17:47:48	

🔲 CombinedFragment2

Name	Value	
Operator Kind	loop	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:32:02
	Last Modified	31 mars 2016 13:32:31

Interaction Operands

Value
Operand4

Covered LifeLines

Name	Description
⊤ Connexion	
⊤ Utilisateur	

Consulter profil

Utilisateur

Profil

1: Demande à consulter son profil

loop

[utilisateur connecté]   1.1: Informations utilisateur

Name	Value
Name	Consulter profil
Author	ambrym
Create Date Time	25 mars 2016 16:28:05
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
⊤ Utilisateur	
⊤ Profil	
⊡ Operand7	
⊡ utilisateur connecté	

Details

⊤ Utilisateur

Name	Value
Stereotypes	entity
Multiplicity	Unspecified
Active	false

Stopped	false	
Multi Object	false	
Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	25 mars 2016 16:28:42
	Last Modified	5 avr. 2016 23:51:04

Relationships

Demande à consulter son profil : Message			
To	**Name**	**Value**	
	End Model Element	🚩 Profil	
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	27 mars 2016 12:29:06
Type	Message		
Sequence Number	1		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	Maxiime	
	Create Date Time	27 mars 2016 12:29:06	
	Last Modified	5 avr. 2016 23:31:19	
Informations utilisateur : Message			
From	**Name**	**Value**	
	End Model Element	🚩 Profil	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 14:06:24
Type	Message		
Sequence Number	1.1		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 14:06:24	
	Last Modified	5 avr. 2016 23:31:19	

🚩 Profil

Name	**Value**
Multiplicity	Unspecified
Active	false

Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:28:08
	Last Modified	5 avr. 2016 23:51:04

Relationships

Informations utilisateur : Message		
To	**Name**	**Value**

	End Model Element	📑 Utilisateur

	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 14:06:24

Type	Message
Sequence Number	1.1
Asynchronous	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:06:24
	Last Modified	5 avr. 2016 23:31:19

Demande à consulter son profil : Message		
From	**Name**	**Value**

	End Model Element	📑 Utilisateur

	Project Management	Name	Value
		Author	Maxiime
		Create Date Time	27 mars 2016 12:29:06

Type	Message
Sequence Number	1
Asynchronous	false

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	27 mars 2016 12:29:06
	Last Modified	5 avr. 2016 23:31:19

Constraints

Specification	Deconnexion

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 23:44:56
	Last Modified	5 avr. 2016 23:51:04

Operand7

Name	Value		
Guard	Name	Value	
	Constraint	utilisateur connecté	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 14:15:22
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 14:15:09	
	Last Modified	31 mars 2016 23:29:05	

utilisateur connecté

Name	Value	
Operator Kind	loop	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:15:09
	Last Modified	31 mars 2016 14:15:47

Interaction Operands

Value
Operand7

Covered LifeLines

Name	Description
Profil	
Utilisateur	

Sequence Diagram

Générer suivis d'entrainement

Name	Value
Name	Générer suivis d'entrainement
Author	ambrym
Create Date Time	25 mars 2016 16:52:15
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
Administrateur	
: Suivi	

Details

Administrateur

Name	Value
Stereotypes	boundary
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:52:29
	Last Modified	5 avr. 2016 23:08:40

Relationships

Demande à générer un suivis d'entrainement : Message				
To	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	Maxiime	
		Create Date Time	27 mars 2016 12:33:55	
Type	Message			
Sequence Number	1			
Asynchronous	false			
Project Management	Name	Value		
	Author	Maxiime		
	Create Date Time	27 mars 2016 12:33:55		
	Last Modified	5 avr. 2016 23:08:40		
creationSuivi(id : int) : Message				
From	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	ambrym	
		Create Date Time	5 avr. 2016 09:05:53	
Type	Message			
Sequence Number	1.2			
Asynchronous	false			
Project Management	Name	Value		
	Author	ambrym		
	Create Date Time	5 avr. 2016 09:05:53		
	Last Modified	5 avr. 2016 23:08:40		

: Suivi

Name	Value
Multiplicity	Unspecified
Base Classifier	Suivi
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:52:17
	Last Modified	5 avr. 2016 23:31:19

Relationships

Stat(idSeance, date, nbExercice) : Message

To	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	ambrym	
		Create Date Time	5 avr. 2016 09:06:02	
Type	Self Message			
Sequence Number	1.1			
Asynchronous	false			
Project Management	Name	Value		
	Author	ambrym		
	Create Date Time	5 avr. 2016 09:06:02		
	Last Modified	5 avr. 2016 23:15:20		

creationSuivi(id : int) : Message

To	Name	Value		
	End Model Element	Administrateur		
	Project Management	Name	Value	
		Author	ambrym	
		Create Date Time	5 avr. 2016 09:05:53	
Type	Message			
Sequence Number	1.2			
Asynchronous	false			
Project Management	Name	Value		
	Author	ambrym		
	Create Date Time	5 avr. 2016 09:05:53		
	Last Modified	5 avr. 2016 23:08:40		

Demande à générer un suivis d'entrainement : Message

From	Name	Value		
	End Model Element	Administrateur		
	Project Management	Name	Value	
		Author	Maxiime	
		Create Date Time	27 mars 2016 12:33:55	
Type	Message			
Sequence Number	1			

Asynchronous	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	27 mars 2016 12:33:55
	Last Modified	5 avr. 2016 23:08:40

Sequence Diagram
Gestion d'entrainement

Utilisateur — **Gestion d'entrainement**

1: Demande à accéder à la gestion d'entrainement

2: Renseigne le type

alt

[type=proposé]

2.1: ListeSeances()

loop

[listeSeance=true]

3: ListeExercice()

4: Validation de l'exercice en cours

alt

[validation=true]

5: ListeExercice()

6: ListeSeances()

7: Demande choix de la séance

7.1: Séance choisi

loop

[listeSeance=true]

8: ListeExercice()

9: Validation de l'exercice en cours

alt

[validation=true]

10: ListeExercice()

11: ListeSeances()

Name	Value
Name	Gestion d'entrainement
Author	ambrym
Create Date Time	25 mars 2016 16:54:32
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
⊤ Utilisateur	
⊤ Gestion d'entrainement	
🖼 Operand11	
🖼 Operand12	
🖼 listeSeance=true	
🖼 Operand11	
🖼 Operand12	
🖼 validation=true	
🖼 Operand10	
🖼 listeSeance=true	
🖼 Operand9	
🖼 validation=true	
🖼 Operand10	
🖼 Operand8	
🖼 type=proposé	

Details

⊤ Utilisateur

Name	Value		
Stereotypes	boundary		
Multiplicity	Unspecified		
Active	false		
Stopped	false		
Multi Object	false		
Project Management	**Name**		**Value**
	Author		ambrym
	Create Date Time		25 mars 2016 16:57:37
	Last Modified		6 avr. 2016 18:05:01

Relationships

Demande à accéder à la gestion d'entrainement : Message			
To	**Name**	**Value**	
	End Model Element	⊤ Gestion d'entrainement	
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	27 mars 2016 12:30:53

Type	Message
Sequence Number	1
Asynchronous	false

Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	27 mars 2016 12:30:53
	Last Modified	6 avr. 2016 18:05:01

Renseigne le type : Message		

To	**Name**	**Value**	
	End Model Element	🚩 Gestion d'entrainement	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 14:36:14

Type	Message
Sequence Number	2
Asynchronous	false

Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 14:36:14
	Last Modified	6 avr. 2016 18:05:01

Séance choisi : Message		

To	**Name**	**Value**	
	End Model Element	🚩 Gestion d'entrainement	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 14:58:30

Type	Message
Sequence Number	7.1

Action Type	**Name**	**Value**	
	Name	Return	
	Iteration	false	
	Asynchronous	false	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 14:58:30

Asynchronous	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:58:30
	Last Modified	6 avr. 2016 18:05:01

ListeExercice() : Message

From	Name	Value		
	End Model Element	🔻 Gestion d'entrainement		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 14:41:45
Type	Message			
Sequence Number	3			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 14:41:45		
	Last Modified	6 avr. 2016 18:05:01		

Validation de l'exercice en cours : Message

From	Name	Value		
	End Model Element	🔻 Gestion d'entrainement		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 14:46:57
Type	Message			
Sequence Number	4			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 14:46:57		
	Last Modified	6 avr. 2016 18:05:01		

ListeExercice() : Message

From	Name	Value		
	End Model Element	🔻 Gestion d'entrainement		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 14:52:12
Type	Message			
Sequence Number	5			

Asynchronous	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 14:52:12
	Last Modified	6 avr. 2016 18:05:01

ListeSeances() : Message

From	**Name**	**Value**	
	End Model Element	🚩 Gestion d'entrainement	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 14:52:46
Type	Message		
Sequence Number	6		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 14:52:46	
	Last Modified	6 avr. 2016 18:05:01	

Demande choix de la séance : Message

From	**Name**	**Value**	
	End Model Element	🚩 Gestion d'entrainement	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 14:57:51
Return Message	→ Séance choisi		
Type	Message		
Sequence Number	7		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 14:57:51	
	Last Modified	6 avr. 2016 18:05:01	

ListeExercice() : Message

From	Name	Value		
	End Model Element	Gestion d'entrainement		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:01:06	
Type	Message			
Sequence Number	8			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 15:01:06		
	Last Modified	6 avr. 2016 18:05:01		

Validation de l'exercice en cours : Message

From	Name	Value		
	End Model Element	Gestion d'entrainement		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:03:45	
Type	Message			
Sequence Number	9			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 15:03:45		
	Last Modified	6 avr. 2016 18:05:01		

ListeExercice() : Message

From	Name	Value		
	End Model Element	Gestion d'entrainement		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 15:04:04	
Type	Message			
Sequence Number	10			
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 15:04:04
	Last Modified	6 avr. 2016 18:05:01

ListeSeances() : Message

From	Name	Value
	End Model Element	📊 Gestion d'entrainement
	Project Management	

		Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 15:04:36

Type	Message
Sequence Number	11
Asynchronous	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 15:04:36
	Last Modified	6 avr. 2016 18:05:01

ListeSeances() : Message

From	Name	Value
	End Model Element	📊 Gestion d'entrainement
	Project Management	

		Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 14:38:13

Type	Message
Sequence Number	2.1
Asynchronous	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:38:13
	Last Modified	6 avr. 2016 18:05:01

📊 Gestion d'entrainement

Name	Value
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:57:25
	Last Modified	6 avr. 2016 18:05:01

Relationships

ListeExercice() : Message		
To	Name	Value
	End Model Element	📃 Utilisateur
	Project Management	Name / Value Author / ABDE Create Date Time / 31 mars 2016 14:41:45
Type	Message	
Sequence Number	3	
Asynchronous	false	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:41:45
	Last Modified	6 avr. 2016 18:05:01
ListeSeances() : Message		
To	Name	Value
	End Model Element	📃 Utilisateur
	Project Management	Name / Value Author / ABDE Create Date Time / 31 mars 2016 14:52:46
Type	Message	
Sequence Number	6	
Asynchronous	false	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:52:46
	Last Modified	6 avr. 2016 18:05:01

ListeExercice() : Message		
To	Name	Value
	End Model Element	📃 Utilisateur
	Project Management	Name / Value Author / ABDE Create Date Time / 31 mars 2016 15:01:06

Type	Message
Sequence Number	8
Asynchronous	false

Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 15:01:06
	Last Modified	6 avr. 2016 18:05:01

Validation de l'exercice en cours : Message

To	**Name**	**Value**	
	End Model Element	🔲 Utilisateur	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 15:03:45

Type	Message
Sequence Number	9
Asynchronous	false

Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 15:03:45
	Last Modified	6 avr. 2016 18:05:01

ListeExercice() : Message

To	**Name**	**Value**	
	End Model Element	🔲 Utilisateur	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 15:04:04

Type	Message
Sequence Number	10
Asynchronous	false

Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 15:04:04
	Last Modified	6 avr. 2016 18:05:01

ListeSeances() : Message

To	Name	Value		
	End Model Element	🖵 Utilisateur		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 15:04:36
Type	Message			
Sequence Number	11			
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 15:04:36	
	Last Modified		6 avr. 2016 18:05:01	

ListeSeances() : Message

To	Name	Value		
	End Model Element	🖵 Utilisateur		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 14:38:13
Type	Message			
Sequence Number	2.1			
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 14:38:13	
	Last Modified		6 avr. 2016 18:05:01	

Validation de l'exercice en cours : Message

To	Name	Value		
	End Model Element	🖵 Utilisateur		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 14:46:57
Type	Message			
Sequence Number	4			
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:46:57
	Last Modified	6 avr. 2016 18:05:01

ListeExercice() : Message

To	Name	Value		
	End Model Element	🚩 Utilisateur		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 14:52:12	
Type	Message			
Sequence Number	5			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 14:52:12		
	Last Modified	6 avr. 2016 18:05:01		

Demande choix de la séance : Message

To	Name	Value		
	End Model Element	🚩 Utilisateur		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 14:57:51	
Return Message	→ Séance choisi			
Type	Message			
Sequence Number	7			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 14:57:51		
	Last Modified	6 avr. 2016 18:05:01		

Séance choisi : Message

From	Name	Value		
	End Model Element	🚩 Utilisateur		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 14:58:30	

Type	Message	
Sequence Number	7.1	
Action Type	**Name**	**Value**
	Name	Return
	Iteration	false
	Asynchronous	false
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 14:58:30
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 14:58:30
	Last Modified	6 avr. 2016 18:05:01

Demande à accéder à la gestion d'entrainement : Message

From	**Name**	**Value**
	End Model Element	📇 Utilisateur
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	27 mars 2016 12:30:53
Type	Message	
Sequence Number	1	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	27 mars 2016 12:30:53
	Last Modified	6 avr. 2016 18:05:01

Renseigne le type : Message

From	**Name**	**Value**
	End Model Element	📇 Utilisateur
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 14:36:14
Type	Message	
Sequence Number	2	
Asynchronous	false	

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:36:14
	Last Modified	6 avr. 2016 18:05:01

Operand11

Name	Value		
Guard	Name	Value	
	Constraint	validation=true	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 14:45:58
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 14:45:52	
	Last Modified	6 avr. 2016 18:05:01	

Operand12

Name	Value		
Guard	Name	Value	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 14:45:52
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 14:45:52	
	Last Modified	6 avr. 2016 18:05:01	

listeSeance=true

Name	Value	
Operator Kind	loop	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:41:29
	Last Modified	31 mars 2016 15:08:58

Interaction Operands

Value
Operand10

Covered LifeLines

Name	Description
🕱 Gestion d'entrainement	
🕱 Utilisateur	

🖳 Operand11

Name	Value			
Guard	**Name**	**Value**		
	Constraint	validation=true		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 14:45:58	
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 14:45:52		
	Last Modified	31 mars 2016 15:08:58		

🖳 Operand12

Name	Value			
Guard	**Name**	**Value**		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 14:45:52	
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 14:45:52		
	Last Modified	31 mars 2016 15:08:58		

🖳 validation=true

Name	Value	
Operator Kind	alt	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 14:45:52
	Last Modified	31 mars 2016 15:08:58

Interaction Operands

Value
Operand11
Operand12

Covered LifeLines

Name	Description
Gestion d'entrainement	
Utilisateur	

Operand10

Name	Value			
Guard	**Name**	**Value**		
	Constraint	listeSeance=true		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 14:41:39	
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 14:41:29		
	Last Modified	31 mars 2016 15:08:58		

Children

Name	Description
validation=true	

listeSeance=true

Name	Value	
Operator Kind	loop	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 14:41:29
	Last Modified	31 mars 2016 15:08:58

Interaction Operands

Value
Operand10

Operand9

Name	Value

Guard	Name	Value	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 14:36:59
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 14:36:59	
	Last Modified	6 avr. 2016 18:05:01	

validation=true

Name	Value	
Operator Kind	alt	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:45:52
	Last Modified	31 mars 2016 15:08:58

Interaction Operands

Value
Operand11
Operand12

Covered LifeLines

Name	Description
Gestion d'entrainement	
Utilisateur	

Operand10

Name	Value		
Guard	Name	Value	
	Constraint	listeSeance=true	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 14:41:39
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 14:41:29	
	Last Modified	6 avr. 2016 18:05:01	

Children

Name	Description
validation=true	

Operand8

Name	Value			
Guard	**Name**	**Value**		
	Constraint	type=proposé		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 14:37:18	
Project Management	**Name**		**Value**	
	Author		ABDE	
	Create Date Time		31 mars 2016 14:36:58	
	Last Modified		6 avr. 2016 18:05:01	

Children

Name	Description
listeSeance=true	

type=proposé

Name	Value	
Operator Kind	alt	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 14:36:58
	Last Modified	31 mars 2016 14:46:08

Interaction Operands

Value
Operand8
Operand9

Covered LifeLines

Name	Description
Gestion d'entrainement	
Utilisateur	

Sequence Diagram
Gestion des réglages

Name	Value
Name	Gestion des réglages
Author	ambrym
Create Date Time	25 mars 2016 16:58:46
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
Utilisateur	
: Reglages	
Operand5	

📑 Operand6	
📑 type=options	

Details

🖥 Utilisateur

Name	Value		
Stereotypes	boundary		
Multiplicity	Unspecified		
Active	false		
Stopped	false		
Multi Object	false		
Project Management	**Name**	**Value**	
	Author	ambrym	
	Create Date Time	25 mars 2016 16:59:04	
	Last Modified	6 avr. 2016 18:05:01	

Relationships

Modifie : Message			
To	**Name**	**Value**	
	End Model Element	🖥 N/A	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:59:00
Type	Message		
Sequence Number	2.2		
Action Type	**Name**	**Value**	
	Name	Return	
	Iteration	false	
	Asynchronous	false	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:59:00
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:59:00	
	Last Modified	6 avr. 2016 18:05:01	
Acces() : Message			

To	Name	Value		
	End Model Element	📍 N/A		
	Project Management	Name	Value	
		Author	Maxiime	
		Create Date Time	27 mars 2016 12:32:40	
Type	Message			
Sequence Number	1			
Asynchronous	false			
Project Management	Name	Value		
	Author	Maxiime		
	Create Date Time	27 mars 2016 12:32:40		
	Last Modified	6 avr. 2016 18:05:01		

Modifie : Message

To	Name	Value		
	End Model Element	📍 N/A		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:56:22	
Type	Message			
Sequence Number	2			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:56:22	
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:56:22		
	Last Modified	6 avr. 2016 18:05:01		

Effectue modification : Message

From	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:56:43	
Return Message	→ Modifie			
Type	Message			
Sequence Number	2.1			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:56:43		
	Last Modified	6 avr. 2016 00:04:49		

Effectue modification : Message

From	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:59:20	
Type	Message			
Sequence Number	2.3			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:59:20		
	Last Modified	6 avr. 2016 00:04:49		

Demande type() : Message

From	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 14:47:13	
Type	Message			
Sequence Number	1.1			
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:47:13
	Last Modified	6 avr. 2016 00:04:49

⊤ : Reglages

Name	Value
Multiplicity	Unspecified
Base Classifier	📄 Reglages
Active	false
Stopped	false
Multi Object	false
Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:58:48
	Last Modified	6 avr. 2016 18:05:01

Relationships

Demande type() : Message		
To	Name	Value
	End Model Element	⊤ Utilisateur
	Project Management	Name / Value
		Author: ABDE
		Create Date Time: 31 mars 2016 14:47:13
Type	Message	
Sequence Number	1.1	
Asynchronous	false	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 14:47:13
	Last Modified	6 avr. 2016 00:04:49
Effectue modification : Message		
To	Name	Value
	End Model Element	⊤ Utilisateur
	Project Management	Name / Value
		Author: ABDE
		Create Date Time: 31 mars 2016 13:59:20
Type	Message	
Sequence Number	2.3	

Asynchronous	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 13:59:20
	Last Modified	6 avr. 2016 00:04:49

Effectue modification : Message

To	**Name**	**Value**	
	End Model Element	🔲 Utilisateur	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:56:43
Return Message	→ Modifie		
Type	Message		
Sequence Number	2.1		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:56:43	
	Last Modified	6 avr. 2016 00:04:49	

Acces() : Message

From	**Name**	**Value**	
	End Model Element	🔲 Utilisateur	
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	27 mars 2016 12:32:40
Type	Message		
Sequence Number	1		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	Maxiime	
	Create Date Time	27 mars 2016 12:32:40	
	Last Modified	6 avr. 2016 18:05:01	

Modifie : Message

From	**Name**	**Value**	
	End Model Element	🔲 Utilisateur	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:59:00

Type	Message		
Sequence Number	2.2		
Action Type	**Name**	**Value**	
	Name	Return	
	Iteration	false	
	Asynchronous	false	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:59:00
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:59:00	
	Last Modified	6 avr. 2016 18:05:01	

Modifie : Message			
From	**Name**	**Value**	
	End Model Element	🖥 Utilisateur	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:56:22
Type	Message		
Sequence Number	2		
Action Type	**Name**	**Value**	
	Name	Return	
	Iteration	false	
	Asynchronous	false	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:56:22
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:56:22	
	Last Modified	6 avr. 2016 18:05:01	

🗔 Operand5

Name	**Value**

Guard	Name	Value		
	Constraint	type=options		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 13:49:42
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 13:48:24	
	Last Modified		6 avr. 2016 00:04:49	

⊞ Operand6

Name	Value		
Guard	Name	Value	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 13:48:24
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:48:24	
	Last Modified	6 avr. 2016 00:04:49	

⊞ type=options

Name	Value	
Operator Kind	alt	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:48:24
	Last Modified	31 mars 2016 13:50:48

Interaction Operands

Value
Operand5
Operand6

Covered LifeLines

Name	Description
⊤ N/A	
⊤ Utilisateur	

Sequence Diagram
S'inscrire

Anonyme — **: S'incrire**

1: Demande à s'incrire

loop

1.1: Demande mail

1.2: Mail

1.3: Demande nom

1.4: Nom

1.5: Demande prénom

1.6: Prénom

1.7: Demande mot de passe

1.8: Mot de passe

1.9: Demande sexe

1.10: Sexe

1.11: Demande age

1.12: Age

1.13: Demande poids

1.14: Poids

1.15: Demande taille

1.16: Taille

1.16: Calcul de l'IMC

2: Renvoie l'IMC

3: Demande fréquence activité sportive

3.1: Fréquence

4: Demande type d'entrainement

4.1: Type d'entrainment

5: Demande validation de mail

6: Enregistrement

alt

7: Valide

[delai non dépassé]

7.1: Confirmation

7.3: Annulation

7.2: Supprimer enregistrement

Name	Value
Name	S'inscrire
Author	ambrym
Create Date Time	25 mars 2016 16:23:43
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
Anonyme	
: S'incrire	
Operand	
Operand2	
Operand3	
delai non dépassé	
CombinedFragment	

Details

Anonyme

Name	Value
Stereotypes	boundary
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false
Project Management	

Name	Value
Author	ambrym
Create Date Time	25 mars 2016 16:26:55
Last Modified	6 avr. 2016 00:04:49

Relationships

Mot de passe : Message		
To	**Name**	**Value**
	End Model Element	N/A
	Project Management	

Name	Value
Author	ABDE
Create Date Time	31 mars 2016 13:15:11

Type	Message		
Sequence Number	1.8		
Action Type	**Name**	**Value**	
	Name	Return	
	Iteration	false	
	Asynchronous	false	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:15:11
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:15:11	
	Last Modified	6 avr. 2016 00:04:49	

Fréquence : Message

To	**Name**	**Value**	
	End Model Element	🚩 N/A	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:01:11
Type	Message		
Sequence Number	3.1		
Action Type	**Name**	**Value**	
	Name	Return	
	Iteration	false	
	Asynchronous	false	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:01:11
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:01:11	
	Last Modified	6 avr. 2016 00:04:49	

Demande à s'incrire : Message

To	Name	Value	
	End Model Element	🚩 N/A	
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	27 mars 2016 12:35:40
Type	Message		
Sequence Number	1		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	Maxiime	
	Create Date Time	27 mars 2016 12:35:40	
	Last Modified	6 avr. 2016 00:04:49	

Mail : Message

To	Name	Value	
	End Model Element	🚩 N/A	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:21:03
Type	Message		
Sequence Number	1.2		
Action Type	**Name**	**Value**	
	Name	Return	
	Iteration	false	
	Asynchronous	false	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:21:03
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:21:03	
	Last Modified	6 avr. 2016 00:04:49	

Valide : Message

To	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:05:35	
Type	Message			
Sequence Number	7			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:05:35	
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:05:35		
	Last Modified	6 avr. 2016 00:04:49		

Poids : Message				
To	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:36:35	
Type	Message			
Sequence Number	1.14			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:36:35	
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 12:36:35
	Last Modified	6 avr. 2016 00:04:49

Prénom : Message		
To	Name	Value
	End Model Element	N/A
	Project Management	Name / Value; Author / ABDE; Create Date Time / 31 mars 2016 12:35:36
Type	Message	
Sequence Number	1.6	
Action Type	Name	Value
	Name	Return
	Iteration	false
	Asynchronous	false
	Project Management	Name / Value; Author / ABDE; Create Date Time / 31 mars 2016 12:35:36
Asynchronous	false	
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 12:35:36
	Last Modified	6 avr. 2016 00:04:49

Age : Message		
To	Name	Value
	End Model Element	N/A
	Project Management	Name / Value; Author / ABDE; Create Date Time / 31 mars 2016 12:36:19
Type	Message	
Sequence Number	1.12	

Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 12:36:19
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 12:36:19	
	Last Modified		6 avr. 2016 00:04:49	

Sexe : Message

To	Name	Value		
	End Model Element	N/A		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 12:35:56
Type	Message			
Sequence Number	1.10			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 12:35:56
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 12:35:56	
	Last Modified		6 avr. 2016 00:04:49	

Nom : Message

To	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:34:16	
Type	Message			
Sequence Number	1.4			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:34:16	
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 12:34:16		
	Last Modified	6 avr. 2016 00:04:49		

Taille : Message				
To	Name	Value		
	End Model Element	N/A		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:37:20	
Type	Message			
Sequence Number	1.16			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:37:20	
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 12:37:20
	Last Modified	6 avr. 2016 00:04:49

Type d'entrainment : Message

To	Name		Value	
	End Model Element		📍 N/A	
	Project Management		**Name**	**Value**
			Author	ABDE
			Create Date Time	31 mars 2016 13:03:31
Type	Message			
Sequence Number	4.1			
Action Type	**Name**		**Value**	
	Name		Return	
	Iteration		false	
	Asynchronous		false	
	Project Management		**Name**	**Value**
			Author	ABDE
			Create Date Time	31 mars 2016 13:03:31
Asynchronous	false			
Project Management	**Name**		**Value**	
	Author		ABDE	
	Create Date Time		31 mars 2016 13:03:31	
	Last Modified		6 avr. 2016 00:04:49	

Annulation : Message

From	Name		Value	
	End Model Element		📍 N/A	
	Project Management		**Name**	**Value**
			Author	ABDE
			Create Date Time	31 mars 2016 13:17:37
Type	Message			
Sequence Number	7.3			
Asynchronous	false			
Project Management	**Name**		**Value**	
	Author		ABDE	
	Create Date Time		31 mars 2016 13:17:37	
	Last Modified		6 avr. 2016 00:04:49	

Renvoie l'IMC : Message

From	Name	Value		
	End Model Element	N/A		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:38:10	
Type	Message			
Sequence Number	2			
Asynchronous	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 12:38:10		
	Last Modified	6 avr. 2016 00:04:49		

Demande sexe : Message				
From	Name	Value		
	End Model Element	N/A		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:35:47	
Return Message	→ Sexe			
Type	Message			
Sequence Number	1.9			
Asynchronous	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 12:35:47		
	Last Modified	6 avr. 2016 00:04:49		

Demande type d'entrainement : Message				
From	Name	Value		
	End Model Element	N/A		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:03:17	
Return Message	→ Type d'entrainment			
Type	Message			
Sequence Number	4			
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:03:17
	Last Modified	6 avr. 2016 00:04:49

Demande validation de mail : Message			
From	Name	Value	
	End Model Element	🖳 N/A	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 13:04:50
Type	Message		
Sequence Number	5		
Asynchronous	false		
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:04:50	
	Last Modified	6 avr. 2016 00:04:49	

Demande nom : Message			
From	Name	Value	
	End Model Element	🖳 N/A	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 12:34:09
Return Message	→ Nom		
Type	Message		
Sequence Number	1.3		
Asynchronous	false		
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 12:34:09	
	Last Modified	6 avr. 2016 00:04:49	

Demande age : Message			
From	Name	Value	
	End Model Element	🖳 N/A	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 12:36:05

Return Message	→ Age	
Type	Message	
Sequence Number	1.11	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 12:36:05
	Last Modified	6 avr. 2016 00:04:49

Demande taille : Message

From	**Name**	**Value**	
	End Model Element	🚩 N/A	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 12:36:52
Return Message	→ Taille		
Type	Message		
Sequence Number	1.15		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 12:36:52	
	Last Modified	6 avr. 2016 00:04:49	

Demande prénom : Message

From	**Name**	**Value**	
	End Model Element	🚩 N/A	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 12:34:59
Return Message	→ Prénom		
Type	Message		
Sequence Number	1.5		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 12:34:59	
	Last Modified	6 avr. 2016 00:04:49	

Demande poids : Message

From	Name	Value	
	End Model Element	N/A	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 12:36:25
Return Message	→ Poids		
Type	Message		
Sequence Number	1.13		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 12:36:25	
	Last Modified	6 avr. 2016 00:04:49	

Confirmation : Message

From	Name	Value	
	End Model Element	N/A	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:09:58
Type	Message		
Sequence Number	7.1		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:09:58	
	Last Modified	6 avr. 2016 00:04:49	

Demande fréquence activité sportive : Message

From	Name	Value	
	End Model Element	N/A	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:00:53
Return Message	→ Fréquence		
Type	Message		
Sequence Number	3		
Asynchronous	false		

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:00:53
	Last Modified	6 avr. 2016 00:04:49

Demande mail : Message

From	Name	Value		
	End Model Element	🚩 N/A		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:20:43	
Return Message	→ Mail			
Type	Message			
Sequence Number	1.1			
Asynchronous	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:20:43		
	Last Modified	6 avr. 2016 00:04:49		

Demande mot de passe : Message

From	Name	Value		
	End Model Element	🚩 N/A		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:14:48	
Return Message	→ Mot de passe			
Type	Message			
Sequence Number	1.7			
Asynchronous	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:14:48		
	Last Modified	6 avr. 2016 00:04:49		

🚩 : S'incrire

Name	Value
Multiplicity	Unspecified
Base Classifier	S'incrire

Active	false
Stopped	false
Multi Object	false

Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	25 mars 2016 16:23:50
	Last Modified	6 avr. 2016 00:04:49

Relationships

Enregistrement : Message

To	**Name**	**Value**	
	End Model Element	📍 N/A	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:07:12

Type	Self Message
Sequence Number	6
Asynchronous	false

Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 13:07:12
	Last Modified	6 avr. 2016 00:04:49

Demande poids : Message

To	**Name**	**Value**	
	End Model Element	📍 Anonyme	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 12:36:25

Return Message	⟶ Poids
Type	Message
Sequence Number	1.13
Asynchronous	false

Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 12:36:25
	Last Modified	6 avr. 2016 00:04:49

Demande mail : Message

To	Name	Value		
	End Model Element	Anonyme		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:20:43	
Return Message	→ Mail			
Type	Message			
Sequence Number	1.1			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:20:43		
	Last Modified	6 avr. 2016 00:04:49		

Renvoie l'IMC : Message

To	Name	Value		
	End Model Element	Anonyme		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:38:10	
Type	Message			
Sequence Number	2			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 12:38:10		
	Last Modified	6 avr. 2016 00:04:49		

Demande age : Message

To	Name	Value		
	End Model Element	Anonyme		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:36:05	
Return Message	→ Age			
Type	Message			
Sequence Number	1.11			
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 12:36:05
	Last Modified	6 avr. 2016 00:04:49

Demande nom : Message

To	Name	Value		
	End Model Element	🚩 Anonyme		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:34:09	
Return Message	→ Nom			
Type	Message			
Sequence Number	1.3			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 12:34:09		
	Last Modified	6 avr. 2016 00:04:49		

Demande validation de mail : Message

To	Name	Value		
	End Model Element	🚩 Anonyme		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:04:50	
Type	Message			
Sequence Number	5			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:04:50		
	Last Modified	6 avr. 2016 00:04:49		

Annulation : Message

To	Name	Value		
	End Model Element	🚩 Anonyme		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:17:37	

Type	Message
Sequence Number	7.3
Asynchronous	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:17:37
	Last Modified	6 avr. 2016 00:04:49

Demande taille : Message

To	Name	Value	
	End Model Element	Anonyme	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 12:36:52
Return Message	→ Taille		
Type	Message		
Sequence Number	1.15		
Asynchronous	false		

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 12:36:52
	Last Modified	6 avr. 2016 00:04:49

Demande mot de passe : Message

To	Name	Value	
	End Model Element	Anonyme	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 13:14:48
Return Message	→ Mot de passe		
Type	Message		
Sequence Number	1.7		
Asynchronous	false		

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:14:48
	Last Modified	6 avr. 2016 00:04:49

Confirmation : Message

To	Name	Value		
	End Model Element	🏷 Anonyme		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:09:58	
Type	Message			
Sequence Number	7.1			
Asynchronous	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:09:58		
	Last Modified	6 avr. 2016 00:04:49		

Demande prénom : Message				
To	Name	Value		
	End Model Element	🏷 Anonyme		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:34:59	
Return Message	→ Prénom			
Type	Message			
Sequence Number	1.5			
Asynchronous	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 12:34:59		
	Last Modified	6 avr. 2016 00:04:49		

Demande type d'entrainement : Message				
To	Name	Value		
	End Model Element	🏷 Anonyme		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:03:17	
Return Message	→ Type d'entrainment			
Type	Message			
Sequence Number	4			
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:03:17
	Last Modified	6 avr. 2016 00:04:49

Demande sexe : Message

To	Name	Value		
	End Model Element	🚩 Anonyme		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:35:47	
Return Message	→ Sexe			
Type	Message			
Sequence Number	1.9			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 12:35:47		
	Last Modified	6 avr. 2016 00:04:49		

Demande fréquence activité sportive : Message

To	Name	Value		
	End Model Element	🚩 Anonyme		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:00:53	
Return Message	→ Fréquence			
Type	Message			
Sequence Number	3			
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:00:53		
	Last Modified	6 avr. 2016 00:04:49		

Calcul de l'IMC : Message

To	Name	Value		
	End Model Element	N/A		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 12:37:41
Type	Self Message			
Sequence Number	1.16			
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 12:37:41	
	Last Modified		6 avr. 2016 00:04:49	

Supprimer enregistrement : Message

To	Name	Value		
	End Model Element	N/A		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 13:18:11
Type	Self Message			
Sequence Number	7.2			
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 13:18:11	
	Last Modified		6 avr. 2016 00:04:49	

Age : Message

From	Name	Value		
	End Model Element	Anonyme		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 12:36:19
Type	Message			
Sequence Number	1.12			

Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 12:36:19
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 12:36:19	
	Last Modified		6 avr. 2016 00:04:49	

Taille : Message

From	Name	Value		
	End Model Element	🚩 Anonyme		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 12:37:20
Type	Message			
Sequence Number	1.16			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		31 mars 2016 12:37:20
Asynchronous	false			
Project Management	Name		Value	
	Author		ABDE	
	Create Date Time		31 mars 2016 12:37:20	
	Last Modified		6 avr. 2016 00:04:49	

Demande à s'incrire : Message

From	Name	Value		
	End Model Element	📍 Anonyme		
	Project Management	**Name**	**Value**	
		Author	Maxiime	
		Create Date Time	27 mars 2016 12:35:40	
Type	Message			
Sequence Number	1			
Asynchronous	false			
Project Management	**Name**	**Value**		
	Author	Maxiime		
	Create Date Time	27 mars 2016 12:35:40		
	Last Modified	6 avr. 2016 00:04:49		

Type d'entrainment : Message

From	Name	Value		
	End Model Element	📍 Anonyme		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:03:31	
Type	Message			
Sequence Number	4.1			
Action Type	**Name**	**Value**		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	**Name**	**Value**	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:03:31	
Asynchronous	false			
Project Management	**Name**	**Value**		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:03:31		
	Last Modified	6 avr. 2016 00:04:49		

Valide : Message

From	Name	Value		
	End Model Element	🚩 Anonyme		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:05:35	
Type	Message			
Sequence Number	7			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:05:35	
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:05:35		
	Last Modified	6 avr. 2016 00:04:49		

Nom : Message				
From	Name	Value		
	End Model Element	🚩 Anonyme		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:34:16	
Type	Message			
Sequence Number	1.4			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:34:16	
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 12:34:16
	Last Modified	6 avr. 2016 00:04:49

Mot de passe : Message

From	Name	Value	
	End Model Element	🏳 Anonyme	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:15:11
Type	Message		
Sequence Number	1.8		
Action Type	**Name**	**Value**	
	Name	Return	
	Iteration	false	
	Asynchronous	false	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:15:11
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:15:11	
	Last Modified	6 avr. 2016 00:04:49	

Prénom : Message

From	Name	Value	
	End Model Element	🏳 Anonyme	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 12:35:36
Type	Message		
Sequence Number	1.6		

Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:35:36	
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 12:35:36		
	Last Modified	6 avr. 2016 00:04:49		

Mail : Message

From	Name	Value		
	End Model Element	Anonyme		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:21:03	
Type	Message			
Sequence Number	1.2			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 13:21:03	
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 13:21:03		
	Last Modified	6 avr. 2016 00:04:49		

Poids : Message

From	Name	Value		
	End Model Element	🏳 Anonyme		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:36:35	
Type	Message			
Sequence Number	1.14			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:36:35	
Asynchronous	false			
Project Management	Name	Value		
	Author	ABDE		
	Create Date Time	31 mars 2016 12:36:35		
	Last Modified	6 avr. 2016 00:04:49		

Sexe : Message				
From	Name	Value		
	End Model Element	🏳 Anonyme		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:35:56	
Type	Message			
Sequence Number	1.10			
Action Type	Name	Value		
	Name	Return		
	Iteration	false		
	Asynchronous	false		
	Project Management	Name	Value	
		Author	ABDE	
		Create Date Time	31 mars 2016 12:35:56	
Asynchronous	false			

Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 12:35:56
	Last Modified	6 avr. 2016 00:04:49

Fréquence : Message			
From	Name	Value	
	End Model Element	🏳 Anonyme	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 13:01:11
Type	Message		
Sequence Number	3.1		
Action Type	Name	Value	
	Name	Return	
	Iteration	false	
	Asynchronous	false	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 13:01:11
Asynchronous	false		
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:01:11	
	Last Modified	6 avr. 2016 00:04:49	

🖼 Operand

Name	Value	
Guard	Name	Value
	Constraint	delai non dépassé
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	31 mars 2016 13:17:22
Project Management	Name	Value
	Author	ABDE
	Create Date Time	31 mars 2016 13:06:47
	Last Modified	6 avr. 2016 00:04:49

Operand2

Name	Value		
Guard	**Name**	**Value**	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:06:47
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:06:47	
	Last Modified	6 avr. 2016 00:04:49	

Operand3

Name	Value		
Guard	**Name**	**Value**	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	31 mars 2016 13:08:42
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	31 mars 2016 13:08:42	
	Last Modified	6 avr. 2016 00:04:49	

delai non dépassé

Name	Value	
Operator Kind	alt	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	31 mars 2016 13:06:47
	Last Modified	31 mars 2016 13:28:17

Interaction Operands

Value
Operand
Operand2

Covered LifeLines

Name	Description
N/A	
Anonyme	

CombinedFragment

Name	Value		
Operator Kind	loop		
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		31 mars 2016 13:08:41
	Last Modified		31 mars 2016 13:17:14

Interaction Operands

Value
Operand3

Covered LifeLines

Name	Description
📇 N/A	
📇 Anonyme	

Ajout entrainement - Communications

Name	Value
Name	Ajout entrainement - Communications
Author	Maxiime
Create Date Time	31 mars 2016 23:24:51
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
Administrateur	
CreationEntrainement()	
: Entrainement	
creationEntrainement(nbSeance)	
: Seance	
creationSeance(nbExercice, date)	
: Exercice	
creationExercices(frequence, type)	
personne()	
: Personne	

Details

Administrateur

Name	Value

Stereotypes	boundary
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false
Project Management	

Name	Value
Author	ambrym
Create Date Time	25 mars 2016 16:53:59
Last Modified	5 avr. 2016 17:47:48

Relationships

Unnamed Link	
To	

Name	Value
End Model Element	N/A
Multiplicity	Unspecified
Project Management	

Name	Value
Author	ABDE
Create Date Time	5 avr. 2016 11:03:31

Project Management	

Name	Value
Author	ABDE
Create Date Time	5 avr. 2016 11:03:31
Last Modified	5 avr. 2016 17:47:48

Unnamed Link	
From	

Name	Value
End Model Element	N/A
Multiplicity	Unspecified
Project Management	

Name	Value
Author	Maxiime
Create Date Time	31 mars 2016 23:24:52

Project Management	

Name	Value
Author	Maxiime
Create Date Time	31 mars 2016 23:24:52
Last Modified	5 avr. 2016 17:47:48

Unnamed Link	
From	

Name	Value
End Model Element	N/A
Multiplicity	Unspecified
Project Management	

Name	Value
Author	ABDE
Create Date Time	5 avr. 2016 11:03:09

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 11:03:09
	Last Modified	5 avr. 2016 17:47:48

→ CreationEntrainement()

Name	Value
End Relationship From Meta Model Element	🚩 Administrateur
End Relationship To Meta Model Element	🚩 N/A
Type	Message
Sequence Number	1
Asynchronous	false
Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 10:54:23
	Last Modified	5 avr. 2016 17:47:48

🚩 : Entrainement

Name	Value
Multiplicity	Unspecified
Base Classifier	📋 Entrainement
Active	false
Stopped	false
Multi Object	false
Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:53:46
	Last Modified	5 avr. 2016 17:47:48

Relationships

Unnamed Link			
To	Name	Value	
	End Model Element	🚩 Administrateur	
	Multiplicity	Unspecified	
	Project Management	Name	Value
		Author	Maxiime
		Create Date Time	31 mars 2016 23:24:52

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	31 mars 2016 23:24:52
	Last Modified	5 avr. 2016 17:47:48
Unnamed Link		
To	Name	Value
	End Model Element	N/A
	Multiplicity	Unspecified
	Project Management	**Name** / **Value** Author — ABDE Create Date Time — 5 avr. 2016 10:52:00
Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 10:52:00
	Last Modified	5 avr. 2016 17:47:48

→ creationEntrainement(nbSeance)

Name	Value
End Relationship From Meta Model Element	N/A
End Relationship To Meta Model Element	N/A
Type	Message
Sequence Number	2
Asynchronous	false
Project Management	**Name** / **Value** Author — ABDE Create Date Time — 5 avr. 2016 10:52:00 Last Modified — 5 avr. 2016 17:47:48

: Seance

Name	Value
Multiplicity	Unspecified
Base Classifier	Seance
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 10:45:27
	Last Modified	5 avr. 2016 17:47:48

Relationships

Unnamed Link			
To	Name	Value	
	End Model Element	🔲 N/A	
	Multiplicity	Unspecified	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	5 avr. 2016 10:53:27
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	5 avr. 2016 10:53:27	
	Last Modified	5 avr. 2016 17:47:48	
Unnamed Link			
From	Name	Value	
	End Model Element	🔲 N/A	
	Multiplicity	Unspecified	
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	5 avr. 2016 10:52:00
Project Management	Name	Value	
	Author	ABDE	
	Create Date Time	5 avr. 2016 10:52:00	
	Last Modified	5 avr. 2016 17:47:48	

→ creationSeance(nbExercice, date)

Name	Value
End Relationship From Meta Model Element	🔲 N/A
End Relationship To Meta Model Element	🔲 N/A
Type	Message
Sequence Number	3
Asynchronous	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 10:53:28
	Last Modified	5 avr. 2016 17:47:48

⬚ : Exercice

Name	Value
Multiplicity	Unspecified
Base Classifier	Exercice
Active	false
Stopped	false
Multi Object	false
Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 10:52:35
	Last Modified	5 avr. 2016 17:47:48

Relationships

Unnamed Link		
To	Name	Value
	End Model Element	⬚ Administrateur
	Multiplicity	Unspecified
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	5 avr. 2016 11:03:09
Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 11:03:09
	Last Modified	5 avr. 2016 17:47:48

Unnamed Link		
From	Name	Value
	End Model Element	⬚ N/A
	Multiplicity	Unspecified
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	5 avr. 2016 10:53:27
Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 10:53:27
	Last Modified	5 avr. 2016 17:47:48

→ creationExercices(frequence, type)

Name	Value
End Relationship From Meta Model Element	📇 N/A
End Relationship To Meta Model Element	📇 Administrateur
Type	Message
Sequence Number	4
Asynchronous	false
Project Management	Name / Value

Name	Value
Author	ABDE
Create Date Time	5 avr. 2016 11:03:09
Last Modified	5 avr. 2016 17:47:48

→ personne()

Name	Value
End Relationship From Meta Model Element	📇 Administrateur
End Relationship To Meta Model Element	📇 N/A
Type	Message
Sequence Number	5
Asynchronous	false
Project Management	Name / Value

Name	Value
Author	ABDE
Create Date Time	5 avr. 2016 11:03:31
Last Modified	5 avr. 2016 17:47:48

📇 : Personne

Name	Value
Multiplicity	Unspecified
Base Classifier	📄 Personne
Active	false
Stopped	false
Multi Object	false
Project Management	Name / Value

Name	Value
Author	ABDE
Create Date Time	5 avr. 2016 11:03:31
Last Modified	5 avr. 2016 23:51:04

Relationships

Unnamed Link				
From	**Name**		**Value**	
	End Model Element		🏳 Administrateur	
	Multiplicity		Unspecified	
	Project Management	**Name**		**Value**
		Author		ABDE
		Create Date Time		5 avr. 2016 11:03:31
Project Management	**Name**		**Value**	
	Author		ABDE	
	Create Date Time		5 avr. 2016 11:03:31	
	Last Modified		5 avr. 2016 17:47:48	

Connexion - Communications

Name	Value
Name	Connexion - Communications
Author	ABDE
Create Date Time	31 mars 2016 15:21:05
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
: Personne	
Personne()	
Utilisateur	
SeConnecter (mail, mdp)	
Connexion	

Details

: Personne

Name	Value
Multiplicity	Unspecified
Base Classifier	Personne
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 11:03:31
	Last Modified	5 avr. 2016 23:51:04

Relationships

Unnamed Link			
From	**Name**	**Value**	
	End Model Element	🖮 Utilisateur	
	Multiplicity	Unspecified	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	5 avr. 2016 20:22:35
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	5 avr. 2016 20:22:35	
	Last Modified	5 avr. 2016 23:51:04	

→ Personne()

Name	Value	
End Relationship From Meta Model Element	🖮 N/A	
End Relationship To Meta Model Element	🖮 Utilisateur	
Type	Message	
Sequence Number	1	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	5 avr. 2016 23:48:34
	Last Modified	5 avr. 2016 23:51:04

🖮 Utilisateur

Name	Value
Stereotypes	boundary
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:50:07
	Last Modified	5 avr. 2016 23:51:04

Relationships

Unnamed Link		
To	**Name**	**Value**
	End Model Element	🚩 Connexion
	Multiplicity	Unspecified
	Project Management	**Name** / **Value**
		Author — ABDE
		Create Date Time — 5 avr. 2016 18:14:06
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	5 avr. 2016 18:14:06
	Last Modified	5 avr. 2016 22:59:08

Unnamed Link		
To	**Name**	**Value**
	End Model Element	🚩 N/A
	Multiplicity	Unspecified
	Project Management	**Name** / **Value**
		Author — ABDE
		Create Date Time — 5 avr. 2016 20:22:35
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	5 avr. 2016 20:22:35
	Last Modified	5 avr. 2016 23:51:04

→SeConnecter (mail, mdp)

Name	Value
End Relationship From Meta Model Element	🚩 Utilisateur
End Relationship To Meta Model Element	🚩 Connexion
Type	Message
Sequence Number	2
Asynchronous	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 22:45:30
	Last Modified	5 avr. 2016 22:56:56

Connexion

Name	Value
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false
Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:30:39
	Last Modified	5 avr. 2016 22:59:08

Relationships

Unnamed Link		
From	Name	Value
	End Model Element	Utilisateur
	Multiplicity	Unspecified
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	5 avr. 2016 18:14:06
Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 18:14:06
	Last Modified	5 avr. 2016 22:59:08

Communication Diagram

Consulter profil - Communications

Name	Value
Name	Consulter profil - Communications
Author	Maxiime
Create Date Time	31 mars 2016 23:26:33
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
Personne	
Personne()	
Utilisateur	
Profil	
Personne()	

Details

Personne

Name	Value
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 23:19:54
	Last Modified	5 avr. 2016 23:31:19

Relationships

Unnamed Link		
To	Name	Value
	End Model Element	⊤ Utilisateur
	Multiplicity	Unspecified
	Project Management	Name / Value Author / ABDE Create Date Time / 5 avr. 2016 23:20:13
Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 23:20:13
	Last Modified	5 avr. 2016 23:31:19

→ Personne()

Name	Value
End Relationship From Meta Model Element	⊤ Personne
End Relationship To Meta Model Element	⊤ Utilisateur
Type	Message
Sequence Number	1
Asynchronous	false
Project Management	Name / Value Author / ABDE Create Date Time / 5 avr. 2016 23:23:47 Last Modified / 5 avr. 2016 23:51:04

⊤ Utilisateur

Name	Value
Stereotypes	entity
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:28:42
	Last Modified	5 avr. 2016 23:51:04

Relationships

Unnamed Link		

From	Name	Value		
	End Model Element	⊤ Profil		
	Multiplicity	Unspecified		
	Project Management	Name		Value
		Author		Maxiime
		Create Date Time		31 mars 2016 23:26:33

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	31 mars 2016 23:26:33
	Last Modified	5 avr. 2016 23:51:04

Unnamed Link		

From	Name	Value		
	End Model Element	⊤ Personne		
	Multiplicity	Unspecified		
	Project Management	Name		Value
		Author		ABDE
		Create Date Time		5 avr. 2016 23:20:13

Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 23:20:13
	Last Modified	5 avr. 2016 23:31:19

⊤ Profil

Name	Value
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false
Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:28:08
	Last Modified	5 avr. 2016 23:51:04

Relationships

Unnamed Link		
To	**Name**	**Value**
	End Model Element	⬛ Utilisateur
	Multiplicity	Unspecified
	Project Management	**Name** / **Value** Author / Maxiime Create Date Time / 31 mars 2016 23:26:33
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	31 mars 2016 23:26:33
	Last Modified	5 avr. 2016 23:51:04
Unnamed Anchor		
To	{}. N/A	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	5 avr. 2016 23:44:56
	Last Modified	5 avr. 2016 23:51:04

Constraints

Specification	Deconnexion	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	5 avr. 2016 23:44:56
	Last Modified	5 avr. 2016 23:51:04

→ Personne()

Name	Value	
End Relationship From Meta Model Element	⬛ Profil	
End Relationship To Meta Model Element	⬛ Utilisateur	
Type	Message	
Sequence Number	2	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	5 avr. 2016 23:43:12
	Last Modified	5 avr. 2016 23:51:04

N/A

Name	Value	
Specification	N/A	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	5 avr. 2016 23:44:56
	Last Modified	5 avr. 2016 23:51:04

Relationships

Unnamed Anchor		
From	Profil	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	5 avr. 2016 23:44:56
	Last Modified	5 avr. 2016 23:51:04

Générer suivis d'entrainement - Communications

Name	Value
Name	Générer suivis d'entrainement - Communications
Author	ABDE
Create Date Time	5 avr. 2016 21:48:01
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
: Suivi	
creationSuivi(id : int)	
Administrateur	
: Personne	
Personne()	
Stat (idSeance, date, nbExercice)	

Details

: Suivi

Name	Value
Multiplicity	Unspecified
Base Classifier	Suivi
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	25 mars 2016 16:52:17
	Last Modified	5 avr. 2016 23:31:19

Relationships

Unnamed Link		
To	Name	Value
	End Model Element	🚩 Administrateur
	Multiplicity	Unspecified
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	5 avr. 2016 21:48:01
Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 21:48:01
	Last Modified	5 avr. 2016 21:48:56

Unnamed Link		
To	Name	Value
	End Model Element	🚩 N/A
	Multiplicity	Unspecified
	Project Management	Name	Value
		Author	ABDE
		Create Date Time	5 avr. 2016 21:48:02
Project Management	Name	Value
	Author	ABDE
	Create Date Time	5 avr. 2016 21:48:02
	Last Modified	5 avr. 2016 23:15:20

→creationSuivi(id : int)

Name	Value
End Relationship From Meta Model Element	🚩 N/A
End Relationship To Meta Model Element	🚩 Administrateur
From Activation	📗 Activation
To Activation	📗 Activation
Type	Message
Sequence Number	1.2
Asynchronous	false

Project Management	Name	Value
	Author	ambrym
	Create Date Time	5 avr. 2016 09:05:53
	Last Modified	5 avr. 2016 23:08:40

Administrateur

Name	Value	
Stereotypes	boundary	
Multiplicity	Unspecified	
Active	false	
Stopped	false	
Multi Object	false	
Project Management	**Name**	**Value**
	Author	ambrym
	Create Date Time	25 mars 2016 16:52:29
	Last Modified	5 avr. 2016 23:08:40

Relationships

Unnamed Link			
From	**Name**	**Value**	
	End Model Element	N/A	
	Multiplicity	Unspecified	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	5 avr. 2016 21:48:01
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	5 avr. 2016 21:48:01	
	Last Modified	5 avr. 2016 21:48:56	
Unnamed Link			
From	**Name**	**Value**	
	End Model Element	N/A	
	Multiplicity	Unspecified	
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	5 avr. 2016 23:03:57
Project Management	**Name**	**Value**	
	Author	ABDE	
	Create Date Time	5 avr. 2016 23:03:57	
	Last Modified	5 avr. 2016 23:08:40	

𝆕 : Personne

Name	Value		
Multiplicity	Unspecified		
Base Classifier	📄 Personne		
Active	false		
Stopped	false		
Multi Object	false		
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		5 avr. 2016 23:03:42
	Last Modified		5 avr. 2016 23:31:19

Relationships

Unnamed Link			
To	**Name**		**Value**
	End Model Element		𝆕 Administrateur
	Multiplicity		Unspecified
	Project Management	**Name**	**Value**
		Author	ABDE
		Create Date Time	5 avr. 2016 23:03:57
Project Management	**Name**		**Value**
	Author		ABDE
	Create Date Time		5 avr. 2016 23:03:57
	Last Modified		5 avr. 2016 23:08:40

→ Personne()

Name	Value	
End Relationship From Meta Model Element	𝆕 N/A	
End Relationship To Meta Model Element	𝆕 Administrateur	
Type	Message	
Sequence Number	1	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	ABDE
	Create Date Time	5 avr. 2016 23:04:24
	Last Modified	5 avr. 2016 23:15:20

→ Stat (idSeance, date, nbExercice)

Name	Value

End Relationship From Meta Model Element	N/A
End Relationship To Meta Model Element	N/A
Type	Self Message
Sequence Number	2
Asynchronous	false
Project Management	

Name	Value
Author	ABDE
Create Date Time	5 avr. 2016 23:13:23
Last Modified	5 avr. 2016 23:15:20

Gestion d'entrainement

Name	Value
Name	Gestion d'entrainement
Author	Maxiime
Create Date Time	7 avr. 2016 23:11:15
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
Utilisateur	
RenseigneTpe(Séance)	
: Seance	
typeEntrainement(boolean)	
TypePropose : Seance	
typeEntrainement(boolean)	
TypePersonnalisé : Seance	

→ demandeValidation()	
▬ : Exercice	
→ abandonner()	
→ valider()	
→ demandeSeance()	
▬ : Seance	
→ demandeValidation()	
▬ : Exercice	
→ abandonner()	
→ valider()	

Details

⊤ Utilisateur

Name	Value		
Stereotypes	boundary		
Multiplicity	Unspecified		
Active	false		
Stopped	false		
Multi Object	false		
Project Management	**Name**	**Value**	
	Author	Maxiime	
	Create Date Time	7 avr. 2016 23:11:27	
	Last Modified	7 avr. 2016 23:17:19	

Relationships

Unnamed Link			
To	**Name**	**Value**	
	End Model Element	⊤ N/A	
	Multiplicity	Unspecified	
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	7 avr. 2016 23:11:49
Project Management	**Name**	**Value**	
	Author	Maxiime	
	Create Date Time	7 avr. 2016 23:11:49	
	Last Modified	7 avr. 2016 23:17:19	

→ RenseigneTpe(Séance)

Name	Value

End Relationship From Meta Model Element	⊤ Utilisateur	
End Relationship To Meta Model Element	⊤ N/A	
Type	Message	
Sequence Number	1	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:11:49
	Last Modified	7 avr. 2016 23:17:19

⊤ : Seance

Name	Value	
Multiplicity	Unspecified	
Base Classifier	Seance	
Active	false	
Stopped	false	
Multi Object	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:11:36
	Last Modified	7 avr. 2016 23:19:23

Relationships

Unnamed Link			
To	**Name**	**Value**	
	End Model Element	⊤ TypePropose	
	Multiplicity	Unspecified	
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	7 avr. 2016 23:13:52
Project Management	**Name**	**Value**	
	Author	Maxiime	
	Create Date Time	7 avr. 2016 23:13:52	
	Last Modified	7 avr. 2016 23:17:19	
Unnamed Link			

To	Name	Value		
	End Model Element	🏷 TypePersonnalisé		
	Multiplicity	Unspecified		
	Project Management	Name	Value	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:15:46	
Project Management	Name	Value		
	Author	Maxiime		
	Create Date Time	7 avr. 2016 23:15:46		
	Last Modified	7 avr. 2016 23:17:19		

Unnamed Link				
From	Name	Value		
	End Model Element	🏷 Utilisateur		
	Multiplicity	Unspecified		
	Project Management	Name	Value	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:11:49	
Project Management	Name	Value		
	Author	Maxiime		
	Create Date Time	7 avr. 2016 23:11:49		
	Last Modified	7 avr. 2016 23:17:19		

Unnamed Link				
From	Name	Value		
	End Model Element	🏷 N/A		
	Multiplicity	Unspecified		
	Project Management	Name	Value	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:16:40	
Project Management	Name	Value		
	Author	Maxiime		
	Create Date Time	7 avr. 2016 23:16:40		
	Last Modified	7 avr. 2016 23:19:23		

Unnamed Link				
From	Name	Value		
	End Model Element	🏷 N/A		
	Multiplicity	Unspecified		
	Project Management	Name	Value	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:18:48	

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:18:48
	Last Modified	7 avr. 2016 23:19:23

→ typeEntrainement(boolean)

Name	Value
End Relationship From Meta Model Element	📅 N/A
End Relationship To Meta Model Element	📅 TypePropose
Type	Message
Sequence Number	2
Asynchronous	false
Project Management	Name / Value

	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:13:52
	Last Modified	7 avr. 2016 23:17:19

📅 TypePropose : Seance

Name	Value
Multiplicity	Unspecified
Base Classifier	Seance
Active	false
Stopped	false
Multi Object	false
Project Management	Name / Value

	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:13:01
	Last Modified	7 avr. 2016 23:17:19

Relationships

Unnamed Link		
To	Name	Value
	End Model Element	📅 N/A
	Multiplicity	Unspecified
	Project Management	Name / Value

		Name	Value
		Author	Maxiime
		Create Date Time	7 avr. 2016 23:16:09

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:16:09
	Last Modified	7 avr. 2016 23:17:19

Unnamed Link

From	Name	Value		
	End Model Element	N/A		
	Multiplicity	Unspecified		
	Project Management	**Name**	**Value**	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:13:52	

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:13:52
	Last Modified	7 avr. 2016 23:17:19

→typeEntrainement(boolean)

Name	Value	
End Relationship From Meta Model Element	N/A	
End Relationship To Meta Model Element	TypePersonnalisé	
Type	Message	
Sequence Number	3	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:15:46
	Last Modified	7 avr. 2016 23:17:19

TypePersonnalisé : Seance

Name	Value	
Multiplicity	Unspecified	
Base Classifier	Seance	
Active	false	
Stopped	false	
Multi Object	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:14:34
	Last Modified	7 avr. 2016 23:19:23

Relationships

Unnamed Link		
To	**Name**	**Value**
	End Model Element	🏳 N/A
	Multiplicity	Unspecified
	Project Management	**Name**
		Author
		Create Date Time
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:18:13
	Last Modified	7 avr. 2016 23:19:23

For the "To" row "Project Management" sub-table:

Name	Value
Author	Maxiime
Create Date Time	7 avr. 2016 23:18:13

Unnamed Link		
From	**Name**	**Value**
	End Model Element	🏳 N/A
	Multiplicity	Unspecified
	Project Management	**Name**
		Author
		Create Date Time
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:15:46
	Last Modified	7 avr. 2016 23:17:19

For the "From" row "Project Management" sub-table:

Name	Value
Author	Maxiime
Create Date Time	7 avr. 2016 23:15:46

→ demandeValidation()

Name	Value
End Relationship From Meta Model Element	🏳 TypePropose
End Relationship To Meta Model Element	🏳 N/A
Type	Message
Sequence Number	4
Asynchronous	false
Project Management	**Name**

Project Management sub-table:

Name	Value
Author	Maxiime
Create Date Time	7 avr. 2016 23:16:09
Last Modified	7 avr. 2016 23:17:19

🏳 : Exercice

Name	Value
Multiplicity	Unspecified

Base Classifier	Exercice	
Active	false	
Stopped	false	
Multi Object	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:14:18
	Last Modified	7 avr. 2016 23:17:19

Relationships

Unnamed Link				
To	**Name**	**Value**		
	End Model Element	N/A		
	Multiplicity	Unspecified		
	Project Management	**Name**	**Value**	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:16:40	
Project Management	**Name**	**Value**		
	Author	Maxiime		
	Create Date Time	7 avr. 2016 23:16:40		
	Last Modified	7 avr. 2016 23:19:23		
Unnamed Link				
To	**Name**	**Value**		
	End Model Element	N/A		
	Multiplicity	Unspecified		
	Project Management	**Name**	**Value**	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:17:12	
Project Management	**Name**	**Value**		
	Author	Maxiime		
	Create Date Time	7 avr. 2016 23:17:12		
	Last Modified	7 avr. 2016 23:17:19		

Unnamed Link				
From	**Name**	**Value**		
	End Model Element	TypePropose		
	Multiplicity	Unspecified		
	Project Management	**Name**	**Value**	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:16:09	

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:16:09
	Last Modified	7 avr. 2016 23:17:19

→ abandonner()

Name	Value
End Relationship From Meta Model Element	📌 N/A
End Relationship To Meta Model Element	📌 N/A
Type	Message
Sequence Number	5
Asynchronous	false
Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:16:40
	Last Modified	7 avr. 2016 23:19:23

→ valider()

Name	Value
End Relationship From Meta Model Element	📌 N/A
End Relationship To Meta Model Element	📌 N/A
Type	Self Message
Sequence Number	6
Asynchronous	false
Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:17:12
	Last Modified	7 avr. 2016 23:19:23

→ demandeSeance()

Name	Value
End Relationship From Meta Model Element	📌 TypePersonnalisé
End Relationship To Meta Model Element	📌 N/A
Type	Message
Sequence Number	7
Asynchronous	false

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:18:13
	Last Modified	7 avr. 2016 23:19:23

⊤ : Seance

Name	Value
Multiplicity	Unspecified
Base Classifier	Seance
Active	false
Stopped	false
Multi Object	false
Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:15:03
	Last Modified	7 avr. 2016 23:19:23

Relationships

Unnamed Link		
To	Name	Value
	End Model Element	⊤ N/A
	Multiplicity	Unspecified
	Project Management	Name	Value
		Author	Maxiime
		Create Date Time	7 avr. 2016 23:18:32
Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:18:32
	Last Modified	7 avr. 2016 23:19:23

Unnamed Link		
From	Name	Value
	End Model Element	⊤ TypePersonnalisé
	Multiplicity	Unspecified
	Project Management	Name	Value
		Author	Maxiime
		Create Date Time	7 avr. 2016 23:18:13
Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:18:13
	Last Modified	7 avr. 2016 23:19:23

→ demandeValidation()

Name	Value
End Relationship From Meta Model Element	🏳 N/A
End Relationship To Meta Model Element	🏳 N/A
Type	Message
Sequence Number	8
Asynchronous	false
Project Management	<table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>Maxiime</td></tr><tr><td>Create Date Time</td><td>7 avr. 2016 23:18:32</td></tr><tr><td>Last Modified</td><td>7 avr. 2016 23:19:23</td></tr></table>

🏳 : Exercice

Name	Value
Multiplicity	Unspecified
Base Classifier	Exercice
Active	false
Stopped	false
Multi Object	false
Project Management	<table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>Maxiime</td></tr><tr><td>Create Date Time</td><td>7 avr. 2016 23:15:15</td></tr><tr><td>Last Modified</td><td>7 avr. 2016 23:19:23</td></tr></table>

Relationships

| Unnamed Link	
To	<table><tr><th>Name</th><th>Value</th></tr><tr><td>End Model Element</td><td>🏳 N/A</td></tr><tr><td>Multiplicity</td><td>Unspecified</td></tr><tr><td>Project Management</td><td><table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>Maxiime</td></tr><tr><td>Create Date Time</td><td>7 avr. 2016 23:18:48</td></tr></table></td></tr></table>
Project Management	<table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>Maxiime</td></tr><tr><td>Create Date Time</td><td>7 avr. 2016 23:18:48</td></tr><tr><td>Last Modified</td><td>7 avr. 2016 23:19:23</td></tr></table>
Unnamed Link	

To	Name	Value		
	End Model Element	🏳 N/A		
	Multiplicity	Unspecified		
	Project Management	**Name**	**Value**	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:19:08	
Project Management	**Name**	**Value**		
	Author	Maxiime		
	Create Date Time	7 avr. 2016 23:19:08		
	Last Modified	7 avr. 2016 23:19:23		

Unnamed Link				
From	**Name**	**Value**		
	End Model Element	🏳 N/A		
	Multiplicity	Unspecified		
	Project Management	**Name**	**Value**	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:18:32	
Project Management	**Name**	**Value**		
	Author	Maxiime		
	Create Date Time	7 avr. 2016 23:18:32		
	Last Modified	7 avr. 2016 23:19:23		

→abandonner()

Name	Value		
End Relationship From Meta Model Element	🏳 N/A		
End Relationship To Meta Model Element	🏳 N/A		
Type	Message		
Sequence Number	9		
Asynchronous	false		
Project Management	**Name**	**Value**	
	Author	Maxiime	
	Create Date Time	7 avr. 2016 23:18:48	
	Last Modified	7 avr. 2016 23:19:23	

→valider()

Name	Value
End Relationship From Meta Model Element	🏳 N/A

End Relationship To Meta Model Element	N/A	
Type	Self Message	
Sequence Number	10	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:19:08
	Last Modified	7 avr. 2016 23:19:23

N/A

Communication Diagram

Gestion des réglages

Name	Value
Name	Gestion des réglages
Author	Maxiime
Create Date Time	7 avr. 2016 23:20:11
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
▬ Utilisateur	
⇥ acces()	
▬ : Reglages	
▬ : Type Reglages	
⇥ modifie()	
▬ Profil : TypeRegalges	
⇥ deconnexion()	
⇥ modifie()	
▬ Option : TypeReglage	

: Personne	

Details

⊤ Utilisateur

Name	Value	
Stereotypes	boundary	
Multiplicity	Unspecified	
Active	false	
Stopped	false	
Multi Object	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:20:17
	Last Modified	7 avr. 2016 23:25:00

Relationships

Unnamed Link		
To	**Name**	**Value**
	End Model Element	⊤ N/A
	Multiplicity	Unspecified
	Project Management	**Name** / **Value**
		Author / Maxiime
		Create Date Time / 7 avr. 2016 23:21:13
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:21:13
	Last Modified	7 avr. 2016 23:25:00

Unnamed Link		
From	**Name**	**Value**
	End Model Element	⊤ N/A
	Multiplicity	Unspecified
	Project Management	**Name** / **Value**
		Author / Maxiime
		Create Date Time / 7 avr. 2016 23:20:56
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:20:56
	Last Modified	7 avr. 2016 23:25:00

→ acces()

Name	Value
End Relationship From Meta Model Element	⊤ Utilisateur
End Relationship To Meta Model Element	⊤ N/A
Type	Message
Sequence Number	1
Asynchronous	false
Project Management	<table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>Maxiime</td></tr><tr><td>Create Date Time</td><td>7 avr. 2016 23:21:13</td></tr><tr><td>Last Modified</td><td>7 avr. 2016 23:25:00</td></tr></table>

⊤ : Reglages

Name	Value
Multiplicity	Unspecified
Base Classifier	▤ Reglages
Active	false
Stopped	false
Multi Object	false
Project Management	<table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>Maxiime</td></tr><tr><td>Create Date Time</td><td>7 avr. 2016 23:20:26</td></tr><tr><td>Last Modified</td><td>7 avr. 2016 23:25:00</td></tr></table>

Relationships

Unnamed Link	
To	<table><tr><th>Name</th><th>Value</th></tr><tr><td>End Model Element</td><td>⊤ N/A</td></tr><tr><td>Multiplicity</td><td>Unspecified</td></tr><tr><td>Project Management</td><td><table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>Maxiime</td></tr><tr><td>Create Date Time</td><td>7 avr. 2016 23:24:55</td></tr></table></td></tr></table>
Project Management	<table><tr><th>Name</th><th>Value</th></tr><tr><td>Author</td><td>Maxiime</td></tr><tr><td>Create Date Time</td><td>7 avr. 2016 23:24:55</td></tr><tr><td>Last Modified</td><td>7 avr. 2016 23:25:00</td></tr></table>
Unnamed Link	

From	Name	Value		
	End Model Element	📇 Utilisateur		
	Multiplicity	Unspecified		
	Project Management	**Name**	**Value**	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:21:13	
Project Management	**Name**	**Value**		
	Author	Maxiime		
	Create Date Time	7 avr. 2016 23:21:13		
	Last Modified	7 avr. 2016 23:25:00		

📇 : Type Reglages

Name	Value	
Multiplicity	Unspecified	
Base Classifier	Type Reglages	
Active	false	
Stopped	false	
Multi Object	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:22:56
	Last Modified	7 avr. 2016 23:25:00

Relationships

Unnamed Link				
To	Name	Value		
	End Model Element	📇 Profil		
	Multiplicity	Unspecified		
	Project Management	**Name**	**Value**	
		Author	Maxiime	
		Create Date Time	7 avr. 2016 23:23:46	
Project Management	**Name**	**Value**		
	Author	Maxiime		
	Create Date Time	7 avr. 2016 23:23:46		
	Last Modified	7 avr. 2016 23:25:00		
Unnamed Link				

To	Name	Value		
	End Model Element	🖥 Option		
	Multiplicity	Unspecified		
	Project Management	Name		Value
		Author		Maxiime
		Create Date Time		7 avr. 2016 23:24:39
Project Management	Name	Value		
	Author	Maxiime		
	Create Date Time	7 avr. 2016 23:24:39		
	Last Modified	7 avr. 2016 23:25:00		

Unnamed Link				
From	Name	Value		
	End Model Element	🖥 N/A		
	Multiplicity	Unspecified		
	Project Management	Name		Value
		Author		Maxiime
		Create Date Time		7 avr. 2016 23:24:55
Project Management	Name	Value		
	Author	Maxiime		
	Create Date Time	7 avr. 2016 23:24:55		
	Last Modified	7 avr. 2016 23:25:00		

→ modifie()

Name	Value	
End Relationship From Meta Model Element	🖥 N/A	
End Relationship To Meta Model Element	🖥 Profil	
Type	Message	
Sequence Number	2	
Asynchronous	false	
Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:23:46
	Last Modified	7 avr. 2016 23:25:00

🖥 Profil : TypeRegalges

Name	Value
Multiplicity	Unspecified
Base Classifier	TypeRegalges

Active	false	
Stopped	false	
Multi Object	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:23:13
	Last Modified	7 avr. 2016 23:25:00

Relationships

Unnamed Link		
From	**Name**	**Value**
	End Model Element	🔲 N/A
	Multiplicity	Unspecified
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	7 avr. 2016 23:23:46
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:23:46
	Last Modified	7 avr. 2016 23:25:00

→ deconnexion()

Name	**Value**	
End Relationship From Meta Model Element	🔲 N/A	
End Relationship To Meta Model Element	🔲 Profil	
Type	Message	
Sequence Number	3	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:24:02
	Last Modified	7 avr. 2016 23:25:00

→ modifie()

Name	**Value**
End Relationship From Meta Model Element	🔲 N/A
End Relationship To Meta Model Element	🔲 Option
Type	Message

Sequence Number	4
Asynchronous	false
Project Management	**Name** **Value**

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:24:39
	Last Modified	7 avr. 2016 23:25:00

Option : TypeReglage

Name	Value
Multiplicity	Unspecified
Base Classifier	TypeReglage
Active	false
Stopped	false
Multi Object	false
Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:23:23
	Last Modified	7 avr. 2016 23:25:00

Relationships

Unnamed Link		
From	Name	Value
	End Model Element	N/A
	Multiplicity	Unspecified
	Project Management	Name	Value
		Author	Maxiime
		Create Date Time	7 avr. 2016 23:24:39
Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:24:39
	Last Modified	7 avr. 2016 23:25:00

: Personne

Name	Value
Multiplicity	Unspecified
Base Classifier	Personne
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:20:46
	Last Modified	7 avr. 2016 23:25:00

Relationships

Unnamed Link			
To	**Name**	**Value**	
	End Model Element	Utilisateur	
	Multiplicity	Unspecified	
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	7 avr. 2016 23:20:56
Project Management	**Name**	**Value**	
	Author	Maxiime	
	Create Date Time	7 avr. 2016 23:20:56	
	Last Modified	7 avr. 2016 23:25:00	

Communication Diagram

S'inscrire

1: inscription(nom,prénom,age,sexe,taille,poids,mail,mdp)
4: demandeFrequence()
5: typeEntrainement()

2:

3: calculIMC()

: Utilisateur

: GoForm

Anonyme

Name	Value
Name	S'inscrire
Author	Maxiime
Create Date Time	7 avr. 2016 23:27:08
Last Modified	7 avr. 2016 23:57:16
Teamwork Create Date Time	0
Show Parameter Types In Message Operation Signature	true

Summary

Name	Description
Anonyme	
inscription(nom,prénom,age,sexe,taille,poids,mail,mdp)	
: Utilisateur	
: GoForm	
calculIMC()	
demandeFrequence()	
typeEntrainement()	

Details

Anonyme

Name	Value
Stereotypes	boundary
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false
Project Management	**Name** / **Value**

Name	Value
Author	Maxiime
Create Date Time	7 avr. 2016 23:27:14
Last Modified	7 avr. 2016 23:42:44

Relationships

Unnamed Link	
To	(see sub-table below)

Name	Value
End Model Element	N/A
Multiplicity	Unspecified
Project Management	(see sub-table below)

Name	Value
Author	Maxiime
Create Date Time	7 avr. 2016 23:27:25

Project Management	

Name	Value
Author	Maxiime
Create Date Time	7 avr. 2016 23:27:25
Last Modified	7 avr. 2016 23:42:44

→ inscription(nom,prénom,age,sexe,taille,poids,mail,m...

Name	Value
End Relationship From Meta Model Element	Anonyme
End Relationship To Meta Model Element	N/A
Type	Message
Sequence Number	1
Asynchronous	false
Project Management	(see sub-table below)

Name	Value
Author	Maxiime
Create Date Time	7 avr. 2016 23:27:25
Last Modified	7 avr. 2016 23:30:09

: Utilisateur

Name	Value
Multiplicity	Unspecified

Base Classifier	Utilisateur	
Active	false	
Stopped	false	
Multi Object	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:27:25
	Last Modified	7 avr. 2016 23:42:44

Relationships

Unnamed Link			
To	**Name**	**Value**	
	End Model Element	N/A	
	Multiplicity	Unspecified	
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	7 avr. 2016 23:29:49
Project Management	**Name**	**Value**	
	Author	Maxiime	
	Create Date Time	7 avr. 2016 23:29:49	
	Last Modified	7 avr. 2016 23:30:09	
Unnamed Link			
From	**Name**	**Value**	
	End Model Element	Anonyme	
	Multiplicity	Unspecified	
	Project Management	**Name**	**Value**
		Author	Maxiime
		Create Date Time	7 avr. 2016 23:27:25
Project Management	**Name**	**Value**	
	Author	Maxiime	
	Create Date Time	7 avr. 2016 23:27:25	
	Last Modified	7 avr. 2016 23:42:44	

→ N/A

Name	**Value**
End Relationship From Meta Model Element	N/A
End Relationship To Meta Model Element	N/A
Type	Message
Sequence Number	2

Asynchronous	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:29:49
	Last Modified	7 avr. 2016 23:30:09

⬚ : GoForm

Name	Value	
Multiplicity	Unspecified	
Base Classifier	📄 GoForm	
Active	false	
Stopped	false	
Multi Object	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:29:49
	Last Modified	7 avr. 2016 23:42:44

Relationships

Unnamed Link		
To	**Name**	**Value**
	End Model Element	⬚ N/A
	Multiplicity	Unspecified
	Project Management	**Name** | **Value**
		Author | Maxiime
		Create Date Time | 7 avr. 2016 23:31:42
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:31:42
	Last Modified	7 avr. 2016 23:42:44
Unnamed Link		
From	**Name**	**Value**
	End Model Element	⬚ N/A
	Multiplicity	Unspecified
	Project Management	**Name** | **Value**
		Author | Maxiime
		Create Date Time | 7 avr. 2016 23:29:49
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:29:49
	Last Modified	7 avr. 2016 23:30:09

→ calculIMC()

Name	Value	
End Relationship From Meta Model Element	N/A	
End Relationship To Meta Model Element	N/A	
Type	Self Message	
Sequence Number	3	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:31:42
	Last Modified	7 avr. 2016 23:42:44

→ demandeFrequence()

Name	Value	
End Relationship From Meta Model Element	Anonyme	
End Relationship To Meta Model Element	N/A	
Type	Message	
Sequence Number	4	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:32:28
	Last Modified	7 avr. 2016 23:42:44

→ typeEntrainement()

Name	Value	
End Relationship From Meta Model Element	Anonyme	
End Relationship To Meta Model Element	N/A	
Type	Message	
Sequence Number	5	
Asynchronous	false	
Project Management	**Name**	**Value**
	Author	Maxiime
	Create Date Time	7 avr. 2016 23:32:44
	Last Modified	7 avr. 2016 23:42:44