

Appendix 1 – Palettes by category

Important.

The palette names in this appendix are standard, but some @prism implementations add a specific prefix.

Note (Qualitative and semantic palettes).

The threshold of 40 colors has been established for qualitative and semantic palettes. The following lines outline the rationale for this limit.

- In qualitative color palettes, each color represents a single data point or a group of data. Experience shows that about ten colors are more than enough.*
- Semantic palettes associate a color with a specific context, such as warning levels (see the frames in this document). Choosing 40 colors allows for 10 different contexts, each with 4 sub-categories. Here are some examples of sub-categories.*

10-19 Initial / Idle: default states such as “To Do”, “Clickable”, or “To be analyzed”.

20-29 Active / Transition: states in flux, including “In Progress” or UI “Hover” effects.

30-39 Success / Final: terminal positive states like “Done”, “Clicked”, or “Validated”.


40-49 Alert / Rejection: error handling and negative outcomes, e.g., “Error”, “Inactive”, or “Rejected”.


Important.

Categories were generated semi-automatically, followed by manual selection to obtain relevant choices.

Colorblind palettes

Colorblind palettes provide high-contrast hues specifically optimized for users with color vision deficiency.







Cyclic palettes

Cyclic palettes create seamless loops for periodic data, such as angles, seasons, or 24-hour cycles.


Balance




G10




VikO




BamO




HSV




Viola




BrocO



Infinity




Waterlily




CopperCM




Phase




CorkO




Pride




Delta




RomaO




Emergency




Seasons



Fusion




Twilight




Dark palettes

Dark palettes offer high-contrast schemes specifically optimized for terminal interfaces and dark-mode backgrounds.



Divergent palettes

Divergent palettes highlight deviations from one midpoint toward contrasting extremes.





TealRose



Temps



Tofino



Tropic



Twilight



Vanimo



Vik



VikO



Viola



Waterlily



Watermelon



Wildfire



YellowGrey







YellowPurple




Qualitative palettes

Qualitative palettes use distinct hues to separate categorical data without implying any order or hierarchy.






GrandBudapest1



GrandBudapest2













GrandBudapest3












GrandBudapest4




GrandBudapest5







Winter




Zissou



Semantic palettes


Semantic palettes are designed to assign colors to categories — such as UI states, system status, or pedagogical elements — to convey immediate meaning.




Sequential palettes

Sequential palettes represent ordered data using a single or multi-hue gradient with monotonic lightness.













YlOrRdCBW



Stepped palettes

Stepped palettes are designed to highlight distinct shifts rather than smooth progression. They use high-contrast colors that meet at sharp boundary points to emphasize deviation.

