Appendix 1 – Ignored palettes

Important.

The palette names in this appendix are standard, but some `@prism` implementations add a specific prefix.

Excluded by design

The following palettes have been intentionally excluded. Please refer to the explanation below.

Table 1: Excluded palettes

CMasher	`Neutral`	Too big (size > 512).
	`Savanna`	Looks completely black.

Rebuildable palettes

The following palettes are excluded as sublists[1] or shifts of existing ones, or due to direct or reversed duplication. Note that exact duplicates – sharing both name and colors – are omitted entirely. We identify relation between palettes using the following notations.

Equality	Visually identical	Reversal	Shifted	Reversal and Shifted	Sublist
$=$	$\cong$	$\rightleftarrows$	$\ll$	$\rightleftarrows$	$\prec$

In these cases, the rightmost palette is the one retained in `@prism`. For example, this table indicates that `YlOrRd` from `Colorbrewer` uses a sublist of colors from the `@prism` palette `YlOrRd`.

Table 2: Rebuildable palettes

Colorbrewer	`YlOrRd`	$\prec$	`YlOrRd`
Light and Bartlein	`BlueDarkOrange12`	$\prec$	`BlueDarkOrange`
	`BlueOrange10`	$\prec$	`BlueOrange`
	`BlueOrange8`	$\prec$	`BlueOrange`
Matplotlib	`Cubehelix`	$\cong$	`Classic`
	`Tab10`	$\prec$	`Tab20`
	`TwilightShifted`	$\rightleftarrows$	`Twilight`
	`Gray`	$\rightleftarrows$	`Binary`
	`GistYarg`	$\rightleftarrows$	`GistGray`
Plotly	`D3`	$\prec$	`Tab20`
Tableau	`Tableau`	$=$	`Tab20`

How to recover rebuildable palettes

For rebuildable palettes in the previous section, we provide recovering methods, excluding for those visually similar. Below are pseudo-codes defining the parameter values for use with the `@prism` palette API.

[1] A palette is defined as a sublist if it is formed by removing colors while preserving the relative order of the remaining ones.