








portfolio

Eva Kažukolovaitė

AD4

2026



CONTENTS

1/ Brief

2/ Context

Concept

Site Context

3/ Design Principle

Circulation


Module

4/ Design Proposal

Structure on Site

Perimeter

1 Brief



Rethinking.Logistics studio explored the architectural potential of industrial planning. By mapping systemic frictions and engaging with industry professionals through a series of guest lectures, the studio reinterprets logistics not as a hidden service, but as an every-day factor in human lives.

2 Context



USERS

Pedestrians

Residents

Workers

PROBLEMS

Noise

Heavy traffic cause noise pollution for workers and residents.

Pedestrian Tension

Delivery vans cause safety and comfort issues for pedestrians.

Temporary Appearance

Visual and physical disconnect from the pedestrian-heavy Anděl district.

Neglected Landscape

The site does not utilise its nearby green zones, does not promote biodiversity.

Poor Worker Conditions

Current state of the site does not think about the comfort of workers.

Circulation

Delivery vans and carg bikes are in the same space.

TRAITS

Major roads

Major roads running through a site, causing dynamical things lalalalala

People Flow


People coming from Novy Smichov area.

Existing Greenery

Major roads running through a site ...

Under Bridge

City-owned property and reduced impact of weather conditions.




3 Design Principle

Adaptable logistics infrastructure, defined by two primary layers:


Modular structure



Timber frame – lightweight, sustainable, possible to precast.



Possible to enlarge – width, length, height






Possible to rearrange – endless possibilities of configurations.

Envelope




Customizable exterior panels – material options can be adapted based on the module's location and surrounding urban conditions.


Service Module



Panel Types



Rotation Types



Human Module



4 Design on Site

Cross-Dock Layout

The plan uses cross-docking principle, segregating loading zones from public paths and reducing van-to-bike collisions to ensure a safe and continuous logistics cycle.



Service Modules places to form a cross-docking principle.


Worker Space with a bathroom, rest zone, kitchen, changing room, lockers.

Bike Repair Shop

Wetland Park as a public space.


Responsive Edge

The fence responds to an edge condition, it mediates between logistics and city. It morphs to become furniture, function or biodiversity support. how it changes its openness, vegetation, interactivness. The type changes depending on the condition: road, sidewalk, green edge, public interface.




Green

Supports biodiversity, softens environment.



Road

Strengthens acoustics and becomes more protective.



Sidewalk

Is visible, includes parcel locker for easy access



Public Interface

Supports resident activity, includes benches, playground.

Public Interface

A responsive fence that provides public seating, playground and parcel pickup.

Circulation





An optimized circuit that relocates vehicle entry to eliminate collisions with pedestrians.

Module Placement

Modules are placed in cross-dock manner to segregate van and cargo bike flows.

Design Determinants

Heavy traffic surrounds the site, pedestrian flow is coming from Andel.



Edge Responsive Fence

Parcel Locker

Changed Entrance


Security cameras

Bike Repair Shop


Major roads

Pedestrian Flow


Under the Bridge




Public Space / park reasoning: designing pavilions's edge to show that it could be park-friendly.



Greenery – wetland
utilising the green area nearby to increase biodiversity



Widened Sidewalk



Worker Space (as a barrier)

