

.....

prolobjectlink-jpi-all v. 1.2-SNAPSHOT User Guide

Table of Contents

# **Table of Contents**

	Table of Contents	
2	2. History	
3	3. Introduction	1
4	4. FAQ	3

1 Introduction

# 1 Introduction

.....

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

### 1.1 Section title

#### 1.1.1 Sub-section title

- 1.1.1.1 Sub-sub-section title
- 1.Sub-sub-sub-section title
- 1.Sub-sub-sub-section title
  - List item 1.
  - List item 2.

Paragraph contained in list item 2.

- Sub-list item 1.
- Sub-list item 2.
- List item 3. Force end of list:

```
Verbatim text not contained in list item 3
```

- 1. Numbered item 1.
  - A. Numbered item A.
  - B. Numbered item B.
- 2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

#### Defined term 1

of definition list.

### **Defined term 2**

of definition list.

Verbatim text		
	in a box	

--- instead of +-- suppresses the box around verbatim text.

# Figure caption

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

1 Introduction 2

# Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

# 1.2 ^L New page.

Italic font. Bold font. Monospaced font.

Anchor. Link to anchor. Link to http://www.pixware.fr. Link to showing alternate text. Link to Pixware home page.

Force line

break.

Non breaking space.

Escaped special characters:  $\sim$ , =, -, +, \*, [, ], <, >, {, }, \.

Copyright symbol: ©, ©, ©.

2 FAQ 3

# 2 FAQ

# 2.1 Frequently Asked Questions

#### General

- 1. Why Java Prolog Interface?
- 2. How can use Java Prolog Interface?
- 3. How include Java Prolog Interface into Maven project?

# 2.2 General

### Why Java Prolog Interface?

```
Blah, Blah, ...
```

[top]

# How can use Java Prolog Interface?

You can use Java Prolog Interface following these steps:

- Step One
- Step Two
- Step Three

[top]

### How include Java Prolog Interface into Maven project?

Blah, Blah, ...

Blah, Blah, ...

[top]