

Table of Contents

	Table of Contents	
2.	What Is	1
3.	Overview	3
4.	Getting Started	5
5.	Built-in Predicates	7
6.	Bidirectional Interface	9
7.	Development Tools	11
8.	Contribution	13
9.	Related Works	15
	Benchmark	
11.	Snippets	19
12	FAQ	21

1 What Is

1 What Is

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

1.1 Section title

1.1.1 Sub-section title

- 1.1.1.1 Sub-sub-section title
- 1.Sub-sub-sub-section title
- 1.Sub-sub-sub-section title
 - List item 1.
 - List item 2.

Paragraph contained in list item 2.

- Sub-list item 1.
- Sub-list item 2.
- List item 3. Force end of list:

```
Verbatim text not contained in list item 3
```

- 1. Numbered item 1.
 - A. Numbered item A.
 - B. Numbered item B.
- 2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text in a box

--- instead of +-- suppresses the box around verbatim text.

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

1 What Is

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

1.2 ^L New page.

Italic font. Bold font. Monospaced font.

Anchor. Link to anchor. Link to http://www.pixware.fr. Link to showing alternate text. Link to Pixware home page.

Force line

break.

Non breaking space.

Escaped special characters: \sim , =, -, +, *, [,], <, >, {, }, \.

2 Overview 3

2 Overview

.....

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

2.1 Section title

2.1.1 Sub-section title

- 2.1.1.1 Sub-sub-section title
- 2.Sub-sub-sub-section title
- 2.Sub-sub-sub-section title
 - List item 1.
 - List item 2.

Paragraph contained in list item 2.

- Sub-list item 1.
- Sub-list item 2.
- List item 3. Force end of list:

```
Verbatim text not contained in list item 3
```

- 1. Numbered item 1.
 - A. Numbered item A.
 - B. Numbered item B.
- 2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text in a box

--- instead of +-- suppresses the box around verbatim text.

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

2 Overview 4

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

2.2 ^L New page.

Italic font. Bold font. Monospaced font.

Anchor. Link to anchor. Link to http://www.pixware.fr. Link to showing alternate text. Link to Pixware home page.

Force line

break.

Non breaking space.

Escaped special characters: \sim , =, -, +, *, [,], <, >, {, }, \.

3 Getting Started

3 Getting Started

.....

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

3.1 Section title

3.1.1 Sub-section title

- 3.1.1.1 Sub-sub-section title
- 3.Sub-sub-sub-section title
- 3. Sub-sub-sub-section title
 - List item 1.
 - List item 2.

Paragraph contained in list item 2.

- Sub-list item 1.
- Sub-list item 2.
- List item 3. Force end of list:

```
Verbatim text not contained in list item 3
```

- 1. Numbered item 1.
 - A. Numbered item A.
 - B. Numbered item B.
- 2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text		
	in a box	

--- instead of +-- suppresses the box around verbatim text.

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

3 Getting Started

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

3.2 ^L New page.

Italic font. Bold font. Monospaced font.

Anchor. Link to anchor. Link to http://www.pixware.fr. Link to showing alternate text. Link to Pixware home page.

Force line

break.

Non breaking space.

Escaped special characters: \sim , =, -, +, *, [,], <, >, {, }, \.

4 Built-in Predicates 7

4 Built-in Predicates

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

4.1 Section title

4.1.1 Sub-section title

- 4.1.1.1 Sub-sub-section title
- 4.Sub-sub-sub-section title
- 4. Sub-sub-sub-section title
 - List item 1.
 - List item 2.

Paragraph contained in list item 2.

- Sub-list item 1.
- Sub-list item 2.
- List item 3. Force end of list:

```
Verbatim text not contained in list item 3
```

- 1. Numbered item 1.
 - A. Numbered item A.
 - B. Numbered item B.
- 2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text in a box

--- instead of +-- suppresses the box around verbatim text.

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

4 Built-in Predicates

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

4.2 ^L New page.

Italic font. Bold font. Monospaced font.

Anchor. Link to anchor. Link to http://www.pixware.fr. Link to showing alternate text. Link to Pixware home page.

Force line

break.

Non breaking space.

Escaped special characters: \sim , =, -, +, *, [,], <, >, {, }, \.

5 Bidirectional Interface

5 Bidirectional Interface

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

5.1 Section title

5.1.1 Sub-section title

5.1.1.1 Sub-sub-section title

5.Sub-sub-sub-section title

5. Sub-sub-sub-section title

- List item 1.
- List item 2.

Paragraph contained in list item 2.

- Sub-list item 1.
- Sub-list item 2.
- List item 3. Force end of list:

```
Verbatim text not contained in list item 3
```

- 1. Numbered item 1.
 - A. Numbered item A.
 - B. Numbered item B.
- 2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text in a box

--- instead of +-- suppresses the box around verbatim text.

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

5 Bidirectional Interface

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

5.2 ^L New page.

Italic font. Bold font. Monospaced font.

Anchor. Link to anchor. Link to http://www.pixware.fr. Link to showing alternate text. Link to Pixware home page.

Force line

break.

Non breaking space.

Escaped special characters: \sim , =, -, +, *, [,], <, >, {, }, \.

6 Development Tools

6 Development Tools

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

6.1 Section title

6.1.1 Sub-section title

6.1.1.1 Sub-sub-section title

6.Sub-sub-sub-section title

6.Sub-sub-sub-section title

- List item 1.
- List item 2.

Paragraph contained in list item 2.

- Sub-list item 1.
- Sub-list item 2.
- List item 3. Force end of list:

```
Verbatim text not contained in list item 3
```

- 1. Numbered item 1.
 - A. Numbered item A.
 - B. Numbered item B.
- 2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text in a box

--- instead of +-- suppresses the box around verbatim text.

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

6 Development Tools

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

6.2 ^L New page.

Italic font. Bold font. Monospaced font.

Anchor. Link to anchor. Link to http://www.pixware.fr. Link to showing alternate text. Link to Pixware home page.

Force line

break.

Non breaking space.

Escaped special characters: \sim , =, -, +, *, [,], <, >, {, }, \.

7 Contribution 13

7 Contribution

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

7.1 Section title

7.1.1 Sub-section title

7.1.1.1 Sub-sub-section title

7.Sub-sub-sub-section title

7.Sub-sub-sub-section title

- List item 1.
- List item 2.

Paragraph contained in list item 2.

- Sub-list item 1.
- Sub-list item 2.
- List item 3. Force end of list:

```
Verbatim text not contained in list item 3
```

- 1. Numbered item 1.
 - A. Numbered item A.
 - B. Numbered item B.
- 2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text in a box

--- instead of +-- suppresses the box around verbatim text.

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

7 Contribution 14

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

7.2 ^L New page.

Italic font. Bold font. Monospaced font.

Anchor. Link to anchor. Link to http://www.pixware.fr. Link to showing alternate text. Link to Pixware home page.

Force line

break.

Non breaking space.

Escaped special characters: \sim , =, -, +, *, [,], <, >, {, }, \.

8 Related Works

8 Related Works

.....

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

8.1 Section title

8.1.1 Sub-section title

8.1.1.1 Sub-sub-section title

8.Sub-sub-sub-section title

8. Sub-sub-sub-section title

- List item 1.
- List item 2.

Paragraph contained in list item 2.

- Sub-list item 1.
- Sub-list item 2.
- List item 3. Force end of list:

```
Verbatim text not contained in list item 3
```

- 1. Numbered item 1.
 - A. Numbered item A.
 - B. Numbered item B.
- 2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text in a box

--- instead of +-- suppresses the box around verbatim text.

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

8 Related Works

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

8.2 ^L New page.

Italic font. Bold font. Monospaced font.

Anchor. Link to anchor. Link to http://www.pixware.fr. Link to showing alternate text. Link to Pixware home page.

Force line

break.

Non breaking space.

Escaped special characters: \sim , =, -, +, *, [,], <, >, {, }, \.

9 Benchmark

9 Benchmark

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

9.1 Section title

9.1.1 Sub-section title

- 9.1.1.1 Sub-sub-section title
- 9.Sub-sub-sub-section title
- 9. Sub-sub-sub-section title
 - List item 1.
 - List item 2.

Paragraph contained in list item 2.

- Sub-list item 1.
- Sub-list item 2.
- List item 3. Force end of list:

```
Verbatim text not contained in list item 3
```

- 1. Numbered item 1.
 - A. Numbered item A.
 - B. Numbered item B.
- 2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text in a box

--- instead of +-- suppresses the box around verbatim text.

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

9 Benchmark 18

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

9.2 ^L New page.

Italic font. Bold font. Monospaced font.

Anchor. Link to anchor. Link to http://www.pixware.fr. Link to showing alternate text. Link to Pixware home page.

Force line

break.

Non breaking space.

Escaped special characters: \sim , =, -, +, *, [,], <, >, {, }, \.

10 Snippets

10 Snippets

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

10.1 Section title

10.1.1 Sub-section title

10.1.1.1 Sub-sub-section title

10.Sub-sub-section title

10.Sub-sub-sub-section title

- List item 1.
- List item 2.

Paragraph contained in list item 2.

- Sub-list item 1.
- Sub-list item 2.
- List item 3. Force end of list:

```
Verbatim text not contained in list item 3
```

- 1. Numbered item 1.
 - A. Numbered item A.
 - B. Numbered item B.
- 2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text in a box

--- instead of +-- suppresses the box around verbatim text.

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

10 Snippets 20

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

10.2 ^L New page.

Italic font. Bold font. Monospaced font.

Anchor. Link to anchor. Link to http://www.pixware.fr. Link to showing alternate text. Link to Pixware home page.

Force line

break.

Non breaking space.

Escaped special characters: \sim , =, -, +, *, [,], <, >, {, }, \.

11 FAQ 21

11 FAQ

11.1 Frequently Asked Questions

General

- 1. What is the difference between myn site and myn site:site?
- 2. How do I Integrate static (X)HTML pages into my Maven site?
- 3. How to include a custom Doxia module, like Twiki?
- 4. How can I validate my xdoc/fml source files?
- 5. How does the Site Plugin use the <url> element in the POM?

Specific issues

- 1. Why do my absolute links get translated into relative links?
- 2. Why don't the links between parent and child modules work when I run "mvn site"?
- 3. Can I use entities in xdoc/fml source files?

11.2 General

What is the difference between mvn site and mvn site:site?

mvn site

Calls the *site* **phase** of the site **lifecycle**. Full site lifecycle consists in the following life cycle phases: pre-site, site, post-site and site-deploy. See <u>Lifecycle Reference</u>. Then it calls plugin goals associated to pre-site and site phases.

mvn site:site

Calls the *site* **goal** of the site **plugin**. See <u>site:site</u>.

[top]

How do I Integrate static (X)HTML pages into my Maven site?

You can integrate your static pages by following these steps:

- Put your static pages in the resources directory, \${basedir}/src/site/resources
- Create your site.xml and put it in \${basedir}/src/site
- Link to the static pages by modifying the menu section, create items and map them to the filenames of the static pages

[top]

How to include a custom Doxia module, like Twiki?

The site plugin handles out-of-box apt, xdoc and fml formats. If you want to use a custom format like Twiki, Simple DocBook, or XHTML (or any other document format for which a doxia parser exists, see the list of Doxia Markup Languages), you need to specify the corresponding Doxia module dependency, e.g. for Twiki:

11 FAQ 22

```
ct>
  <build>
    <plugins>
      . . .
      <plugin>
        <groupId>org.apache.maven.plugins/groupId>
        <artifactId>maven-site-plugin</artifactId>
        <dependencies>
          <dependency>
            <groupId>org.apache.maven.doxia</groupId>
            <artifactId>doxia-module-twiki</artifactId>
            <version><!-- doxia version appropriate to the site plugin version</pre>
          </dependency>
        </dependencies>
      </plugin>
    </plugins>
  </build>
  . . .
</project>
```

Note that the doxia version has to be adjusted to the site-plugin version you are using, see the Migration Guide. In particular, for site plugin versions >=2.1 you need to use doxia >=1.1.

[top]

How can I validate my xdoc/fml source files?

Since version 2.1.1 of the Site Plugin, there is a validate configuration parameter that switches on xml validation (default is off). Note that in the current implementation of the parser used by Doxia, validation requires an independent parsing run, so that every source file is actually parsed twice when validation is switched on.

If validation is switched on, **all** xml source files need a correct schema and/or DTD definition. See the Doxia documentation on validating xdocs, and the schema definitions for xdoc and fml.

[top]

How does the Site Plugin use the <url> element in the POM?

The Site Plugin does not use the <url> element in the POM. The project URL is just a piece of information to let your users know where the project lives. Some other plugins (e.g. the project-info-report-plugin) may be used to present this information. If your project has a URL where the generated site is deployed, then put that URL into the <url> element. If the project's site is not deployed anywhere, then remove the <url> element from the POM.

On the other hand, the <distributionManagement.url> is used in a multi-module build to construct relative links between the generated sub-module sites. In a multi module build it is important for the parent and child modules to have **different** URLs. If they have the same URL, then links within the combined site will not work. Note that a proper URL **should** also be terminated by a slash ("/").

[top]

11.3 Specific issues

Why do my absolute links get translated into relative links?

This happens because the Site Plugin tries to make all URLs relative, when possible. If you have something like this defined in your pom.xml:

```
<url>http://www.your.site.com/</url>
```

and create links in your site.xml (just an example) like this:

```
<links>
  <item name="Your Site" href="http://www.your.site.com/"/>
  <item name="Maven 2" href="http://maven.apache.org/maven2/"/>
</links>
```

You will see that the link to "Your site" will be a relative one, but that the link to "Maven 2" will be an absolute link.

There is an issue for this in JIRA, where you can read more about this.

[top]

Why don't the links between parent and child modules work when I run "mvn site"?

What "mvn site" will do for you, in a multi-project build, is to run "mvn site" for the parent and all its modules **individually**. The links between parent and child will **not** work here. They **will** however work when you deploy the site.

If you want to test this, prior to deployment, you can run the site:stage goal as described in the usage documentation instead.

[top]

Can I use entities in xdoc/fml source files?

Yes. Entity resolution has been added in Doxia version 1.1, available in Site Plugin 2.1 and later.

There is a catch however. In the current implementation (as of maven-site-plugin-2.1.1), entities are only resolved by an independent validation run. Therefore, if you want to use entities, you have to switch on validation for your xml source files. See MSITE-483.

[top]