
proobjectlink-jpi-tuprolog
v. 1.0.0
User Guide

Table of Contents

1. Table of Contents	i
2. What Is	1
3. Overview	3
4. Getting Started	5
5. Built-in Predicates	7
6. Bidirectional Interface	9
7. Development Tools	11
8. Contribution	13
9. Related Works	15
10. Benchmark	17
11. Snippets	19
12. FAQ	21

1 What Is

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

1.1 Section title

1.1.1 Sub-section title

1.1.1.1 Sub-sub-section title

1.Sub-sub-sub-section title

1.Sub-sub-sub-sub-section title

- List item 1.
- List item 2.
Paragraph contained in list item 2.
 - Sub-list item 1.
 - Sub-list item 2.
- List item 3. Force end of list:

Verbatim text not contained in list item 3

1. Numbered item 1.

A.Numbered item A.

B.Numbered item B.

2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text
in a box

--- instead of +-+ suppresses the box around verbatim text.

Figure caption

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

1.2 ^L New page.

Italic font. **Bold** font. Monospaced font.

Anchor. Link to [anchor](#). Link to <http://www.pixware.fr>. Link to [showing alternate text](#). Link to [Pixware home page](#).

Force line
break.

Non breaking space.

Escaped special characters: ~, =, -, +, *, [,], <, >, {, }, \.

Copyright symbol: ©, ©, ©.

2 Overview

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

2.1 Section title

2.1.1 Sub-section title

2.1.1.1 Sub-sub-section title

2.Sub-sub-sub-section title

2.Sub-sub-sub-sub-section title

- List item 1.
- List item 2.
Paragraph contained in list item 2.
 - Sub-list item 1.
 - Sub-list item 2.
- List item 3. Force end of list:

Verbatim text not contained in list item 3

1. Numbered item 1.

A.Numbered item A.

B.Numbered item B.

2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text
in a box

--- instead of +- suppresses the box around verbatim text.

Figure caption

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

2.2 ^L New page.

Italic font. **Bold** font. Monospaced font.

Anchor. Link to [anchor](#). Link to <http://www.pixware.fr>. Link to [showing alternate text](#). Link to [Pixware home page](#).

Force line
break.

Non breaking space.

Escaped special characters: ~, =, -, +, *, [,], <, >, {, }, \.

Copyright symbol: ©, ©, ©.

3 Getting Started

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

3.1 Section title

3.1.1 Sub-section title

3.1.1.1 Sub-sub-section title

3.Sub-sub-sub-section title

3.Sub-sub-sub-sub-section title

- List item 1.
- List item 2.
Paragraph contained in list item 2.
 - Sub-list item 1.
 - Sub-list item 2.
- List item 3. Force end of list:

Verbatim text not contained in list item 3

1. Numbered item 1.

A.Numbered item A.

B.Numbered item B.

2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text
in a box

--- instead of +- suppresses the box around verbatim text.

Figure caption

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

3.2 ^L New page.

Italic font. **Bold** font. Monospaced font.

Anchor. Link to [anchor](#). Link to <http://www.pixware.fr>. Link to [showing alternate text](#). Link to [Pixware home page](#).

Force line
break.

Non breaking space.

Escaped special characters: ~, =, -, +, *, [,], <, >, {, }, \.

Copyright symbol: ©, ©, ©.

4 Built-in Predicates

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

4.1 Section title

4.1.1 Sub-section title

4.1.1.1 Sub-sub-section title

4.Sub-sub-sub-section title

4.Sub-sub-sub-sub-section title

- List item 1.
- List item 2.
Paragraph contained in list item 2.
 - Sub-list item 1.
 - Sub-list item 2.
- List item 3. Force end of list:

Verbatim text not contained in list item 3

1. Numbered item 1.

A.Numbered item A.

B.Numbered item B.

2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text
in a box

--- instead of +- suppresses the box around verbatim text.

Figure caption

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

4.2 ^L New page.

Italic font. **Bold** font. Monospaced font.

Anchor. Link to [anchor](#). Link to <http://www.pixware.fr>. Link to [showing alternate text](#). Link to [Pixware home page](#).

Force line
break.

Non breaking space.

Escaped special characters: ~, =, -, +, *, [,], <, >, {, }, \.

Copyright symbol: ©, ©, ©.

5 Bidirectional Interface

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

5.1 Section title

5.1.1 Sub-section title

5.1.1.1 Sub-sub-section title

5.Sub-sub-sub-section title

5.Sub-sub-sub-sub-section title

- List item 1.
- List item 2.
Paragraph contained in list item 2.
 - Sub-list item 1.
 - Sub-list item 2.
- List item 3. Force end of list:

Verbatim text not contained in list item 3

1. Numbered item 1.

A.Numbered item A.

B.Numbered item B.

2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text
in a box

--- instead of +-- suppresses the box around verbatim text.

Figure caption

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

5.2 ^L New page.

Italic font. **Bold** font. Monospaced font.

Anchor. Link to [anchor](#). Link to <http://www.pixware.fr>. Link to [showing alternate text](#). Link to [Pixware home page](#).

Force line
break.

Non breaking space.

Escaped special characters: ~, =, -, +, *, [,], <, >, {, }, \.

Copyright symbol: ©, ©, ©.

6 Development Tools

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

6.1 Section title

6.1.1 Sub-section title

6.1.1.1 Sub-sub-section title

6.Sub-sub-sub-section title

6.Sub-sub-sub-sub-section title

- List item 1.
- List item 2.
Paragraph contained in list item 2.
 - Sub-list item 1.
 - Sub-list item 2.
- List item 3. Force end of list:

Verbatim text not contained in list item 3

1. Numbered item 1.

A.Numbered item A.

B.Numbered item B.

2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text
in a box

--- instead of +++ suppresses the box around verbatim text.

Figure caption

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

6.2 ^L New page.

Italic font. **Bold** font. Monospaced font.

Anchor. Link to [anchor](#). Link to <http://www.pixware.fr>. Link to [showing alternate text](#). Link to [Pixware home page](#).

Force line
break.

Non breaking space.

Escaped special characters: ~, =, -, +, *, [,], <, >, {, }, \.

Copyright symbol: ©, ©, ©.

7 Contribution

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

7.1 Section title

7.1.1 Sub-section title

7.1.1.1 Sub-sub-section title

7.Sub-sub-sub-section title

7.Sub-sub-sub-sub-section title

- List item 1.
- List item 2.
Paragraph contained in list item 2.
 - Sub-list item 1.
 - Sub-list item 2.
- List item 3. Force end of list:

Verbatim text not contained in list item 3

1. Numbered item 1.

A.Numbered item A.

B.Numbered item B.

2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text
in a box

--- instead of +--- suppresses the box around verbatim text.

Figure caption

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

7.2 ^L New page.

Italic font. **Bold** font. Monospaced font.

Anchor. Link to [anchor](#). Link to <http://www.pixware.fr>. Link to [showing alternate text](#). Link to [Pixware home page](#).

Force line
break.

Non breaking space.

Escaped special characters: ~, =, -, +, *, [,], <, >, {, }, \.

Copyright symbol: ©, ©, ©.

8 Related Works

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

8.1 Section title

8.1.1 Sub-section title

8.1.1.1 Sub-sub-section title

8.Sub-sub-sub-section title

8.Sub-sub-sub-sub-section title

- List item 1.
- List item 2.
Paragraph contained in list item 2.
 - Sub-list item 1.
 - Sub-list item 2.
- List item 3. Force end of list:

Verbatim text not contained in list item 3

1. Numbered item 1.

A.Numbered item A.

B.Numbered item B.

2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text
in a box

--- instead of +- suppresses the box around verbatim text.

Figure caption

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

8.2 ^L New page.

Italic font. **Bold** font. Monospaced font.

Anchor. Link to [anchor](#). Link to <http://www.pixware.fr>. Link to [showing alternate text](#). Link to [Pixware home page](#).

Force line
break.

Non breaking space.

Escaped special characters: ~, =, -, +, *, [,], <, >, {, }, \.

Copyright symbol: ©, ©, ©.

9 Benchmark

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

9.1 Section title

9.1.1 Sub-section title

9.1.1.1 Sub-sub-section title

9.Sub-sub-sub-section title

9.Sub-sub-sub-sub-section title

- List item 1.
- List item 2.
Paragraph contained in list item 2.
 - Sub-list item 1.
 - Sub-list item 2.
- List item 3. Force end of list:

Verbatim text not contained in list item 3

1. Numbered item 1.

A.Numbered item A.

B.Numbered item B.

2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text
in a box

--- instead of +--- suppresses the box around verbatim text.

Figure caption

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

9.2 ^L New page.

Italic font. **Bold** font. Monospaced font.

Anchor. Link to [anchor](#). Link to <http://www.pixware.fr>. Link to [showing alternate text](#). Link to [Pixware home page](#).

Force line
break.

Non breaking space.

Escaped special characters: ~, =, -, +, *, [,], <, >, {, }, \.

Copyright symbol: ©, ©, ©.

10 Snippets

Paragraph 1, line 1. Paragraph 1, line 2.

Paragraph 2, line 1. Paragraph 2, line 2.

10.1 Section title

10.1.1 Sub-section title

10.1.1.1 Sub-sub-section title

10.Sub-sub-sub-section title

10.Sub-sub-sub-sub-section title

- List item 1.
- List item 2.
Paragraph contained in list item 2.
 - Sub-list item 1.
 - Sub-list item 2.
- List item 3. Force end of list:

Verbatim text not contained in list item 3

1. Numbered item 1.

A.Numbered item A.

B.Numbered item B.

2. Numbered item 2.

List numbering schemes: [[1]], [[a]], [[A]], [[i]], [[I]].

Defined term 1

of definition list.

Defined term 2

of definition list.

Verbatim text
in a box

--- instead of +- suppresses the box around verbatim text.

Figure caption

Centered cell 1,1	Left-aligned cell 1,2	Right-aligned cell 1,3
cell 2,1	cell 2,2	cell 2,3

Table caption

No grid, no caption:

cell	cell
cell	cell

Horizontal line:

10.2 ^L New page.

Italic font. **Bold font.** Monospaced font.

Anchor. Link to [anchor](#). Link to <http://www.pixware.fr>. Link to [showing alternate text](#). Link to [Pixware home page](#).

Force line
break.

Non breaking space.

Escaped special characters: ~, =, -, +, *, [,], <, >, {, }, \.

Copyright symbol: ©, ©, ©.

11 FAQ

11.1 Frequently Asked Questions

General

1. [What is the difference between `mvn site` and `mvn site:site`?](#)
2. [How do I Integrate static \(X\)HTML pages into my Maven site?](#)
3. [How to include a custom Doxia module, like Twiki?](#)
4. [How can I validate my xdoc/fml source files?](#)
5. [How does the Site Plugin use the `<url>` element in the POM?](#)

Specific issues

1. [Why do my absolute links get translated into relative links?](#)
2. [Why don't the links between parent and child modules work when I run "`mvn site`"?](#)
3. [Can I use entities in xdoc/fml source files?](#)

11.2 General

What is the difference between `mvn site` and `mvn site:site`?

`mvn site`

Calls the *site* **phase** of the site **lifecycle**. Full site lifecycle consists in the following life cycle phases: `pre-site`, `site`, `post-site` and `site-deploy`. See [Lifecycle Reference](#). Then it calls plugin goals associated to `pre-site` and `site` phases.

`mvn site:site`

Calls the *site* **goal** of the site **plugin**. See [site:site](#).

[\[top\]](#)

How do I Integrate static (X)HTML pages into my Maven site?

You can integrate your static pages by following these steps:

- Put your static pages in the resources directory, `${basedir}/src/site/resources`
- Create your `site.xml` and put it in `${basedir}/src/site`
- Link to the static pages by modifying the menu section, create items and map them to the filenames of the static pages

[\[top\]](#)

How to include a custom Doxia module, like Twiki?

The site plugin handles out-of-box apt, xdoc and fml formats. If you want to use a custom format like Twiki, Simple DocBook, or XHTML (or any other document format for which a doxia parser exists, see the list of [Doxia Markup Languages](#)), you need to specify the corresponding Doxia module dependency, e.g. for Twiki:

```

<project>
  ...
  <build>
    <plugins>
      ...
      <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-site-plugin</artifactId>
        <dependencies>
          <dependency>
            <groupId>org.apache.maven.doxia</groupId>
            <artifactId>doxia-module-twiki</artifactId>
            <version><!-- doxia version appropriate to the site plugin version -->
          </dependency>
        </dependencies>
      </plugin>
    </plugins>
  </build>
  ...
</project>

```

Note that the doxia version has to be adjusted to the site-plugin version you are using, see the [Migration Guide](#). In particular, for site plugin versions `>=2.1` you need to use doxia `>=1.1`.

[\[top\]](#)

How can I validate my xdoc/fml source files?

Since version 2.1.1 of the Site Plugin, there is a `validate` configuration parameter that switches on xml validation (default is off). Note that in the current implementation of the parser used by Doxia, validation requires an independent parsing run, so that every source file is actually parsed twice when validation is switched on.

If validation is switched on, **all** xml source files need a correct schema and/or DTD definition. See the Doxia documentation on [validating xdocs](#), and the schema definitions for [xdoc](#) and [fml](#).

[\[top\]](#)

How does the Site Plugin use the <url> element in the POM?

The Site Plugin does not use the `<url>` element in the POM. The project URL is just a piece of information to let your users know where the project lives. Some other plugins (e.g. the `project-info-report-plugin`) may be used to present this information. If your project has a URL where the generated site is deployed, then put that URL into the `<url>` element. If the project's site is not deployed anywhere, then remove the `<url>` element from the POM.

On the other hand, the `<distributionManagement.url>` is used in a multi-module build to construct relative links between the generated sub-module sites. In a multi module build it is important for the parent and child modules to have **different** URLs. If they have the same URL, then links within the combined site will not work. Note that a proper URL **should** also be terminated by a slash (`"/`).

[\[top\]](#)

11.3 Specific issues

Why do my absolute links get translated into relative links?

This happens because the Site Plugin tries to make all URLs relative, when possible. If you have something like this defined in your `pom.xml`:

```
<url>http://www.your.site.com/</url>
```

and create links in your `site.xml` (just an example) like this:

```
<links>
  <item name="Your Site" href="http://www.your.site.com/" />
  <item name="Maven 2" href="http://maven.apache.org/maven2/" />
</links>
```

You will see that the link to "Your site" will be a relative one, but that the link to "Maven 2" will be an absolute link.

There is an [issue for this in JIRA](#), where you can read more about this.

[\[top\]](#)

Why don't the links between parent and child modules work when I run "mvn site"?

What "mvn site" will do for you, in a multi-project build, is to run "mvn site" for the parent and all its modules **individually**. The links between parent and child will **not** work here. They **will** however work when you deploy the site.

If you want to test this, prior to deployment, you can run the `site:stage` goal as described in the [usage documentation](#) instead.

[\[top\]](#)

Can I use entities in xdoc/fml source files?

Yes. Entity resolution has been added in Doxia version 1.1, available in Site Plugin 2.1 and later.

There is a catch however. In the current implementation (as of maven-site-plugin-2.1.1), entities are only resolved by an independent [validation](#) run. Therefore, if you want to use entities, you **have** to switch on validation for your xml source files. See [MSITE-483](#).

[\[top\]](#)