Alpine Fly Bait

Indoor outdoor, near field attractant. For flies!!!

1. Identification

Product identifier used on the label

PT Alpine Pressurized Fly Bait

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, insecticide

*The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF Canada Inc.
100 Milverton Drive
Mississauga, ON L5R 4H1, CANADA

Contact address:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932
USA
Telephone: +1 973 245-6000

Emergency telephone number

24HourEmergencyResponseInformation
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:	640597
EPA Registration number:	499-568
Synonyms:	Dinotefuran

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Flam. Liq.	1 2 3 (Vapours may	Flammable liquids
Skin Corr./Irrit.	cause drowsiness and	Skin corrosion/irritation
STOT SE		Specific target organ toxicity — single exposure

dizziness.)

Aquatic Acute	3 3 2	Hazardous to the aquatic environment - acute
Aquatic Chronic		Hazardous to the aquatic environment - chronic
Flam. Aerosol		Flammable aerosols

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:

H224	Extremely flammable liquid and vapour.
H223	Flammable aerosol.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	
P243	Wear protective gloves and eye protection or face protection.
P271	Take action to prevent static discharges.
P273	Use only outdoors or in a well-ventilated area.
P261	Avoid release to the environment.
P241	Avoid breathing mist or vapour or spray.
P211	Use explosion-proof electrical, ventilating and lighting equipment.
P251	Do not spray on an open flame or other ignition source.
P240	Do not pierce or burn, even after use.
P242	Ground and bond container and receiving equipment.
P264	Use only non-sparking tools.
	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P303 + P361 + P353	IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304 + P340 P332 + P313	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P370 + P378 P362 + P364	If skin irritation occurs: Get medical attention.
	In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.
	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P233	Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P410 + P412 P405	Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.
	Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Dinotefuran
CAS Number: 165252-70-0
Content (W/W): 1.0 %
Synonym: Dinotefuran

dimethyl ether
CAS Number: 115-10-6
Content (W/W): 10.0 - 15.0%
Synonym: Dimethyl ether

Acetone
CAS Number: 67-64-1
Content (W/W): 25.0 - 50.0%
Synonym: Acetone

4. First-Aid Measures

Description of first aid measures

General advice:
First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

If on skin:
Wash thoroughly with soap and water

If in eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician
Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, nitrogen oxides, sodium oxides
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Protective equipmentforfire-fighting:
Wear self-containedbreathing apparatus and chemical-protective clothing.

Furtherinformation:
Keep containers coolbyspraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collectcontaminated extinguishing water separately, do not allow to reach sewage or effluent systems.Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

Do not apply in the open – cover bait points or use bait boxes. If dead and/or dying rats or mice are found during and after the control program, these must be cleared away immediately in order to avoid secondary poisoning phenomena.

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Odour-sensitive: Segregate from products releasing odours.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.
Protect from temperatures above: 130 °F
Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupationalexposurelimits

Acetone	ACGIH, US:	TWAvalue 250 ppm ;
	ACGIH, US:	STELvalue 500 ppm ;
	OSHA Z1:	PEL1,000 ppm 2,400 mg/m3 ;
	OSHA Z1A:	STELvalue 1,000 ppm 2,400 mg/m3;
	OSHA Z1A:	TWAvalue 750 ppm 1,800 mg/m3;

Adviceon system design:
Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protectionifventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulaterespirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous toLifeor Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escapeprovisions.

Hand protection:
Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:
Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	aerosol	
Odour:	of acetone	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	pale straw yellow	
pH value:	approx. 8 - 10 (1 %(m), 25 °C)	
Melting temperature:	The product has not been tested.	
Boiling point:	-23.7 °C	
Flash point:	Information applies to the solvent.	
	-41 °C	
Flammability:	Information applies to the solvent.	
Flammability of Aerosol Products:	Extremely flammable.	
NFPA 30B flammability:	17.78 cm	(ASTM D 3065)
Lower explosion limit:	no flashback	
	Level 1 Aerosol	
Upper explosion limit:	3.3 %(V)	
	Information applies to the solvent.	
Autoignition:	26.2 %(V)	
	Information applies to the solvent.	
Vapour pressure:	350 °C	
	Information applies to the solvent.	
	approx. 5100 hPa (20 °C)	
	Information applies to the solvent.	
Density: Vapour density:	approx. 1.00 g/cm3 (20 °C)	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
	The statements are based on the properties of the individual components.	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	approx. 2.34 mPa.s (20 °C)	
Solubility in water:	dispersible	
Evaporation rate:	not applicable	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.
Oxidizing properties:
Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid
See SDS section 7 - Handling and storage.

Incompatible materials
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products
Decomposition products:
Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.
Thermal decomposition:
No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.
Oral
Type of value: LD50
Species: rat (female)
Value: > 5,000 mg/kg (OECD Guideline 425)
No mortality was observed.
Inhalation
Type of value: LC50
Species: rat (male/female)
Value: > 5.09 mg/l (OECD Guideline 403)
Exposure time: 4 h
No mortality was observed.

Dermal

Type of value: LD50
Species: rat (male/female)
Value: > 5,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Assessment other acute effects

Assessment of STOT single:
Possible narcotic effects (drowsiness or dizziness).

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the eyes. Not irritating to the skin.

Skin

Species: rabbit
Result: non-irritant
Method: OECD Guideline 404

Eye

Species: rabbit
Result: non-irritant
Method: OECD Guideline 405

Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Buehler test

Species: guinea pig
Result: Skin sensitizing effects were not observed in animal studies.
Method: OECD Guideline 406

Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.
Information on: Acetone
Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage

to thekidneyafter repeated ingestion of high doses, as shown in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetone

Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to thetestes after repeated high exposures thatcauseother toxiceffects.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.
Has a degreasing effect on skin.

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
Harmful to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from the properties of the individual components.
Toxicity to fish
Information on: Dinotefuran technical
LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss
LC50 (96 h) > 100 mg/l, Cyprinus carpio

Aquatic invertebrates

Information on: Dinotefuran technical
EC50 (48 h) > 1,000 mg/l, Daphnia magna
EC50 (96 h) 0.79mg/l,Mysidopsis bahia

Aquatic plants

Information on: Dinotefuran technical

EC50(72h) 97.6mg/l(biomass),Pseudokirchneriella subcapitata

Chronic toxicity to aquatic invertebrates

Information on: Dinotefuran technical
No observed effect concentration 0.089 mg/l, Mysidopsis bahia

---

Assessment of terrestrial toxicity

Hazardous to birds and mammals.

Persistence and degradability

Assessment biodegradation and elimination (H2O)
The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Dinotefuran technical

Notreadily biodegradable(by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential
The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Dinotefuran technical

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to beexpected.

Mobility in soil

Assessment transport between environmental compartments
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dinotefuran technical
Following exposure to soil, the product trickles away and can - dependant on degradation - be transportedtodeeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice:
Must not be discharged into the environment.

13. Disposal considerations

Waste disposalof substance:
Pesticide wastes are regulated.Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:
Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport
USDOT

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AERO SOL S

Seatransport
IMDG

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Marine pollutant:	NO
Proper shipping name:	AEROSOLS (contains DIMETHYLETHER, ACETONE/DIMETHYLKETONE)

Air transport
IATA/ICAO

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS, FLAMMABLE

Furtherinformation
This product may be classified as limited quantity in selected package sizes.

15. Regulatory Information

Federal Regulations

Registrationstatus:

Crop Protection	TSCA, US	released / exempt
Chemical	TSCA, US	blocked / not listed

EPCRA311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

CERCLARQ	CASNumber	Chemicalname
5000 LBS	67-64-1	Acetone
100 LBS	115-10-6	dimethyl ether

State regulations

State RTK	CASNumber	Chemicalname
PA	67-64-1	Acetone
	115-10-6	dimethyl ether
MA	67-64-1	Acetone
	115-10-6	dimethyl ether
NJ	67-64-1	Acetone
	115-10-6	dimethyl ether

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.
CAUTION:
KEEP OUT OF REACH OF CHILDREN.
Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Preparedby:
BASF NA Product Regulations
SDS Prepared on: 2021/04/27

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET