**Name: Promod Chandra Das, ID: 231002005, Batch: 231, Section: 231 D2**

**1.Input: Script:  Border Properties Example**

---

```
<!DOCTYPE html>  <html lang="en">

<head>  <meta charset="UTF-8">

 <meta name="viewport" content="width=device-width, initial-scale=1.0">

 <title>Border Properties Example</title>

  <style> body { font-family: Arial, sans-serif;  margin: 20px; }

 h1 { color: #333; } .example { margin-bottom: 30px; padding: 20px;  border: 1px solid #ddd;  background-color: #f9f9f9;  }

  .border-example { border: 2px solid #000; border-bottom: 3px dashed #f00; border-left: 4px dotted #00f; border-right: 5px double
#0f0; border-top: 6px groove #f0f; }  </style> </head> <body> <h1>Border Properties Example</h1>  <div class="example">

 <h2>Border Properties</h2> <div class="border-example">

  <p> Promod Chandra Das, Dept Of Computer science of Engineering , Green Univerity Of Bangladesh, 3rd Year Student. Thank
You Everyone……….…………….…………………………….………….! </p> </div>  </div> </body> </html>
```

**Output:**

---



**2.Input: Script: Padding Properties:**

---

```
<!DOCTYPE html> <html lang="en">
<head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Padding Properties Example</title> <style> body { font-family: Arial, sans-serif; margin: 20px; }
 h1 { color: #333; } .example { margin-bottom: 30px; padding: 20px;  border: 1px solid #ddd; background-color: #f9f9f9;  }
.padding-example {
        padding: 20px;
        padding-bottom: 30px;
        padding-left: 40px;
        padding-right: 50px;
        padding-top: 60px;
        border: 1px solid #ccc;
        background-color: #e9e9e9;
```

```
        }
    </style>
</head>
<body>

    <h1>Padding Properties Example</h1>

    <div class="example">
        <h2>Padding Properties</h2>
        <div class="padding-example">
            <p>Promod Chandra Das, Dept Of Computer science of Engineering , Green Univerity Of Bangladesh, 3rd Year Student.
Thank You EveryOne .</p>
        </div>
    </div>

</body>
</html>
```

**Output**:

---

**Padding Properties Example**

**Padding Properties**

Promod Chandra Das, Dept Of Computer science of
Engineering , Green Univerity Of Bangladesh, 3rd Year Student.
Thank You EveryOne .

## 3. Input: Script: - Margin Properties

---

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Margin Properties Example</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            margin: 20px;
        }

        h1 {
            color: #333;
        }

        .example {
            margin-bottom: 30px;
            padding: 20px;
            border: 1px solid #ddd;
            background-color: #f9f9f9;
        }

        .margin-example {
            margin: 20px;
            margin-bottom: 30px;
            margin-left: 40px;
```

```
                margin-right: 50px;
                margin-top: 60px;
                border: 1px solid #bbb;
                background-color: #d9d9d9;
                padding: 15px;
            }
        </style>
    </head>
    <body>

        <h1>Margin Properties Example</h1>

        <div class="example">
            <h2>Margin Properties</h2>
            <div class="margin-example">
                <p> Promod Chandra Das, Dept Of Computer science of Engineering , Green Univerity Of Bangladesh, 3rd Year Student.
Thank You EveryOne ...............................................................................!.</p>
            </div>
        </div>

    </body>
</html>
```

**Output:**

---

## Margin Properties Example

### Margin Properties

Promod Chandra Das, Dept Of Computer science of
Engineering , Green Univerity Of Bangladesh, 3rd Year
Student. Thank You EveryOne
...............................................................................!.