Plastic Processing And Recycling Machines

DHARAM ENGG WORK

Manufacturer & Exporters of
All kinds of Latest Technology Plastic Processing Machinery











Complete Extrusion Line:
DHARAM ENGG WORK
Products Export quality Machine with
Innovative Style for High Production Less Power

Your Partner in Extrusion
DHARAM ENGG WORK
A trusted name World wide for Quality since 1979

About us

Dharam Engg Work was established in 1979. Our manufacturing unit is located in Wazirpur Industrial Area, New Delhi. Our Director Sh. Dharam Jit Singh has over 40 years of experience in designing and manufacturing Plastic Processing Machine. We manufacture Plastic Granule Machine, HDPE Pipe Machine, PVC Rigid Pipe Machine, LDPE Pipe Machine, Washing Line Fully Automatic, Agricultural Pipe Machine, Garden Pipe Machine, Sutli Machine, Tarpaulin Plant, Scrap Grinder Mixture Machine, Slow Speed, Dryer and Other Plastic Machinery. These are manufactured at our manufacturing unit under the supervision of highly qualified and skilled/trained technicians. We are specialist in Recycling Machine. One of the greatest achievement of our company is of manufacturing fully automatic machinery line, considered to be the first of its kind in India.

For the past few years, our company is being considered as a trusted name in the field of manufacturing Plastic processing machinery. It is our endeavor to take utmost care of our customer's expectations. Our esteemed customers are spread across all over India, We also export or machinery to South Africa, Nepal, Bangladesh, Nigeria, Oman, Saudi Arabia, Iran, Dubai etc. In the future, we will continue to improve and innovate our products through learning from customer's suggestion and feedback

KEY AREAS WHICH ARE TAKEN CARE OF ARE

Quality Policy ● Optimized design
Better quality products ● Better after sales service
Fast responses to customers ● Quality at no extra cost

Our Exhibitions



DHARAM ENGG WORK
DELHI



DHARAM ENGG WORK
MUMBAI



DHARAM ENGG WORK
HE-D1-3, MUMBAI




DHARAM ENGG WORK
NEPAL



DHARAM ENGG WORK
HYDERABAD



DHARAM ENGG WORK
GUJRAT



DHARAM ENGG WORK
KOLKATA



DHARAM ENGG WORK
OMAN



DHARAM ENGG WORK
HYDERABAD

DESCRIPTION FOR VENTED GRANULE MACHINE


MODEL	Main Motor HP	Screw Dia (MM)	Max Output Kg/Hr
DEW 100	40	100	150
DEW 110	50	110	200
DEW 120	75	120	250
DEW 130	100	130	300
DEW 140	125	140	400



VENTED EXTRUDERS GRANULE MACHINE



AIR KNIFE




DESCRIPTION FOR TWO STAGE GRANULE MACHINE

MODEL	Main Motor HP	Screw Dia (MM)	Max Output Kg/Hr
DEW 100-100	40-20	100-100	175
DEW 110-110	50-25	110-110	200
DEW 120-120	75-30	120-120	250-300
DEW 130-150	100-40	130-130	300-400



TWO STAGE GRANULE MACHINE



TWO STAGE GRANULE MACHINE WITH DIE PHASE CUTTER

GRANULE MACHINE WITH DIE PHASE CUTTER



DESCRIPTION FOR GRANULE MACHINE FOR THERMOCOL & EPS RECYCLING

MODEL	Main Motor HP	Screw Dia (MM)	Max Output Kg/Hr
DEW 200-100	50-25	200-100	150

GRANULE MACHINE FOR THERMOCOL & EPS RECYCLING



MIXTURE MACHINE

DESCRIPTION FOR MIXTURE MACHINE

MODEL	Dimension INCH	Main Motor	Max Output Kg/Hr.
DEW M 25	20 x 20	10	100
DEW M 50	24 x 26	25	200
DEW M 100	30 x 30	50	350
DEW M 150	32 x 32	75	500



AGGLOMERATOR



DESCRIPTION FOR AGGLOMERARAOR

MODEL	Main Motor HP	Dimension Inch	Max Output Kg/Hr
DEW AR 20	25	20 x 32	75
DEW AR 40	40	24 x 34	150
DEW AR 60	75	28 x 34	250
DEW AR 80	100	32 x 34	350

SLOW SPEED MIXTURE
600 KG CAPACITY WITH 25HP MOTOR



CAST WASHING MACHINE

DESCRIPTION FOR CAST WASHING MACHINE

Size in Feet	Capacity Kg/hr	Motor HP
3	400Kg	20
4	600Kg	30

DESCRIPTION FOR HYDRO

Size in Inch	Capacity Kg/hr	Motor HP
18	200Kg	2
24	400Kg	5
30	600Kg	7.5



HYDRO

DESCRIPTION FOR GRINDER MACHINE / CRUSHER

MODEL	Main Motor HP	Blade Size Inch	Max Output Kg/Hr
DEW 18"	25	18"x7"	350
DEW 24"	30	24"x9"	600



BLADE SHAPNER



GRINDER MACHINE



AUTOMATIC WASHING LINE

DESCRIPTION FOR WASHING LINE & DRYING UNIT

MODEL	Main Motor HP	Dimension Feet	Max Output Kg/Hr.
Water Washing	3	4x12	400-600
Dew Scarp Water Separator	15	1.5x1.5x6	1000 KG
Castic Washing	25	4'x4'	400



WATER SCRAP SEPARATOR



DUST SEPARATOR PHADU/ DRY WASHING

DESCRIPTION FOR DUST SEPARATOR

Size in Feet	Capacity Kg/hr	Motor HP
3 Feet	500 Kg	15
4 Feet	750 Kg	20





PVC PIPE MACHINE

DESCRIPTION FOR PVC PIPE MACHINE

MODEL	MAIN MOTOR HP	SCREW DIA mm	MAX OUTPUT Kg/hr.	PIPE SIZE mm
DEW 65	15	65	50	20 to 50
DEW 75	20	75	90	20 to 110
DEW 90	25	90	125	50 to 200




DANA MACHINE




JOCKEY MACHINE

DESCRIPTION FOR PVC GARDEN PIPE MACHINE

MODEL	MAIN MOTOR HP	SCREW DIA mm	MAX OUTPUT Kg/hr.	PIPE SIZE
DEW GP 65	15	65	65	6-40 mm
DEW GP 90	20	90	110	6-50 mm



PVC GARDEN PIPE MACHINE





SCRAP GRINDER MACHINE




DIE STEEL GRINDER D2 GRINDER

DESCRIPTION FOR D2 GRINDER

MODEL	Main Motor HP	Size	Max. Output Kg/Hr
DEW MO 9	5	9"	100
DEW MO 12	7.5	12"	150
DEW MO 18	15	18"	250
DEW MO 24	30	24"	400
DEW MO 28	40	28"	500
DEW MO 36	50	36"	1000



SCREW CONVEYOR MACHINE



BELT CONVEYOR MACHINE



SINGLE SHAFT SHREDDER



SINGLE SHREDDER



DOUBLE SHAFT SHREDDER



DOUBLE SHREDDER




AUTOMATIC HDPE PIPE MACHINE




TAKE UP

DESCRIPTION FOR HDPE PIPE MACHINE

MODEL	MAIN MOTOR HP	SCREW DIA mm	MAX OUTPUT Kg/hr.	PIPE SIZE mm
DEW 55	40	55	125	20 to 110
DEW 65	60	65	175	20 to 200
DEW 90	75	75	225	63 to 250



AGRICULTURE PIPE MACHINE
ABA TYPE / LDPE PIPE MACHINE





TAKE UP

MODEL	Dewcp 65	Dewcp 100
Screw Dia	65mm	100mm
Min. Pipe Size	2 inch	2 inch
Max Pipe Size	8 inch	8 inch
Max Out Put Kg/hr	15 Kg	90 Kg
Main Motor	15hp	30hp



SUCTION PIPE MACHINE

DESCRIPTION FOR PVC SUCTION HOSE PIPE MACHINE WITHOUT MIXTURE


PVC Suction Hose Pipe Plant Without Mixture	Kh/hr	Size range
40mm x 40mm pvc suction hose pipe plant	15kgs to 30Kgs/ hour	3/4" to 1 1/2"
45mmX50mm pvc suction hose pipe plant	15kg to 35kgs/hr	3/4"to 2"
50mm x 50mm pvc suction hose pipe plant	15 Kgs to 40 Kgs/hour	3/4"to 2"
65mm x50 mm pvc suction hose pipe plant	30Kgs to 70Kgs/hour	1" to 4"
65mm x65 mm pvc suction hose pipe plant	40 Kgs to 80 kgs/hour	2" to 6'
75mm x 65 mm pvc suction hose pipe plant	40 Kgs to 90 kgs/ hour	2' to 6"
75 mm x 75mm pvc suction hose pipe plant	40 Kgs to 125 kgs/hour	2.5" to 8"
75mm x90 mm pvc suction hose pipe plant	100 Kgs to 150 Kgs/hour	4" to 14'

DESCRIPTION FOR BREADED PIPE MACHINE

Models	Dewag 75 X 75
Extruder	75mm, 75mm
Main Motor	15 HP, 15HP
Heating Load	15 HP, 15HP
Barrel Blower Load	2 HP
Braided Machine	3 HP
Heating Chamber Load	5 Hp
Take-up	2 HP
Delivery take-up	1HP
Water Tank -2 set	10"x12"x135"
LD Ratio	25:1, 25:1
Installation area	60' x 25'
Pipe Rang	5mm to 50mm
Production Approx	110 Kg







BREADED PIPE MACHINE



DESCRIPTION FOR T DIE SHEET LINE MACHINE

MODEL	DEWCF-75	DEWCF-90
Screw Diameter	75mm	90MM
L/D	28:1	28:1
Rational speed of screw stem	10-120pm	50-100pm
Width of Die Head in feet	6	8
MAX OUTPUTKG/HR	125	200
Motor	20HP	25HP

EXTRUDER LAMINATION MACHINE



THREE LAYER TARPAULIN MACHINE




DESCRIPTION FOR TARPAULIN MACHINE

MODEL	Dew T-100	Dew T-115	Dew T-125
Screw Dia	100mm	115mm	125mm
Roll Size	100"	110"	150"
Die Size	24"	28"	36"
Film Size	7.5	9	12
Motor	25	30	40
Output Kg/Hr.	100	150	200



TARPAULIN PLANT



TWIN SCREW PIPE MACHINE



PVC VACUUM CALIBRATION TANK

DESCRIPTION FOR TWIN SCREW PIPE MACHINE

Model DEW TS	52 - 110	65 - 200	65 - 250	52 - 170
Extruder Drive (HP)	15	30	40	25
L/D Ratio	18:1	18:1	22:1	18:1
Output (kg/hr) Max.	100	200	250	150
Pipe Size (mm)	20 - 110	20 - 200	63 - 200	20-160




TAKE UP



AUTOMATIC CUTTER



SUTLI MACHINE



TAKE UP

DESCRIPTION FOR SUTLI MACHINE

MODEL	Dew sm 55	Dew sm 65	Dew sm 75
Screw Dia.	55mm	65mm	75mm
L/D Ratio	1:24	1:24	1:24
Size of T Die in inches	20	20	24
Cheese Winder	12	18	20
Total Connecting Load (HP)	30	40	50
Feeding Section	Smooth /Grooved	Smooth /Grooved	Smooth /Grooved



BOX STRAPPING MACHINE

DESCRIPTION FOR BOX STRAPPING MACHINE

PLANT MODEL	SCREW SIZE (MM)	STRAP SIZE (MM)	MAX PRODUCTION CAPACITY (KG/HR)	TOTAL CONNECTED LOAD (KW)
DEW 51	51	9, 12, 16	35	51
DEW 65	65	9, 12, 16, 19	60	77
DEW 75	75	9, 12, 16, 19	75	93




HOT AND COLD MIXTURE MACHINE

DESCRIPTION FOR HOT AND COLD MIXTURE MACHINE

SINGLE BATCH	40kg
DOUBLE BATCH	80kg

DESCRIPTION FOR LDPE FILM MACHINE

MODEL	Main Moter HP	SCREW DIA (MM)	Max Output Kg/Hr.	Max Film Size
Dew LD 45	10	45	40	15"
Dew LD 55	15	55	60	18"
Dew LD 65	20	65	80	24"



LDPE FILM MACHINE



HM MINI MACHINE

DESCRIPTION FOR HM MINI MACHINE

MODEL	Main Motor HP	SCREW DIA (MM)	Max Output Kg/Hr	Max Film Size
Dew Hm 45	2	35	7	10"

PIPE & RECYCLING EXTRUDERS

NOTES

WE HAVE EXPORTED MACHINE TO

- SOUTH AFRICA
- NIGERIA
- ETHOPIA
- DUBAI
- OMAN
- GHANNA
- KENYA
- BANGLADESH
- NEPAL
- SRILANKA
- WEST INDIES etc.

Plastic Processing And Recycling Machines

DHARAM ENGG WORK

Our Range of Product

GRANULE MACHINE • MIXTURE MACHINE • WASTE GRINDER • AGGLOMERATOR
WASHING MACHINE • D-WATERING MACHINE • (LD, HD, PP) BLOWN FILM PLANT
(LD, PVC, HD) PIPE PLANT • T-DIE SHEET PLANT

Contact us

Office

A-142
WAZIRPUR INDUSTRIAL AREA
NEAR SHALIMAR BAGH METRO STATION
NEW DELHI - 110052
(INDIA)

Mobile : +91-9891468647
+91-8882491280
+91-9312250313

E-mail :
dharamwork123@gmail.com
info@dharamenggwork.com

Visit us :
www.dharamenggwork.com

Contact Person
Rajan Kr Gogna

Designed & Printed by : Parveen # 9811664959