

The Pfizer mRNA vaccine is contaminated with the plasmid DNA vector that was used as the template for in vitro transcription reaction.

this DNA could be the cause of some of the rare but serious side effects like death from cardiac arrest.


The DNA can and likely will integrate into the genomes of transfected cells.

There is a very real hazard for genome modification of long-lived somatic cells, which could cause sustained autoimmune attack toward that tissue.


There is also a theoretical risk of future cancer, depending on the piece of DNA and site of integration.

Phillip Buckhaults, Ph.D.
Professor of Cancer Molecular Genetics
University of South Carolina

CENTRAL DOGMA



Pieces of DNA in two batches of Pfizer vaccine.
These are the batches that were given out here in Columbia.



the pieces of DNA are small and are likely to damage the human genome by integrating and becoming permanent mutations (like shotgun pellets hitting a washboard). its important to look at DNA taken from different body tissues of vaccinated people to see if this is happening and if it can be causing any adverse events now or if there is a future cancer risk down the road. **we should sequence a few hundred people and find out if this DNA ever got into the human genome.**

D04	HEX	Std-4	500/UL	33.09	500.00000				
C04	HEX	Std-4	500/UL	32.72	500.00000				
B04	HEX	Std-4	500/UL	32.74	500.00000				
A04	HEX	Std-4	500/UL	32.06	500.00000				
D01	HEX	Std-1	500K/UL	21.29	500000.00000				
A01	HEX	Std-1	500K/UL	21.16	500000.00000				
B01	HEX	Std-1	500K/UL	21.00	500000.00000				
C01	HEX	Std-1	500K/UL	21.37	500000.00000				
C02	HEX	Std-2	50K/UL	25.73	50000.00000				
D02	HEX	Std-2	50K/UL	25.99	50000.00000				
A02	HEX	Std-2	50K/UL	25.37	50000.00000				
B02	HEX	Std-2	50K/UL	25.11	50000.00000				
D03	HEX	Std-3	5K/UL	29.18	5000.00000				
C03	HEX	Std-3	5K/UL	29.20	5000.00000				
B03	HEX	Std-3	5K/UL	29.01	5000.00000				
A03	HEX	Std-3	5K/UL	29.05	5000.00000				
H01	HEX	Neg Ctrl-1	PBDNA	38.04	20.93826				
G01	HEX	Neg Ctrl-1	PBDNA	35.77	83.11986				
E01	HEX	Neg Ctrl-1	PBDNA	38.35	17.27277				
F01	HEX	Neg Ctrl-1	PBDNA	36.20	63.93365				
E02	HEX	Unkn-1	VAX EL9262 1:10	20.23	1044983.51741	8.34E+05	8.34E+06	2.50E+09	copies per dose of EL9262
H02	HEX	Unkn-1	VAX EL9262 1:10	21.08	625557.41373				
G02	HEX	Unkn-1	VAX EL9262 1:10	20.75	764646.91311				
F02	HEX	Unkn-1	VAX EL9262 1:10	20.47	901597.16023				
H03	HEX	Unkn-2	VAX EL9264 1:10	21.47	493431.78502	5.44E+05	5.44E+06	1.63E+09	copies per dose of EL9264
G03	HEX	Unkn-2	VAX EL9264 1:10	21.45	499366.36680				
F03	HEX	Unkn-2	VAX EL9264 1:10	21.33	535765.78281				
E03	HEX	Unkn-2	VAX EL9264 1:10	21.02	646250.79572				
F04	HEX	Neg Ctrl-2	WATER	36.02	71.45818				
E04	HEX	Neg Ctrl-2	WATER	37.21	34.70523				
G04	HEX	Neg Ctrl-2	WATER	36.54	51.94161				
H04	HEX	Neg Ctrl-2	WATER	36.34	58.80051				

There are about 2 billion copies of the fragment containing the origin of replication, and from nanopore sequence analysis, there is probably 50-100 times that many pieces of plasmid DNA derived from the entire vector.

This means each shot has about 200 billion pieces of plasmid DNA encapsulated in the lipid nanoparticle.

This is a bad idea.

Conclusions

We should check a bunch of vaccinated people to see if plasmid DNA has integrated into their genomic DNA.

We (you) should insist that the USFDA force Pfizer to get the DNA out of the booster and all future mRNA based vaccines.

The regulation that allowed the DNA to be there should be changed. It's a leftover from previous vaccines that contained only naked DNA. The mRNA vaccines have this DNA encapsulated in a lipid nanoparticle delivery system (trojan horse) and so the DNA is a far more serious issue.

20 Greek soldiers wandering around outside the walls of Troy are not a big deal.

20 Greek soldiers packed inside a large wooden horse are a different matter.**