

PR ORIGIN GLOBAL

GLOBAL EXPORT DIVISION

HIGH CARBON - ENERGY & SMELTING

COCONUT SHELL CHARCOAL

Delivering sustainable, high-performance biomass energy solutions to heavy industry worldwide.



FIXED CARBON > 75% | CALORIFIC: 7,200 - 7,500 KCAL/KG | ULTRA-LOW ASH < 3%

PREMIUM BIOMASS ENERGY

FOR HEAVY INDUSTRY

PR ORIGIN GLOBAL supplies industrial operators with clean-burning, high-calorific fractured lump charcoal and briquettes. Manufactured from 100% mature coconut shells, our charcoal is engineered to deliver sustained, extreme heat with minimal degradation. It serves as an optimal fuel and reducing agent for the global energy, metallurgy, and smelting sectors, outperforming traditional biomass alternatives.

Sustainably Sourced

Our raw materials are ethically harvested from the premier coconut-producing regions across India, Indonesia, and the Philippines. This strategic tropical sourcing ensures a continuous, high-volume supply chain of dense, fully mature shells.

Superior Integrity

Using fully mature shells translates directly into superior fixed carbon levels and exceptional structural integrity during both maritime transit and industrial combustion.

The PR Origin Advantage

- [v] Smokeless & Odor-Free:**
Advanced carbonization ensures a clean burn, improving operational safety and facility environmental compliance.
- [v] Ultra-Low Ash:**
Yielding less than 3% ash residue, our charcoal minimizes furnace clean-out downtime and maintains heat efficiency.
- [v] Sulfur-Free:**
Ideal for sensitive metallurgical smelting and alloy manufacturing where sulfur contamination must be strictly avoided.
- [v] High Thermal Efficiency:**
Exceptional calorific value maximizes energy output per metric ton, driving down operational fuel consumption.

REDUCING AGENT & HIGH-ENERGY BIOFUEL

By replacing fossil coal and metallurgical coke with carbon-neutral coconut shell charcoal, industrial processors achieve up to 85% reduction in lifecycle greenhouse gas emissions while preserving furnace refractory lifespans.

SPECIFICATIONS & FORMATS

Our coconut shell charcoal undergoes rigorous laboratory quality control to meet the demanding requirements of industrial buyers worldwide.

PARAMETER	GUARANTEED EXPORT VALUE	STANDARD TEST METHOD
Moisture Content	< 10%	ASTM D3173
Ash Residue	< 3%	ASTM D3174
Volatile Matter	12% - 15%	ASTM D3175
Fixed Carbon	75% - 85%	ASTM D3172
Calorific Value	7,200 - 7,500 kcal/kg	ASTM D5865
Sulfur Content	< 0.05% (Free)	ASTM D4239
Foreign Matter	Nil	Visual / Screen

Product Formats

[v] Natural Fractured Lumps:

Screened and graded to custom millimeter specifications to optimize airflow in industrial furnaces.

[v] Extruded Briquettes:

High-density, uniformly shaped briquettes for predictable, long-lasting thermal output and automated feeding systems.

Primary Applications

[v] Metallurgical Smelting:

Superior, reactive reducing agent for silicon, copper, steel, and precious metal smelting.

[v] Energy Generation:

High-calorific, low-ash fuel source for industrial boilers and kilns.

[v] Activated Carbon:

Naturally dense pore structure serves as the perfect precursor material.

EXPORT CAPABILITIES

We specialize in high-volume, continuous export shipments to industrial procurement divisions worldwide. Our logistics infrastructure ensures secure, moisture-controlled packaging and timely delivery to major global ports.

Seamless Global Logistics

- [v] Packaging Options:**
25kg/50kg heavy-duty PP woven bags, or 500kg/1000kg Jumbo FIBC bags. Inner moisture-proof PE liners included.
- [v] Container Loadability:**
20ft FCL: Approx. 17 - 18 MT 40ft HC FCL: Approx. 25 - 26 MT.
- [v] Incoterms Supported:**
FOB, CFR, CIF available upon request to any global discharge port.
- [v] Quality Assurance:**
Pre-shipment inspection by SGS or equivalent third-party testing agencies.

PR ORIGIN GLOBAL

FF 01, Paradise Complex, Kada Road
Visnagar, Gujarat, India

Contact: Yogesh Patel

WhatsApp: +91 97378 86587

Email: contact@proriginglobal.com

Next Steps for Procurement

1. Secure Your Forward Contract

Request a custom CFR/CIF quote tailored to your facility's annual tonnage requirements and specifications.

2. Require Laboratory Validation?

Order a commercial sample batch for independent testing and burn-analysis at your smelter.

3. Connect Directly

Message our Export Division on WhatsApp for live FOB pricing, lead times, and current port availability.