

# PROJECT TREE STRUCTURE

Root: C:\pd-speech-crosslingual

pd-speech-crosslingual/

```
.git/
├── gk/
│   └── config
├── hooks/
│   ├── applypatch-msg.sample
│   ├── commit-msg.sample
│   ├── fsmonitor-watchman.sample
│   ├── post-update.sample
│   ├── pre-applypatch.sample
│   ├── pre-commit.sample
│   ├── pre-merge-commit.sample
│   ├── pre-push.sample
│   ├── pre-rebase.sample
│   ├── pre-receive.sample
│   ├── prepare-commit-msg.sample
│   ├── push-to-checkout.sample
│   ├── sendemail-validate.sample
│   └── update.sample
├── info/
│   └── exclude
├── logs/
│   ├── refs/
│   │   ├── heads/
│   │   │   └── main
│   │   └── remotes/
│   │       └── origin/
│   │           └── main
│   └── HEAD
├── objects/
│   ├── 01/
│   │   └── d922f0c91ad61ec8d2e95a6b2a32d3eae103cb
│   ├── 02/
│   │   └── 0fb9a85c3f68b4e9e5cd73399715d9ec9b46c8
│   ├── 04/
│   │   ├── 12711515317903dd39cef5ad944ea312ec54a5
│   │   └── a86830325af42fa1fcf90df4d20ad38d7ccffa
│   ├── 05/
│   │   ├── 0a03d7289f1f405726c6b897ac2e0b607d98d0
│   │   └── 3fd247f7a51a838bcb03646e3912a5768c339e
│   ├── 06/
│   │   ├── 08b455eedba5f459a50e70608957c384ff2bb9
│   │   ├── 425498d9fad10e9c77647a9f8c561712eb4b4c
│   │   └── ed24c44cb8393350bcc73a2f7406942586bea7
│   ├── 07/
│   │   ├── b5bb6a45b3ffc2f72d038d1e59e2e9eb495df7
│   │   └── c9a9a96be1b139c81edc41afc77d8535332762
│   ├── 0a/
│   │   ├── 0a5207305f42129d12a096f7153311270a932c
│   │   ├── 449a01de0ec14d1e268cda92218be1750122af
│   │   └── dd69f44431920b9deea81bd5bdeb05d0368907
│   ├── 0b/
│   │   ├── 09917a454dde40326230677c65b63d745417e4
│   │   └── 589037715cf19875bfc9ddbeed6fe6cf17665e
│   ├── 0d/
│   │   └── 8b61f93fec4af1d4dae9018b8e9071f100635b
│   ├── 10/
│   │   └── e2052d0a848ea26c09122a5b9bcb6d3805fc72
│   ├── 12/
│   │   ├── 142d9f801972ddc0cefad5928eae44f8000547
│   │   ├── 32aabca72d849c2fa0aa11b238b9357b8fd351
│   │   └── 447ec311d7a8a612e1ca49c897fc020f966f30
│   ├── 13/
│   │   ├── 0685fb97cf4c4c4b9cfd1d807e1076af620763
│   │   └── d860c5fab8dd597468d5a51b68854f2c53ec79
│   ├── 14/
│   │   ├── 1f0e3d7c227a2fbf8bd6ab30c99a263fed9f07
│   │   └── b16cffe654635295aad17c8bb9c90841a224c1
│   ├── 16/
│   │   ├── 0134e5b701eb4bce2abc0afd917dbb39597abc
│   │   └── c02f90ced225a6badca6911e0a280a340f878c
│   ├── 17/
│   │   └── f3ee8f1d0ac450b81022e94c5cdaecf70d8a3d
│   ├── 18/
│   │   └── 6a784479aa139fb8d269e3a1b3664703cca40c
│   ├── 19/
│   │   ├── 2d45b1167401f79be4b97c9a524fa3a89e5a34
│   │   ├── 79cf8513b04e4d210d7cad9efb7d2bfd24ace1
│   │   └── 9b686346045cec27ae99131328bde297f3bea3
│   └── 1a/
```

└─ e38fdd737f355f73e983f916bc6ec901d2cdbe  
ea38d2c4a4a4dce3e9caaed200de92a4488e48  
1c/  
└─ 20d09c4723cc62f91605758c44b533fc3dc63b  
1f/  
└─ 5a02f5cb54ccceca7e198d576a0dbae2e6fb93  
b039a8268c1cb7625776700121abfb5eb72f6a  
21/  
└─ 76d2bbf00a5273fd5a85c753780583c75134ba  
22/  
└─ 409f9e4595b2c0d8109cea1dd8e8dbd7b91471  
848707e78989b8ca2ef72ab74a76f96f317a6c  
c403f38d0829ad7f63cdd47d103c0d69fd747a  
df4b17f6af842af90b804909da7025bae6660f  
23/  
└─ 0754a07169ed4e3299ad431f13c4b5de543a26  
529c466fa92ff9c9cfcdd3788d407230c4154b0  
5aba9ef2aa422fb3ee0a23223200503147c60f  
5b7d1937935bfcad22938923355226cd6b7a1  
24/  
└─ 2dea39e98068a3d8f70ba755fc0bad572561f9  
25/  
└─ 4aa24bc231241553a29a512a2699d4a4cd997b  
62960dff3c8baaf7030d5e12d021e450e4fe81  
968bb318dabc9f1c9bbce90392cd1e14cd1e1a  
ff5f56c63728c1a534ba45d14f7eb4d42e62b0  
27/  
└─ 3a3d8e29f33b85495fa24acac03765a47170b0  
d550589c96f50ad5bc3389df4c906df0a9defe  
28/  
└─ 826d5307d03bf882ef15ab036a23b9dc1a2aad  
da518036c529a7139c4a38bac0500d715e0944  
29/  
└─ 1d7d643d8f6b2ec7c9a1c390217146afdd19e2  
b5b8e65c142af2c187e58710a50791c6c37de0  
2b/  
└─ 4a7f8a9637467a41f23f611adb2c2918d6cf1  
2c/  
└─ 01b7720544e8b950623d4e28e3b95dcb2aa320  
97940fd35329c3b5b9158a450eca5a2d7fec52  
f9fa489e64daa2cc122bc22cc5146e82cf5889  
2d/  
└─ b14bda12f29901eaa1977c5f4c5ec0a3bdf167  
2f/  
└─ 5814d40c4d9ddb22aea7fdbee20862f47d655b  
30/  
└─ 5e80a34d5a02541f95b64af7b5ff6131acb8b9  
31/  
└─ 1e24cb137be029a198db6f7da7544b497ff8e3  
364016ed23875fa3d2700ac120c0dae6fee1e4  
852262ac6fd0dd5e3caffdef63c0fd6ee41ccc  
32/  
└─ 54a4d6bea25cca3b1d7b665a78390e91765557  
34/  
└─ 4f7a2cf1884ead626a1d1c4c51e6467a3a103a  
8d5467736389a5dc79cadf41b2fa8a0383f229  
35/  
└─ 7ee301fd39a3ab2100501b8b98651184facb65  
e15c667ce32fe208811b5c25975d988984eab7  
eaf596ce367fe02cca712bad50d85014d03093  
36/  
└─ 3fb0f7477509a515a44cec0dbc36b2ab809822  
37/  
└─ 1b48d16f865b1cd47ebd89c8a53e5cc75a3e46  
e7004a9f472472d9077486ca2d348892ee2872  
38/  
└─ 3ce3803c46b1108c40e5406a3d90d32e7a2ba1  
9a4eff54d2f799abd5ed3a367e6f45f0d0c812  
39/  
└─ 26d115b4f0858747129937225ff54c09f3bde9  
3a/  
└─ 509c5bc8fbc52e16c79965fd8dc3fefaff4aeb  
3b/  
└─ 38fab78f3539ec2f24db1307f9b793b348d80a  
3c/  
└─ 04d60b86baec08fc9eaae3316f2808bda5e9e  
a6b61c274d44327e618f62bd4404c7553dabb2  
3d/  
└─ 768b7aa38599af87cf66daf0aa6502bb24875  
bb4c7c7d55e1d1107615c8769051bb76fef817  
3f/  
└─ 2c9044e807c4578638c71f23651fc6f7e91679  
e8ad3315a2bf09bce41c0e52abde78928ee85c  
40/  
└─ d8dd6b29f3d87964529ef29a19f63ada1491a8

41/  
├─ 1b35c8d330b8bc7d56b6066609d27626e8477c  
├─ 2f0bec0a4f28a307a9ad180d927d44ce614bd4  
└─ c4d4613c73b8431c3b8e7043d0bc304ab6338e

42/  
├─ 7e0deabb600fd5ab49c3bfae1f1ad8f9724a4e  
└─ cb7fa9655a19924c7eb93dda0bc1d5b97e9662

43/  
├─ 5d2a1d49b9f57ffea1df8c881b43aabd3d6dfe

44/  
├─ 6a117acd3f98d04fad33d1f31dacd8097c8a79

45/  
├─ 9763c4e631c1adb29981c9ff86be151dd7dfc5  
└─ ab59526226236bbdb772e2a84184cf55234978

46/  
├─ 2e938998bf50a004c767959144b41b816f2b70  
├─ 6483aed91db1be697f584d277c588805b0d72d  
├─ 68a8e1ba32a0d35e65d35a61f3fe4e85002eae  
└─ af2a5628e3e48633db417ee142820727005f2f

47/  
├─ 4e0196814f2c6b655888aac7d59911f712d0c6

48/  
├─ 37207c67f638d2a1ea15f8ea21d311f5f21652

49/  
├─ 95964880a0d9c8379c8c0a795dfb682694959f  
└─ b32eebf80222836e2b2606c38cf37b2446003f

4a/  
├─ 27a198d147e2b969b6a6efb68b13bb093b379e  
├─ 9c35a5908d7e9023be0ef877620e090305f40c  
└─ d610d2c9fc32c69854772abac430b2e731dd44

4b/  
├─ 825dc642cb6eb9a060e54bf8d69288fbee4904

4f/  
├─ a1c385449b0c220c1368446397be28b61f689a  
└─ d4f679e6207781139aed41603f61fb7dda827f

51/  
├─ 53c15a22bada2a2f7ef252709a157cbefe259e  
├─ c95b16f65d15f5b09d6c8cc2280180194fc9c4  
└─ f6cfc909d2ce40a5aa40b30b78a4469c0cd0c

52/  
├─ a9fd55fbad1c72ca1c6da27175321d0c4a7b47

53/  
├─ 118f221a78029324a627b1066c65282ba96bfb  
├─ b9db00ab8fed75994830a5916ede161c28eac6  
├─ fa34e079f1a0b6802a61ae4cc250735338b80d  
└─ fbcdeecb5df02142c45f916e23086ead6e53

55/  
├─ b93a2aad90785ae251ac4c982f96e30fa07c8f  
├─ c3d7128ce11b35c044de5132b81d75adc54802  
└─ f0651e7cc61118bf3a2a2e1b709c7e6eb9161d

56/  
├─ 0d17a37b47818932f638616837abd3607cfd84

57/  
├─ 29526ff41e6cdb7dad12a76e4ae63a4c5416f7

58/  
├─ 55dc373d771961a955bd104bdd34f7002b57db  
└─ dae4259fb190579b8702afba72ff6915d905e0

59/  
├─ ff9931be81f44f056220b5118d074b0736f78b

5a/  
├─ 19ebbeb6b2284e61c883c69225ad9a90ffb774  
├─ 26db8104bbb8aa2653a60303296e3b1c395dd4  
└─ bff10b7ea8b7ecdcb9c71fd3d5d45f205c3383

5b/  
├─ 0ab98ddc916b6270c6510fffb8d567c6f418107  
└─ bb61c163ae2f3c9eb960e4005de7dd8ea3f53b

5c/  
├─ 126f341fb030354bb66d8e6cc3a534f9eabca1  
└─ 815cbea9382b894339d96f2b58d5e6ff9f960c

5f/  
├─ 2fed5c700424e98f68dd69c2dab6b792d5f009

62/  
├─ d0baff6e265a1048365dc4480a3ec6cf344b53

64/  
├─ 65f048f41765dd48908bf5e64d1b59df411241  
└─ eace0f7956c746e6866314e10ff97a9033352f

65/  
├─ 309ccbb11deee2e2a462594e965893b7f238aa

66/  
├─ e6ef047f62d713fb9c02c3305dbaeb26841b6d

67/  
├─ 1705ce56295f4b7fb93b7efc7db1548070014d  
├─ afed64550ca9c7aa53f53e45544a35de35b480  
└─ e233b0f724e42f731e4b8ff1266a21b25e03ef

6a/

└─ 4a80ad388c93e06748fcd8809ea65b266eb218  
6b/└─ 2d587d805f52f4e8376028450063172eda2c09  
6c/└─ 06ff0cd75358fb915976ea9c7274b983ff3f4e  
└─ 680a5be6340f3fb47168ae26ae18d6a12d5433  
6d/└─ b777f29083c65958c1b22ca1d14d6c700a8769  
6f/└─ 9a77be64f484bdec169cb9489c7c3c34b61fee  
└─ b7a8a33512c794e5aca3958597793c37cd2b2d  
70/└─ 08886e5648a7fe6f65edb3d8c7a138a60cdc86  
71/└─ 66e1ebb13df0a8885cad4d2b52430042239755  
└─ 846f0cca639d0ee2340800e020b8dbc901d293  
72/└─ 61c4f1319f863b26275e67d8549250e22c014a  
73/└─ 1f3280e5dba68414d5521e1920c1ce1488adf7  
74/└─ 00e177e97210ab72479ed513a814ee3baa9b4c  
75/└─ a13f1f882abea28ebce92ccf2cb0b8d1a6595d  
76/└─ 4cfc6f0b87742c5393c9e188126f2535a4ac38  
77/└─ 1fbf92d3c9fb84befb899b7f2798d64eb8b63e  
78/└─ e7b96c7f3fb3654469fcc273d59ef84929ce17  
79/└─ 3559a0d2e8d0bb696b884c6885cec31ead5923  
└─ 3a6c8f648e2b50d5530af08a7f028301396f56  
└─ 6457a2b4edd2a77ed6bd69bd09f04c68580170  
└─ df6476012070ed05e06dd01f4abccff5f86e19  
7a/└─ 94ea4e1f399c517e205faf97f05e906518e8e0  
7b/└─ 01069c2c2d54cad3da99c91f0dd48cc016ed02  
7d/└─ 25e89f67e245e293a2ad71101018fecdd47ba5c  
7e/└─ 05126a244e7bf162a7ef75ee2969d28971ecab  
└─ 2a09bdde05f23eb1da7c6295e84700f9325c27  
7f/└─ 7caac343d1671d6950df893e74e1b715e7c9ca  
80/└─ b567bb4f872cb7b3d8e22056ba8a92c77f8069  
81/└─ 6c986b9423f7b2ec258d90b1488aee29441ef0  
83/└─ 1a7efe396ffa46f6c044ad7d12e3c49a3c1ebf  
└─ 29575c9600271ffe349d97f98583239cdf406e  
84/└─ 291cdd238d863d8544a9282f0cf659dc7751ec  
85/└─ 015cb05519ff07652d3f2a43bbf8aaf9e3de77  
└─ 13cafbcf62d90b1c91bbcc7bc878fe53e4d6a0  
└─ 3ae6a807203552d48ea52dd8d6293118fb7ad1  
└─ e5ee846575d16db73782f7aea1bc31414c1918  
86/└─ fe2c8e98f295bd0bfb9762ba9c3333d1114d8  
88/└─ 0d7bb601ee0b04350a8800feb820422faa366e  
└─ 4cdb2a6649da27d5a4cda974f3722d9f67f322  
└─ 84408058923a8827267b51e1403493e3a7e6a8  
└─ e785521b73fab1a778fe342f604cbdb5ff61de  
8a/└─ 00b8177bc53a4058420b9b3ed9598e75c56eac  
└─ 4ee18750d3ed7bf40d4f2aa42054c957c08768  
8c/└─ 06983044ae65e133d3cfcc3007490d86e35c2c  
└─ cce68fc9883f0a8b83d9cfa6fd3cd69b7be1a4  
8d/└─ 124df529caed99f7f06d1436b53bbd79c75b4e  
└─ 5afd2fe05f9575e39a39f77e94211dcdd34009  
8e/└─ 04d05a5e04f052ede1cef085187eb18f30aa52  
8f/└─ 341763a5d033319b9b820098e7acba190cdce7  
90/└─ 3be5a6c83f978ddf95922dae139e18b010d0fb  
└─ ac0fa0d67f00cb8980b8f9243c8e9d5cfc0d17  
93/└─ e2d40a29854007026ab49761d20c6da94dbe35

└─ e322244a802837108dd2ec4c7e9a0f130c79be  
94/└─ f12e9d67833179677742c3a4ccc898a280dcb9  
└─ f196a16fff96d2e914e5692aa8445a50e10d210  
96/└─ 18e3cbc8cd0afe8ef597422cc91d5312bbf985  
98/└─ 4a16b069ad050db50495b81c7cb8ed5024bd3e  
└─ fa62ffbbeeca66961a0a133299de44e715afea2  
99/└─ 18232dfd6e177254cfec371a48b6ce830ac804  
└─ cd2292e90d30af5580dd4e15bab4082424eeeb  
9a/└─ 2061c38c4fdc57e713d3166a421067a6c75629  
└─ 65706499c7c60fffad716bd7d8a3d0d81b5506  
└─ 72aa68e58df38397bee490b1b174e4461c2548  
└─ 78e7d9edcd65a9e31756f5494a93d6c621a11a  
9c/└─ 8e686db705162702b46e877c2136c487ce9abe  
└─ ff54517357507eb2f2dec1a4525a37a50b804e  
9d/└─ a95cc7e4999af66cfccff6b3f4fccad00bbcb9  
9f/└─ e609dd1bd7bf6309b8d1210a3e778e3b2deda7  
a0/└─ 383795976ce6d041839094cc91a6134ea06146  
└─ 5aa007485ebf2e78ec14a45f318da11dd3db18  
a2/└─ 3055945155fd55978c0bfc38c6371fca0fb6d4  
└─ cbe2941e3b9d14ce2859f9c878427b05164554  
a4/└─ 3425047ae2d71199fe99bbd68dce357f3abdad  
└─ 38d523a920bd30377efb71e1ed099508291932  
└─ a46e7fa3f85351e52af1f5aeae8fb10c047412  
└─ dc1b9bd2ec80764258e7fe2c2d4fc2d30c5dac  
a5/└─ 311313a45a4b1e7a3bc02d349d7504b923f2e8  
└─ 8f4837731879f285e736612e439347b48bbbf  
└─ c707024dd1b73d0c51de1058a04dbdf40b9a21  
a6/└─ 912110fbd38c6af7c3205bfef0a783ff030119  
a8/└─ 98ce2341eb178a6b05126e1933533e76d4bd0b  
└─ c777f21298340679b2106c42330c9795d600ff  
└─ d1141543fac12d6c98e3864e6e88d915bf76d4  
a9/└─ 0181a0b4635aca6e188116224c27dab2748bf3  
└─ 4a0075381adcbc1e295ff62934aeefd004f6a2  
└─ 4da50ede1a6daaa5f1bccdd7e30ab8c303bba02  
└─ f1d2f8d80f77984df7a38d1c3bda1533fcbcd0  
aa/└─ 878edbad3d9a2bb42d3b186714b915219bd439  
└─ b5db3190d505fd09b7334288a9f472b35de0be  
ab/└─ 67efe77583599076bd580fe9cc53e3dacb464a  
ac/└─ a53cf432887d186800d233ed47a5704bf83233  
└─ f6f68d82fafabe2454a91a02189928dcb8470  
b0/└─ 90888a59f52dc3a68391b2ef93e6499461024c  
b1/└─ 01c5e856ee79756aaa577f0a3074b3c6caeec8  
└─ 58cdc2a1d629b32bcd550635d16d641a06e6e  
└─ f67409a05ba31ffacf9318122291fb263835af  
b2/└─ 10fd92394fdfe94f05221ac71702c992cfe3c2  
└─ 4fbc8f89f23538471b900039af95af5dd4f011  
└─ 7ff23d39c1b427e903c0acd446405389395fba  
b3/└─ 571acd57b4fcbcb51ca0c5a5d9bfb0440bebb1  
└─ b6c64ff96ee9e7b9ab2b6603e1ee7cc0e0acb6  
b4/└─ 46419cef28d772709a74c0953df65d0a10f8ee  
b5/└─ ff909c14669472ad75164386b0815587a70c01  
b8/└─ 9215ad914acf1bce2dbeb5bfb38e6fedd6d5a5  
ba/└─ 815d801495201b4a8f6c06490de476531935d8  
└─ a74cbfe7976008a64547aeb1e0ceea416567b3  
bb/└─ 43ec6f3146f9697ce0f42983047342ac0ee2c0  
└─ a5be88984939d674a579cd1242036499518cfe  
bd/└─ 9084c9b60676af1cb2cbcfdc4e66e8bffe6ab2

be/  
└─ 7c53b96ee6f8b6c20a99ecdb8bf7faa2ac575c  
└─ ed0748ba0437759aba2522f96b35ebe313d79c

bf/  
└─ 6bbfbd4dc27cea5e4fc4e23bcd33086824e233  
└─ b3c6186aca44e983aae6ce3f46da6ce5e85aac

c0/  
└─ 133e6fab67cd1e93c349b28167a976281ebbab  
└─ fb969173e16a2639ceb7a2ea9674a2b94721a0

c2/  
└─ 33993afcb514b8b346ab88367de3df53e40259  
└─ 414f7c2c51d662249625981222b8751a4c9f8b

c3/  
└─ fd15ed4e31f7dddad4b0318d84ea1676b76314

c5/  
└─ 5d066f93e5aa7d2916cd7c5414864a6f614db8  
└─ a64fe1fee6fb36cce8c36d013e6cbc7b1dbe06

c6/  
└─ 2cbfd422478ccf5bfc0746fa2534008a78c98

c7/  
└─ fd1a7994df46abe452fe2cd2fba078e26c1858

c8/  
└─ 67a33c8088038680cc2f6e56a4f056b323dcfc

ca/  
└─ 3fcd41fc7e88d6cf12bc5375549ea50076a283  
└─ 6fc183a24c2733d33e4f4efc048fb5ebe60dce

cd/  
└─ 664e6817abc4706fab8dda4f09ac02b49f413d

ce/  
└─ 15dfe8f41fff6685d35e3e0f0005b0aaa5ae31  
└─ 40244a3ac00cbd434fc2ba5558b2f8b358106c

cf/  
└─ 2c290076985c1f1482121eec4bb2690be908eb

d0/  
└─ b1759a5dcda494f1b788d8febe0af4c0fcb1f5

d1/  
└─ b12db92ad76b5a7c183773a48916579338bd84  
└─ ebe15991dc893d31b33e47fc83fa0d61e7e947

d2/  
└─ 13bcb278e1533d526f30e12ffa0d5687b0c89  
└─ 1ae5675da415883782277b03590f4ca9e4d4ce

d3/  
└─ 69dfe9de9a9537269daf706a12df112d3b8f60

d4/  
└─ 2ca7cc3a399aa4c15ac7bcb0fc7be4a2faa82  
└─ e0acbe4c8fca7da77ea353dfc851561cc05997

d6/  
└─ 8fd932ea4dc71d504e5e60aae2e888ac396ae6

d7/  
└─ d0671ce8b125a6ea92ea89a4758b96b70e3520

d8/  
└─ d70a620c516ab17ea9e84d590460b47c199630

d9/  
└─ 2f6f135899f85e7d2eab187481f76741a74cc9  
└─ e6253eb491277d090305284e8284328e01dff6

da/  
└─ f04af4695b965c1d7df384fdea3faa49053acf

db/  
└─ 91c1a72d0461d94c1e316d3cff17852d552d30

dc/  
└─ 1c160c749ac8a581adcc28f74e4302778a26e3

dd/  
└─ f659beba2d4f1f3d7d39bd0629a1e89a341efc

de/  
└─ 126acc1127cec4faf5901044933accbc76df06  
└─ a580814b0e1a0cdc0e9f243795e1c5aff56afa

df/  
└─ a581aa35d50b1da9d5e6cbb3b53bb01ad2a3

e0/  
└─ f3c10e9061cd477cf8df0e71eafc969ae3984b

e1/  
└─ aba75ba5cda6a9e40b85c857813c05e90f127c  
└─ c646b4cda44587b6a98fc2cbecc80cda8781a5

e2/  
└─ 5c62dd00116bd8292ab8ae21c0182e7093a189  
└─ 7c5e1b2ec8abb14a4443cd693e7027a0fc60fb  
└─ db710ea6cb4debcbe0d0d1bad93277b06e91f

e4/  
└─ a01b316b0b321a48fa98e98bb9fd31ec472cfb  
└─ e39c853ef70c6aa3fa78778444ef966dfbb40d

e5/  
└─ 19343e01b83176cec772356f65f76a39020af8  
└─ 3793423760daf1802b9625c94497dae4c4dc53  
└─ fde2284688159b359c9687c3ac29a1f1281841

e6/

- 3f0a97d71e7b7b9a5106fb16f32be6c85acfc0
  - ecfc3f766d2436412bd67d9e0b032bedba1cb6
- e7/
  - 4b63fddd95981a3b9f3c306b884bd37789c12d
- e8/
  - 5071428b8947961b3857b31db8bad22fbf2dae
- e9/
  - 360ebd2775b61ca3489f7bb4766762ed739eb7
  - 6c60eeb2dd564663f3084a1938c4c6600738cd
  - d370f3e3ebd19075acc5bad1f69c0bebb17c53
- ec/
  - 2331363615ac830d4a5bc80c9d32922b2db9ad
  - 27e7473c8a16c174b06873811ef6938aa3713e
  - e11528d1ae442e0603fe44ec40b10034b41627
- ed/
  - 06f2f9f377f93f47358ac328fb786d337c30eb
  - 2feb743ec103ba02317aab3f49e8e748c50916
  - 785671e8b83819dfd7a41b64873d8c5eafc1ef
  - f3de100949fa66f642efe21dcee4d9bad8132a
- ee/
  - 2f24e236d71d66848651f83c42d56fb717b357
- f0/
  - 3a7116ed5859c70caf09c0aa0a802bb91986f8
- f1/
  - 307aaf575f2278ab69675dfbae6c2fb85a266e
  - cb7e75736deb5139817aadede164b7a5cdd48d
  - df7a5f3d60c8900b6bbf50ca32636dbe1de66f
- f2/
  - 771889990cae77e678c69ba1cf42a6e9ef9432
- f3/
  - 83fdc67cfd43cd92941995bcfb6b6fd62c216
- f4/
  - 09d8246a03084784ce71f3b7d3b4465f3b3a6e
- f5/
  - 8f7fcbae1d876995ce331f7607521ed208269c
  - f1e6fde460b28ce83208acb9f7ffc705c4a807
- f6/
  - 85423a49ca57185c76de9dd3d38b5ce3551dbe
  - d1e60da407b87cc9628e00c1734514f81063a8
  - d911adaecdaae6e3c48a64ffb7d8324362fd10
- f7/
  - f22edb1c9331d61a9eb09a9ceee434e28b6c9
- f8/
  - 4ab00438d7383f56fe78277d6e078995bf5b55
  - dd2294bc0cde1e7372376ec140c33a15cffff4
  - e8ed87cd044c8cbab79122c645ae2f6192525a
- f9/
  - 7621659e8bbe1ab17039ff00f5accb669a4467
- fa/
  - d117e8f55c7abbb20b34335d8b0c48b4855780
- fb/
  - 28949ed6e2532e30146d362de2cd0681d73f59
  - 91348b6823c208732e88fdb9c63e7f41d14eaa
- fc/
  - 88627a900d864f1694e95a4018171e4fe03464
  - df1c42570165991a04f739d387c1ac38888082
  - e8007c3864808c9889a43b40fcddf40211f83e
- fd/
  - 838d89e578320742e2d47f003e423efcc419e1
- fe/
  - 594218b2205a77f597d0ddaa9851ca8b04fc52
  - cb81ed5f5d4b624e2eefa65ba8662f704d0eb8
- info/
- pack/
- refs/
  - heads/
    - main
  - remotes/
    - origin/
      - main
  - tags/
- COMMIT\_EDITMSG
- config
- description
- HEAD
- index
- .venv/
  - Include/
  - Lib/
    - site-packages/
      - \_\_pycache\_\_/
        - \_soundfile.cpython-312.pyc
        - isympy.cpython-312.pyc
        - pylab.cpython-312.pyc
        - six.cpython-312.pyc

- soundfile.cpython-312.pyc
- threadpoolctl.cpython-312.pyc
- typing\_extensions.cpython-312.pyc
- distutils\_hack/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - override.cpython-312.pyc
  - \_\_init\_\_.py
  - override.py
- soundfile\_data/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - COPYING
  - libsndfile\_x64.dll
- yaml/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- annotated\_doc/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - main.cpython-312.pyc
  - \_\_init\_\_.py
  - main.py
  - py.typed
- annotated\_doc-0.0.4.dist-info/
  - licenses/
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- anyio/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - from\_thread.cpython-312.pyc
    - functools.cpython-312.pyc
    - lowlevel.cpython-312.pyc
    - pytest\_plugin.cpython-312.pyc
    - to\_interpreter.cpython-312.pyc
    - to\_process.cpython-312.pyc
    - to\_thread.cpython-312.pyc
  - backends/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_asyncio.cpython-312.pyc
      - \_trio.cpython-312.pyc
    - \_\_init\_\_.py
    - \_asyncio.py
    - \_trio.py
  - core/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_asyncio\_selector\_thread.cpython-312.pyc
      - \_contextmanagers.cpython-312.pyc
      - \_eventloop.cpython-312.pyc
      - \_exceptions.cpython-312.pyc
      - \_fileio.cpython-312.pyc
      - \_resources.cpython-312.pyc
      - \_signals.cpython-312.pyc
      - \_sockets.cpython-312.pyc
      - \_streams.cpython-312.pyc
      - \_subprocesses.cpython-312.pyc
      - \_synchronization.cpython-312.pyc
      - \_tasks.cpython-312.pyc
      - \_tempfile.cpython-312.pyc
      - \_testing.cpython-312.pyc
      - \_typedattr.cpython-312.pyc
    - \_\_init\_\_.py
    - \_asyncio\_selector\_thread.py
    - \_contextmanagers.py
    - \_eventloop.py
    - \_exceptions.py
    - \_fileio.py
    - \_resources.py
    - \_signals.py
    - \_sockets.py
    - \_streams.py
    - \_subprocesses.py
    - \_synchronization.py
    - \_tasks.py
    - \_tempfile.py
    - \_testing.py



```

└─ _typedattr.py
abc/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── _eventloop.cpython-312.pyc
    ├── _resources.cpython-312.pyc
    ├── _sockets.cpython-312.pyc
    ├── _streams.cpython-312.pyc
    ├── _subprocesses.cpython-312.pyc
    ├── _tasks.cpython-312.pyc
    └── _testing.cpython-312.pyc
    ├── __init__.py
    ├── _eventloop.py
    ├── _resources.py
    ├── _sockets.py
    ├── _streams.py
    ├── _subprocesses.py
    ├── _tasks.py
    └── _testing.py
streams/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── buffered.cpython-312.pyc
    ├── file.cpython-312.pyc
    ├── memory.cpython-312.pyc
    ├── stapled.cpython-312.pyc
    ├── text.cpython-312.pyc
    └── tls.cpython-312.pyc
    ├── __init__.py
    ├── buffered.py
    ├── file.py
    ├── memory.py
    ├── stapled.py
    ├── text.py
    └── tls.py
__init__.py
from_thread.py
functools.py
lowlevel.py
py.typed
pytest_plugin.py
to_interpreter.py
to_process.py
to_thread.py
anyio-4.13.0.dist-info/
└─ licenses/
    └─ LICENSE
entry_points.txt
INSTALLER
METADATA
RECORD
top_level.txt
WHEEL
audioread/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── base.cpython-312.pyc
    ├── exceptions.cpython-312.pyc
    ├── ffdec.cpython-312.pyc
    ├── gstdec.cpython-312.pyc
    ├── macca.cpython-312.pyc
    ├── maddec.cpython-312.pyc
    └── rawread.cpython-312.pyc
    ├── __init__.py
    ├── base.py
    ├── exceptions.py
    ├── ffdec.py
    ├── gstdec.py
    ├── macca.py
    ├── maddec.py
    └── rawread.py
audioread-3.1.0.dist-info/
└─ licenses/
    └─ LICENSE
INSTALLER
METADATA
RECORD
WHEEL
certifi/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── __main__.cpython-312.pyc
    └── core.cpython-312.pyc
    ├── __init__.py
    └── __main__.py

```

- └─ cacert.pem
- └─ core.py
- └─ py.typed
- ─ certifi-2026.4.22.dist-info/
  - └─ licenses/
    - └─ LICENSE
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ top\_level.txt
  - └─ WHEEL
- ─ cffi/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_imp\_emulation.cpython-312.pyc
    - └─ \_shimmed\_dist\_utils.cpython-312.pyc
    - └─ api.cpython-312.pyc
    - └─ backend\_ctypes.cpython-312.pyc
    - └─ cffi\_opcode.cpython-312.pyc
    - └─ commontypes.cpython-312.pyc
    - └─ cparser.cpython-312.pyc
    - └─ error.cpython-312.pyc
    - └─ ffiplatform.cpython-312.pyc
    - └─ lock.cpython-312.pyc
    - └─ model.cpython-312.pyc
    - └─ pkgconfig.cpython-312.pyc
    - └─ recompiler.cpython-312.pyc
    - └─ setuptools\_ext.cpython-312.pyc
    - └─ vengine\_cpy.cpython-312.pyc
    - └─ vengine\_gen.cpython-312.pyc
    - └─ verifier.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ \_cffi\_errors.h
  - └─ \_cffi\_include.h
  - └─ \_embedding.h
  - └─ \_imp\_emulation.py
  - └─ \_shimmed\_dist\_utils.py
  - └─ api.py
  - └─ backend\_ctypes.py
  - └─ cffi\_opcode.py
  - └─ commontypes.py
  - └─ cparser.py
  - └─ error.py
  - └─ ffiplatform.py
  - └─ lock.py
  - └─ model.py
  - └─ parse\_c\_type.h
  - └─ pkgconfig.py
  - └─ recompiler.py
  - └─ setuptools\_ext.py
  - └─ vengine\_cpy.py
  - └─ vengine\_gen.py
  - └─ verifier.py
- ─ cffi-2.0.0.dist-info/
  - └─ licenses/
    - └─ AUTHORS
    - └─ LICENSE
  - └─ entry\_points.txt
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ top\_level.txt
  - └─ WHEEL
- ─ charset\_normalizer/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_\_main\_\_.cpython-312.pyc
    - └─ api.cpython-312.pyc
    - └─ cd.cpython-312.pyc
    - └─ constant.cpython-312.pyc
    - └─ legacy.cpython-312.pyc
    - └─ md.cpython-312.pyc
    - └─ models.cpython-312.pyc
    - └─ utils.cpython-312.pyc
    - └─ version.cpython-312.pyc
  - └─ cli/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_main\_\_.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ \_\_main\_\_.py
  - └─ \_\_init\_\_.py
  - └─ \_\_main\_\_.py
  - └─ api.py
  - └─ cd.cp312-win\_amd64.pyd

- cd.py
- constant.py
- legacy.py
- md.cp312-win\_amd64.pyd
- md.py
- models.py
- py.typed
- utils.py
- version.py
- charset\_normalizer-3.4.7.dist-info/
  - licenses/
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- click/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_compat.cpython-312.pyc
    - \_termui\_impl.cpython-312.pyc
    - \_textwrap.cpython-312.pyc
    - \_utils.cpython-312.pyc
    - \_winconsole.cpython-312.pyc
    - core.cpython-312.pyc
    - decorators.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - formatting.cpython-312.pyc
    - globals.cpython-312.pyc
    - parser.cpython-312.pyc
    - shell\_completion.cpython-312.pyc
    - termui.cpython-312.pyc
    - testing.cpython-312.pyc
    - types.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py
  - \_compat.py
  - \_termui\_impl.py
  - \_textwrap.py
  - \_utils.py
  - \_winconsole.py
  - core.py
  - decorators.py
  - exceptions.py
  - formatting.py
  - globals.py
  - parser.py
  - py.typed
  - shell\_completion.py
  - termui.py
  - testing.py
  - types.py
  - utils.py
- click-8.4.0.dist-info/
  - licenses/
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- colorama/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - ansi.cpython-312.pyc
    - ansitowin32.cpython-312.pyc
    - initialise.cpython-312.pyc
    - win32.cpython-312.pyc
    - winterm.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - ansi\_test.cpython-312.pyc
      - ansitowin32\_test.cpython-312.pyc
      - initialise\_test.cpython-312.pyc
      - isatty\_test.cpython-312.pyc
      - utils.cpython-312.pyc
      - winterm\_test.cpython-312.pyc
    - \_\_init\_\_.py
    - ansi\_test.py
    - ansitowin32\_test.py
    - initialise\_test.py
    - isatty\_test.py
    - utils.py

- └─ winterm\_test.py
- └─ \_\_init\_\_.py
- └─ ansi.py
- └─ ansitowin32.py
- └─ initialise.py
- └─ win32.py
- └─ winterm.py
- ─ colorama-0.4.6.dist-info/
  - └─ licenses/
    - └─ LICENSE.txt
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ WHEEL
- ─ contourpy/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_version.cpython-312.pyc
    - └─ array.cpython-312.pyc
    - └─ chunk.cpython-312.pyc
    - └─ convert.cpython-312.pyc
    - └─ dechunk.cpython-312.pyc
    - └─ enum\_util.cpython-312.pyc
    - └─ typecheck.cpython-312.pyc
    - └─ types.cpython-312.pyc
  - └─ util/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_build\_config.cpython-312.pyc
      - └─ bokeh\_renderer.cpython-312.pyc
      - └─ bokeh\_util.cpython-312.pyc
      - └─ data.cpython-312.pyc
      - └─ mpl\_renderer.cpython-312.pyc
      - └─ mpl\_util.cpython-312.pyc
      - └─ renderer.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ \_build\_config.py
    - └─ bokeh\_renderer.py
    - └─ bokeh\_util.py
    - └─ data.py
    - └─ mpl\_renderer.py
    - └─ mpl\_util.py
    - └─ renderer.py
  - └─ \_\_init\_\_.py
  - └─ \_contourpy.cp312-win\_amd64.lib
  - └─ \_contourpy.cp312-win\_amd64.pyd
  - └─ \_contourpy.pyi
  - └─ \_version.py
  - └─ array.py
  - └─ chunk.py
  - └─ convert.py
  - └─ dechunk.py
  - └─ enum\_util.py
  - └─ py.typed
  - └─ typecheck.py
  - └─ types.py
- ─ contourpy-1.3.3.dist-info/
  - └─ INSTALLER
  - └─ LICENSE
  - └─ METADATA
  - └─ RECORD
  - └─ WHEEL
- ─ cyclcr/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ py.typed
- ─ cyclcr-0.12.1.dist-info/
  - └─ INSTALLER
  - └─ LICENSE
  - └─ METADATA
  - └─ RECORD
  - └─ top\_level.txt
  - └─ WHEEL
- ─ dateutil/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_common.cpython-312.pyc
    - └─ \_version.cpython-312.pyc
    - └─ easter.cpython-312.pyc
    - └─ relativedelta.cpython-312.pyc
    - └─ rrule.cpython-312.pyc
    - └─ tzwin.cpython-312.pyc
    - └─ utils.cpython-312.pyc
  - └─ parser/

- \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_parser.cpython-312.pyc
      - isoparser.cpython-312.pyc
    - \_\_init\_\_.py
    - \_parser.py
    - isoparser.py
  - tz/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - \_common.cpython-312.pyc
        - \_factories.cpython-312.pyc
        - tz.cpython-312.pyc
        - win.cpython-312.pyc
      - \_\_init\_\_.py
      - \_common.py
      - \_factories.py
      - tz.py
      - win.py
    - zoneinfo/
      - \_\_pycache\_\_/
          - \_\_init\_\_.cpython-312.pyc
          - rebuild.cpython-312.pyc
        - \_\_init\_\_.py
        - dateutil-zoneinfo.tar.gz
        - rebuild.py
      - \_\_init\_\_.py
      - \_common.py
      - \_version.py
      - easter.py
      - relativedelta.py
      - rrule.py
      - tzwin.py
      - utils.py
  - decorator/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
      - out/
        - decorator/
          - \_\_init\_\_.pyi
      - \_\_init\_\_.py
      - \_\_init\_\_.pyi
      - py.typed
    - decorator-5.3.0.dist-info/
      - licenses/
        - LICENSE.txt
      - INSTALLER
      - METADATA
      - RECORD
      - top\_level.txt
      - WHEEL
    - et\_xmlfile/
      - \_\_pycache\_\_/
          - \_\_init\_\_.cpython-312.pyc
          - incremental\_tree.cpython-312.pyc
          - xmlfile.cpython-312.pyc
        - \_\_init\_\_.py
        - incremental\_tree.py
        - xmlfile.py
      - et\_xmlfile-2.0.0.dist-info/
        - AUTHORS.txt
        - INSTALLER
        - LICENCE.python
        - LICENCE.rst
        - METADATA
        - RECORD
        - top\_level.txt
        - WHEEL
      - filelock/
        - \_\_pycache\_\_/
            - \_\_init\_\_.cpython-312.pyc
            - \_api.cpython-312.pyc
            - \_async\_read\_write.cpython-312.pyc
            - \_error.cpython-312.pyc
            - \_read\_write.cpython-312.pyc
            - \_soft.cpython-312.pyc
            - \_unix.cpython-312.pyc
            - \_util.cpython-312.pyc
            - \_windows.cpython-312.pyc
            - asyncio.cpython-312.pyc
            - version.cpython-312.pyc
          - \_soft\_rw/
            - \_\_pycache\_\_/
                - \_\_init\_\_.cpython-312.pyc
                - \_async.cpython-312.pyc

- \_sync.cpython-312.pyc
  - \_\_init\_\_.py
  - \_async.py
  - \_sync.py
- \_\_init\_\_.py
- \_api.py
- \_async\_read\_write.py
- \_error.py
- \_read\_write.py
- \_soft.py
- \_unix.py
- \_util.py
- \_windows.py
- asyncio.py
- py.typed
- version.py
- filelock-3.29.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- fontTools/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - afmLib.cpython-312.pyc
    - agl.cpython-312.pyc
    - annotations.cpython-312.pyc
    - fontBuilder.cpython-312.pyc
    - help.cpython-312.pyc
    - tfmLib.cpython-312.pyc
    - ttx.cpython-312.pyc
    - unicode.cpython-312.pyc
  - cffLib/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - CFF2ToCFF.cpython-312.pyc
      - CFFToCFF2.cpython-312.pyc
      - specializer.cpython-312.pyc
      - transforms.cpython-312.pyc
      - width.cpython-312.pyc
    - \_\_init\_\_.py
    - CFF2ToCFF.py
    - CFFToCFF2.py
    - specializer.py
    - transforms.py
    - width.py
  - colorLib/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - builder.cpython-312.pyc
      - errors.cpython-312.pyc
      - geometry.cpython-312.pyc
      - table\_builder.cpython-312.pyc
      - unbuilder.cpython-312.pyc
    - \_\_init\_\_.py
    - builder.py
    - errors.py
    - geometry.py
    - table\_builder.py
    - unbuilder.py
  - config/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - cu2qu/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_main\_\_.cpython-312.pyc
      - benchmark.cpython-312.pyc
      - cli.cpython-312.pyc
      - cu2qu.cpython-312.pyc
      - errors.cpython-312.pyc
      - ufo.cpython-312.pyc
    - \_\_init\_\_.py
    - \_\_main\_\_.py
    - benchmark.py
    - cli.py
    - cu2qu.c
    - cu2qu.cp312-win\_amd64.pyd
    - cu2qu.py
    - errors.py
    - ufo.py

- designspaceLib/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - split.cpython-312.pyc
    - statNames.cpython-312.pyc
    - types.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - split.py
  - statNames.py
  - types.py
- diff/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - color.cpython-312.pyc
    - diff.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - color.py
  - diff.py
  - utils.py
- encodings/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - codecs.cpython-312.pyc
    - MacRoman.cpython-312.pyc
    - StandardEncoding.cpython-312.pyc
  - \_\_init\_\_.py
  - codecs.py
  - MacRoman.py
  - StandardEncoding.py
- fealib/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - ast.cpython-312.pyc
    - builder.cpython-312.pyc
    - error.cpython-312.pyc
    - lexer.cpython-312.pyc
    - location.cpython-312.pyc
    - lookupDebugInfo.cpython-312.pyc
    - parser.cpython-312.pyc
    - variableScalar.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - ast.py
  - builder.py
  - error.py
  - lexer.c
  - lexer.cp312-win\_amd64.pyd
  - lexer.py
  - location.py
  - lookupDebugInfo.py
  - parser.py
  - variableScalar.py
- merge/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - base.cpython-312.pyc
    - cmap.cpython-312.pyc
    - layout.cpython-312.pyc
    - options.cpython-312.pyc
    - tables.cpython-312.pyc
    - unicode.cpython-312.pyc
    - util.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - base.py
  - cmap.py
  - layout.py
  - options.py
  - tables.py
  - unicode.py
  - util.py
- misc/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - arrayTools.cpython-312.pyc
    - bezierTools.cpython-312.pyc
    - classifyTools.cpython-312.pyc
    - cliTools.cpython-312.pyc

- configTools.cpython-312.pyc
- cython.cpython-312.pyc
- dictTools.cpython-312.pyc
- eexec.cpython-312.pyc
- encodingTools.cpython-312.pyc
- enumTools.cpython-312.pyc
- etree.cpython-312.pyc
- filenames.cpython-312.pyc
- fixedTools.cpython-312.pyc
- iftSparseBitSet.cpython-312.pyc
- intTools.cpython-312.pyc
- iterTools.cpython-312.pyc
- lazyTools.cpython-312.pyc
- loggingTools.cpython-312.pyc
- macCreatorType.cpython-312.pyc
- macRes.cpython-312.pyc
- psCharStrings.cpython-312.pyc
- psLib.cpython-312.pyc
- psOperators.cpython-312.pyc
- py23.cpython-312.pyc
- roundTools.cpython-312.pyc
- sstruct.cpython-312.pyc
- symfont.cpython-312.pyc
- testTools.cpython-312.pyc
- textTools.cpython-312.pyc
- timeTools.cpython-312.pyc
- transform.cpython-312.pyc
- treeTools.cpython-312.pyc
- vector.cpython-312.pyc
- visitor.cpython-312.pyc
- xmlReader.cpython-312.pyc
- xmlWriter.cpython-312.pyc
- filesystem/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_copy.cpython-312.pyc
    - \_errors.cpython-312.pyc
    - \_info.cpython-312.pyc
    - \_osfs.cpython-312.pyc
    - \_path.cpython-312.pyc
    - \_subfs.cpython-312.pyc
    - \_tempfs.cpython-312.pyc
    - \_tools.cpython-312.pyc
    - \_walk.cpython-312.pyc
    - \_zipfs.cpython-312.pyc
  - \_\_init\_\_.py
  - \_base.py
  - \_copy.py
  - \_errors.py
  - \_info.py
  - \_osfs.py
  - \_path.py
  - \_subfs.py
  - \_tempfs.py
  - \_tools.py
  - \_walk.py
  - \_zipfs.py
- plistlib/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - py.typed
- \_\_init\_\_.py
- arrayTools.py
- bezierTools.c
- bezierTools.cp312-win\_amd64.pyd
- bezierTools.py
- classifyTools.py
- cliTools.py
- configTools.py
- cython.py
- dictTools.py
- eexec.py
- encodingTools.py
- enumTools.py
- etree.py
- filenames.py
- fixedTools.py
- iftSparseBitSet.py
- intTools.py
- iterTools.py
- lazyTools.py
- loggingTools.py
- macCreatorType.py



- macRes.py
- psCharStrings.py
- psLib.py
- psOperators.py
- py23.py
- roundTools.py
- sstruct.py
- symfont.py
- testTools.py
- textTools.py
- timeTools.py
- transform.py
- treeTools.py
- vector.py
- visitor.py
- xmlReader.py
- xmlWriter.py
- mtilib/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
- otllib/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - builder.cpython-312.pyc
    - error.cpython-312.pyc
    - maxContextCalc.cpython-312.pyc
  - optimize/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_main\_\_.cpython-312.pyc
    - gpos.cpython-312.pyc
    - \_\_init\_\_.py
    - \_\_main\_\_.py
    - gpos.py
  - \_\_init\_\_.py
  - builder.py
  - error.py
  - maxContextCalc.py
- pens/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - areaPen.cpython-312.pyc
    - basePen.cpython-312.pyc
    - boundsPen.cpython-312.pyc
    - cairoPen.cpython-312.pyc
    - cocoaPen.cpython-312.pyc
    - cu2quPen.cpython-312.pyc
    - explicitClosingLinePen.cpython-312.pyc
    - filterPen.cpython-312.pyc
    - freetypePen.cpython-312.pyc
    - hashPointPen.cpython-312.pyc
    - momentsPen.cpython-312.pyc
    - perimeterPen.cpython-312.pyc
    - pointInsidePen.cpython-312.pyc
    - pointPen.cpython-312.pyc
    - qtPen.cpython-312.pyc
    - qu2cuPen.cpython-312.pyc
    - quartzPen.cpython-312.pyc
    - recordingPen.cpython-312.pyc
    - reportLabPen.cpython-312.pyc
    - reverseContourPen.cpython-312.pyc
    - roundingPen.cpython-312.pyc
    - statisticsPen.cpython-312.pyc
    - svgPathPen.cpython-312.pyc
    - t2CharStringPen.cpython-312.pyc
    - teePen.cpython-312.pyc
    - transformPen.cpython-312.pyc
    - ttGlyphPen.cpython-312.pyc
    - wxPen.cpython-312.pyc
  - \_\_init\_\_.py
  - areaPen.py
  - basePen.py
  - boundsPen.py
  - cairoPen.py
  - cocoaPen.py
  - cu2quPen.py
  - explicitClosingLinePen.py
  - filterPen.py
  - freetypePen.py
  - hashPointPen.py
  - momentsPen.c
  - momentsPen.cp312-win\_amd64.pyd

- momentsPen.py
- perimeterPen.py
- pointInsidePen.py
- pointPen.py
- qtPen.py
- qu2cuPen.py
- quartzPen.py
- recordingPen.py
- reportLabPen.py
- reverseContourPen.py
- roundingPen.py
- statisticsPen.py
- svgPathPen.py
- t2CharStringPen.py
- teePen.py
- transformPen.py
- ttGlyphPen.py
- wxPen.py
- qu2cu/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - benchmark.cpython-312.pyc
    - cli.cpython-312.pyc
    - qu2cu.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - benchmark.py
  - cli.py
  - qu2cu.c
  - qu2cu.cp312-win\_amd64.pyd
  - qu2cu.py
- subset/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - cff.cpython-312.pyc
    - svg.cpython-312.pyc
    - util.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - cff.py
  - svg.py
  - util.py
- svgLib/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - path/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - arc.cpython-312.pyc
      - parser.cpython-312.pyc
      - shapes.cpython-312.pyc
    - \_\_init\_\_.py
    - arc.py
    - parser.py
    - shapes.py
  - \_\_init\_\_.py
- t1Lib/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- ttLib/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - macUtils.cpython-312.pyc
    - removeOverlaps.cpython-312.pyc
    - reorderGlyphs.cpython-312.pyc
    - scaleUpem.cpython-312.pyc
    - sfnt.cpython-312.pyc
    - standardGlyphOrder.cpython-312.pyc
    - ttCollection.cpython-312.pyc
    - ttFont.cpython-312.pyc
    - ttGlyphSet.cpython-312.pyc
    - ttVisitor.cpython-312.pyc
    - woff2.cpython-312.pyc
- tables/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_a\_n\_k\_r.cpython-312.pyc
    - \_a\_v\_a\_r.cpython-312.pyc
    - \_b\_g\_c\_l.cpython-312.pyc
    - \_b\_s\_l\_n.cpython-312.pyc
    - \_c\_i\_d\_g.cpython-312.pyc

— \_c\_m\_a\_p.cpython-312.pyc  
— \_c\_v\_a\_r.cpython-312.pyc  
— \_c\_v\_t.cpython-312.pyc  
— \_f\_e\_a\_t.cpython-312.pyc  
— \_f\_p\_g\_m.cpython-312.pyc  
— \_f\_v\_a\_r.cpython-312.pyc  
— \_g\_a\_s\_p.cpython-312.pyc  
— \_g\_c\_i\_d.cpython-312.pyc  
— \_g\_l\_y\_f.cpython-312.pyc  
— \_g\_v\_a\_r.cpython-312.pyc  
— \_h\_d\_m\_x.cpython-312.pyc  
— \_h\_e\_a\_d.cpython-312.pyc  
— \_h\_h\_e\_a.cpython-312.pyc  
— \_h\_m\_t\_x.cpython-312.pyc  
— \_k\_e\_r\_n.cpython-312.pyc  
— \_l\_c\_a\_r.cpython-312.pyc  
— \_l\_o\_c\_a.cpython-312.pyc  
— \_l\_t\_a\_g.cpython-312.pyc  
— \_m\_a\_x\_p.cpython-312.pyc  
— \_m\_e\_t\_a.cpython-312.pyc  
— \_m\_o\_r\_t.cpython-312.pyc  
— \_m\_o\_r\_x.cpython-312.pyc  
— \_n\_a\_m\_e.cpython-312.pyc  
— \_o\_p\_b\_d.cpython-312.pyc  
— \_p\_o\_s\_t.cpython-312.pyc  
— \_p\_r\_e\_p.cpython-312.pyc  
— \_p\_r\_o\_p.cpython-312.pyc  
— \_s\_b\_i\_x.cpython-312.pyc  
— \_t\_r\_a\_k.cpython-312.pyc  
— \_v\_h\_e\_a.cpython-312.pyc  
— \_v\_m\_t\_x.cpython-312.pyc  
— asciiTable.cpython-312.pyc  
— B\_A\_S\_E\_.cpython-312.pyc  
— BitmapGlyphMetrics.cpython-312.pyc  
— C\_B\_D\_T\_.cpython-312.pyc  
— C\_B\_L\_C\_.cpython-312.pyc  
— C\_F\_F\_.cpython-312.pyc  
— C\_F\_F\_\_2.cpython-312.pyc  
— C\_O\_L\_R\_.cpython-312.pyc  
— C\_P\_A\_L\_.cpython-312.pyc  
— D\_\_e\_b\_g.cpython-312.pyc  
— D\_S\_I\_G\_.cpython-312.pyc  
— DefaultTable.cpython-312.pyc  
— E\_B\_D\_T\_.cpython-312.pyc  
— E\_B\_L\_C\_.cpython-312.pyc  
— F\_\_e\_a\_t.cpython-312.pyc  
— F\_F\_T\_M\_.cpython-312.pyc  
— G\_\_l\_a\_t.cpython-312.pyc  
— G\_\_l\_o\_c.cpython-312.pyc  
— G\_D\_E\_F\_.cpython-312.pyc  
— G\_P\_O\_S\_.cpython-312.pyc  
— G\_S\_U\_B\_.cpython-312.pyc  
— G\_V\_A\_R\_.cpython-312.pyc  
— grUtils.cpython-312.pyc  
— H\_V\_A\_R\_.cpython-312.pyc  
— I\_F\_T\_.cpython-312.pyc  
— I\_F\_T\_X\_.cpython-312.pyc  
— J\_S\_T\_F\_.cpython-312.pyc  
— L\_T\_S\_H\_.cpython-312.pyc  
— M\_A\_T\_H\_.cpython-312.pyc  
— M\_V\_A\_R\_.cpython-312.pyc  
— O\_S\_2f\_2.cpython-312.pyc  
— otBase.cpython-312.pyc  
— otConverters.cpython-312.pyc  
— otData.cpython-312.pyc  
— otDataSchema.cpython-312.pyc  
— otTables.cpython-312.pyc  
— otTraverse.cpython-312.pyc  
— S\_\_i\_l\_f.cpython-312.pyc  
— S\_\_i\_l\_l.cpython-312.pyc  
— S\_T\_A\_T\_.cpython-312.pyc  
— S\_V\_G\_.cpython-312.pyc  
— sbixGlyph.cpython-312.pyc  
— sbixStrike.cpython-312.pyc  
— T\_S\_I\_\_0.cpython-312.pyc  
— T\_S\_I\_\_1.cpython-312.pyc  
— T\_S\_I\_\_2.cpython-312.pyc  
— T\_S\_I\_\_3.cpython-312.pyc  
— T\_S\_I\_\_5.cpython-312.pyc  
— T\_S\_I\_B\_.cpython-312.pyc  
— T\_S\_I\_C\_.cpython-312.pyc  
— T\_S\_I\_D\_.cpython-312.pyc  
— T\_S\_I\_J\_.cpython-312.pyc  
— T\_S\_I\_P\_.cpython-312.pyc  
— T\_S\_I\_S\_.cpython-312.pyc

- T\_S\_I\_V\_.cpython-312.pyc
- T\_T\_F\_A\_.cpython-312.pyc
- ttProgram.cpython-312.pyc
- TupleVariation.cpython-312.pyc
- V\_A\_R\_C\_.cpython-312.pyc
- V\_D\_M\_X\_.cpython-312.pyc
- V\_O\_R\_G\_.cpython-312.pyc
- V\_V\_A\_R\_.cpython-312.pyc
- \_\_init\_\_.py
- \_a\_n\_k\_r.py
- \_a\_v\_a\_r.py
- \_b\_g\_c\_l.py
- \_b\_s\_l\_n.py
- \_c\_i\_d\_g.py
- \_c\_m\_a\_p.py
- \_c\_v\_a\_r.py
- \_c\_v\_t.py
- \_f\_e\_a\_t.py
- \_f\_p\_g\_m.py
- \_f\_v\_a\_r.py
- \_g\_a\_s\_p.py
- \_g\_c\_i\_d.py
- \_g\_l\_y\_f.py
- \_g\_v\_a\_r.py
- \_h\_d\_m\_x.py
- \_h\_e\_a\_d.py
- \_h\_h\_e\_a.py
- \_h\_m\_t\_x.py
- \_k\_e\_r\_n.py
- \_l\_c\_a\_r.py
- \_l\_o\_c\_a.py
- \_l\_t\_a\_g.py
- \_m\_a\_x\_p.py
- \_m\_e\_t\_a.py
- \_m\_o\_r\_t.py
- \_m\_o\_r\_x.py
- \_n\_a\_m\_e.py
- \_o\_p\_b\_d.py
- \_p\_o\_s\_t.py
- \_p\_r\_e\_p.py
- \_p\_r\_o\_p.py
- \_s\_b\_i\_x.py
- \_t\_r\_a\_k.py
- \_v\_h\_e\_a.py
- \_v\_m\_t\_x.py
- asciiTable.py
- B\_A\_S\_E\_.py
- BitmapGlyphMetrics.py
- C\_B\_D\_T\_.py
- C\_B\_L\_C\_.py
- C\_F\_F\_.py
- C\_F\_F\_\_2.py
- C\_O\_L\_R\_.py
- C\_P\_A\_L\_.py
- D\_\_e\_b\_g.py
- D\_S\_I\_G\_.py
- DefaultTable.py
- E\_B\_D\_T\_.py
- E\_B\_L\_C\_.py
- F\_e\_a\_t.py
- F\_F\_T\_M\_.py
- G\_l\_a\_t.py
- G\_\_l\_o\_c.py
- G\_D\_E\_F\_.py
- G\_P\_O\_S\_.py
- G\_S\_U\_B\_.py
- G\_V\_A\_R\_.py
- grUtils.py
- H\_V\_A\_R\_.py
- I\_F\_T\_.py
- I\_F\_T\_X\_.py
- J\_S\_T\_F\_.py
- L\_T\_S\_H\_.py
- M\_A\_T\_H\_.py
- M\_V\_A\_R\_.py
- O\_S\_2f\_2.py
- otBase.py
- otConverters.py
- otData.py
- otDataSchema.py
- otTables.py
- otTraverse.py
- S\_\_i\_l\_f.py
- S\_\_i\_l\_l.py
- S\_T\_A\_T\_.py

- S\_V\_G\_.py
- sbixGlyph.py
- sbixStrike.py
- T\_S\_I\_\_0.py
- T\_S\_I\_\_1.py
- T\_S\_I\_\_2.py
- T\_S\_I\_\_3.py
- T\_S\_I\_\_5.py
- T\_S\_I\_B\_.py
- T\_S\_I\_C\_.py
- T\_S\_I\_D\_.py
- T\_S\_I\_J\_.py
- T\_S\_I\_P\_.py
- T\_S\_I\_S\_.py
- T\_S\_I\_V\_.py
- T\_T\_F\_A\_.py
- table\_API\_readme.txt
- ttProgram.py
- TupleVariation.py
- V\_A\_R\_C\_.py
- V\_D\_M\_X\_.py
- V\_O\_R\_G\_.py
- V\_V\_A\_R\_.py
- \_\_init\_\_.py
- \_\_main\_\_.py
- macUtils.py
- removeOverlaps.py
- reorderGlyphs.py
- scaleUpem.py
- sfnt.py
- standardGlyphOrder.py
- ttCollection.py
- ttFont.py
- ttGlyphSet.py
- ttVisitor.py
- woff2.py
- ufoLib/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - converters.cpython-312.pyc
    - errors.cpython-312.pyc
    - etree.cpython-312.pyc
    - filenames.cpython-312.pyc
    - glifLib.cpython-312.pyc
    - kerning.cpython-312.pyc
    - plistlib.cpython-312.pyc
    - pointPen.cpython-312.pyc
    - utils.cpython-312.pyc
    - validators.cpython-312.pyc
  - \_\_init\_\_.py
  - converters.py
  - errors.py
  - etree.py
  - filenames.py
  - glifLib.py
  - kerning.py
  - plistlib.py
  - pointPen.py
  - utils.py
  - validators.py
- unicodedata/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - Blocks.cpython-312.pyc
    - Mirrored.cpython-312.pyc
    - OTTags.cpython-312.pyc
    - ScriptExtensions.cpython-312.pyc
    - Scripts.cpython-312.pyc
  - \_\_init\_\_.py
  - Blocks.py
  - Mirrored.py
  - OTTags.py
  - ScriptExtensions.py
  - Scripts.py
- varLib/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - avarPlanner.cpython-312.pyc
    - builder.cpython-312.pyc
    - cff.cpython-312.pyc
    - errors.cpython-312.pyc
    - featureVars.cpython-312.pyc
    - hvar.cpython-312.pyc
    - interpolatable.cpython-312.pyc

- interpolatableHelpers.cpython-312.pyc
- interpolatablePlot.cpython-312.pyc
- interpolatableTestContourOrder.cpython-312.pyc
- interpolatableTestStartingPoint.cpython-312.pyc
- interpolate\_layout.cpython-312.pyc
- iup.cpython-312.pyc
- merger.cpython-312.pyc
- models.cpython-312.pyc
- multiVarStore.cpython-312.pyc
- mutator.cpython-312.pyc
- mvar.cpython-312.pyc
- plot.cpython-312.pyc
- stat.cpython-312.pyc
- varStore.cpython-312.pyc
- avar/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - build.cpython-312.pyc
    - map.cpython-312.pyc
    - plan.cpython-312.pyc
    - unbuild.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - build.py
  - map.py
  - plan.py
  - unbuild.py
- instancer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - featureVars.cpython-312.pyc
    - names.cpython-312.pyc
    - solver.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - featureVars.py
  - names.py
  - solver.py
- \_\_init\_\_.py
- \_\_main\_\_.py
- avarPlanner.py
- builder.py
- cff.py
- errors.py
- featureVars.py
- hvar.py
- interpolatable.py
- interpolatableHelpers.py
- interpolatablePlot.py
- interpolatableTestContourOrder.py
- interpolatableTestStartingPoint.py
- interpolate\_layout.py
- iup.c
- iup.cp312-win\_amd64.pyd
- iup.py
- merger.py
- models.py
- multiVarStore.py
- mutator.py
- mvar.py
- plot.py
- stat.py
- varStore.py
- voltLib/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - ast.cpython-312.pyc
    - error.cpython-312.pyc
    - lexer.cpython-312.pyc
    - parser.cpython-312.pyc
    - voltToFea.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - ast.py
  - error.py
  - lexer.py
  - parser.py
  - voltToFea.py
- \_\_init\_\_.py
- \_\_main\_\_.py
- afmLib.py
- agl.py

- annotations.py
- fontBuilder.py
- help.py
- tfmLib.py
- ttx.py
- unicode.py
- fonttools-4.63.0.dist-info/
  - licenses/
    - LICENSE
    - LICENSE.external
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- fsspec/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_version.cpython-312.pyc
    - archive.cpython-312.pyc
    - asyn.cpython-312.pyc
    - caching.cpython-312.pyc
    - callbacks.cpython-312.pyc
    - compression.cpython-312.pyc
    - config.cpython-312.pyc
    - conftest.cpython-312.pyc
    - core.cpython-312.pyc
    - dircache.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - fuse.cpython-312.pyc
    - generic.cpython-312.pyc
    - gui.cpython-312.pyc
    - json.cpython-312.pyc
    - mapping.cpython-312.pyc
    - parquet.cpython-312.pyc
    - registry.cpython-312.pyc
    - spec.cpython-312.pyc
    - transaction.cpython-312.pyc
    - utils.cpython-312.pyc
  - implementations/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - arrow.cpython-312.pyc
      - asyn\_wrapper.cpython-312.pyc
      - cache\_mapper.cpython-312.pyc
      - cache\_metadata.cpython-312.pyc
      - cached.cpython-312.pyc
      - chained.cpython-312.pyc
      - dask.cpython-312.pyc
      - data.cpython-312.pyc
      - dbfs.cpython-312.pyc
      - dirfs.cpython-312.pyc
      - ftp.cpython-312.pyc
      - gist.cpython-312.pyc
      - git.cpython-312.pyc
      - github.cpython-312.pyc
      - http.cpython-312.pyc
      - http\_sync.cpython-312.pyc
      - jupyter.cpython-312.pyc
      - libarchive.cpython-312.pyc
      - local.cpython-312.pyc
      - memory.cpython-312.pyc
      - reference.cpython-312.pyc
      - sftp.cpython-312.pyc
      - smb.cpython-312.pyc
      - tar.cpython-312.pyc
      - webhdfs.cpython-312.pyc
      - zip.cpython-312.pyc
    - \_\_init\_\_.py
    - arrow.py
    - asyn\_wrapper.py
    - cache\_mapper.py
    - cache\_metadata.py
    - cached.py
    - chained.py
    - dask.py
    - data.py
    - dbfs.py
    - dirfs.py
    - ftp.py
    - gist.py
    - git.py
    - github.py
    - http.py

- http\_sync.py
- jupyter.py
- libarchive.py
- local.py
- memory.py
- reference.py
- sftp.py
- smb.py
- tar.py
- webhdfs.py
- zip.py
- tests/
  - abstract/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - common.cpython-312.pyc
      - copy.cpython-312.pyc
      - get.cpython-312.pyc
      - mv.cpython-312.pyc
      - open.cpython-312.pyc
      - pipe.cpython-312.pyc
      - put.cpython-312.pyc
    - \_\_init\_\_.py
    - common.py
    - copy.py
    - get.py
    - mv.py
    - open.py
    - pipe.py
    - put.py
  - \_\_init\_\_.py
  - \_version.py
  - archive.py
  - asyn.py
  - caching.py
  - callbacks.py
  - compression.py
  - config.py
  - conftest.py
  - core.py
  - dircache.py
  - exceptions.py
  - fuse.py
  - generic.py
  - gui.py
  - json.py
  - mapping.py
  - parquet.py
  - registry.py
  - spec.py
  - transaction.py
  - utils.py
- fsspec-2026.4.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- functorch/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_src/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - aot\_autograd/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
    - eager\_transforms/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
    - make\_functional/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
    - vmap/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
  - \_\_init\_\_.py
- compile/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc



- └─ \_\_init\_\_.py
- ─ dim/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_dim\_entry.cpython-312.pyc
    - └─ \_enable\_all\_layers.cpython-312.pyc
    - └─ \_getsetitem.cpython-312.pyc
    - └─ \_order.cpython-312.pyc
    - └─ \_py\_inst\_decoder.cpython-312.pyc
    - └─ \_tensor\_info.cpython-312.pyc
    - └─ \_wrap.cpython-312.pyc
    - └─ magic\_trace.cpython-312.pyc
    - └─ op\_properties.cpython-312.pyc
    - └─ wrap\_type.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ \_dim\_entry.py
  - └─ \_enable\_all\_layers.py
  - └─ \_getsetitem.py
  - └─ \_order.py
  - └─ \_py\_inst\_decoder.py
  - └─ \_tensor\_info.py
  - └─ \_wrap.py
  - └─ magic\_trace.py
  - └─ op\_properties.py
  - └─ wrap\_type.py
- ─ einops/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_parsing.cpython-312.pyc
    - └─ rearrange.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ \_parsing.py
  - └─ rearrange.py
- ─ experimental/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ control\_flow.cpython-312.pyc
    - └─ ops.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ control\_flow.py
  - └─ ops.py
- ─ \_\_init\_\_.py
- ─ h11/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_abnf.cpython-312.pyc
    - └─ \_connection.cpython-312.pyc
    - └─ \_events.cpython-312.pyc
    - └─ \_headers.cpython-312.pyc
    - └─ \_readers.cpython-312.pyc
    - └─ \_receivebuffer.cpython-312.pyc
    - └─ \_state.cpython-312.pyc
    - └─ \_util.cpython-312.pyc
    - └─ \_version.cpython-312.pyc
    - └─ \_writers.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ \_abnf.py
  - └─ \_connection.py
  - └─ \_events.py
  - └─ \_headers.py
  - └─ \_readers.py
  - └─ \_receivebuffer.py
  - └─ \_state.py
  - └─ \_util.py
  - └─ \_version.py
  - └─ \_writers.py
  - └─ py.typed
- ─ h11-0.16.0.dist-info/
  - └─ licenses/
    - └─ LICENSE.txt
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ top\_level.txt
  - └─ WHEEL
- ─ hf\_xet/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ hf\_xet.pyd
- ─ hf\_xet-1.5.0.dist-info/
  - └─ licenses/
    - └─ LICENSE
  - └─ sboms/
    - └─ hf\_xet.cyclonedx.json

- INSTALLER
- METADATA
- RECORD
- WHEEL
- httplib/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_api.cpython-312.pyc
    - \_exceptions.cpython-312.pyc
    - \_models.cpython-312.pyc
    - \_ssl.cpython-312.pyc
    - \_synchronization.cpython-312.pyc
    - \_trace.cpython-312.pyc
    - \_utils.cpython-312.pyc
  - \_async/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - connection.cpython-312.pyc
      - connection\_pool.cpython-312.pyc
      - http11.cpython-312.pyc
      - http2.cpython-312.pyc
      - http\_proxy.cpython-312.pyc
      - interfaces.cpython-312.pyc
      - socks\_proxy.cpython-312.pyc
    - \_\_init\_\_.py
    - connection.py
    - connection\_pool.py
    - http11.py
    - http2.py
    - http\_proxy.py
    - interfaces.py
    - socks\_proxy.py
  - \_backends/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - anyio.cpython-312.pyc
      - auto.cpython-312.pyc
      - base.cpython-312.pyc
      - mock.cpython-312.pyc
      - sync.cpython-312.pyc
      - trio.cpython-312.pyc
    - \_\_init\_\_.py
    - anyio.py
    - auto.py
    - base.py
    - mock.py
    - sync.py
    - trio.py
  - \_sync/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - connection.cpython-312.pyc
      - connection\_pool.cpython-312.pyc
      - http11.cpython-312.pyc
      - http2.cpython-312.pyc
      - http\_proxy.cpython-312.pyc
      - interfaces.cpython-312.pyc
      - socks\_proxy.cpython-312.pyc
    - \_\_init\_\_.py
    - connection.py
    - connection\_pool.py
    - http11.py
    - http2.py
    - http\_proxy.py
    - interfaces.py
    - socks\_proxy.py
  - \_\_init\_\_.py
  - \_api.py
  - \_exceptions.py
  - \_models.py
  - \_ssl.py
  - \_synchronization.py
  - \_trace.py
  - \_utils.py
  - py.typed
- httplib-1.0.9.dist-info/
  - licenses/
    - LICENSE.md
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- httpx/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc

- `__version__.cpython-312.pyc`
- `_api.cpython-312.pyc`
- `_auth.cpython-312.pyc`
- `_client.cpython-312.pyc`
- `_config.cpython-312.pyc`
- `_content.cpython-312.pyc`
- `_decoders.cpython-312.pyc`
- `_exceptions.cpython-312.pyc`
- `_main.cpython-312.pyc`
- `_models.cpython-312.pyc`
- `_multipart.cpython-312.pyc`
- `_status_codes.cpython-312.pyc`
- `_types.cpython-312.pyc`
- `_urlparse.cpython-312.pyc`
- `_urls.cpython-312.pyc`
- `_utils.cpython-312.pyc`
- `transports/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `asgi.cpython-312.pyc`
    - `base.cpython-312.pyc`
    - `default.cpython-312.pyc`
    - `mock.cpython-312.pyc`
    - `wsgi.cpython-312.pyc`
  - `__init__.py`
  - `asgi.py`
  - `base.py`
  - `default.py`
  - `mock.py`
  - `wsgi.py`
- `__init__.py`
- `__version__.py`
- `_api.py`
- `_auth.py`
- `_client.py`
- `_config.py`
- `_content.py`
- `_decoders.py`
- `_exceptions.py`
- `_main.py`
- `_models.py`
- `_multipart.py`
- `_status_codes.py`
- `_types.py`
- `_urlparse.py`
- `_urls.py`
- `_utils.py`
- `py.typed`
- `httpx-0.28.1.dist-info/`
  - `licenses/`
    - `LICENSE.md`
  - `entry_points.txt`
  - `INSTALLER`
  - `METADATA`
  - `RECORD`
  - `WHEEL`
- `huggingface_hub/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_buckets.cpython-312.pyc`
    - `_commit_api.cpython-312.pyc`
    - `_commit_scheduler.cpython-312.pyc`
    - `_dataset_viewer.cpython-312.pyc`
    - `_eval_results.cpython-312.pyc`
    - `_inference_endpoints.cpython-312.pyc`
    - `_jobs_api.cpython-312.pyc`
    - `_local_folder.cpython-312.pyc`
    - `_login.cpython-312.pyc`
    - `_oauth.cpython-312.pyc`
    - `_snapshot_download.cpython-312.pyc`
    - `_space_api.cpython-312.pyc`
    - `_tensorboard_logger.cpython-312.pyc`
    - `_upload_large_folder.cpython-312.pyc`
    - `_webhooks_payload.cpython-312.pyc`
    - `_webhooks_server.cpython-312.pyc`
  - `community.cpython-312.pyc`
  - `constants.cpython-312.pyc`
  - `dataclasses.cpython-312.pyc`
  - `errors.cpython-312.pyc`
  - `fastai_utils.cpython-312.pyc`
  - `file_download.cpython-312.pyc`
  - `hf_api.cpython-312.pyc`
  - `hf_file_system.cpython-312.pyc`
  - `hub_mixin.cpython-312.pyc`
  - `lfs.cpython-312.pyc`

- └─ repocard.cpython-312.pyc
- └─ repocard\_data.cpython-312.pyc
- └─ hot\_reload/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ client.cpython-312.pyc
    - └─ sse\_client.cpython-312.pyc
    - └─ types.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ client.py
  - └─ sse\_client.py
  - └─ types.py
- └─ cli/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_cli\_utils.cpython-312.pyc
    - └─ \_errors.cpython-312.pyc
    - └─ \_file\_listing.cpython-312.pyc
    - └─ \_help\_formatter.cpython-312.pyc
    - └─ \_output.cpython-312.pyc
    - └─ \_skills.cpython-312.pyc
    - └─ auth.cpython-312.pyc
    - └─ buckets.cpython-312.pyc
    - └─ cache.cpython-312.pyc
    - └─ collections.cpython-312.pyc
    - └─ datasets.cpython-312.pyc
    - └─ deprecated\_cli.cpython-312.pyc
    - └─ discussions.cpython-312.pyc
    - └─ download.cpython-312.pyc
    - └─ extensions.cpython-312.pyc
    - └─ hf.cpython-312.pyc
    - └─ inference\_endpoints.cpython-312.pyc
    - └─ jobs.cpython-312.pyc
    - └─ lfs.cpython-312.pyc
    - └─ models.cpython-312.pyc
    - └─ papers.cpython-312.pyc
    - └─ repo\_files.cpython-312.pyc
    - └─ repos.cpython-312.pyc
    - └─ skills.cpython-312.pyc
    - └─ spaces.cpython-312.pyc
    - └─ system.cpython-312.pyc
    - └─ upload.cpython-312.pyc
    - └─ upload\_large\_folder.cpython-312.pyc
    - └─ webhooks.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ \_cli\_utils.py
  - └─ \_errors.py
  - └─ \_file\_listing.py
  - └─ \_help\_formatter.py
  - └─ \_output.py
  - └─ \_skills.py
  - └─ auth.py
  - └─ buckets.py
  - └─ cache.py
  - └─ collections.py
  - └─ datasets.py
  - └─ deprecated\_cli.py
  - └─ discussions.py
  - └─ download.py
  - └─ extensions.py
  - └─ hf.py
  - └─ inference\_endpoints.py
  - └─ jobs.py
  - └─ lfs.py
  - └─ models.py
  - └─ papers.py
  - └─ repo\_files.py
  - └─ repos.py
  - └─ skills.py
  - └─ spaces.py
  - └─ system.py
  - └─ upload.py
  - └─ upload\_large\_folder.py
  - └─ webhooks.py
- └─ inference/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_client.cpython-312.pyc
    - └─ \_common.cpython-312.pyc
  - └─ generated/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_async\_client.cpython-312.pyc
    - └─ types/
      - └─ \_\_pycache\_\_/

- `__init__.cpython-312.pyc`
- `audio_classification.cpython-312.pyc`
- `audio_to_audio.cpython-312.pyc`
- `automatic_speech_recognition.cpython-312.pyc`
- `base.cpython-312.pyc`
- `chat_completion.cpython-312.pyc`
- `depth_estimation.cpython-312.pyc`
- `document_question_answering.cpython-312.pyc`
- `feature_extraction.cpython-312.pyc`
- `fill_mask.cpython-312.pyc`
- `image_classification.cpython-312.pyc`
- `image_segmentation.cpython-312.pyc`
- `image_text_to_image.cpython-312.pyc`
- `image_text_to_video.cpython-312.pyc`
- `image_to_image.cpython-312.pyc`
- `image_to_text.cpython-312.pyc`
- `image_to_video.cpython-312.pyc`
- `object_detection.cpython-312.pyc`
- `question_answering.cpython-312.pyc`
- `sentence_similarity.cpython-312.pyc`
- `summarization.cpython-312.pyc`
- `table_question_answering.cpython-312.pyc`
- `text2text_generation.cpython-312.pyc`
- `text_classification.cpython-312.pyc`
- `text_generation.cpython-312.pyc`
- `text_to_audio.cpython-312.pyc`
- `text_to_image.cpython-312.pyc`
- `text_to_speech.cpython-312.pyc`
- `text_to_video.cpython-312.pyc`
- `token_classification.cpython-312.pyc`
- `translation.cpython-312.pyc`
- `video_classification.cpython-312.pyc`
- `visual_question_answering.cpython-312.pyc`
- `zero_shot_classification.cpython-312.pyc`
- `zero_shot_image_classification.cpython-312.pyc`
- `zero_shot_object_detection.cpython-312.pyc`
- `__init__.py`
- `audio_classification.py`
- `audio_to_audio.py`
- `automatic_speech_recognition.py`
- `base.py`
- `chat_completion.py`
- `depth_estimation.py`
- `document_question_answering.py`
- `feature_extraction.py`
- `fill_mask.py`
- `image_classification.py`
- `image_segmentation.py`
- `image_text_to_image.py`
- `image_text_to_video.py`
- `image_to_image.py`
- `image_to_text.py`
- `image_to_video.py`
- `object_detection.py`
- `question_answering.py`
- `sentence_similarity.py`
- `summarization.py`
- `table_question_answering.py`
- `text2text_generation.py`
- `text_classification.py`
- `text_generation.py`
- `text_to_audio.py`
- `text_to_image.py`
- `text_to_speech.py`
- `text_to_video.py`
- `token_classification.py`
- `translation.py`
- `video_classification.py`
- `visual_question_answering.py`
- `zero_shot_classification.py`
- `zero_shot_image_classification.py`
- `zero_shot_object_detection.py`
- `__init__.py`
- `_async_client.py`
- `mcp/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_cli_hacks.cpython-312.pyc`
    - `agent.cpython-312.pyc`
    - `cli.cpython-312.pyc`
    - `constants.cpython-312.pyc`
    - `mcp_client.cpython-312.pyc`
    - `types.cpython-312.pyc`
    - `utils.cpython-312.pyc`
  - `__init__.py`

- \_cli\_hacks.py
- agent.py
- cli.py
- constants.py
- mcp\_client.py
- types.py
- utils.py
- providers/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_common.cpython-312.pyc
    - black\_forest\_labs.cpython-312.pyc
    - cerebras.cpython-312.pyc
    - clarifai.cpython-312.pyc
    - cohere.cpython-312.pyc
    - deepinfra.cpython-312.pyc
    - fal\_ai.cpython-312.pyc
    - featherless\_ai.cpython-312.pyc
    - fireworks\_ai.cpython-312.pyc
    - groq.cpython-312.pyc
    - hf\_inference.cpython-312.pyc
    - hyperbolic.cpython-312.pyc
    - nebius.cpython-312.pyc
    - novita.cpython-312.pyc
    - nscale.cpython-312.pyc
    - nvidia.cpython-312.pyc
    - openai.cpython-312.pyc
    - ovhcloud.cpython-312.pyc
    - publicai.cpython-312.pyc
    - replicate.cpython-312.pyc
    - sambanova.cpython-312.pyc
    - scaleway.cpython-312.pyc
    - together.cpython-312.pyc
    - wavespeed.cpython-312.pyc
    - zai\_org.cpython-312.pyc
  - \_\_init\_\_.py
  - \_common.py
  - black\_forest\_labs.py
  - cerebras.py
  - clarifai.py
  - cohere.py
  - deepinfra.py
  - fal\_ai.py
  - featherless\_ai.py
  - fireworks\_ai.py
  - groq.py
  - hf\_inference.py
  - hyperbolic.py
  - nebius.py
  - novita.py
  - nscale.py
  - nvidia.py
  - openai.py
  - ovhcloud.py
  - publicai.py
  - replicate.py
  - sambanova.py
  - scaleway.py
  - together.py
  - wavespeed.py
  - zai\_org.py
- \_\_init\_\_.py
- \_client.py
- \_common.py
- serialization/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_dduf.cpython-312.pyc
    - \_torch.cpython-312.pyc
  - \_\_init\_\_.py
  - \_base.py
  - \_dduf.py
  - \_torch.py
- templates/
  - datasetcard\_template.md
  - modelcard\_template.md
- utils/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_auth.cpython-312.pyc
    - \_cache\_assets.cpython-312.pyc
    - \_cache\_manager.cpython-312.pyc
    - \_chunk\_utils.cpython-312.pyc
    - \_datetime.cpython-312.pyc

```

— _deprecation.cpython-312.pyc
— _detect_agent.cpython-312.pyc
— _dotenv.cpython-312.pyc
— _experimental.cpython-312.pyc
— _fixes.cpython-312.pyc
— _git_credential.cpython-312.pyc
— _headers.cpython-312.pyc
— _hf_uris.cpython-312.pyc
— _http.cpython-312.pyc
— _lfs.cpython-312.pyc
— _pagination.cpython-312.pyc
— _parsing.cpython-312.pyc
— _paths.cpython-312.pyc
— _runtime.cpython-312.pyc
— _safetensors.cpython-312.pyc
— _subprocess.cpython-312.pyc
— _telemetry.cpython-312.pyc
— _terminal.cpython-312.pyc
— _typing.cpython-312.pyc
— _validators.cpython-312.pyc
— _verification.cpython-312.pyc
— _xet.cpython-312.pyc
— _xet_progress_reporting.cpython-312.pyc
— endpoint_helpers.cpython-312.pyc
— insecure_hashlib.cpython-312.pyc
— logging.cpython-312.pyc
— sha.cpython-312.pyc
— tqdm.cpython-312.pyc
— _init__.py
— _auth.py
— _cache_assets.py
— _cache_manager.py
— _chunk_utils.py
— _datetime.py
— _deprecation.py
— _detect_agent.py
— _dotenv.py
— _experimental.py
— _fixes.py
— _git_credential.py
— _headers.py
— _hf_uris.py
— _http.py
— _lfs.py
— _pagination.py
— _parsing.py
— _paths.py
— _runtime.py
— _safetensors.py
— _subprocess.py
— _telemetry.py
— _terminal.py
— _typing.py
— _validators.py
— _verification.py
— _xet.py
— _xet_progress_reporting.py
— endpoint_helpers.py
— insecure_hashlib.py
— logging.py
— sha.py
— tqdm.py
— _init__.py
— _buckets.py
— _commit_api.py
— _commit_scheduler.py
— _dataset_viewer.py
— _eval_results.py
— _inference_endpoints.py
— _jobs_api.py
— _local_folder.py
— _login.py
— _oauth.py
— _snapshot_download.py
— _space_api.py
— _tensorboard_logger.py
— _upload_large_folder.py
— _webhooks_payload.py
— _webhooks_server.py
— community.py
— constants.py
— dataclasses.py
— errors.py
— fastai_utils.py
— file_download.py

```

- hf\_api.py
- hf\_file\_system.py
- hub\_mixin.py
- lfs.py
- py.typed
- repocard.py
- repocard\_data.py
- huggingface\_hub-1.15.0.dist-info/
  - licenses/
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- idna/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - codec.cpython-312.pyc
    - compat.cpython-312.pyc
    - core.cpython-312.pyc
    - idnadata.cpython-312.pyc
    - intranges.cpython-312.pyc
    - package\_data.cpython-312.pyc
    - uts46data.cpython-312.pyc
  - \_\_init\_\_.py
  - codec.py
  - compat.py
  - core.py
  - idnadata.py
  - intranges.py
  - package\_data.py
  - py.typed
  - uts46data.py
- idna-3.15.dist-info/
  - licenses/
    - LICENSE.md
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- jinja2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_identifier.cpython-312.pyc
    - async\_utils.cpython-312.pyc
    - bccache.cpython-312.pyc
    - compiler.cpython-312.pyc
    - constants.cpython-312.pyc
    - debug.cpython-312.pyc
    - defaults.cpython-312.pyc
    - environment.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - ext.cpython-312.pyc
    - filters.cpython-312.pyc
    - idtracking.cpython-312.pyc
    - lexer.cpython-312.pyc
    - loaders.cpython-312.pyc
    - meta.cpython-312.pyc
    - nativetypes.cpython-312.pyc
    - nodes.cpython-312.pyc
    - optimizer.cpython-312.pyc
    - parser.cpython-312.pyc
    - runtime.cpython-312.pyc
    - sandbox.cpython-312.pyc
    - tests.cpython-312.pyc
    - utils.cpython-312.pyc
    - visitor.cpython-312.pyc
  - \_\_init\_\_.py
  - \_identifier.py
  - async\_utils.py
  - bccache.py
  - compiler.py
  - constants.py
  - debug.py
  - defaults.py
  - environment.py
  - exceptions.py
  - ext.py
  - filters.py
  - idtracking.py
  - lexer.py
  - loaders.py
  - meta.py



- nativetypes.py
- nodes.py
- optimizer.py
- parser.py
- py.typed
- runtime.py
- sandbox.py
- tests.py
- utils.py
- visitor.py
- jinja2-3.1.6.dist-info/
  - licenses/
    - LICENSE.txt
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- joblib/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_cloudpickle\_wrapper.cpython-312.pyc
    - \_dask.cpython-312.pyc
    - \_memmapping\_reducer.cpython-312.pyc
    - \_multiprocessing\_helpers.cpython-312.pyc
    - \_parallel\_backends.cpython-312.pyc
    - \_store\_backends.cpython-312.pyc
    - \_utils.cpython-312.pyc
    - backports.cpython-312.pyc
    - compressor.cpython-312.pyc
    - disk.cpython-312.pyc
    - executor.cpython-312.pyc
    - func\_inspect.cpython-312.pyc
    - hashing.cpython-312.pyc
    - logger.cpython-312.pyc
    - memory.cpython-312.pyc
    - numpy\_pickle.cpython-312.pyc
    - numpy\_pickle\_compat.cpython-312.pyc
    - numpy\_pickle\_utils.cpython-312.pyc
    - parallel.cpython-312.pyc
    - pool.cpython-312.pyc
    - testing.cpython-312.pyc
- externals/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - cloudpickle/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - cloudpickle.cpython-312.pyc
      - cloudpickle\_fast.cpython-312.pyc
    - \_\_init\_\_.py
    - cloudpickle.py
    - cloudpickle\_fast.py
  - loky/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_base.cpython-312.pyc
      - \_cloudpickle\_wrapper.cpython-312.pyc
      - \_initializers.cpython-312.pyc
      - \_process\_executor.cpython-312.pyc
      - \_reusable\_executor.cpython-312.pyc
    - backend/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - \_posix\_reduction.cpython-312.pyc
        - \_win\_reduction.cpython-312.pyc
        - context.cpython-312.pyc
        - fork\_exec.cpython-312.pyc
        - popen\_loky\_posix.cpython-312.pyc
        - popen\_loky\_win32.cpython-312.pyc
        - process.cpython-312.pyc
        - queues.cpython-312.pyc
        - reduction.cpython-312.pyc
        - resource\_tracker.cpython-312.pyc
        - spawn.cpython-312.pyc
        - synchronize.cpython-312.pyc
        - utils.cpython-312.pyc
      - \_\_init\_\_.py
      - \_posix\_reduction.py
      - \_win\_reduction.py
      - context.py
      - fork\_exec.py
      - popen\_loky\_posix.py
      - popen\_loky\_win32.py
      - process.py

- queues.py
- reduction.py
- resource\_tracker.py
- spawn.py
- synchronize.py
- utils.py
- \_\_init\_\_.py
- \_base.py
- cloudpickle\_wrapper.py
- initializers.py
- process\_executor.py
- reusable\_executor.py
- \_\_init\_\_.py
- test/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - common.cpython-312.pyc
    - test\_backports.cpython-312.pyc
    - test\_cloudpickle\_wrapper.cpython-312.pyc
    - test\_config.cpython-312.pyc
    - test\_dask.cpython-312.pyc
    - test\_disk.cpython-312.pyc
    - test\_func\_inspect.cpython-312.pyc
    - test\_func\_inspect\_special\_encoding.cpython-312.pyc
    - test\_hashing.cpython-312.pyc
    - test\_init.cpython-312.pyc
    - test\_logger.cpython-312.pyc
    - test\_memmapping.cpython-312.pyc
    - test\_memory.cpython-312.pyc
    - test\_memory\_async.cpython-312.pyc
    - test\_missing\_multiprocessing.cpython-312.pyc
    - test\_module.cpython-312.pyc
    - test\_numpy\_pickle.cpython-312.pyc
    - test\_numpy\_pickle\_compat.cpython-312.pyc
    - test\_numpy\_pickle\_utils.cpython-312.pyc
    - test\_parallel.cpython-312.pyc
    - test\_store\_backends.cpython-312.pyc
    - test\_testing.cpython-312.pyc
    - test\_utils.cpython-312.pyc
    - testutils.cpython-312.pyc
  - data/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - create\_numpy\_pickle.cpython-312.pyc
    - \_\_init\_\_.py
    - create\_numpy\_pickle.py
    - joblib\_0.10.0\_compressed\_pickle\_py27\_np16.gz
    - joblib\_0.10.0\_compressed\_pickle\_py27\_np17.gz
    - joblib\_0.10.0\_compressed\_pickle\_py33\_np18.gz
    - joblib\_0.10.0\_compressed\_pickle\_py34\_np19.gz
    - joblib\_0.10.0\_compressed\_pickle\_py35\_np19.gz
    - joblib\_0.10.0\_pickle\_py27\_np17.pkl
    - joblib\_0.10.0\_pickle\_py27\_np17.pkl.bz2
    - joblib\_0.10.0\_pickle\_py27\_np17.pkl.gz
    - joblib\_0.10.0\_pickle\_py27\_np17.pkl.lzma
    - joblib\_0.10.0\_pickle\_py27\_np17.pkl.xz
    - joblib\_0.10.0\_pickle\_py33\_np18.pkl
    - joblib\_0.10.0\_pickle\_py33\_np18.pkl.bz2
    - joblib\_0.10.0\_pickle\_py33\_np18.pkl.gz
    - joblib\_0.10.0\_pickle\_py33\_np18.pkl.lzma
    - joblib\_0.10.0\_pickle\_py33\_np18.pkl.xz
    - joblib\_0.10.0\_pickle\_py34\_np19.pkl
    - joblib\_0.10.0\_pickle\_py34\_np19.pkl.bz2
    - joblib\_0.10.0\_pickle\_py34\_np19.pkl.gz
    - joblib\_0.10.0\_pickle\_py34\_np19.pkl.lzma
    - joblib\_0.10.0\_pickle\_py34\_np19.pkl.xz
    - joblib\_0.10.0\_pickle\_py35\_np19.pkl
    - joblib\_0.10.0\_pickle\_py35\_np19.pkl.bz2
    - joblib\_0.10.0\_pickle\_py35\_np19.pkl.gz
    - joblib\_0.10.0\_pickle\_py35\_np19.pkl.lzma
    - joblib\_0.10.0\_pickle\_py35\_np19.pkl.xz
    - joblib\_0.11.0\_compressed\_pickle\_py36\_np111.gz
    - joblib\_0.11.0\_pickle\_py36\_np111.pkl
    - joblib\_0.11.0\_pickle\_py36\_np111.pkl.bz2
    - joblib\_0.11.0\_pickle\_py36\_np111.pkl.gz
    - joblib\_0.11.0\_pickle\_py36\_np111.pkl.lzma
    - joblib\_0.11.0\_pickle\_py36\_np111.pkl.xz
    - joblib\_0.8.4\_compressed\_pickle\_py27\_np17.gz
    - joblib\_0.9.2\_compressed\_pickle\_py27\_np16.gz
    - joblib\_0.9.2\_compressed\_pickle\_py27\_np17.gz
    - joblib\_0.9.2\_compressed\_pickle\_py34\_np19.gz
    - joblib\_0.9.2\_compressed\_pickle\_py35\_np19.gz
    - joblib\_0.9.2\_pickle\_py27\_np16.pkl
    - joblib\_0.9.2\_pickle\_py27\_np16.pkl\_01.npy
    - joblib\_0.9.2\_pickle\_py27\_np16.pkl\_02.npy

- joblib\_0.9.2\_pickle\_py27\_np16.pkl\_03.npy
- joblib\_0.9.2\_pickle\_py27\_np16.pkl\_04.npy
- joblib\_0.9.2\_pickle\_py27\_np17.pkl
- joblib\_0.9.2\_pickle\_py27\_np17.pkl\_01.npy
- joblib\_0.9.2\_pickle\_py27\_np17.pkl\_02.npy
- joblib\_0.9.2\_pickle\_py27\_np17.pkl\_03.npy
- joblib\_0.9.2\_pickle\_py27\_np17.pkl\_04.npy
- joblib\_0.9.2\_pickle\_py33\_np18.pkl
- joblib\_0.9.2\_pickle\_py33\_np18.pkl\_01.npy
- joblib\_0.9.2\_pickle\_py33\_np18.pkl\_02.npy
- joblib\_0.9.2\_pickle\_py33\_np18.pkl\_03.npy
- joblib\_0.9.2\_pickle\_py33\_np18.pkl\_04.npy
- joblib\_0.9.2\_pickle\_py34\_np19.pkl
- joblib\_0.9.2\_pickle\_py34\_np19.pkl\_01.npy
- joblib\_0.9.2\_pickle\_py34\_np19.pkl\_02.npy
- joblib\_0.9.2\_pickle\_py34\_np19.pkl\_03.npy
- joblib\_0.9.2\_pickle\_py34\_np19.pkl\_04.npy
- joblib\_0.9.2\_pickle\_py35\_np19.pkl
- joblib\_0.9.2\_pickle\_py35\_np19.pkl\_01.npy
- joblib\_0.9.2\_pickle\_py35\_np19.pkl\_02.npy
- joblib\_0.9.2\_pickle\_py35\_np19.pkl\_03.npy
- joblib\_0.9.2\_pickle\_py35\_np19.pkl\_04.npy
- joblib\_0.9.4.dev0\_compressed\_cache\_size\_pickle\_py35\_np19.gz
- joblib\_0.9.4.dev0\_compressed\_cache\_size\_pickle\_py35\_np19.gz\_01.npy.z
- joblib\_0.9.4.dev0\_compressed\_cache\_size\_pickle\_py35\_np19.gz\_02.npy.z
- joblib\_0.9.4.dev0\_compressed\_cache\_size\_pickle\_py35\_np19.gz\_03.npy.z
- \_\_init\_\_.py
- common.py
- test\_backports.py
- test\_cloudpickle\_wrapper.py
- test\_config.py
- test\_dask.py
- test\_disk.py
- test\_func\_inspect.py
- test\_func\_inspect\_special\_encoding.py
- test\_hashing.py
- test\_init.py
- test\_logger.py
- test\_memmapping.py
- test\_memory.py
- test\_memory\_async.py
- test\_missing\_multiprocessing.py
- test\_module.py
- test\_numpy\_pickle.py
- test\_numpy\_pickle\_compat.py
- test\_numpy\_pickle\_utils.py
- test\_parallel.py
- test\_store\_backends.py
- test\_testing.py
- test\_utils.py
- testutils.py
- \_\_init\_\_.py
- \_cloudpickle\_wrapper.py
- \_dask.py
- \_memmapping\_reducer.py
- \_multiprocessing\_helpers.py
- \_parallel\_backends.py
- \_store\_backends.py
- \_utils.py
- backports.py
- compressor.py
- disk.py
- executor.py
- func\_inspect.py
- hashing.py
- logger.py
- memory.py
- numpy\_pickle.py
- numpy\_pickle\_compat.py
- numpy\_pickle\_utils.py
- parallel.py
- pool.py
- testing.py
- joblib-1.5.3.dist-info/
  - licenses/
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- kiwisolver/
  - pycache/
    - \_\_init\_\_.cpython-312.pyc
    - exceptions.cpython-312.pyc

- └─ \_\_init\_\_.py
- └─ \_cext.cp312-win\_amd64.pyd
- └─ \_cext.pyi
- └─ exceptions.py
- └─ py.typed
- ─ kiwisolver-1.5.0.dist-info/
  - └─ licenses/
    - └─ LICENSE
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ top\_level.txt
  - └─ WHEEL
- ─ lazy\_loader/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
  - └─ \_\_init\_\_.py
- ─ lazy\_loader-0.5.dist-info/
  - └─ licenses/
    - └─ LICENSE.md
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ top\_level.txt
  - └─ WHEEL
- ─ librosa/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_cache.cpython-312.pyc
    - └─ \_typing.cpython-312.pyc
    - └─ beat.cpython-312.pyc
    - └─ decompose.cpython-312.pyc
    - └─ display.cpython-312.pyc
    - └─ effects.cpython-312.pyc
    - └─ filters.cpython-312.pyc
    - └─ onset.cpython-312.pyc
    - └─ segment.cpython-312.pyc
    - └─ sequence.cpython-312.pyc
    - └─ version.cpython-312.pyc
- ─ core/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ audio.\_zc\_wrapper-1154.py312.1.nbc
    - └─ audio.\_zc\_wrapper-1154.py312.2.nbc
    - └─ audio.\_zc\_wrapper-1154.py312.nbi
    - └─ audio.cpython-312.pyc
    - └─ constantq.cpython-312.pyc
    - └─ convert.cpython-312.pyc
    - └─ fft.cpython-312.pyc
    - └─ guf-audio.\_zc\_wrapper-1154.py312.1.nbc
    - └─ guf-audio.\_zc\_wrapper-1154.py312.2.nbc
    - └─ guf-audio.\_zc\_wrapper-1154.py312.nbi
    - └─ harmonic.cpython-312.pyc
    - └─ intervals.cpython-312.pyc
    - └─ notation.cpython-312.pyc
    - └─ pitch.cpython-312.pyc
    - └─ spectrum.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ \_\_init\_\_.pyi
  - └─ audio.py
  - └─ constantq.py
  - └─ convert.py
  - └─ fft.py
  - └─ harmonic.py
  - └─ intervals.msgpack
  - └─ intervals.py
  - └─ notation.py
  - └─ pitch.py
  - └─ spectrum.py
- ─ feature/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ inverse.cpython-312.pyc
    - └─ rhythm.cpython-312.pyc
    - └─ spectral.cpython-312.pyc
    - └─ utils.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ \_\_init\_\_.pyi
  - └─ inverse.py
  - └─ rhythm.py
  - └─ spectral.py
  - └─ utils.py
- ─ util/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc

- \_nnls.cpython-312.pyc
- decorators.cpython-312.pyc
- deprecation.cpython-312.pyc
- exceptions.cpython-312.pyc
- files.cpython-312.pyc
- guf-utils.\_\_peak\_pick-1193.py312.1.nbc
- guf-utils.\_\_peak\_pick-1193.py312.2.nbc
- guf-utils.\_\_peak\_pick-1193.py312.3.nbc
- guf-utils.\_\_peak\_pick-1193.py312.4.nbc
- guf-utils.\_\_peak\_pick-1193.py312.nbi
- guf-utils.\_localmax-1035.py312.1.nbc
- guf-utils.\_localmax-1035.py312.2.nbc
- guf-utils.\_localmax-1035.py312.3.nbc
- guf-utils.\_localmax-1035.py312.4.nbc
- guf-utils.\_localmax-1035.py312.5.nbc
- guf-utils.\_localmax-1035.py312.nbi
- guf-utils.\_localmin-1052.py312.1.nbc
- guf-utils.\_localmin-1052.py312.2.nbc
- guf-utils.\_localmin-1052.py312.3.nbc
- guf-utils.\_localmin-1052.py312.4.nbc
- guf-utils.\_localmin-1052.py312.5.nbc
- guf-utils.\_localmin-1052.py312.nbi
- matching.cpython-312.pyc
- utils.\_\_peak\_pick-1193.py312.1.nbc
- utils.\_\_peak\_pick-1193.py312.2.nbc
- utils.\_\_peak\_pick-1193.py312.3.nbc
- utils.\_\_peak\_pick-1193.py312.4.nbc
- utils.\_\_peak\_pick-1193.py312.nbi
- utils.\_cabs2-2436.py312.1.nbc
- utils.\_cabs2-2436.py312.2.nbc
- utils.\_cabs2-2436.py312.nbi
- utils.\_localmax-1035.py312.1.nbc
- utils.\_localmax-1035.py312.2.nbc
- utils.\_localmax-1035.py312.3.nbc
- utils.\_localmax-1035.py312.4.nbc
- utils.\_localmax-1035.py312.5.nbc
- utils.\_localmax-1035.py312.nbi
- utils.\_localmin-1052.py312.1.nbc
- utils.\_localmin-1052.py312.2.nbc
- utils.\_localmin-1052.py312.3.nbc
- utils.\_localmin-1052.py312.4.nbc
- utils.\_localmin-1052.py312.5.nbc
- utils.\_localmin-1052.py312.nbi
- utils.\_phasor\_angles-2488.py312.1.nbc
- utils.\_phasor\_angles-2488.py312.2.nbc
- utils.\_phasor\_angles-2488.py312.nbi
- utils.cpython-312.pyc
- example\_data/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - index.json
  - registry.txt
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_nnls.py
- decorators.py
- deprecation.py
- exceptions.py
- files.py
- matching.py
- utils.py
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_cache.py
- \_typing.py
- beat.py
- decompose.py
- display.py
- effects.py
- filters.py
- onset.py
- py.typed
- segment.py
- sequence.py
- version.py
- librosa-0.11.0.dist-info/
  - INSTALLER
  - LICENSE.md
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- llvmlite/

- pycache\_/
  - \_\_init\_\_.cpython-312.pyc
  - \_version.cpython-312.pyc
  - utils.cpython-312.pyc
- binding/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - analysis.cpython-312.pyc
    - common.cpython-312.pyc
    - config.cpython-312.pyc
    - context.cpython-312.pyc
    - dylib.cpython-312.pyc
    - executionengine.cpython-312.pyc
    - ffi.cpython-312.pyc
    - initfini.cpython-312.pyc
    - linker.cpython-312.pyc
    - module.cpython-312.pyc
    - newpassmanagers.cpython-312.pyc
    - object\_file.cpython-312.pyc
    - options.cpython-312.pyc
    - orcjit.cpython-312.pyc
    - targets.cpython-312.pyc
    - typeref.cpython-312.pyc
    - value.cpython-312.pyc
  - \_\_init\_\_.py
  - analysis.py
  - common.py
  - config.py
  - context.py
  - dylib.py
  - executionengine.py
  - ffi.py
  - initfini.py
  - linker.py
  - llvmlite.dll
  - module.py
  - newpassmanagers.py
  - object\_file.py
  - options.py
  - orcjit.py
  - targets.py
  - typeref.py
  - value.py
- ir/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_utils.cpython-312.pyc
    - builder.cpython-312.pyc
    - context.cpython-312.pyc
    - instructions.cpython-312.pyc
    - module.cpython-312.pyc
    - transforms.cpython-312.pyc
    - types.cpython-312.pyc
    - values.cpython-312.pyc
  - \_\_init\_\_.py
  - \_utils.py
  - builder.py
  - context.py
  - instructions.py
  - module.py
  - transforms.py
  - types.py
  - values.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - customize.cpython-312.pyc
    - refprune\_proto.cpython-312.pyc
    - test\_binding.cpython-312.pyc
    - test\_ir.cpython-312.pyc
    - test\_refprune.cpython-312.pyc
    - test\_valuerepr.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - customize.py
  - refprune\_proto.py
  - test\_binding.py
  - test\_ir.py
  - test\_refprune.py
  - test\_valuerepr.py
- \_\_init\_\_.py
- \_version.py
- utils.py

— llvmlite-0.47.0.dist-info/

```
├── licenses/
│   ├── LICENSE
│   └── LICENSE.thirdparty
├── DELVEWHEEL
├── INSTALLER
├── METADATA
├── RECORD
├── top_level.txt
├── WHEEL
├── llvmlite.libs/
│   └── msvcp140-8f141b4454fa78db34bc1f28c571b4da.dll
├── markdown_it/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── _compat.cpython-312.pyc
│   │   ├── _punycode.cpython-312.pyc
│   │   ├── main.cpython-312.pyc
│   │   ├── parser_block.cpython-312.pyc
│   │   ├── parser_core.cpython-312.pyc
│   │   ├── parser_inline.cpython-312.pyc
│   │   ├── renderer.cpython-312.pyc
│   │   ├── ruler.cpython-312.pyc
│   │   ├── token.cpython-312.pyc
│   │   ├── tree.cpython-312.pyc
│   │   └── utils.cpython-312.pyc
│   ├── cli/
│   │   ├── pycache_/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   └── parse.cpython-312.pyc
│   │   ├── __init__.py
│   │   └── parse.py
│   ├── common/
│   │   ├── pycache_/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   ├── entities.cpython-312.pyc
│   │   │   ├── html_blocks.cpython-312.pyc
│   │   │   ├── html_re.cpython-312.pyc
│   │   │   ├── normalize_url.cpython-312.pyc
│   │   │   └── utils.cpython-312.pyc
│   │   ├── __init__.py
│   │   ├── entities.py
│   │   ├── html_blocks.py
│   │   ├── html_re.py
│   │   ├── normalize_url.py
│   │   └── utils.py
│   ├── helpers/
│   │   ├── pycache_/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   ├── parse_link_destination.cpython-312.pyc
│   │   │   ├── parse_link_label.cpython-312.pyc
│   │   │   └── parse_link_title.cpython-312.pyc
│   │   ├── __init__.py
│   │   ├── parse_link_destination.py
│   │   ├── parse_link_label.py
│   │   └── parse_link_title.py
│   ├── presets/
│   │   ├── pycache_/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   ├── commonmark.cpython-312.pyc
│   │   │   ├── default.cpython-312.pyc
│   │   │   └── zero.cpython-312.pyc
│   │   ├── __init__.py
│   │   ├── commonmark.py
│   │   ├── default.py
│   │   └── zero.py
│   ├── rules_block/
│   │   ├── pycache_/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   ├── blockquote.cpython-312.pyc
│   │   │   ├── code.cpython-312.pyc
│   │   │   ├── fence.cpython-312.pyc
│   │   │   ├── heading.cpython-312.pyc
│   │   │   ├── hr.cpython-312.pyc
│   │   │   ├── html_block.cpython-312.pyc
│   │   │   ├── lheading.cpython-312.pyc
│   │   │   ├── list.cpython-312.pyc
│   │   │   ├── paragraph.cpython-312.pyc
│   │   │   ├── reference.cpython-312.pyc
│   │   │   ├── state_block.cpython-312.pyc
│   │   │   └── table.cpython-312.pyc
│   │   ├── __init__.py
│   │   ├── blockquote.py
│   │   ├── code.py
│   │   ├── fence.py
│   │   └── heading.py
```

- hr.py
- html\_block.py
- lheading.py
- list.py
- paragraph.py
- reference.py
- state\_block.py
- table.py
- rules\_core/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - block.cpython-312.pyc
    - inline.cpython-312.pyc
    - linkify.cpython-312.pyc
    - normalize.cpython-312.pyc
    - replacements.cpython-312.pyc
    - smartquotes.cpython-312.pyc
    - state\_core.cpython-312.pyc
    - text\_join.cpython-312.pyc
  - \_\_init\_\_.py
  - block.py
  - inline.py
  - linkify.py
  - normalize.py
  - replacements.py
  - smartquotes.py
  - state\_core.py
  - text\_join.py
- rules\_inline/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - autolink.cpython-312.pyc
    - backticks.cpython-312.pyc
    - balance\_pairs.cpython-312.pyc
    - emphasis.cpython-312.pyc
    - entity.cpython-312.pyc
    - escape.cpython-312.pyc
    - fragments\_join.cpython-312.pyc
    - html\_inline.cpython-312.pyc
    - image.cpython-312.pyc
    - link.cpython-312.pyc
    - linkify.cpython-312.pyc
    - newline.cpython-312.pyc
    - state\_inline.cpython-312.pyc
    - strikethrough.cpython-312.pyc
    - text.cpython-312.pyc
  - \_\_init\_\_.py
  - autolink.py
  - backticks.py
  - balance\_pairs.py
  - emphasis.py
  - entity.py
  - escape.py
  - fragments\_join.py
  - html\_inline.py
  - image.py
  - link.py
  - linkify.py
  - newline.py
  - state\_inline.py
  - strikethrough.py
  - text.py
- \_\_init\_\_.py
- \_compat.py
- \_punycode.py
- main.py
- parser\_block.py
- parser\_core.py
- parser\_inline.py
- port.yaml
- py.typed
- renderer.py
- ruler.py
- token.py
- tree.py
- utils.py
- markdown\_it\_py-4.2.0.dist-info/
  - licenses/
    - LICENSE
    - LICENSE.markdown-it
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL



- markupsafe/
  - pycache\_
    - \_\_init\_\_.cpython-312.pyc
    - \_native.cpython-312.pyc
  - \_\_init\_\_.py
  - \_native.py
  - \_speedups.c
  - \_speedups.cpython-312-win\_amd64.pyd
  - \_speedups.pyi
  - py.typed
- markupsafe-3.0.3.dist-info/
  - licenses/
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- matplotlib/
  - pycache\_
    - \_\_init\_\_.cpython-312.pyc
  - \_afm.cpython-312.pyc
  - \_animation\_data.cpython-312.pyc
  - \_blocking\_input.cpython-312.pyc
  - \_cm.cpython-312.pyc
  - \_cm\_bivar.cpython-312.pyc
  - \_cm\_listed.cpython-312.pyc
  - \_cm\_multivar.cpython-312.pyc
  - \_color\_data.cpython-312.pyc
  - \_constrained\_layout.cpython-312.pyc
  - \_docstring.cpython-312.pyc
  - \_enums.cpython-312.pyc
  - \_fontconfig\_pattern.cpython-312.pyc
  - \_internal\_utils.cpython-312.pyc
  - \_layoutgrid.cpython-312.pyc
  - \_mathtext.cpython-312.pyc
  - \_mathtext\_data.cpython-312.pyc
  - \_pylab\_helpers.cpython-312.pyc
  - \_text\_helpers.cpython-312.pyc
  - \_tight\_bbox.cpython-312.pyc
  - \_tight\_layout.cpython-312.pyc
  - \_type1font.cpython-312.pyc
  - \_version.cpython-312.pyc
  - animation.cpython-312.pyc
  - artist.cpython-312.pyc
  - axis.cpython-312.pyc
  - backend\_bases.cpython-312.pyc
  - backend\_managers.cpython-312.pyc
  - backend\_tools.cpython-312.pyc
  - bezier.cpython-312.pyc
  - category.cpython-312.pyc
  - cbook.cpython-312.pyc
  - cm.cpython-312.pyc
  - collections.cpython-312.pyc
  - colorbar.cpython-312.pyc
  - colorizer.cpython-312.pyc
  - colors.cpython-312.pyc
  - container.cpython-312.pyc
  - contour.cpython-312.pyc
  - dates.cpython-312.pyc
  - dviread.cpython-312.pyc
  - figure.cpython-312.pyc
  - font\_manager.cpython-312.pyc
  - gridspec.cpython-312.pyc
  - hatch.cpython-312.pyc
  - image.cpython-312.pyc
  - inset.cpython-312.pyc
  - layout\_engine.cpython-312.pyc
  - legend.cpython-312.pyc
  - legend\_handler.cpython-312.pyc
  - lines.cpython-312.pyc
  - markers.cpython-312.pyc
  - mathtext.cpython-312.pyc
  - mlab.cpython-312.pyc
  - offsetbox.cpython-312.pyc
  - patches.cpython-312.pyc
  - path.cpython-312.pyc
  - patheffects.cpython-312.pyc
  - pylab.cpython-312.pyc
  - pyplot.cpython-312.pyc
  - quiver.cpython-312.pyc
  - rcsetup.cpython-312.pyc
  - sankey.cpython-312.pyc
  - scale.cpython-312.pyc
  - spines.cpython-312.pyc

- stackplot.cpython-312.pyc
- streamplot.cpython-312.pyc
- table.cpython-312.pyc
- texmanager.cpython-312.pyc
- text.cpython-312.pyc
- textpath.cpython-312.pyc
- ticker.cpython-312.pyc
- transforms.cpython-312.pyc
- typing.cpython-312.pyc
- units.cpython-312.pyc
- widgets.cpython-312.pyc
- api/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - deprecation.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - deprecation.py
  - deprecation.pyi
- axes/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_axes.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_secondary\_axes.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - \_axes.py
  - \_axes.pyi
  - \_base.py
  - \_base.pyi
  - \_secondary\_axes.py
  - \_secondary\_axes.pyi
- backends/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_backend\_gtk.cpython-312.pyc
    - \_backend\_pdf\_ps.cpython-312.pyc
    - \_backend\_tk.cpython-312.pyc
    - backend\_agg.cpython-312.pyc
    - backend\_cairo.cpython-312.pyc
    - backend\_gtk3.cpython-312.pyc
    - backend\_gtk3agg.cpython-312.pyc
    - backend\_gtk3cairo.cpython-312.pyc
    - backend\_gtk4.cpython-312.pyc
    - backend\_gtk4agg.cpython-312.pyc
    - backend\_gtk4cairo.cpython-312.pyc
    - backend\_macosx.cpython-312.pyc
    - backend\_mixed.cpython-312.pyc
    - backend\_nbagg.cpython-312.pyc
    - backend\_pdf.cpython-312.pyc
    - backend\_pgf.cpython-312.pyc
    - backend\_ps.cpython-312.pyc
    - backend\_qt.cpython-312.pyc
    - backend\_qt5.cpython-312.pyc
    - backend\_qt5agg.cpython-312.pyc
    - backend\_qt5cairo.cpython-312.pyc
    - backend\_qtagg.cpython-312.pyc
    - backend\_qtcairo.cpython-312.pyc
    - backend\_svg.cpython-312.pyc
    - backend\_template.cpython-312.pyc
    - backend\_tkagg.cpython-312.pyc
    - backend\_tkcairo.cpython-312.pyc
    - backend\_webagg.cpython-312.pyc
    - backend\_webagg\_core.cpython-312.pyc
    - backend\_wx.cpython-312.pyc
    - backend\_wxagg.cpython-312.pyc
    - backend\_wxcairo.cpython-312.pyc
    - qt\_compat.cpython-312.pyc
    - registry.cpython-312.pyc
  - qt\_editor/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_formlayout.cpython-312.pyc
      - figureoptions.cpython-312.pyc
    - \_\_init\_\_.py
    - \_formlayout.py
    - figureoptions.py
  - web\_backend/
    - css/
      - boilerplate.css
      - fbm.css
      - mpl.css
      - page.css
    - js/

- mpl.js
  - mpl\_tornado.js
  - nbagg\_mpl.js
- all\_figures.html
- ipython\_inline\_figure.html
- single\_figure.html
- \_init\_.py
- \_backend\_agg.cp312-win\_amd64.pyd
- \_backend\_agg.pyi
- \_backend\_gtk.py
- \_backend\_pdf\_ps.py
- \_backend\_tk.py
- \_macosx.pyi
- \_tkagg.cp312-win\_amd64.pyd
- \_tkagg.pyi
- backend\_agg.py
- backend\_cairo.py
- backend\_gtk3.py
- backend\_gtk3agg.py
- backend\_gtk3cairo.py
- backend\_gtk4.py
- backend\_gtk4agg.py
- backend\_gtk4cairo.py
- backend\_macosx.py
- backend\_mixed.py
- backend\_nbagg.py
- backend\_pdf.py
- backend\_pgf.py
- backend\_ps.py
- backend\_qt.py
- backend\_qt5.py
- backend\_qt5agg.py
- backend\_qt5cairo.py
- backend\_qtagg.py
- backend\_qtcairo.py
- backend\_svg.py
- backend\_template.py
- backend\_tkagg.py
- backend\_tkcairo.py
- backend\_webagg.py
- backend\_webagg\_core.py
- backend\_wx.py
- backend\_wxagg.py
- backend\_wxcairo.py
- qt\_compat.py
- registry.py
- mpl-data/
  - fonts/
    - afm/
      - cmex10.afm
      - cmmi10.afm
      - cmr10.afm
      - cmsy10.afm
      - cmtt10.afm
      - pagd8a.afm
      - pagdo8a.afm
      - pagk8a.afm
      - pagko8a.afm
      - pbkd8a.afm
      - pbkdi8a.afm
      - pbkl8a.afm
      - pbkli8a.afm
      - pcrb8a.afm
      - pcrbo8a.afm
      - pcrr8a.afm
      - pcrrro8a.afm
      - phvb8a.afm
      - phvb8an.afm
      - phvbo8a.afm
      - phvbo8an.afm
      - phvl8a.afm
      - phvlo8a.afm
      - phvr8a.afm
      - phvr8an.afm
      - phvro8a.afm
      - phvro8an.afm
      - pncb8a.afm
      - pncbi8a.afm
      - pncr8a.afm
      - pncri8a.afm
      - pplb8a.afm
      - pplbi8a.afm
      - pplr8a.afm
      - pplri8a.afm
      - psyr.afm

- ptmb8a.afm
- ptmbi8a.afm
- ptmr8a.afm
- ptmri8a.afm
- putb8a.afm
- putbi8a.afm
- putr8a.afm
- putri8a.afm
- pzcmi8a.afm
- pzdr.afm
- pdfcorefonts/
  - Courier-Bold.afm
  - Courier-BoldOblique.afm
  - Courier-Oblique.afm
  - Courier.afm
  - Helvetica-Bold.afm
  - Helvetica-BoldOblique.afm
  - Helvetica-Oblique.afm
  - Helvetica.afm
  - readme.txt
  - Symbol.afm
  - Times-Bold.afm
  - Times-BoldItalic.afm
  - Times-Italic.afm
  - Times-Roman.afm
  - ZapfDingbats.afm
- ttf/
  - cmb10.ttf
  - cmex10.ttf
  - cmmi10.ttf
  - cmr10.ttf
  - cmss10.ttf
  - cmsy10.ttf
  - cmtt10.ttf
  - DejaVuSans-Bold.ttf
  - DejaVuSans-BoldOblique.ttf
  - DejaVuSans-Oblique.ttf
  - DejaVuSans.ttf
  - DejaVuSansDisplay.ttf
  - DejaVuSansMono-Bold.ttf
  - DejaVuSansMono-BoldOblique.ttf
  - DejaVuSansMono-Oblique.ttf
  - DejaVuSansMono.ttf
  - DejaVuSerif-Bold.ttf
  - DejaVuSerif-BoldItalic.ttf
  - DejaVuSerif-Italic.ttf
  - DejaVuSerif.ttf
  - DejaVuSerifDisplay.ttf
  - LICENSE\_DEJAVU
  - LICENSE\_STIX
  - STIXGeneral.ttf
  - STIXGeneralBol.ttf
  - STIXGeneralBolIta.ttf
  - STIXGeneralItalic.ttf
  - STIXNonUni.ttf
  - STIXNonUniBol.ttf
  - STIXNonUniBolIta.ttf
  - STIXNonUniIta.ttf
  - STIXSizFiveSymReg.ttf
  - STIXSizFourSymBol.ttf
  - STIXSizFourSymReg.ttf
  - STIXSizOneSymBol.ttf
  - STIXSizOneSymReg.ttf
  - STIXSizThreeSymBol.ttf
  - STIXSizThreeSymReg.ttf
  - STIXSizTwoSymBol.ttf
  - STIXSizTwoSymReg.ttf
- images/
  - back-symbolic.svg
  - back.pdf
  - back.png
  - back.svg
  - back\_large.png
  - filesave-symbolic.svg
  - filesave.pdf
  - filesave.png
  - filesave.svg
  - filesave\_large.png
  - forward-symbolic.svg
  - forward.pdf
  - forward.png
  - forward.svg
  - forward\_large.png
  - hand.pdf
  - hand.png

- hand.svg
- help-symbolic.svg
- help.pdf
- help.png
- help.svg
- help\_large.png
- home-symbolic.svg
- home.pdf
- home.png
- home.svg
- home\_large.png
- matplotlib.pdf
- matplotlib.png
- matplotlib.svg
- matplotlib\_large.png
- move-symbolic.svg
- move.pdf
- move.png
- move.svg
- move\_large.png
- qt4\_editor\_options.pdf
- qt4\_editor\_options.png
- qt4\_editor\_options.svg
- qt4\_editor\_options\_large.png
- subplots-symbolic.svg
- subplots.pdf
- subplots.png
- subplots.svg
- subplots\_large.png
- zoom\_to\_rect-symbolic.svg
- zoom\_to\_rect.pdf
- zoom\_to\_rect.png
- zoom\_to\_rect.svg
- zoom\_to\_rect\_large.png
- plot\_directive/
  - plot\_directive.css
- sample\_data/
  - axes\_grid/
    - bivariate\_normal.npy
  - data\_x\_x2\_x3.csv
  - eeg.dat
  - embedding\_in\_wx3.xrc
  - goog.npz
  - grace\_hopper.jpg
  - jacksboro\_fault\_dem.npz
  - logo2.png
  - membrane.dat
  - Minduka\_Present\_Blue\_Pack.png
  - msft.csv
  - README.txt
  - s1045.ima.gz
  - Stocks.csv
  - topobathy.npz
- stylelib/
  - \_classic\_test\_patch.mplstyle
  - \_mpl-gallery-nogrid.mplstyle
  - \_mpl-gallery.mplstyle
  - bmh.mplstyle
  - classic.mplstyle
  - dark\_background.mplstyle
  - fast.mplstyle
  - fivethirtyeight.mplstyle
  - ggplot.mplstyle
  - grayscale.mplstyle
  - petroff10.mplstyle
  - seaborn-v0\_8-bright.mplstyle
  - seaborn-v0\_8-colorblind.mplstyle
  - seaborn-v0\_8-dark-palette.mplstyle
  - seaborn-v0\_8-dark.mplstyle
  - seaborn-v0\_8-darkgrid.mplstyle
  - seaborn-v0\_8-deep.mplstyle
  - seaborn-v0\_8-muted.mplstyle
  - seaborn-v0\_8-notebook.mplstyle
  - seaborn-v0\_8-paper.mplstyle
  - seaborn-v0\_8-pastel.mplstyle
  - seaborn-v0\_8-poster.mplstyle
  - seaborn-v0\_8-talk.mplstyle
  - seaborn-v0\_8-ticks.mplstyle
  - seaborn-v0\_8-white.mplstyle
  - seaborn-v0\_8-whitegrid.mplstyle
  - seaborn-v0\_8.mplstyle
  - Solarize\_Light2.mplstyle
  - tableau-colorblind10.mplstyle
- kpsewhich.lua
- matplotlibrc

- projections/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - geo.cpython-312.pyc
    - polar.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - geo.py
  - geo.pyi
  - polar.py
  - polar.pyi
- sphinxext/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - figmpl\_directive.cpython-312.pyc
    - mathmpl.cpython-312.pyc
    - plot\_directive.cpython-312.pyc
    - roles.cpython-312.pyc
  - \_\_init\_\_.py
  - figmpl\_directive.py
  - mathmpl.py
  - plot\_directive.py
  - roles.py
- style/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - core.cpython-312.pyc
  - \_\_init\_\_.py
  - core.py
  - core.pyi
- testing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_markers.cpython-312.pyc
    - compare.cpython-312.pyc
    - conftest.cpython-312.pyc
    - decorators.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - widgets.cpython-312.pyc
  - jpl\_units/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - Duration.cpython-312.pyc
      - Epoch.cpython-312.pyc
      - EpochConverter.cpython-312.pyc
      - StrConverter.cpython-312.pyc
      - UnitDbl.cpython-312.pyc
      - UnitDblConverter.cpython-312.pyc
      - UnitDblFormatter.cpython-312.pyc
    - \_\_init\_\_.py
    - Duration.py
    - Epoch.py
    - EpochConverter.py
    - StrConverter.py
    - UnitDbl.py
    - UnitDblConverter.py
    - UnitDblFormatter.py
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - \_markers.py
  - compare.py
  - compare.pyi
  - conftest.py
  - conftest.pyi
  - decorators.py
  - decorators.pyi
  - exceptions.py
  - widgets.py
  - widgets.pyi
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_afm.cpython-312.pyc
    - test\_agg.cpython-312.pyc
    - test\_agg\_filter.cpython-312.pyc
    - test\_animation.cpython-312.pyc
    - test\_api.cpython-312.pyc
    - test\_arrow\_patches.cpython-312.pyc
    - test\_artist.cpython-312.pyc
    - test\_axes.cpython-312.pyc
    - test\_axis.cpython-312.pyc
    - test\_backend\_bases.cpython-312.pyc
    - test\_backend\_cairo.cpython-312.pyc
    - test\_backend\_gtk3.cpython-312.pyc

- test\_backend\_inline.cpython-312.pyc
- test\_backend\_macosx.cpython-312.pyc
- test\_backend\_nbagg.cpython-312.pyc
- test\_backend\_pdf.cpython-312.pyc
- test\_backend\_pgf.cpython-312.pyc
- test\_backend\_ps.cpython-312.pyc
- test\_backend\_qt.cpython-312.pyc
- test\_backend\_registry.cpython-312.pyc
- test\_backend\_svg.cpython-312.pyc
- test\_backend\_template.cpython-312.pyc
- test\_backend\_tk.cpython-312.pyc
- test\_backend\_tools.cpython-312.pyc
- test\_backend\_webagg.cpython-312.pyc
- test\_backends\_interactive.cpython-312.pyc
- test\_basic.cpython-312.pyc
- test\_bbox\_tight.cpython-312.pyc
- test\_bezier.cpython-312.pyc
- test\_category.cpython-312.pyc
- test\_cbook.cpython-312.pyc
- test\_collections.cpython-312.pyc
- test\_colorbar.cpython-312.pyc
- test\_colors.cpython-312.pyc
- test\_compare\_images.cpython-312.pyc
- test\_constrainedlayout.cpython-312.pyc
- test\_container.cpython-312.pyc
- test\_contour.cpython-312.pyc
- test\_cycles.cpython-312.pyc
- test\_dates.cpython-312.pyc
- test\_datetime.cpython-312.pyc
- test\_determinism.cpython-312.pyc
- test\_doc.cpython-312.pyc
- test\_dviread.cpython-312.pyc
- test\_figure.cpython-312.pyc
- test\_font\_manager.cpython-312.pyc
- test\_fontconfig\_pattern.cpython-312.pyc
- test\_ft2font.cpython-312.pyc
- test\_getattr.cpython-312.pyc
- test\_gridspec.cpython-312.pyc
- test\_image.cpython-312.pyc
- test\_legend.cpython-312.pyc
- test\_lines.cpython-312.pyc
- test\_marker.cpython-312.pyc
- test\_mathtext.cpython-312.pyc
- test\_matplotlib.cpython-312.pyc
- test\_mlab.cpython-312.pyc
- test\_multivariate\_colormaps.cpython-312.pyc
- test\_offsetbox.cpython-312.pyc
- test\_patches.cpython-312.pyc
- test\_path.cpython-312.pyc
- test\_patheffects.cpython-312.pyc
- test\_pickle.cpython-312.pyc
- test\_png.cpython-312.pyc
- test\_polar.cpython-312.pyc
- test\_preprocess\_data.cpython-312.pyc
- test\_pyplot.cpython-312.pyc
- test\_quiver.cpython-312.pyc
- test\_rcparams.cpython-312.pyc
- test\_sankey.cpython-312.pyc
- test\_scale.cpython-312.pyc
- test\_simplification.cpython-312.pyc
- test\_skew.cpython-312.pyc
- test\_sphinxext.cpython-312.pyc
- test\_spines.cpython-312.pyc
- test\_streamplot.cpython-312.pyc
- test\_style.cpython-312.pyc
- test\_subplots.cpython-312.pyc
- test\_table.cpython-312.pyc
- test\_testing.cpython-312.pyc
- test\_texmanager.cpython-312.pyc
- test\_text.cpython-312.pyc
- test\_textpath.cpython-312.pyc
- test\_ticker.cpython-312.pyc
- test\_tightlayout.cpython-312.pyc
- test\_transforms.cpython-312.pyc
- test\_triangulation.cpython-312.pyc
- test\_type1font.cpython-312.pyc
- test\_units.cpython-312.pyc
- test\_usetex.cpython-312.pyc
- test\_widgets.cpython-312.pyc
- \_\_init\_\_.py
- conftest.py
- test\_afm.py
- test\_agg.py
- test\_agg\_filter.py
- test\_animation.py

- test\_api.py
- test\_arrow\_patches.py
- test\_artist.py
- test\_axes.py
- test\_axis.py
- test\_backend\_bases.py
- test\_backend\_cairo.py
- test\_backend\_gtk3.py
- test\_backend\_inline.py
- test\_backend\_macosx.py
- test\_backend\_nbagg.py
- test\_backend\_pdf.py
- test\_backend\_pgf.py
- test\_backend\_ps.py
- test\_backend\_qt.py
- test\_backend\_registry.py
- test\_backend\_svg.py
- test\_backend\_template.py
- test\_backend\_tk.py
- test\_backend\_tools.py
- test\_backend\_webagg.py
- test\_backends\_interactive.py
- test\_basic.py
- test\_bbox\_tight.py
- test\_bezier.py
- test\_category.py
- test\_cbook.py
- test\_collections.py
- test\_colorbar.py
- test\_colors.py
- test\_compare\_images.py
- test\_constrainedlayout.py
- test\_container.py
- test\_contour.py
- test\_cycles.py
- test\_dates.py
- test\_datetime.py
- test\_determinism.py
- test\_doc.py
- test\_dviread.py
- test\_figure.py
- test\_font\_manager.py
- test\_fontconfig\_pattern.py
- test\_ft2font.py
- test\_getattr.py
- test\_gridspec.py
- test\_image.py
- test\_legend.py
- test\_lines.py
- test\_marker.py
- test\_mathtext.py
- test\_matplotlib.py
- test\_mlab.py
- test\_multivariate\_colormaps.py
- test\_offsetbox.py
- test\_patches.py
- test\_path.py
- test\_patheffects.py
- test\_pickle.py
- test\_png.py
- test\_polar.py
- test\_preprocess\_data.py
- test\_pyplot.py
- test\_quiver.py
- test\_rcparams.py
- test\_sankey.py
- test\_scale.py
- test\_simplification.py
- test\_skew.py
- test\_sphinxext.py
- test\_spines.py
- test\_streamplot.py
- test\_style.py
- test\_subplots.py
- test\_table.py
- test\_testing.py
- test\_texmanager.py
- test\_text.py
- test\_textpath.py
- test\_ticker.py
- test\_tightlayout.py
- test\_transforms.py
- test\_triangulation.py
- test\_type1font.py
- test\_units.py



- test\_usetex.py
- test\_widgets.py
- tri/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_triangulation.cpython-312.pyc
    - \_tricontour.cpython-312.pyc
    - \_trifinder.cpython-312.pyc
    - \_triinterpolate.cpython-312.pyc
    - \_tripcolor.cpython-312.pyc
    - \_triplot.cpython-312.pyc
    - \_trirefine.cpython-312.pyc
    - \_tritools.cpython-312.pyc
  - \_\_init\_\_.py
  - \_triangulation.py
  - \_triangulation.pyi
  - \_tricontour.py
  - \_tricontour.pyi
  - \_trifinder.py
  - \_trifinder.pyi
  - \_triinterpolate.py
  - \_triinterpolate.pyi
  - \_tripcolor.py
  - \_tripcolor.pyi
  - \_triplot.py
  - \_triplot.pyi
  - \_trirefine.py
  - \_trirefine.pyi
  - \_tritools.py
  - \_tritools.pyi
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_afm.py
- \_animation\_data.py
- \_blocking\_input.py
- \_c\_internal\_utils.cp312-win\_amd64.pyd
- \_c\_internal\_utils.pyi
- \_cm.py
- \_cm\_bivar.py
- \_cm\_listed.py
- \_cm\_multivar.py
- \_color\_data.py
- \_color\_data.pyi
- \_constrained\_layout.py
- \_docstring.py
- \_docstring.pyi
- \_enums.py
- \_enums.pyi
- \_fontconfig\_pattern.py
- \_image.cp312-win\_amd64.pyd
- \_image.pyi
- \_internal\_utils.py
- \_layoutgrid.py
- \_mathtext.py
- \_mathtext\_data.py
- \_path.cp312-win\_amd64.pyd
- \_path.pyi
- \_pylab\_helpers.py
- \_pylab\_helpers.pyi
- \_qhull.cp312-win\_amd64.pyd
- \_qhull.pyi
- \_text\_helpers.py
- \_tight\_bbox.py
- \_tight\_layout.py
- \_tri.cp312-win\_amd64.pyd
- \_tri.pyi
- \_type1font.py
- \_version.py
- animation.py
- animation.pyi
- artist.py
- artist.pyi
- axis.py
- axis.pyi
- backend\_bases.py
- backend\_bases.pyi
- backend\_managers.py
- backend\_managers.pyi
- backend\_tools.py
- backend\_tools.pyi
- bezier.py
- bezier.pyi
- category.py
- cbook.py
- cbook.pyi

— cm.py  
— cm.pyi  
— collections.py  
— collections.pyi  
— colorbar.py  
— colorbar.pyi  
— colorizer.py  
— colorizer.pyi  
— colors.py  
— colors.pyi  
— container.py  
— container.pyi  
— contour.py  
— contour.pyi  
— dates.py  
— dviread.py  
— dviread.pyi  
— figure.py  
— figure.pyi  
— font\_manager.py  
— font\_manager.pyi  
— ft2font.cp312-win\_amd64.pyd  
— ft2font.pyi  
— gridspec.py  
— gridspec.pyi  
— hatch.py  
— hatch.pyi  
— image.py  
— image.pyi  
— inset.py  
— inset.pyi  
— layout\_engine.py  
— layout\_engine.pyi  
— legend.py  
— legend.pyi  
— legend\_handler.py  
— legend\_handler.pyi  
— lines.py  
— lines.pyi  
— markers.py  
— markers.pyi  
— mathtext.py  
— mathtext.pyi  
— mlab.py  
— mlab.pyi  
— offsetbox.py  
— offsetbox.pyi  
— patches.py  
— patches.pyi  
— path.py  
— path.pyi  
— patheffects.py  
— patheffects.pyi  
— py.typed  
— pylab.py  
— pyplot.py  
— quiver.py  
— quiver.pyi  
— rcsetup.py  
— rcsetup.pyi  
— sankey.py  
— sankey.pyi  
— scale.py  
— scale.pyi  
— spines.py  
— spines.pyi  
— stackplot.py  
— stackplot.pyi  
— streamplot.py  
— streamplot.pyi  
— table.py  
— table.pyi  
— texmanager.py  
— texmanager.pyi  
— text.py  
— text.pyi  
— textpath.py  
— textpath.pyi  
— ticker.py  
— ticker.pyi  
— transforms.py  
— transforms.pyi  
— typing.py  
— units.py  
— widgets.py

- └─ widgets.pyi
- ─ matplotlib-3.10.9.dist-info/
  - └─ INSTALLER
  - └─ LICENSE
  - └─ METADATA
  - └─ RECORD
  - └─ REQUESTED
  - └─ WHEEL
- ─ mdurl/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_decode.cpython-312.pyc
    - └─ \_encode.cpython-312.pyc
    - └─ \_format.cpython-312.pyc
    - └─ \_parse.cpython-312.pyc
    - └─ \_url.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ \_decode.py
  - └─ \_encode.py
  - └─ \_format.py
  - └─ \_parse.py
  - └─ \_url.py
  - └─ py.typed
- ─ mdurl-0.1.2.dist-info/
  - └─ INSTALLER
  - └─ LICENSE
  - └─ METADATA
  - └─ RECORD
  - └─ WHEEL
- ─ mpl\_toolkits/
  - └─ axes\_grid1/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ anchored\_artists.cpython-312.pyc
      - └─ axes\_divider.cpython-312.pyc
      - └─ axes\_grid.cpython-312.pyc
      - └─ axes\_rgb.cpython-312.pyc
      - └─ axes\_size.cpython-312.pyc
      - └─ inset\_locator.cpython-312.pyc
      - └─ mpl\_axes.cpython-312.pyc
      - └─ parasite\_axes.cpython-312.pyc
    - └─ tests/
      - └─ \_\_pycache\_\_/
        - └─ \_\_init\_\_.cpython-312.pyc
        - └─ conftest.cpython-312.pyc
        - └─ test\_axes\_grid1.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ conftest.py
      - └─ test\_axes\_grid1.py
    - └─ \_\_init\_\_.py
    - └─ anchored\_artists.py
    - └─ axes\_divider.py
    - └─ axes\_grid.py
    - └─ axes\_rgb.py
    - └─ axes\_size.py
    - └─ inset\_locator.py
    - └─ mpl\_axes.py
    - └─ parasite\_axes.py
  - └─ axisartist/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ angle\_helper.cpython-312.pyc
      - └─ axes\_divider.cpython-312.pyc
      - └─ axis\_artist.cpython-312.pyc
      - └─ axisline\_style.cpython-312.pyc
      - └─ axislines.cpython-312.pyc
      - └─ floating\_axes.cpython-312.pyc
      - └─ grid\_finder.cpython-312.pyc
      - └─ grid\_helper\_curvilinear.cpython-312.pyc
      - └─ parasite\_axes.cpython-312.pyc
    - └─ tests/
      - └─ \_\_pycache\_\_/
        - └─ \_\_init\_\_.cpython-312.pyc
        - └─ conftest.cpython-312.pyc
        - └─ test\_angle\_helper.cpython-312.pyc
        - └─ test\_axis\_artist.cpython-312.pyc
        - └─ test\_axislines.cpython-312.pyc
        - └─ test\_floating\_axes.cpython-312.pyc
        - └─ test\_grid\_finder.cpython-312.pyc
        - └─ test\_grid\_helper\_curvilinear.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ conftest.py
      - └─ test\_angle\_helper.py
      - └─ test\_axis\_artist.py
      - └─ test\_axislines.py

- test\_floating\_axes.py
  - test\_grid\_finder.py
  - test\_grid\_helper\_curvelinear.py
- \_\_init\_\_.py
- angle\_helper.py
- axes\_divider.py
- axis\_artist.py
- axisline\_style.py
- axislines.py
- floating\_axes.py
- grid\_finder.py
- grid\_helper\_curvelinear.py
- parasite\_axes.py
- mplot3d/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - art3d.cpython-312.pyc
    - axes3d.cpython-312.pyc
    - axis3d.cpython-312.pyc
    - proj3d.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - conftest.cpython-312.pyc
      - test\_art3d.cpython-312.pyc
      - test\_axes3d.cpython-312.pyc
      - test\_legend3d.cpython-312.pyc
    - \_\_init\_\_.py
    - conftest.py
    - test\_art3d.py
    - test\_axes3d.py
    - test\_legend3d.py
  - \_\_init\_\_.py
  - art3d.py
  - axes3d.py
  - axis3d.py
  - proj3d.py
- mpmath/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - ctx\_base.cpython-312.pyc
    - ctx\_fp.cpython-312.pyc
    - ctx\_iv.cpython-312.pyc
    - ctx\_mp.cpython-312.pyc
    - ctx\_mp\_python.cpython-312.pyc
    - function\_docs.cpython-312.pyc
    - identification.cpython-312.pyc
    - math2.cpython-312.pyc
    - rational.cpython-312.pyc
    - usertools.cpython-312.pyc
    - visualization.cpython-312.pyc
  - calculus/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - approximation.cpython-312.pyc
      - calculus.cpython-312.pyc
      - differentiation.cpython-312.pyc
      - extrapolation.cpython-312.pyc
      - inverselaplace.cpython-312.pyc
      - odes.cpython-312.pyc
      - optimization.cpython-312.pyc
      - polynomials.cpython-312.pyc
      - quadrature.cpython-312.pyc
    - \_\_init\_\_.py
    - approximation.py
    - calculus.py
    - differentiation.py
    - extrapolation.py
    - inverselaplace.py
    - odes.py
    - optimization.py
    - polynomials.py
    - quadrature.py
  - functions/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - bessell.cpython-312.pyc
      - elliptic.cpython-312.pyc
      - expintegrals.cpython-312.pyc
      - factorials.cpython-312.pyc
      - functions.cpython-312.pyc
      - hypergeometric.cpython-312.pyc
      - orthogonal.cpython-312.pyc
      - qfunctions.cpython-312.pyc
      - rszeta.cpython-312.pyc

- signals.cpython-312.pyc
- theta.cpython-312.pyc
- zeta.cpython-312.pyc
- zetazeros.cpython-312.pyc
- \_\_init\_\_.py
- bessell.py
- elliptic.py
- expintegrals.py
- factorials.py
- functions.py
- hypergeometric.py
- orthogonal.py
- qfunctions.py
- rszeta.py
- signals.py
- theta.py
- zeta.py
- zetazeros.py
- libmp/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - backend.cpython-312.pyc
    - gammazeta.cpython-312.pyc
    - libelefun.cpython-312.pyc
    - libhyper.cpython-312.pyc
    - libintmath.cpython-312.pyc
    - libmpc.cpython-312.pyc
    - libmpf.cpython-312.pyc
    - libmpi.cpython-312.pyc
  - \_\_init\_\_.py
  - backend.py
  - gammazeta.py
  - libelefun.py
  - libhyper.py
  - libintmath.py
  - libmpc.py
  - libmpf.py
  - libmpi.py
- matrices/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - calculus.cpython-312.pyc
    - eigen.cpython-312.pyc
    - eigen\_symmetric.cpython-312.pyc
    - linalg.cpython-312.pyc
    - matrices.cpython-312.pyc
  - \_\_init\_\_.py
  - calculus.py
  - eigen.py
  - eigen\_symmetric.py
  - linalg.py
  - matrices.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - extratest\_gamma.cpython-312.pyc
    - extratest\_zeta.cpython-312.pyc
    - runtests.cpython-312.pyc
    - test\_basic\_ops.cpython-312.pyc
    - test\_bitwise.cpython-312.pyc
    - test\_calculus.cpython-312.pyc
    - test\_compatibility.cpython-312.pyc
    - test\_convert.cpython-312.pyc
    - test\_diff.cpython-312.pyc
    - test\_division.cpython-312.pyc
    - test\_eigen.cpython-312.pyc
    - test\_eigen\_symmetric.cpython-312.pyc
    - test\_elliptic.cpython-312.pyc
    - test\_fp.cpython-312.pyc
    - test\_functions.cpython-312.pyc
    - test\_functions2.cpython-312.pyc
    - test\_gammazeta.cpython-312.pyc
    - test\_hp.cpython-312.pyc
    - test\_identify.cpython-312.pyc
    - test\_interval.cpython-312.pyc
    - test\_levin.cpython-312.pyc
    - test\_linalg.cpython-312.pyc
    - test\_matrices.cpython-312.pyc
    - test\_mpmath.cpython-312.pyc
    - test\_ode.cpython-312.pyc
    - test\_pickle.cpython-312.pyc
    - test\_power.cpython-312.pyc
    - test\_quad.cpython-312.pyc
    - test\_rootfinding.cpython-312.pyc
    - test\_special.cpython-312.pyc

- test\_str.cpython-312.pyc
  - test\_summation.cpython-312.pyc
  - test\_trig.cpython-312.pyc
  - test\_visualization.cpython-312.pyc
  - torture.cpython-312.pyc
- \_\_init\_\_.py
- extratest\_gamma.py
- extratest\_zeta.py
- runtests.py
- test\_basic\_ops.py
- test\_bitwise.py
- test\_calculus.py
- test\_compatibility.py
- test\_convert.py
- test\_diff.py
- test\_division.py
- test\_eigen.py
- test\_eigen\_symmetric.py
- test\_elliptic.py
- test\_fp.py
- test\_functions.py
- test\_functions2.py
- test\_gammazeta.py
- test\_hp.py
- test\_identify.py
- test\_interval.py
- test\_levin.py
- test\_linalg.py
- test\_matrices.py
- test\_mpmath.py
- test\_ode.py
- test\_pickle.py
- test\_power.py
- test\_quad.py
- test\_rootfinding.py
- test\_special.py
- test\_str.py
- test\_summation.py
- test\_trig.py
- test\_visualization.py
- torture.py
- \_\_init\_\_.py
- ctx\_base.py
- ctx\_fp.py
- ctx\_iv.py
- ctx\_mp.py
- ctx\_mp\_python.py
- function\_docs.py
- identification.py
- math2.py
- rational.py
- usertools.py
- visualization.py
- mpmath-1.3.0.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- msgpack/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - ext.cpython-312.pyc
    - fallback.cpython-312.pyc
  - \_\_init\_\_.py
  - \_msgpack.cp312-win\_amd64.pyd
  - exceptions.py
  - ext.py
  - fallback.py
- msgpack-1.1.2.dist-info/
  - licenses/
    - COPYING
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- networkx/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - convert.cpython-312.pyc
    - convert\_matrix.cpython-312.pyc

- exception.cpython-312.pyc
- lazy\_imports.cpython-312.pyc
- relabel.cpython-312.pyc
- algorithms/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - asteroidal.cpython-312.pyc
    - boundary.cpython-312.pyc
    - bridges.cpython-312.pyc
    - broadcasting.cpython-312.pyc
    - chains.cpython-312.pyc
    - chordal.cpython-312.pyc
    - clique.cpython-312.pyc
    - cluster.cpython-312.pyc
    - communicability\_alg.cpython-312.pyc
    - core.cpython-312.pyc
    - covering.cpython-312.pyc
    - cuts.cpython-312.pyc
    - cycles.cpython-312.pyc
    - d\_separation.cpython-312.pyc
    - dag.cpython-312.pyc
    - distance\_measures.cpython-312.pyc
    - distance\_regular.cpython-312.pyc
    - dominance.cpython-312.pyc
    - dominating.cpython-312.pyc
    - efficiency\_measures.cpython-312.pyc
    - euler.cpython-312.pyc
    - graph\_hashing.cpython-312.pyc
    - graphical.cpython-312.pyc
    - hierarchy.cpython-312.pyc
    - hybrid.cpython-312.pyc
    - isolate.cpython-312.pyc
    - link\_prediction.cpython-312.pyc
    - lowest\_common\_ancestors.cpython-312.pyc
    - matching.cpython-312.pyc
    - mis.cpython-312.pyc
    - moral.cpython-312.pyc
    - node\_classification.cpython-312.pyc
    - non\_randomness.cpython-312.pyc
    - perfect\_graph.cpython-312.pyc
    - planar\_drawing.cpython-312.pyc
    - planarity.cpython-312.pyc
    - polynomials.cpython-312.pyc
    - reciprocity.cpython-312.pyc
    - regular.cpython-312.pyc
    - richclub.cpython-312.pyc
    - similarity.cpython-312.pyc
    - simple\_paths.cpython-312.pyc
    - smallworld.cpython-312.pyc
    - smetric.cpython-312.pyc
    - sparsifiers.cpython-312.pyc
    - structuralholes.cpython-312.pyc
    - summarization.cpython-312.pyc
    - swap.cpython-312.pyc
    - threshold.cpython-312.pyc
    - time\_dependent.cpython-312.pyc
    - tournament.cpython-312.pyc
    - triads.cpython-312.pyc
    - vitality.cpython-312.pyc
    - voronoi.cpython-312.pyc
    - walks.cpython-312.pyc
    - wiener.cpython-312.pyc
- approximation/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - clique.cpython-312.pyc
    - clustering\_coefficient.cpython-312.pyc
    - connectivity.cpython-312.pyc
    - density.cpython-312.pyc
    - distance\_measures.cpython-312.pyc
    - dominating\_set.cpython-312.pyc
    - kcomponents.cpython-312.pyc
    - matching.cpython-312.pyc
    - maxcut.cpython-312.pyc
    - ramsey.cpython-312.pyc
    - steinertree.cpython-312.pyc
    - traveling\_salesman.cpython-312.pyc
    - treewidth.cpython-312.pyc
    - vertex\_cover.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_approx\_clust\_coeff.cpython-312.pyc
    - test\_clique.cpython-312.pyc
    - test\_connectivity.cpython-312.pyc

- test\_density.cpython-312.pyc
- test\_distance\_measures.cpython-312.pyc
- test\_dominating\_set.cpython-312.pyc
- test\_kcomponents.cpython-312.pyc
- test\_matching.cpython-312.pyc
- test\_maxcut.cpython-312.pyc
- test\_ramsey.cpython-312.pyc
- test\_steinertree.cpython-312.pyc
- test\_traveling\_salesman.cpython-312.pyc
- test\_treewidth.cpython-312.pyc
- test\_vertex\_cover.cpython-312.pyc
- \_\_init\_\_.py
- test\_approx\_clust\_coeff.py
- test\_clique.py
- test\_connectivity.py
- test\_density.py
- test\_distance\_measures.py
- test\_dominating\_set.py
- test\_kcomponents.py
- test\_matching.py
- test\_maxcut.py
- test\_ramsey.py
- test\_steinertree.py
- test\_traveling\_salesman.py
- test\_treewidth.py
- test\_vertex\_cover.py
- \_\_init\_\_.py
- clique.py
- clustering\_coefficient.py
- connectivity.py
- density.py
- distance\_measures.py
- dominating\_set.py
- kcomponents.py
- matching.py
- maxcut.py
- ramsey.py
- steinertree.py
- traveling\_salesman.py
- treewidth.py
- vertex\_cover.py
- assortativity/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - connectivity.cpython-312.pyc
    - correlation.cpython-312.pyc
    - mixing.cpython-312.pyc
    - neighbor\_degree.cpython-312.pyc
    - pairs.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - base\_test.cpython-312.pyc
      - test\_connectivity.cpython-312.pyc
      - test\_correlation.cpython-312.pyc
      - test\_mixing.cpython-312.pyc
      - test\_neighbor\_degree.cpython-312.pyc
      - test\_pairs.cpython-312.pyc
    - \_\_init\_\_.py
    - base\_test.py
    - test\_connectivity.py
    - test\_correlation.py
    - test\_mixing.py
    - test\_neighbor\_degree.py
    - test\_pairs.py
  - \_\_init\_\_.py
  - connectivity.py
  - correlation.py
  - mixing.py
  - neighbor\_degree.py
  - pairs.py
- bipartite/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - basic.cpython-312.pyc
    - centrality.cpython-312.pyc
    - cluster.cpython-312.pyc
    - covering.cpython-312.pyc
    - edgelist.cpython-312.pyc
    - extendability.cpython-312.pyc
    - generators.cpython-312.pyc
    - link\_analysis.cpython-312.pyc
    - matching.cpython-312.pyc
    - matrix.cpython-312.pyc
    - projection.cpython-312.pyc



- redundancy.cpython-312.pyc
- spectral.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_basic.cpython-312.pyc
    - test\_centrality.cpython-312.pyc
    - test\_cluster.cpython-312.pyc
    - test\_covering.cpython-312.pyc
    - test\_edgelist.cpython-312.pyc
    - test\_extendability.cpython-312.pyc
    - test\_generators.cpython-312.pyc
    - test\_link\_analysis.cpython-312.pyc
    - test\_matching.cpython-312.pyc
    - test\_matrix.cpython-312.pyc
    - test\_project.cpython-312.pyc
    - test\_redundancy.cpython-312.pyc
    - test\_spectral\_bipartivity.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_basic.py
  - test\_centrality.py
  - test\_cluster.py
  - test\_covering.py
  - test\_edgelist.py
  - test\_extendability.py
  - test\_generators.py
  - test\_link\_analysis.py
  - test\_matching.py
  - test\_matrix.py
  - test\_project.py
  - test\_redundancy.py
  - test\_spectral\_bipartivity.py
- \_\_init\_\_.py
- basic.py
- centrality.py
- cluster.py
- covering.py
- edgelist.py
- extendability.py
- generators.py
- link\_analysis.py
- matching.py
- matrix.py
- projection.py
- redundancy.py
- spectral.py
- centrality/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - betweenness.cpython-312.pyc
    - betweenness\_subset.cpython-312.pyc
    - closeness.cpython-312.pyc
    - current\_flow\_betweenness.cpython-312.pyc
    - current\_flow\_betweenness\_subset.cpython-312.pyc
    - current\_flow\_closeness.cpython-312.pyc
    - degree\_alg.cpython-312.pyc
    - dispersion.cpython-312.pyc
    - eigenvector.cpython-312.pyc
    - flow\_matrix.cpython-312.pyc
    - group.cpython-312.pyc
    - harmonic.cpython-312.pyc
    - katz.cpython-312.pyc
    - laplacian.cpython-312.pyc
    - load.cpython-312.pyc
    - percolation.cpython-312.pyc
    - reaching.cpython-312.pyc
    - second\_order.cpython-312.pyc
    - subgraph\_alg.cpython-312.pyc
    - trophic.cpython-312.pyc
    - voterank\_alg.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_betweenness\_centrality.cpython-312.pyc
      - test\_betweenness\_centrality\_subset.cpython-312.pyc
      - test\_closeness\_centrality.cpython-312.pyc
      - test\_current\_flow\_betweenness\_centrality.cpython-312.pyc
      - test\_current\_flow\_betweenness\_centrality\_subset.cpython-312.pyc
      - test\_current\_flow\_closeness.cpython-312.pyc
      - test\_degree\_centrality.cpython-312.pyc
      - test\_dispersion.cpython-312.pyc
      - test\_eigenvector\_centrality.cpython-312.pyc
      - test\_group.cpython-312.pyc
      - test\_harmonic\_centrality.cpython-312.pyc
      - test\_katz\_centrality.cpython-312.pyc

- test\_laplacian\_centrality.cpython-312.pyc
  - test\_load\_centrality.cpython-312.pyc
  - test\_percolation\_centrality.cpython-312.pyc
  - test\_reaching.cpython-312.pyc
  - test\_second\_order\_centrality.cpython-312.pyc
  - test\_subgraph.cpython-312.pyc
  - test\_trophic.cpython-312.pyc
  - test\_voterank.cpython-312.pyc
- \_\_init\_\_.py
- test\_betweenness\_centrality.py
- test\_betweenness\_centrality\_subset.py
- test\_closeness\_centrality.py
- test\_current\_flow\_betweenness\_centrality.py
- test\_current\_flow\_betweenness\_centrality\_subset.py
- test\_current\_flow\_closeness.py
- test\_degree\_centrality.py
- test\_dispersion.py
- test\_eigenvector\_centrality.py
- test\_group.py
- test\_harmonic\_centrality.py
- test\_katz\_centrality.py
- test\_laplacian\_centrality.py
- test\_load\_centrality.py
- test\_percolation\_centrality.py
- test\_reaching.py
- test\_second\_order\_centrality.py
- test\_subgraph.py
- test\_trophic.py
- test\_voterank.py
- \_\_init\_\_.py
- betweenness.py
- betweenness\_subset.py
- closeness.py
- current\_flow\_betweenness.py
- current\_flow\_betweenness\_subset.py
- current\_flow\_closeness.py
- degree\_alg.py
- dispersion.py
- eigenvector.py
- flow\_matrix.py
- group.py
- harmonic.py
- katz.py
- laplacian.py
- load.py
- percolation.py
- reaching.py
- second\_order.py
- subgraph\_alg.py
- trophic.py
- voterank\_alg.py
- coloring/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - equitable\_coloring.cpython-312.pyc
    - greedy\_coloring.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_coloring.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_coloring.py
- \_\_init\_\_.py
- equitable\_coloring.py
- greedy\_coloring.py
- community/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - asyn\_fluid.cpython-312.pyc
    - bipartitions.cpython-312.pyc
    - centrality.cpython-312.pyc
    - community\_utils.cpython-312.pyc
    - divisive.cpython-312.pyc
    - kclique.cpython-312.pyc
    - label\_propagation.cpython-312.pyc
    - leiden.cpython-312.pyc
    - local.cpython-312.pyc
    - louvain.cpython-312.pyc
    - lukes.cpython-312.pyc
    - modularity\_max.cpython-312.pyc
    - quality.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_asyn\_fluid.cpython-312.pyc

- test\_bipartitions.cpython-312.pyc
- test\_centrality.cpython-312.pyc
- test\_divisive.cpython-312.pyc
- test\_kclique.cpython-312.pyc
- test\_label\_propagation.cpython-312.pyc
- test\_leiden.cpython-312.pyc
- test\_local.cpython-312.pyc
- test\_louvain.cpython-312.pyc
- test\_lukes.cpython-312.pyc
- test\_modularity\_max.cpython-312.pyc
- test\_quality.cpython-312.pyc
- test\_utils.cpython-312.pyc
- \_\_init\_\_.py
- test\_asyn\_fluid.py
- test\_bipartitions.py
- test\_centrality.py
- test\_divisive.py
- test\_kclique.py
- test\_label\_propagation.py
- test\_leiden.py
- test\_local.py
- test\_louvain.py
- test\_lukes.py
- test\_modularity\_max.py
- test\_quality.py
- test\_utils.py
- \_\_init\_\_.py
- asyn\_fluid.py
- bipartitions.py
- centrality.py
- community\_utils.py
- divisive.py
- kclique.py
- label\_propagation.py
- leiden.py
- local.py
- louvain.py
- lukes.py
- modularity\_max.py
- quality.py
- components/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - attracting.cpython-312.pyc
    - biconnected.cpython-312.pyc
    - connected.cpython-312.pyc
    - semiconnected.cpython-312.pyc
    - strongly\_connected.cpython-312.pyc
    - weakly\_connected.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_attracting.cpython-312.pyc
      - test\_biconnected.cpython-312.pyc
      - test\_connected.cpython-312.pyc
      - test\_semiconnected.cpython-312.pyc
      - test\_strongly\_connected.cpython-312.pyc
      - test\_weakly\_connected.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_attracting.py
    - test\_biconnected.py
    - test\_connected.py
    - test\_semiconnected.py
    - test\_strongly\_connected.py
    - test\_weakly\_connected.py
  - \_\_init\_\_.py
  - attracting.py
  - biconnected.py
  - connected.py
  - semiconnected.py
  - strongly\_connected.py
  - weakly\_connected.py
- connectivity/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - connectivity.cpython-312.pyc
    - cuts.cpython-312.pyc
    - disjoint\_paths.cpython-312.pyc
    - edge\_augmentation.cpython-312.pyc
    - edge\_kcomponents.cpython-312.pyc
    - kcomponents.cpython-312.pyc
    - kcutsets.cpython-312.pyc
    - stoerwagner.cpython-312.pyc
    - utils.cpython-312.pyc
  - tests/

```

    _pycache_/
    __init__.cpython-312.pyc
    test_connectivity.cpython-312.pyc
    test_cuts.cpython-312.pyc
    test_disjoint_paths.cpython-312.pyc
    test_edge_augmentation.cpython-312.pyc
    test_edge_kcomponents.cpython-312.pyc
    test_kcomponents.cpython-312.pyc
    test_kcutsets.cpython-312.pyc
    test_stoer_wagner.cpython-312.pyc
    __init__.py
    test_connectivity.py
    test_cuts.py
    test_disjoint_paths.py
    test_edge_augmentation.py
    test_edge_kcomponents.py
    test_kcomponents.py
    test_kcutsets.py
    test_stoer_wagner.py
__init__.py
connectivity.py
cuts.py
disjoint_paths.py
edge_augmentation.py
edge_kcomponents.py
kcomponents.py
kcutsets.py
stoerwagner.py
utils.py
flow/
    _pycache_/
    __init__.cpython-312.pyc
    boykovkolmogorov.cpython-312.pyc
    capacityscaling.cpython-312.pyc
    dinitz_alg.cpython-312.pyc
    edmondskarp.cpython-312.pyc
    gomory_hu.cpython-312.pyc
    maxflow.cpython-312.pyc
    mincost.cpython-312.pyc
    networksimplex.cpython-312.pyc
    preflowpush.cpython-312.pyc
    shortestaugmentingpath.cpython-312.pyc
    utils.cpython-312.pyc
    tests/
        _pycache_/
        __init__.cpython-312.pyc
        test_gomory_hu.cpython-312.pyc
        test_maxflow.cpython-312.pyc
        test_maxflow_large_graph.cpython-312.pyc
        test_mincost.cpython-312.pyc
        test_networksimplex.cpython-312.pyc
        __init__.py
        gl1.gpickle.bz2
        gw1.gpickle.bz2
        netgen-2.gpickle.bz2
        test_gomory_hu.py
        test_maxflow.py
        test_maxflow_large_graph.py
        test_mincost.py
        test_networksimplex.py
        wlm3.gpickle.bz2
    __init__.py
    boykovkolmogorov.py
    capacityscaling.py
    dinitz_alg.py
    edmondskarp.py
    gomory_hu.py
    maxflow.py
    mincost.py
    networksimplex.py
    preflowpush.py
    shortestaugmentingpath.py
    utils.py
isomorphism/
    _pycache_/
    __init__.cpython-312.pyc
    ismags.cpython-312.pyc
    isomorph.cpython-312.pyc
    isomorphvf2.cpython-312.pyc
    matchhelpers.cpython-312.pyc
    temporalisomorphvf2.cpython-312.pyc
    tree_isomorphism.cpython-312.pyc
    vf2pp.cpython-312.pyc
    vf2userfunc.cpython-312.pyc
    tests/

```

- pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_ismags.cpython-312.pyc
    - test\_isomorphism.cpython-312.pyc
    - test\_isomorphvf2.cpython-312.pyc
    - test\_match\_helpers.cpython-312.pyc
    - test\_temporalisomorphvf2.cpython-312.pyc
    - test\_tree\_isomorphism.cpython-312.pyc
    - test\_vf2pp.cpython-312.pyc
    - test\_vf2pp\_helpers.cpython-312.pyc
    - test\_vf2userfunc.cpython-312.pyc
  - \_\_init\_\_.py
  - iso\_r01\_s80.A99
  - iso\_r01\_s80.B99
  - si2\_b06\_m200.A99
  - si2\_b06\_m200.B99
  - test\_ismags.py
  - test\_isomorphism.py
  - test\_isomorphvf2.py
  - test\_match\_helpers.py
  - test\_temporalisomorphvf2.py
  - test\_tree\_isomorphism.py
  - test\_vf2pp.py
  - test\_vf2pp\_helpers.py
  - test\_vf2userfunc.py
- \_\_init\_\_.py
- ismags.py
- isomorph.py
- isomorphvf2.py
- matchhelpers.py
- temporalisomorphvf2.py
- tree\_isomorphism.py
- vf2pp.py
- vf2userfunc.py
- link\_analysis/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - hits\_alg.cpython-312.pyc
    - pagerank\_alg.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_hits.cpython-312.pyc
      - test\_pagerank.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_hits.py
    - test\_pagerank.py
  - \_\_init\_\_.py
  - hits\_alg.py
  - pagerank\_alg.py
- minors/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - contraction.cpython-312.pyc
  - tests/
    - pycache\_/
      - test\_contraction.cpython-312.pyc
    - test\_contraction.py
  - \_\_init\_\_.py
  - contraction.py
- operators/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - all.cpython-312.pyc
    - binary.cpython-312.pyc
    - product.cpython-312.pyc
    - unary.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_all.cpython-312.pyc
      - test\_binary.cpython-312.pyc
      - test\_product.cpython-312.pyc
      - test\_unary.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_all.py
    - test\_binary.py
    - test\_product.py
    - test\_unary.py
  - \_\_init\_\_.py
  - all.py
  - binary.py
  - product.py
  - unary.py
- shortest\_paths/

- pycache\_\_/
  - \_\_init\_\_.cpython-312.pyc
  - astar.cpython-312.pyc
  - dense.cpython-312.pyc
  - generic.cpython-312.pyc
  - unweighted.cpython-312.pyc
  - weighted.cpython-312.pyc
- tests/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_astar.cpython-312.pyc
    - test\_dense.cpython-312.pyc
    - test\_dense\_numpy.cpython-312.pyc
    - test\_generic.cpython-312.pyc
    - test\_unweighted.cpython-312.pyc
    - test\_weighted.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_astar.py
  - test\_dense.py
  - test\_dense\_numpy.py
  - test\_generic.py
  - test\_unweighted.py
  - test\_weighted.py
- \_\_init\_\_.py
- astar.py
- dense.py
- generic.py
- unweighted.py
- weighted.py
- tests/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_asteroidal.cpython-312.pyc
    - test\_boundary.cpython-312.pyc
    - test\_bridges.cpython-312.pyc
    - test\_broadcasting.cpython-312.pyc
    - test\_chains.cpython-312.pyc
    - test\_chordal.cpython-312.pyc
    - test\_clique.cpython-312.pyc
    - test\_cluster.cpython-312.pyc
    - test\_communicability.cpython-312.pyc
    - test\_core.cpython-312.pyc
    - test\_covering.cpython-312.pyc
    - test\_cuts.cpython-312.pyc
    - test\_cycles.cpython-312.pyc
    - test\_d\_separation.cpython-312.pyc
    - test\_dag.cpython-312.pyc
    - test\_distance\_measures.cpython-312.pyc
    - test\_distance\_regular.cpython-312.pyc
    - test\_dominance.cpython-312.pyc
    - test\_dominating.cpython-312.pyc
    - test\_efficiency.cpython-312.pyc
    - test\_euler.cpython-312.pyc
    - test\_graph\_hashing.cpython-312.pyc
    - test\_graphical.cpython-312.pyc
    - test\_hierarchy.cpython-312.pyc
    - test\_hybrid.cpython-312.pyc
    - test\_isolate.cpython-312.pyc
    - test\_link\_prediction.cpython-312.pyc
    - test\_lowest\_common\_ancestors.cpython-312.pyc
    - test\_matching.cpython-312.pyc
    - test\_max\_weight\_clique.cpython-312.pyc
    - test\_mis.cpython-312.pyc
    - test\_moral.cpython-312.pyc
    - test\_node\_classification.cpython-312.pyc
    - test\_non\_randomness.cpython-312.pyc
    - test\_perfect\_graph.cpython-312.pyc
    - test\_planar\_drawing.cpython-312.pyc
    - test\_planarity.cpython-312.pyc
    - test\_polynomials.cpython-312.pyc
    - test\_reciprocity.cpython-312.pyc
    - test\_regular.cpython-312.pyc
    - test\_richclub.cpython-312.pyc
    - test\_similarity.cpython-312.pyc
    - test\_simple\_paths.cpython-312.pyc
    - test\_smallworld.cpython-312.pyc
    - test\_smetric.cpython-312.pyc
    - test\_sparsifiers.cpython-312.pyc
    - test\_structuralholes.cpython-312.pyc
    - test\_summarization.cpython-312.pyc
    - test\_swap.cpython-312.pyc
    - test\_threshold.cpython-312.pyc
    - test\_time\_dependent.cpython-312.pyc
    - test\_tournament.cpython-312.pyc
    - test\_triads.cpython-312.pyc

- test\_vitality.cpython-312.pyc
  - test\_voronoi.cpython-312.pyc
  - test\_walks.cpython-312.pyc
  - test\_wiener.cpython-312.pyc
- \_\_init\_\_.py
- test\_asteroidal.py
- test\_boundary.py
- test\_bridges.py
- test\_broadcasting.py
- test\_chains.py
- test\_chordal.py
- test\_clique.py
- test\_cluster.py
- test\_communicability.py
- test\_core.py
- test\_covering.py
- test\_cuts.py
- test\_cycles.py
- test\_d\_separation.py
- test\_dag.py
- test\_distance\_measures.py
- test\_distance\_regular.py
- test\_dominance.py
- test\_dominating.py
- test\_efficiency.py
- test\_euler.py
- test\_graph\_hashing.py
- test\_graphical.py
- test\_hierarchy.py
- test\_hybrid.py
- test\_isolate.py
- test\_link\_prediction.py
- test\_lowest\_common\_ancestors.py
- test\_matching.py
- test\_max\_weight\_clique.py
- test\_mis.py
- test\_moral.py
- test\_node\_classification.py
- test\_non\_randomness.py
- test\_perfect\_graph.py
- test\_planar\_drawing.py
- test\_planarity.py
- test\_polynomials.py
- test\_reciprocity.py
- test\_regular.py
- test\_richclub.py
- test\_similarity.py
- test\_simple\_paths.py
- test\_smallworld.py
- test\_smetric.py
- test\_sparsifiers.py
- test\_structuralholes.py
- test\_summarization.py
- test\_swap.py
- test\_threshold.py
- test\_time\_dependent.py
- test\_tournament.py
- test\_triads.py
- test\_vitality.py
- test\_voronoi.py
- test\_walks.py
- test\_wiener.py
- traversal/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - beamsearch.cpython-312.pyc
    - breadth\_first\_search.cpython-312.pyc
    - depth\_first\_search.cpython-312.pyc
    - edgebfs.cpython-312.pyc
    - edgedfs.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_beamsearch.cpython-312.pyc
      - test\_bfs.cpython-312.pyc
      - test\_dfs.cpython-312.pyc
      - test\_edgebfs.cpython-312.pyc
      - test\_edgedfs.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_beamsearch.py
    - test\_bfs.py
    - test\_dfs.py
    - test\_edgebfs.py
    - test\_edgedfs.py
- \_\_init\_\_.py

- beamsearch.py
- breadth\_first\_search.py
- depth\_first\_search.py
- edgebfs.py
- edgedfs.py
- tree/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - branchings.cpython-312.pyc
    - coding.cpython-312.pyc
    - decomposition.cpython-312.pyc
    - distance\_measures.cpython-312.pyc
    - mst.cpython-312.pyc
    - operations.cpython-312.pyc
    - recognition.cpython-312.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_branchings.cpython-312.pyc
      - test\_coding.cpython-312.pyc
      - test\_decomposition.cpython-312.pyc
      - test\_distance\_measures.cpython-312.pyc
      - test\_mst.cpython-312.pyc
      - test\_operations.cpython-312.pyc
      - test\_recognition.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_branchings.py
    - test\_coding.py
    - test\_decomposition.py
    - test\_distance\_measures.py
    - test\_mst.py
    - test\_operations.py
    - test\_recognition.py
  - \_\_init\_\_.py
  - branchings.py
  - coding.py
  - decomposition.py
  - distance\_measures.py
  - mst.py
  - operations.py
  - recognition.py
- \_\_init\_\_.py
- asteroidal.py
- boundary.py
- bridges.py
- broadcasting.py
- chains.py
- chordal.py
- clique.py
- cluster.py
- communicability\_alg.py
- core.py
- covering.py
- cuts.py
- cycles.py
- d\_separation.py
- dag.py
- distance\_measures.py
- distance\_regular.py
- dominance.py
- dominating.py
- efficiency\_measures.py
- euler.py
- graph\_hashing.py
- graphical.py
- hierarchy.py
- hybrid.py
- isolate.py
- link\_prediction.py
- lowest\_common\_ancestors.py
- matching.py
- mis.py
- moral.py
- node\_classification.py
- non\_randomness.py
- perfect\_graph.py
- planar\_drawing.py
- planarity.py
- polynomials.py
- reciprocity.py
- regular.py
- richclub.py
- similarity.py
- simple\_paths.py
- smallworld.py



- smetric.py
- sparsifiers.py
- structuralholes.py
- summarization.py
- swap.py
- threshold.py
- time\_dependent.py
- tournament.py
- triads.py
- vitality.py
- voronoi.py
- walks.py
- wiener.py
- classes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - coreviews.cpython-312.pyc
    - digraph.cpython-312.pyc
    - filters.cpython-312.pyc
    - function.cpython-312.pyc
    - graph.cpython-312.pyc
    - graphviews.cpython-312.pyc
    - multidigraph.cpython-312.pyc
    - multigraph.cpython-312.pyc
    - reportviews.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - dispatch\_interface.cpython-312.pyc
      - historical\_tests.cpython-312.pyc
      - test\_coreviews.cpython-312.pyc
      - test\_digraph.cpython-312.pyc
      - test\_digraph\_historical.cpython-312.pyc
      - test\_filters.cpython-312.pyc
      - test\_function.cpython-312.pyc
      - test\_graph.cpython-312.pyc
      - test\_graph\_historical.cpython-312.pyc
      - test\_graphviews.cpython-312.pyc
      - test\_multidigraph.cpython-312.pyc
      - test\_multigraph.cpython-312.pyc
      - test\_reportviews.cpython-312.pyc
      - test\_special.cpython-312.pyc
      - test\_subgraphviews.cpython-312.pyc
    - \_\_init\_\_.py
    - dispatch\_interface.py
    - historical\_tests.py
    - test\_coreviews.py
    - test\_digraph.py
    - test\_digraph\_historical.py
    - test\_filters.py
    - test\_function.py
    - test\_graph.py
    - test\_graph\_historical.py
    - test\_graphviews.py
    - test\_multidigraph.py
    - test\_multigraph.py
    - test\_reportviews.py
    - test\_special.py
    - test\_subgraphviews.py
    - \_\_init\_\_.py
    - coreviews.py
    - digraph.py
    - filters.py
    - function.py
    - graph.py
    - graphviews.py
    - multidigraph.py
    - multigraph.py
    - reportviews.py
  - drawing/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - layout.cpython-312.pyc
      - nx\_agraph.cpython-312.pyc
      - nx\_latex.cpython-312.pyc
      - nx\_pydot.cpython-312.pyc
      - nx\_pylab.cpython-312.pyc
    - tests/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - test\_agraph.cpython-312.pyc
        - test\_image\_comparison\_pylab\_mpl.cpython-312.pyc
        - test\_latex.cpython-312.pyc
        - test\_layout.cpython-312.pyc
        - test\_pydot.cpython-312.pyc

- └─ test\_pylab.cpython-312.pyc
- ─ baseline/
  - └─ test\_display\_complex.png
  - └─ test\_display\_empty\_graph.png
  - └─ test\_display\_house\_with\_colors.png
  - └─ test\_display\_labels\_and\_colors.png
  - └─ test\_display\_shortest\_path.png
  - └─ test\_house\_with\_colors.png
- ─ \_\_init\_\_.py
- ─ test\_agraph.py
- ─ test\_image\_comparison\_pylab\_mpl.py
- ─ test\_latex.py
- ─ test\_layout.py
- ─ test\_pydots.py
- ─ test\_pylab.py
- ─ \_\_init\_\_.py
- ─ layout.py
- ─ nx\_agraph.py
- ─ nx\_latex.py
- ─ nx\_pydots.py
- ─ nx\_pylab.py
- ─ generators/
  - ─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ atlas.cpython-312.pyc
    - └─ classic.cpython-312.pyc
    - └─ cographs.cpython-312.pyc
    - └─ community.cpython-312.pyc
    - └─ degree\_seq.cpython-312.pyc
    - └─ directed.cpython-312.pyc
    - └─ duplication.cpython-312.pyc
    - └─ ego.cpython-312.pyc
    - └─ expanders.cpython-312.pyc
    - └─ geometric.cpython-312.pyc
    - └─ harary\_graph.cpython-312.pyc
    - └─ internet\_as\_graphs.cpython-312.pyc
    - └─ intersection.cpython-312.pyc
    - └─ interval\_graph.cpython-312.pyc
    - └─ joint\_degree\_seq.cpython-312.pyc
    - └─ lattice.cpython-312.pyc
    - └─ line.cpython-312.pyc
    - └─ mycielski.cpython-312.pyc
    - └─ nonisomorphic\_trees.cpython-312.pyc
    - └─ random\_clustered.cpython-312.pyc
    - └─ random\_graphs.cpython-312.pyc
    - └─ small.cpython-312.pyc
    - └─ social.cpython-312.pyc
    - └─ spectral\_graph\_forge.cpython-312.pyc
    - └─ stochastic.cpython-312.pyc
    - └─ sudoku.cpython-312.pyc
    - └─ time\_series.cpython-312.pyc
    - └─ trees.cpython-312.pyc
    - └─ triads.cpython-312.pyc
- ─ tests/
  - ─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_atlas.cpython-312.pyc
    - └─ test\_classic.cpython-312.pyc
    - └─ test\_cographs.cpython-312.pyc
    - └─ test\_community.cpython-312.pyc
    - └─ test\_degree\_seq.cpython-312.pyc
    - └─ test\_directed.cpython-312.pyc
    - └─ test\_duplication.cpython-312.pyc
    - └─ test\_ego.cpython-312.pyc
    - └─ test\_expanders.cpython-312.pyc
    - └─ test\_geometric.cpython-312.pyc
    - └─ test\_harary\_graph.cpython-312.pyc
    - └─ test\_internet\_as\_graphs.cpython-312.pyc
    - └─ test\_intersection.cpython-312.pyc
    - └─ test\_interval\_graph.cpython-312.pyc
    - └─ test\_joint\_degree\_seq.cpython-312.pyc
    - └─ test\_lattice.cpython-312.pyc
    - └─ test\_line.cpython-312.pyc
    - └─ test\_mycielski.cpython-312.pyc
    - └─ test\_nonisomorphic\_trees.cpython-312.pyc
    - └─ test\_random\_clustered.cpython-312.pyc
    - └─ test\_random\_graphs.cpython-312.pyc
    - └─ test\_small.cpython-312.pyc
    - └─ test\_spectral\_graph\_forge.cpython-312.pyc
    - └─ test\_stochastic.cpython-312.pyc
    - └─ test\_sudoku.cpython-312.pyc
    - └─ test\_time\_series.cpython-312.pyc
    - └─ test\_trees.cpython-312.pyc
    - └─ test\_triads.cpython-312.pyc
- ─ \_\_init\_\_.py

- test\_atlas.py
- test\_classic.py
- test\_cographs.py
- test\_community.py
- test\_degree\_seq.py
- test\_directed.py
- test\_duplication.py
- test\_ego.py
- test\_expanders.py
- test\_geometric.py
- test\_harary\_graph.py
- test\_internet\_as\_graphs.py
- test\_intersection.py
- test\_interval\_graph.py
- test\_joint\_degree\_seq.py
- test\_lattice.py
- test\_line.py
- test\_mycielski.py
- test\_nonisomorphic\_trees.py
- test\_random\_clustered.py
- test\_random\_graphs.py
- test\_small.py
- test\_spectral\_graph\_forge.py
- test\_stochastic.py
- test\_sudoku.py
- test\_time\_series.py
- test\_trees.py
- test\_triads.py
- \_\_init\_\_.py
- atlas.dat.gz
- atlas.py
- classic.py
- cographs.py
- community.py
- degree\_seq.py
- directed.py
- duplication.py
- ego.py
- expanders.py
- geometric.py
- harary\_graph.py
- internet\_as\_graphs.py
- intersection.py
- interval\_graph.py
- joint\_degree\_seq.py
- lattice.py
- line.py
- mycielski.py
- nonisomorphic\_trees.py
- random\_clustered.py
- random\_graphs.py
- small.py
- social.py
- spectral\_graph\_forge.py
- stochastic.py
- sudoku.py
- time\_series.py
- trees.py
- triads.py
- linalg/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - algebraicconnectivity.cpython-312.pyc
    - attrmatrix.cpython-312.pyc
    - bethehessianmatrix.cpython-312.pyc
    - graphmatrix.cpython-312.pyc
    - laplacianmatrix.cpython-312.pyc
    - modularitymatrix.cpython-312.pyc
    - spectrum.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_algebraic\_connectivity.cpython-312.pyc
      - test\_attrmatrix.cpython-312.pyc
      - test\_bethehessian.cpython-312.pyc
      - test\_graphmatrix.cpython-312.pyc
      - test\_laplacian.cpython-312.pyc
      - test\_modularity.cpython-312.pyc
      - test\_spectrum.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_algebraic\_connectivity.py
    - test\_attrmatrix.py
    - test\_bethehessian.py
    - test\_graphmatrix.py
    - test\_laplacian.py

- test\_modularity.py
- test\_spectrum.py
- \_\_init\_\_.py
- algebraicconnectivity.py
- attrmatrix.py
- bethehessianmatrix.py
- graphmatrix.py
- laplacianmatrix.py
- modularitymatrix.py
- spectrum.py
- readwrite/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - adjlist.cpython-312.pyc
    - edgelist.cpython-312.pyc
    - gexf.cpython-312.pyc
    - gml.cpython-312.pyc
    - graph6.cpython-312.pyc
    - graphml.cpython-312.pyc
    - leda.cpython-312.pyc
    - multiline\_adjlist.cpython-312.pyc
    - p2g.cpython-312.pyc
    - pajek.cpython-312.pyc
    - sparse6.cpython-312.pyc
    - text.cpython-312.pyc
  - json\_graph/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - adjacency.cpython-312.pyc
      - cytoscape.cpython-312.pyc
      - node\_link.cpython-312.pyc
      - tree.cpython-312.pyc
    - tests/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - test\_adjacency.cpython-312.pyc
        - test\_cytoscape.cpython-312.pyc
        - test\_node\_link.cpython-312.pyc
        - test\_tree.cpython-312.pyc
      - \_\_init\_\_.py
      - test\_adjacency.py
      - test\_cytoscape.py
      - test\_node\_link.py
      - test\_tree.py
    - \_\_init\_\_.py
    - adjacency.py
    - cytoscape.py
    - node\_link.py
    - tree.py
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_adjlist.cpython-312.pyc
      - test\_edgelist.cpython-312.pyc
      - test\_gexf.cpython-312.pyc
      - test\_gml.cpython-312.pyc
      - test\_graph6.cpython-312.pyc
      - test\_graphml.cpython-312.pyc
      - test\_leda.cpython-312.pyc
      - test\_p2g.cpython-312.pyc
      - test\_pajek.cpython-312.pyc
      - test\_sparse6.cpython-312.pyc
      - test\_text.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_adjlist.py
    - test\_edgelist.py
    - test\_gexf.py
    - test\_gml.py
    - test\_graph6.py
    - test\_graphml.py
    - test\_leda.py
    - test\_p2g.py
    - test\_pajek.py
    - test\_sparse6.py
    - test\_text.py
  - \_\_init\_\_.py
  - adjlist.py
  - edgelist.py
  - gexf.py
  - gml.py
  - graph6.py
  - graphml.py
  - leda.py
  - multiline\_adjlist.py
  - p2g.py

- pajek.py
- sparse6.py
- text.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_all\_random\_functions.cpython-312.pyc
    - test\_convert.cpython-312.pyc
    - test\_convert\_numpy.cpython-312.pyc
    - test\_convert\_pandas.cpython-312.pyc
    - test\_convert\_scipy.cpython-312.pyc
    - test\_exceptions.cpython-312.pyc
    - test\_import.cpython-312.pyc
    - test\_lazy\_imports.cpython-312.pyc
    - test\_relabel.cpython-312.pyc
    - test\_removed\_functions\_exception\_messages.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_all\_random\_functions.py
  - test\_convert.py
  - test\_convert\_numpy.py
  - test\_convert\_pandas.py
  - test\_convert\_scipy.py
  - test\_exceptions.py
  - test\_import.py
  - test\_lazy\_imports.py
  - test\_relabel.py
  - test\_removed\_functions\_exception\_messages.py
- utils/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - backends.cpython-312.pyc
    - configs.cpython-312.pyc
    - decorators.cpython-312.pyc
    - heaps.cpython-312.pyc
    - mapped\_queue.cpython-312.pyc
    - misc.cpython-312.pyc
    - random\_sequence.cpython-312.pyc
    - rcm.cpython-312.pyc
    - union\_find.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_init.cpython-312.pyc
      - test\_backends.cpython-312.pyc
      - test\_config.cpython-312.pyc
      - test\_decorators.cpython-312.pyc
      - test\_heaps.cpython-312.pyc
      - test\_mapped\_queue.cpython-312.pyc
      - test\_misc.cpython-312.pyc
      - test\_random\_sequence.cpython-312.pyc
      - test\_rcm.cpython-312.pyc
      - test\_unionfind.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_init.py
    - test\_backends.py
    - test\_config.py
    - test\_decorators.py
    - test\_heaps.py
    - test\_mapped\_queue.py
    - test\_misc.py
    - test\_random\_sequence.py
    - test\_rcm.py
    - test\_unionfind.py
  - \_\_init\_\_.py
  - backends.py
  - configs.py
  - decorators.py
  - heaps.py
  - mapped\_queue.py
  - misc.py
  - random\_sequence.py
  - rcm.py
  - union\_find.py
- \_\_init\_\_.py
- conftest.py
- convert.py
- convert\_matrix.py
- exception.py
- lazy\_imports.py
- relabel.py

- networkx-3.6.1.dist-info/
  - licenses/
    - LICENSE.txt
  - entry\_points.txt
  - INSTALLER

- METADATA
- RECORD
- top\_level.txt
- WHEEL
- numba/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - \_version.cpython-312.pyc
    - extending.cpython-312.pyc
    - runtests.cpython-312.pyc
  - cext/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
    - cext.h
    - dictobject.c
    - dictobject.h
    - listobject.c
    - listobject.h
    - utils.c
  - cloudpickle/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - cloudpickle.cpython-312.pyc
      - cloudpickle\_fast.cpython-312.pyc
    - \_\_init\_\_.py
    - cloudpickle.py
    - cloudpickle\_fast.py
  - core/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - analysis.cpython-312.pyc
    - base.cpython-312.pyc
    - boxing.cpython-312.pyc
    - bytecode.cpython-312.pyc
    - bytearray.cpython-312.pyc
    - caching.cpython-312.pyc
    - callconv.cpython-312.pyc
    - callwrapper.cpython-312.pyc
    - ccallback.cpython-312.pyc
    - cgutils.cpython-312.pyc
    - codegen.cpython-312.pyc
    - compiler.cpython-312.pyc
    - compiler\_lock.cpython-312.pyc
    - compiler\_machinery.cpython-312.pyc
    - config.cpython-312.pyc
    - consts.cpython-312.pyc
    - controlflow.cpython-312.pyc
    - cpu.cpython-312.pyc
    - cpu\_options.cpython-312.pyc
    - debuginfo.cpython-312.pyc
    - decorators.cpython-312.pyc
    - descriptors.cpython-312.pyc
    - dispatcher.cpython-312.pyc
    - entrypoints.cpython-312.pyc
    - environment.cpython-312.pyc
    - errors.cpython-312.pyc
    - event.cpython-312.pyc
    - extending.cpython-312.pyc
    - externals.cpython-312.pyc
    - fastmathpass.cpython-312.pyc
    - funcdesc.cpython-312.pyc
    - generators.cpython-312.pyc
    - imputils.cpython-312.pyc
    - inline\_closurecall.cpython-312.pyc
    - interpreter.cpython-312.pyc
    - intrinsics.cpython-312.pyc
    - ir.cpython-312.pyc
    - ir\_utils.cpython-312.pyc
    - itanium\_mangler.cpython-312.pyc
    - llvm\_bindings.cpython-312.pyc
    - lowering.cpython-312.pyc
    - object\_mode\_passes.cpython-312.pyc
    - optional.cpython-312.pyc
    - options.cpython-312.pyc
    - postproc.cpython-312.pyc
    - pylowering.cpython-312.pyc
    - pythonapi.cpython-312.pyc
    - registry.cpython-312.pyc
    - remove\_refctpass.cpython-312.pyc
    - serialize.cpython-312.pyc
    - sigutils.cpython-312.pyc
    - ssa.cpython-312.pyc
    - target\_extension.cpython-312.pyc

- targetconfig.cpython-312.pyc
- tracing.cpython-312.pyc
- transforms.cpython-312.pyc
- typed\_passes.cpython-312.pyc
- typeinfer.cpython-312.pyc
- untyped\_passes.cpython-312.pyc
- utils.cpython-312.pyc
- withcontexts.cpython-312.pyc
- annotations/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - pretty\_annotate.cpython-312.pyc
    - type\_annotations.cpython-312.pyc
  - \_\_init\_\_.py
  - pretty\_annotate.py
  - template.html
  - type\_annotations.py
- datamodel/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - manager.cpython-312.pyc
    - models.cpython-312.pyc
    - packer.cpython-312.pyc
    - registry.cpython-312.pyc
    - testing.cpython-312.pyc
  - \_\_init\_\_.py
  - manager.py
  - models.py
  - packer.py
  - registry.py
  - testing.py
- rewrites/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - ir\_print.cpython-312.pyc
    - registry.cpython-312.pyc
    - static\_binop.cpython-312.pyc
    - static\_getitem.cpython-312.pyc
    - static\_raise.cpython-312.pyc
  - \_\_init\_\_.py
  - ir\_print.py
  - registry.py
  - static\_binop.py
  - static\_getitem.py
  - static\_raise.py
- runtime/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - context.cpython-312.pyc
    - nrt.cpython-312.pyc
    - nrtdynmod.cpython-312.pyc
    - nrtopt.cpython-312.pyc
  - \_\_init\_\_.py
  - \_nrt\_python.c
  - \_nrt\_python.cp312-win\_amd64.pyd
  - \_nrt\_pythonmod.c
  - context.py
  - nrt.cpp
  - nrt.h
  - nrt.py
  - nrt\_external.h
  - nrtdynmod.py
  - nrtopt.py
- typeconv/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - castgraph.cpython-312.pyc
    - rules.cpython-312.pyc
    - typeconv.cpython-312.pyc
  - \_\_init\_\_.py
  - \_typeconv.cp312-win\_amd64.pyd
  - castgraph.py
  - rules.py
  - typeconv.py
- types/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - abstract.cpython-312.pyc
    - common.cpython-312.pyc
    - containers.cpython-312.pyc
    - function\_type.cpython-312.pyc
    - functions.cpython-312.pyc
    - iterators.cpython-312.pyc
    - misc.cpython-312.pyc
    - npytypes.cpython-312.pyc

- └─ scalars.cpython-312.pyc
- └─ \_\_init\_\_.py
- └─ \_\_init\_\_.pyi
- └─ abstract.py
- └─ common.py
- └─ containers.py
- └─ function\_type.py
- └─ functions.py
- └─ iterators.py
- └─ misc.py
- └─ npytypes.py
- └─ scalars.py
- typing/
  - └─ pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ arraydecl.cpython-312.pyc
    - └─ asnumbatype.cpython-312.pyc
    - └─ bufproto.cpython-312.pyc
    - └─ builtins.cpython-312.pyc
    - └─ cffi\_utils.cpython-312.pyc
    - └─ cmathdecl.cpython-312.pyc
    - └─ collections.cpython-312.pyc
    - └─ context.cpython-312.pyc
    - └─ ctypes\_utils.cpython-312.pyc
    - └─ dictdecl.cpython-312.pyc
    - └─ enumdecl.cpython-312.pyc
    - └─ listdecl.cpython-312.pyc
    - └─ mathdecl.cpython-312.pyc
    - └─ npdatetime.cpython-312.pyc
    - └─ npydecl.cpython-312.pyc
    - └─ setdecl.cpython-312.pyc
    - └─ templates.cpython-312.pyc
    - └─ typeof.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ arraydecl.py
  - └─ asnumbatype.py
  - └─ bufproto.py
  - └─ builtins.py
  - └─ cffi\_utils.py
  - └─ cmathdecl.py
  - └─ collections.py
  - └─ context.py
  - └─ ctypes\_utils.py
  - └─ dictdecl.py
  - └─ enumdecl.py
  - └─ listdecl.py
  - └─ mathdecl.py
  - └─ npdatetime.py
  - └─ npydecl.py
  - └─ setdecl.py
  - └─ templates.py
  - └─ typeof.py
- unsafe/
  - └─ pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ bytes.cpython-312.pyc
    - └─ eh.cpython-312.pyc
    - └─ nrt.cpython-312.pyc
    - └─ refcount.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ bytes.py
  - └─ eh.py
  - └─ nrt.py
  - └─ refcount.py
- └─ \_\_init\_\_.py
- └─ analysis.py
- └─ base.py
- └─ boxing.py
- └─ bytecode.py
- └─ bytearray.py
- └─ caching.py
- └─ callconv.py
- └─ callwrapper.py
- └─ ccallback.py
- └─ cgutils.py
- └─ codegen.py
- └─ compiler.py
- └─ compiler\_lock.py
- └─ compiler\_machinery.py
- └─ config.py
- └─ consts.py
- └─ controlflow.py
- └─ cpu.py
- └─ cpu\_options.py
- └─ debuginfo.py



- decorators.py
- descriptors.py
- dispatcher.py
- entrypoints.py
- environment.py
- errors.py
- event.py
- extending.py
- extending.pyi
- externals.py
- fastmathpass.py
- funcdesc.py
- generators.py
- imputils.py
- inline\_closurecall.py
- interpreter.py
- intrinsics.py
- ir.py
- ir\_utils.py
- itanium\_mangler.py
- llvm\_bindings.py
- lowering.py
- object\_mode\_passes.py
- optional.py
- options.py
- postproc.py
- pylowering.py
- pythonapi.py
- registry.py
- removerefctpass.py
- serialize.py
- sigutils.py
- ssa.py
- target\_extension.py
- targetconfig.py
- tracing.py
- transforms.py
- typed\_passes.py
- typeinfer.py
- untyped\_passes.py
- utils.py
- withcontexts.py
- cpython/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - builtins.cpython-312.pyc
    - charseq.cpython-312.pyc
    - cmathimpl.cpython-312.pyc
    - enumimpl.cpython-312.pyc
    - hashing.cpython-312.pyc
    - heapq.cpython-312.pyc
    - iterators.cpython-312.pyc
    - listobj.cpython-312.pyc
    - mathimpl.cpython-312.pyc
    - numbers.cpython-312.pyc
    - printimpl.cpython-312.pyc
    - randomimpl.cpython-312.pyc
    - rangeobj.cpython-312.pyc
    - setobj.cpython-312.pyc
    - slicing.cpython-312.pyc
    - tupleobj.cpython-312.pyc
    - unicode.cpython-312.pyc
    - unicode\_support.cpython-312.pyc
- unsafe/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - numbers.cpython-312.pyc
    - tuple.cpython-312.pyc
  - \_\_init\_\_.py
  - numbers.py
  - tuple.py
- \_\_init\_\_.py
- builtins.py
- charseq.py
- cmathimpl.py
- enumimpl.py
- hashing.py
- heapq.py
- iterators.py
- listobj.py
- mathimpl.py
- numbers.py
- printimpl.py
- randomimpl.py
- rangeobj.py

- setobj.py
- slicing.py
- tupleobj.py
- unicode.py
- unicode\_support.py
- cuda/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - api.cpython-312.pyc
    - api\_util.cpython-312.pyc
    - args.cpython-312.pyc
    - cg.cpython-312.pyc
    - codegen.cpython-312.pyc
    - compiler.cpython-312.pyc
    - cuda\_paths.cpython-312.pyc
    - cudadecl.cpython-312.pyc
    - cudaimpl.cpython-312.pyc
    - cudamath.cpython-312.pyc
    - decorators.cpython-312.pyc
    - descriptor.cpython-312.pyc
    - device\_init.cpython-312.pyc
    - deviceufunc.cpython-312.pyc
    - dispatcher.cpython-312.pyc
    - errors.cpython-312.pyc
    - extending.cpython-312.pyc
    - initialize.cpython-312.pyc
    - intrinsic\_wrapper.cpython-312.pyc
    - intrinsics.cpython-312.pyc
    - libdevice.cpython-312.pyc
    - libdevicedecl.cpython-312.pyc
    - libdevicefuncs.cpython-312.pyc
    - libdeviceimpl.cpython-312.pyc
    - mathimpl.cpython-312.pyc
    - models.cpython-312.pyc
    - nvvutils.cpython-312.pyc
    - printimpl.cpython-312.pyc
    - random.cpython-312.pyc
    - simulator\_init.cpython-312.pyc
    - stubs.cpython-312.pyc
    - target.cpython-312.pyc
    - testing.cpython-312.pyc
    - types.cpython-312.pyc
    - ufuncs.cpython-312.pyc
    - vector\_types.cpython-312.pyc
    - vectorizers.cpython-312.pyc
  - cudadrv/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - devicearray.cpython-312.pyc
      - devices.cpython-312.pyc
      - driver.cpython-312.pyc
      - drvapi.cpython-312.pyc
      - dummyarray.cpython-312.pyc
      - enums.cpython-312.pyc
      - error.cpython-312.pyc
      - libs.cpython-312.pyc
      - ndarray.cpython-312.pyc
      - nvrtc.cpython-312.pyc
      - nvvm.cpython-312.pyc
      - rtapi.cpython-312.pyc
      - runtime.cpython-312.pyc
    - \_\_init\_\_.py
    - \_extras.cp312-win\_amd64.pyd
    - devicearray.py
    - devices.py
    - driver.py
    - drvapi.py
    - dummyarray.py
    - enums.py
    - error.py
    - libs.py
    - ndarray.py
    - nvrtc.py
    - nvvm.py
    - rtapi.py
    - runtime.py
  - kernels/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - reduction.cpython-312.pyc
      - transpose.cpython-312.pyc
    - \_\_init\_\_.py
    - reduction.py
    - transpose.py
- simulator/

- \_pycache\_\_/
  - \_\_init\_\_.cpython-312.pyc
  - api.cpython-312.pyc
  - compiler.cpython-312.pyc
  - kernel.cpython-312.pyc
  - kernelapi.cpython-312.pyc
  - reduction.cpython-312.pyc
  - vector\_types.cpython-312.pyc
- cudadriv/
  - \_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - devicearray.cpython-312.pyc
    - devices.cpython-312.pyc
    - driver.cpython-312.pyc
    - drvapi.cpython-312.pyc
    - dummyarray.cpython-312.pyc
    - error.cpython-312.pyc
    - libs.cpython-312.pyc
    - nvvm.cpython-312.pyc
    - runtime.cpython-312.pyc
  - \_\_init\_\_.py
  - devicearray.py
  - devices.py
  - driver.py
  - drvapi.py
  - dummyarray.py
  - error.py
  - libs.py
  - nvvm.py
  - runtime.py
- \_\_init\_\_.py
- api.py
- compiler.py
- kernel.py
- kernelapi.py
- reduction.py
- vector\_types.py
- tests/
  - \_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - cudadriv/
    - \_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_array\_attr.cpython-312.pyc
      - test\_context\_stack.cpython-312.pyc
      - test\_cuda\_array\_slicing.cpython-312.pyc
      - test\_cuda\_auto\_context.cpython-312.pyc
      - test\_cuda\_devicerecord.cpython-312.pyc
      - test\_cuda\_driver.cpython-312.pyc
      - test\_cuda\_libraries.cpython-312.pyc
      - test\_cuda\_memory.cpython-312.pyc
      - test\_cuda\_ndarray.cpython-312.pyc
      - test\_deallocations.cpython-312.pyc
      - test\_detect.cpython-312.pyc
      - test\_emm\_plugins.cpython-312.pyc
      - test\_events.cpython-312.pyc
      - test\_host\_alloc.cpython-312.pyc
      - test\_init.cpython-312.pyc
      - test\_inline\_ptx.cpython-312.pyc
      - test\_is\_fp16.cpython-312.pyc
      - test\_linker.cpython-312.pyc
      - test\_managed\_alloc.cpython-312.pyc
      - test\_mvc.cpython-312.pyc
      - test\_nvvm\_driver.cpython-312.pyc
      - test\_pinned.cpython-312.pyc
      - test\_profiler.cpython-312.pyc
      - test\_ptds.cpython-312.pyc
      - test\_reset\_device.cpython-312.pyc
      - test\_runtime.cpython-312.pyc
      - test\_select\_device.cpython-312.pyc
      - test\_streams.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_array\_attr.py
    - test\_context\_stack.py
    - test\_cuda\_array\_slicing.py
    - test\_cuda\_auto\_context.py
    - test\_cuda\_devicerecord.py
    - test\_cuda\_driver.py
    - test\_cuda\_libraries.py
    - test\_cuda\_memory.py
    - test\_cuda\_ndarray.py
    - test\_deallocations.py
    - test\_detect.py
    - test\_emm\_plugins.py
    - test\_events.py

- test\_host\_alloc.py
- test\_init.py
- test\_inline\_ptx.py
- test\_is\_fp16.py
- test\_linker.py
- test\_managed\_alloc.py
- test\_mvc.py
- test\_nvvm\_driver.py
- test\_pinned.py
- test\_profiler.py
- test\_ptds.py
- test\_reset\_device.py
- test\_runtime.py
- test\_select\_device.py
- test\_streams.py
- cudapy/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - cache\_usecases.cpython-312.pyc
    - cache\_with\_cpu\_usecases.cpython-312.pyc
    - extensions\_usecases.cpython-312.pyc
    - recursion\_usecases.cpython-312.pyc
    - test\_alignment.cpython-312.pyc
    - test\_array.cpython-312.pyc
    - test\_array\_args.cpython-312.pyc
    - test\_array\_methods.cpython-312.pyc
    - test\_atomics.cpython-312.pyc
    - test\_blacksholes.cpython-312.pyc
    - test\_boolean.cpython-312.pyc
    - test\_caching.cpython-312.pyc
    - test\_casting.cpython-312.pyc
    - test\_cffi.cpython-312.pyc
    - test\_compiler.cpython-312.pyc
    - test\_complex.cpython-312.pyc
    - test\_complex\_kernel.cpython-312.pyc
    - test\_const\_string.cpython-312.pyc
    - test\_constmem.cpython-312.pyc
    - test\_cooperative\_groups.cpython-312.pyc
    - test\_cuda\_array\_interface.cpython-312.pyc
    - test\_cuda\_jit\_no\_types.cpython-312.pyc
    - test\_datetime.cpython-312.pyc
    - test\_debug.cpython-312.pyc
    - test\_debuginfo.cpython-312.pyc
    - test\_device\_func.cpython-312.pyc
    - test\_dispatcher.cpython-312.pyc
    - test\_enums.cpython-312.pyc
    - test\_errors.cpython-312.pyc
    - test\_exception.cpython-312.pyc
    - test\_extending.cpython-312.pyc
    - test\_fastmath.cpython-312.pyc
    - test\_forall.cpython-312.pyc
    - test\_freevar.cpython-312.pyc
    - test\_frexp\_ldexp.cpython-312.pyc
    - test\_globals.cpython-312.pyc
    - test\_gufunc.cpython-312.pyc
    - test\_gufunc\_scalar.cpython-312.pyc
    - test\_gufunc\_scheduling.cpython-312.pyc
    - test\_idiv.cpython-312.pyc
    - test\_inspect.cpython-312.pyc
    - test\_intrinsics.cpython-312.pyc
    - test\_ipc.cpython-312.pyc
    - test\_iterators.cpython-312.pyc
    - test\_lang.cpython-312.pyc
    - test\_laplace.cpython-312.pyc
    - test\_libdevice.cpython-312.pyc
    - test\_lineinfo.cpython-312.pyc
    - test\_localmem.cpython-312.pyc
    - test\_mandel.cpython-312.pyc
    - test\_math.cpython-312.pyc
    - test\_matmul.cpython-312.pyc
    - test\_minmax.cpython-312.pyc
    - test\_montecarlo.cpython-312.pyc
    - test\_multigpu.cpython-312.pyc
    - test\_multiprocessing.cpython-312.pyc
    - test\_multithreads.cpython-312.pyc
    - test\_nondet.cpython-312.pyc
    - test\_operator.cpython-312.pyc
    - test\_optimization.cpython-312.pyc
    - test\_overload.cpython-312.pyc
    - test\_powi.cpython-312.pyc
    - test\_print.cpython-312.pyc
    - test\_py2\_div\_issue.cpython-312.pyc
    - test\_random.cpython-312.pyc
    - test\_record\_dtype.cpython-312.pyc
    - test\_recursion.cpython-312.pyc

```
— test_reduction.cpython-312.pyc
— test_retrieve_autoconverted_arrays.cpython-312.pyc
— test_serialize.cpython-312.pyc
— test_slicing.cpython-312.pyc
— test_sm.cpython-312.pyc
— test_sm_creation.cpython-312.pyc
— test_sync.cpython-312.pyc
— test_transpose.cpython-312.pyc
— test_ufuncs.cpython-312.pyc
— test_userexc.cpython-312.pyc
— test_vector_type.cpython-312.pyc
— test_vectorize.cpython-312.pyc
— test_vectorize_complex.cpython-312.pyc
— test_vectorize_decor.cpython-312.pyc
— test_vectorize_device.cpython-312.pyc
— test_vectorize_scalar_arg.cpython-312.pyc
— test_warning.cpython-312.pyc
— test_warp_ops.cpython-312.pyc
— __init__.py
— cache_usecases.py
— cache_with_cpu_usecases.py
— extensions_usecases.py
— recursion_usecases.py
— test_alignment.py
— test_array.py
— test_array_args.py
— test_array_methods.py
— test_atomics.py
— test_blacksholes.py
— test_boolean.py
— test_caching.py
— test_casting.py
— test_cffi.py
— test_compiler.py
— test_complex.py
— test_complex_kernel.py
— test_const_string.py
— test_constmem.py
— test_cooperative_groups.py
— test_cuda_array_interface.py
— test_cuda_jit_no_types.py
— test_datetime.py
— test_debug.py
— test_debuginfo.py
— test_device_func.py
— test_dispatcher.py
— test_enums.py
— test_errors.py
— test_exception.py
— test_extending.py
— test_fastmath.py
— test_forall.py
— test_freevar.py
— test_frexpl_dexp.py
— test_globals.py
— test_gufunc.py
— test_gufunc_scalar.py
— test_gufunc_scheduling.py
— test_idiv.py
— test_inspect.py
— test_intrinsics.py
— test_ipc.py
— test_iterators.py
— test_lang.py
— test_laplace.py
— test_libdevice.py
— test_lineinfo.py
— test_localmem.py
— test_mandel.py
— test_math.py
— test_matmul.py
— test_minmax.py
— test_montecarlo.py
— test_multigpu.py
— test_multiprocessing.py
— test_multithreads.py
— test_nondet.py
— test_operator.py
— test_optimization.py
— test_overload.py
— test_powi.py
— test_print.py
— test_py2_div_issue.py
— test_random.py
— test_record_dtype.py
```

- test\_recursion.py
- test\_reduction.py
- test\_retrieve\_autoconverted\_arrays.py
- test\_serialize.py
- test\_slicing.py
- test\_sm.py
- test\_sm\_creation.py
- test\_sync.py
- test\_transpose.py
- test\_ufuncs.py
- test\_userexc.py
- test\_vector\_type.py
- test\_vectorize.py
- test\_vectorize\_complex.py
- test\_vectorize\_decor.py
- test\_vectorize\_device.py
- test\_vectorize\_scalar\_arg.py
- test\_warning.py
- test\_warp\_ops.py
- cudasim/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - support.cpython-312.pyc
    - test\_cudasim\_issues.cpython-312.pyc
  - \_\_init\_\_.py
  - support.py
  - test\_cudasim\_issues.py
- data/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - cuda\_include.cu
  - error.cu
  - jitlink.cu
  - jitlink.ptx
  - warn.cu
- doc\_examples/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_cg.cpython-312.pyc
    - test\_cpu\_gpu\_compat.cpython-312.pyc
    - test\_ffl.cpython-312.pyc
    - test\_laplace.cpython-312.pyc
    - test\_matmul.cpython-312.pyc
    - test\_montecarlo.cpython-312.pyc
    - test\_random.cpython-312.pyc
    - test\_reduction.cpython-312.pyc
    - test\_sessionize.cpython-312.pyc
    - test\_ufunc.cpython-312.pyc
    - test\_vecadd.cpython-312.pyc
  - ffi/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
    - functions.cu
  - \_\_init\_\_.py
  - test\_cg.py
  - test\_cpu\_gpu\_compat.py
  - test\_ffl.py
  - test\_laplace.py
  - test\_matmul.py
  - test\_montecarlo.py
  - test\_random.py
  - test\_reduction.py
  - test\_sessionize.py
  - test\_ufunc.py
  - test\_vecadd.py
- nocuda/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_dummyarray.cpython-312.pyc
    - test\_function\_resolution.cpython-312.pyc
    - test\_import.cpython-312.pyc
    - test\_library\_lookup.cpython-312.pyc
    - test\_nvvm.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_dummyarray.py
  - test\_function\_resolution.py
  - test\_import.py
  - test\_library\_lookup.py
  - test\_nvvm.py
- \_\_init\_\_.py
- api.py
- api\_util.py

- args.py
- cg.py
- codegen.py
- compiler.py
- cpp\_function\_wrappers.cu
- cuda\_fp16.h
- cuda\_fp16.hpp
- cuda\_paths.py
- cudadecl.py
- cudaimpl.py
- cudamath.py
- decorators.py
- descriptor.py
- device\_init.py
- deviceufunc.py
- dispatcher.py
- errors.py
- extending.py
- initialize.py
- intrinsic\_wrapper.py
- intrinsics.py
- libdevice.py
- libdevicedecl.py
- libdevicefuncs.py
- libdeviceimpl.py
- mathimpl.py
- models.py
- nvvmutils.py
- printimpl.py
- random.py
- simulator\_init.py
- stubs.py
- target.py
- testing.py
- types.py
- ufuncs.py
- vector\_types.py
- vectorizers.py
- experimental/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - function\_type.cpython-312.pyc
    - structref.cpython-312.pyc
  - jitclass/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - base.cpython-312.pyc
      - boxing.cpython-312.pyc
      - decorators.cpython-312.pyc
      - overloads.cpython-312.pyc
    - \_\_init\_\_.py
    - \_box.cp312-win\_amd64.pyd
    - base.py
    - boxing.py
    - decorators.py
    - overloads.py
  - \_\_init\_\_.py
  - function\_type.py
  - structref.py
- misc/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - appdirs.cpython-312.pyc
    - cffiimpl.cpython-312.pyc
    - coverage\_support.cpython-312.pyc
    - dump\_style.cpython-312.pyc
    - findlib.cpython-312.pyc
    - firstlinefinder.cpython-312.pyc
    - gdb\_hook.cpython-312.pyc
    - gdb\_print\_extension.cpython-312.pyc
    - init\_utils.cpython-312.pyc
    - inspection.cpython-312.pyc
    - literal.cpython-312.pyc
    - llvm\_pass\_timings.cpython-312.pyc
    - memoryutils.cpython-312.pyc
    - mergesort.cpython-312.pyc
    - numba\_entry.cpython-312.pyc
    - numba\_gdbinfo.cpython-312.pyc
    - numba\_sysinfo.cpython-312.pyc
    - POST.cpython-312.pyc
    - quicksort.cpython-312.pyc
    - special.cpython-312.pyc
    - timsort.cpython-312.pyc
- help/
  - \_\_pycache\_\_/

- \_\_init\_\_.cpython-312.pyc
    - inspector.cpython-312.pyc
  - \_\_init\_\_.py
  - inspector.py
- \_\_init\_\_.py
- appdirs.py
- cffiimpl.py
- cmdlang.gdb
- coverage\_support.py
- dump\_style.py
- findlib.py
- firstlinefinder.py
- gdb\_hook.py
- gdb\_print\_extension.py
- init\_utils.py
- inspection.py
- literal.py
- llvm\_pass\_timings.py
- memoryutils.py
- mergesort.py
- numba\_entry.py
- numba\_gdbinfo.py
- numba\_sysinfo.py
- POST.py
- quicksort.py
- special.py
- timsort.py
- np/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - arraymath.cpython-312.pyc
    - arrayobj.cpython-312.pyc
    - extensions.cpython-312.pyc
    - linalg.cpython-312.pyc
    - npdatetime.cpython-312.pyc
    - npdatetime\_helpers.cpython-312.pyc
    - npymath.cpython-312.pyc
    - npymathimpl.cpython-312.pyc
    - numpy\_support.cpython-312.pyc
    - ufunc\_db.cpython-312.pyc
- math/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - cmathimpl.cpython-312.pyc
    - mathimpl.cpython-312.pyc
    - numbers.cpython-312.pyc
  - \_\_init\_\_.py
  - cmathimpl.py
  - mathimpl.py
  - numbers.py
- polynomial/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - polynomial\_core.cpython-312.pyc
    - polynomial\_functions.cpython-312.pyc
  - \_\_init\_\_.py
  - polynomial\_core.py
  - polynomial\_functions.py
- random/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_constants.cpython-312.pyc
    - distributions.cpython-312.pyc
    - generator\_core.cpython-312.pyc
    - generator\_methods.cpython-312.pyc
    - random\_methods.cpython-312.pyc
  - \_\_init\_\_.py
  - \_constants.py
  - distributions.py
  - generator\_core.py
  - generator\_methods.py
  - random\_methods.py
- ufunc/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - array\_exprs.cpython-312.pyc
    - decorators.cpython-312.pyc
    - dufunc.cpython-312.pyc
    - gufunc.cpython-312.pyc
    - parallel.cpython-312.pyc
    - sigparse.cpython-312.pyc
    - ufunc\_base.cpython-312.pyc
    - ufuncbuilder.cpython-312.pyc
    - wrappers.cpython-312.pyc
  - \_\_init\_\_.py



- \_internal.cp312-win\_amd64.pyd
- \_num\_threads.cp312-win\_amd64.pyd
- array\_exprs.py
- decorators.py
- dufunc.py
- gufunc.py
- omppool.cp312-win\_amd64.pyd
- parallel.py
- sigparse.py
- tbbpool.cp312-win\_amd64.pyd
- ufunc\_base.py
- ufuncbuilder.py
- workqueue.cp312-win\_amd64.pyd
- wrappers.py
- unsafe/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - ndarray.cpython-312.pyc
  - \_\_init\_\_.py
  - ndarray.py
- \_\_init\_\_.py
- arraymath.py
- arrayobj.py
- extensions.py
- linalg.py
- npdatetime.py
- npdatetime\_helpers.py
- npyfuncs.py
- npyimpl.py
- numpy\_support.py
- ufunc\_db.py
- parfors/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - array\_analysis.cpython-312.pyc
    - parfor.cpython-312.pyc
    - parfor\_lowering.cpython-312.pyc
    - parfor\_lowering\_utils.cpython-312.pyc
  - \_\_init\_\_.py
  - array\_analysis.py
  - parfor.py
  - parfor\_lowering.py
  - parfor\_lowering\_utils.py
- pycc/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - cc.cpython-312.pyc
    - compiler.cpython-312.pyc
    - decorators.cpython-312.pyc
    - llvm\_types.cpython-312.pyc
    - platform.cpython-312.pyc
  - \_\_init\_\_.py
  - cc.py
  - compiler.py
  - decorators.py
  - llvm\_types.py
  - modulemixin.c
  - platform.py
- scripts/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - generate\_lower\_listing.cpython-312.pyc
  - \_\_init\_\_.py
  - generate\_lower\_listing.py
- stencils/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - stencil.cpython-312.pyc
    - stencilparfor.cpython-312.pyc
  - \_\_init\_\_.py
  - stencil.py
  - stencilparfor.py
- testing/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - \_runtests.cpython-312.pyc
    - loader.cpython-312.pyc
    - main.cpython-312.pyc
    - notebook.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - \_runtests.py
  - loader.py
  - main.py

```
└─ notebook.py
└─ tests/
    └─ __pycache__/
        └─ __init__.cpython-312.pyc
        └─ annotation_usecases.cpython-312.pyc
        └─ cache_usecases.cpython-312.pyc
        └─ cffi_usecases.cpython-312.pyc
        └─ cfunc_cache_usecases.cpython-312.pyc
        └─ chained_assign_usecases.cpython-312.pyc
        └─ cloudpickle_main_class.cpython-312.pyc
        └─ compile_with_pycc.cpython-312.pyc
        └─ complex_usecases.cpython-312.pyc
        └─ ctypes_usecases.cpython-312.pyc
        └─ doctest_usecase.cpython-312.pyc
        └─ dummy_module.cpython-312.pyc
        └─ enum_usecases.cpython-312.pyc
        └─ error_usecases.cpython-312.pyc
        └─ errorhandling_usecases.cpython-312.pyc
        └─ gdb_support.cpython-312.pyc
        └─ inlining_usecases.cpython-312.pyc
        └─ matmul_usecase.cpython-312.pyc
        └─ orphaned_semaphore_usecase.cpython-312.pyc
        └─ overload_usecases.cpython-312.pyc
        └─ parfor_iss9490_usecase.cpython-312.pyc
        └─ parfors_cache_usecases.cpython-312.pyc
        └─ pdlike_usecase.cpython-312.pyc
        └─ recursion_usecases.cpython-312.pyc
        └─ serialize_usecases.cpython-312.pyc
        └─ support.cpython-312.pyc
        └─ test_alignment.cpython-312.pyc
        └─ test_analysis.cpython-312.pyc
        └─ test_annotations.cpython-312.pyc
        └─ test_api.cpython-312.pyc
        └─ test_array_analysis.cpython-312.pyc
        └─ test_array_attr.cpython-312.pyc
        └─ test_array_constants.cpython-312.pyc
        └─ test_array_exprs.cpython-312.pyc
        └─ test_array_iterators.cpython-312.pyc
        └─ test_array_manipulation.cpython-312.pyc
        └─ test_array_methods.cpython-312.pyc
        └─ test_array_reductions.cpython-312.pyc
        └─ test_array_return.cpython-312.pyc
        └─ test_asnumbatype.cpython-312.pyc
        └─ test_auto_constants.cpython-312.pyc
        └─ test_blackscholes.cpython-312.pyc
        └─ test_boundscheck.cpython-312.pyc
        └─ test_buffer_protocol.cpython-312.pyc
        └─ test_builtins.cpython-312.pyc
        └─ test_byteflow.cpython-312.pyc
        └─ test_caching.cpython-312.pyc
        └─ test_casting.cpython-312.pyc
        └─ test_cffi.cpython-312.pyc
        └─ test_cfunc.cpython-312.pyc
        └─ test_cgutils.cpython-312.pyc
        └─ test_chained_assign.cpython-312.pyc
        └─ test_chrome_trace.cpython-312.pyc
        └─ test_cli.cpython-312.pyc
        └─ test_closure.cpython-312.pyc
        └─ test_codegen.cpython-312.pyc
        └─ test_compile_cache.cpython-312.pyc
        └─ test_compiler_flags.cpython-312.pyc
        └─ test_compiler_lock.cpython-312.pyc
        └─ test_complex.cpython-312.pyc
        └─ test_comprehension.cpython-312.pyc
        └─ test_conditions_as_predicates.cpython-312.pyc
        └─ test_config.cpython-312.pyc
        └─ test_conversion.cpython-312.pyc
        └─ test_copy_propagate.cpython-312.pyc
        └─ test_ctypes.cpython-312.pyc
        └─ test_dataflow.cpython-312.pyc
        └─ test_datamodel.cpython-312.pyc
        └─ test_debug.cpython-312.pyc
        └─ test_debuginfo.cpython-312.pyc
        └─ test_deprecations.cpython-312.pyc
        └─ test_dictimpl.cpython-312.pyc
        └─ test_dictobject.cpython-312.pyc
        └─ test_dicts.cpython-312.pyc
        └─ test_dispatcher.cpython-312.pyc
        └─ test_doctest.cpython-312.pyc
        └─ test_dyn_array.cpython-312.pyc
        └─ test_dyn_func.cpython-312.pyc
        └─ test_entrypoints.cpython-312.pyc
        └─ test_enums.cpython-312.pyc
        └─ test_errorhandling.cpython-312.pyc
        └─ test_errormodels.cpython-312.pyc
```

— test\_event.cpython-312.pyc  
— test\_exceptions.cpython-312.pyc  
— test\_extended\_arg.cpython-312.pyc  
— test\_extending.cpython-312.pyc  
— test\_extending\_types.cpython-312.pyc  
— test\_fancy\_indexing.cpython-312.pyc  
— test\_fastmath.cpython-312.pyc  
— test\_findlib.cpython-312.pyc  
— test\_firstlinefinder.cpython-312.pyc  
— test\_flow\_control.cpython-312.pyc  
— test\_func\_interface.cpython-312.pyc  
— test\_func\_lifetime.cpython-312.pyc  
— test\_funcdesc.cpython-312.pyc  
— test\_function\_type.cpython-312.pyc  
— test\_gdb\_bindings.cpython-312.pyc  
— test\_gdb\_dwarf.cpython-312.pyc  
— test\_generators.cpython-312.pyc  
— test\_getitem\_on\_types.cpython-312.pyc  
— test\_gil.cpython-312.pyc  
— test\_globals.cpython-312.pyc  
— test\_hashing.cpython-312.pyc  
— test\_heapq.cpython-312.pyc  
— test\_help.cpython-312.pyc  
— test\_import.cpython-312.pyc  
— test\_indexing.cpython-312.pyc  
— test\_init\_utils.cpython-312.pyc  
— test\_inlining.cpython-312.pyc  
— test\_interpreter.cpython-312.pyc  
— test\_interproc.cpython-312.pyc  
— test\_intwidth.cpython-312.pyc  
— test\_ir.cpython-312.pyc  
— test\_ir\_inlining.cpython-312.pyc  
— test\_ir\_utils.cpython-312.pyc  
— test\_itanium\_mangler.cpython-312.pyc  
— test\_iteration.cpython-312.pyc  
— test\_jit\_module.cpython-312.pyc  
— test\_jitclasses.cpython-312.pyc  
— test\_jitmethod.cpython-312.pyc  
— test\_linalg.cpython-312.pyc  
— test\_listimpl.cpython-312.pyc  
— test\_listobject.cpython-312.pyc  
— test\_lists.cpython-312.pyc  
— test\_literal\_dispatch.cpython-312.pyc  
— test\_llvm\_pass\_timings.cpython-312.pyc  
— test\_llvm\_version\_check.cpython-312.pyc  
— test\_locals.cpython-312.pyc  
— test\_looplifting.cpython-312.pyc  
— test\_make\_function\_to\_jit\_function.cpython-312.pyc  
— test\_mandelbrot.cpython-312.pyc  
— test\_mangling.cpython-312.pyc  
— test\_map\_filter\_reduce.cpython-312.pyc  
— test\_mathlib.cpython-312.pyc  
— test\_maxmin.cpython-312.pyc  
— test\_misc\_coverage\_support.cpython-312.pyc  
— test\_mixed\_tuple\_unroller.cpython-312.pyc  
— test\_moved\_modules.cpython-312.pyc  
— test\_multi3.cpython-312.pyc  
— test\_nan.cpython-312.pyc  
— test\_ndarray\_subclasses.cpython-312.pyc  
— test\_nested\_calls.cpython-312.pyc  
— test\_np\_functions.cpython-312.pyc  
— test\_np\_randomgen.cpython-312.pyc  
— test\_npdatetime.cpython-312.pyc  
— test\_nrt.cpython-312.pyc  
— test\_nrt\_refct.cpython-312.pyc  
— test\_num\_threads.cpython-312.pyc  
— test\_numberctor.cpython-312.pyc  
— test\_numbers.cpython-312.pyc  
— test\_numconv.cpython-312.pyc  
— test\_numpy\_support.cpython-312.pyc  
— test\_numpyadapt.cpython-312.pyc  
— test\_obj\_lifetime.cpython-312.pyc  
— test\_object\_mode.cpython-312.pyc  
— test\_objects.cpython-312.pyc  
— test\_operators.cpython-312.pyc  
— test\_optimisation\_pipelines.cpython-312.pyc  
— test\_optional.cpython-312.pyc  
— test\_overlap.cpython-312.pyc  
— test\_parallel\_backend.cpython-312.pyc  
— test\_parfors.cpython-312.pyc  
— test\_parfors\_caching.cpython-312.pyc  
— test\_parfors\_passes.cpython-312.pyc  
— test\_pipeline.cpython-312.pyc  
— test\_polynomial.cpython-312.pyc  
— test\_practical\_lowering\_issues.cpython-312.pyc

- test\_print.cpython-312.pyc
- test\_profiler.cpython-312.pyc
- test\_pyc.cpython-312.pyc
- test\_python\_int.cpython-312.pyc
- test\_pythonapi.cpython-312.pyc
- test\_random.cpython-312.pyc
- test\_range.cpython-312.pyc
- test\_recarray\_usecases.cpython-312.pyc
- test\_record\_dtype.cpython-312.pyc
- test\_recursion.cpython-312.pyc
- test\_refop\_pruning.cpython-312.pyc
- test\_remove\_dead.cpython-312.pyc
- test\_repr.cpython-312.pyc
- test\_return\_values.cpython-312.pyc
- test\_runttests.cpython-312.pyc
- test\_serialize.cpython-312.pyc
- test\_sets.cpython-312.pyc
- test\_slices.cpython-312.pyc
- test\_sort.cpython-312.pyc
- test\_ssa.cpython-312.pyc
- test\_stencils.cpython-312.pyc
- test\_store\_slice.cpython-312.pyc
- test\_struct\_ref.cpython-312.pyc
- test\_support.cpython-312.pyc
- test\_svml.cpython-312.pyc
- test\_sys\_monitoring.cpython-312.pyc
- test\_sys\_stdin\_assignment.cpython-312.pyc
- test\_sysinfo.cpython-312.pyc
- test\_target\_extension.cpython-312.pyc
- test\_target\_overloadselector.cpython-312.pyc
- test\_thread\_safety.cpython-312.pyc
- test\_tracing.cpython-312.pyc
- test\_try\_except.cpython-312.pyc
- test\_tuples.cpython-312.pyc
- test\_typeconv.cpython-312.pyc
- test\_typedlist.cpython-312.pyc
- test\_typedobjectutils.cpython-312.pyc
- test\_typeguard.cpython-312.pyc
- test\_typeinfer.cpython-312.pyc
- test\_typednames.cpython-312.pyc
- test\_typeof.cpython-312.pyc
- test\_types.cpython-312.pyc
- test\_typingerror.cpython-312.pyc
- test\_ufuncs.cpython-312.pyc
- test\_unicode.cpython-312.pyc
- test\_unicode\_array.cpython-312.pyc
- test\_unicode\_names.cpython-312.pyc
- test\_unpack\_sequence.cpython-312.pyc
- test\_unpickle\_without\_module.cpython-312.pyc
- test\_unsafe\_intrinsics.cpython-312.pyc
- test\_usecases.cpython-312.pyc
- test\_vectorization.cpython-312.pyc
- test\_vectorization\_type\_inference.cpython-312.pyc
- test\_warnings.cpython-312.pyc
- test\_withlifting.cpython-312.pyc
- threading\_backend\_usecases.cpython-312.pyc
- typedlist\_usecases.cpython-312.pyc
- usecases.cpython-312.pyc
- doc\_examples/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_examples.cpython-312.pyc
    - test\_interval\_example.cpython-312.pyc
    - test\_jitclass.cpython-312.pyc
    - test\_literal\_container\_usage.cpython-312.pyc
    - test\_literally\_usage.cpython-312.pyc
    - test\_llvm\_pass\_timings.cpython-312.pyc
    - test\_numpy\_generators.cpython-312.pyc
    - test\_parallel\_chunksize.cpython-312.pyc
    - test\_rec\_array.cpython-312.pyc
    - test\_structref\_usage.cpython-312.pyc
    - test\_typed\_dict\_usage.cpython-312.pyc
    - test\_typed\_list\_usage.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_examples.py
  - test\_interval\_example.py
  - test\_jitclass.py
  - test\_literal\_container\_usage.py
  - test\_literally\_usage.py
  - test\_llvm\_pass\_timings.py
  - test\_numpy\_generators.py
  - test\_parallel\_chunksize.py
  - test\_rec\_array.py
  - test\_structref\_usage.py
  - test\_typed\_dict\_usage.py

- └─ test\_typed\_list\_usage.py
- gdb/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_array\_arg.cpython-312.pyc
    - └─ test\_basic.cpython-312.pyc
    - └─ test\_break\_on\_symbol.cpython-312.pyc
    - └─ test\_break\_on\_symbol\_version.cpython-312.pyc
    - └─ test\_conditional\_breakpoint.cpython-312.pyc
    - └─ test\_pretty\_print.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_array\_arg.py
  - └─ test\_basic.py
  - └─ test\_break\_on\_symbol.py
  - └─ test\_break\_on\_symbol\_version.py
  - └─ test\_conditional\_breakpoint.py
  - └─ test\_pretty\_print.py
- npyufunc/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ cache\_usecases.cpython-312.pyc
    - └─ test\_caching.cpython-312.pyc
    - └─ test\_dufunc.cpython-312.pyc
    - └─ test\_errors.cpython-312.pyc
    - └─ test\_gufunc.cpython-312.pyc
    - └─ test\_parallel\_env\_variable.cpython-312.pyc
    - └─ test\_parallel\_low\_work.cpython-312.pyc
    - └─ test\_parallel\_ufunc\_issues.cpython-312.pyc
    - └─ test\_ufunc.cpython-312.pyc
    - └─ test\_ufuncbuilding.cpython-312.pyc
    - └─ test\_update\_inplace.cpython-312.pyc
    - └─ test\_vectorize\_decor.cpython-312.pyc
    - └─ ufuncbuilding\_usecases.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ cache\_usecases.py
  - └─ test\_caching.py
  - └─ test\_dufunc.py
  - └─ test\_errors.py
  - └─ test\_gufunc.py
  - └─ test\_parallel\_env\_variable.py
  - └─ test\_parallel\_low\_work.py
  - └─ test\_parallel\_ufunc\_issues.py
  - └─ test\_ufunc.py
  - └─ test\_ufuncbuilding.py
  - └─ test\_update\_inplace.py
  - └─ test\_vectorize\_decor.py
  - └─ ufuncbuilding\_usecases.py
- pycc\_distutils\_usecase/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ setup\_distutils.cpython-312.pyc
    - └─ setup\_distutils\_nested.cpython-312.pyc
    - └─ setup\_setuptools.cpython-312.pyc
    - └─ setup\_setuptools\_nested.cpython-312.pyc
    - └─ source\_module.cpython-312.pyc
  - └─ nested/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ source\_module.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ source\_module.py
  - └─ \_\_init\_\_.py
  - └─ setup\_distutils.py
  - └─ setup\_distutils\_nested.py
  - └─ setup\_setuptools.py
  - └─ setup\_setuptools\_nested.py
  - └─ source\_module.py
- └─ \_\_init\_\_.py
- └─ annotation\_usecases.py
- └─ cache\_usecases.py
- └─ cffi\_usecases.py
- └─ cfunc\_cache\_usecases.py
- └─ chained\_assign\_usecases.py
- └─ cloudpickle\_main\_class.py
- └─ compile\_with\_pycc.py
- └─ complex\_usecases.py
- └─ ctypes\_usecases.py
- └─ doctest\_usecase.py
- └─ dummy\_module.py
- └─ enum\_usecases.py
- └─ error\_usecases.py
- └─ errorhandling\_usecases.py
- └─ gdb\_support.py
- └─ inlining\_usecases.py
- └─ matmul\_usecase.py

- orphaned\_semaphore\_usecase.py
- overload\_usecases.py
- parfor\_iss9490\_usecase.py
- parfors\_cache\_usecases.py
- pdlike\_usecase.py
- recursion\_usecases.py
- serialize\_usecases.py
- support.py
- test\_alignment.py
- test\_analysis.py
- test\_annotations.py
- test\_api.py
- test\_array\_analysis.py
- test\_array\_attr.py
- test\_array\_constants.py
- test\_array\_exprs.py
- test\_array\_iterators.py
- test\_array\_manipulation.py
- test\_array\_methods.py
- test\_array\_reductions.py
- test\_array\_return.py
- test\_asnumbatype.py
- test\_auto\_constants.py
- test\_blackscholes.py
- test\_boundscheck.py
- test\_buffer\_protocol.py
- test\_builtins.py
- test\_byteflow.py
- test\_caching.py
- test\_casting.py
- test\_cffi.py
- test\_cfunc.py
- test\_cgutils.py
- test\_chained\_assign.py
- test\_chrome\_trace.py
- test\_cli.py
- test\_closure.py
- test\_codegen.py
- test\_compile\_cache.py
- test\_compiler\_flags.py
- test\_compiler\_lock.py
- test\_complex.py
- test\_comprehension.py
- test\_conditions\_as\_predicates.py
- test\_config.py
- test\_conversion.py
- test\_copy\_propagate.py
- test\_ctypes.py
- test\_dataflow.py
- test\_datamodel.py
- test\_debug.py
- test\_debuginfo.py
- test\_deprecations.py
- test\_dictimpl.py
- test\_dictobject.py
- test\_dicts.py
- test\_dispatcher.py
- test\_doctest.py
- test\_dyn\_array.py
- test\_dyn\_func.py
- test\_entrypoints.py
- test\_enums.py
- test\_errorhandling.py
- test\_errormodels.py
- test\_event.py
- test\_exceptions.py
- test\_extended\_arg.py
- test\_extending.py
- test\_extending\_types.py
- test\_fancy\_indexing.py
- test\_fastmath.py
- test\_findlib.py
- test\_firstlinefinder.py
- test\_flow\_control.py
- test\_func\_interface.py
- test\_func\_lifetime.py
- test\_funcdesc.py
- test\_function\_type.py
- test\_gdb\_bindings.py
- test\_gdb\_dwarf.py
- test\_generators.py
- test\_getitem\_on\_types.py
- test\_gil.py
- test\_globals.py
- test\_hashing.py

- test\_heapq.py
- test\_help.py
- test\_import.py
- test\_indexing.py
- test\_init\_utils.py
- test\_inlining.py
- test\_interpreter.py
- test\_interproc.py
- test\_intwidth.py
- test\_ir.py
- test\_ir\_inlining.py
- test\_ir\_utils.py
- test\_itanium\_mangler.py
- test\_iteration.py
- test\_jit\_module.py
- test\_jitclasses.py
- test\_jitmethod.py
- test\_linalg.py
- test\_listimpl.py
- test\_listobject.py
- test\_lists.py
- test\_literal\_dispatch.py
- test\_llvm\_pass\_timings.py
- test\_llvm\_version\_check.py
- test\_locals.py
- test\_looplifting.py
- test\_make\_function\_to\_jit\_function.py
- test\_mandelbrot.py
- test\_mangling.py
- test\_map\_filter\_reduce.py
- test\_mathlib.py
- test\_maxmin.py
- test\_misc\_coverage\_support.py
- test\_mixed\_tuple\_unroller.py
- test\_moved\_modules.py
- test\_multi3.py
- test\_nan.py
- test\_ndarray\_subclasses.py
- test\_nested\_calls.py
- test\_np\_functions.py
- test\_np\_randomgen.py
- test\_npdatetime.py
- test\_nrt.py
- test\_nrt\_refct.py
- test\_num\_threads.py
- test\_numberctor.py
- test\_numbers.py
- test\_numconv.py
- test\_numpy\_support.py
- test\_numpyadapt.py
- test\_obj\_lifetime.py
- test\_object\_mode.py
- test\_objects.py
- test\_operators.py
- test\_optimisation\_pipelines.py
- test\_optional.py
- test\_overlap.py
- test\_parallel\_backend.py
- test\_parfors.py
- test\_parfors\_caching.py
- test\_parfors\_passes.py
- test\_pipeline.py
- test\_polynomial.py
- test\_practical\_lowering\_issues.py
- test\_print.py
- test\_profiler.py
- test\_pycc.py
- test\_python\_int.py
- test\_pythonapi.py
- test\_random.py
- test\_range.py
- test\_reccarray\_usecases.py
- test\_record\_dtype.py
- test\_recursion.py
- test\_refop\_pruning.py
- test\_remove\_dead.py
- test\_repr.py
- test\_return\_values.py
- test\_runtests.py
- test\_serialize.py
- test\_sets.py
- test\_slices.py
- test\_sort.py
- test\_ssa.py
- test\_stencils.py

- test\_storeslice.py
- test\_struct\_ref.py
- test\_support.py
- test\_svml.py
- test\_sys\_monitoring.py
- test\_sys\_stdin\_assignment.py
- test\_sysinfo.py
- test\_target\_extension.py
- test\_target\_overloadselector.py
- test\_threadafety.py
- test\_tracing.py
- test\_try\_except.py
- test\_tuples.py
- test\_typeconv.py
- test\_typedlist.py
- test\_typedobjectutils.py
- test\_typeguard.py
- test\_typeinfer.py
- test\_typednames.py
- test\_typeof.py
- test\_types.py
- test\_typingerror.py
- test\_ufuncs.py
- test\_unicode.py
- test\_unicode\_array.py
- test\_unicode\_names.py
- test\_unpack\_sequence.py
- test\_unpickle\_without\_module.py
- test\_unsafe\_intrinsics.py
- test\_usecases.py
- test\_vectorization.py
- test\_vectorization\_type\_inference.py
- test\_warnings.py
- test\_withlifting.py
- threading\_backend\_usecases.py
- typedlist\_usecases.py
- usecases.py
- typed/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - dictimpl.cpython-312.pyc
    - dictobject.cpython-312.pyc
    - listobject.cpython-312.pyc
    - typeddict.cpython-312.pyc
    - typedlist.cpython-312.pyc
    - typedobjectutils.cpython-312.pyc
  - \_\_init\_\_.py
  - dictimpl.py
  - dictobject.py
  - listobject.py
  - py.typed
  - typeddict.py
  - typedlist.py
  - typedobjectutils.py
- types/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- \_init\_.py
- \_main\_.py
- \_arraystruct.h
- \_devicearray.cp312-win\_amd64.pyd
- \_devicearray.h
- \_dispatcher.cp312-win\_amd64.pyd
- \_dynfunc.c
- \_dynfunc.cp312-win\_amd64.pyd
- \_dynfuncmod.c
- \_hashtable.h
- \_helperlib.c
- \_helperlib.cp312-win\_amd64.pyd
- \_helperlib.pyi
- \_helpermod.c
- \_lapack.c
- \_numba\_common.h
- \_pymodule.h
- \_random.c
- \_typeof.h
- \_unicodetype\_db.h
- \_version.py
- extending.py
- mathnames.h
- mviewbuf.c
- mviewbuf.cp312-win\_amd64.pyd
- pythoncapi\_compat.h
- runtests.py



- numba-0.65.1.dist-info/
  - licenses/
    - LICENSE
    - LICENSES.third-party
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- numpy/
  - \_\_pycache\_\_/
    - \_\_config\_\_.cpython-312.pyc
    - \_\_init\_\_.cpython-312.pyc
    - \_array\_api\_info.cpython-312.pyc
    - \_configtool.cpython-312.pyc
    - \_distributor\_init.cpython-312.pyc
    - \_expired\_attrs\_2\_0.cpython-312.pyc
    - \_globals.cpython-312.pyc
    - \_pytesttester.cpython-312.pyc
    - conftest.cpython-312.pyc
    - dtypes.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - matlib.cpython-312.pyc
    - version.cpython-312.pyc
  - core/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_add\_newdocs.cpython-312.pyc
      - \_add\_newdocs\_scalars.cpython-312.pyc
      - \_asarray.cpython-312.pyc
      - \_dtype.cpython-312.pyc
      - \_dtype\_ctypes.cpython-312.pyc
      - \_exceptions.cpython-312.pyc
      - \_internal.cpython-312.pyc
      - \_methods.cpython-312.pyc
      - \_string\_helpers.cpython-312.pyc
      - \_type\_aliases.cpython-312.pyc
      - \_ufunc\_config.cpython-312.pyc
      - arrayprint.cpython-312.pyc
      - cversions.cpython-312.pyc
      - defchararray.cpython-312.pyc
      - einsumfunc.cpython-312.pyc
      - fromnumeric.cpython-312.pyc
      - function\_base.cpython-312.pyc
      - getlimits.cpython-312.pyc
      - memmap.cpython-312.pyc
      - multiarray.cpython-312.pyc
      - numeric.cpython-312.pyc
      - numeri ctypes.cpython-312.pyc
      - overrides.cpython-312.pyc
      - printoptions.cpython-312.pyc
      - records.cpython-312.pyc
      - shape\_base.cpython-312.pyc
      - strings.cpython-312.pyc
      - umath.cpython-312.pyc
  - include/
    - numpy/
      - random/
        - bitgen.h
        - distributions.h
        - libdivide.h
        - LICENSE.txt
      - \_multiarray\_api.c
      - \_multiarray\_api.h
      - \_ufunc\_api.c
      - \_ufunc\_api.h
      - \_neighborhood\_iterator\_imp.h
      - \_numpyconfig.h
      - \_public\_dtype\_api\_table.h
      - arrayobject.h
      - arrayscalars.h
      - dtype\_api.h
      - halffloat.h
      - ndarrayobject.h
      - ndarraytypes.h
      - np\_2\_compat.h
      - np\_2\_complexcompat.h
      - np\_3kcompat.h
      - np\_common.h
      - np\_cpu.h
      - np\_endian.h
      - np\_math.h
      - np\_no\_deprecated\_api.h
      - np\_os.h
      - numpyconfig.h

- ufuncobject.h
  - utils.h
- lib/
  - npkg-config/
    - mllib.ini
      - npymath.ini
  - pkgconfig/
    - numpy.pc
    - npymath.lib
- tests/
  - pycache\_/
    - \_locales.cpython-312.pyc
      - \_natype.cpython-312.pyc
      - test\_exceptions.cpython-312.pyc
      - test\_abc.cpython-312.pyc
      - test\_api.cpython-312.pyc
      - test\_argparse.cpython-312.pyc
      - test\_array\_api\_info.cpython-312.pyc
      - test\_array\_coercion.cpython-312.pyc
      - test\_array\_interface.cpython-312.pyc
      - test\_arraymethod.cpython-312.pyc
      - test\_arrayobject.cpython-312.pyc
      - test\_arrayprint.cpython-312.pyc
      - test\_casting\_floatingpoint\_errors.cpython-312.pyc
      - test\_casting\_unittests.cpython-312.pyc
      - test\_conversion\_utils.cpython-312.pyc
      - test\_cpu\_dispatcher.cpython-312.pyc
      - test\_cpu\_features.cpython-312.pyc
      - test\_custom\_dtypes.cpython-312.pyc
      - test\_cython.cpython-312.pyc
      - test\_datetime.cpython-312.pyc
      - test\_defchararray.cpython-312.pyc
      - test\_deprecations.cpython-312.pyc
      - test\_dlpack.cpython-312.pyc
      - test\_dtype.cpython-312.pyc
      - test\_einsum.cpython-312.pyc
      - test\_errstate.cpython-312.pyc
      - test\_extint128.cpython-312.pyc
      - test\_finfo.cpython-312.pyc
      - test\_function\_base.cpython-312.pyc
      - test\_getlimits.cpython-312.pyc
      - test\_half.cpython-312.pyc
      - test\_hashtable.cpython-312.pyc
      - test\_indexerrors.cpython-312.pyc
      - test\_indexing.cpython-312.pyc
      - test\_item\_selection.cpython-312.pyc
      - test\_limited\_api.cpython-312.pyc
      - test\_longdouble.cpython-312.pyc
      - test\_mem\_overlap.cpython-312.pyc
      - test\_mem\_policy.cpython-312.pyc
      - test\_mmap.cpython-312.pyc
      - test\_multiarray.cpython-312.pyc
      - test\_multiprocessing.cpython-312.pyc
      - test\_multithreading.cpython-312.pyc
      - test\_nditer.cpython-312.pyc
      - test\_nep50\_promotions.cpython-312.pyc
      - test\_numeric.cpython-312.pyc
      - test\_numerictypes.cpython-312.pyc
      - test\_overrides.cpython-312.pyc
      - test\_print.cpython-312.pyc
      - test\_protocols.cpython-312.pyc
      - test\_records.cpython-312.pyc
      - test\_regression.cpython-312.pyc
      - test\_scalar\_ctors.cpython-312.pyc
      - test\_scalar\_methods.cpython-312.pyc
      - test\_scalarbuffer.cpython-312.pyc
      - test\_scalarinherit.cpython-312.pyc
      - test\_scalarmath.cpython-312.pyc
      - test\_scalarprint.cpython-312.pyc
      - test\_shape\_base.cpython-312.pyc
      - test\_simd.cpython-312.pyc
      - test\_simd\_module.cpython-312.pyc
      - test\_stringdtype.cpython-312.pyc
      - test\_strings.cpython-312.pyc
      - test\_ufunc.cpython-312.pyc
      - test\_umath.cpython-312.pyc
      - test\_umath\_accuracy.cpython-312.pyc
      - test\_umath\_complex.cpython-312.pyc
      - test\_unicode.cpython-312.pyc
  - data/
    - astype\_copy.pkl
    - generate\_umath\_validation\_data.cpp
    - recarray\_from\_file.fits
    - umath-validation-set-arccos.csv
    - umath-validation-set-arccosh.csv

- umath-validation-set-arcsin.csv
- umath-validation-set-arcsinh.csv
- umath-validation-set-arctan.csv
- umath-validation-set-arctanh.csv
- umath-validation-set-cbrt.csv
- umath-validation-set-cos.csv
- umath-validation-set-cosh.csv
- umath-validation-set-exp.csv
- umath-validation-set-exp2.csv
- umath-validation-set-expm1.csv
- umath-validation-set-log.csv
- umath-validation-set-log10.csv
- umath-validation-set-log1p.csv
- umath-validation-set-log2.csv
- umath-validation-set-README.txt
- umath-validation-set-sin.csv
- umath-validation-set-sinh.csv
- umath-validation-set-tan.csv
- umath-validation-set-tanh.csv
- examples/
  - cython/
    - \_pycache\_/
      - setup.cpython-312.pyc
    - checks.pyx
    - meson.build
    - setup.py
  - limited\_api/
    - \_pycache\_/
      - setup.cpython-312.pyc
    - limited\_api1.c
    - limited\_api2.pyx
    - limited\_api\_latest.c
    - meson.build
    - setup.py
- \_locales.py
- \_natype.py
- test\_exceptions.py
- test\_abc.py
- test\_api.py
- test\_argparse.py
- test\_array\_api\_info.py
- test\_array\_coercion.py
- test\_array\_interface.py
- test\_arraymethod.py
- test\_arrayobject.py
- test\_arrayprint.py
- test\_casting\_floatingpoint\_errors.py
- test\_casting\_unittests.py
- test\_conversion\_utils.py
- test\_cpu\_dispatcher.py
- test\_cpu\_features.py
- test\_custom\_dtypes.py
- test\_cython.py
- test\_datetime.py
- test\_defchararray.py
- test\_deprecations.py
- test\_dlpack.py
- test\_dtype.py
- test\_einsum.py
- test\_errstate.py
- test\_extint128.py
- test\_finfo.py
- test\_function\_base.py
- test\_getlimits.py
- test\_half.py
- test\_hashtable.py
- test\_indexerrors.py
- test\_indexing.py
- test\_item\_selection.py
- test\_limited\_api.py
- test\_longdouble.py
- test\_mem\_overlap.py
- test\_mem\_policy.py
- test\_mmap.py
- test\_multiarray.py
- test\_multiprocessing.py
- test\_multithreading.py
- test\_nditer.py
- test\_nep50\_promotions.py
- test\_numeric.py
- test\_numerictypes.py
- test\_overrides.py
- test\_print.py
- test\_protocols.py
- test\_records.py

- test\_regression.py
- test\_scalar\_ctors.py
- test\_scalar\_methods.py
- test\_scalarbuffer.py
- test\_scalarinherit.py
- test\_scalarmath.py
- test\_scalarprint.py
- test\_shape\_base.py
- test\_simd.py
- test\_simd\_module.py
- test\_stringdtype.py
- test\_strings.py
- test\_ufunc.py
- test\_umath.py
- test\_umath\_accuracy.py
- test\_umath\_complex.py
- test\_unicode.py
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_add\_newdocs.py
- \_add\_newdocs.pyi
- \_add\_newdocs\_scalars.py
- \_add\_newdocs\_scalars.pyi
- \_asarray.py
- \_asarray.pyi
- \_dtype.py
- \_dtype.pyi
- \_dtype\_ctype.py
- \_dtype\_ctype.pyi
- \_exceptions.py
- \_exceptions.pyi
- \_internal.py
- \_internal.pyi
- \_methods.py
- \_methods.pyi
- \_multiarray\_tests.cp312-win\_amd64.lib
- \_multiarray\_tests.cp312-win\_amd64.pyd
- \_multiarray\_umath.cp312-win\_amd64.lib
- \_multiarray\_umath.cp312-win\_amd64.pyd
- \_operand\_flag\_tests.cp312-win\_amd64.lib
- \_operand\_flag\_tests.cp312-win\_amd64.pyd
- \_rational\_tests.cp312-win\_amd64.lib
- \_rational\_tests.cp312-win\_amd64.pyd
- \_simd.cp312-win\_amd64.lib
- \_simd.cp312-win\_amd64.pyd
- \_simd.pyi
- \_string\_helpers.py
- \_string\_helpers.pyi
- \_struct\_ufunc\_tests.cp312-win\_amd64.lib
- \_struct\_ufunc\_tests.cp312-win\_amd64.pyd
- \_type\_aliases.py
- \_type\_aliases.pyi
- \_ufunc\_config.py
- \_ufunc\_config.pyi
- \_umath\_tests.cp312-win\_amd64.lib
- \_umath\_tests.cp312-win\_amd64.pyd
- \_umath\_tests.pyi
- arrayprint.py
- arrayprint.pyi
- cversions.py
- defchararray.py
- defchararray.pyi
- einsumfunc.py
- einsumfunc.pyi
- fromnumeric.py
- fromnumeric.pyi
- function\_base.py
- function\_base.pyi
- getlimits.py
- getlimits.pyi
- memmap.py
- memmap.pyi
- multiarray.py
- multiarray.pyi
- numeric.py
- numeric.pyi
- numerictypes.py
- numerictypes.pyi
- overrides.py
- overrides.pyi
- printoptions.py
- printoptions.pyi
- records.py
- records.pyi
- shape\_base.py

- shape\_base.pyi
- strings.py
- strings.pyi
- umath.py
- umath.pyi
- pyinstaller/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - hook-numpy.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - pyinstaller-smoke.cpython-312.pyc
      - test\_pyinstaller.cpython-312.pyc
    - \_\_init\_\_.py
    - pyinstaller-smoke.py
    - test\_pyinstaller.py
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - hook-numpy.py
  - hook-numpy.pyi
- typing/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - add\_docstring.cpython-312.pyc
    - array\_like.cpython-312.pyc
    - char\_codes.cpython-312.pyc
    - dtype\_like.cpython-312.pyc
    - extended\_precision.cpython-312.pyc
    - nbit.cpython-312.pyc
    - nbit\_base.cpython-312.pyc
    - nested\_sequence.cpython-312.pyc
    - scalars.cpython-312.pyc
    - shape.cpython-312.pyc
    - ufunc.cpython-312.pyc
  - \_\_init\_\_.py
  - add\_docstring.py
  - array\_like.py
  - char\_codes.py
  - dtype\_like.py
  - extended\_precision.py
  - nbit.py
  - nbit\_base.py
  - nbit\_base.pyi
  - nested\_sequence.py
  - scalars.py
  - shape.py
  - ufunc.py
  - ufunc.pyi
- utils/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - conversions.cpython-312.pyc
    - inspect.cpython-312.pyc
    - pep440.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - conversions.py
  - conversions.pyi
  - inspect.py
  - inspect.pyi
  - pep440.py
  - pep440.pyi
- char/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
- core/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - dtype.cpython-312.pyc
    - dtype\_ctypes.cpython-312.pyc
    - internal.cpython-312.pyc
    - multiarray\_umath.cpython-312.pyc
    - utils.cpython-312.pyc
    - arrayprint.cpython-312.pyc
    - defchararray.cpython-312.pyc
    - einsumfunc.cpython-312.pyc
    - fromnumeric.cpython-312.pyc
    - function\_base.cpython-312.pyc
    - getlimits.cpython-312.pyc
    - multiarray.cpython-312.pyc
    - numeric.cpython-312.pyc
    - numerictypes.cpython-312.pyc

- overrides.cpython-312.pyc
  - records.cpython-312.pyc
  - shape\_base.cpython-312.pyc
  - umath.cpython-312.pyc
- \_init\_\_.py
- \_init\_\_.pyi
- dtype.py
- dtype.pyi
- dtype\_ctypes.py
- dtype\_ctypes.pyi
- internal.py
- multiarray\_umath.py
- utils.py
- arrayprint.py
- defchararray.py
- einsumfunc.py
- fromnumeric.py
- function\_base.py
- getlimits.py
- multiarray.py
- numeric.py
- numerictypes.py
- overrides.py
- overrides.pyi
- records.py
- shape\_base.py
- umath.py
- ctypeslib/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - ctypeslib.cpython-312.pyc
  - \_init\_\_.py
  - \_init\_\_.pyi
  - ctypeslib.py
  - ctypeslib.pyi
- doc/
  - \_pycache\_/
    - ufuncs.cpython-312.pyc
  - ufuncs.py
- f2py/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_main\_\_.cpython-312.pyc
    - \_version\_\_.cpython-312.pyc
    - \_isocbind.cpython-312.pyc
    - \_src\_pyf.cpython-312.pyc
    - auxfuncs.cpython-312.pyc
    - capi\_maps.cpython-312.pyc
    - cb\_rules.cpython-312.pyc
    - cfuncs.cpython-312.pyc
    - common\_rules.cpython-312.pyc
    - crackfortran.cpython-312.pyc
    - diagnose.cpython-312.pyc
    - f2py2e.cpython-312.pyc
    - f90mod\_rules.cpython-312.pyc
    - func2subr.cpython-312.pyc
    - rules.cpython-312.pyc
    - symbolic.cpython-312.pyc
    - use\_rules.cpython-312.pyc
  - \_backends/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_backend.cpython-312.pyc
      - \_distutils.cpython-312.pyc
      - \_meson.cpython-312.pyc
    - \_init\_\_.py
    - \_init\_\_.pyi
    - \_backend.py
    - \_backend.pyi
    - \_distutils.py
    - \_distutils.pyi
    - \_meson.py
    - \_meson.pyi
    - meson.build.template
- src/
  - fortranobject.c
  - fortranobject.h
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_abstract\_interface.cpython-312.pyc
    - test\_array\_from\_pyobj.cpython-312.pyc
    - test\_assumed\_shape.cpython-312.pyc
    - test\_block\_docstring.cpython-312.pyc
    - test\_callback.cpython-312.pyc

- test\_capi\_maps.cpython-312.pyc
- test\_character.cpython-312.pyc
- test\_common.cpython-312.pyc
- test\_crackfortran.cpython-312.pyc
- test\_data.cpython-312.pyc
- test\_docs.cpython-312.pyc
- test\_f2cmap.cpython-312.pyc
- test\_f2py2e.cpython-312.pyc
- test\_isoc.cpython-312.pyc
- test\_kind.cpython-312.pyc
- test\_mixed.cpython-312.pyc
- test\_modules.cpython-312.pyc
- test\_parameter.cpython-312.pyc
- test\_pyf\_src.cpython-312.pyc
- test\_quoted\_character.cpython-312.pyc
- test\_regression.cpython-312.pyc
- test\_return\_character.cpython-312.pyc
- test\_return\_complex.cpython-312.pyc
- test\_return\_integer.cpython-312.pyc
- test\_return\_logical.cpython-312.pyc
- test\_return\_real.cpython-312.pyc
- test\_routines.cpython-312.pyc
- test\_semicolon\_split.cpython-312.pyc
- test\_size.cpython-312.pyc
- test\_string.cpython-312.pyc
- test\_symbolic.cpython-312.pyc
- test\_value\_attrspec.cpython-312.pyc
- util.cpython-312.pyc

- src/

- abstract\_interface/
  - foo.f90
  - gh18403\_mod.f90
- array\_from\_pyobj/
  - wrapmodule.c
- assumed\_shape/
  - .f2py\_f2cmap
  - foo\_free.f90
  - foo\_mod.f90
  - foo\_use.f90
  - precision.f90
- block\_docstring/
  - foo.f
- callback/
  - foo.f
  - gh17797.f90
  - gh18335.f90
  - gh25211.f
  - gh25211.pyf
  - gh26681.f90
- cli/
  - gh\_22819.pyf
  - hi77.f
  - hiworld.f90
- common/
  - block.f
  - gh19161.f90
- crackfortran/
  - accesstype.f90
  - common\_with\_division.f
  - data\_common.f
  - data\_multiplier.f
  - data\_stmts.f90
  - data\_with\_comments.f
  - foo\_deps.f90
  - gh15035.f
  - gh17859.f
  - gh22648.pyf
  - gh23533.f
  - gh23598.f90
  - gh23598Warn.f90
  - gh23879.f90
  - gh27697.f90
  - gh2848.f90
  - operators.f90
  - privatemod.f90
  - publicmod.f90
  - pubprivmod.f90
  - unicode\_comment.f90
- f2cmap/
  - .f2py\_f2cmap
  - isoFortranEnvMap.f90
- isocintrin/
  - isoCtests.f90
- kind/
  - foo.f90

- mixed/
  - foo.f
  - foo\_fixed.f90
  - foo\_free.f90
- modules/
  - gh25337/
    - data.f90
    - use\_data.f90
  - gh26920/
    - two\_mods\_with\_no\_public\_entities.f90
    - two\_mods\_with\_one\_public\_routine.f90
  - module\_data\_docstring.f90
  - use\_modules.f90
- negative\_bounds/
  - issue\_20853.f90
- parameter/
  - constant\_array.f90
  - constant\_both.f90
  - constant\_compound.f90
  - constant\_integer.f90
  - constant\_non\_compound.f90
  - constant\_real.f90
- quoted\_character/
  - foo.f
- regression/
  - AB.inc
  - assignOnlyModule.f90
  - datonly.f90
  - f77comments.f
  - f77fixedform.f95
  - f90continuation.f90
  - incfile.f90
  - inout.f90
  - lower\_f2py\_fortran.f90
  - mod\_derived\_types.f90
- return\_character/
  - foo77.f
  - foo90.f90
- return\_complex/
  - foo77.f
  - foo90.f90
- return\_integer/
  - foo77.f
  - foo90.f90
- return\_logical/
  - foo77.f
  - foo90.f90
- return\_real/
  - foo77.f
  - foo90.f90
- routines/
  - funcfortranname.f
  - funcfortranname.pyf
  - subrout.f
  - subrout.pyf
- size/
  - foo.f90
- string/
  - char.f90
  - fixed\_string.f90
  - gh24008.f
  - gh24662.f90
  - gh25286.f90
  - gh25286.pyf
  - gh25286\_bc.pyf
  - scalar\_string.f90
  - string.f
- value\_attrspec/
  - gh21665.f90
- \_\_init\_\_.py
- test\_abstract\_interface.py
- test\_array\_from\_pyobj.py
- test\_assumed\_shape.py
- test\_block\_docstring.py
- test\_callback.py
- test\_capi\_maps.py
- test\_character.py
- test\_common.py
- test\_crackfortran.py
- test\_data.py
- test\_docs.py
- test\_f2cmap.py
- test\_f2py2e.py
- test\_isoc.py
- test\_kind.py



- test\_mixed.py
- test\_modules.py
- test\_parameter.py
- test\_pyf\_src.py
- test\_quoted\_character.py
- test\_regression.py
- test\_return\_character.py
- test\_return\_complex.py
- test\_return\_integer.py
- test\_return\_logical.py
- test\_return\_real.py
- test\_routines.py
- test\_semicolon\_split.py
- test\_size.py
- test\_string.py
- test\_symbolic.py
- test\_value\_attrspect.py
- util.py
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_\_main\_\_.py
- \_\_version\_\_.py
- \_\_version\_\_.pyi
- \_isocbind.py
- \_isocbind.pyi
- \_src\_pyf.py
- \_src\_pyf.pyi
- auxfuncs.py
- auxfuncs.pyi
- capi\_maps.py
- capi\_maps.pyi
- cb\_rules.py
- cb\_rules.pyi
- cfuncs.py
- cfuncs.pyi
- common\_rules.py
- common\_rules.pyi
- crackfortran.py
- crackfortran.pyi
- diagnose.py
- diagnose.pyi
- f2py2e.py
- f2py2e.pyi
- f90mod\_rules.py
- f90mod\_rules.pyi
- func2subr.py
- func2subr.pyi
- rules.py
- rules.pyi
- setup.cfg
- symbolic.py
- symbolic.pyi
- use\_rules.py
- use\_rules.pyi
- fft/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_helper.cpython-312.pyc
    - \_pocketfft.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_helper.cpython-312.pyc
      - test\_pocketfft.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_helper.py
    - test\_pocketfft.py
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - \_helper.py
  - \_helper.pyi
  - \_pocketfft.py
  - \_pocketfft.pyi
  - \_pocketfft\_umath.cp312-win\_amd64.lib
  - \_pocketfft\_umath.cp312-win\_amd64.pyd
- lib/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_array\_utils\_impl.cpython-312.pyc
    - \_arraypad\_impl.cpython-312.pyc
    - \_arraysetops\_impl.cpython-312.pyc
    - \_arrayiterator\_impl.cpython-312.pyc
    - \_datasource.cpython-312.pyc
    - \_format\_impl.cpython-312.pyc
    - \_function\_base\_impl.cpython-312.pyc

- \_histograms\_impl.cpython-312.pyc
- \_index\_tricks\_impl.cpython-312.pyc
- \_iotoools.cpython-312.pyc
- \_nanfunctions\_impl.cpython-312.pyc
- \_npio\_impl.cpython-312.pyc
- \_polynomial\_impl.cpython-312.pyc
- \_scimath\_impl.cpython-312.pyc
- \_shape\_base\_impl.cpython-312.pyc
- \_stride\_tricks\_impl.cpython-312.pyc
- \_twodim\_base\_impl.cpython-312.pyc
- \_type\_check\_impl.cpython-312.pyc
- \_ufunclike\_impl.cpython-312.pyc
- \_user\_array\_impl.cpython-312.pyc
- \_utils\_impl.cpython-312.pyc
- \_version.cpython-312.pyc
- array\_utils.cpython-312.pyc
- format.cpython-312.pyc
- introspect.cpython-312.pyc
- mixins.cpython-312.pyc
- npio.cpython-312.pyc
- recfunctions.cpython-312.pyc
- scimath.cpython-312.pyc
- stride\_tricks.cpython-312.pyc
- user\_array.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_datasource.cpython-312.pyc
    - test\_iotoools.cpython-312.pyc
    - test\_version.cpython-312.pyc
    - test\_array\_utils.cpython-312.pyc
    - test\_arraypad.cpython-312.pyc
    - test\_arraysetops.cpython-312.pyc
    - test\_arrayiterator.cpython-312.pyc
    - test\_format.cpython-312.pyc
    - test\_function\_base.cpython-312.pyc
    - test\_histograms.cpython-312.pyc
    - test\_index\_tricks.cpython-312.pyc
    - test\_io.cpython-312.pyc
    - test\_loadtxt.cpython-312.pyc
    - test\_mixins.cpython-312.pyc
    - test\_nanfunctions.cpython-312.pyc
    - test\_packbits.cpython-312.pyc
    - test\_polynomial.cpython-312.pyc
    - test\_recfunctions.cpython-312.pyc
    - test\_regression.cpython-312.pyc
    - test\_shape\_base.cpython-312.pyc
    - test\_stride\_tricks.cpython-312.pyc
    - test\_twodim\_base.cpython-312.pyc
    - test\_type\_check.cpython-312.pyc
    - test\_ufunclike.cpython-312.pyc
    - test\_utils.cpython-312.pyc
  - data/
    - py2-np0-objarr.npy
    - py2-objarr.npy
    - py2-objarr.npz
    - py3-objarr.npy
    - py3-objarr.npz
    - python3.npy
    - win64python2.npy
  - \_\_init\_\_.py
  - test\_datasource.py
  - test\_iotoools.py
  - test\_version.py
  - test\_array\_utils.py
  - test\_arraypad.py
  - test\_arraysetops.py
  - test\_arrayiterator.py
  - test\_format.py
  - test\_function\_base.py
  - test\_histograms.py
  - test\_index\_tricks.py
  - test\_io.py
  - test\_loadtxt.py
  - test\_mixins.py
  - test\_nanfunctions.py
  - test\_packbits.py
  - test\_polynomial.py
  - test\_recfunctions.py
  - test\_regression.py
  - test\_shape\_base.py
  - test\_stride\_tricks.py
  - test\_twodim\_base.py
  - test\_type\_check.py
  - test\_ufunclike.py

- └─ test\_utils.py
- ─ \_\_init\_\_.py
- ─ \_\_init\_\_.pyi
- ─ \_array\_utils\_impl.py
- ─ \_array\_utils\_impl.pyi
- ─ \_arraypad\_impl.py
- ─ \_arraypad\_impl.pyi
- ─ \_arraysetops\_impl.py
- ─ \_arraysetops\_impl.pyi
- ─ \_arrayterator\_impl.py
- ─ \_arrayterator\_impl.pyi
- ─ \_datasource.py
- ─ \_datasource.pyi
- ─ \_format\_impl.py
- ─ \_format\_impl.pyi
- ─ \_function\_base\_impl.py
- ─ \_function\_base\_impl.pyi
- ─ \_histograms\_impl.py
- ─ \_histograms\_impl.pyi
- ─ \_index\_tricks\_impl.py
- ─ \_index\_tricks\_impl.pyi
- ─ \_iotools.py
- ─ \_iotools.pyi
- ─ \_nanfunctions\_impl.py
- ─ \_nanfunctions\_impl.pyi
- ─ \_npio\_impl.py
- ─ \_npio\_impl.pyi
- ─ \_polynomial\_impl.py
- ─ \_polynomial\_impl.pyi
- ─ \_scimath\_impl.py
- ─ \_scimath\_impl.pyi
- ─ \_shape\_base\_impl.py
- ─ \_shape\_base\_impl.pyi
- ─ \_stride\_tricks\_impl.py
- ─ \_stride\_tricks\_impl.pyi
- ─ \_twodim\_base\_impl.py
- ─ \_twodim\_base\_impl.pyi
- ─ \_type\_check\_impl.py
- ─ \_type\_check\_impl.pyi
- ─ \_ufunclike\_impl.py
- ─ \_ufunclike\_impl.pyi
- ─ \_user\_array\_impl.py
- ─ \_user\_array\_impl.pyi
- ─ \_utils\_impl.py
- ─ \_utils\_impl.pyi
- ─ \_version.py
- ─ \_version.pyi
- ─ array\_utils.py
- ─ array\_utils.pyi
- ─ format.py
- ─ format.pyi
- ─ introspect.py
- ─ introspect.pyi
- ─ mixins.py
- ─ mixins.pyi
- ─ npio.py
- ─ npio.pyi
- ─ recfunctions.py
- ─ recfunctions.pyi
- ─ scimath.py
- ─ scimath.pyi
- ─ stride\_tricks.py
- ─ stride\_tricks.pyi
- ─ user\_array.py
- ─ user\_array.pyi
- ─ linalg/
  - ─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_linalg.cpython-312.pyc
  - ─ tests/
    - ─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ test\_deprecations.cpython-312.pyc
      - └─ test\_linalg.cpython-312.pyc
      - └─ test\_regression.cpython-312.pyc
    - ─ \_\_init\_\_.py
    - ─ test\_deprecations.py
    - ─ test\_linalg.py
    - ─ test\_regression.py
- ─ \_\_init\_\_.py
- ─ \_\_init\_\_.pyi
- ─ \_linalg.py
- ─ \_linalg.pyi
- ─ \_umath\_linalg.cp312-win\_amd64.lib
- ─ \_umath\_linalg.cp312-win\_amd64.pyd

- \_umath\_linalg.pyi
- lapack\_lite.cp312-win\_amd64.lib
- lapack\_lite.cp312-win\_amd64.pyd
- lapack\_lite.pyi
- ma/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - core.cpython-312.pyc
    - extras.cpython-312.pyc
    - mrecords.cpython-312.pyc
    - testutils.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_arrayobject.cpython-312.pyc
      - test\_core.cpython-312.pyc
      - test\_deprecations.cpython-312.pyc
      - test\_extras.cpython-312.pyc
      - test\_mrecords.cpython-312.pyc
      - test\_old\_ma.cpython-312.pyc
      - test\_regression.cpython-312.pyc
      - test\_subclassing.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_arrayobject.py
    - test\_core.py
    - test\_deprecations.py
    - test\_extras.py
    - test\_mrecords.py
    - test\_old\_ma.py
    - test\_regression.py
    - test\_subclassing.py
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - API\_CHANGES.txt
  - core.py
  - core.pyi
  - extras.py
  - extras.pyi
  - LICENSE
  - mrecords.py
  - mrecords.pyi
  - README.rst
  - testutils.py
  - testutils.pyi
- matrixlib/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - defmatrix.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_defmatrix.cpython-312.pyc
      - test\_interaction.cpython-312.pyc
      - test\_masked\_matrix.cpython-312.pyc
      - test\_matrix\_linalg.cpython-312.pyc
      - test\_multiarray.cpython-312.pyc
      - test\_numeric.cpython-312.pyc
      - test\_regression.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_defmatrix.py
    - test\_interaction.py
    - test\_masked\_matrix.py
    - test\_matrix\_linalg.py
    - test\_multiarray.py
    - test\_numeric.py
    - test\_regression.py
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - defmatrix.py
  - defmatrix.pyi
- polynomial/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_polybase.cpython-312.pyc
    - chebyshev.cpython-312.pyc
    - hermite.cpython-312.pyc
    - hermite\_e.cpython-312.pyc
    - laguerre.cpython-312.pyc
    - legendre.cpython-312.pyc
    - polynomial.cpython-312.pyc
    - polyutils.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_chebyshev.cpython-312.pyc

- test\_classes.cpython-312.pyc
  - test\_hermite.cpython-312.pyc
  - test\_hermite\_e.cpython-312.pyc
  - test\_laguerre.cpython-312.pyc
  - test\_legendre.cpython-312.pyc
  - test\_polynomial.cpython-312.pyc
  - test\_polyutils.cpython-312.pyc
  - test\_printing.cpython-312.pyc
  - test\_symbol.cpython-312.pyc
- \_\_init\_\_.py
- test\_chebyshev.py
- test\_classes.py
- test\_hermite.py
- test\_hermite\_e.py
- test\_laguerre.py
- test\_legendre.py
- test\_polynomial.py
- test\_polyutils.py
- test\_printing.py
- test\_symbol.py
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_polybase.py
- \_polybase.pyi
- \_polytypes.pyi
- chebyshev.py
- chebyshev.pyi
- hermite.py
- hermite.pyi
- hermite\_e.py
- hermite\_e.pyi
- laguerre.py
- laguerre.pyi
- legendre.py
- legendre.pyi
- polynomial.py
- polynomial.pyi
- polyutils.py
- polyutils.pyi
- random/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_pickle.cpython-312.pyc
  - examples/
    - cffi/
      - \_pycache\_/
        - extending.cpython-312.pyc
        - parse.cpython-312.pyc
      - extending.py
      - parse.py
    - cython/
      - extending.pyx
      - extending\_distributions.pyx
      - meson.build
    - numba/
      - \_pycache\_/
        - extending.cpython-312.pyc
        - extending\_distributions.cpython-312.pyc
      - extending.py
      - extending\_distributions.py
  - lib/
    - numpyrandom.lib
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_direct.cpython-312.pyc
      - test\_extending.cpython-312.pyc
      - test\_generator\_mt19937.cpython-312.pyc
      - test\_generator\_mt19937\_regressions.cpython-312.pyc
      - test\_random.cpython-312.pyc
      - test\_randomstate.cpython-312.pyc
      - test\_randomstate\_regression.cpython-312.pyc
      - test\_regression.cpython-312.pyc
      - test\_seed\_sequence.cpython-312.pyc
      - test\_smoke.cpython-312.pyc
    - data/
      - \_pycache\_/
        - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
      - generator\_pcg64\_np121.pkl.gz
      - generator\_pcg64\_np126.pkl.gz
      - mt19937-testset-1.csv
      - mt19937-testset-2.csv
      - pcg64-testset-1.csv
      - pcg64-testset-2.csv

- pcg64dxsm-testset-1.csv
  - pcg64dxsm-testset-2.csv
  - philox-testset-1.csv
  - philox-testset-2.csv
  - sfc64-testset-1.csv
  - sfc64-testset-2.csv
  - sfc64\_np126.pkl.gz
- \_\_init\_\_.py
- test\_direct.py
- test\_extending.py
- test\_generator\_mt19937.py
- test\_generator\_mt19937\_regressions.py
- test\_random.py
- test\_randomstate.py
- test\_randomstate\_regression.py
- test\_regression.py
- test\_seed\_sequence.py
- test\_smoke.py
- \_\_init\_\_.pxd
- \_\_init\_\_.pyi
- \_bounded\_integers.cp312-win\_amd64.lib
- \_bounded\_integers.cp312-win\_amd64.pyd
- \_bounded\_integers.pxd
- \_bounded\_integers.pyi
- \_common.cp312-win\_amd64.lib
- \_common.cp312-win\_amd64.pyd
- \_common.pxd
- \_common.pyi
- \_generator.cp312-win\_amd64.lib
- \_generator.cp312-win\_amd64.pyd
- \_generator.pyi
- \_mt19937.cp312-win\_amd64.lib
- \_mt19937.cp312-win\_amd64.pyd
- \_mt19937.pyi
- \_pcg64.cp312-win\_amd64.lib
- \_pcg64.cp312-win\_amd64.pyd
- \_pcg64.pyi
- \_philox.cp312-win\_amd64.lib
- \_philox.cp312-win\_amd64.pyd
- \_philox.pyi
- \_pickle.py
- \_pickle.pyi
- \_sfc64.cp312-win\_amd64.lib
- \_sfc64.cp312-win\_amd64.pyd
- \_sfc64.pyi
- bit\_generator.cp312-win\_amd64.lib
- bit\_generator.cp312-win\_amd64.pyd
- bit\_generator.pxd
- bit\_generator.pyi
- c\_distributions.pxd
- LICENSE.md
- mtrand.cp312-win\_amd64.lib
- mtrand.cp312-win\_amd64.pyd
- mtrand.pyi
- rec/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
- strings/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
- testing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - overrides.cpython-312.pyc
    - print\_coercion\_tables.cpython-312.pyc
  - private/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - extbuild.cpython-312.pyc
      - utils.cpython-312.pyc
    - \_\_init\_\_.py
    - \_\_init\_\_.pyi
    - extbuild.py
    - extbuild.pyi
    - utils.py
    - utils.pyi
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_utils.cpython-312.pyc

- `__init__.py`
    - `test_utils.py`
  - `__init__.py`
  - `__init__.pyi`
  - `overrides.py`
  - `overrides.pyi`
  - `print_coercion_tables.py`
  - `print_coercion_tables.pyi`
- `tests/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `test_all_.cpython-312.pyc`
    - `test_configtool.cpython-312.pyc`
    - `test_ctypeslib.cpython-312.pyc`
    - `test_lazyloading.cpython-312.pyc`
    - `test_matlib.cpython-312.pyc`
    - `test_numpy_config.cpython-312.pyc`
    - `test_numpy_version.cpython-312.pyc`
    - `test_public_api.cpython-312.pyc`
    - `test_reloading.cpython-312.pyc`
    - `test_scripts.cpython-312.pyc`
    - `test_warnings.cpython-312.pyc`
  - `__init__.py`
  - `test_all_.py`
  - `test_configtool.py`
  - `test_ctypeslib.py`
  - `test_lazyloading.py`
  - `test_matlib.py`
  - `test_numpy_config.py`
  - `test_numpy_version.py`
  - `test_public_api.py`
  - `test_reloading.py`
  - `test_scripts.py`
  - `test_warnings.py`
- `typing/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `mypy_plugin.cpython-312.pyc`
  - `tests/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `test_isfile.cpython-312.pyc`
      - `test_runtime.cpython-312.pyc`
      - `test_typing.cpython-312.pyc`
    - `data/`
      - `fail/`
        - `arithmetic.pyi`
        - `array_constructors.pyi`
        - `array_like.pyi`
        - `array_pad.pyi`
        - `arrayprint.pyi`
        - `arrayiterator.pyi`
        - `bitwise_ops.pyi`
        - `char.pyi`
        - `chararray.pyi`
        - `comparisons.pyi`
        - `constants.pyi`
        - `datasource.pyi`
        - `dtype.pyi`
        - `einsumfunc.pyi`
        - `flatiter.pyi`
        - `fromnumeric.pyi`
        - `histograms.pyi`
        - `index_tricks.pyi`
        - `lib_function_base.pyi`
        - `lib_polynomial.pyi`
        - `lib_utils.pyi`
        - `lib_version.pyi`
        - `linalg.pyi`
        - `ma.pyi`
        - `memmap.pyi`
        - `modules.pyi`
        - `multiarray.pyi`
        - `ndarray.pyi`
        - `ndarray_misc.pyi`
        - `nditer.pyi`
        - `nested_sequence.pyi`
        - `numpyio.pyi`
        - `numerictypes.pyi`
        - `random.pyi`
        - `rec.pyi`
        - `scalars.pyi`
        - `shape.pyi`
        - `shape_base.pyi`
        - `stride_tricks.pyi`

- strings.pyi
- testing.pyi
- twodim\_base.pyi
- type\_check.pyi
- ufunc\_config.pyi
- ufunclike.pyi
- ufuncs.pyi
- warnings\_and\_errors.pyi
- misc/
  - extended\_precision.pyi
- pass/
  - pycache\_/
    - arithmetic.cpython-312.pyc
    - array\_constructors.cpython-312.pyc
    - array\_like.cpython-312.pyc
    - arrayprint.cpython-312.pyc
    - arrayiterator.cpython-312.pyc
    - bitwise\_ops.cpython-312.pyc
    - comparisons.cpython-312.pyc
    - dtype.cpython-312.pyc
    - einsumfunc.cpython-312.pyc
    - flatiter.cpython-312.pyc
    - fromnumeric.cpython-312.pyc
    - index\_tricks.cpython-312.pyc
    - lib\_user\_array.cpython-312.pyc
    - lib\_utils.cpython-312.pyc
    - lib\_version.cpython-312.pyc
    - literal.cpython-312.pyc
    - ma.cpython-312.pyc
    - mod.cpython-312.pyc
    - modules.cpython-312.pyc
    - multiarray.cpython-312.pyc
    - ndarray\_conversion.cpython-312.pyc
    - ndarray\_misc.cpython-312.pyc
    - ndarray\_shape\_manipulation.cpython-312.pyc
    - nditer.cpython-312.pyc
    - numeric.cpython-312.pyc
    - numerictypes.cpython-312.pyc
    - random.cpython-312.pyc
    - recfunctions.cpython-312.pyc
    - scalars.cpython-312.pyc
    - shape.cpython-312.pyc
    - simple.cpython-312.pyc
    - ufunc\_config.cpython-312.pyc
    - ufunclike.cpython-312.pyc
    - ufuncs.cpython-312.pyc
    - warnings\_and\_errors.cpython-312.pyc
- arithmetic.py
- array\_constructors.py
- array\_like.py
- arrayprint.py
- arrayiterator.py
- bitwise\_ops.py
- comparisons.py
- dtype.py
- einsumfunc.py
- flatiter.py
- fromnumeric.py
- index\_tricks.py
- lib\_user\_array.py
- lib\_utils.py
- lib\_version.py
- literal.py
- ma.py
- mod.py
- modules.py
- multiarray.py
- ndarray\_conversion.py
- ndarray\_misc.py
- ndarray\_shape\_manipulation.py
- nditer.py
- numeric.py
- numerictypes.py
- random.py
- recfunctions.py
- scalars.py
- shape.py
- simple.py
- ufunc\_config.py
- ufunclike.py
- ufuncs.py
- warnings\_and\_errors.py
- reveal/
  - arithmetic.pyi
  - array\_api\_info.pyi



- array\_constructors.pyi
- arraypad.pyi
- arrayprint.pyi
- arraysetops.pyi
- arrayiterator.pyi
- bitwise\_ops.pyi
- char.pyi
- chararray.pyi
- comparisons.pyi
- constants.pyi
- ctypeslib.pyi
- datasource.pyi
- dtype.pyi
- einsumfunc.pyi
- emath.pyi
- fft.pyi
- flatiter.pyi
- fromnumeric.pyi
- getlimits.pyi
- histograms.pyi
- index\_tricks.pyi
- lib\_function\_base.pyi
- lib\_polynomial.pyi
- lib\_utils.pyi
- lib\_version.pyi
- linalg.pyi
- ma.pyi
- matrix.pyi
- memmap.pyi
- mod.pyi
- modules.pyi
- multiarray.pyi
- nbit\_base\_example.pyi
- ndarray\_assignability.pyi
- ndarray\_conversion.pyi
- ndarray\_misc.pyi
- ndarray\_shape\_manipulation.pyi
- nditer.pyi
- nested\_sequence.pyi
- npyio.pyi
- numeric.pyi
- numerictypes.pyi
- polynomial\_polybase.pyi
- polynomial\_polyutils.pyi
- polynomial\_series.pyi
- random.pyi
- rec.pyi
- scalars.pyi
- shape.pyi
- shape\_base.pyi
- stride\_tricks.pyi
- strings.pyi
- testing.pyi
- twodim\_base.pyi
- type\_check.pyi
- ufunc\_config.pyi
- ufunclike.pyi
- ufuncs.pyi
- warnings\_and\_errors.pyi
- mypy.ini
- \_\_init\_\_.py
- test\_isfile.py
- test\_runtime.py
- test\_typing.py
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- mypy\_plugin.py
- \_config\_.py
- \_config\_.pyi
- \_init\_.cython-30.pxd
- \_init\_.pxd
- \_init\_.py
- \_init\_.pyi
- \_array\_api\_info.py
- \_array\_api\_info.pyi
- \_configtool.py
- \_configtool.pyi
- \_distributor\_init.py
- \_distributor\_init.pyi
- \_expired\_attrs\_2\_0.py
- \_expired\_attrs\_2\_0.pyi
- \_globals.py
- \_globals.pyi
- \_pytesttester.py
- \_pytesttester.pyi

- conftest.py
- dtypes.py
- dtypes.pyi
- exceptions.py
- exceptions.pyi
- matlib.py
- matlib.pyi
- py.typed
- version.py
- version.pyi
- numpy-2.4.5.dist-info/
  - licenses/
    - numpy/
      - core/
        - include/
          - numpy/
            - libdivide/
              - LICENSE.txt
        - src/
          - common/
            - pythoncapi-compat/
              - COPYING
          - highway/
            - LICENSE
          - multiarray/
            - dragon4\_LICENSE.txt
          - npysort/
            - x86-simd-sort/
              - LICENSE.md
          - umath/
            - svml/
              - LICENSE
      - fft/
        - pocketfft/
          - LICENSE.md
      - linalg/
        - lapack\_lite/
          - LICENSE.txt
      - ma/
        - LICENSE
      - random/
        - src/
          - distributions/
            - LICENSE.md
          - mt19937/
            - LICENSE.md
          - pcg64/
            - LICENSE.md
          - philox/
            - LICENSE.md
          - sfc64/
            - LICENSE.md
          - splitmix64/
            - LICENSE.md
        - LICENSE.md
      - LICENSE.txt
    - DELVEWHEEL
    - entry\_points.txt
    - INSTALLER
    - METADATA
    - RECORD
    - REQUESTED
    - WHEEL
  - numpy.libs/
    - libscipy\_openblas64\_-63c857e738469261263c764a36be9436.dll
    - msvcp140-a4c2229bdc2a2a630acdc095b4d86008.dll
  - openpyxl/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - constants.cpython-312.pyc
    - cell/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - writer.cpython-312.pyc
        - cell.cpython-312.pyc
        - read\_only.cpython-312.pyc
        - rich\_text.cpython-312.pyc
        - text.cpython-312.pyc
      - \_\_init\_\_.py
      - writer.py
      - cell.py
      - read\_only.py
      - rich\_text.py
      - text.py
  - chart/

- \_pycache\_/
  - \_3d.cpython-312.pyc
  - \_\_init\_\_.cpython-312.pyc
  - \_chart.cpython-312.pyc
  - area\_chart.cpython-312.pyc
  - axis.cpython-312.pyc
  - bar\_chart.cpython-312.pyc
  - bubble\_chart.cpython-312.pyc
  - chartspace.cpython-312.pyc
  - data\_source.cpython-312.pyc
  - descriptors.cpython-312.pyc
  - error\_bar.cpython-312.pyc
  - label.cpython-312.pyc
  - layout.cpython-312.pyc
  - legend.cpython-312.pyc
  - line\_chart.cpython-312.pyc
  - marker.cpython-312.pyc
  - picture.cpython-312.pyc
  - pie\_chart.cpython-312.pyc
  - pivot.cpython-312.pyc
  - plotarea.cpython-312.pyc
  - print\_settings.cpython-312.pyc
  - radar\_chart.cpython-312.pyc
  - reader.cpython-312.pyc
  - reference.cpython-312.pyc
  - scatter\_chart.cpython-312.pyc
  - series.cpython-312.pyc
  - series\_factory.cpython-312.pyc
  - shapes.cpython-312.pyc
  - stock\_chart.cpython-312.pyc
  - surface\_chart.cpython-312.pyc
  - text.cpython-312.pyc
  - title.cpython-312.pyc
  - trendline.cpython-312.pyc
  - updown\_bars.cpython-312.pyc
- \_3d.py
- \_\_init\_\_.py
- \_chart.py
- area\_chart.py
- axis.py
- bar\_chart.py
- bubble\_chart.py
- chartspace.py
- data\_source.py
- descriptors.py
- error\_bar.py
- label.py
- layout.py
- legend.py
- line\_chart.py
- marker.py
- picture.py
- pie\_chart.py
- pivot.py
- plotarea.py
- print\_settings.py
- radar\_chart.py
- reader.py
- reference.py
- scatter\_chart.py
- series.py
- series\_factory.py
- shapes.py
- stock\_chart.py
- surface\_chart.py
- text.py
- title.py
- trendline.py
- updown\_bars.py
- chartsheet/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - chartsheet.cpython-312.pyc
    - custom.cpython-312.pyc
    - properties.cpython-312.pyc
    - protection.cpython-312.pyc
    - publish.cpython-312.pyc
    - relation.cpython-312.pyc
    - views.cpython-312.pyc
  - \_\_init\_\_.py
  - chartsheet.py
  - custom.py
  - properties.py
  - protection.py
  - publish.py

- relation.py
  - views.py
- comments/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - author.cpython-312.pyc
      - comment\_sheet.cpython-312.pyc
      - comments.cpython-312.pyc
      - shape\_writer.cpython-312.pyc
    - \_\_init\_\_.py
    - author.py
    - comment\_sheet.py
    - comments.py
    - shape\_writer.py
- compat/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - abc.cpython-312.pyc
      - numbers.cpython-312.pyc
      - product.cpython-312.pyc
      - singleton.cpython-312.pyc
      - strings.cpython-312.pyc
    - \_\_init\_\_.py
    - abc.py
    - numbers.py
    - product.py
    - singleton.py
    - strings.py
- descriptors/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - base.cpython-312.pyc
      - container.cpython-312.pyc
      - excel.cpython-312.pyc
      - namespace.cpython-312.pyc
      - nested.cpython-312.pyc
      - sequence.cpython-312.pyc
      - serialisable.cpython-312.pyc
      - slots.cpython-312.pyc
    - \_\_init\_\_.py
    - base.py
    - container.py
    - excel.py
    - namespace.py
    - nested.py
    - sequence.py
    - serialisable.py
    - slots.py
- drawing/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - colors.cpython-312.pyc
      - connector.cpython-312.pyc
      - drawing.cpython-312.pyc
      - effect.cpython-312.pyc
      - fill.cpython-312.pyc
      - geometry.cpython-312.pyc
      - graphic.cpython-312.pyc
      - image.cpython-312.pyc
      - line.cpython-312.pyc
      - picture.cpython-312.pyc
      - properties.cpython-312.pyc
      - relation.cpython-312.pyc
      - spreadsheet\_drawing.cpython-312.pyc
      - text.cpython-312.pyc
      - xdr.cpython-312.pyc
    - \_\_init\_\_.py
    - colors.py
    - connector.py
    - drawing.py
    - effect.py
    - fill.py
    - geometry.py
    - graphic.py
    - image.py
    - line.py
    - picture.py
    - properties.py
    - relation.py
    - spreadsheet\_drawing.py
    - text.py
    - xdr.py
- formatting/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc

- formatting.cpython-312.pyc
  - rule.cpython-312.pyc
- \_\_init\_\_.py
- formatting.py
- rule.py
- formula/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenizer.cpython-312.pyc
    - translate.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenizer.py
  - translate.py
- packaging/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - core.cpython-312.pyc
    - custom.cpython-312.pyc
    - extended.cpython-312.pyc
    - interface.cpython-312.pyc
    - manifest.cpython-312.pyc
    - relationship.cpython-312.pyc
    - workbook.cpython-312.pyc
  - \_\_init\_\_.py
  - core.py
  - custom.py
  - extended.py
  - interface.py
  - manifest.py
  - relationship.py
  - workbook.py
- pivot/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - cache.cpython-312.pyc
    - fields.cpython-312.pyc
    - record.cpython-312.pyc
    - table.cpython-312.pyc
  - \_\_init\_\_.py
  - cache.py
  - fields.py
  - record.py
  - table.py
- reader/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - drawings.cpython-312.pyc
    - excel.cpython-312.pyc
    - strings.cpython-312.pyc
    - workbook.cpython-312.pyc
  - \_\_init\_\_.py
  - drawings.py
  - excel.py
  - strings.py
  - workbook.py
- styles/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - alignment.cpython-312.pyc
    - borders.cpython-312.pyc
    - builtins.cpython-312.pyc
    - cell\_style.cpython-312.pyc
    - colors.cpython-312.pyc
    - differential.cpython-312.pyc
    - fills.cpython-312.pyc
    - fonts.cpython-312.pyc
    - named\_styles.cpython-312.pyc
    - numbers.cpython-312.pyc
    - protection.cpython-312.pyc
    - proxy.cpython-312.pyc
    - styleable.cpython-312.pyc
    - stylesheet.cpython-312.pyc
    - table.cpython-312.pyc
  - \_\_init\_\_.py
  - alignment.py
  - borders.py
  - builtins.py
  - cell\_style.py
  - colors.py
  - differential.py
  - fills.py
  - fonts.py
  - named\_styles.py
  - numbers.py
  - protection.py

- proxy.py
- styleable.py
- stylesheet.py
- table.py
- utils/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - bound\_dictionary.cpython-312.pyc
    - cell.cpython-312.pyc
    - dataframe.cpython-312.pyc
    - datetime.cpython-312.pyc
    - escape.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - formulas.cpython-312.pyc
    - indexed\_list.cpython-312.pyc
    - inference.cpython-312.pyc
    - protection.cpython-312.pyc
    - units.cpython-312.pyc
  - \_\_init\_\_.py
  - bound\_dictionary.py
  - cell.py
  - dataframe.py
  - datetime.py
  - escape.py
  - exceptions.py
  - formulas.py
  - indexed\_list.py
  - inference.py
  - protection.py
  - units.py
- workbook/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_writer.cpython-312.pyc
    - child.cpython-312.pyc
    - defined\_name.cpython-312.pyc
    - external\_reference.cpython-312.pyc
    - function\_group.cpython-312.pyc
    - properties.cpython-312.pyc
    - protection.cpython-312.pyc
    - smart\_tags.cpython-312.pyc
    - views.cpython-312.pyc
    - web.cpython-312.pyc
    - workbook.cpython-312.pyc
  - external\_link/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - external.cpython-312.pyc
    - \_\_init\_\_.py
    - external.py
  - \_\_init\_\_.py
  - \_writer.py
  - child.py
  - defined\_name.py
  - external\_reference.py
  - function\_group.py
  - properties.py
  - protection.py
  - smart\_tags.py
  - views.py
  - web.py
  - workbook.py
- worksheet/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_read\_only.cpython-312.pyc
    - \_reader.cpython-312.pyc
    - \_write\_only.cpython-312.pyc
    - \_writer.cpython-312.pyc
    - cell\_range.cpython-312.pyc
    - cell\_watch.cpython-312.pyc
    - controls.cpython-312.pyc
    - copier.cpython-312.pyc
    - custom.cpython-312.pyc
    - datavalidation.cpython-312.pyc
    - dimensions.cpython-312.pyc
    - drawing.cpython-312.pyc
    - errors.cpython-312.pyc
    - filters.cpython-312.pyc
    - formula.cpython-312.pyc
    - header\_footer.cpython-312.pyc
    - hyperlink.cpython-312.pyc
    - merge.cpython-312.pyc
    - ole.cpython-312.pyc
    - page.cpython-312.pyc

- pagebreak.cpython-312.pyc
  - picture.cpython-312.pyc
  - print\_settings.cpython-312.pyc
  - properties.cpython-312.pyc
  - protection.cpython-312.pyc
  - related.cpython-312.pyc
  - scenario.cpython-312.pyc
  - smart\_tag.cpython-312.pyc
  - table.cpython-312.pyc
  - views.cpython-312.pyc
  - worksheet.cpython-312.pyc
- \_\_init\_\_.py
- \_read\_only.py
- \_reader.py
- \_write\_only.py
- \_writer.py
- cell\_range.py
- cell\_watch.py
- controls.py
- copier.py
- custom.py
- datavalidation.py
- dimensions.py
- drawing.py
- errors.py
- filters.py
- formula.py
- header\_footer.py
- hyperlink.py
- merge.py
- ole.py
- page.py
- pagebreak.py
- picture.py
- print\_settings.py
- properties.py
- protection.py
- related.py
- scenario.py
- smart\_tag.py
- table.py
- views.py
- worksheet.py
- writer/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - excel.cpython-312.pyc
    - theme.cpython-312.pyc
  - \_\_init\_\_.py
  - excel.py
  - theme.py
- xml/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - constants.cpython-312.pyc
    - functions.cpython-312.pyc
  - \_\_init\_\_.py
  - constants.py
  - functions.py
- \_\_init\_\_.py
- \_constants.py
- openpyxl-3.1.5.dist-info/
  - INSTALLER
  - LICENCE.rst
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- packaging/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_elffile.cpython-312.pyc
    - \_manylinux.cpython-312.pyc
    - \_musllinux.cpython-312.pyc
    - \_parser.cpython-312.pyc
    - \_structures.cpython-312.pyc
    - \_tokenizer.cpython-312.pyc
    - dependency\_groups.cpython-312.pyc
    - direct\_url.cpython-312.pyc
    - errors.cpython-312.pyc
    - markers.cpython-312.pyc
    - metadata.cpython-312.pyc
    - pylock.cpython-312.pyc
    - requirements.cpython-312.pyc

- specifiers.cpython-312.pyc
- tags.cpython-312.pyc
- utils.cpython-312.pyc
- version.cpython-312.pyc
- licenses/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_spdx.cpython-312.pyc
  - \_\_init\_\_.py
  - \_spdx.py
- \_\_init\_\_.py
- \_elffile.py
- \_manylinux.py
- \_musllinux.py
- \_parser.py
- \_structures.py
- \_tokenizer.py
- dependency\_groups.py
- direct\_url.py
- errors.py
- markers.py
- metadata.py
- py.typed
- pylock.py
- requirements.py
- specifiers.py
- tags.py
- utils.py
- version.py
- packaging-26.2.dist-info/
  - licenses/
    - LICENSE
    - LICENSE.APACHE
    - LICENSE.BSD
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- pandas/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_typing.cpython-312.pyc
    - \_version.cpython-312.pyc
    - \_version\_meson.cpython-312.pyc
    - conftest.cpython-312.pyc
    - testing.cpython-312.pyc
  - config/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - config.cpython-312.pyc
      - dates.cpython-312.pyc
      - display.cpython-312.pyc
      - localization.cpython-312.pyc
    - \_\_init\_\_.py
    - config.py
    - dates.py
    - display.py
    - localization.py
  - libs/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - tslibs/
      - \_pycache\_/
        - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
      - base.cp312-win\_amd64.lib
      - base.cp312-win\_amd64.pyd
      - ccalendar.cp312-win\_amd64.lib
      - ccalendar.cp312-win\_amd64.pyd
      - ccalendar.pyi
      - conversion.cp312-win\_amd64.lib
      - conversion.cp312-win\_amd64.pyd
      - conversion.pyi
      - dtypes.cp312-win\_amd64.lib
      - dtypes.cp312-win\_amd64.pyd
      - dtypes.pyi
      - fields.cp312-win\_amd64.lib
      - fields.cp312-win\_amd64.pyd
      - fields.pyi
      - nattype.cp312-win\_amd64.lib
      - nattype.cp312-win\_amd64.pyd
      - nattype.pyi
      - np\_datetime.cp312-win\_amd64.lib
      - np\_datetime.cp312-win\_amd64.pyd
      - np\_datetime.pyi



- offsets.cp312-win\_amd64.lib
- offsets.cp312-win\_amd64.pyd
- offsets.pyi
- parsing.cp312-win\_amd64.lib
- parsing.cp312-win\_amd64.pyd
- parsing.pyi
- period.cp312-win\_amd64.lib
- period.cp312-win\_amd64.pyd
- period.pyi
- strptime.cp312-win\_amd64.lib
- strptime.cp312-win\_amd64.pyd
- strptime.pyi
- timedeltas.cp312-win\_amd64.lib
- timedeltas.cp312-win\_amd64.pyd
- timedeltas.pyi
- timestamps.cp312-win\_amd64.lib
- timestamps.cp312-win\_amd64.pyd
- timestamps.pyi
- timezones.cp312-win\_amd64.lib
- timezones.cp312-win\_amd64.pyd
- timezones.pyi
- tzconversion.cp312-win\_amd64.lib
- tzconversion.cp312-win\_amd64.pyd
- tzconversion.pyi
- vectorized.cp312-win\_amd64.lib
- vectorized.cp312-win\_amd64.pyd
- vectorized.pyi
- window/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - aggregations.cp312-win\_amd64.lib
  - aggregations.cp312-win\_amd64.pyd
  - aggregations.pyi
  - indexers.cp312-win\_amd64.lib
  - indexers.cp312-win\_amd64.pyd
  - indexers.pyi
- \_\_init\_\_.py
- \_cyutility.cp312-win\_amd64.lib
- \_cyutility.cp312-win\_amd64.pyd
- algos.cp312-win\_amd64.lib
- algos.cp312-win\_amd64.pyd
- algos.pyi
- arrays.cp312-win\_amd64.lib
- arrays.cp312-win\_amd64.pyd
- arrays.pyi
- byteswap.cp312-win\_amd64.lib
- byteswap.cp312-win\_amd64.pyd
- byteswap.pyi
- groupby.cp312-win\_amd64.lib
- groupby.cp312-win\_amd64.pyd
- groupby.pyi
- hashing.cp312-win\_amd64.lib
- hashing.cp312-win\_amd64.pyd
- hashing.pyi
- hashtable.cp312-win\_amd64.lib
- hashtable.cp312-win\_amd64.pyd
- hashtable.pyi
- index.cp312-win\_amd64.lib
- index.cp312-win\_amd64.pyd
- index.pyi
- indexing.cp312-win\_amd64.lib
- indexing.cp312-win\_amd64.pyd
- indexing.pyi
- internals.cp312-win\_amd64.lib
- internals.cp312-win\_amd64.pyd
- internals.pyi
- interval.cp312-win\_amd64.lib
- interval.cp312-win\_amd64.pyd
- interval.pyi
- join.cp312-win\_amd64.lib
- join.cp312-win\_amd64.pyd
- join.pyi
- json.cp312-win\_amd64.lib
- json.cp312-win\_amd64.pyd
- json.pyi
- lib.cp312-win\_amd64.lib
- lib.cp312-win\_amd64.pyd
- lib.pyi
- missing.cp312-win\_amd64.lib
- missing.cp312-win\_amd64.pyd
- missing.pyi
- ops.cp312-win\_amd64.lib
- ops.cp312-win\_amd64.pyd
- ops.pyi

- ops\_dispatch.cp312-win\_amd64.lib
- ops\_dispatch.cp312-win\_amd64.pyd
- ops\_dispatch.pyi
- pandas\_datetime.cp312-win\_amd64.lib
- pandas\_datetime.cp312-win\_amd64.pyd
- pandas\_parser.cp312-win\_amd64.lib
- pandas\_parser.cp312-win\_amd64.pyd
- parsers.cp312-win\_amd64.lib
- parsers.cp312-win\_amd64.pyd
- parsers.pyi
- properties.cp312-win\_amd64.lib
- properties.cp312-win\_amd64.pyd
- properties.pyi
- reshape.cp312-win\_amd64.lib
- reshape.cp312-win\_amd64.pyd
- reshape.pyi
- sas.cp312-win\_amd64.lib
- sas.cp312-win\_amd64.pyd
- sas.pyi
- sparse.cp312-win\_amd64.lib
- sparse.cp312-win\_amd64.pyd
- sparse.pyi
- testing.cp312-win\_amd64.lib
- testing.cp312-win\_amd64.pyd
- testing.pyi
- tslib.cp312-win\_amd64.lib
- tslib.cp312-win\_amd64.pyd
- tslib.pyi
- writers.cp312-win\_amd64.lib
- writers.cp312-win\_amd64.pyd
- writers.pyi
- testing/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_hypothesis.cpython-312.pyc
    - \_io.cpython-312.pyc
    - \_warnings.cpython-312.pyc
    - asserters.cpython-312.pyc
    - compat.cpython-312.pyc
    - contexts.cpython-312.pyc
  - \_\_init\_\_.py
  - \_hypothesis.py
  - \_io.py
  - \_warnings.py
  - asserters.py
  - compat.py
  - contexts.py
- api/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - internals.cpython-312.pyc
  - executors/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - extensions/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - indexers/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - interchange/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - types/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - typing/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - aliases.cpython-312.pyc
    - \_\_init\_\_.py
    - aliases.py
  - \_\_init\_\_.py
  - internals.py
- arrays/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- compat/
  - \_pycache\_/

- `__init__.cpython-312.pyc`
- `_constants.cpython-312.pyc`
- `_optional.cpython-312.pyc`
- `pickle_compat.cpython-312.pyc`
- `pyarrow.cpython-312.pyc`
- `numpy/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `function.cpython-312.pyc`
  - `__init__.py`
  - `function.py`
- `__init__.py`
- `_constants.py`
- `_optional.py`
- `pickle_compat.py`
- `pyarrow.py`
- `core/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `accessor.cpython-312.pyc`
    - `algorithms.cpython-312.pyc`
    - `api.cpython-312.pyc`
    - `apply.cpython-312.pyc`
    - `arraylike.cpython-312.pyc`
    - `base.cpython-312.pyc`
    - `col.cpython-312.pyc`
    - `common.cpython-312.pyc`
    - `config_init.cpython-312.pyc`
    - `construction.cpython-312.pyc`
    - `flags.cpython-312.pyc`
    - `frame.cpython-312.pyc`
    - `generic.cpython-312.pyc`
    - `indexing.cpython-312.pyc`
    - `missing.cpython-312.pyc`
    - `nanops.cpython-312.pyc`
    - `resample.cpython-312.pyc`
    - `roperator.cpython-312.pyc`
    - `sample.cpython-312.pyc`
    - `series.cpython-312.pyc`
    - `shared_docs.cpython-312.pyc`
    - `sorting.cpython-312.pyc`
- `numba/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `executor.cpython-312.pyc`
    - `extensions.cpython-312.pyc`
  - `kernels/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `mean_.cpython-312.pyc`
      - `min_max_.cpython-312.pyc`
      - `shared.cpython-312.pyc`
      - `sum_.cpython-312.pyc`
      - `var_.cpython-312.pyc`
    - `__init__.py`
    - `mean_.py`
    - `min_max_.py`
    - `shared.py`
    - `sum_.py`
    - `var_.py`
  - `__init__.py`
  - `executor.py`
  - `extensions.py`
- `array_algos/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `datetimelike_accumulations.cpython-312.pyc`
    - `masked_accumulations.cpython-312.pyc`
    - `masked_reductions.cpython-312.pyc`
    - `putmask.cpython-312.pyc`
    - `quantile.cpython-312.pyc`
    - `replace.cpython-312.pyc`
    - `take.cpython-312.pyc`
    - `transforms.cpython-312.pyc`
  - `__init__.py`
  - `datetimelike_accumulations.py`
  - `masked_accumulations.py`
  - `masked_reductions.py`
  - `putmask.py`
  - `quantile.py`
  - `replace.py`
  - `take.py`
  - `transforms.py`
- `arrays/`
  - `__pycache__/`

- `__init__.cpython-312.pyc`
- `_arrow_string_mixins.cpython-312.pyc`
- `_mixins.cpython-312.pyc`
- `_ranges.cpython-312.pyc`
- `_utils.cpython-312.pyc`
- `base.cpython-312.pyc`
- `boolean.cpython-312.pyc`
- `categorical.cpython-312.pyc`
- `datetimelike.cpython-312.pyc`
- `datetimes.cpython-312.pyc`
- `floating.cpython-312.pyc`
- `integer.cpython-312.pyc`
- `interval.cpython-312.pyc`
- `masked.cpython-312.pyc`
- `numeric.cpython-312.pyc`
- `numpy_.cpython-312.pyc`
- `period.cpython-312.pyc`
- `string_.cpython-312.pyc`
- `string_arrow.cpython-312.pyc`
- `timedeltas.cpython-312.pyc`
- `arrow/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_arrow_utils.cpython-312.pyc`
    - `accessors.cpython-312.pyc`
    - `array.cpython-312.pyc`
    - `extension_types.cpython-312.pyc`
  - `__init__.py`
  - `_arrow_utils.py`
  - `accessors.py`
  - `array.py`
  - `extension_types.py`
- `sparse/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `accessor.cpython-312.pyc`
    - `array.cpython-312.pyc`
    - `scipy_sparse.cpython-312.pyc`
  - `__init__.py`
  - `accessor.py`
  - `array.py`
  - `scipy_sparse.py`
- `__init__.py`
- `_arrow_string_mixins.py`
- `_mixins.py`
- `_ranges.py`
- `_utils.py`
- `base.py`
- `boolean.py`
- `categorical.py`
- `datetimelike.py`
- `datetimes.py`
- `floating.py`
- `integer.py`
- `interval.py`
- `masked.py`
- `numeric.py`
- `numpy_.py`
- `period.py`
- `string_.py`
- `string_arrow.py`
- `timedeltas.py`
- `computation/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `align.cpython-312.pyc`
    - `api.cpython-312.pyc`
    - `check.cpython-312.pyc`
    - `common.cpython-312.pyc`
    - `engines.cpython-312.pyc`
    - `eval.cpython-312.pyc`
    - `expr.cpython-312.pyc`
    - `expressions.cpython-312.pyc`
    - `ops.cpython-312.pyc`
    - `parsing.cpython-312.pyc`
    - `pytables.cpython-312.pyc`
    - `scope.cpython-312.pyc`
  - `__init__.py`
  - `align.py`
  - `api.py`
  - `check.py`
  - `common.py`
  - `engines.py`
  - `eval.py`
  - `expr.py`

- expressions.py
- ops.py
- parsing.py
- pytables.py
- scope.py
- dtypes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - api.cpython-312.pyc
    - astype.cpython-312.pyc
    - base.cpython-312.pyc
    - cast.cpython-312.pyc
    - common.cpython-312.pyc
    - concat.cpython-312.pyc
    - dtypes.cpython-312.pyc
    - generic.cpython-312.pyc
    - inference.cpython-312.pyc
    - missing.cpython-312.pyc
  - \_\_init\_\_.py
  - api.py
  - astype.py
  - base.py
  - cast.py
  - common.py
  - concat.py
  - dtypes.py
  - generic.py
  - inference.py
  - missing.py
- groupby/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - base.cpython-312.pyc
    - categorical.cpython-312.pyc
    - generic.cpython-312.pyc
    - groupby.cpython-312.pyc
    - grouper.cpython-312.pyc
    - indexing.cpython-312.pyc
    - numba\_.cpython-312.pyc
    - ops.cpython-312.pyc
  - \_\_init\_\_.py
  - base.py
  - categorical.py
  - generic.py
  - groupby.py
  - grouper.py
  - indexing.py
  - numba\_.py
  - ops.py
- indexers/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - objects.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py
  - objects.py
  - utils.py
- indexes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - accessors.cpython-312.pyc
    - api.cpython-312.pyc
    - base.cpython-312.pyc
    - category.cpython-312.pyc
    - datetimelike.cpython-312.pyc
    - datetimes.cpython-312.pyc
    - extension.cpython-312.pyc
    - frozen.cpython-312.pyc
    - interval.cpython-312.pyc
    - multi.cpython-312.pyc
    - period.cpython-312.pyc
    - range.cpython-312.pyc
    - timedeltas.cpython-312.pyc
  - \_\_init\_\_.py
  - accessors.py
  - api.py
  - base.py
  - category.py
  - datetimelike.py
  - datetimes.py
  - extension.py
  - frozen.py
  - interval.py
  - multi.py
  - period.py

- └─ range.py
- └─ timedelta.py
- ─ interchange/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ buffer.cpython-312.pyc
    - └─ column.cpython-312.pyc
    - └─ dataframe.cpython-312.pyc
    - └─ dataframe\_protocol.cpython-312.pyc
    - └─ from\_dataframe.cpython-312.pyc
    - └─ utils.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ buffer.py
  - └─ column.py
  - └─ dataframe.py
  - └─ dataframe\_protocol.py
  - └─ from\_dataframe.py
  - └─ utils.py
- ─ internals/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ api.cpython-312.pyc
    - └─ blocks.cpython-312.pyc
    - └─ concat.cpython-312.pyc
    - └─ construction.cpython-312.pyc
    - └─ managers.cpython-312.pyc
    - └─ ops.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ api.py
  - └─ blocks.py
  - └─ concat.py
  - └─ construction.py
  - └─ managers.py
  - └─ ops.py
- ─ methods/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ describe.cpython-312.pyc
    - └─ selectn.cpython-312.pyc
    - └─ to\_dict.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ describe.py
  - └─ selectn.py
  - └─ to\_dict.py
- ─ ops/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ array\_ops.cpython-312.pyc
    - └─ common.cpython-312.pyc
    - └─ dispatch.cpython-312.pyc
    - └─ docstrings.cpython-312.pyc
    - └─ invalid.cpython-312.pyc
    - └─ mask\_ops.cpython-312.pyc
    - └─ missing.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ array\_ops.py
  - └─ common.py
  - └─ dispatch.py
  - └─ docstrings.py
  - └─ invalid.py
  - └─ mask\_ops.py
  - └─ missing.py
- ─ reshape/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ api.cpython-312.pyc
    - └─ concat.cpython-312.pyc
    - └─ encoding.cpython-312.pyc
    - └─ melt.cpython-312.pyc
    - └─ merge.cpython-312.pyc
    - └─ pivot.cpython-312.pyc
    - └─ reshape.cpython-312.pyc
    - └─ tile.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ api.py
  - └─ concat.py
  - └─ encoding.py
  - └─ melt.py
  - └─ merge.py
  - └─ pivot.py
  - └─ reshape.py
  - └─ tile.py
- ─ sparse/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc

- └─ api.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ api.py
- strings/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ accessor.cpython-312.pyc
    - └─ object\_array.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ accessor.py
  - └─ object\_array.py
- tools/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ datetimes.cpython-312.pyc
    - └─ numeric.cpython-312.pyc
    - └─ timedeltas.cpython-312.pyc
    - └─ times.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ datetimes.py
  - └─ numeric.py
  - └─ timedeltas.py
  - └─ times.py
- util/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ hashing.cpython-312.pyc
    - └─ numba\_.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ hashing.py
  - └─ numba\_.py
- window/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ common.cpython-312.pyc
    - └─ doc.cpython-312.pyc
    - └─ ewm.cpython-312.pyc
    - └─ expanding.cpython-312.pyc
    - └─ numba\_.cpython-312.pyc
    - └─ online.cpython-312.pyc
    - └─ rolling.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ common.py
  - └─ doc.py
  - └─ ewm.py
  - └─ expanding.py
  - └─ numba\_.py
  - └─ online.py
  - └─ rolling.py
- └─ \_\_init\_\_.py
- └─ accessor.py
- └─ algorithms.py
- └─ api.py
- └─ apply.py
- └─ arraylike.py
- └─ base.py
- └─ col.py
- └─ common.py
- └─ config\_init.py
- └─ construction.py
- └─ flags.py
- └─ frame.py
- └─ generic.py
- └─ indexing.py
- └─ missing.py
- └─ nanops.py
- └─ resample.py
- └─ roperator.py
- └─ sample.py
- └─ series.py
- └─ shared\_docs.py
- └─ sorting.py
- errors/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ cow.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ cow.py
- io/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_util.cpython-312.pyc
    - └─ api.cpython-312.pyc
    - └─ clipboards.cpython-312.pyc
    - └─ common.cpython-312.pyc

- feather\_format.cpython-312.pyc
- html.cpython-312.pyc
- iceberg.cpython-312.pyc
- orc.cpython-312.pyc
- parquet.cpython-312.pyc
- pickle.cpython-312.pyc
- pytables.cpython-312.pyc
- spss.cpython-312.pyc
- sql.cpython-312.pyc
- stata.cpython-312.pyc
- xml.cpython-312.pyc
- clipboard/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- excel/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_calamine.cpython-312.pyc
    - \_odfreader.cpython-312.pyc
    - \_odswriter.cpython-312.pyc
    - \_openpyxl.cpython-312.pyc
    - \_pyxlsb.cpython-312.pyc
    - \_util.cpython-312.pyc
    - \_xlrd.cpython-312.pyc
    - \_xlsxwriter.cpython-312.pyc
  - \_\_init\_\_.py
  - \_base.py
  - \_calamine.py
  - \_odfreader.py
  - \_odswriter.py
  - \_openpyxl.py
  - \_pyxlsb.py
  - \_util.py
  - \_xlrd.py
  - \_xlsxwriter.py
- formats/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_color\_data.cpython-312.pyc
    - console.cpython-312.pyc
    - css.cpython-312.pyc
    - csvs.cpython-312.pyc
    - excel.cpython-312.pyc
    - format.cpython-312.pyc
    - html.cpython-312.pyc
    - info.cpython-312.pyc
    - printing.cpython-312.pyc
    - string.cpython-312.pyc
    - style.cpython-312.pyc
    - style\_render.cpython-312.pyc
    - xml.cpython-312.pyc
  - templates/
    - html.tpl
    - html\_style.tpl
    - html\_table.tpl
    - latex.tpl
    - latex\_longtable.tpl
    - latex\_table.tpl
    - string.tpl
    - typst.tpl
  - \_\_init\_\_.py
  - \_color\_data.py
  - console.py
  - css.py
  - csvs.py
  - excel.py
  - format.py
  - html.py
  - info.py
  - printing.py
  - string.py
  - style.py
  - style\_render.py
  - xml.py
- json/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_json.cpython-312.pyc
    - \_normalize.cpython-312.pyc
    - \_table\_schema.cpython-312.pyc
  - \_\_init\_\_.py
  - \_json.py
  - \_normalize.py



- └─ \_table\_schema.py
- └─ parsers/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ arrow\_parser\_wrapper.cpython-312.pyc
    - └─ base\_parser.cpython-312.pyc
    - └─ c\_parser\_wrapper.cpython-312.pyc
    - └─ python\_parser.cpython-312.pyc
    - └─ readers.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ arrow\_parser\_wrapper.py
  - └─ base\_parser.py
  - └─ c\_parser\_wrapper.py
  - └─ python\_parser.py
  - └─ readers.py
- └─ sas/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ sas7bdat.cpython-312.pyc
    - └─ sas\_constants.cpython-312.pyc
    - └─ sas\_xport.cpython-312.pyc
    - └─ sasreader.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ sas7bdat.py
  - └─ sas\_constants.py
  - └─ sas\_xport.py
  - └─ sasreader.py
- └─ \_\_init\_\_.py
- └─ \_util.py
- └─ api.py
- └─ clipboards.py
- └─ common.py
- └─ feather\_format.py
- └─ html.py
- └─ iceberg.py
- └─ orc.py
- └─ parquet.py
- └─ pickle.py
- └─ pytables.py
- └─ spss.py
- └─ sql.py
- └─ stata.py
- └─ xml.py
- └─ plotting/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_core.cpython-312.pyc
    - └─ \_misc.cpython-312.pyc
  - └─ matplotlib/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ boxplot.cpython-312.pyc
      - └─ converter.cpython-312.pyc
      - └─ core.cpython-312.pyc
      - └─ groupby.cpython-312.pyc
      - └─ hist.cpython-312.pyc
      - └─ misc.cpython-312.pyc
      - └─ style.cpython-312.pyc
      - └─ timeseries.cpython-312.pyc
      - └─ tools.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ boxplot.py
    - └─ converter.py
    - └─ core.py
    - └─ groupby.py
    - └─ hist.py
    - └─ misc.py
    - └─ style.py
    - └─ timeseries.py
    - └─ tools.py
  - └─ \_\_init\_\_.py
  - └─ \_core.py
  - └─ \_misc.py
- └─ tests/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_aggregation.cpython-312.pyc
    - └─ test\_algos.cpython-312.pyc
    - └─ test\_col.cpython-312.pyc
    - └─ test\_common.cpython-312.pyc
    - └─ test\_downstream.cpython-312.pyc
    - └─ test\_errors.cpython-312.pyc
    - └─ test\_expressions.cpython-312.pyc
    - └─ test\_flags.cpython-312.pyc
    - └─ test\_multilevel.cpython-312.pyc

- test\_nanops.cpython-312.pyc
- test\_optional\_dependency.cpython-312.pyc
- test\_register\_accessor.cpython-312.pyc
- test\_sorting.cpython-312.pyc
- test\_take.cpython-312.pyc
- api/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_api.cpython-312.pyc
    - test\_types.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_api.py
  - test\_types.py
- apply/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - common.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_frame\_apply.cpython-312.pyc
    - test\_frame\_apply\_relabeling.cpython-312.pyc
    - test\_frame\_transform.cpython-312.pyc
    - test\_invalid\_arg.cpython-312.pyc
    - test\_numba.cpython-312.pyc
    - test\_series\_apply.cpython-312.pyc
    - test\_series\_apply\_relabeling.cpython-312.pyc
    - test\_series\_transform.cpython-312.pyc
    - test\_str.cpython-312.pyc
  - \_\_init\_\_.py
  - common.py
  - conftest.py
  - test\_frame\_apply.py
  - test\_frame\_apply\_relabeling.py
  - test\_frame\_transform.py
  - test\_invalid\_arg.py
  - test\_numba.py
  - test\_series\_apply.py
  - test\_series\_apply\_relabeling.py
  - test\_series\_transform.py
  - test\_str.py
- arithmetic/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - common.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_array\_ops.cpython-312.pyc
    - test\_bool.cpython-312.pyc
    - test\_categorical.cpython-312.pyc
    - test\_datetime64.cpython-312.pyc
    - test\_interval.cpython-312.pyc
    - test\_numeric.cpython-312.pyc
    - test\_object.cpython-312.pyc
    - test\_period.cpython-312.pyc
    - test\_string.cpython-312.pyc
    - test\_timedelta64.cpython-312.pyc
  - \_\_init\_\_.py
  - common.py
  - conftest.py
  - test\_array\_ops.py
  - test\_bool.py
  - test\_categorical.py
  - test\_datetime64.py
  - test\_interval.py
  - test\_numeric.py
  - test\_object.py
  - test\_period.py
  - test\_string.py
  - test\_timedelta64.py
- arrays/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - masked\_shared.cpython-312.pyc
    - test\_array.cpython-312.pyc
    - test\_datetimelike.cpython-312.pyc
    - test\_datetimes.cpython-312.pyc
    - test\_ndarray\_backed.cpython-312.pyc
    - test\_period.cpython-312.pyc
    - test\_timedeltas.cpython-312.pyc
- boolean/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_arithmetic.cpython-312.pyc
    - test\_astype.cpython-312.pyc
    - test\_comparison.cpython-312.pyc
    - test\_construction.cpython-312.pyc
    - test\_function.cpython-312.pyc

```
├── test_indexing.cpython-312.pyc
├── test_logical.cpython-312.pyc
├── test_ops.cpython-312.pyc
├── test_reduction.cpython-312.pyc
├── test_repr.cpython-312.pyc
├── __init__.py
├── test_arithmetic.py
├── test_astype.py
├── test_comparison.py
├── test_construction.py
├── test_function.py
├── test_indexing.py
├── test_logical.py
├── test_ops.py
├── test_reduction.py
├── test_repr.py
├── categorical/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── test_algos.cpython-312.pyc
│   │   ├── test_analytics.cpython-312.pyc
│   │   ├── test_api.cpython-312.pyc
│   │   ├── test_astype.cpython-312.pyc
│   │   ├── test_constructors.cpython-312.pyc
│   │   ├── test_dtypes.cpython-312.pyc
│   │   ├── test_indexing.cpython-312.pyc
│   │   ├── test_map.cpython-312.pyc
│   │   ├── test_missing.cpython-312.pyc
│   │   ├── test_operators.cpython-312.pyc
│   │   ├── test_replace.cpython-312.pyc
│   │   ├── test_repr.cpython-312.pyc
│   │   ├── test_sorting.cpython-312.pyc
│   │   ├── test_subclass.cpython-312.pyc
│   │   ├── test_take.cpython-312.pyc
│   │   └── test_warnings.cpython-312.pyc
│   ├── __init__.py
│   ├── test_algos.py
│   ├── test_analytics.py
│   ├── test_api.py
│   ├── test_astype.py
│   ├── test_constructors.py
│   ├── test_dtypes.py
│   ├── test_indexing.py
│   ├── test_map.py
│   ├── test_missing.py
│   ├── test_operators.py
│   ├── test_replace.py
│   ├── test_repr.py
│   ├── test_sorting.py
│   ├── test_subclass.py
│   ├── test_take.py
│   └── test_warnings.py
├── datetimes/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── test_constructors.cpython-312.pyc
│   │   ├── test_cumulative.cpython-312.pyc
│   │   └── test_reductions.cpython-312.pyc
│   ├── __init__.py
│   ├── test_constructors.py
│   ├── test_cumulative.py
│   └── test_reductions.py
├── floating/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── conftest.cpython-312.pyc
│   │   ├── test_arithmetic.cpython-312.pyc
│   │   ├── test_astype.cpython-312.pyc
│   │   ├── test_comparison.cpython-312.pyc
│   │   ├── test_concat.cpython-312.pyc
│   │   ├── test_construction.cpython-312.pyc
│   │   ├── test_contains.cpython-312.pyc
│   │   ├── test_function.cpython-312.pyc
│   │   ├── test_repr.cpython-312.pyc
│   │   └── test_to_numpy.cpython-312.pyc
│   ├── __init__.py
│   ├── conftest.py
│   ├── test_arithmetic.py
│   ├── test_astype.py
│   ├── test_comparison.py
│   ├── test_concat.py
│   ├── test_construction.py
│   ├── test_contains.py
│   ├── test_function.py
│   └── test_repr.py
```

- └─ test\_to\_numpy.py
- integer/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ conftest.cpython-312.pyc
    - └─ test\_arithmetic.cpython-312.pyc
    - └─ test\_comparison.cpython-312.pyc
    - └─ test\_concat.cpython-312.pyc
    - └─ test\_construction.cpython-312.pyc
    - └─ test\_dtypes.cpython-312.pyc
    - └─ test\_function.cpython-312.pyc
    - └─ test\_indexing.cpython-312.pyc
    - └─ test\_reduction.cpython-312.pyc
    - └─ test\_repr.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ conftest.py
  - └─ test\_arithmetic.py
  - └─ test\_comparison.py
  - └─ test\_concat.py
  - └─ test\_construction.py
  - └─ test\_dtypes.py
  - └─ test\_function.py
  - └─ test\_indexing.py
  - └─ test\_reduction.py
  - └─ test\_repr.py
- interval/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_astype.cpython-312.pyc
    - └─ test\_formats.cpython-312.pyc
    - └─ test\_interval.cpython-312.pyc
    - └─ test\_interval\_pyarrow.cpython-312.pyc
    - └─ test\_overlaps.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_astype.py
  - └─ test\_formats.py
  - └─ test\_interval.py
  - └─ test\_interval\_pyarrow.py
  - └─ test\_overlaps.py
- masked/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_arithmetic.cpython-312.pyc
    - └─ test\_arrow\_compat.cpython-312.pyc
    - └─ test\_function.cpython-312.pyc
    - └─ test\_indexing.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_arithmetic.py
  - └─ test\_arrow\_compat.py
  - └─ test\_function.py
  - └─ test\_indexing.py
- numpy/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_indexing.cpython-312.pyc
    - └─ test\_numpy.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_indexing.py
  - └─ test\_numpy.py
- period/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_arrow\_compat.cpython-312.pyc
    - └─ test\_astype.cpython-312.pyc
    - └─ test\_constructors.cpython-312.pyc
    - └─ test\_reductions.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_arrow\_compat.py
  - └─ test\_astype.py
  - └─ test\_constructors.py
  - └─ test\_reductions.py
- sparse/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_accessor.cpython-312.pyc
    - └─ test\_arithmetics.cpython-312.pyc
    - └─ test\_array.cpython-312.pyc
    - └─ test\_astype.cpython-312.pyc
    - └─ test\_combine\_concat.cpython-312.pyc
    - └─ test\_constructors.cpython-312.pyc
    - └─ test\_dtype.cpython-312.pyc
    - └─ test\_indexing.cpython-312.pyc
    - └─ test\_libsparse.cpython-312.pyc
    - └─ test\_reductions.cpython-312.pyc
    - └─ test\_unary.cpython-312.pyc

- `__init__.py`
- `test_accessor.py`
- `test_arithmetics.py`
- `test_array.py`
- `test_astype.py`
- `test_combine_concat.py`
- `test_constructors.py`
- `test_dtype.py`
- `test_indexing.py`
- `test_libsparse.py`
- `test_reductions.py`
- `test_unary.py`
- `string/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `test_concat.cpython-312.pyc`
    - `test_string.cpython-312.pyc`
    - `test_string_arrow.cpython-312.pyc`
  - `__init__.py`
  - `test_concat.py`
  - `test_string.py`
  - `test_string_arrow.py`
- `timedeltas/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `test_constructors.cpython-312.pyc`
    - `test_cumulative.cpython-312.pyc`
    - `test_reductions.cpython-312.pyc`
  - `__init__.py`
  - `test_constructors.py`
  - `test_cumulative.py`
  - `test_reductions.py`
- `__init__.py`
- `masked_shared.py`
- `test_array.py`
- `test_datetimelike.py`
- `test_datetimes.py`
- `test_ndarray_backed.py`
- `test_period.py`
- `test_timedeltas.py`
- `base/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `common.cpython-312.pyc`
    - `test_constructors.cpython-312.pyc`
    - `test_conversion.cpython-312.pyc`
    - `test_fillna.cpython-312.pyc`
    - `test_misc.cpython-312.pyc`
    - `test_transpose.cpython-312.pyc`
    - `test_unique.cpython-312.pyc`
    - `test_value_counts.cpython-312.pyc`
  - `__init__.py`
  - `common.py`
  - `test_constructors.py`
  - `test_conversion.py`
  - `test_fillna.py`
  - `test_misc.py`
  - `test_transpose.py`
  - `test_unique.py`
  - `test_value_counts.py`
- `computation/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `test_compat.cpython-312.pyc`
    - `test_eval.cpython-312.pyc`
  - `__init__.py`
  - `test_compat.py`
  - `test_eval.py`
- `config/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `test_config.cpython-312.pyc`
    - `test_localization.cpython-312.pyc`
  - `__init__.py`
  - `test_config.py`
  - `test_localization.py`
- `construction/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `test_extract_array.cpython-312.pyc`
  - `__init__.py`
  - `test_extract_array.py`
- `copy_view/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`

- test\_array.cpython-312.pyc
- test\_astype.cpython-312.pyc
- test\_chained\_assignment\_deprecation.cpython-312.pyc
- test\_clip.cpython-312.pyc
- test\_constructors.cpython-312.pyc
- test\_copy\_deprecation.cpython-312.pyc
- test\_core\_functionalities.cpython-312.pyc
- test\_functions.cpython-312.pyc
- test\_indexing.cpython-312.pyc
- test\_internals.cpython-312.pyc
- test\_interp\_fillna.cpython-312.pyc
- test\_methods.cpython-312.pyc
- test\_replace.cpython-312.pyc
- test\_setitem.cpython-312.pyc
- test\_util.cpython-312.pyc
- util.cpython-312.pyc
- index/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_datetimeindex.cpython-312.pyc
    - test\_index.cpython-312.pyc
    - test\_intervalindex.cpython-312.pyc
    - test\_periodindex.cpython-312.pyc
    - test\_timedeltaindex.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_datetimeindex.py
  - test\_index.py
  - test\_intervalindex.py
  - test\_periodindex.py
  - test\_timedeltaindex.py
- \_\_init\_\_.py
- test\_array.py
- test\_astype.py
- test\_chained\_assignment\_deprecation.py
- test\_clip.py
- test\_constructors.py
- test\_copy\_deprecation.py
- test\_core\_functionalities.py
- test\_functions.py
- test\_indexing.py
- test\_internals.py
- test\_interp\_fillna.py
- test\_methods.py
- test\_replace.py
- test\_setitem.py
- test\_util.py
- util.py
- dtypes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_common.cpython-312.pyc
    - test\_concat.cpython-312.pyc
    - test\_dtypes.cpython-312.pyc
    - test\_generic.cpython-312.pyc
    - test\_inference.cpython-312.pyc
    - test\_missing.cpython-312.pyc
- cast/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_box\_unbox.cpython-312.pyc
    - test\_can\_hold\_element.cpython-312.pyc
    - test\_construct\_from\_scalar.cpython-312.pyc
    - test\_construct\_ndarray.cpython-312.pyc
    - test\_construct\_object\_arr.cpython-312.pyc
    - test\_dict\_compat.cpython-312.pyc
    - test\_downcast.cpython-312.pyc
    - test\_find\_common\_type.cpython-312.pyc
    - test\_infer\_datetimelike.cpython-312.pyc
    - test\_infer\_dtype.cpython-312.pyc
    - test\_promote.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_box\_unbox.py
  - test\_can\_hold\_element.py
  - test\_construct\_from\_scalar.py
  - test\_construct\_ndarray.py
  - test\_construct\_object\_arr.py
  - test\_dict\_compat.py
  - test\_downcast.py
  - test\_find\_common\_type.py
  - test\_infer\_datetimelike.py
  - test\_infer\_dtype.py
  - test\_promote.py
- \_\_init\_\_.py
- test\_common.py
- test\_concat.py

- test\_dtypes.py
- test\_generic.py
- test\_inference.py
- test\_missing.py
- extension/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_arrow.cpython-312.pyc
    - test\_categorical.cpython-312.pyc
    - test\_common.cpython-312.pyc
    - test\_datetime.cpython-312.pyc
    - test\_extension.cpython-312.pyc
    - test\_interval.cpython-312.pyc
    - test\_masked.cpython-312.pyc
    - test\_numpy.cpython-312.pyc
    - test\_period.cpython-312.pyc
    - test\_sparse.cpython-312.pyc
    - test\_string.cpython-312.pyc
  - array\_with\_attr/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - array.cpython-312.pyc
      - test\_array\_with\_attr.cpython-312.pyc
    - \_\_init\_\_.py
    - array.py
    - test\_array\_with\_attr.py
- base/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - accumulate.cpython-312.pyc
    - base.cpython-312.pyc
    - casting.cpython-312.pyc
    - constructors.cpython-312.pyc
    - dim2.cpython-312.pyc
    - dtype.cpython-312.pyc
    - getitem.cpython-312.pyc
    - groupby.cpython-312.pyc
    - index.cpython-312.pyc
    - interface.cpython-312.pyc
    - io.cpython-312.pyc
    - methods.cpython-312.pyc
    - missing.cpython-312.pyc
    - ops.cpython-312.pyc
    - printing.cpython-312.pyc
    - reduce.cpython-312.pyc
    - reshaping.cpython-312.pyc
    - setitem.cpython-312.pyc
  - \_\_init\_\_.py
  - accumulate.py
  - base.py
  - casting.py
  - constructors.py
  - dim2.py
  - dtype.py
  - getitem.py
  - groupby.py
  - index.py
  - interface.py
  - io.py
  - methods.py
  - missing.py
  - ops.py
  - printing.py
  - reduce.py
  - reshaping.py
  - setitem.py
- date/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - array.cpython-312.pyc
  - \_\_init\_\_.py
  - array.py
- decimal/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - array.cpython-312.pyc
    - test\_decimal.cpython-312.pyc
  - \_\_init\_\_.py
  - array.py
  - test\_decimal.py
- json/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - array.cpython-312.pyc

- └─ test\_json.cpython-312.pyc
  - ─ \_\_init\_\_.py
  - ─ array.py
  - ─ test\_json.py
- ─ list/
  - ─ pycache\_/
      - ─ \_\_init\_\_.cpython-312.pyc
      - ─ array.cpython-312.pyc
      - ─ test\_list.cpython-312.pyc
    - ─ \_\_init\_\_.py
    - ─ array.py
    - ─ test\_list.py
  - ─ uuid/
    - ─ pycache\_/
        - ─ \_\_init\_\_.cpython-312.pyc
        - ─ test\_uuid.cpython-312.pyc
      - ─ \_\_init\_\_.py
      - ─ test\_uuid.py
  - ─ \_\_init\_\_.py
  - ─ conftest.py
  - ─ test\_arrow.py
  - ─ test\_categorical.py
  - ─ test\_common.py
  - ─ test\_datetime.py
  - ─ test\_extension.py
  - ─ test\_interval.py
  - ─ test\_masked.py
  - ─ test\_numpy.py
  - ─ test\_period.py
  - ─ test\_sparse.py
  - ─ test\_string.py
- ─ frame/
  - ─ pycache\_/
      - ─ \_\_init\_\_.cpython-312.pyc
      - ─ common.cpython-312.pyc
      - ─ conftest.cpython-312.pyc
      - ─ test\_alter\_axes.cpython-312.pyc
      - ─ test\_api.cpython-312.pyc
      - ─ test\_arithmetic.cpython-312.pyc
      - ─ test\_arrow\_interface.cpython-312.pyc
      - ─ test\_block\_internals.cpython-312.pyc
      - ─ test\_constructors.cpython-312.pyc
      - ─ test\_cumulative.cpython-312.pyc
      - ─ test\_iteration.cpython-312.pyc
      - ─ test\_logical\_ops.cpython-312.pyc
      - ─ test\_nonunique\_indexes.cpython-312.pyc
      - ─ test\_npfuncs.cpython-312.pyc
      - ─ test\_query\_eval.cpython-312.pyc
      - ─ test\_reductions.cpython-312.pyc
      - ─ test\_repr.cpython-312.pyc
      - ─ test\_stack\_unstack.cpython-312.pyc
      - ─ test\_subclass.cpython-312.pyc
      - ─ test\_ufunc.cpython-312.pyc
      - ─ test\_unary.cpython-312.pyc
      - ─ test\_validate.cpython-312.pyc
  - ─ constructors/
    - ─ pycache\_/
        - ─ \_\_init\_\_.cpython-312.pyc
        - ─ test\_from\_dict.cpython-312.pyc
        - ─ test\_from\_records.cpython-312.pyc
      - ─ \_\_init\_\_.py
      - ─ test\_from\_dict.py
      - ─ test\_from\_records.py
  - ─ indexing/
    - ─ pycache\_/
        - ─ \_\_init\_\_.cpython-312.pyc
        - ─ test\_coercion.cpython-312.pyc
        - ─ test\_delitem.cpython-312.pyc
        - ─ test\_get.cpython-312.pyc
        - ─ test\_get\_value.cpython-312.pyc
        - ─ test\_getitem.cpython-312.pyc
        - ─ test\_indexing.cpython-312.pyc
        - ─ test\_insert.cpython-312.pyc
        - ─ test\_mask.cpython-312.pyc
        - ─ test\_set\_value.cpython-312.pyc
        - ─ test\_setitem.cpython-312.pyc
        - ─ test\_take.cpython-312.pyc
        - ─ test\_where.cpython-312.pyc
        - ─ test\_xs.cpython-312.pyc
      - ─ \_\_init\_\_.py
      - ─ test\_coercion.py
      - ─ test\_delitem.py
      - ─ test\_get.py
      - ─ test\_get\_value.py
      - ─ test\_getitem.py



- test\_indexing.py
- test\_insert.py
- test\_mask.py
- test\_set\_value.py
- test\_setitem.py
- test\_take.py
- test\_where.py
- test\_xs.py
- methods/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_add\_prefix\_suffix.cpython-312.pyc
    - test\_align.cpython-312.pyc
    - test\_asfreq.cpython-312.pyc
    - test\_asof.cpython-312.pyc
    - test\_assign.cpython-312.pyc
    - test\_astype.cpython-312.pyc
    - test\_at\_time.cpython-312.pyc
    - test\_between\_time.cpython-312.pyc
    - test\_clip.cpython-312.pyc
    - test\_combine.cpython-312.pyc
    - test\_combine\_first.cpython-312.pyc
    - test\_compare.cpython-312.pyc
    - test\_convert\_dtypes.cpython-312.pyc
    - test\_copy.cpython-312.pyc
    - test\_count.cpython-312.pyc
    - test\_cov\_corr.cpython-312.pyc
    - test\_describe.cpython-312.pyc
    - test\_diff.cpython-312.pyc
    - test\_dot.cpython-312.pyc
    - test\_drop.cpython-312.pyc
    - test\_drop\_duplicates.cpython-312.pyc
    - test\_droplevel.cpython-312.pyc
    - test\_dropna.cpython-312.pyc
    - test\_dtypes.cpython-312.pyc
    - test\_duplicated.cpython-312.pyc
    - test\_equals.cpython-312.pyc
    - test\_explode.cpython-312.pyc
    - test\_fillna.cpython-312.pyc
    - test\_filter.cpython-312.pyc
    - test\_first\_valid\_index.cpython-312.pyc
    - test\_get\_numeric\_data.cpython-312.pyc
    - test\_head\_tail.cpython-312.pyc
    - test\_infer\_objects.cpython-312.pyc
    - test\_info.cpython-312.pyc
    - test\_interpolate.cpython-312.pyc
    - test\_is\_homogeneous\_dtype.cpython-312.pyc
    - test\_isetitem.cpython-312.pyc
    - test\_isin.cpython-312.pyc
    - test\_iterrows.cpython-312.pyc
    - test\_join.cpython-312.pyc
    - test\_map.cpython-312.pyc
    - test\_matmul.cpython-312.pyc
    - test\_nlargest.cpython-312.pyc
    - test\_pct\_change.cpython-312.pyc
    - test\_pipe.cpython-312.pyc
    - test\_pop.cpython-312.pyc
    - test\_quantile.cpython-312.pyc
    - test\_rank.cpython-312.pyc
    - test\_reindex.cpython-312.pyc
    - test\_reindex\_like.cpython-312.pyc
    - test\_rename.cpython-312.pyc
    - test\_rename\_axis.cpython-312.pyc
    - test\_reorder\_levels.cpython-312.pyc
    - test\_replace.cpython-312.pyc
    - test\_reset\_index.cpython-312.pyc
    - test\_round.cpython-312.pyc
    - test\_sample.cpython-312.pyc
    - test\_select\_dtypes.cpython-312.pyc
    - test\_set\_axis.cpython-312.pyc
    - test\_set\_index.cpython-312.pyc
    - test\_shift.cpython-312.pyc
    - test\_size.cpython-312.pyc
    - test\_sort\_index.cpython-312.pyc
    - test\_sort\_values.cpython-312.pyc
    - test\_swaplevel.cpython-312.pyc
    - test\_to\_csv.cpython-312.pyc
    - test\_to\_dict.cpython-312.pyc
    - test\_to\_dict\_of\_blocks.cpython-312.pyc
    - test\_to\_numpy.cpython-312.pyc
    - test\_to\_period.cpython-312.pyc
    - test\_to\_records.cpython-312.pyc
    - test\_to\_timestamp.cpython-312.pyc
    - test\_transpose.cpython-312.pyc
    - test\_truncate.cpython-312.pyc

```
— test_tz_convert.cpython-312.pyc
— test_tz_localize.cpython-312.pyc
— test_update.cpython-312.pyc
— test_value_counts.cpython-312.pyc
— test_values.cpython-312.pyc
— __init__.py
— test_add_prefix_suffix.py
— test_align.py
— test_asfreq.py
— test_asof.py
— test_assign.py
— test_astype.py
— test_at_time.py
— test_between_time.py
— test_clip.py
— test_combine.py
— test_combine_first.py
— test_compare.py
— test_convert_dtypes.py
— test_copy.py
— test_count.py
— test_cov_corr.py
— test_describe.py
— test_diff.py
— test_dot.py
— test_drop.py
— test_drop_duplicates.py
— test_droplevel.py
— test_dropna.py
— test_dtypes.py
— test_duplicated.py
— test_equals.py
— test_explode.py
— test_fillna.py
— test_filter.py
— test_first_valid_index.py
— test_get_numeric_data.py
— test_head_tail.py
— test_infer_objects.py
— test_info.py
— test_interpolate.py
— test_is_homogeneous_dtype.py
— test_isetitem.py
— test_isin.py
— test_iterrows.py
— test_join.py
— test_map.py
— test_matmul.py
— test_nlargest.py
— test_pct_change.py
— test_pipe.py
— test_pop.py
— test_quantile.py
— test_rank.py
— test_reindex.py
— test_reindex_like.py
— test_rename.py
— test_rename_axis.py
— test_reorder_levels.py
— test_replace.py
— test_reset_index.py
— test_round.py
— test_sample.py
— test_select_dtypes.py
— test_set_axis.py
— test_set_index.py
— test_shift.py
— test_size.py
— test_sort_index.py
— test_sort_values.py
— test_swaplevel.py
— test_to_csv.py
— test_to_dict.py
— test_to_dict_of_blocks.py
— test_to_numpy.py
— test_to_period.py
— test_to_records.py
— test_to_timestamp.py
— test_transpose.py
— test_truncate.py
— test_tz_convert.py
— test_tz_localize.py
— test_update.py
— test_value_counts.py
— test_values.py
```

- `__init__.py`
- `common.py`
- `conftest.py`
- `test_alter_axes.py`
- `test_api.py`
- `test_arithmetic.py`
- `test_arrow_interface.py`
- `test_block_internals.py`
- `test_constructors.py`
- `test_cumulative.py`
- `test_iteration.py`
- `test_logical_ops.py`
- `test_nonunique_indexes.py`
- `test_npfuns.py`
- `test_query_eval.py`
- `test_reductions.py`
- `test_repr.py`
- `test_stack_unstack.py`
- `test_subclass.py`
- `test_ufunc.py`
- `test_unary.py`
- `test_validate.py`
- `generic/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `test_duplicate_labels.cpython-312.pyc`
    - `test_finalize.cpython-312.pyc`
    - `test_frame.cpython-312.pyc`
    - `test_generic.cpython-312.pyc`
    - `test_label_or_level_utils.cpython-312.pyc`
    - `test_series.cpython-312.pyc`
    - `test_to_xarray.cpython-312.pyc`
  - `__init__.py`
  - `test_duplicate_labels.py`
  - `test_finalize.py`
  - `test_frame.py`
  - `test_generic.py`
  - `test_label_or_level_utils.py`
  - `test_series.py`
  - `test_to_xarray.py`
- `groupby/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `conftest.cpython-312.pyc`
    - `test_all_methods.cpython-312.pyc`
    - `test_api.cpython-312.pyc`
    - `test_apply.cpython-312.pyc`
    - `test_bin_groupby.cpython-312.pyc`
    - `test_categorical.cpython-312.pyc`
    - `test_counting.cpython-312.pyc`
    - `test_cumulative.cpython-312.pyc`
    - `test_filters.cpython-312.pyc`
    - `test_groupby.cpython-312.pyc`
    - `test_groupby_dropna.cpython-312.pyc`
    - `test_groupby_subclass.cpython-312.pyc`
    - `test_grouping.cpython-312.pyc`
    - `test_index_as_string.cpython-312.pyc`
    - `test_indexing.cpython-312.pyc`
    - `test_libgroupby.cpython-312.pyc`
    - `test_missing.cpython-312.pyc`
    - `test_numba.cpython-312.pyc`
    - `test_numeric_only.cpython-312.pyc`
    - `test_pipe.cpython-312.pyc`
    - `test_raises.cpython-312.pyc`
    - `test_reductions.cpython-312.pyc`
    - `test_timegrouper.cpython-312.pyc`
  - `aggregate/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `test_aggregate.cpython-312.pyc`
      - `test_cython.cpython-312.pyc`
      - `test_numba.cpython-312.pyc`
      - `test_other.cpython-312.pyc`
    - `__init__.py`
    - `test_aggregate.py`
    - `test_cython.py`
    - `test_numba.py`
    - `test_other.py`
  - `methods/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `test_describe.cpython-312.pyc`
      - `test_groupby_shift_diff.cpython-312.pyc`
      - `test_is_monotonic.cpython-312.pyc`
      - `test_kurt.cpython-312.pyc`

- test\_nlargest\_nsmallest.cpython-312.pyc
- test\_nth.cpython-312.pyc
- test\_quantile.cpython-312.pyc
- test\_rank.cpython-312.pyc
- test\_sample.cpython-312.pyc
- test\_size.cpython-312.pyc
- test\_skew.cpython-312.pyc
- test\_value\_counts.cpython-312.pyc
- \_\_init\_\_.py
- test\_describe.py
- test\_groupby\_shift\_diff.py
- test\_is\_monotonic.py
- test\_kurt.py
- test\_nlargest\_nsmallest.py
- test\_nth.py
- test\_quantile.py
- test\_rank.py
- test\_sample.py
- test\_size.py
- test\_skew.py
- test\_value\_counts.py
- transform/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_numba.cpython-312.pyc
    - test\_transform.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_numba.py
  - test\_transform.py
- \_\_init\_\_.py
- conftest.py
- test\_all\_methods.py
- test\_api.py
- test\_apply.py
- test\_bin\_groupby.py
- test\_categorical.py
- test\_counting.py
- test\_cumulative.py
- test\_filters.py
- test\_groupby.py
- test\_groupby\_dropna.py
- test\_groupby\_subclass.py
- test\_grouping.py
- test\_index\_as\_string.py
- test\_indexing.py
- test\_libgroupby.py
- test\_missing.py
- test\_numba.py
- test\_numeric\_only.py
- test\_pipe.py
- test\_raises.py
- test\_reductions.py
- test\_timegrouper.py
- indexes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_any\_index.cpython-312.pyc
    - test\_base.cpython-312.pyc
    - test\_common.cpython-312.pyc
    - test\_datetimelike.cpython-312.pyc
    - test\_engines.cpython-312.pyc
    - test\_frozen.cpython-312.pyc
    - test\_index\_new.cpython-312.pyc
    - test\_indexing.cpython-312.pyc
    - test\_numpy\_compat.cpython-312.pyc
    - test\_old\_base.cpython-312.pyc
    - test\_setops.cpython-312.pyc
    - test\_subclass.cpython-312.pyc
- base\_class/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_constructors.cpython-312.pyc
    - test\_formats.cpython-312.pyc
    - test\_indexing.cpython-312.pyc
    - test\_pickle.cpython-312.pyc
    - test\_reshape.cpython-312.pyc
    - test\_setops.cpython-312.pyc
    - test\_where.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_constructors.py
  - test\_formats.py
  - test\_indexing.py
  - test\_pickle.py
  - test\_reshape.py

```
├── test_setops.py
├── test_where.py
├── categorical/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── test_append.cpython-312.pyc
│   │   ├── test_astype.cpython-312.pyc
│   │   ├── test_category.cpython-312.pyc
│   │   ├── test_constructors.cpython-312.pyc
│   │   ├── test_equals.cpython-312.pyc
│   │   ├── test_fillna.cpython-312.pyc
│   │   ├── test_formats.cpython-312.pyc
│   │   ├── test_indexing.cpython-312.pyc
│   │   ├── test_map.cpython-312.pyc
│   │   ├── test_reindex.cpython-312.pyc
│   │   └── test_setops.cpython-312.pyc
│   ├── __init__.py
│   ├── test_append.py
│   ├── test_astype.py
│   ├── test_category.py
│   ├── test_constructors.py
│   ├── test_equals.py
│   ├── test_fillna.py
│   ├── test_formats.py
│   ├── test_indexing.py
│   ├── test_map.py
│   ├── test_reindex.py
│   └── test_setops.py
├── datetimelike/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── test_drop_duplicates.cpython-312.pyc
│   │   ├── test_equals.cpython-312.pyc
│   │   ├── test_indexing.cpython-312.pyc
│   │   ├── test_is_monotonic.cpython-312.pyc
│   │   ├── test_nat.cpython-312.pyc
│   │   ├── test_sort_values.cpython-312.pyc
│   │   └── test_value_counts.cpython-312.pyc
│   ├── __init__.py
│   ├── test_drop_duplicates.py
│   ├── test_equals.py
│   ├── test_indexing.py
│   ├── test_is_monotonic.py
│   ├── test_nat.py
│   ├── test_sort_values.py
│   └── test_value_counts.py
├── datetimes/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── test_arithmetic.cpython-312.pyc
│   │   ├── test_constructors.cpython-312.pyc
│   │   ├── test_date_range.cpython-312.pyc
│   │   ├── test_datetime.cpython-312.pyc
│   │   ├── test_formats.cpython-312.pyc
│   │   ├── test_freq_attr.cpython-312.pyc
│   │   ├── test_indexing.cpython-312.pyc
│   │   ├── test_iter.cpython-312.pyc
│   │   ├── test_join.cpython-312.pyc
│   │   ├── test_npfuncs.cpython-312.pyc
│   │   ├── test_ops.cpython-312.pyc
│   │   ├── test_partial_slicing.cpython-312.pyc
│   │   ├── test_pickle.cpython-312.pyc
│   │   ├── test_reindex.cpython-312.pyc
│   │   ├── test_scalar_compat.cpython-312.pyc
│   │   ├── test_setops.cpython-312.pyc
│   │   └── test_timezones.cpython-312.pyc
│   ├── methods/
│   │   ├── __pycache__/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   ├── test_asof.cpython-312.pyc
│   │   │   ├── test_astype.cpython-312.pyc
│   │   │   ├── test_delete.cpython-312.pyc
│   │   │   ├── test_factorize.cpython-312.pyc
│   │   │   ├── test_fillna.cpython-312.pyc
│   │   │   ├── test_insert.cpython-312.pyc
│   │   │   ├── test_isocalendar.cpython-312.pyc
│   │   │   ├── test_map.cpython-312.pyc
│   │   │   ├── test_normalize.cpython-312.pyc
│   │   │   ├── test_repeat.cpython-312.pyc
│   │   │   ├── test_resolution.cpython-312.pyc
│   │   │   ├── test_round.cpython-312.pyc
│   │   │   ├── test_shift.cpython-312.pyc
│   │   │   ├── test_snap.cpython-312.pyc
│   │   │   ├── test_to_frame.cpython-312.pyc
│   │   │   └── test_to_julian_date.cpython-312.pyc
```

- test\_to\_period.cpython-312.pyc
  - test\_to\_pydatetime.cpython-312.pyc
  - test\_to\_series.cpython-312.pyc
  - test\_tz\_convert.cpython-312.pyc
  - test\_tz\_localize.cpython-312.pyc
  - test\_unique.cpython-312.pyc
- \_\_init\_\_.py
- test\_asof.py
- test\_astype.py
- test\_delete.py
- test\_factorize.py
- test\_fillna.py
- test\_insert.py
- test\_isocalendar.py
- test\_map.py
- test\_normalize.py
- test\_repeat.py
- test\_resolution.py
- test\_round.py
- test\_shift.py
- test\_snap.py
- test\_to\_frame.py
- test\_to\_julian\_date.py
- test\_to\_period.py
- test\_to\_pydatetime.py
- test\_to\_series.py
- test\_tz\_convert.py
- test\_tz\_localize.py
- test\_unique.py
- \_\_init\_\_.py
- test\_arithmetic.py
- test\_constructors.py
- test\_date\_range.py
- test\_datetime.py
- test\_formats.py
- test\_freq\_attr.py
- test\_indexing.py
- test\_iter.py
- test\_join.py
- test\_npfuns.py
- test\_ops.py
- test\_partial\_slicing.py
- test\_pickle.py
- test\_reindex.py
- test\_scalar\_compat.py
- test\_setops.py
- test\_timezones.py
- interval/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_astype.cpython-312.pyc
    - test\_constructors.cpython-312.pyc
    - test\_equals.cpython-312.pyc
    - test\_formats.cpython-312.pyc
    - test\_indexing.cpython-312.pyc
    - test\_interval.cpython-312.pyc
    - test\_interval\_range.cpython-312.pyc
    - test\_interval\_tree.cpython-312.pyc
    - test\_join.cpython-312.pyc
    - test\_pickle.cpython-312.pyc
    - test\_setops.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_astype.py
  - test\_constructors.py
  - test\_equals.py
  - test\_formats.py
  - test\_indexing.py
  - test\_interval.py
  - test\_interval\_range.py
  - test\_interval\_tree.py
  - test\_join.py
  - test\_pickle.py
  - test\_setops.py
- multi/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_analytics.cpython-312.pyc
    - test\_astype.cpython-312.pyc
    - test\_compat.cpython-312.pyc
    - test\_constructors.cpython-312.pyc
    - test\_conversion.cpython-312.pyc
    - test\_copy.cpython-312.pyc
    - test\_drop.cpython-312.pyc
    - test\_duplicates.cpython-312.pyc

- test\_equivalence.cpython-312.pyc
- test\_formats.cpython-312.pyc
- test\_get\_level\_values.cpython-312.pyc
- test\_get\_set.cpython-312.pyc
- test\_indexing.cpython-312.pyc
- test\_integrity.cpython-312.pyc
- test\_isin.cpython-312.pyc
- test\_join.cpython-312.pyc
- test\_lexsort.cpython-312.pyc
- test\_missing.cpython-312.pyc
- test\_monotonic.cpython-312.pyc
- test\_names.cpython-312.pyc
- test\_partial\_indexing.cpython-312.pyc
- test\_pickle.cpython-312.pyc
- test\_reindex.cpython-312.pyc
- test\_reshape.cpython-312.pyc
- test\_setops.cpython-312.pyc
- test\_sorting.cpython-312.pyc
- test\_take.cpython-312.pyc
- test\_util.cpython-312.pyc
- \_\_init\_\_.py
- conftest.py
- test\_analytics.py
- test\_astype.py
- test\_compat.py
- test\_constructors.py
- test\_conversion.py
- test\_copy.py
- test\_drop.py
- test\_duplicates.py
- test\_equivalence.py
- test\_formats.py
- test\_get\_level\_values.py
- test\_get\_set.py
- test\_indexing.py
- test\_integrity.py
- test\_isin.py
- test\_join.py
- test\_lexsort.py
- test\_missing.py
- test\_monotonic.py
- test\_names.py
- test\_partial\_indexing.py
- test\_pickle.py
- test\_reindex.py
- test\_reshape.py
- test\_setops.py
- test\_sorting.py
- test\_take.py
- test\_util.py
- numeric/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_astype.cpython-312.pyc
    - test\_indexing.cpython-312.pyc
    - test\_join.cpython-312.pyc
    - test\_numeric.cpython-312.pyc
    - test\_setops.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_astype.py
  - test\_indexing.py
  - test\_join.py
  - test\_numeric.py
  - test\_setops.py
- object/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_astype.cpython-312.pyc
    - test\_indexing.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_astype.py
  - test\_indexing.py
- period/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_constructors.cpython-312.pyc
    - test\_formats.cpython-312.pyc
    - test\_freq\_attr.cpython-312.pyc
    - test\_indexing.cpython-312.pyc
    - test\_join.cpython-312.pyc
    - test\_monotonic.cpython-312.pyc
    - test\_partial\_slicing.cpython-312.pyc
    - test\_period.cpython-312.pyc
    - test\_period\_range.cpython-312.pyc
    - test\_pickle.cpython-312.pyc

- └─ test\_resolution.cpython-312.pyc
- └─ test\_scalar\_compat.cpython-312.pyc
- └─ test\_searchsorted.cpython-312.pyc
- └─ test\_setops.cpython-312.pyc
- └─ test\_tools.cpython-312.pyc
- └─ methods/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_asfreq.cpython-312.pyc
    - └─ test\_astype.cpython-312.pyc
    - └─ test\_factorize.cpython-312.pyc
    - └─ test\_fillna.cpython-312.pyc
    - └─ test\_insert.cpython-312.pyc
    - └─ test\_is\_full.cpython-312.pyc
    - └─ test\_repeat.cpython-312.pyc
    - └─ test\_shift.cpython-312.pyc
    - └─ test\_to\_timestamp.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_asfreq.py
  - └─ test\_astype.py
  - └─ test\_factorize.py
  - └─ test\_fillna.py
  - └─ test\_insert.py
  - └─ test\_is\_full.py
  - └─ test\_repeat.py
  - └─ test\_shift.py
  - └─ test\_to\_timestamp.py
- └─ \_\_init\_\_.py
- └─ test\_constructors.py
- └─ test\_formats.py
- └─ test\_freq\_attr.py
- └─ test\_indexing.py
- └─ test\_join.py
- └─ test\_monotonic.py
- └─ test\_partial\_slicing.py
- └─ test\_period.py
- └─ test\_period\_range.py
- └─ test\_pickle.py
- └─ test\_resolution.py
- └─ test\_scalar\_compat.py
- └─ test\_searchsorted.py
- └─ test\_setops.py
- └─ test\_tools.py
- └─ ranges/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_constructors.cpython-312.pyc
    - └─ test\_indexing.cpython-312.pyc
    - └─ test\_join.cpython-312.pyc
    - └─ test\_range.cpython-312.pyc
    - └─ test\_setops.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_constructors.py
  - └─ test\_indexing.py
  - └─ test\_join.py
  - └─ test\_range.py
  - └─ test\_setops.py
- └─ string/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_astype.cpython-312.pyc
    - └─ test\_indexing.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_astype.py
  - └─ test\_indexing.py
- └─ timedeltas/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_arithmetic.cpython-312.pyc
    - └─ test\_constructors.cpython-312.pyc
    - └─ test\_delete.cpython-312.pyc
    - └─ test\_formats.cpython-312.pyc
    - └─ test\_freq\_attr.cpython-312.pyc
    - └─ test\_indexing.cpython-312.pyc
    - └─ test\_join.cpython-312.pyc
    - └─ test\_ops.cpython-312.pyc
    - └─ test\_pickle.cpython-312.pyc
    - └─ test\_scalar\_compat.cpython-312.pyc
    - └─ test\_searchsorted.cpython-312.pyc
    - └─ test\_setops.cpython-312.pyc
    - └─ test\_timedelta.cpython-312.pyc
    - └─ test\_timedelta\_range.cpython-312.pyc
  - └─ methods/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc



- test\_astype.cpython-312.pyc
  - test\_factorize.cpython-312.pyc
  - test\_fillna.cpython-312.pyc
  - test\_insert.cpython-312.pyc
  - test\_repeat.cpython-312.pyc
  - test\_shift.cpython-312.pyc
- \_\_init\_\_.py
- test\_astype.py
- test\_factorize.py
- test\_fillna.py
- test\_insert.py
- test\_repeat.py
- test\_shift.py
- \_\_init\_\_.py
- test\_arithmetic.py
- test\_constructors.py
- test\_delete.py
- test\_formats.py
- test\_freq\_attr.py
- test\_indexing.py
- test\_join.py
- test\_ops.py
- test\_pickle.py
- test\_scalar\_compat.py
- test\_searchsorted.py
- test\_setops.py
- test\_timedelta.py
- test\_timedelta\_range.py
- \_\_init\_\_.py
- conftest.py
- test\_any\_index.py
- test\_base.py
- test\_common.py
- test\_datetimelike.py
- test\_engines.py
- test\_frozen.py
- test\_index\_new.py
- test\_indexing.py
- test\_numpy\_compat.py
- test\_old\_base.py
- test\_setops.py
- test\_subclass.py
- indexing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - common.cpython-312.pyc
    - test\_at.cpython-312.pyc
    - test\_categorical.cpython-312.pyc
    - test\_chaining\_and\_caching.cpython-312.pyc
    - test\_check\_indexer.cpython-312.pyc
    - test\_coercion.cpython-312.pyc
    - test\_datetime.cpython-312.pyc
    - test\_floats.cpython-312.pyc
    - test\_iat.cpython-312.pyc
    - test\_iloc.cpython-312.pyc
    - test\_indexers.cpython-312.pyc
    - test\_indexing.cpython-312.pyc
    - test\_loc.cpython-312.pyc
    - test\_na\_indexing.cpython-312.pyc
    - test\_partial.cpython-312.pyc
    - test\_scalar.cpython-312.pyc
- interval/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_interval.cpython-312.pyc
    - test\_interval\_new.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_interval.py
  - test\_interval\_new.py
- multiindex/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_chaining\_and\_caching.cpython-312.pyc
    - test\_datetime.cpython-312.pyc
    - test\_getitem.cpython-312.pyc
    - test\_iloc.cpython-312.pyc
    - test\_indexing\_slow.cpython-312.pyc
    - test\_loc.cpython-312.pyc
    - test\_multiindex.cpython-312.pyc
    - test\_partial.cpython-312.pyc
    - test\_setitem.cpython-312.pyc
    - test\_slice.cpython-312.pyc
    - test\_sorted.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_chaining\_and\_caching.py

- test\_datetime.py
- test\_getitem.py
- test\_iloc.py
- test\_indexing\_slow.py
- test\_loc.py
- test\_multiindex.py
- test\_partial.py
- test\_setitem.py
- test\_slice.py
- test\_sorted.py
- \_\_init\_\_.py
- common.py
- test\_at.py
- test\_categorical.py
- test\_chaining\_and\_caching.py
- test\_check\_indexer.py
- test\_coercion.py
- test\_datetime.py
- test\_floats.py
- test\_iat.py
- test\_iloc.py
- test\_indexers.py
- test\_indexing.py
- test\_loc.py
- test\_na\_indexing.py
- test\_partial.py
- test\_scalar.py
- interchange/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_impl.cpython-312.pyc
    - test\_spec\_conformance.cpython-312.pyc
    - test\_utils.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_impl.py
  - test\_spec\_conformance.py
  - test\_utils.py
- internals/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_api.cpython-312.pyc
    - test\_internals.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_api.py
  - test\_internals.py
- io/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - generate\_legacy\_storage\_files.cpython-312.pyc
    - test\_clipboard.cpython-312.pyc
    - test\_common.cpython-312.pyc
    - test\_compression.cpython-312.pyc
    - test\_feather.cpython-312.pyc
    - test\_fsspec.cpython-312.pyc
    - test\_gcs.cpython-312.pyc
    - test\_html.cpython-312.pyc
    - test\_http\_headers.cpython-312.pyc
    - test\_iceberg.cpython-312.pyc
    - test\_orc.cpython-312.pyc
    - test\_parquet.cpython-312.pyc
    - test\_pickle.cpython-312.pyc
    - test\_s3.cpython-312.pyc
    - test\_spss.cpython-312.pyc
    - test\_sql.cpython-312.pyc
    - test\_stata.cpython-312.pyc
    - test\_util.cpython-312.pyc
- excel/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_odf.cpython-312.pyc
    - test\_odswriter.cpython-312.pyc
    - test\_openpyxl.cpython-312.pyc
    - test\_readers.cpython-312.pyc
    - test\_style.cpython-312.pyc
    - test\_writers.cpython-312.pyc
    - test\_xlrd.cpython-312.pyc
    - test\_xlsxwriter.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_odf.py
  - test\_odswriter.py
  - test\_openpyxl.py
  - test\_readers.py
  - test\_style.py
  - test\_writers.py

- └─ test\_xlrd.py
- └─ test\_xlsxwriter.py
- ─ formats/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_console.cpython-312.pyc
    - └─ test\_css.cpython-312.pyc
    - └─ test\_eng\_formatting.cpython-312.pyc
    - └─ test\_format.cpython-312.pyc
    - └─ test\_ipython\_compat.cpython-312.pyc
    - └─ test\_printing.cpython-312.pyc
    - └─ test\_to\_csv.cpython-312.pyc
    - └─ test\_to\_excel.cpython-312.pyc
    - └─ test\_to\_html.cpython-312.pyc
    - └─ test\_to\_latex.cpython-312.pyc
    - └─ test\_to\_markdown.cpython-312.pyc
    - └─ test\_to\_string.cpython-312.pyc
  - └─ style/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ test\_bar.cpython-312.pyc
      - └─ test\_exceptions.cpython-312.pyc
      - └─ test\_format.cpython-312.pyc
      - └─ test\_highlight.cpython-312.pyc
      - └─ test\_html.cpython-312.pyc
      - └─ test\_matplotlib.cpython-312.pyc
      - └─ test\_non\_unique.cpython-312.pyc
      - └─ test\_style.cpython-312.pyc
      - └─ test\_to\_latex.cpython-312.pyc
      - └─ test\_to\_string.cpython-312.pyc
      - └─ test\_to\_typst.cpython-312.pyc
      - └─ test\_tooltip.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_bar.py
    - └─ test\_exceptions.py
    - └─ test\_format.py
    - └─ test\_highlight.py
    - └─ test\_html.py
    - └─ test\_matplotlib.py
    - └─ test\_non\_unique.py
    - └─ test\_style.py
    - └─ test\_to\_latex.py
    - └─ test\_to\_string.py
    - └─ test\_to\_typst.py
    - └─ test\_tooltip.py
  - └─ \_\_init\_\_.py
  - └─ test\_console.py
  - └─ test\_css.py
  - └─ test\_eng\_formatting.py
  - └─ test\_format.py
  - └─ test\_ipython\_compat.py
  - └─ test\_printing.py
  - └─ test\_to\_csv.py
  - └─ test\_to\_excel.py
  - └─ test\_to\_html.py
  - └─ test\_to\_latex.py
  - └─ test\_to\_markdown.py
  - └─ test\_to\_string.py
- ─ json/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ conftest.cpython-312.pyc
    - └─ test\_compression.cpython-312.pyc
    - └─ test\_deprecated\_kwargs.cpython-312.pyc
    - └─ test\_json\_table\_schema.cpython-312.pyc
    - └─ test\_json\_table\_schema\_ext\_dtype.cpython-312.pyc
    - └─ test\_normalize.cpython-312.pyc
    - └─ test\_pandas.cpython-312.pyc
    - └─ test\_readlines.cpython-312.pyc
    - └─ test\_ujson.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ conftest.py
  - └─ test\_compression.py
  - └─ test\_deprecated\_kwargs.py
  - └─ test\_json\_table\_schema.py
  - └─ test\_json\_table\_schema\_ext\_dtype.py
  - └─ test\_normalize.py
  - └─ test\_pandas.py
  - └─ test\_readlines.py
  - └─ test\_ujson.py
- ─ parser/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ conftest.cpython-312.pyc
    - └─ test\_c\_parser\_only.cpython-312.pyc

- test\_comment.cpython-312.pyc
- test\_compression.cpython-312.pyc
- test\_concatenate\_chunks.cpython-312.pyc
- test\_converters.cpython-312.pyc
- test\_dialect.cpython-312.pyc
- test\_encoding.cpython-312.pyc
- test\_header.cpython-312.pyc
- test\_index\_col.cpython-312.pyc
- test\_mangle\_dupes.cpython-312.pyc
- test\_multi\_thread.cpython-312.pyc
- test\_na\_values.cpython-312.pyc
- test\_network.cpython-312.pyc
- test\_parse\_dates.cpython-312.pyc
- test\_python\_parser\_only.cpython-312.pyc
- test\_quoting.cpython-312.pyc
- test\_read\_fwf.cpython-312.pyc
- test\_skiprows.cpython-312.pyc
- test\_textreader.cpython-312.pyc
- test\_unsupported.cpython-312.pyc
- test\_upcast.cpython-312.pyc
- common/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_chunksize.cpython-312.pyc
    - test\_common\_basic.cpython-312.pyc
    - test\_data\_list.cpython-312.pyc
    - test\_decimal.cpython-312.pyc
    - test\_file\_buffer\_url.cpython-312.pyc
    - test\_float.cpython-312.pyc
    - test\_index.cpython-312.pyc
    - test\_inf.cpython-312.pyc
    - test\_ints.cpython-312.pyc
    - test\_iterator.cpython-312.pyc
    - test\_read\_errors.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_chunksize.py
  - test\_common\_basic.py
  - test\_data\_list.py
  - test\_decimal.py
  - test\_file\_buffer\_url.py
  - test\_float.py
  - test\_index.py
  - test\_inf.py
  - test\_ints.py
  - test\_iterator.py
  - test\_read\_errors.py
- dtypes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_categorical.cpython-312.pyc
    - test\_dtypes\_basic.cpython-312.pyc
    - test\_empty.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_categorical.py
  - test\_dtypes\_basic.py
  - test\_empty.py
- usecols/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_parse\_dates.cpython-312.pyc
    - test\_strings.cpython-312.pyc
    - test\_usecols\_basic.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_parse\_dates.py
  - test\_strings.py
  - test\_usecols\_basic.py
- \_\_init\_\_.py
- conftest.py
- test\_c\_parser\_only.py
- test\_comment.py
- test\_compression.py
- test\_concatenate\_chunks.py
- test\_converters.py
- test\_dialect.py
- test\_encoding.py
- test\_header.py
- test\_index\_col.py
- test\_mangle\_dupes.py
- test\_multi\_thread.py
- test\_na\_values.py
- test\_network.py
- test\_parse\_dates.py
- test\_python\_parser\_only.py
- test\_quoting.py
- test\_read\_fwf.py

- test\_skiprows.py
- test\_textreader.py
- test\_unsupported.py
- test\_upcast.py
- pytables/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - common.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_append.cpython-312.pyc
    - test\_categorical.cpython-312.pyc
    - test\_compat.cpython-312.pyc
    - test\_complex.cpython-312.pyc
    - test\_errors.cpython-312.pyc
    - test\_file\_handling.cpython-312.pyc
    - test\_keys.cpython-312.pyc
    - test\_put.cpython-312.pyc
    - test\_pytables\_missing.cpython-312.pyc
    - test\_read.cpython-312.pyc
    - test\_retain\_attributes.cpython-312.pyc
    - test\_round\_trip.cpython-312.pyc
    - test\_select.cpython-312.pyc
    - test\_store.cpython-312.pyc
    - test\_subclass.cpython-312.pyc
    - test\_time\_series.cpython-312.pyc
    - test\_timezones.cpython-312.pyc
  - \_\_init\_\_.py
  - common.py
  - conftest.py
  - test\_append.py
  - test\_categorical.py
  - test\_compat.py
  - test\_complex.py
  - test\_errors.py
  - test\_file\_handling.py
  - test\_keys.py
  - test\_put.py
  - test\_pytables\_missing.py
  - test\_read.py
  - test\_retain\_attributes.py
  - test\_round\_trip.py
  - test\_select.py
  - test\_store.py
  - test\_subclass.py
  - test\_time\_series.py
  - test\_timezones.py
- sas/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_byteswap.cpython-312.pyc
    - test\_sas.cpython-312.pyc
    - test\_sas7bdat.cpython-312.pyc
    - test\_xport.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_byteswap.py
  - test\_sas.py
  - test\_sas7bdat.py
  - test\_xport.py
- xml/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_to\_xml.cpython-312.pyc
    - test\_xml.cpython-312.pyc
    - test\_xml\_dtypes.cpython-312.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_to\_xml.py
  - test\_xml.py
  - test\_xml\_dtypes.py
- \_\_init\_\_.py
- conftest.py
- generate\_legacy\_storage\_files.py
- test\_clipboard.py
- test\_common.py
- test\_compression.py
- test\_feather.py
- test\_fsspec.py
- test\_gcs.py
- test\_html.py
- test\_http\_headers.py
- test\_iceberg.py
- test\_orc.py
- test\_parquet.py
- test\_pickle.py

- test\_s3.py
- test\_spss.py
- test\_sql.py
- test\_stata.py
- test\_util.py
- libs/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_hashtable.cpython-312.pyc
    - test\_join.cpython-312.pyc
    - test\_lib.cpython-312.pyc
    - test\_libalgos.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_hashtable.py
  - test\_join.py
  - test\_lib.py
  - test\_libalgos.py
- plotting/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - common.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_backend.cpython-312.pyc
    - test\_boxplot\_method.cpython-312.pyc
    - test\_common.cpython-312.pyc
    - test\_converter.cpython-312.pyc
    - test\_datetimelike.cpython-312.pyc
    - test\_groupby.cpython-312.pyc
    - test\_hist\_method.cpython-312.pyc
    - test\_misc.cpython-312.pyc
    - test\_series.cpython-312.pyc
    - test\_style.cpython-312.pyc
  - frame/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_frame.cpython-312.pyc
      - test\_frame\_color.cpython-312.pyc
      - test\_frame\_groupby.cpython-312.pyc
      - test\_frame\_legend.cpython-312.pyc
      - test\_frame\_subplots.cpython-312.pyc
      - test\_hist\_box\_by.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_frame.py
    - test\_frame\_color.py
    - test\_frame\_groupby.py
    - test\_frame\_legend.py
    - test\_frame\_subplots.py
    - test\_hist\_box\_by.py
  - \_\_init\_\_.py
  - common.py
  - conftest.py
  - test\_backend.py
  - test\_boxplot\_method.py
  - test\_common.py
  - test\_converter.py
  - test\_datetimelike.py
  - test\_groupby.py
  - test\_hist\_method.py
  - test\_misc.py
  - test\_series.py
  - test\_style.py
- reductions/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_reductions.cpython-312.pyc
    - test\_stat\_reductions.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_reductions.py
  - test\_stat\_reductions.py
- resample/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_base.cpython-312.pyc
    - test\_datetime\_index.cpython-312.pyc
    - test\_period\_index.cpython-312.pyc
    - test\_resample\_api.cpython-312.pyc
    - test\_resampler\_grouper.cpython-312.pyc
    - test\_time\_grouper.cpython-312.pyc
    - test\_timedelta.cpython-312.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_base.py
  - test\_datetime\_index.py
  - test\_period\_index.py

- test\_resample\_api.py
- test\_resampler\_grouper.py
- test\_time\_grouper.py
- test\_timedelta.py
- reshape/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_crosstab.cpython-312.pyc
    - test\_cut.cpython-312.pyc
    - test\_from\_dummies.cpython-312.pyc
    - test\_get\_dummies.cpython-312.pyc
    - test\_melt.cpython-312.pyc
    - test\_pivot.cpython-312.pyc
    - test\_pivot\_multilevel.cpython-312.pyc
    - test\_qcut.cpython-312.pyc
    - test\_union\_categoricals.cpython-312.pyc
  - concat/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_append.cpython-312.pyc
      - test\_append\_common.cpython-312.pyc
      - test\_categorical.cpython-312.pyc
      - test\_concat.cpython-312.pyc
      - test\_dataframe.cpython-312.pyc
      - test\_datetimes.cpython-312.pyc
      - test\_empty.cpython-312.pyc
      - test\_index.cpython-312.pyc
      - test\_invalid.cpython-312.pyc
      - test\_series.cpython-312.pyc
      - test\_sort.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_append.py
    - test\_append\_common.py
    - test\_categorical.py
    - test\_concat.py
    - test\_dataframe.py
    - test\_datetimes.py
    - test\_empty.py
    - test\_index.py
    - test\_invalid.py
    - test\_series.py
    - test\_sort.py
  - merge/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_join.cpython-312.pyc
      - test\_merge.cpython-312.pyc
      - test\_merge\_antijoin.cpython-312.pyc
      - test\_merge\_asof.cpython-312.pyc
      - test\_merge\_cross.cpython-312.pyc
      - test\_merge\_index\_as\_string.cpython-312.pyc
      - test\_merge\_ordered.cpython-312.pyc
      - test\_multi.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_join.py
    - test\_merge.py
    - test\_merge\_antijoin.py
    - test\_merge\_asof.py
    - test\_merge\_cross.py
    - test\_merge\_index\_as\_string.py
    - test\_merge\_ordered.py
    - test\_multi.py
  - \_\_init\_\_.py
  - test\_crosstab.py
  - test\_cut.py
  - test\_from\_dummies.py
  - test\_get\_dummies.py
  - test\_melt.py
  - test\_pivot.py
  - test\_pivot\_multilevel.py
  - test\_qcut.py
  - test\_union\_categoricals.py
- scalar/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_na\_scalar.cpython-312.pyc
    - test\_nat.cpython-312.pyc
  - interval/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_arithmetic.cpython-312.pyc
      - test\_constructors.cpython-312.pyc
      - test\_contains.cpython-312.pyc
      - test\_formats.cpython-312.pyc
      - test\_interval.cpython-312.pyc

- └─ test\_overlaps.cpython-312.pyc
  - ─ \_\_init\_\_.py
  - ─ test\_arithmetic.py
  - ─ test\_constructors.py
  - ─ test\_contains.py
  - ─ test\_formats.py
  - ─ test\_interval.py
  - ─ test\_overlaps.py
- ─ period/
  - ─ pycache\_/
      - ─ \_\_init\_\_.cpython-312.pyc
      - ─ test\_arithmetic.cpython-312.pyc
      - ─ test\_asfreq.cpython-312.pyc
      - ─ test\_period.cpython-312.pyc
    - ─ \_\_init\_\_.py
    - ─ test\_arithmetic.py
    - ─ test\_asfreq.py
    - ─ test\_period.py
  - ─ timedelta/
    - ─ pycache\_/
        - ─ \_\_init\_\_.cpython-312.pyc
        - ─ test\_arithmetic.cpython-312.pyc
        - ─ test\_constructors.cpython-312.pyc
        - ─ test\_formats.cpython-312.pyc
        - ─ test\_timedelta.cpython-312.pyc
    - ─ methods/
      - ─ pycache\_/
          - ─ \_\_init\_\_.cpython-312.pyc
          - ─ test\_as\_unit.cpython-312.pyc
          - ─ test\_round.cpython-312.pyc
        - ─ \_\_init\_\_.py
        - ─ test\_as\_unit.py
        - ─ test\_round.py
      - ─ \_\_init\_\_.py
      - ─ test\_arithmetic.py
      - ─ test\_constructors.py
      - ─ test\_formats.py
      - ─ test\_timedelta.py
  - ─ timestamp/
    - ─ pycache\_/
        - ─ \_\_init\_\_.cpython-312.pyc
        - ─ test\_arithmetic.cpython-312.pyc
        - ─ test\_comparisons.cpython-312.pyc
        - ─ test\_constructors.cpython-312.pyc
        - ─ test\_formats.cpython-312.pyc
        - ─ test\_timestamp.cpython-312.pyc
        - ─ test\_timezones.cpython-312.pyc
    - ─ methods/
      - ─ pycache\_/
          - ─ \_\_init\_\_.cpython-312.pyc
          - ─ test\_as\_unit.cpython-312.pyc
          - ─ test\_normalize.cpython-312.pyc
          - ─ test\_replace.cpython-312.pyc
          - ─ test\_round.cpython-312.pyc
          - ─ test\_timestamp\_method.cpython-312.pyc
          - ─ test\_to\_julian\_date.cpython-312.pyc
          - ─ test\_to\_pydatetime.cpython-312.pyc
          - ─ test\_tz\_convert.cpython-312.pyc
          - ─ test\_tz\_localize.cpython-312.pyc
      - ─ \_\_init\_\_.py
      - ─ test\_as\_unit.py
      - ─ test\_normalize.py
      - ─ test\_replace.py
      - ─ test\_round.py
      - ─ test\_timestamp\_method.py
      - ─ test\_to\_julian\_date.py
      - ─ test\_to\_pydatetime.py
      - ─ test\_tz\_convert.py
      - ─ test\_tz\_localize.py
    - ─ \_\_init\_\_.py
    - ─ test\_arithmetic.py
    - ─ test\_comparisons.py
    - ─ test\_constructors.py
    - ─ test\_formats.py
    - ─ test\_timestamp.py
    - ─ test\_timezones.py
  - ─ \_\_init\_\_.py
  - ─ test\_na\_scalar.py
  - ─ test\_nat.py
- ─ series/
  - ─ pycache\_/
      - ─ \_\_init\_\_.cpython-312.pyc
      - ─ test\_api.cpython-312.pyc
      - ─ test\_arithmetic.cpython-312.pyc
      - ─ test\_arrow\_interface.cpython-312.pyc



- test\_constructors.cpython-312.pyc
- test\_cumulative.cpython-312.pyc
- test\_formats.cpython-312.pyc
- test\_iteration.cpython-312.pyc
- test\_logical\_ops.cpython-312.pyc
- test\_missing.cpython-312.pyc
- test\_npfuncs.cpython-312.pyc
- test\_reductions.cpython-312.pyc
- test\_subclass.cpython-312.pyc
- test\_ufunc.cpython-312.pyc
- test\_unary.cpython-312.pyc
- test\_validate.cpython-312.pyc
- accessors/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_cat\_accessor.cpython-312.pyc
    - test\_dt\_accessor.cpython-312.pyc
    - test\_list\_accessor.cpython-312.pyc
    - test\_sparse\_accessor.cpython-312.pyc
    - test\_str\_accessor.cpython-312.pyc
    - test\_struct\_accessor.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_cat\_accessor.py
  - test\_dt\_accessor.py
  - test\_list\_accessor.py
  - test\_sparse\_accessor.py
  - test\_str\_accessor.py
  - test\_struct\_accessor.py
- indexing/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_datetime.cpython-312.pyc
    - test\_delitem.cpython-312.pyc
    - test\_get.cpython-312.pyc
    - test\_getitem.cpython-312.pyc
    - test\_indexing.cpython-312.pyc
    - test\_mask.cpython-312.pyc
    - test\_set\_value.cpython-312.pyc
    - test\_setitem.cpython-312.pyc
    - test\_take.cpython-312.pyc
    - test\_where.cpython-312.pyc
    - test\_xs.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_datetime.py
  - test\_delitem.py
  - test\_get.py
  - test\_getitem.py
  - test\_indexing.py
  - test\_mask.py
  - test\_set\_value.py
  - test\_setitem.py
  - test\_take.py
  - test\_where.py
  - test\_xs.py
- methods/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_add\_prefix\_suffix.cpython-312.pyc
    - test\_align.cpython-312.pyc
    - test\_argsort.cpython-312.pyc
    - test\_asof.cpython-312.pyc
    - test\_astype.cpython-312.pyc
    - test\_autocorr.cpython-312.pyc
    - test\_between.cpython-312.pyc
    - test\_case\_when.cpython-312.pyc
    - test\_clip.cpython-312.pyc
    - test\_combine.cpython-312.pyc
    - test\_combine\_first.cpython-312.pyc
    - test\_compare.cpython-312.pyc
    - test\_convert\_dtypes.cpython-312.pyc
    - test\_copy.cpython-312.pyc
    - test\_count.cpython-312.pyc
    - test\_cov\_corr.cpython-312.pyc
    - test\_describe.cpython-312.pyc
    - test\_diff.cpython-312.pyc
    - test\_drop.cpython-312.pyc
    - test\_drop\_duplicates.cpython-312.pyc
    - test\_dropna.cpython-312.pyc
    - test\_dtypes.cpython-312.pyc
    - test\_duplicated.cpython-312.pyc
    - test\_equals.cpython-312.pyc
    - test\_explode.cpython-312.pyc
    - test\_fillna.cpython-312.pyc
    - test\_get\_numeric\_data.cpython-312.pyc
    - test\_head\_tail.cpython-312.pyc

```
— test_infer_objects.cpython-312.pyc
— test_info.cpython-312.pyc
— test_interpolate.cpython-312.pyc
— test_is_monotonic.cpython-312.pyc
— test_is_unique.cpython-312.pyc
— test_isin.cpython-312.pyc
— test_isna.cpython-312.pyc
— test_item.cpython-312.pyc
— test_map.cpython-312.pyc
— test_matmul.cpython-312.pyc
— test_nlargest.cpython-312.pyc
— test_nunique.cpython-312.pyc
— test_pct_change.cpython-312.pyc
— test_pop.cpython-312.pyc
— test_quantile.cpython-312.pyc
— test_rank.cpython-312.pyc
— test_reindex.cpython-312.pyc
— test_reindex_like.cpython-312.pyc
— test_rename.cpython-312.pyc
— test_rename_axis.cpython-312.pyc
— test_repeat.cpython-312.pyc
— test_replace.cpython-312.pyc
— test_reset_index.cpython-312.pyc
— test_round.cpython-312.pyc
— test_searchsorted.cpython-312.pyc
— test_set_name.cpython-312.pyc
— test_size.cpython-312.pyc
— test_sort_index.cpython-312.pyc
— test_sort_values.cpython-312.pyc
— test_to_csv.cpython-312.pyc
— test_to_dict.cpython-312.pyc
— test_to_frame.cpython-312.pyc
— test_to_numpy.cpython-312.pyc
— test_tolist.cpython-312.pyc
— test_truncate.cpython-312.pyc
— test_tz_localize.cpython-312.pyc
— test_unique.cpython-312.pyc
— test_unstack.cpython-312.pyc
— test_update.cpython-312.pyc
— test_value_counts.cpython-312.pyc
— test_values.cpython-312.pyc
— __init__.py
— test_add_prefix_suffix.py
— test_align.py
— test_argsort.py
— test_asof.py
— test_astype.py
— test_autocorr.py
— test_between.py
— test_case_when.py
— test_clip.py
— test_combine.py
— test_combine_first.py
— test_compare.py
— test_convert_dtypes.py
— test_copy.py
— test_count.py
— test_cov_corr.py
— test_describe.py
— test_diff.py
— test_drop.py
— test_drop_duplicates.py
— test_dropna.py
— test_dtypes.py
— test_duplicated.py
— test_equals.py
— test_explode.py
— test_fillna.py
— test_get_numeric_data.py
— test_head_tail.py
— test_infer_objects.py
— test_info.py
— test_interpolate.py
— test_is_monotonic.py
— test_is_unique.py
— test_isin.py
— test_isna.py
— test_item.py
— test_map.py
— test_matmul.py
— test_nlargest.py
— test_nunique.py
— test_pct_change.py
— test_pop.py
— test_quantile.py
```

- test\_rank.py
- test\_reindex.py
- test\_reindex\_like.py
- test\_rename.py
- test\_rename\_axis.py
- test\_repeat.py
- test\_replace.py
- test\_reset\_index.py
- test\_round.py
- test\_searchsorted.py
- test\_set\_name.py
- test\_size.py
- test\_sort\_index.py
- test\_sort\_values.py
- test\_to\_csv.py
- test\_to\_dict.py
- test\_to\_frame.py
- test\_to\_numpy.py
- test\_tolist.py
- test\_truncate.py
- test\_tz\_localize.py
- test\_unique.py
- test\_unstack.py
- test\_update.py
- test\_value\_counts.py
- test\_values.py
- \_\_init\_\_.py
- test\_api.py
- test\_arithmetic.py
- test\_arrow\_interface.py
- test\_constructors.py
- test\_cumulative.py
- test\_formats.py
- test\_iteration.py
- test\_logical\_ops.py
- test\_missing.py
- test\_npfuncs.py
- test\_reductions.py
- test\_subclass.py
- test\_ufunc.py
- test\_unary.py
- test\_validate.py
- strings/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_api.cpython-312.pyc
    - test\_case\_justify.cpython-312.pyc
    - test\_cat.cpython-312.pyc
    - test\_extract.cpython-312.pyc
    - test\_find\_replace.cpython-312.pyc
    - test\_get\_dummies.cpython-312.pyc
    - test\_split\_partition.cpython-312.pyc
    - test\_string\_array.cpython-312.pyc
    - test\_strings.cpython-312.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_api.py
  - test\_case\_justify.py
  - test\_cat.py
  - test\_extract.py
  - test\_find\_replace.py
  - test\_get\_dummies.py
  - test\_split\_partition.py
  - test\_string\_array.py
  - test\_strings.py
- tools/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_to\_datetime.cpython-312.pyc
    - test\_to\_numeric.cpython-312.pyc
    - test\_to\_time.cpython-312.pyc
    - test\_to\_timedelta.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_to\_datetime.py
  - test\_to\_numeric.py
  - test\_to\_time.py
  - test\_to\_timedelta.py
- tseries/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - frequencies/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_freq\_code.cpython-312.pyc

- test\_frequencies.cpython-312.pyc
    - test\_inference.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_freq\_code.py
  - test\_frequencies.py
  - test\_inference.py
- holiday/
  - \_\_init\_\_.cpython-312.pyc
    - test\_calendar.cpython-312.pyc
    - test\_federal.cpython-312.pyc
    - test\_holiday.cpython-312.pyc
    - test\_observance.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_calendar.py
  - test\_federal.py
  - test\_holiday.py
  - test\_observance.py
- offsets/
  - \_\_init\_\_.cpython-312.pyc
    - common.cpython-312.pyc
    - test\_business\_day.cpython-312.pyc
    - test\_business\_halfyear.cpython-312.pyc
    - test\_business\_hour.cpython-312.pyc
    - test\_business\_month.cpython-312.pyc
    - test\_business\_quarter.cpython-312.pyc
    - test\_business\_year.cpython-312.pyc
    - test\_common.cpython-312.pyc
    - test\_custom\_business\_day.cpython-312.pyc
    - test\_custom\_business\_hour.cpython-312.pyc
    - test\_custom\_business\_month.cpython-312.pyc
    - test\_dst.cpython-312.pyc
    - test\_easter.cpython-312.pyc
    - test\_fiscal.cpython-312.pyc
    - test\_halfyear.cpython-312.pyc
    - test\_index.cpython-312.pyc
    - test\_month.cpython-312.pyc
    - test\_offsets.cpython-312.pyc
    - test\_offsets\_properties.cpython-312.pyc
    - test\_quarter.cpython-312.pyc
    - test\_ticks.cpython-312.pyc
    - test\_week.cpython-312.pyc
    - test\_year.cpython-312.pyc
  - \_\_init\_\_.py
  - common.py
  - test\_business\_day.py
  - test\_business\_halfyear.py
  - test\_business\_hour.py
  - test\_business\_month.py
  - test\_business\_quarter.py
  - test\_business\_year.py
  - test\_common.py
  - test\_custom\_business\_day.py
  - test\_custom\_business\_hour.py
  - test\_custom\_business\_month.py
  - test\_dst.py
  - test\_easter.py
  - test\_fiscal.py
  - test\_halfyear.py
  - test\_index.py
  - test\_month.py
  - test\_offsets.py
  - test\_offsets\_properties.py
  - test\_quarter.py
  - test\_ticks.py
  - test\_week.py
  - test\_year.py
- \_\_init\_\_.py

- tslibs/
- \_\_init\_\_.cpython-312.pyc
  - test\_api.cpython-312.pyc
  - test\_array\_to\_datetime.cpython-312.pyc
  - test\_ccalendar.cpython-312.pyc
  - test\_conversion.cpython-312.pyc
  - test\_fields.cpython-312.pyc
  - test\_libfrequencies.cpython-312.pyc
  - test\_liboffsets.cpython-312.pyc
  - test\_np\_datetime.cpython-312.pyc
  - test\_npy\_units.cpython-312.pyc
  - test\_parse\_iso8601.cpython-312.pyc
  - test\_parsing.cpython-312.pyc
  - test\_period.cpython-312.pyc
  - test\_resolution.cpython-312.pyc

- test\_strptime.cpython-312.pyc
- test\_timedeltas.cpython-312.pyc
- test\_timezones.cpython-312.pyc
- test\_to\_offset.cpython-312.pyc
- test\_tzconversion.cpython-312.pyc
- \_\_init\_\_.py
- test\_api.py
- test\_array\_to\_datetime.py
- test\_ccalendar.py
- test\_conversion.py
- test\_fields.py
- test\_libfrequencies.py
- test\_liboffsets.py
- test\_np\_datetime.py
- test\_npy\_units.py
- test\_parse\_iso8601.py
- test\_parsing.py
- test\_period.py
- test\_resolution.py
- test\_strptime.py
- test\_timedeltas.py
- test\_timezones.py
- test\_to\_offset.py
- test\_tzconversion.py
- util/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_assert\_almost\_equal.cpython-312.pyc
    - test\_assert\_attr\_equal.cpython-312.pyc
    - test\_assert\_categorical\_equal.cpython-312.pyc
    - test\_assert\_extension\_array\_equal.cpython-312.pyc
    - test\_assert\_frame\_equal.cpython-312.pyc
    - test\_assert\_index\_equal.cpython-312.pyc
    - test\_assert\_interval\_array\_equal.cpython-312.pyc
    - test\_assert\_numpy\_array\_equal.cpython-312.pyc
    - test\_assert\_produces\_warning.cpython-312.pyc
    - test\_assert\_series\_equal.cpython-312.pyc
    - test\_deprecate.cpython-312.pyc
    - test\_deprecate\_kwarg.cpython-312.pyc
    - test\_deprecate\_nonkeyword\_arguments.cpython-312.pyc
    - test\_doc.cpython-312.pyc
    - test\_hashing.cpython-312.pyc
    - test\_numba.cpython-312.pyc
    - test\_rewrite\_warning.cpython-312.pyc
    - test\_shares\_memory.cpython-312.pyc
    - test\_show\_versions.cpython-312.pyc
    - test\_util.cpython-312.pyc
    - test\_validate\_args.cpython-312.pyc
    - test\_validate\_args\_and\_kwargs.cpython-312.pyc
    - test\_validate\_inclusive.cpython-312.pyc
    - test\_validate\_kwargs.cpython-312.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_assert\_almost\_equal.py
  - test\_assert\_attr\_equal.py
  - test\_assert\_categorical\_equal.py
  - test\_assert\_extension\_array\_equal.py
  - test\_assert\_frame\_equal.py
  - test\_assert\_index\_equal.py
  - test\_assert\_interval\_array\_equal.py
  - test\_assert\_numpy\_array\_equal.py
  - test\_assert\_produces\_warning.py
  - test\_assert\_series\_equal.py
  - test\_deprecate.py
  - test\_deprecate\_kwarg.py
  - test\_deprecate\_nonkeyword\_arguments.py
  - test\_doc.py
  - test\_hashing.py
  - test\_numba.py
  - test\_rewrite\_warning.py
  - test\_shares\_memory.py
  - test\_show\_versions.py
  - test\_util.py
  - test\_validate\_args.py
  - test\_validate\_args\_and\_kwargs.py
  - test\_validate\_inclusive.py
  - test\_validate\_kwargs.py
- window/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_api.cpython-312.pyc
    - test\_apply.cpython-312.pyc
    - test\_base\_indexer.cpython-312.pyc

- test\_cython\_aggregations.cpython-312.pyc
- test\_dtypes.cpython-312.pyc
- test\_ewm.cpython-312.pyc
- test\_expanding.cpython-312.pyc
- test\_groupby.cpython-312.pyc
- test\_numba.cpython-312.pyc
- test\_online.cpython-312.pyc
- test\_pairwise.cpython-312.pyc
- test\_rolling.cpython-312.pyc
- test\_rolling\_functions.cpython-312.pyc
- test\_rolling\_quantile.cpython-312.pyc
- test\_rolling\_skew\_kurt.cpython-312.pyc
- test\_timeseries\_window.cpython-312.pyc
- test\_win\_type.cpython-312.pyc
- moments/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - conftest.cpython-312.pyc
    - test\_moments\_consistency\_ewm.cpython-312.pyc
    - test\_moments\_consistency\_expanding.cpython-312.pyc
    - test\_moments\_consistency\_rolling.cpython-312.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_moments\_consistency\_ewm.py
  - test\_moments\_consistency\_expanding.py
  - test\_moments\_consistency\_rolling.py
- \_\_init\_\_.py
- conftest.py
- test\_api.py
- test\_apply.py
- test\_base\_indexer.py
- test\_cython\_aggregations.py
- test\_dtypes.py
- test\_ewm.py
- test\_expanding.py
- test\_groupby.py
- test\_numba.py
- test\_online.py
- test\_pairwise.py
- test\_rolling.py
- test\_rolling\_functions.py
- test\_rolling\_quantile.py
- test\_rolling\_skew\_kurt.py
- test\_timeseries\_window.py
- test\_win\_type.py
- \_\_init\_\_.py
- test\_aggregation.py
- test\_algos.py
- test\_col.py
- test\_common.py
- test\_downstream.py
- test\_errors.py
- test\_expressions.py
- test\_flags.py
- test\_multilevel.py
- test\_nanops.py
- test\_optional\_dependency.py
- test\_register\_accessor.py
- test\_sorting.py
- test\_take.py
- tseries/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - api.cpython-312.pyc
    - frequencies.cpython-312.pyc
    - holiday.cpython-312.pyc
    - offsets.cpython-312.pyc
  - \_\_init\_\_.py
  - api.py
  - frequencies.py
  - holiday.py
  - offsets.py
- util/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_decorators.cpython-312.pyc
    - \_doctools.cpython-312.pyc
    - \_exceptions.cpython-312.pyc
    - \_print\_versions.cpython-312.pyc
    - \_test\_decorators.cpython-312.pyc
    - \_tester.cpython-312.pyc
    - \_validators.cpython-312.pyc
- version/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc

- └─ \_\_init\_\_.py
  - ─ \_\_init\_\_.py
  - ─ decorators.py
  - ─ doctools.py
  - ─ exceptions.py
  - ─ \_print\_versions.py
  - ─ \_test\_decorators.py
  - ─ \_tester.py
  - ─ validators.py
- ─ \_\_init\_\_.py
- ─ typing.py
- ─ version.py
- ─ version\_meson.py
- ─ conftest.py
- ─ pyproject.toml
- ─ testing.py
- ─ pandas-3.0.3.dist-info/
  - ─ DELVEWHEEL
  - ─ entry\_points.txt
  - ─ INSTALLER
  - ─ LICENSE
  - ─ METADATA
  - ─ RECORD
  - ─ REQUESTED
  - ─ WHEEL
- ─ pandas.libs/
  - ─ msvcp140-a4c2229bdc2a2a630acdc095b4d86008.d11
- ─ PIL/
  - ─ pycache\_/
    - ─ \_\_init\_\_.cpython-312.pyc
    - ─ \_\_main\_\_.cpython-312.pyc
    - ─ \_binary.cpython-312.pyc
    - ─ \_deprecate.cpython-312.pyc
    - ─ \_tkinter\_finder.cpython-312.pyc
    - ─ \_typing.cpython-312.pyc
    - ─ \_util.cpython-312.pyc
    - ─ \_version.cpython-312.pyc
    - ─ AvifImagePlugin.cpython-312.pyc
    - ─ BdfFontFile.cpython-312.pyc
    - ─ BlpImagePlugin.cpython-312.pyc
    - ─ BmpImagePlugin.cpython-312.pyc
    - ─ BufrStubImagePlugin.cpython-312.pyc
    - ─ ContainerIO.cpython-312.pyc
    - ─ CurImagePlugin.cpython-312.pyc
    - ─ DcxImagePlugin.cpython-312.pyc
    - ─ DdsImagePlugin.cpython-312.pyc
    - ─ EpsImagePlugin.cpython-312.pyc
    - ─ ExifTags.cpython-312.pyc
    - ─ features.cpython-312.pyc
    - ─ FitsImagePlugin.cpython-312.pyc
    - ─ FliImagePlugin.cpython-312.pyc
    - ─ FontFile.cpython-312.pyc
    - ─ FpxImagePlugin.cpython-312.pyc
    - ─ FtexImagePlugin.cpython-312.pyc
    - ─ GbrImagePlugin.cpython-312.pyc
    - ─ GdImageFile.cpython-312.pyc
    - ─ GifImagePlugin.cpython-312.pyc
    - ─ GimpGradientFile.cpython-312.pyc
    - ─ GimpPaletteFile.cpython-312.pyc
    - ─ GribStubImagePlugin.cpython-312.pyc
    - ─ Hdf5StubImagePlugin.cpython-312.pyc
    - ─ IcnsImagePlugin.cpython-312.pyc
    - ─ IcoImagePlugin.cpython-312.pyc
    - ─ Image.cpython-312.pyc
    - ─ ImageChops.cpython-312.pyc
    - ─ ImageCms.cpython-312.pyc
    - ─ ImageColor.cpython-312.pyc
    - ─ ImageDraw.cpython-312.pyc
    - ─ ImageDraw2.cpython-312.pyc
    - ─ ImageEnhance.cpython-312.pyc
    - ─ ImageFile.cpython-312.pyc
    - ─ ImageFilter.cpython-312.pyc
    - ─ ImageFont.cpython-312.pyc
    - ─ ImageGrab.cpython-312.pyc
    - ─ ImageMath.cpython-312.pyc
    - ─ ImageMode.cpython-312.pyc
    - ─ ImageMorph.cpython-312.pyc
    - ─ ImageOps.cpython-312.pyc
    - ─ ImagePalette.cpython-312.pyc
    - ─ ImagePath.cpython-312.pyc
    - ─ ImageQt.cpython-312.pyc
    - ─ ImageSequence.cpython-312.pyc
    - ─ ImageShow.cpython-312.pyc
    - ─ ImageStat.cpython-312.pyc
    - ─ ImageText.cpython-312.pyc

```
— ImageTk.cpython-312.pyc
— ImageTransform.cpython-312.pyc
— ImageWin.cpython-312.pyc
— ImImagePlugin.cpython-312.pyc
— ImtImagePlugin.cpython-312.pyc
— IptcImagePlugin.cpython-312.pyc
— Jpeg2KImagePlugin.cpython-312.pyc
— JpegImagePlugin.cpython-312.pyc
— JpegPresets.cpython-312.pyc
— McIDASImagePlugin.cpython-312.pyc
— MicImagePlugin.cpython-312.pyc
— MpegImagePlugin.cpython-312.pyc
— MpoImagePlugin.cpython-312.pyc
— MspImagePlugin.cpython-312.pyc
— PaletteFile.cpython-312.pyc
— PalmImagePlugin.cpython-312.pyc
— PcdImagePlugin.cpython-312.pyc
— PcfFontFile.cpython-312.pyc
— PcxImagePlugin.cpython-312.pyc
— PdfImagePlugin.cpython-312.pyc
— PdfParser.cpython-312.pyc
— PixarImagePlugin.cpython-312.pyc
— PngImagePlugin.cpython-312.pyc
— PpmImagePlugin.cpython-312.pyc
— PsdImagePlugin.cpython-312.pyc
— PSDraw.cpython-312.pyc
— QoiImagePlugin.cpython-312.pyc
— report.cpython-312.pyc
— SgiImagePlugin.cpython-312.pyc
— SpiderImagePlugin.cpython-312.pyc
— SunImagePlugin.cpython-312.pyc
— TarIO.cpython-312.pyc
— TgaImagePlugin.cpython-312.pyc
— TiffImagePlugin.cpython-312.pyc
— TiffTags.cpython-312.pyc
— WalImageFile.cpython-312.pyc
— WebPImagePlugin.cpython-312.pyc
— WmfImagePlugin.cpython-312.pyc
— XbmImagePlugin.cpython-312.pyc
— XpmImagePlugin.cpython-312.pyc
— XVThumbImagePlugin.cpython-312.pyc
— _init__.py
— _main__.py
— _avif.cp312-win_amd64.pyd
— _avif.pyi
— _binary.py
— _deprecate.py
— _imaging.cp312-win_amd64.pyd
— _imaging.pyi
— _imagingcms.cp312-win_amd64.pyd
— _imagingcms.pyi
— _imagingft.cp312-win_amd64.pyd
— _imagingft.pyi
— _imagingmath.cp312-win_amd64.pyd
— _imagingmath.pyi
— _imagingmorph.cp312-win_amd64.pyd
— _imagingmorph.pyi
— _imagingtk.cp312-win_amd64.pyd
— _imagingtk.pyi
— _tkinter_finder.py
— _typing.py
— _util.py
— _version.py
— _webp.cp312-win_amd64.pyd
— _webp.pyi
— AvifImagePlugin.py
— BdfFontFile.py
— BlpImagePlugin.py
— BmpImagePlugin.py
— BufrStubImagePlugin.py
— ContainerIO.py
— CurImagePlugin.py
— DcxImagePlugin.py
— DdsImagePlugin.py
— EpsImagePlugin.py
— ExifTags.py
— features.py
— FitsImagePlugin.py
— FliImagePlugin.py
— FontFile.py
— FpxImagePlugin.py
— FtexImagePlugin.py
— GbrImagePlugin.py
— GdImageFile.py
— GifImagePlugin.py
```



- GimpGradientFile.py
- GimpPaletteFile.py
- GribStubImagePlugin.py
- Hdf5StubImagePlugin.py
- IcnsImagePlugin.py
- IcoImagePlugin.py
- Image.py
- ImageChops.py
- ImageCms.py
- ImageColor.py
- ImageDraw.py
- ImageDraw2.py
- ImageEnhance.py
- ImageFile.py
- ImageFilter.py
- ImageFont.py
- ImageGrab.py
- ImageMath.py
- ImageMode.py
- ImageMorph.py
- ImageOps.py
- ImagePalette.py
- ImagePath.py
- ImageQt.py
- ImageSequence.py
- ImageShow.py
- ImageStat.py
- ImageText.py
- ImageTk.py
- ImageTransform.py
- ImageWin.py
- ImImagePlugin.py
- ImtImagePlugin.py
- IptcImagePlugin.py
- Jpeg2KImagePlugin.py
- JpegImagePlugin.py
- JpegPresets.py
- McIDASImagePlugin.py
- MicImagePlugin.py
- MpegImagePlugin.py
- MpoImagePlugin.py
- MspImagePlugin.py
- PaletteFile.py
- PalmImagePlugin.py
- PcdImagePlugin.py
- PcfFontFile.py
- PcxImagePlugin.py
- PdfImagePlugin.py
- PdfParser.py
- PixarImagePlugin.py
- PngImagePlugin.py
- PpmImagePlugin.py
- PsdImagePlugin.py
- PSDraw.py
- py.typed
- QoiImagePlugin.py
- report.py
- SgiImagePlugin.py
- SpiderImagePlugin.py
- SunImagePlugin.py
- TarIO.py
- TgaImagePlugin.py
- TiffImagePlugin.py
- TiffTags.py
- WallImageFile.py
- WebPImagePlugin.py
- WmfImagePlugin.py
- XbmImagePlugin.py
- XpmImagePlugin.py
- XVThumbImagePlugin.py
- pillow-12.2.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
  - zip-safe
- pip/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - \_\_pip-runner\_\_.cpython-312.pyc
  - \_internal/

- pycache\_\_/
  - \_\_init\_\_.cpython-312.pyc
  - build\_env.cpython-312.pyc
  - cache.cpython-312.pyc
  - configuration.cpython-312.pyc
  - exceptions.cpython-312.pyc
  - main.cpython-312.pyc
  - pyproject.cpython-312.pyc
  - self\_outdated\_check.cpython-312.pyc
  - wheel\_builder.cpython-312.pyc
- cli/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - autocompletion.cpython-312.pyc
    - base\_command.cpython-312.pyc
    - cmdoptions.cpython-312.pyc
    - command\_context.cpython-312.pyc
    - index\_command.cpython-312.pyc
    - main.cpython-312.pyc
    - main\_parser.cpython-312.pyc
    - parser.cpython-312.pyc
    - progressBars.cpython-312.pyc
    - req\_command.cpython-312.pyc
    - spinners.cpython-312.pyc
    - status\_codes.cpython-312.pyc
  - \_\_init\_\_.py
  - autocompletion.py
  - base\_command.py
  - cmdoptions.py
  - command\_context.py
  - index\_command.py
  - main.py
  - main\_parser.py
  - parser.py
  - progressBars.py
  - req\_command.py
  - spinners.py
  - status\_codes.py
- commands/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - cache.cpython-312.pyc
    - check.cpython-312.pyc
    - completion.cpython-312.pyc
    - configuration.cpython-312.pyc
    - debug.cpython-312.pyc
    - download.cpython-312.pyc
    - freeze.cpython-312.pyc
    - hash.cpython-312.pyc
    - help.cpython-312.pyc
    - index.cpython-312.pyc
    - inspect.cpython-312.pyc
    - install.cpython-312.pyc
    - list.cpython-312.pyc
    - search.cpython-312.pyc
    - show.cpython-312.pyc
    - uninstall.cpython-312.pyc
    - wheel.cpython-312.pyc
  - \_\_init\_\_.py
  - cache.py
  - check.py
  - completion.py
  - configuration.py
  - debug.py
  - download.py
  - freeze.py
  - hash.py
  - help.py
  - index.py
  - inspect.py
  - install.py
  - list.py
  - search.py
  - show.py
  - uninstall.py
  - wheel.py
- distributions/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - base.cpython-312.pyc
    - installed.cpython-312.pyc
    - sdist.cpython-312.pyc
    - wheel.cpython-312.pyc
  - \_\_init\_\_.py
  - base.py

- installed.py
- sdist.py
- wheel.py
- index/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - collector.cpython-312.pyc
    - package\_finder.cpython-312.pyc
    - sources.cpython-312.pyc
  - \_\_init\_\_.py
  - collector.py
  - package\_finder.py
  - sources.py
- locations/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - distutils.cpython-312.pyc
    - sysconfig.cpython-312.pyc
    - base.cpython-312.pyc
  - \_\_init\_\_.py
  - distutils.py
  - sysconfig.py
  - base.py
- metadata/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_json.cpython-312.pyc
    - base.cpython-312.pyc
    - pkg\_resources.cpython-312.pyc
  - importlib/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_compat.cpython-312.pyc
      - \_dists.cpython-312.pyc
      - \_envs.cpython-312.pyc
    - \_\_init\_\_.py
    - \_compat.py
    - \_dists.py
    - \_envs.py
  - \_\_init\_\_.py
  - \_json.py
  - base.py
  - pkg\_resources.py
- models/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - candidate.cpython-312.pyc
    - direct\_url.cpython-312.pyc
    - format\_control.cpython-312.pyc
    - index.cpython-312.pyc
    - installation\_report.cpython-312.pyc
    - link.cpython-312.pyc
    - scheme.cpython-312.pyc
    - search\_scope.cpython-312.pyc
    - selection\_prefs.cpython-312.pyc
    - target\_python.cpython-312.pyc
    - wheel.cpython-312.pyc
  - \_\_init\_\_.py
  - candidate.py
  - direct\_url.py
  - format\_control.py
  - index.py
  - installation\_report.py
  - link.py
  - scheme.py
  - search\_scope.py
  - selection\_prefs.py
  - target\_python.py
  - wheel.py
- network/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - auth.cpython-312.pyc
    - cache.cpython-312.pyc
    - download.cpython-312.pyc
    - lazy\_wheel.cpython-312.pyc
    - session.cpython-312.pyc
    - utils.cpython-312.pyc
    - xmlrpc.cpython-312.pyc
  - \_\_init\_\_.py
  - auth.py
  - cache.py
  - download.py
  - lazy\_wheel.py
  - session.py

- utils.py
- xmlrpc.py
- operations/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - check.cpython-312.pyc
    - freeze.cpython-312.pyc
    - prepare.cpython-312.pyc
  - build/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - build\_tracker.cpython-312.pyc
      - metadata.cpython-312.pyc
      - metadata\_editable.cpython-312.pyc
      - metadata\_legacy.cpython-312.pyc
      - wheel.cpython-312.pyc
      - wheel\_editable.cpython-312.pyc
      - wheel\_legacy.cpython-312.pyc
    - \_\_init\_\_.py
    - build\_tracker.py
    - metadata.py
    - metadata\_editable.py
    - metadata\_legacy.py
    - wheel.py
    - wheel\_editable.py
    - wheel\_legacy.py
  - install/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - editable\_legacy.cpython-312.pyc
      - wheel.cpython-312.pyc
    - \_\_init\_\_.py
    - editable\_legacy.py
    - wheel.py
  - \_\_init\_\_.py
  - check.py
  - freeze.py
  - prepare.py
- req/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - constructors.cpython-312.pyc
    - req\_file.cpython-312.pyc
    - req\_install.cpython-312.pyc
    - req\_set.cpython-312.pyc
    - req\_uninstall.cpython-312.pyc
  - \_\_init\_\_.py
  - constructors.py
  - req\_file.py
  - req\_install.py
  - req\_set.py
  - req\_uninstall.py
- resolution/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - base.cpython-312.pyc
  - legacy/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - resolver.cpython-312.pyc
    - \_\_init\_\_.py
    - resolver.py
  - resolvelib/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - base.cpython-312.pyc
      - candidates.cpython-312.pyc
      - factory.cpython-312.pyc
      - found\_candidates.cpython-312.pyc
      - provider.cpython-312.pyc
      - reporter.cpython-312.pyc
      - requirements.cpython-312.pyc
      - resolver.cpython-312.pyc
    - \_\_init\_\_.py
    - base.py
    - candidates.py
    - factory.py
    - found\_candidates.py
    - provider.py
    - reporter.py
    - requirements.py
    - resolver.py
  - \_\_init\_\_.py
  - base.py
- utils/

- pycache\_\_
  - \_\_init\_\_.cpython-312.pyc
  - \_jaraco\_text.cpython-312.pyc
  - \_log.cpython-312.pyc
  - appdirs.cpython-312.pyc
  - compat.cpython-312.pyc
  - compatibility\_tags.cpython-312.pyc
  - datetime.cpython-312.pyc
  - deprecation.cpython-312.pyc
  - direct\_url\_helpers.cpython-312.pyc
  - egg\_link.cpython-312.pyc
  - encoding.cpython-312.pyc
  - entrypoints.cpython-312.pyc
  - filesystem.cpython-312.pyc
  - filetypes.cpython-312.pyc
  - glibc.cpython-312.pyc
  - hashes.cpython-312.pyc
  - logging.cpython-312.pyc
  - misc.cpython-312.pyc
  - packaging.cpython-312.pyc
  - retry.cpython-312.pyc
  - setuptools\_build.cpython-312.pyc
  - subprocess.cpython-312.pyc
  - temp\_dir.cpython-312.pyc
  - unpacking.cpython-312.pyc
  - urls.cpython-312.pyc
  - virtualenv.cpython-312.pyc
  - wheel.cpython-312.pyc
- \_\_init\_\_.py
- \_jaraco\_text.py
- \_log.py
- appdirs.py
- compat.py
- compatibility\_tags.py
- datetime.py
- deprecation.py
- direct\_url\_helpers.py
- egg\_link.py
- encoding.py
- entrypoints.py
- filesystem.py
- filetypes.py
- glibc.py
- hashes.py
- logging.py
- misc.py
- packaging.py
- retry.py
- setuptools\_build.py
- subprocess.py
- temp\_dir.py
- unpacking.py
- urls.py
- virtualenv.py
- wheel.py
- vcs/
  - pycache\_\_
    - \_\_init\_\_.cpython-312.pyc
    - bazaar.cpython-312.pyc
    - git.cpython-312.pyc
    - mercurial.cpython-312.pyc
    - subversion.cpython-312.pyc
    - versioncontrol.cpython-312.pyc
  - \_\_init\_\_.py
  - bazaar.py
  - git.py
  - mercurial.py
  - subversion.py
  - versioncontrol.py
- \_\_init\_\_.py
- build\_env.py
- cache.py
- configuration.py
- exceptions.py
- main.py
- pyproject.py
- self\_outdated\_check.py
- wheel\_builder.py
- vendor/
  - pycache\_\_
    - \_\_init\_\_.cpython-312.pyc
    - typing\_extensions.cpython-312.pyc
- cachecontrol/
  - pycache\_\_
    - \_\_init\_\_.cpython-312.pyc

- \_cmd.cpython-312.pyc
- adapter.cpython-312.pyc
- cache.cpython-312.pyc
- controller.cpython-312.pyc
- filewrapper.cpython-312.pyc
- heuristics.cpython-312.pyc
- serialize.cpython-312.pyc
- wrapper.cpython-312.pyc
- caches/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - file\_cache.cpython-312.pyc
    - redis\_cache.cpython-312.pyc
  - \_\_init\_\_.py
  - file\_cache.py
  - redis\_cache.py
- \_\_init\_\_.py
- \_cmd.py
- adapter.py
- cache.py
- controller.py
- filewrapper.py
- heuristics.py
- py.typed
- serialize.py
- wrapper.py
- certifi/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - core.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - cacert.pem
  - core.py
  - py.typed
- distlib/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - compat.cpython-312.pyc
    - database.cpython-312.pyc
    - index.cpython-312.pyc
    - locators.cpython-312.pyc
    - manifest.cpython-312.pyc
    - markers.cpython-312.pyc
    - metadata.cpython-312.pyc
    - resources.cpython-312.pyc
    - scripts.cpython-312.pyc
    - util.cpython-312.pyc
    - version.cpython-312.pyc
    - wheel.cpython-312.pyc
  - \_\_init\_\_.py
  - compat.py
  - database.py
  - index.py
  - locators.py
  - manifest.py
  - markers.py
  - metadata.py
  - resources.py
  - scripts.py
  - t32.exe
  - t64-arm.exe
  - t64.exe
  - util.py
  - version.py
  - w32.exe
  - w64-arm.exe
  - w64.exe
  - wheel.py
- distro/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - distro.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - distro.py
  - py.typed
- idna/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - codec.cpython-312.pyc
    - compat.cpython-312.pyc
    - core.cpython-312.pyc

- idnadata.cpython-312.pyc
  - intranges.cpython-312.pyc
  - package\_data.cpython-312.pyc
  - uts46data.cpython-312.pyc
- \_\_init\_\_.py
- codec.py
- compat.py
- core.py
- idnadata.py
- intranges.py
- package\_data.py
- py.typed
- uts46data.py
- msgpack/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - ext.cpython-312.pyc
    - fallback.cpython-312.pyc
  - \_\_init\_\_.py
  - exceptions.py
  - ext.py
  - fallback.py
- packaging/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_elffile.cpython-312.pyc
    - \_manylinux.cpython-312.pyc
    - \_musllinux.cpython-312.pyc
    - \_parser.cpython-312.pyc
    - \_structures.cpython-312.pyc
    - \_tokenizer.cpython-312.pyc
    - markers.cpython-312.pyc
    - metadata.cpython-312.pyc
    - requirements.cpython-312.pyc
    - specifiers.cpython-312.pyc
    - tags.cpython-312.pyc
    - utils.cpython-312.pyc
    - version.cpython-312.pyc
  - \_\_init\_\_.py
  - \_elffile.py
  - \_manylinux.py
  - \_musllinux.py
  - \_parser.py
  - \_structures.py
  - \_tokenizer.py
  - markers.py
  - metadata.py
  - py.typed
  - requirements.py
  - specifiers.py
  - tags.py
  - utils.py
  - version.py
- pkg\_resources/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- platformdirs/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - android.cpython-312.pyc
    - api.cpython-312.pyc
    - macos.cpython-312.pyc
    - unix.cpython-312.pyc
    - version.cpython-312.pyc
    - windows.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - android.py
  - api.py
  - macos.py
  - py.typed
  - unix.py
  - version.py
  - windows.py
- pygments/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - cmdline.cpython-312.pyc
    - console.cpython-312.pyc
    - filter.cpython-312.pyc
    - formatter.cpython-312.pyc

- lexer.cpython-312.pyc
- modeline.cpython-312.pyc
- plugin.cpython-312.pyc
- regexopt.cpython-312.pyc
- scanner.cpython-312.pyc
- sphinxext.cpython-312.pyc
- style.cpython-312.pyc
- token.cpython-312.pyc
- unistring.cpython-312.pyc
- util.cpython-312.pyc
- filters/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- formatters/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_mapping.cpython-312.pyc
    - bbcode.cpython-312.pyc
    - groff.cpython-312.pyc
    - html.cpython-312.pyc
    - img.cpython-312.pyc
    - irc.cpython-312.pyc
    - latex.cpython-312.pyc
    - other.cpython-312.pyc
    - pangomarkup.cpython-312.pyc
    - rtf.cpython-312.pyc
    - svg.cpython-312.pyc
    - terminal.cpython-312.pyc
    - terminal256.cpython-312.pyc
  - \_\_init\_\_.py
  - \_mapping.py
  - bbcode.py
  - groff.py
  - html.py
  - img.py
  - irc.py
  - latex.py
  - other.py
  - pangomarkup.py
  - rtf.py
  - svg.py
  - terminal.py
  - terminal256.py
- lexers/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_mapping.cpython-312.pyc
    - python.cpython-312.pyc
  - \_\_init\_\_.py
  - \_mapping.py
  - python.py
- styles/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_mapping.cpython-312.pyc
  - \_\_init\_\_.py
  - \_mapping.py
- \_\_init\_\_.py
- \_\_main\_\_.py
- cmdline.py
- console.py
- filter.py
- formatter.py
- lexer.py
- modeline.py
- plugin.py
- regexopt.py
- scanner.py
- sphinxext.py
- style.py
- token.py
- unistring.py
- util.py
- pyproject\_hooks/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_compat.cpython-312.pyc
    - \_impl.cpython-312.pyc
- in\_process/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_in\_process.cpython-312.pyc
  - \_\_init\_\_.py
  - \_in\_process.py



- `__init__.py`
- `_compat.py`
- `_impl.py`
- `requests/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `__version__.cpython-312.pyc`
    - `_internal_utils.cpython-312.pyc`
    - `adapters.cpython-312.pyc`
    - `api.cpython-312.pyc`
    - `auth.cpython-312.pyc`
    - `certs.cpython-312.pyc`
    - `compat.cpython-312.pyc`
    - `cookies.cpython-312.pyc`
    - `exceptions.cpython-312.pyc`
    - `help.cpython-312.pyc`
    - `hooks.cpython-312.pyc`
    - `models.cpython-312.pyc`
    - `packages.cpython-312.pyc`
    - `sessions.cpython-312.pyc`
    - `status_codes.cpython-312.pyc`
    - `structures.cpython-312.pyc`
    - `utils.cpython-312.pyc`
  - `__init__.py`
  - `__version__.py`
  - `_internal_utils.py`
  - `adapters.py`
  - `api.py`
  - `auth.py`
  - `certs.py`
  - `compat.py`
  - `cookies.py`
  - `exceptions.py`
  - `help.py`
  - `hooks.py`
  - `models.py`
  - `packages.py`
  - `sessions.py`
  - `status_codes.py`
  - `structures.py`
  - `utils.py`
- `resolvelib/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `providers.cpython-312.pyc`
    - `reporters.cpython-312.pyc`
    - `resolvers.cpython-312.pyc`
    - `structs.cpython-312.pyc`
  - `compat/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `collections_abc.cpython-312.pyc`
    - `__init__.py`
    - `collections_abc.py`
  - `__init__.py`
  - `providers.py`
  - `py.typed`
  - `reporters.py`
  - `resolvers.py`
  - `structs.py`
- `rich/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `__main__.cpython-312.pyc`
    - `_cell_widths.cpython-312.pyc`
    - `_emoji_codes.cpython-312.pyc`
    - `_emoji_replace.cpython-312.pyc`
    - `_export_format.cpython-312.pyc`
    - `_extension.cpython-312.pyc`
    - `_fileno.cpython-312.pyc`
    - `_inspect.cpython-312.pyc`
    - `_log_render.cpython-312.pyc`
    - `_loop.cpython-312.pyc`
    - `_null_file.cpython-312.pyc`
    - `_palettes.cpython-312.pyc`
    - `_pick.cpython-312.pyc`
    - `_ratio.cpython-312.pyc`
    - `_spinners.cpython-312.pyc`
    - `_stack.cpython-312.pyc`
    - `_timer.cpython-312.pyc`
    - `_win32_console.cpython-312.pyc`
    - `_windows.cpython-312.pyc`
    - `_windows_renderer.cpython-312.pyc`
    - `_wrap.cpython-312.pyc`
    - `abc.cpython-312.pyc`

```
— align.cpython-312.pyc
— ansi.cpython-312.pyc
— bar.cpython-312.pyc
— box.cpython-312.pyc
— cells.cpython-312.pyc
— color.cpython-312.pyc
— color_triplet.cpython-312.pyc
— columns.cpython-312.pyc
— console.cpython-312.pyc
— constrain.cpython-312.pyc
— containers.cpython-312.pyc
— control.cpython-312.pyc
— default_styles.cpython-312.pyc
— diagnose.cpython-312.pyc
— emoji.cpython-312.pyc
— errors.cpython-312.pyc
— file_proxy.cpython-312.pyc
— filesize.cpython-312.pyc
— highlighter.cpython-312.pyc
— json.cpython-312.pyc
— jupyter.cpython-312.pyc
— layout.cpython-312.pyc
— live.cpython-312.pyc
— live_render.cpython-312.pyc
— logging.cpython-312.pyc
— markup.cpython-312.pyc
— measure.cpython-312.pyc
— padding.cpython-312.pyc
— pager.cpython-312.pyc
— palette.cpython-312.pyc
— panel.cpython-312.pyc
— pretty.cpython-312.pyc
— progress.cpython-312.pyc
— progress_bar.cpython-312.pyc
— prompt.cpython-312.pyc
— protocol.cpython-312.pyc
— region.cpython-312.pyc
— repr.cpython-312.pyc
— rule.cpython-312.pyc
— scope.cpython-312.pyc
— screen.cpython-312.pyc
— segment.cpython-312.pyc
— spinner.cpython-312.pyc
— status.cpython-312.pyc
— style.cpython-312.pyc
— styled.cpython-312.pyc
— syntax.cpython-312.pyc
— table.cpython-312.pyc
— terminal_theme.cpython-312.pyc
— text.cpython-312.pyc
— theme.cpython-312.pyc
— themes.cpython-312.pyc
— traceback.cpython-312.pyc
— tree.cpython-312.pyc
— __init__.py
— __main__.py
— _cell_widths.py
— _emoji_codes.py
— _emoji_replace.py
— _export_format.py
— _extension.py
— _fileno.py
— _inspect.py
— _log_render.py
— _loop.py
— _null_file.py
— _palettes.py
— _pick.py
— _ratio.py
— _spinners.py
— _stack.py
— _timer.py
— _win32_console.py
— _windows.py
— _windows_renderer.py
— _wrap.py
— abc.py
— align.py
— ansi.py
— bar.py
— box.py
— cells.py
— color.py
— color_triplet.py
— columns.py
```

- console.py
- constrain.py
- containers.py
- control.py
- default\_styles.py
- diagnose.py
- emoji.py
- errors.py
- file\_proxy.py
- filesize.py
- highlighter.py
- json.py
- jupyter.py
- layout.py
- live.py
- live\_render.py
- logging.py
- markup.py
- measure.py
- padding.py
- pager.py
- palette.py
- panel.py
- pretty.py
- progress.py
- progress\_bar.py
- prompt.py
- protocol.py
- py.typed
- region.py
- repr.py
- rule.py
- scope.py
- screen.py
- segment.py
- spinner.py
- status.py
- style.py
- styled.py
- syntax.py
- table.py
- terminal\_theme.py
- text.py
- theme.py
- themes.py
- traceback.py
- tree.py
- toml/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_parser.cpython-312.pyc
    - \_re.cpython-312.pyc
    - \_types.cpython-312.pyc
  - \_\_init\_\_.py
  - \_parser.py
  - \_re.py
  - \_types.py
  - py.typed
- truststore/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_api.cpython-312.pyc
    - \_macos.cpython-312.pyc
    - \_openssl.cpython-312.pyc
    - \_ssl\_constants.cpython-312.pyc
    - \_windows.cpython-312.pyc
  - \_\_init\_\_.py
  - \_api.py
  - \_macos.py
  - \_openssl.py
  - \_ssl\_constants.py
  - \_windows.py
  - py.typed
- urllib3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_collections.cpython-312.pyc
    - \_version.cpython-312.pyc
    - connection.cpython-312.pyc
    - connectionpool.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - fields.cpython-312.pyc
    - filepost.cpython-312.pyc
    - poolmanager.cpython-312.pyc
    - request.cpython-312.pyc

- └─ response.cpython-312.pyc
- contrib/
  - └─ \_pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_appengine\_environ.cpython-312.pyc
    - └─ appengine.cpython-312.pyc
    - └─ ntlmpool.cpython-312.pyc
    - └─ pyopenssl.cpython-312.pyc
    - └─ securetransport.cpython-312.pyc
    - └─ socks.cpython-312.pyc
  - └─ securetransport/
    - └─ \_pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ bindings.cpython-312.pyc
      - └─ low\_level.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ bindings.py
    - └─ low\_level.py
  - └─ \_\_init\_\_.py
  - └─ \_appengine\_environ.py
  - └─ appengine.py
  - └─ ntlmpool.py
  - └─ pyopenssl.py
  - └─ securetransport.py
  - └─ socks.py
- packages/
  - └─ \_pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ six.cpython-312.pyc
  - └─ backports/
    - └─ \_pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ makefile.cpython-312.pyc
      - └─ weakref\_finalize.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ makefile.py
    - └─ weakref\_finalize.py
  - └─ \_\_init\_\_.py
  - └─ six.py
- util/
  - └─ \_pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ connection.cpython-312.pyc
    - └─ proxy.cpython-312.pyc
    - └─ queue.cpython-312.pyc
    - └─ request.cpython-312.pyc
    - └─ response.cpython-312.pyc
    - └─ retry.cpython-312.pyc
    - └─ ssl\_.cpython-312.pyc
    - └─ ssl\_match\_hostname.cpython-312.pyc
    - └─ ssltransport.cpython-312.pyc
    - └─ timeout.cpython-312.pyc
    - └─ url.cpython-312.pyc
    - └─ wait.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ connection.py
  - └─ proxy.py
  - └─ queue.py
  - └─ request.py
  - └─ response.py
  - └─ retry.py
  - └─ ssl\_.py
  - └─ ssl\_match\_hostname.py
  - └─ ssltransport.py
  - └─ timeout.py
  - └─ url.py
  - └─ wait.py
- └─ \_\_init\_\_.py
- └─ \_collections.py
- └─ \_version.py
- └─ connection.py
- └─ connectionpool.py
- └─ exceptions.py
- └─ fields.py
- └─ filepost.py
- └─ poolmanager.py
- └─ request.py
- └─ response.py
- └─ \_\_init\_\_.py
- └─ typing\_extensions.py
- └─ vendor.txt
- └─ \_\_init\_\_.py
- └─ \_\_main\_\_.py
- └─ \_\_pip-runner\_\_.py
- └─ py.typed

- pip-24.2.dist-info/
  - AUTHORS.txt
  - entry\_points.txt
  - INSTALLER
  - LICENSE.txt
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- pkg\_resources/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_find\_distributions.cpython-312.pyc
      - test\_integration\_zope\_interface.cpython-312.pyc
      - test\_markers.cpython-312.pyc
      - test\_pkg\_resources.cpython-312.pyc
      - test\_resources.cpython-312.pyc
      - test\_working\_set.cpython-312.pyc
    - data/
      - my-test-package-source/
        - \_\_pycache\_\_/
          - setup.cpython-312.pyc
        - setup.cfg
        - setup.py
      - my-test-package-zip/
        - my-test-package.zip
      - my-test-package\_unpacked-egg/
        - my\_test\_package-1.0-py3.7.egg/
          - EGG-INFO/
            - dependency\_links.txt
            - PKG-INFO
            - SOURCES.txt
            - top\_level.txt
            - zip-safe
      - my-test-package\_zipped-egg/
        - my\_test\_package-1.0-py3.7.egg
    - \_\_init\_\_.py
    - test\_find\_distributions.py
    - test\_integration\_zope\_interface.py
    - test\_markers.py
    - test\_pkg\_resources.py
    - test\_resources.py
    - test\_working\_set.py
  - \_\_init\_\_.py
  - api\_tests.txt
  - py.typed
- platformdirs/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - \_xdg.cpython-312.pyc
    - android.cpython-312.pyc
    - api.cpython-312.pyc
    - macos.cpython-312.pyc
    - unix.cpython-312.pyc
    - version.cpython-312.pyc
    - windows.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - \_xdg.py
  - android.py
  - api.py
  - macos.py
  - py.typed
  - unix.py
  - version.py
  - windows.py
- platformdirs-4.9.6.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- pooch/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_version.cpython-312.pyc
    - core.cpython-312.pyc
    - downloaders.cpython-312.pyc
    - hashes.cpython-312.pyc

- processors.cpython-312.pyc
  - utils.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_core.cpython-312.pyc
    - test\_downloaders.cpython-312.pyc
    - test\_hashes.cpython-312.pyc
    - test\_integration.cpython-312.pyc
    - test\_processors.cpython-312.pyc
    - test\_utils.cpython-312.pyc
    - test\_version.cpython-312.pyc
    - utils.cpython-312.pyc
  - data/
    - store/
      - subdir/
        - tiny-data.txt
      - tiny-data.txt
    - large-data.txt
    - registry-custom-url.txt
    - registry-invalid.txt
    - registry-spaces.txt
    - registry.txt
    - registry\_comments.txt
    - store.tar.gz
    - store.zip
    - tiny-data.tar.gz
    - tiny-data.txt
    - tiny-data.txt.bz2
    - tiny-data.txt.gz
    - tiny-data.txt.xz
    - tiny-data.zip
  - \_\_init\_\_.py
  - test\_core.py
  - test\_downloaders.py
  - test\_hashes.py
  - test\_integration.py
  - test\_processors.py
  - test\_utils.py
  - test\_version.py
  - utils.py
- typing/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- \_\_init\_\_.py
- \_version.py
- core.py
- downloaders.py
- hashes.py
- processors.py
- utils.py
- pooch-1.9.0.dist-info/
  - licenses/
    - AUTHORS.md
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- pycparser/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_ast\_gen.cpython-312.pyc
    - ast\_transforms.cpython-312.pyc
    - c\_ast.cpython-312.pyc
    - c\_generator.cpython-312.pyc
    - c\_lexer.cpython-312.pyc
    - c\_parser.cpython-312.pyc
  - \_\_init\_\_.py
  - \_ast\_gen.py
  - \_c\_ast.cfg
  - ast\_transforms.py
  - c\_ast.py
  - c\_generator.py
  - c\_lexer.py
  - c\_parser.py
- pycparser-3.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt

- └─ WHEEL
- pygments/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_\_main\_\_.cpython-312.pyc
    - └─ cmdline.cpython-312.pyc
    - └─ console.cpython-312.pyc
    - └─ filter.cpython-312.pyc
    - └─ formatter.cpython-312.pyc
    - └─ lexer.cpython-312.pyc
    - └─ modeline.cpython-312.pyc
    - └─ plugin.cpython-312.pyc
    - └─ regexopt.cpython-312.pyc
    - └─ scanner.cpython-312.pyc
    - └─ sphinxext.cpython-312.pyc
    - └─ style.cpython-312.pyc
    - └─ token.cpython-312.pyc
    - └─ unistring.cpython-312.pyc
    - └─ util.cpython-312.pyc
  - └─ filters/
    - └─ pycache/
      - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_\_init\_\_.py
  - └─ formatters/
    - └─ pycache/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_mapping.cpython-312.pyc
      - └─ bbcode.cpython-312.pyc
      - └─ groff.cpython-312.pyc
      - └─ html.cpython-312.pyc
      - └─ img.cpython-312.pyc
      - └─ irc.cpython-312.pyc
      - └─ latex.cpython-312.pyc
      - └─ other.cpython-312.pyc
      - └─ pangomarkup.cpython-312.pyc
      - └─ rtf.cpython-312.pyc
      - └─ svg.cpython-312.pyc
      - └─ terminal.cpython-312.pyc
      - └─ terminal256.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ \_mapping.py
    - └─ bbcode.py
    - └─ groff.py
    - └─ html.py
    - └─ img.py
    - └─ irc.py
    - └─ latex.py
    - └─ other.py
    - └─ pangomarkup.py
    - └─ rtf.py
    - └─ svg.py
    - └─ terminal.py
    - └─ terminal256.py
  - └─ lexers/
    - └─ pycache/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_ada\_builtins.cpython-312.pyc
      - └─ \_asy\_builtins.cpython-312.pyc
      - └─ \_cl\_builtins.cpython-312.pyc
      - └─ \_cocoa\_builtins.cpython-312.pyc
      - └─ \_csound\_builtins.cpython-312.pyc
      - └─ \_css\_builtins.cpython-312.pyc
      - └─ \_googleql\_builtins.cpython-312.pyc
      - └─ \_julia\_builtins.cpython-312.pyc
      - └─ \_lasso\_builtins.cpython-312.pyc
      - └─ \_lilypond\_builtins.cpython-312.pyc
      - └─ \_lua\_builtins.cpython-312.pyc
      - └─ \_luau\_builtins.cpython-312.pyc
      - └─ \_mapping.cpython-312.pyc
      - └─ \_mql\_builtins.cpython-312.pyc
      - └─ \_mysql\_builtins.cpython-312.pyc
      - └─ \_openedge\_builtins.cpython-312.pyc
      - └─ \_php\_builtins.cpython-312.pyc
      - └─ \_postgres\_builtins.cpython-312.pyc
      - └─ \_qlik\_builtins.cpython-312.pyc
      - └─ \_scheme\_builtins.cpython-312.pyc
      - └─ \_scilab\_builtins.cpython-312.pyc
      - └─ \_sourcmod\_builtins.cpython-312.pyc
      - └─ \_sql\_builtins.cpython-312.pyc
      - └─ \_stan\_builtins.cpython-312.pyc
      - └─ \_stata\_builtins.cpython-312.pyc
      - └─ \_tsql\_builtins.cpython-312.pyc
      - └─ \_usd\_builtins.cpython-312.pyc
      - └─ \_vbscript\_builtins.cpython-312.pyc
      - └─ \_vim\_builtins.cpython-312.pyc

|  |   |                                  |                   |
|--|---|----------------------------------|-------------------|
|  | — | actionscrip                      | t.cpython-312.pyc |
|  | — | ada.cpython-312.pyc              |                   |
|  | — | agile.cpython-312.pyc            |                   |
|  | — | algebra.cpython-312.pyc          |                   |
|  | — | ambient.cpython-312.pyc          |                   |
|  | — | amdgpu.cpython-312.pyc           |                   |
|  | — | ampl.cpython-312.pyc             |                   |
|  | — | apdlexer.cpython-312.pyc         |                   |
|  | — | apl.cpython-312.pyc              |                   |
|  | — | archetype.cpython-312.pyc        |                   |
|  | — | arrow.cpython-312.pyc            |                   |
|  | — | arturo.cpython-312.pyc           |                   |
|  | — | asc.cpython-312.pyc              |                   |
|  | — | asm.cpython-312.pyc              |                   |
|  | — | asn1.cpython-312.pyc             |                   |
|  | — | automation.cpython-312.pyc       |                   |
|  | — | bare.cpython-312.pyc             |                   |
|  | — | basic.cpython-312.pyc            |                   |
|  | — | bdd.cpython-312.pyc              |                   |
|  | — | berry.cpython-312.pyc            |                   |
|  | — | bibtex.cpython-312.pyc           |                   |
|  | — | blueprint.cpython-312.pyc        |                   |
|  | — | boa.cpython-312.pyc              |                   |
|  | — | bqn.cpython-312.pyc              |                   |
|  | — | business.cpython-312.pyc         |                   |
|  | — | c_cpp.cpython-312.pyc            |                   |
|  | — | c_like.cpython-312.pyc           |                   |
|  | — | capnproto.cpython-312.pyc        |                   |
|  | — | carbon.cpython-312.pyc           |                   |
|  | — | cddl.cpython-312.pyc             |                   |
|  | — | chapel.cpython-312.pyc           |                   |
|  | — | clean.cpython-312.pyc            |                   |
|  | — | codeql.cpython-312.pyc           |                   |
|  | — | comal.cpython-312.pyc            |                   |
|  | — | compiled.cpython-312.pyc         |                   |
|  | — | configs.cpython-312.pyc          |                   |
|  | — | console.cpython-312.pyc          |                   |
|  | — | cplint.cpython-312.pyc           |                   |
|  | — | crystal.cpython-312.pyc          |                   |
|  | — | csound.cpython-312.pyc           |                   |
|  | — | css.cpython-312.pyc              |                   |
|  | — | d.cpython-312.pyc                |                   |
|  | — | dalvik.cpython-312.pyc           |                   |
|  | — | data.cpython-312.pyc             |                   |
|  | — | dax.cpython-312.pyc              |                   |
|  | — | devicetree.cpython-312.pyc       |                   |
|  | — | diff.cpython-312.pyc             |                   |
|  | — | dns.cpython-312.pyc              |                   |
|  | — | dotnet.cpython-312.pyc           |                   |
|  | — | dsls.cpython-312.pyc             |                   |
|  | — | dylan.cpython-312.pyc            |                   |
|  | — | ec1.cpython-312.pyc              |                   |
|  | — | eiffel.cpython-312.pyc           |                   |
|  | — | elm.cpython-312.pyc              |                   |
|  | — | elpi.cpython-312.pyc             |                   |
|  | — | email.cpython-312.pyc            |                   |
|  | — | erlang.cpython-312.pyc           |                   |
|  | — | esoteric.cpython-312.pyc         |                   |
|  | — | ezhil.cpython-312.pyc            |                   |
|  | — | factor.cpython-312.pyc           |                   |
|  | — | fantom.cpython-312.pyc           |                   |
|  | — | felix.cpython-312.pyc            |                   |
|  | — | fift.cpython-312.pyc             |                   |
|  | — | floscript.cpython-312.pyc        |                   |
|  | — | forth.cpython-312.pyc            |                   |
|  | — | fortran.cpython-312.pyc          |                   |
|  | — | foxpro.cpython-312.pyc           |                   |
|  | — | freefem.cpython-312.pyc          |                   |
|  | — | func.cpython-312.pyc             |                   |
|  | — | functional.cpython-312.pyc       |                   |
|  | — | futhark.cpython-312.pyc          |                   |
|  | — | gcodelexer.cpython-312.pyc       |                   |
|  | — | gdscrip                          | t.cpython-312.pyc |
|  | — | gleam.cpython-312.pyc            |                   |
|  | — | go.cpython-312.pyc               |                   |
|  | — | grammar_notation.cpython-312.pyc |                   |
|  | — | graph.cpython-312.pyc            |                   |
|  | — | graphics.cpython-312.pyc         |                   |
|  | — | graphql.cpython-312.pyc          |                   |
|  | — | graphviz.cpython-312.pyc         |                   |
|  | — | gresql.cpython-312.pyc           |                   |
|  | — | hare.cpython-312.pyc             |                   |
|  | — | haskell.cpython-312.pyc          |                   |
|  | — | haxe.cpython-312.pyc             |                   |
|  | — | hdl.cpython-312.pyc              |                   |



|   |                                |
|---|--------------------------------|
| — | hexdump.cpython-312.pyc        |
| — | html.cpython-312.pyc           |
| — | idl.cpython-312.pyc            |
| — | igor.cpython-312.pyc           |
| — | inferno.cpython-312.pyc        |
| — | installers.cpython-312.pyc     |
| — | int_fiction.cpython-312.pyc    |
| — | iolang.cpython-312.pyc         |
| — | j.cpython-312.pyc              |
| — | javascript.cpython-312.pyc     |
| — | jmespath.cpython-312.pyc       |
| — | jslt.cpython-312.pyc           |
| — | json5.cpython-312.pyc          |
| — | jsonnet.cpython-312.pyc        |
| — | jsx.cpython-312.pyc            |
| — | julia.cpython-312.pyc          |
| — | jvm.cpython-312.pyc            |
| — | kuin.cpython-312.pyc           |
| — | kusto.cpython-312.pyc          |
| — | ldap.cpython-312.pyc           |
| — | lean.cpython-312.pyc           |
| — | lilypond.cpython-312.pyc       |
| — | lisp.cpython-312.pyc           |
| — | macaulay2.cpython-312.pyc      |
| — | make.cpython-312.pyc           |
| — | maple.cpython-312.pyc          |
| — | markup.cpython-312.pyc         |
| — | math.cpython-312.pyc           |
| — | matlab.cpython-312.pyc         |
| — | maxima.cpython-312.pyc         |
| — | meson.cpython-312.pyc          |
| — | mime.cpython-312.pyc           |
| — | minecraft.cpython-312.pyc      |
| — | mips.cpython-312.pyc           |
| — | ml.cpython-312.pyc             |
| — | modeling.cpython-312.pyc       |
| — | modula2.cpython-312.pyc        |
| — | mojo.cpython-312.pyc           |
| — | monte.cpython-312.pyc          |
| — | mosel.cpython-312.pyc          |
| — | nc1.cpython-312.pyc            |
| — | nimrod.cpython-312.pyc         |
| — | nit.cpython-312.pyc            |
| — | nix.cpython-312.pyc            |
| — | numbair.cpython-312.pyc        |
| — | oberon.cpython-312.pyc         |
| — | objective.cpython-312.pyc      |
| — | ooc.cpython-312.pyc            |
| — | openscad.cpython-312.pyc       |
| — | other.cpython-312.pyc          |
| — | parasail.cpython-312.pyc       |
| — | parsers.cpython-312.pyc        |
| — | pascal.cpython-312.pyc         |
| — | pawn.cpython-312.pyc           |
| — | pddl.cpython-312.pyc           |
| — | perl.cpython-312.pyc           |
| — | phix.cpython-312.pyc           |
| — | php.cpython-312.pyc            |
| — | pointless.cpython-312.pyc      |
| — | pony.cpython-312.pyc           |
| — | praat.cpython-312.pyc          |
| — | procfile.cpython-312.pyc       |
| — | prolog.cpython-312.pyc         |
| — | promql.cpython-312.pyc         |
| — | prql.cpython-312.pyc           |
| — | ptx.cpython-312.pyc            |
| — | python.cpython-312.pyc         |
| — | q.cpython-312.pyc              |
| — | qlik.cpython-312.pyc           |
| — | qvt.cpython-312.pyc            |
| — | r.cpython-312.pyc              |
| — | rdf.cpython-312.pyc            |
| — | rebol.cpython-312.pyc          |
| — | rego.cpython-312.pyc           |
| — | rell.cpython-312.pyc           |
| — | resource.cpython-312.pyc       |
| — | ride.cpython-312.pyc           |
| — | rita.cpython-312.pyc           |
| — | rnc.cpython-312.pyc            |
| — | roboconf.cpython-312.pyc       |
| — | robotframework.cpython-312.pyc |
| — | ruby.cpython-312.pyc           |
| — | rust.cpython-312.pyc           |
| — | sas.cpython-312.pyc            |
| — | savi.cpython-312.pyc           |

```
— scdoc.cpython-312.pyc
— scripting.cpython-312.pyc
— sgf.cpython-312.pyc
— shell.cpython-312.pyc
— sieve.cpython-312.pyc
— slash.cpython-312.pyc
— smalltalk.cpython-312.pyc
— smithy.cpython-312.pyc
— smv.cpython-312.pyc
— snobol.cpython-312.pyc
— solidity.cpython-312.pyc
— soong.cpython-312.pyc
— sophia.cpython-312.pyc
— special.cpython-312.pyc
— spice.cpython-312.pyc
— sql.cpython-312.pyc
— srcinfo.cpython-312.pyc
— stata.cpython-312.pyc
— supercollider.cpython-312.pyc
— tablegen.cpython-312.pyc
— tact.cpython-312.pyc
— tal.cpython-312.pyc
— tcl.cpython-312.pyc
— teal.cpython-312.pyc
— templates.cpython-312.pyc
— teraterm.cpython-312.pyc
— testing.cpython-312.pyc
— text.cpython-312.pyc
— textedit.cpython-312.pyc
— textfmts.cpython-312.pyc
— theorem.cpython-312.pyc
— thingsdb.cpython-312.pyc
— tlb.cpython-312.pyc
— tls.cpython-312.pyc
— tnt.cpython-312.pyc
— trafficscript.cpython-312.pyc
— typoscript.cpython-312.pyc
— typst.cpython-312.pyc
— ul4.cpython-312.pyc
— unicon.cpython-312.pyc
— urbi.cpython-312.pyc
— usd.cpython-312.pyc
— varnish.cpython-312.pyc
— verification.cpython-312.pyc
— verifpal.cpython-312.pyc
— vip.cpython-312.pyc
— vyper.cpython-312.pyc
— web.cpython-312.pyc
— webassembly.cpython-312.pyc
— webidl.cpython-312.pyc
— webmisc.cpython-312.pyc
— wgs1.cpython-312.pyc
— whiley.cpython-312.pyc
— wowtoc.cpython-312.pyc
— wren.cpython-312.pyc
— x10.cpython-312.pyc
— xorg.cpython-312.pyc
— yang.cpython-312.pyc
— yara.cpython-312.pyc
— zig.cpython-312.pyc
— _init__.py
— _ada_builtins.py
— _asy_builtins.py
— _cl_builtins.py
— _cocoa_builtins.py
— _csound_builtins.py
— _css_builtins.py
— _googlesql_builtins.py
— _julia_builtins.py
— _lasso_builtins.py
— _lilypond_builtins.py
— _lua_builtins.py
— _luau_builtins.py
— _mapping.py
— _mql_builtins.py
— _mysql_builtins.py
— _openedge_builtins.py
— _php_builtins.py
— _postgres_builtins.py
— _qlik_builtins.py
— _scheme_builtins.py
— _scilab_builtins.py
— _sourcmod_builtins.py
— _sql_builtins.py
— _stan_builtins.py
```

— \_stata\_builtins.py  
— \_tsql\_builtins.py  
— \_usd\_builtins.py  
— \_vbscript\_builtins.py  
— \_vim\_builtins.py  
— actionscript.py  
— ada.py  
— agile.py  
— algebra.py  
— ambient.py  
— amdgpu.py  
— ampl.py  
— apdlexer.py  
— apl.py  
— archetype.py  
— arrow.py  
— arturo.py  
— asc.py  
— asm.py  
— asn1.py  
— automation.py  
— bare.py  
— basic.py  
— bdd.py  
— berry.py  
— bibtex.py  
— blueprint.py  
— boa.py  
— bqnl.py  
— business.py  
— c\_cpp.py  
— c\_like.py  
— capnproto.py  
— carbon.py  
— cddl.py  
— chapel.py  
— clean.py  
— codeql.py  
— comal.py  
— compiled.py  
— configs.py  
— console.py  
— cplint.py  
— crystal.py  
— csound.py  
— css.py  
— d.py  
— dalvik.py  
— data.py  
— dax.py  
— devicetree.py  
— diff.py  
— dns.py  
— dotnet.py  
— dsls.py  
— dylan.py  
— ecl.py  
— eiffel.py  
— elm.py  
— elpi.py  
— email.py  
— erlang.py  
— esoteric.py  
— ezhil.py  
— factor.py  
— fantom.py  
— felix.py  
— fift.py  
— floscript.py  
— forth.py  
— fortran.py  
— foxpro.py  
— freefem.py  
— func.py  
— functional.py  
— futhark.py  
— gcodelexer.py  
— gdsclipt.py  
— gleam.py  
— go.py  
— grammar\_notation.py  
— graph.py  
— graphics.py  
— graphql.py  
— graphviz.py

|  |   |                |
|--|---|----------------|
|  | — | gsql.py        |
|  | — | hare.py        |
|  | — | haske11.py     |
|  | — | haxe.py        |
|  | — | hdl.py         |
|  | — | hexdump.py     |
|  | — | html.py        |
|  | — | idl.py         |
|  | — | igor.py        |
|  | — | inferno.py     |
|  | — | installers.py  |
|  | — | int_fiction.py |
|  | — | iolang.py      |
|  | — | j.py           |
|  | — | javascript.py  |
|  | — | jmespath.py    |
|  | — | jslt.py        |
|  | — | json5.py       |
|  | — | jsonnet.py     |
|  | — | jsx.py         |
|  | — | julia.py       |
|  | — | jvm.py         |
|  | — | kuin.py        |
|  | — | kusto.py       |
|  | — | ldap.py        |
|  | — | lean.py        |
|  | — | lilypond.py    |
|  | — | lisp.py        |
|  | — | macaulay2.py   |
|  | — | make.py        |
|  | — | maple.py       |
|  | — | markup.py      |
|  | — | math.py        |
|  | — | matlab.py      |
|  | — | maxima.py      |
|  | — | meson.py       |
|  | — | mime.py        |
|  | — | minecraft.py   |
|  | — | mips.py        |
|  | — | ml.py          |
|  | — | modeling.py    |
|  | — | modula2.py     |
|  | — | mojo.py        |
|  | — | monte.py       |
|  | — | mosel.py       |
|  | — | ncl.py         |
|  | — | nimrod.py      |
|  | — | nit.py         |
|  | — | nix.py         |
|  | — | numbair.py     |
|  | — | oberon.py      |
|  | — | objective.py   |
|  | — | ooc.py         |
|  | — | openscad.py    |
|  | — | other.py       |
|  | — | parasail.py    |
|  | — | parsers.py     |
|  | — | pascal.py      |
|  | — | pawn.py        |
|  | — | pddl.py        |
|  | — | perl.py        |
|  | — | phix.py        |
|  | — | php.py         |
|  | — | pointless.py   |
|  | — | pony.py        |
|  | — | praat.py       |
|  | — | procfile.py    |
|  | — | prolog.py      |
|  | — | promql.py      |
|  | — | prql.py        |
|  | — | ptx.py         |
|  | — | python.py      |
|  | — | q.py           |
|  | — | qlik.py        |
|  | — | qvt.py         |
|  | — | r.py           |
|  | — | rdf.py         |
|  | — | rebol.py       |
|  | — | rego.py        |
|  | — | rell.py        |
|  | — | resource.py    |
|  | — | ride.py        |
|  | — | rita.py        |
|  | — | rnc.py         |
|  | — | roboconf.py    |

- robotframework.py
- ruby.py
- rust.py
- sas.py
- savi.py
- scdoc.py
- scripting.py
- sgf.py
- shell.py
- sieve.py
- slash.py
- smalltalk.py
- smithy.py
- smv.py
- snobol.py
- solidity.py
- soong.py
- sophia.py
- special.py
- spice.py
- sql.py
- srcinfo.py
- stata.py
- supercollider.py
- tablegen.py
- tact.py
- tal.py
- tcl.py
- teal.py
- templates.py
- teraterm.py
- testing.py
- text.py
- textedit.py
- textfmts.py
- theorem.py
- thingsdb.py
- tlb.py
- tls.py
- tnt.py
- trafficscript.py
- typoscript.py
- typst.py
- ul4.py
- unicon.py
- urbi.py
- usd.py
- varnish.py
- verification.py
- verifpal.py
- vip.py
- vyper.py
- web.py
- webassembly.py
- webidl.py
- webmisc.py
- wgs1.py
- whiley.py
- wowtoc.py
- wren.py
- x10.py
- xorg.py
- yang.py
- yara.py
- zig.py
- styles/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_mapping.cpython-312.pyc
    - abap.cpython-312.pyc
    - algol.cpython-312.pyc
    - algol\_nu.cpython-312.pyc
    - arduino.cpython-312.pyc
    - autumn.cpython-312.pyc
    - borland.cpython-312.pyc
    - bw.cpython-312.pyc
    - coffee.cpython-312.pyc
    - colorful.cpython-312.pyc
    - default.cpython-312.pyc
    - dracula.cpython-312.pyc
    - emacs.cpython-312.pyc
    - friendly.cpython-312.pyc
    - friendly\_grayscale.cpython-312.pyc
    - fruity.cpython-312.pyc
    - gh\_dark.cpython-312.pyc

```
— gruvbox.cpython-312.pyc
— igor.cpython-312.pyc
— inkpot.cpython-312.pyc
— lightbulb.cpython-312.pyc
— lilypond.cpython-312.pyc
— lovelace.cpython-312.pyc
— manni.cpython-312.pyc
— material.cpython-312.pyc
— monokai.cpython-312.pyc
— murphy.cpython-312.pyc
— native.cpython-312.pyc
— nord.cpython-312.pyc
— onedark.cpython-312.pyc
— paraíso_dark.cpython-312.pyc
— paraíso_light.cpython-312.pyc
— pastie.cpython-312.pyc
— perldoc.cpython-312.pyc
— rainbow_dash.cpython-312.pyc
— rrt.cpython-312.pyc
— sas.cpython-312.pyc
— solarized.cpython-312.pyc
— staroffice.cpython-312.pyc
— stata_dark.cpython-312.pyc
— stata_light.cpython-312.pyc
— tango.cpython-312.pyc
— trac.cpython-312.pyc
— vim.cpython-312.pyc
— vs.cpython-312.pyc
— xcode.cpython-312.pyc
— zenburn.cpython-312.pyc
— __init__.py
— _mapping.py
— abap.py
— algol.py
— algol_nu.py
— arduino.py
— autumn.py
— borland.py
— bw.py
— coffee.py
— colorful.py
— default.py
— dracula.py
— emacs.py
— friendly.py
— friendly_grayscale.py
— fruity.py
— gh_dark.py
— gruvbox.py
— igor.py
— inkpot.py
— lightbulb.py
— lilypond.py
— lovelace.py
— manni.py
— material.py
— monokai.py
— murphy.py
— native.py
— nord.py
— onedark.py
— paraíso_dark.py
— paraíso_light.py
— pastie.py
— perldoc.py
— rainbow_dash.py
— rrt.py
— sas.py
— solarized.py
— staroffice.py
— stata_dark.py
— stata_light.py
— tango.py
— trac.py
— vim.py
— vs.py
— xcode.py
— zenburn.py
— __init__.py
— __main__.py
— cmdline.py
— console.py
— filter.py
— formatter.py
— lexer.py
```

- modeline.py
- plugin.py
- regexopt.py
- scanner.py
- sphinxext.py
- style.py
- token.py
- unistring.py
- util.py
- pygments-2.20.0.dist-info/
  - licenses/
    - AUTHORS
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- pyparsing/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - actions.cpython-312.pyc
    - common.cpython-312.pyc
    - core.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - helpers.cpython-312.pyc
    - results.cpython-312.pyc
    - testing.cpython-312.pyc
    - unicode.cpython-312.pyc
    - util.cpython-312.pyc
    - warnings.cpython-312.pyc
  - ai/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - show\_best\_practices/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - \_\_main\_\_.cpython-312.pyc
      - \_\_init\_\_.py
      - \_\_main\_\_.py
    - \_\_init\_\_.py
    - best\_practices.md
  - diagram/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - tools/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - cvt\_pyparsing\_pep8\_names.cpython-312.pyc
    - \_\_init\_\_.py
    - cvt\_pyparsing\_pep8\_names.py
  - \_\_init\_\_.py
  - actions.py
  - common.py
  - core.py
  - exceptions.py
  - helpers.py
  - py.typed
  - results.py
  - testing.py
  - unicode.py
  - util.py
  - warnings.py
- pyparsing-3.3.2.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- python\_dateutil-2.9.0.post0.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
  - zip-safe
- pyyaml-6.0.3.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD

```
├── REQUESTED
├── top_level.txt
├── WHEEL
├── regex/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── _main.cpython-312.pyc
│   │   └── _regex_core.cpython-312.pyc
│   ├── tests/
│   │   ├── pycache_/
│   │   │   └── test_regex.cpython-312.pyc
│   │   └── test_regex.py
│   ├── __init__.py
│   ├── _main.py
│   ├── _regex.cp312-win_amd64.pyd
│   └── _regex_core.py
├── regex-2026.5.9.dist-info/
│   ├── licenses/
│   │   └── LICENSE.txt
│   ├── INSTALLER
│   ├── METADATA
│   ├── RECORD
│   ├── top_level.txt
│   └── WHEEL
├── requests/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── __version__.cpython-312.pyc
│   │   ├── _internal_utils.cpython-312.pyc
│   │   ├── _types.cpython-312.pyc
│   │   ├── adapters.cpython-312.pyc
│   │   ├── api.cpython-312.pyc
│   │   ├── auth.cpython-312.pyc
│   │   ├── certs.cpython-312.pyc
│   │   ├── compat.cpython-312.pyc
│   │   ├── cookies.cpython-312.pyc
│   │   ├── exceptions.cpython-312.pyc
│   │   ├── help.cpython-312.pyc
│   │   ├── hooks.cpython-312.pyc
│   │   ├── models.cpython-312.pyc
│   │   ├── packages.cpython-312.pyc
│   │   ├── sessions.cpython-312.pyc
│   │   ├── status_codes.cpython-312.pyc
│   │   ├── structures.cpython-312.pyc
│   │   └── utils.cpython-312.pyc
│   ├── __init__.py
│   ├── __version__.py
│   ├── _internal_utils.py
│   ├── _types.py
│   ├── adapters.py
│   ├── api.py
│   ├── auth.py
│   ├── certs.py
│   ├── compat.py
│   ├── cookies.py
│   ├── exceptions.py
│   ├── help.py
│   ├── hooks.py
│   ├── models.py
│   ├── packages.py
│   ├── py.typed
│   ├── sessions.py
│   ├── status_codes.py
│   ├── structures.py
│   └── utils.py
├── requests-2.34.2.dist-info/
│   ├── licenses/
│   │   ├── LICENSE
│   │   └── NOTICE
│   ├── INSTALLER
│   ├── METADATA
│   ├── RECORD
│   ├── top_level.txt
│   └── WHEEL
├── rich/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── _main_.cpython-312.pyc
│   │   ├── _emoji_codes.cpython-312.pyc
│   │   ├── _emoji_replace.cpython-312.pyc
│   │   ├── _export_format.cpython-312.pyc
│   │   ├── _extension.cpython-312.pyc
│   │   ├── _fileno.cpython-312.pyc
│   │   ├── _inspect.cpython-312.pyc
│   │   └── _log_render.cpython-312.pyc
```



- \_loop.cpython-312.pyc
- \_null\_file.cpython-312.pyc
- \_palettes.cpython-312.pyc
- \_pick.cpython-312.pyc
- \_ratio.cpython-312.pyc
- \_spinners.cpython-312.pyc
- \_stack.cpython-312.pyc
- \_timer.cpython-312.pyc
- \_win32\_console.cpython-312.pyc
- \_windows.cpython-312.pyc
- \_windows\_renderer.cpython-312.pyc
- \_wrap.cpython-312.pyc
- abc.cpython-312.pyc
- align.cpython-312.pyc
- ansi.cpython-312.pyc
- bar.cpython-312.pyc
- box.cpython-312.pyc
- cells.cpython-312.pyc
- color.cpython-312.pyc
- color\_triplet.cpython-312.pyc
- columns.cpython-312.pyc
- console.cpython-312.pyc
- constrain.cpython-312.pyc
- containers.cpython-312.pyc
- control.cpython-312.pyc
- default\_styles.cpython-312.pyc
- diagnose.cpython-312.pyc
- emoji.cpython-312.pyc
- errors.cpython-312.pyc
- file\_proxy.cpython-312.pyc
- filesize.cpython-312.pyc
- highlighter.cpython-312.pyc
- json.cpython-312.pyc
- jupyter.cpython-312.pyc
- layout.cpython-312.pyc
- live.cpython-312.pyc
- live\_render.cpython-312.pyc
- logging.cpython-312.pyc
- markdown.cpython-312.pyc
- markup.cpython-312.pyc
- measure.cpython-312.pyc
- padding.cpython-312.pyc
- pager.cpython-312.pyc
- palette.cpython-312.pyc
- panel.cpython-312.pyc
- pretty.cpython-312.pyc
- progress.cpython-312.pyc
- progress\_bar.cpython-312.pyc
- prompt.cpython-312.pyc
- protocol.cpython-312.pyc
- region.cpython-312.pyc
- repr.cpython-312.pyc
- rule.cpython-312.pyc
- scope.cpython-312.pyc
- screen.cpython-312.pyc
- segment.cpython-312.pyc
- spinner.cpython-312.pyc
- status.cpython-312.pyc
- style.cpython-312.pyc
- styled.cpython-312.pyc
- syntax.cpython-312.pyc
- table.cpython-312.pyc
- terminal\_theme.cpython-312.pyc
- text.cpython-312.pyc
- theme.cpython-312.pyc
- themes.cpython-312.pyc
- traceback.cpython-312.pyc
- tree.cpython-312.pyc
- unicode\_data/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_versions.cpython-312.pyc
    - unicode10-0-0.cpython-312.pyc
    - unicode11-0-0.cpython-312.pyc
    - unicode12-0-0.cpython-312.pyc
    - unicode12-1-0.cpython-312.pyc
    - unicode13-0-0.cpython-312.pyc
    - unicode14-0-0.cpython-312.pyc
    - unicode15-0-0.cpython-312.pyc
    - unicode15-1-0.cpython-312.pyc
    - unicode16-0-0.cpython-312.pyc
    - unicode17-0-0.cpython-312.pyc
    - unicode4-1-0.cpython-312.pyc
    - unicode5-0-0.cpython-312.pyc
    - unicode5-1-0.cpython-312.pyc

```
— unicode5-2-0.cpython-312.pyc
— unicode6-0-0.cpython-312.pyc
— unicode6-1-0.cpython-312.pyc
— unicode6-2-0.cpython-312.pyc
— unicode6-3-0.cpython-312.pyc
— unicode7-0-0.cpython-312.pyc
— unicode8-0-0.cpython-312.pyc
— unicode9-0-0.cpython-312.pyc
— __init__.py
— _versions.py
— unicode10-0-0.py
— unicode11-0-0.py
— unicode12-0-0.py
— unicode12-1-0.py
— unicode13-0-0.py
— unicode14-0-0.py
— unicode15-0-0.py
— unicode15-1-0.py
— unicode16-0-0.py
— unicode17-0-0.py
— unicode4-1-0.py
— unicode5-0-0.py
— unicode5-1-0.py
— unicode5-2-0.py
— unicode6-0-0.py
— unicode6-1-0.py
— unicode6-2-0.py
— unicode6-3-0.py
— unicode7-0-0.py
— unicode8-0-0.py
— unicode9-0-0.py
— __init__.py
— __main__.py
— _emoji_codes.py
— _emoji_replace.py
— _export_format.py
— _extension.py
— _fileno.py
— _inspect.py
— _log_render.py
— _loop.py
— _null_file.py
— _palettes.py
— _pick.py
— _ratio.py
— _spinners.py
— _stack.py
— _timer.py
— _win32_console.py
— _windows.py
— _windows_renderer.py
— _wrap.py
— abc.py
— align.py
— ansi.py
— bar.py
— box.py
— cells.py
— color.py
— color_triplet.py
— columns.py
— console.py
— constrain.py
— containers.py
— control.py
— default_styles.py
— diagnose.py
— emoji.py
— errors.py
— file_proxy.py
— filesize.py
— highlighter.py
— json.py
— jupyter.py
— layout.py
— live.py
— live_render.py
— logging.py
— markdown.py
— markup.py
— measure.py
— padding.py
— pager.py
— palette.py
— panel.py
```

- pretty.py
- progress.py
- progress\_bar.py
- prompt.py
- protocol.py
- py.typed
- region.py
- repr.py
- rule.py
- scope.py
- screen.py
- segment.py
- spinner.py
- status.py
- style.py
- styled.py
- syntax.py
- table.py
- terminal\_theme.py
- text.py
- theme.py
- themes.py
- traceback.py
- tree.py
- rich-15.0.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- safetensors/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - flax.cpython-312.pyc
    - mlx.cpython-312.pyc
    - numpy.cpython-312.pyc
    - paddle.cpython-312.pyc
    - tensorflow.cpython-312.pyc
    - torch.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - \_safetensors\_rust.pyd
  - flax.py
  - mlx.py
  - numpy.py
  - paddle.py
  - py.typed
  - tensorflow.py
  - torch.py
- safetensors-0.7.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- scikit\_learn-1.8.0.dist-info/
  - licenses/
    - COPYING
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- scipy/
  - pycache\_/
    - \_\_config\_\_.cpython-312.pyc
    - \_\_init\_\_.cpython-312.pyc
    - \_distributor\_init.cpython-312.pyc
    - conftest.cpython-312.pyc
    - version.cpython-312.pyc
  - lib/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_array\_api.cpython-312.pyc
      - \_array\_api\_compat\_vendor.cpython-312.pyc
      - \_array\_api\_docs\_tables.cpython-312.pyc
      - \_array\_api\_no\_0d.cpython-312.pyc
      - \_array\_api\_override.cpython-312.pyc
      - \_bunch.cpython-312.pyc
      - \_ccallback.cpython-312.pyc
      - \_disjoint\_set.cpython-312.pyc
      - \_docscrape.cpython-312.pyc
      - \_elementwise\_iterative\_method.cpython-312.pyc

- \_gcutils.cpython-312.pyc
- \_pep440.cpython-312.pyc
- \_public\_api.cpython-312.pyc
- \_sparse.cpython-312.pyc
- \_testutils.cpython-312.pyc
- \_tmpdirs.cpython-312.pyc
- \_util.cpython-312.pyc
- deprecation.cpython-312.pyc
- doccer.cpython-312.pyc
- uarray.cpython-312.pyc
- uarray/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_backend.cpython-312.pyc
  - \_\_init\_\_.py
  - \_backend.py
  - \_uarray.cp312-win\_amd64.dll.a
  - \_uarray.cp312-win\_amd64.pyd
  - LICENSE
- array\_api\_compat/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_internal.cpython-312.pyc
  - common/
    - pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_aliases.cpython-312.pyc
      - \_fft.cpython-312.pyc
      - \_helpers.cpython-312.pyc
      - \_linalg.cpython-312.pyc
      - \_typing.cpython-312.pyc
    - \_\_init\_\_.py
    - \_aliases.py
    - \_fft.py
    - \_helpers.py
    - \_linalg.py
    - \_typing.py
- cupy/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_aliases.cpython-312.pyc
    - \_info.cpython-312.pyc
    - \_typing.cpython-312.pyc
    - \_fft.cpython-312.pyc
    - \_linalg.cpython-312.pyc
  - \_\_init\_\_.py
  - \_aliases.py
  - \_info.py
  - \_typing.py
  - \_fft.py
  - \_linalg.py
- dask/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - array/
    - pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_aliases.cpython-312.pyc
      - \_info.cpython-312.pyc
      - \_fft.cpython-312.pyc
      - \_linalg.cpython-312.pyc
    - \_\_init\_\_.py
    - \_aliases.py
    - \_info.py
    - \_fft.py
    - \_linalg.py
    - \_\_init\_\_.py
- numpy/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_aliases.cpython-312.pyc
    - \_info.cpython-312.pyc
    - \_typing.cpython-312.pyc
    - \_fft.cpython-312.pyc
    - \_linalg.cpython-312.pyc
  - \_\_init\_\_.py
  - \_aliases.py
  - \_info.py
  - \_typing.py
  - \_fft.py
  - \_linalg.py
- torch/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_aliases.cpython-312.pyc

- \_info.cpython-312.pyc
    - \_typing.cpython-312.pyc
    - fft.cpython-312.pyc
    - linalg.cpython-312.pyc
  - \_init\_\_.py
  - \_aliases.py
  - \_info.py
  - \_typing.py
  - fft.py
  - linalg.py
- \_init\_\_.py
- \_internal.py
- array\_api\_extra/
  - pycache\_/
    - \_init\_\_.cpython-312.pyc
    - \_delegation.cpython-312.pyc
    - testing.cpython-312.pyc
- lib/
  - pycache\_/
    - \_init\_\_.cpython-312.pyc
    - \_at.cpython-312.pyc
    - \_backends.cpython-312.pyc
    - \_funcs.cpython-312.pyc
    - \_lazy.cpython-312.pyc
    - \_testing.cpython-312.pyc
  - utils/
    - pycache\_/
      - \_init\_\_.cpython-312.pyc
      - \_compat.cpython-312.pyc
      - \_helpers.cpython-312.pyc
      - \_typing.cpython-312.pyc
    - \_init\_\_.py
    - \_compat.py
    - \_compat.pyi
    - \_helpers.py
    - \_typing.py
    - \_typing.pyi
  - \_init\_\_.py
  - \_at.py
  - \_backends.py
  - \_funcs.py
  - \_lazy.py
  - \_testing.py
- \_init\_\_.py
- \_delegation.py
- testing.py
- cobyqa/
  - pycache\_/
    - \_init\_\_.cpython-312.pyc
    - framework.cpython-312.pyc
    - main.cpython-312.pyc
    - models.cpython-312.pyc
    - problem.cpython-312.pyc
    - settings.cpython-312.pyc
  - subsolvers/
    - pycache\_/
      - \_init\_\_.cpython-312.pyc
      - geometry.cpython-312.pyc
      - optim.cpython-312.pyc
    - \_init\_\_.py
    - geometry.py
    - optim.py
  - utils/
    - pycache\_/
      - \_init\_\_.cpython-312.pyc
      - exceptions.cpython-312.pyc
      - math.cpython-312.pyc
      - versions.cpython-312.pyc
    - \_init\_\_.py
    - exceptions.py
    - math.py
    - versions.py
  - \_init\_\_.py
  - framework.py
  - main.py
  - models.py
  - problem.py
  - settings.py
- pyprima/
  - pycache\_/
    - \_init\_\_.cpython-312.pyc
  - cobyla/
    - pycache\_/
      - \_init\_\_.cpython-312.pyc
    - cobyla.cpython-312.pyc

- coby1b.cpython-312.pyc
  - geometry.cpython-312.pyc
  - initialize.cpython-312.pyc
  - trustregion.cpython-312.pyc
  - update.cpython-312.pyc
- \_\_init\_\_.py
- coby1a.py
- coby1b.py
- geometry.py
- initialize.py
- trustregion.py
- update.py
- common/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_bounds.cpython-312.pyc
    - \_linear\_constraints.cpython-312.pyc
    - \_nonlinear\_constraints.cpython-312.pyc
    - \_project.cpython-312.pyc
    - checkbreak.cpython-312.pyc
    - consts.cpython-312.pyc
    - evaluate.cpython-312.pyc
    - history.cpython-312.pyc
    - infos.cpython-312.pyc
    - linalg.cpython-312.pyc
    - message.cpython-312.pyc
    - powalg.cpython-312.pyc
    - preproc.cpython-312.pyc
    - present.cpython-312.pyc
    - ratio.cpython-312.pyc
    - redrho.cpython-312.pyc
    - selectx.cpython-312.pyc
  - \_\_init\_\_.py
  - \_bounds.py
  - \_linear\_constraints.py
  - \_nonlinear\_constraints.py
  - \_project.py
  - checkbreak.py
  - consts.py
  - evaluate.py
  - history.py
  - infos.py
  - linalg.py
  - message.py
  - powalg.py
  - preproc.py
  - present.py
  - ratio.py
  - redrho.py
  - selectx.py
- \_\_init\_\_.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_gcutils.cpython-312.pyc
    - test\_pep440.cpython-312.pyc
    - test\_testutils.cpython-312.pyc
    - test\_util.cpython-312.pyc
    - test\_array\_api.cpython-312.pyc
    - test\_bunch.cpython-312.pyc
    - test\_ccallback.cpython-312.pyc
    - test\_config.cpython-312.pyc
    - test\_deprecation.cpython-312.pyc
    - test\_doccer.cpython-312.pyc
    - test\_import\_cycles.cpython-312.pyc
    - test\_public\_api.cpython-312.pyc
    - test\_scipy\_version.cpython-312.pyc
    - test\_tmpdirs.cpython-312.pyc
    - test\_warnings.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_gcutils.py
  - test\_pep440.py
  - test\_testutils.py
  - test\_util.py
  - test\_array\_api.py
  - test\_bunch.py
  - test\_ccallback.py
  - test\_config.py
  - test\_deprecation.py
  - test\_doccer.py
  - test\_import\_cycles.py
  - test\_public\_api.py
  - test\_scipy\_version.py
  - test\_tmpdirs.py
  - test\_warnings.py

- `__init__.py`
- `_array_api.py`
- `_array_api_compat_vendor.py`
- `_array_api_docs_tables.py`
- `_array_api_no_0d.py`
- `_array_api_override.py`
- `_bunch.py`
- `_ccallback.py`
- `_ccallback_c.cp312-win_amd64.dll.a`
- `_ccallback_c.cp312-win_amd64.pyd`
- `_disjoint_set.py`
- `_docscrape.py`
- `_elementwise_iterative_method.py`
- `_fpumode.cp312-win_amd64.dll.a`
- `_fpumode.cp312-win_amd64.pyd`
- `_gcutils.py`
- `_pep440.py`
- `_public_api.py`
- `_sparse.py`
- `_test_ccallback.cp312-win_amd64.dll.a`
- `_test_ccallback.cp312-win_amd64.pyd`
- `_test_deprecation_call.cp312-win_amd64.dll.a`
- `_test_deprecation_call.cp312-win_amd64.pyd`
- `_test_deprecation_def.cp312-win_amd64.dll.a`
- `_test_deprecation_def.cp312-win_amd64.pyd`
- `_testutils.py`
- `_tmpdirs.py`
- `_util.py`
- `deprecation.py`
- `doccer.py`
- `messagestream.cp312-win_amd64.dll.a`
- `messagestream.cp312-win_amd64.pyd`
- `uarray.py`
- `cluster/`
  - `_pycache_/`
    - `__init__.cpython-312.pyc`
    - `hierarchy.cpython-312.pyc`
    - `vq.cpython-312.pyc`
  - `tests/`
    - `_pycache_/`
      - `__init__.cpython-312.pyc`
      - `hierarchy_test_data.cpython-312.pyc`
      - `test_disjoint_set.cpython-312.pyc`
      - `test_hierarchy.cpython-312.pyc`
      - `test_vq.cpython-312.pyc`
    - `__init__.py`
    - `hierarchy_test_data.py`
    - `test_disjoint_set.py`
    - `test_hierarchy.py`
    - `test_vq.py`
  - `__init__.py`
  - `hierarchy.cp312-win_amd64.dll.a`
  - `hierarchy.cp312-win_amd64.pyd`
  - `_optimal_leaf_ordering.cp312-win_amd64.dll.a`
  - `_optimal_leaf_ordering.cp312-win_amd64.pyd`
  - `_vq.cp312-win_amd64.dll.a`
  - `_vq.cp312-win_amd64.pyd`
  - `hierarchy.py`
  - `vq.py`
- `constants/`
  - `_pycache_/`
    - `__init__.cpython-312.pyc`
    - `_codata.cpython-312.pyc`
    - `_constants.cpython-312.pyc`
    - `codata.cpython-312.pyc`
    - `constants.cpython-312.pyc`
  - `tests/`
    - `_pycache_/`
      - `__init__.cpython-312.pyc`
      - `test_codata.cpython-312.pyc`
      - `test_constants.cpython-312.pyc`
    - `__init__.py`
    - `test_codata.py`
    - `test_constants.py`
  - `__init__.py`
  - `_codata.py`
  - `_constants.py`
  - `codata.py`
  - `constants.py`
- `datasets/`
  - `_pycache_/`
    - `__init__.cpython-312.pyc`
    - `_download_all.cpython-312.pyc`
    - `_fetchers.cpython-312.pyc`
    - `_registry.cpython-312.pyc`

- └─ \_utils.cpython-312.pyc
- tests/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_data.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_data.py
- └─ \_\_init\_\_.py
- └─ \_download\_all.py
- └─ \_fetchers.py
- └─ \_registry.py
- └─ \_utils.py
- differentiate/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_differentiate.cpython-312.pyc
  - tests/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ test\_differentiate.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_differentiate.py
  - └─ \_\_init\_\_.py
  - └─ \_differentiate.py
- fft/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_backend.cpython-312.pyc
    - └─ \_basic.cpython-312.pyc
    - └─ \_basic\_backend.cpython-312.pyc
    - └─ \_debug\_backends.cpython-312.pyc
    - └─ \_fftlog.cpython-312.pyc
    - └─ \_fftlog\_backend.cpython-312.pyc
    - └─ \_helper.cpython-312.pyc
    - └─ \_realtransforms.cpython-312.pyc
    - └─ \_realtransforms\_backend.cpython-312.pyc
  - └─ pocketfft/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ basic.cpython-312.pyc
      - └─ helper.cpython-312.pyc
      - └─ realtransforms.cpython-312.pyc
    - tests/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-312.pyc
        - └─ test\_basic.cpython-312.pyc
        - └─ test\_real\_transforms.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ test\_basic.py
      - └─ test\_real\_transforms.py
    - └─ \_\_init\_\_.py
    - └─ basic.py
    - └─ helper.py
    - └─ LICENSE.md
    - └─ pypocketfft.cp312-win\_amd64.dll.a
    - └─ pypocketfft.cp312-win\_amd64.pyd
    - └─ realtransforms.py
  - tests/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ mock\_backend.cpython-312.pyc
      - └─ test\_backend.cpython-312.pyc
      - └─ test\_basic.cpython-312.pyc
      - └─ test\_fftlog.cpython-312.pyc
      - └─ test\_helper.cpython-312.pyc
      - └─ test\_multithreading.cpython-312.pyc
      - └─ test\_real\_transforms.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ mock\_backend.py
    - └─ test\_backend.py
    - └─ test\_basic.py
    - └─ test\_fftlog.py
    - └─ test\_helper.py
    - └─ test\_multithreading.py
    - └─ test\_real\_transforms.py
  - └─ \_\_init\_\_.py
  - └─ \_backend.py
  - └─ \_basic.py
  - └─ \_basic\_backend.py
  - └─ \_debug\_backends.py
  - └─ \_fftlog.py
  - └─ \_fftlog\_backend.py
  - └─ \_helper.py
  - └─ \_realtransforms.py
  - └─ \_realtransforms\_backend.py



- fftpack/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_basic.cpython-312.pyc
    - \_helper.cpython-312.pyc
    - \_pseudo\_diffs.cpython-312.pyc
    - \_realtransforms.cpython-312.pyc
    - basic.cpython-312.pyc
    - helper.cpython-312.pyc
    - pseudo\_diffs.cpython-312.pyc
    - realtransforms.cpython-312.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_basic.cpython-312.pyc
      - test\_helper.cpython-312.pyc
      - test\_import.cpython-312.pyc
      - test\_pseudo\_diffs.cpython-312.pyc
      - test\_real\_transforms.cpython-312.pyc
    - \_\_init\_\_.py
    - fftw\_double\_ref.npz
    - fftw\_longdouble\_ref.npz
    - fftw\_single\_ref.npz
    - test.npz
    - test\_basic.py
    - test\_helper.py
    - test\_import.py
    - test\_pseudo\_diffs.py
    - test\_real\_transforms.py
  - \_\_init\_\_.py
  - \_basic.py
  - \_helper.py
  - \_pseudo\_diffs.py
  - \_realtransforms.py
  - basic.py
  - convolve.cp312-win\_amd64.dll.a
  - convolve.cp312-win\_amd64.pyd
  - helper.py
  - pseudo\_diffs.py
  - realtransforms.py
- integrate/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_bvp.cpython-312.pyc
    - \_cubature.cpython-312.pyc
    - \_lebedev.cpython-312.pyc
    - \_ode.cpython-312.pyc
    - \_odepack\_py.cpython-312.pyc
    - \_quad\_vec.cpython-312.pyc
    - \_quadpack\_py.cpython-312.pyc
    - \_quadrature.cpython-312.pyc
    - \_tanhsinh.cpython-312.pyc
    - dop.cpython-312.pyc
    - lsoda.cpython-312.pyc
    - odepack.cpython-312.pyc
    - quadpack.cpython-312.pyc
    - vode.cpython-312.pyc
  - \_ivp/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - base.cpython-312.pyc
      - bdf.cpython-312.pyc
      - common.cpython-312.pyc
      - dop853\_coefficients.cpython-312.pyc
      - ivp.cpython-312.pyc
      - lsoda.cpython-312.pyc
      - radau.cpython-312.pyc
      - rk.cpython-312.pyc
    - tests/
      - \_pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - test\_ivp.cpython-312.pyc
        - test\_rk.cpython-312.pyc
      - \_\_init\_\_.py
      - test\_ivp.py
      - test\_rk.py
    - \_\_init\_\_.py
    - base.py
    - bdf.py
    - common.py
    - dop853\_coefficients.py
    - ivp.py
    - lsoda.py
    - radau.py
    - rk.py

- rules/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_gauss\_kronrod.cpython-312.pyc
    - \_gauss\_legendre.cpython-312.pyc
    - \_genz\_malik.cpython-312.pyc
  - \_\_init\_\_.py
  - \_base.py
  - \_gauss\_kronrod.py
  - \_gauss\_legendre.py
  - \_genz\_malik.py
- tests/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_quad\_vec.cpython-312.pyc
    - test\_banded\_ode\_solvers.cpython-312.pyc
    - test\_bvp.cpython-312.pyc
    - test\_cubature.cpython-312.pyc
    - test\_integrate.cpython-312.pyc
    - test\_quadpack.cpython-312.pyc
    - test\_quadrature.cpython-312.pyc
    - test\_tanhsinh.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_quad\_vec.py
  - test\_banded\_ode\_solvers.py
  - test\_bvp.py
  - test\_cubature.py
  - test\_integrate.py
  - test\_quadpack.py
  - test\_quadrature.py
  - test\_tanhsinh.py
- \_\_init\_\_.py
- bvp.py
- cubature.py
- \_dop.cp312-win\_amd64.dll.a
- \_dop.cp312-win\_amd64.pyd
- lebedev.py
- ode.py
- \_odepack.cp312-win\_amd64.dll.a
- \_odepack.cp312-win\_amd64.pyd
- \_odepack\_py.py
- \_quad\_vec.py
- \_quadpack.cp312-win\_amd64.dll.a
- \_quadpack.cp312-win\_amd64.pyd
- \_quadpack\_py.py
- \_quadrature.py
- \_tanhsinh.py
- \_test\_multivariate.cp312-win\_amd64.dll.a
- \_test\_multivariate.cp312-win\_amd64.pyd
- \_vode.cp312-win\_amd64.dll.a
- \_vode.cp312-win\_amd64.pyd
- dop.py
- LICENSE\_DOP
- lsoda.py
- odepack.py
- quadpack.py
- vode.py

- interpolate/
- pycache\_\_/
  - \_\_init\_\_.cpython-312.pyc
  - \_bary\_rational.cpython-312.pyc
  - \_bsplines.cpython-312.pyc
  - \_cubic.cpython-312.pyc
  - \_fitpack2.cpython-312.pyc
  - \_fitpack\_impl.cpython-312.pyc
  - \_fitpack\_py.cpython-312.pyc
  - \_fitpack\_repro.cpython-312.pyc
  - \_interpolate.cpython-312.pyc
  - \_ndbspline.cpython-312.pyc
  - \_ndgriddata.cpython-312.pyc
  - \_pade.cpython-312.pyc
  - \_polyint.cpython-312.pyc
  - \_rbf.cpython-312.pyc
  - \_rbfinterp.cpython-312.pyc
  - \_rbfinterp\_common.cpython-312.pyc
  - \_rbfinterp\_np.cpython-312.pyc
  - \_rbfinterp\_xp.cpython-312.pyc
  - \_rgi.cpython-312.pyc
  - \_dfitpack.cpython-312.pyc
  - \_fitpack.cpython-312.pyc
  - \_fitpack2.cpython-312.pyc
  - \_interpnd.cpython-312.pyc
  - \_interpolate.cpython-312.pyc
  - \_ndgriddata.cpython-312.pyc

- └─ polyint.cpython-312.pyc
- └─ rbf.cpython-312.pyc
- └─ tests/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_bary\_rational.cpython-312.pyc
    - └─ test\_bsplines.cpython-312.pyc
    - └─ test\_fitpack.cpython-312.pyc
    - └─ test\_fitpack2.cpython-312.pyc
    - └─ test\_gil.cpython-312.pyc
    - └─ test\_interpnd.cpython-312.pyc
    - └─ test\_interpolate.cpython-312.pyc
    - └─ test\_ndgriddata.cpython-312.pyc
    - └─ test\_pade.cpython-312.pyc
    - └─ test\_polyint.cpython-312.pyc
    - └─ test\_rbf.cpython-312.pyc
    - └─ test\_rbfinterp.cpython-312.pyc
    - └─ test\_rgi.cpython-312.pyc
  - └─ data/
    - └─ bug-1310.npz
    - └─ estimate\_gradients\_hang.npy
    - └─ gcvspl.npz
  - └─ \_\_init\_\_.py
  - └─ test\_bary\_rational.py
  - └─ test\_bsplines.py
  - └─ test\_fitpack.py
  - └─ test\_fitpack2.py
  - └─ test\_gil.py
  - └─ test\_interpnd.py
  - └─ test\_interpolate.py
  - └─ test\_ndgriddata.py
  - └─ test\_pade.py
  - └─ test\_polyint.py
  - └─ test\_rbf.py
  - └─ test\_rbfinterp.py
  - └─ test\_rgi.py
- └─ \_\_init\_\_.py
- └─ \_bary\_rational.py
- └─ \_bsplines.py
- └─ \_cubic.py
- └─ \_dfitpack.cp312-win\_amd64.dll.a
- └─ \_dfitpack.cp312-win\_amd64.pyd
- └─ \_dierckx.cp312-win\_amd64.dll.a
- └─ \_dierckx.cp312-win\_amd64.pyd
- └─ \_fitpack.cp312-win\_amd64.dll.a
- └─ \_fitpack.cp312-win\_amd64.pyd
- └─ \_fitpack2.py
- └─ \_fitpack\_impl.py
- └─ \_fitpack\_py.py
- └─ \_fitpack\_repro.py
- └─ \_interpnd.cp312-win\_amd64.dll.a
- └─ \_interpnd.cp312-win\_amd64.pyd
- └─ \_interpolate.py
- └─ \_ndbspline.py
- └─ \_ndgriddata.py
- └─ \_pade.py
- └─ \_polyint.py
- └─ \_ppoly.cp312-win\_amd64.dll.a
- └─ \_ppoly.cp312-win\_amd64.pyd
- └─ \_rbf.py
- └─ \_rbfinterp.py
- └─ \_rbfinterp\_common.py
- └─ \_rbfinterp\_np.py
- └─ \_rbfinterp\_pythran.cp312-win\_amd64.dll.a
- └─ \_rbfinterp\_pythran.cp312-win\_amd64.pyd
- └─ \_rbfinterp\_xp.py
- └─ \_rgi.py
- └─ \_rgi\_cython.cp312-win\_amd64.dll.a
- └─ \_rgi\_cython.cp312-win\_amd64.pyd
- └─ dfitpack.py
- └─ fitpack.py
- └─ fitpack2.py
- └─ interpnd.py
- └─ interpolate.py
- └─ ndgriddata.py
- └─ polyint.py
- └─ rbf.py

- └─ io/
- └─ \_\_pycache\_\_/
  - └─ \_\_init\_\_.cpython-312.pyc
  - └─ \_fortran.cpython-312.pyc
  - └─ \_idl.cpython-312.pyc
  - └─ \_mmio.cpython-312.pyc
  - └─ \_netcdf.cpython-312.pyc
  - └─ harwell\_boeing.cpython-312.pyc

- id1.cpython-312.pyc
- mmio.cpython-312.pyc
- netcdf.cpython-312.pyc
- wavfile.cpython-312.pyc
- fast\_matrix\_market/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - fmm\_core.cp312-win\_amd64.dll.a
  - fmm\_core.cp312-win\_amd64.pyd
- harwell\_boeing/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - fortran\_format\_parser.cpython-312.pyc
    - hb.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_fortran\_format.cpython-312.pyc
      - test\_hb.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_fortran\_format.py
    - test\_hb.py
  - \_\_init\_\_.py
  - fortran\_format\_parser.py
  - hb.py
- arff/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - arffread.cpython-312.pyc
    - arffread.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_arffread.cpython-312.pyc
    - data/
      - iris.arff
      - missing.arff
      - nodata.arff
      - quoted\_nominal.arff
      - quoted\_nominal\_spaces.arff
      - test1.arff
      - test10.arff
      - test11.arff
      - test2.arff
      - test3.arff
      - test4.arff
      - test5.arff
      - test6.arff
      - test7.arff
      - test8.arff
      - test9.arff
    - \_\_init\_\_.py
    - test\_arffread.py
  - \_\_init\_\_.py
  - arffread.py
  - arffread.py
- matlab/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_byteordercodes.cpython-312.pyc
    - \_mio.cpython-312.pyc
    - \_mio4.cpython-312.pyc
    - \_mio5.cpython-312.pyc
    - \_mio5\_params.cpython-312.pyc
    - \_miobase.cpython-312.pyc
    - \_byteordercodes.cpython-312.pyc
    - \_mio.cpython-312.pyc
    - \_mio4.cpython-312.pyc
    - \_mio5.cpython-312.pyc
    - \_mio5\_params.cpython-312.pyc
    - \_mio5\_utils.cpython-312.pyc
    - \_mio\_utils.cpython-312.pyc
    - \_miobase.cpython-312.pyc
    - \_streams.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_byteordercodes.cpython-312.pyc
      - test\_mio.cpython-312.pyc
      - test\_mio5\_utils.cpython-312.pyc
      - test\_mio\_funcs.cpython-312.pyc
      - test\_mio\_utils.cpython-312.pyc
      - test\_miobase.cpython-312.pyc
      - test\_pathological.cpython-312.pyc

```
└─ test_streams.cpython-312.pyc
data/
├─ bad_muint32.mat
├─ bad_miutf8_array_name.mat
├─ big_endian.mat
├─ broken_utf8.mat
├─ corrupted_zlib_checksum.mat
├─ corrupted_zlib_data.mat
├─ debugged_m4.mat
├─ japanese_utf8.txt
├─ little_endian.mat
├─ logical_sparse.mat
├─ malformed1.mat
├─ muint32_for_miint32.mat
├─ miutf8_array_name.mat
├─ nasty_duplicate_fieldnames.mat
├─ one_by_zero_char.mat
├─ parabola.mat
├─ single_empty_string.mat
├─ some_functions.mat
├─ sqr.mat
├─ test3dmatrix_6.1_SOL2.mat
├─ test3dmatrix_6.5.1_GLNx86.mat
├─ test3dmatrix_7.1_GLNx86.mat
├─ test3dmatrix_7.4_GLNx86.mat
├─ test_empty_struct.mat
├─ test_mat4_le_floats.mat
├─ test_skip_variable.mat
├─ testbool_8_WIN64.mat
├─ testcell_6.1_SOL2.mat
├─ testcell_6.5.1_GLNx86.mat
├─ testcell_7.1_GLNx86.mat
├─ testcell_7.4_GLNx86.mat
├─ testcellnest_6.1_SOL2.mat
├─ testcellnest_6.5.1_GLNx86.mat
├─ testcellnest_7.1_GLNx86.mat
├─ testcellnest_7.4_GLNx86.mat
├─ testcomplex_4.2c_SOL2.mat
├─ testcomplex_6.1_SOL2.mat
├─ testcomplex_6.5.1_GLNx86.mat
├─ testcomplex_7.1_GLNx86.mat
├─ testcomplex_7.4_GLNx86.mat
├─ testdouble_4.2c_SOL2.mat
├─ testdouble_6.1_SOL2.mat
├─ testdouble_6.5.1_GLNx86.mat
├─ testdouble_7.1_GLNx86.mat
├─ testdouble_7.4_GLNx86.mat
├─ testemptycell_5.3_SOL2.mat
├─ testemptycell_6.5.1_GLNx86.mat
├─ testemptycell_7.1_GLNx86.mat
├─ testemptycell_7.4_GLNx86.mat
├─ testfunc_7.4_GLNx86.mat
├─ testhdf5_7.4_GLNx86.mat
├─ testmatrix_4.2c_SOL2.mat
├─ testmatrix_6.1_SOL2.mat
├─ testmatrix_6.5.1_GLNx86.mat
├─ testmatrix_7.1_GLNx86.mat
├─ testmatrix_7.4_GLNx86.mat
├─ testminus_4.2c_SOL2.mat
├─ testminus_6.1_SOL2.mat
├─ testminus_6.5.1_GLNx86.mat
├─ testminus_7.1_GLNx86.mat
├─ testminus_7.4_GLNx86.mat
├─ testmulti_4.2c_SOL2.mat
├─ testmulti_7.1_GLNx86.mat
├─ testmulti_7.4_GLNx86.mat
├─ testobject_6.1_SOL2.mat
├─ testobject_6.5.1_GLNx86.mat
├─ testobject_7.1_GLNx86.mat
├─ testobject_7.4_GLNx86.mat
├─ testonechar_4.2c_SOL2.mat
├─ testonechar_6.1_SOL2.mat
├─ testonechar_6.5.1_GLNx86.mat
├─ testonechar_7.1_GLNx86.mat
├─ testonechar_7.4_GLNx86.mat
├─ testscalarcell_7.4_GLNx86.mat
├─ testsimplecell.mat
├─ testsparse_4.2c_SOL2.mat
├─ testsparse_6.1_SOL2.mat
├─ testsparse_6.5.1_GLNx86.mat
├─ testsparse_7.1_GLNx86.mat
├─ testsparse_7.4_GLNx86.mat
├─ testsparsescomplex_4.2c_SOL2.mat
├─ testsparsescomplex_6.1_SOL2.mat
├─ testsparsescomplex_6.5.1_GLNx86.mat
```

- testsparscomplex\_7.1\_GLNx86.mat
- testsparscomplex\_7.4\_GLNx86.mat
- testsparsfloat\_7.4\_GLNx86.mat
- teststring\_4.2c\_SOL2.mat
- teststring\_6.1\_SOL2.mat
- teststring\_6.5.1\_GLNx86.mat
- teststring\_7.1\_GLNx86.mat
- teststring\_7.4\_GLNx86.mat
- teststringarray\_4.2c\_SOL2.mat
- teststringarray\_6.1\_SOL2.mat
- teststringarray\_6.5.1\_GLNx86.mat
- teststringarray\_7.1\_GLNx86.mat
- teststringarray\_7.4\_GLNx86.mat
- teststruct\_6.1\_SOL2.mat
- teststruct\_6.5.1\_GLNx86.mat
- teststruct\_7.1\_GLNx86.mat
- teststruct\_7.4\_GLNx86.mat
- teststructarr\_6.1\_SOL2.mat
- teststructarr\_6.5.1\_GLNx86.mat
- teststructarr\_7.1\_GLNx86.mat
- teststructarr\_7.4\_GLNx86.mat
- teststructnest\_6.1\_SOL2.mat
- teststructnest\_6.5.1\_GLNx86.mat
- teststructnest\_7.1\_GLNx86.mat
- teststructnest\_7.4\_GLNx86.mat
- testunicode\_7.1\_GLNx86.mat
- testunicode\_7.4\_GLNx86.mat
- testvec\_4\_GLNx86.mat
- \_\_init\_\_.py
- test\_byteordercodes.py
- test\_mio.py
- test\_mio5\_utils.py
- test\_mio\_funcs.py
- test\_mio\_utils.py
- test\_miobase.py
- test\_pathological.py
- test\_streams.py
- \_\_init\_\_.py
- \_byteordercodes.py
- \_mio.py
- \_mio4.py
- \_mio5.py
- \_mio5\_params.py
- \_mio5\_utils.cp312-win\_amd64.dll.a
- \_mio5\_utils.cp312-win\_amd64.pyd
- \_mio\_utils.cp312-win\_amd64.dll.a
- \_mio\_utils.cp312-win\_amd64.pyd
- \_miobase.py
- \_streams.cp312-win\_amd64.dll.a
- \_streams.cp312-win\_amd64.pyd
- byteordercodes.py
- mio.py
- mio4.py
- mio5.py
- mio5\_params.py
- mio5\_utils.py
- mio\_utils.py
- miobase.py
- streams.py
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_fortran.cpython-312.pyc
    - test\_idl.cpython-312.pyc
    - test\_mmio.cpython-312.pyc
    - test\_netcdf.cpython-312.pyc
    - test\_paths.cpython-312.pyc
    - test\_wavfile.cpython-312.pyc
  - data/
    - array\_float32\_1d.sav
    - array\_float32\_2d.sav
    - array\_float32\_3d.sav
    - array\_float32\_4d.sav
    - array\_float32\_5d.sav
    - array\_float32\_6d.sav
    - array\_float32\_7d.sav
    - array\_float32\_8d.sav
    - array\_float32\_pointer\_1d.sav
    - array\_float32\_pointer\_2d.sav
    - array\_float32\_pointer\_3d.sav
    - array\_float32\_pointer\_4d.sav
    - array\_float32\_pointer\_5d.sav
    - array\_float32\_pointer\_6d.sav
    - array\_float32\_pointer\_7d.sav
    - array\_float32\_pointer\_8d.sav

- example\_1.nc
- example\_2.nc
- example\_3\_maskedvals.nc
- fortran-3x3d-2i.dat
- fortran-mixed.dat
- fortran-sf8-11x1x10.dat
- fortran-sf8-15x10x22.dat
- fortran-sf8-1x1x1.dat
- fortran-sf8-1x1x5.dat
- fortran-sf8-1x1x7.dat
- fortran-sf8-1x3x5.dat
- fortran-si4-11x1x10.dat
- fortran-si4-15x10x22.dat
- fortran-si4-1x1x1.dat
- fortran-si4-1x1x5.dat
- fortran-si4-1x1x7.dat
- fortran-si4-1x3x5.dat
- invalid\_pointer.sav
- null\_pointer.sav
- scalar\_byte.sav
- scalar\_byte\_descr.sav
- scalar\_complex32.sav
- scalar\_complex64.sav
- scalar\_float32.sav
- scalar\_float64.sav
- scalar\_heap\_pointer.sav
- scalar\_int16.sav
- scalar\_int32.sav
- scalar\_int64.sav
- scalar\_string.sav
- scalar\_uint16.sav
- scalar\_uint32.sav
- scalar\_uint64.sav
- struct\_arrays.sav
- struct\_arrays\_byte\_id180.sav
- struct\_arrays\_replicated.sav
- struct\_arrays\_replicated\_3d.sav
- struct\_inherit.sav
- struct\_pointer\_arrays.sav
- struct\_pointer\_arrays\_replicated.sav
- struct\_pointer\_arrays\_replicated\_3d.sav
- struct\_pointers.sav
- struct\_pointers\_replicated.sav
- struct\_pointers\_replicated\_3d.sav
- struct\_scalars.sav
- struct\_scalars\_replicated.sav
- struct\_scalars\_replicated\_3d.sav
- test-1234Hz-1e-1ch-10S-20bit-extra.wav
- test-44100Hz-2ch-32bit-float-be.wav
- test-44100Hz-2ch-32bit-float-le.wav
- test-44100Hz-be-1ch-4bytes.wav
- test-44100Hz-1e-1ch-4bytes-early-eof-no-data.wav
- test-44100Hz-1e-1ch-4bytes-early-eof.wav
- test-44100Hz-1e-1ch-4bytes-incomplete-chunk.wav
- test-44100Hz-1e-1ch-4bytes-rf64.wav
- test-44100Hz-1e-1ch-4bytes.wav
- test-48000Hz-2ch-64bit-float-le-wavex.wav
- test-8000Hz-be-3ch-5S-24bit.wav
- test-8000Hz-1e-1ch-1byte-ulaw.wav
- test-8000Hz-1e-2ch-1byteu.wav
- test-8000Hz-1e-3ch-5S-24bit-inconsistent.wav
- test-8000Hz-1e-3ch-5S-24bit-rf64.wav
- test-8000Hz-1e-3ch-5S-24bit.wav
- test-8000Hz-1e-3ch-5S-36bit.wav
- test-8000Hz-1e-3ch-5S-45bit.wav
- test-8000Hz-1e-3ch-5S-53bit.wav
- test-8000Hz-1e-3ch-5S-64bit.wav
- test-8000Hz-1e-4ch-9S-12bit.wav
- test-8000Hz-1e-5ch-9S-5bit.wav
- Transparent\_Busy.ani
- various\_compressed.sav
- \_\_init\_\_.py
- test\_fortran.py
- test\_idl.py
- test\_mmio.py
- test\_netcdf.py
- test\_paths.py
- test\_wavfile.py
- \_init\_.py
- \_fortran.py
- \_idl.py
- \_mmio.py
- \_netcdf.py
- harwell\_boeing.py
- idl.py

- mmio.py
- netcdf.py
- wavfile.py
- linalg/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_basic.cpython-312.pyc
    - \_decomp.cpython-312.pyc
    - \_decomp\_cholesky.cpython-312.pyc
    - \_decomp\_cossin.cpython-312.pyc
    - \_decomp\_ldl.cpython-312.pyc
    - \_decomp\_lu.cpython-312.pyc
    - \_decomp\_polar.cpython-312.pyc
    - \_decomp\_qr.cpython-312.pyc
    - \_decomp\_qz.cpython-312.pyc
    - \_decomp\_schur.cpython-312.pyc
    - \_decomp\_svd.cpython-312.pyc
    - \_expm\_frechet.cpython-312.pyc
    - \_matfuncs.cpython-312.pyc
    - \_matfuncs\_inv\_ssqr.cpython-312.pyc
    - \_matfuncs\_sqrtm.cpython-312.pyc
    - \_misc.cpython-312.pyc
    - \_procrustes.cpython-312.pyc
    - \_sketches.cpython-312.pyc
    - \_solvers.cpython-312.pyc
    - \_special\_matrices.cpython-312.pyc
    - \_testutils.cpython-312.pyc
    - basic.cpython-312.pyc
    - blas.cpython-312.pyc
    - decomp.cpython-312.pyc
    - decomp\_cholesky.cpython-312.pyc
    - decomp\_lu.cpython-312.pyc
    - decomp\_qr.cpython-312.pyc
    - decomp\_schur.cpython-312.pyc
    - decomp\_svd.cpython-312.pyc
    - interpolative.cpython-312.pyc
    - lapack.cpython-312.pyc
    - matfuncs.cpython-312.pyc
    - misc.cpython-312.pyc
    - special\_matrices.cpython-312.pyc
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_basic.cpython-312.pyc
    - test\_batch.cpython-312.pyc
    - test\_blas.cpython-312.pyc
    - test\_cython\_blas.cpython-312.pyc
    - test\_cython\_lapack.cpython-312.pyc
    - test\_cythonized\_array\_utils.cpython-312.pyc
    - test\_decomp.cpython-312.pyc
    - test\_decomp\_cholesky.cpython-312.pyc
    - test\_decomp\_cossin.cpython-312.pyc
    - test\_decomp\_ldl.cpython-312.pyc
    - test\_decomp\_lu.cpython-312.pyc
    - test\_decomp\_polar.cpython-312.pyc
    - test\_decomp\_update.cpython-312.pyc
    - test\_extending.cpython-312.pyc
    - test\_fblas.cpython-312.pyc
    - test\_interpolative.cpython-312.pyc
    - test\_lapack.cpython-312.pyc
    - test\_matfuncs.cpython-312.pyc
    - test\_matmul\_toeplitz.cpython-312.pyc
    - test\_procrustes.cpython-312.pyc
    - test\_sketches.cpython-312.pyc
    - test\_solve\_toeplitz.cpython-312.pyc
    - test\_solvers.cpython-312.pyc
    - test\_special\_matrices.cpython-312.pyc
  - \_cython\_examples/
    - extending.pyx
    - meson.build
  - data/
    - carex\_15\_data.npz
    - carex\_18\_data.npz
    - carex\_19\_data.npz
    - carex\_20\_data.npz
    - carex\_6\_data.npz
    - gendare\_20170120\_data.npz
  - \_\_init\_\_.py
  - test\_basic.py
  - test\_batch.py
  - test\_blas.py
  - test\_cython\_blas.py
  - test\_cython\_lapack.py
  - test\_cythonized\_array\_utils.py
  - test\_decomp.py



- test\_decomp\_cholesky.py
- test\_decomp\_cossin.py
- test\_decomp\_ldl.py
- test\_decomp\_lu.py
- test\_decomp\_polar.py
- test\_decomp\_update.py
- test\_extending.py
- test\_fblas.py
- test\_interpolative.py
- test\_lapack.py
- test\_matfuncs.py
- test\_matmul\_toeplitz.py
- test\_procrustes.py
- test\_sketches.py
- test\_solve\_toeplitz.py
- test\_solvers.py
- test\_special\_matrices.py
- \_\_init\_\_.pxd
- \_\_init\_\_.py
- \_basic.py
- \_batched\_linalg.cp312-win\_amd64.dll.a
- \_batched\_linalg.cp312-win\_amd64.pyd
- \_blas\_subroutines.h
- \_cythonized\_array\_utils.cp312-win\_amd64.dll.a
- \_cythonized\_array\_utils.cp312-win\_amd64.pyd
- \_cythonized\_array\_utils.pxd
- \_cythonized\_array\_utils.pyi
- \_decomp.py
- \_decomp\_cholesky.py
- \_decomp\_cossin.py
- \_decomp\_interpolative.cp312-win\_amd64.dll.a
- \_decomp\_interpolative.cp312-win\_amd64.pyd
- \_decomp\_ldl.py
- \_decomp\_lu.py
- \_decomp\_lu\_cython.cp312-win\_amd64.dll.a
- \_decomp\_lu\_cython.cp312-win\_amd64.pyd
- \_decomp\_lu\_cython.pyi
- \_decomp\_polar.py
- \_decomp\_qr.py
- \_decomp\_qz.py
- \_decomp\_schur.py
- \_decomp\_svd.py
- \_decomp\_update.cp312-win\_amd64.dll.a
- \_decomp\_update.cp312-win\_amd64.pyd
- \_expm\_frechet.py
- \_fblas.cp312-win\_amd64.dll.a
- \_fblas.cp312-win\_amd64.pyd
- \_flapack.cp312-win\_amd64.dll.a
- \_flapack.cp312-win\_amd64.pyd
- \_lapack\_subroutines.h
- \_linalg\_pythran.cp312-win\_amd64.dll.a
- \_linalg\_pythran.cp312-win\_amd64.pyd
- \_matfuncs.py
- \_matfuncs\_expm.cp312-win\_amd64.dll.a
- \_matfuncs\_expm.cp312-win\_amd64.pyd
- \_matfuncs\_expm.pyi
- \_matfuncs\_inv\_ssq.py
- \_matfuncs\_schur\_sqrtm.cp312-win\_amd64.dll.a
- \_matfuncs\_schur\_sqrtm.cp312-win\_amd64.pyd
- \_matfuncs\_sqrtm.py
- \_matfuncs\_sqrtm\_triu.cp312-win\_amd64.dll.a
- \_matfuncs\_sqrtm\_triu.cp312-win\_amd64.pyd
- \_misc.py
- \_procrustes.py
- \_sketches.py
- \_solve\_toeplitz.cp312-win\_amd64.dll.a
- \_solve\_toeplitz.cp312-win\_amd64.pyd
- \_solvers.py
- \_special\_matrices.py
- \_testutils.py
- basic.py
- blas.py
- cython\_blas.cp312-win\_amd64.dll.a
- cython\_blas.cp312-win\_amd64.pyd
- cython\_blas.pxd
- cython\_blas.pyx
- cython\_lapack.cp312-win\_amd64.dll.a
- cython\_lapack.cp312-win\_amd64.pyd
- cython\_lapack.pxd
- cython\_lapack.pyx
- decomp.py
- decomp\_cholesky.py
- decomp\_lu.py
- decomp\_qr.py
- decomp\_schur.py

- decomp\_svd.py
- interpolative.py
- lapack.py
- matfuncs.py
- misc.py
- special\_matrices.py
- misc/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - common.cpython-312.pyc
    - doccer.cpython-312.pyc
  - \_\_init\_\_.py
  - common.py
  - doccer.py
- ndimage/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_delegators.cpython-312.pyc
    - \_filters.cpython-312.pyc
    - \_fourier.cpython-312.pyc
    - \_interpolation.cpython-312.pyc
    - \_measurements.cpython-312.pyc
    - \_morphology.cpython-312.pyc
    - \_ndimage\_api.cpython-312.pyc
    - \_ni\_docstrings.cpython-312.pyc
    - \_ni\_support.cpython-312.pyc
    - \_support\_alternative\_backends.cpython-312.pyc
  - filters.cpython-312.pyc
  - fourier.cpython-312.pyc
  - interpolation.cpython-312.pyc
  - measurements.cpython-312.pyc
  - morphology.cpython-312.pyc
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_c\_api.cpython-312.pyc
    - test\_datatypes.cpython-312.pyc
    - test\_filters.cpython-312.pyc
    - test\_fourier.cpython-312.pyc
    - test\_interpolation.cpython-312.pyc
    - test\_measurements.cpython-312.pyc
    - test\_morphology.cpython-312.pyc
    - test\_ni\_support.cpython-312.pyc
    - test\_splines.cpython-312.pyc
  - data/
    - label\_inputs.txt
    - label\_results.txt
    - label\_strels.txt
  - \_\_init\_\_.py
  - dots.png
  - test\_c\_api.py
  - test\_datatypes.py
  - test\_filters.py
  - test\_fourier.py
  - test\_interpolation.py
  - test\_measurements.py
  - test\_morphology.py
  - test\_ni\_support.py
  - test\_splines.py
- \_\_init\_\_.py
- \_ctest.cp312-win\_amd64.dll.a
- \_ctest.cp312-win\_amd64.pyd
- \_cytest.cp312-win\_amd64.dll.a
- \_cytest.cp312-win\_amd64.pyd
- \_delegators.py
- \_filters.py
- \_fourier.py
- \_interpolation.py
- \_measurements.py
- \_morphology.py
- \_nd\_image.cp312-win\_amd64.dll.a
- \_nd\_image.cp312-win\_amd64.pyd
- \_ndimage\_api.py
- \_ni\_docstrings.py
- \_ni\_label.cp312-win\_amd64.dll.a
- \_ni\_label.cp312-win\_amd64.pyd
- \_ni\_support.py
- \_rank\_filter\_1d.cp312-win\_amd64.dll.a
- \_rank\_filter\_1d.cp312-win\_amd64.pyd
- \_support\_alternative\_backends.py
- filters.py
- fourier.py
- interpolation.py
- measurements.py
- morphology.py

- odr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_add\_newdocs.cpython-312.pyc
    - \_models.cpython-312.pyc
    - \_odrpack.cpython-312.pyc
    - models.cpython-312.pyc
    - odrpack.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_odr.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_odr.py
  - \_\_init\_\_.py
  - \_odrpack.cp312-win\_amd64.dll.a
  - \_odrpack.cp312-win\_amd64.pyd
  - \_add\_newdocs.py
  - \_models.py
  - \_odrpack.py
  - models.py
  - odrpack.py
- optimize/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_basinhopping.cpython-312.pyc
    - \_bracket.cpython-312.pyc
    - \_chandrupatla.cpython-312.pyc
    - \_cobyla\_py.cpython-312.pyc
    - \_cobyqa\_py.cpython-312.pyc
    - \_constraints.cpython-312.pyc
    - \_dcsrc.cpython-312.pyc
    - \_differentiable\_functions.cpython-312.pyc
    - \_differentialevolution.cpython-312.pyc
    - \_direct\_py.cpython-312.pyc
    - \_dual\_annealing.cpython-312.pyc
    - \_elementwise.cpython-312.pyc
    - \_hessian\_update\_strategy.cpython-312.pyc
    - \_isotonic.cpython-312.pyc
    - \_lbfgsb\_py.cpython-312.pyc
    - \_linesearch.cpython-312.pyc
    - \_linprog.cpython-312.pyc
    - \_linprog\_doc.cpython-312.pyc
    - \_linprog\_highs.cpython-312.pyc
    - \_linprog\_ip.cpython-312.pyc
    - \_linprog\_rs.cpython-312.pyc
    - \_linprog\_simplex.cpython-312.pyc
    - \_linprog\_util.cpython-312.pyc
    - \_milp.cpython-312.pyc
    - \_minimize.cpython-312.pyc
    - \_minpack\_py.cpython-312.pyc
    - \_nnls.cpython-312.pyc
    - \_nonlin.cpython-312.pyc
    - \_numdiff.cpython-312.pyc
    - \_optimize.cpython-312.pyc
    - \_qap.cpython-312.pyc
    - \_remove\_redundancy.cpython-312.pyc
    - \_root.cpython-312.pyc
    - \_root\_scalar.cpython-312.pyc
    - \_shgo.cpython-312.pyc
    - \_slsqp\_py.cpython-312.pyc
    - \_spectral.cpython-312.pyc
    - \_tnc.cpython-312.pyc
    - \_trustregion.cpython-312.pyc
    - \_trustregion\_dogleg.cpython-312.pyc
    - \_trustregion\_exact.cpython-312.pyc
    - \_trustregion\_krylov.cpython-312.pyc
    - \_trustregion\_ncg.cpython-312.pyc
    - \_tstutils.cpython-312.pyc
    - \_zeros\_py.cpython-312.pyc
    - cobyla.cpython-312.pyc
    - elementwise.cpython-312.pyc
    - lbfgsb.cpython-312.pyc
    - linesearch.cpython-312.pyc
    - minpack.cpython-312.pyc
    - minpack2.cpython-312.pyc
    - moduleTNC.cpython-312.pyc
    - nonlin.cpython-312.pyc
    - optimize.cpython-312.pyc
    - slsqp.cpython-312.pyc
    - tnc.cpython-312.pyc
    - zeros.cpython-312.pyc
  - highspy/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc

- \_highs\_wrapper.cpython-312.pyc
  - \_\_init\_\_.py
  - \_core.cp312-win\_amd64.dll.a
  - \_core.cp312-win\_amd64.pyd
  - \_highs\_options.cp312-win\_amd64.dll.a
  - \_highs\_options.cp312-win\_amd64.pyd
  - \_highs\_wrapper.py
- lsq/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - bvls.cpython-312.pyc
    - common.cpython-312.pyc
    - dogbox.cpython-312.pyc
    - least\_squares.cpython-312.pyc
    - lsq\_linear.cpython-312.pyc
    - trf.cpython-312.pyc
    - trf\_linear.cpython-312.pyc
  - \_\_init\_\_.py
  - bvls.py
  - common.py
  - dogbox.py
  - givens\_elimination.cp312-win\_amd64.dll.a
  - givens\_elimination.cp312-win\_amd64.pyd
  - least\_squares.py
  - lsq\_linear.py
  - trf.py
  - trf\_linear.py
- shgo\_lib/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_complex.cpython-312.pyc
    - \_vertex.cpython-312.pyc
  - \_\_init\_\_.py
  - \_complex.py
  - \_vertex.py
- trlib/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - \_trlib.cp312-win\_amd64.dll.a
  - \_trlib.cp312-win\_amd64.pyd
- trustregion\_constr/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - canonical\_constraint.cpython-312.pyc
    - equality\_constrained\_sqp.cpython-312.pyc
    - minimize\_trustregion\_constr.cpython-312.pyc
    - projections.cpython-312.pyc
    - qp\_subproblem.cpython-312.pyc
    - report.cpython-312.pyc
    - tr\_interior\_point.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_canonical\_constraint.cpython-312.pyc
    - test\_nested\_minimize.cpython-312.pyc
    - test\_projections.cpython-312.pyc
    - test\_qp\_subproblem.cpython-312.pyc
    - test\_report.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_canonical\_constraint.py
  - test\_nested\_minimize.py
  - test\_projections.py
  - test\_qp\_subproblem.py
  - test\_report.py
  - \_\_init\_\_.py
  - canonical\_constraint.py
  - equality\_constrained\_sqp.py
  - minimize\_trustregion\_constr.py
  - projections.py
  - qp\_subproblem.py
  - report.py
  - tr\_interior\_point.py
- cython\_optimize/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - \_zeros.cp312-win\_amd64.dll.a
  - \_zeros.cp312-win\_amd64.pyd
  - \_zeros.pxd
  - c\_zeros.pxd
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_basinhopping.cpython-312.pyc

- test\_differential\_evolution.cpython-312.pyc
- test\_dual\_annealing.cpython-312.pyc
- test\_linprog\_clean\_inputs.cpython-312.pyc
- test\_numdiff.cpython-312.pyc
- test\_remove\_redundancy.cpython-312.pyc
- test\_root.cpython-312.pyc
- test\_shgo.cpython-312.pyc
- test\_spectral.cpython-312.pyc
- test\_bracket.cpython-312.pyc
- test\_chandrupatla.cpython-312.pyc
- test\_cobyla.cpython-312.pyc
- test\_cobyqa.cpython-312.pyc
- test\_constraint\_conversion.cpython-312.pyc
- test\_constraints.cpython-312.pyc
- test\_cython\_optimize.cpython-312.pyc
- test\_differentiable\_functions.cpython-312.pyc
- test\_direct.cpython-312.pyc
- test\_extending.cpython-312.pyc
- test\_hessian\_update\_strategy.cpython-312.pyc
- test\_isotonic\_regression.cpython-312.pyc
- test\_lbfgsb\_hessinv.cpython-312.pyc
- test\_lbfgsb\_setulb.cpython-312.pyc
- test\_least\_squares.cpython-312.pyc
- test\_linear\_assignment.cpython-312.pyc
- test\_linesearch.cpython-312.pyc
- test\_linprog.cpython-312.pyc
- test\_lsq\_common.cpython-312.pyc
- test\_lsq\_linear.cpython-312.pyc
- test\_milp.cpython-312.pyc
- test\_minimize\_constrained.cpython-312.pyc
- test\_minpack.cpython-312.pyc
- test\_nnls.cpython-312.pyc
- test\_nonlin.cpython-312.pyc
- test\_optimize.cpython-312.pyc
- test\_quadratic\_assignment.cpython-312.pyc
- test\_regression.cpython-312.pyc
- test\_slsqp.cpython-312.pyc
- test\_tnc.cpython-312.pyc
- test\_trustregion.cpython-312.pyc
- test\_trustregion\_exact.cpython-312.pyc
- test\_trustregion\_krylov.cpython-312.pyc
- test\_zeros.cpython-312.pyc
- cython\_examples/
  - extending.pyx
  - meson.build
- \_\_init\_\_.py
- test\_basinhopping.py
- test\_differential\_evolution.py
- test\_dual\_annealing.py
- test\_linprog\_clean\_inputs.py
- test\_numdiff.py
- test\_remove\_redundancy.py
- test\_root.py
- test\_shgo.py
- test\_spectral.py
- test\_bracket.py
- test\_chandrupatla.py
- test\_cobyla.py
- test\_cobyqa.py
- test\_constraint\_conversion.py
- test\_constraints.py
- test\_cython\_optimize.py
- test\_differentiable\_functions.py
- test\_direct.py
- test\_extending.py
- test\_hessian\_update\_strategy.py
- test\_isotonic\_regression.py
- test\_lbfgsb\_hessinv.py
- test\_lbfgsb\_setulb.py
- test\_least\_squares.py
- test\_linear\_assignment.py
- test\_linesearch.py
- test\_linprog.py
- test\_lsq\_common.py
- test\_lsq\_linear.py
- test\_milp.py
- test\_minimize\_constrained.py
- test\_minpack.py
- test\_nnls.py
- test\_nonlin.py
- test\_optimize.py
- test\_quadratic\_assignment.py
- test\_regression.py
- test\_slsqp.py
- test\_tnc.py

- test\_trustregion.py
- test\_trustregion\_exact.py
- test\_trustregion\_krylov.py
- test\_zeros.py
- \_init\_.pxd
- \_init\_.py
- basinhopping.py
- bglu\_dense.cp312-win\_amd64.dll.a
- bglu\_dense.cp312-win\_amd64.pyd
- bracket.py
- chandrupatla.py
- cobyla\_py.py
- cobyqa\_py.py
- constraints.py
- dcsrch.py
- differentiable\_functions.py
- differentialevolution.py
- direct.cp312-win\_amd64.dll.a
- direct.cp312-win\_amd64.pyd
- direct\_py.py
- dual\_annealing.py
- elementwise.py
- group\_columns.cp312-win\_amd64.dll.a
- group\_columns.cp312-win\_amd64.pyd
- hessian\_update\_strategy.py
- isotonic.py
- lbfgsb.cp312-win\_amd64.dll.a
- lbfgsb.cp312-win\_amd64.pyd
- lbfgsb\_py.py
- linesearch.py
- linprog.py
- linprog\_doc.py
- linprog\_highs.py
- linprog\_ip.py
- linprog\_rs.py
- linprog\_simplex.py
- linprog\_util.py
- lsap.cp312-win\_amd64.dll.a
- lsap.cp312-win\_amd64.pyd
- milp.py
- minimize.py
- minpack.cp312-win\_amd64.dll.a
- minpack.cp312-win\_amd64.pyd
- minpack\_py.py
- moduleTNC.cp312-win\_amd64.dll.a
- moduleTNC.cp312-win\_amd64.pyd
- nnls.py
- nonlin.py
- numdiff.py
- optimize.py
- pava\_pybind.cp312-win\_amd64.dll.a
- pava\_pybind.cp312-win\_amd64.pyd
- qap.py
- remove\_redundancy.py
- root.py
- root\_scalar.py
- shgo.py
- slsqp\_py.py
- slsqplib.cp312-win\_amd64.dll.a
- slsqplib.cp312-win\_amd64.pyd
- spectral.py
- tnc.py
- trustregion.py
- trustregion\_dogleg.py
- trustregion\_exact.py
- trustregion\_krylov.py
- trustregion\_ncg.py
- tstutils.py
- zeros.cp312-win\_amd64.dll.a
- zeros.cp312-win\_amd64.pyd
- zeros\_py.py
- cobyla.py
- cython\_optimize.pxd
- elementwise.py
- lbfgsb.py
- linesearch.py
- minpack.py
- minpack2.py
- moduleTNC.py
- nonlin.py
- optimize.py
- slsqp.py
- tnc.py
- zeros.py

— signal/

- \_pycache\_/
  - \_\_init\_\_.cpython-312.pyc
  - \_arraytools.cpython-312.pyc
  - \_czt.cpython-312.pyc
  - \_delegators.cpython-312.pyc
  - \_filter\_design.cpython-312.pyc
  - \_fir\_filter\_design.cpython-312.pyc
  - \_lti\_conversion.cpython-312.pyc
  - \_ltisys.cpython-312.pyc
  - \_max\_len\_seq.cpython-312.pyc
  - \_peak\_finding.cpython-312.pyc
  - \_polyutils.cpython-312.pyc
  - \_savitzky\_golay.cpython-312.pyc
  - \_short\_time\_fft.cpython-312.pyc
  - \_signal\_api.cpython-312.pyc
  - \_signaltools.cpython-312.pyc
  - \_spectral\_py.cpython-312.pyc
  - \_spline\_filters.cpython-312.pyc
  - \_support\_alternative\_backends.cpython-312.pyc
  - \_upfirdn.cpython-312.pyc
  - \_waveforms.cpython-312.pyc
  - \_wavelets.cpython-312.pyc
  - bsplines.cpython-312.pyc
  - filter\_design.cpython-312.pyc
  - fir\_filter\_design.cpython-312.pyc
  - lti\_conversion.cpython-312.pyc
  - ltisys.cpython-312.pyc
  - signaltools.cpython-312.pyc
  - spectral.cpython-312.pyc
  - spline.cpython-312.pyc
  - waveforms.cpython-312.pyc
  - wavelets.cpython-312.pyc
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_scipy\_spectral\_test\_shim.cpython-312.pyc
    - mpsig.cpython-312.pyc
    - test\_array\_tools.cpython-312.pyc
    - test\_bsplines.cpython-312.pyc
    - test\_cont2discrete.cpython-312.pyc
    - test\_czt.cpython-312.pyc
    - test\_dltisys.cpython-312.pyc
    - test\_filter\_design.cpython-312.pyc
    - test\_fir\_filter\_design.cpython-312.pyc
    - test\_ltisys.cpython-312.pyc
    - test\_max\_len\_seq.cpython-312.pyc
    - test\_peak\_finding.cpython-312.pyc
    - test\_result\_type.cpython-312.pyc
    - test\_savitzky\_golay.cpython-312.pyc
    - test\_short\_time\_fft.cpython-312.pyc
    - test\_signaltools.cpython-312.pyc
    - test\_spectral.cpython-312.pyc
    - test\_splines.cpython-312.pyc
    - test\_upfirdn.cpython-312.pyc
    - test\_waveforms.cpython-312.pyc
    - test\_wavelets.cpython-312.pyc
    - test\_windows.cpython-312.pyc
  - \_\_init\_\_.py
  - \_scipy\_spectral\_test\_shim.py
  - mpsig.py
  - test\_array\_tools.py
  - test\_bsplines.py
  - test\_cont2discrete.py
  - test\_czt.py
  - test\_dltisys.py
  - test\_filter\_design.py
  - test\_fir\_filter\_design.py
  - test\_ltisys.py
  - test\_max\_len\_seq.py
  - test\_peak\_finding.py
  - test\_result\_type.py
  - test\_savitzky\_golay.py
  - test\_short\_time\_fft.py
  - test\_signaltools.py
  - test\_spectral.py
  - test\_splines.py
  - test\_upfirdn.py
  - test\_waveforms.py
  - test\_wavelets.py
  - test\_windows.py
- windows/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_windows.cpython-312.pyc
    - windows.cpython-312.pyc

- └─ \_\_init\_\_.py
- └─ \_windows.py
- └─ windows.py
- ─ \_\_init\_\_.py
- ─ \_arraytools.py
- ─ \_czt.py
- ─ \_delegators.py
- ─ \_filter\_design.py
- ─ \_fir\_filter\_design.py
- ─ \_lti\_conversion.py
- ─ \_ltisys.py
- ─ \_max\_len\_seq.py
- ─ \_max\_len\_seq\_inner.cp312-win\_amd64.dll.a
- ─ \_max\_len\_seq\_inner.cp312-win\_amd64.pyd
- ─ \_peak\_finding.py
- ─ \_peak\_finding\_utils.cp312-win\_amd64.dll.a
- ─ \_peak\_finding\_utils.cp312-win\_amd64.pyd
- ─ \_polyutils.py
- ─ \_savitzky\_golay.py
- ─ \_short\_time\_fft.py
- ─ \_signal\_api.py
- ─ \_signaltools.py
- ─ \_sigtools.cp312-win\_amd64.dll.a
- ─ \_sigtools.cp312-win\_amd64.pyd
- ─ \_sosfilt.cp312-win\_amd64.dll.a
- ─ \_sosfilt.cp312-win\_amd64.pyd
- ─ \_spectral\_py.py
- ─ \_spline.cp312-win\_amd64.dll.a
- ─ \_spline.cp312-win\_amd64.pyd
- ─ \_spline.pyi
- ─ \_spline\_filters.py
- ─ \_support\_alternative\_backends.py
- ─ \_upfirdn.py
- ─ \_upfirdn\_apply.cp312-win\_amd64.dll.a
- ─ \_upfirdn\_apply.cp312-win\_amd64.pyd
- ─ \_waveforms.py
- ─ \_wavelets.py
- ─ bsplines.py
- ─ filter\_design.py
- ─ fir\_filter\_design.py
- ─ lti\_conversion.py
- ─ ltisys.py
- ─ signaltools.py
- ─ spectral.py
- ─ spline.py
- ─ waveforms.py
- ─ wavelets.py

─ sparse/

- └─ \_\_pycache\_\_/
  - └─ \_\_init\_\_.cpython-312.pyc
  - └─ \_base.cpython-312.pyc
  - └─ \_bsr.cpython-312.pyc
  - └─ \_compressed.cpython-312.pyc
  - └─ \_construct.cpython-312.pyc
  - └─ \_coo.cpython-312.pyc
  - └─ \_csc.cpython-312.pyc
  - └─ \_csr.cpython-312.pyc
  - └─ \_data.cpython-312.pyc
  - └─ \_dia.cpython-312.pyc
  - └─ \_dok.cpython-312.pyc
  - └─ \_extract.cpython-312.pyc
  - └─ \_index.cpython-312.pyc
  - └─ \_lil.cpython-312.pyc
  - └─ \_matrix.cpython-312.pyc
  - └─ \_matrix\_io.cpython-312.pyc
  - └─ \_spfuncs.cpython-312.pyc
  - └─ \_sputils.cpython-312.pyc
  - └─ base.cpython-312.pyc
  - └─ bsr.cpython-312.pyc
  - └─ compressed.cpython-312.pyc
  - └─ construct.cpython-312.pyc
  - └─ coo.cpython-312.pyc
  - └─ csc.cpython-312.pyc
  - └─ csr.cpython-312.pyc
  - └─ data.cpython-312.pyc
  - └─ dia.cpython-312.pyc
  - └─ dok.cpython-312.pyc
  - └─ extract.cpython-312.pyc
  - └─ lil.cpython-312.pyc
  - └─ sparsetools.cpython-312.pyc
  - └─ spfuncs.cpython-312.pyc
  - └─ sputils.cpython-312.pyc

─ csgraph/

- └─ \_\_pycache\_\_/
  - └─ \_\_init\_\_.cpython-312.pyc



- \_laplacian.cpython-312.pyc
  - \_validation.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_connected\_components.cpython-312.pyc
    - test\_conversions.cpython-312.pyc
    - test\_flow.cpython-312.pyc
    - test\_graph\_laplacian.cpython-312.pyc
    - test\_matching.cpython-312.pyc
    - test\_pydata\_sparse.cpython-312.pyc
    - test\_reordering.cpython-312.pyc
    - test\_shortest\_path.cpython-312.pyc
    - test\_spanning\_tree.cpython-312.pyc
    - test\_traversal.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_connected\_components.py
  - test\_conversions.py
  - test\_flow.py
  - test\_graph\_laplacian.py
  - test\_matching.py
  - test\_pydata\_sparse.py
  - test\_reordering.py
  - test\_shortest\_path.py
  - test\_spanning\_tree.py
  - test\_traversal.py
- \_\_init\_\_.py
- \_flow.cp312-win\_amd64.dll.a
- \_flow.cp312-win\_amd64.pyd
- \_laplacian.py
- \_matching.cp312-win\_amd64.dll.a
- \_matching.cp312-win\_amd64.pyd
- \_min\_spanning\_tree.cp312-win\_amd64.dll.a
- \_min\_spanning\_tree.cp312-win\_amd64.pyd
- \_reordering.cp312-win\_amd64.dll.a
- \_reordering.cp312-win\_amd64.pyd
- \_shortest\_path.cp312-win\_amd64.dll.a
- \_shortest\_path.cp312-win\_amd64.pyd
- \_tools.cp312-win\_amd64.dll.a
- \_tools.cp312-win\_amd64.pyd
- \_traversal.cp312-win\_amd64.dll.a
- \_traversal.cp312-win\_amd64.pyd
- \_validation.py

- linalg/
- pycache\_/
  - \_\_init\_\_.cpython-312.pyc
  - expm\_multiply.cpython-312.pyc
  - funm\_multiply\_krylov.cpython-312.pyc
  - interface.cpython-312.pyc
  - matfuncs.cpython-312.pyc
  - \_norm.cpython-312.pyc
  - onenormest.cpython-312.pyc
  - special\_sparse\_arrays.cpython-312.pyc
  - svdp.cpython-312.pyc
  - dsolve.cpython-312.pyc
  - eigen.cpython-312.pyc
  - interface.cpython-312.pyc
  - isolve.cpython-312.pyc
  - matfuncs.cpython-312.pyc
- dsolve/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_add\_newdocs.cpython-312.pyc
    - linsolve.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_linsolve.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_linsolve.py
  - \_\_init\_\_.py
  - \_add\_newdocs.py
  - \_superlu.cp312-win\_amd64.dll.a
  - \_superlu.cp312-win\_amd64.pyd
  - linsolve.py
- eigen/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_svds.cpython-312.pyc
    - \_svds\_doc.cpython-312.pyc
- arpack/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - arpack.cpython-312.pyc
  - tests/

```

├── pycache_/
│   ├── __init__.cpython-312.pyc
│   └── test_arpack.cpython-312.pyc
├── __init__.py
├── test_arpack.py
├── _init_.py
├── _arpacklib.cp312-win_amd64.dll.a
├── _arpacklib.cp312-win_amd64.pyd
├── arpack.py
├── lobpcg/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   └── lobpcg.cpython-312.pyc
│   ├── tests/
│   │   ├── pycache_/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   └── test_lobpcg.cpython-312.pyc
│   │   ├── __init__.py
│   │   └── test_lobpcg.py
│   ├── _init_.py
│   └── lobpcg.py
├── tests/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   └── test_svds.cpython-312.pyc
│   ├── __init__.py
│   └── test_svds.py
├── _init_.py
├── _svds.py
├── _svds_doc.py
├── _isolve/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── gcrotmk.cpython-312.pyc
│   │   ├── iterative.cpython-312.pyc
│   │   ├── lgmres.cpython-312.pyc
│   │   ├── lsmr.cpython-312.pyc
│   │   ├── lsqr.cpython-312.pyc
│   │   ├── minres.cpython-312.pyc
│   │   ├── tfqmr.cpython-312.pyc
│   │   └── utils.cpython-312.pyc
│   ├── tests/
│   │   ├── pycache_/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   ├── test_gcrotmk.cpython-312.pyc
│   │   │   ├── test_iterative.cpython-312.pyc
│   │   │   ├── test_lgmres.cpython-312.pyc
│   │   │   ├── test_lsmr.cpython-312.pyc
│   │   │   ├── test_lsqr.cpython-312.pyc
│   │   │   ├── test_minres.cpython-312.pyc
│   │   │   └── test_utils.cpython-312.pyc
│   │   ├── __init__.py
│   │   ├── test_gcrotmk.py
│   │   ├── test_iterative.py
│   │   ├── test_lgmres.py
│   │   ├── test_lsmr.py
│   │   ├── test_lsqr.py
│   │   ├── test_minres.py
│   │   └── test_utils.py
│   ├── _init_.py
│   ├── gcrotmk.py
│   ├── iterative.py
│   ├── lgmres.py
│   ├── lsmr.py
│   ├── lsqr.py
│   ├── minres.py
│   ├── tfqmr.py
│   └── utils.py
├── tests/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── test_expm_multiply.cpython-312.pyc
│   │   ├── test_funm_multiply_krylov.cpython-312.pyc
│   │   ├── test_interface.cpython-312.pyc
│   │   ├── test_matfuncs.cpython-312.pyc
│   │   ├── test_norm.cpython-312.pyc
│   │   ├── test_onenormest.cpython-312.pyc
│   │   ├── test_propack.cpython-312.pyc
│   │   ├── test_pydata_sparse.cpython-312.pyc
│   │   └── test_special_sparse_arrays.cpython-312.pyc
│   ├── _init_.py
│   ├── propack_test_data.npz
│   ├── test_expm_multiply.py
│   ├── test_funm_multiply_krylov.py
│   └── test_interface.py

```

- test\_matfuncs.py
- test\_norm.py
- test\_onenormest.py
- test\_propack.py
- test\_pydata\_sparse.py
- test\_special\_sparse\_arrays.py
- \_\_init\_\_.py
- \_expm\_multiply.py
- \_funm\_multiply\_krylov.py
- \_interface.py
- \_matfuncs.py
- \_norm.py
- \_onenormest.py
- \_propack.cp312-win\_amd64.dll.a
- \_propack.cp312-win\_amd64.pyd
- \_special\_sparse\_arrays.py
- \_svdp.py
- dsolve.py
- eigen.py
- interface.py
- isolve.py
- matfuncs.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_64bit.cpython-312.pyc
    - test\_arithmetic1d.cpython-312.pyc
    - test\_array\_api.cpython-312.pyc
    - test\_base.cpython-312.pyc
    - test\_common1d.cpython-312.pyc
    - test\_construct.cpython-312.pyc
    - test\_coo.cpython-312.pyc
    - test\_csc.cpython-312.pyc
    - test\_csr.cpython-312.pyc
    - test\_dok.cpython-312.pyc
    - test\_extract.cpython-312.pyc
    - test\_indexing1d.cpython-312.pyc
    - test\_matrix\_io.cpython-312.pyc
    - test\_minmax1d.cpython-312.pyc
    - test\_sparsetools.cpython-312.pyc
    - test\_spfuncs.cpython-312.pyc
    - test\_sputils.cpython-312.pyc
  - data/
    - csc\_py2.npz
    - csc\_py3.npz
  - \_\_init\_\_.py
  - test\_64bit.py
  - test\_arithmetic1d.py
  - test\_array\_api.py
  - test\_base.py
  - test\_common1d.py
  - test\_construct.py
  - test\_coo.py
  - test\_csc.py
  - test\_csr.py
  - test\_dok.py
  - test\_extract.py
  - test\_indexing1d.py
  - test\_matrix\_io.py
  - test\_minmax1d.py
  - test\_sparsetools.py
  - test\_spfuncs.py
  - test\_sputils.py
- \_\_init\_\_.py
- \_base.py
- \_bsr.py
- \_compressed.py
- \_construct.py
- \_coo.py
- \_csc.py
- \_csparsetools.cp312-win\_amd64.dll.a
- \_csparsetools.cp312-win\_amd64.pyd
- \_csr.py
- \_data.py
- \_dia.py
- \_dok.py
- \_extract.py
- \_index.py
- \_lil.py
- \_matrix.py
- \_matrix\_io.py
- \_sparsetools.cp312-win\_amd64.dll.a
- \_sparsetools.cp312-win\_amd64.pyd
- \_spfuncs.py
- \_sputils.py

- base.py
- bsr.py
- compressed.py
- construct.py
- coo.py
- csc.py
- csr.py
- data.py
- dia.py
- dok.py
- extract.py
- lil.py
- sparsetools.py
- spfuncs.py
- sputils.py
- spatial/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_geometric\_slerp.cpython-312.pyc
    - \_kdtree.cpython-312.pyc
    - \_plotutils.cpython-312.pyc
    - \_procrustes.cpython-312.pyc
    - \_spherical\_voronoi.cpython-312.pyc
    - ckdtree.cpython-312.pyc
    - distance.cpython-312.pyc
    - kdtree.cpython-312.pyc
    - qhull.cpython-312.pyc
  - qhull\_src/
    - COPYING\_QHULL.txt
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_plotutils.cpython-312.pyc
      - test\_procrustes.cpython-312.pyc
      - test\_distance.cpython-312.pyc
      - test\_hausdorff.cpython-312.pyc
      - test\_kdtree.cpython-312.pyc
      - test\_qhull.cpython-312.pyc
      - test\_slerp.cpython-312.pyc
      - test\_spherical\_voronoi.cpython-312.pyc
    - data/
      - cdist-X1.txt
      - cdist-X2.txt
      - degenerate\_pointset.npz
      - iris.txt
      - pdist-boolean-inp.txt
      - pdist-chebyshev-ml-iris.txt
      - pdist-chebyshev-ml.txt
      - pdist-cityblock-ml-iris.txt
      - pdist-cityblock-ml.txt
      - pdist-correlation-ml-iris.txt
      - pdist-correlation-ml.txt
      - pdist-cosine-ml-iris.txt
      - pdist-cosine-ml.txt
      - pdist-double-inp.txt
      - pdist-euclidean-ml-iris.txt
      - pdist-euclidean-ml.txt
      - pdist-hamming-ml.txt
      - pdist-jaccard-ml.txt
      - pdist-jensenshannon-ml-iris.txt
      - pdist-jensenshannon-ml.txt
      - pdist-minkowski-3.2-ml-iris.txt
      - pdist-minkowski-3.2-ml.txt
      - pdist-minkowski-5.8-ml-iris.txt
      - pdist-seuclidean-ml-iris.txt
      - pdist-seuclidean-ml.txt
      - pdist-spearman-ml.txt
      - random-bool-data.txt
      - random-double-data.txt
      - random-int-data.txt
      - random-uint-data.txt
      - selfdual-4d-polytope.txt
    - \_\_init\_\_.py
    - test\_plotutils.py
    - test\_procrustes.py
    - test\_distance.py
    - test\_hausdorff.py
    - test\_kdtree.py
    - test\_qhull.py
    - test\_slerp.py
    - test\_spherical\_voronoi.py
  - transform/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_rigid\_transform.cpython-312.pyc

- \_rigid\_transform\_xp.cpython-312.pyc
- \_rotation.cpython-312.pyc
- \_rotation\_groups.cpython-312.pyc
- \_rotation\_spline.cpython-312.pyc
- \_rotation\_xp.cpython-312.pyc
- rotation.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_rigid\_transform.cpython-312.pyc
    - test\_rotation.cpython-312.pyc
    - test\_rotation\_groups.cpython-312.pyc
    - test\_rotation\_spline.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_rigid\_transform.py
  - test\_rotation.py
  - test\_rotation\_groups.py
  - test\_rotation\_spline.py
- \_\_init\_\_.py
- \_rigid\_transform.py
- \_rigid\_transform\_cy.cp312-win\_amd64.dll.a
- \_rigid\_transform\_cy.cp312-win\_amd64.pyd
- \_rigid\_transform\_xp.py
- \_rotation.py
- \_rotation\_cy.cp312-win\_amd64.dll.a
- \_rotation\_cy.cp312-win\_amd64.pyd
- \_rotation\_groups.py
- \_rotation\_spline.py
- \_rotation\_xp.py
- rotation.py
- \_\_init\_\_.py
- \_ckdtree.cp312-win\_amd64.dll.a
- \_ckdtree.cp312-win\_amd64.pyd
- \_distance\_pybind.cp312-win\_amd64.dll.a
- \_distance\_pybind.cp312-win\_amd64.pyd
- \_distance\_wrap.cp312-win\_amd64.dll.a
- \_distance\_wrap.cp312-win\_amd64.pyd
- \_geometric\_slerp.py
- \_hausdorff.cp312-win\_amd64.dll.a
- \_hausdorff.cp312-win\_amd64.pyd
- \_kdtree.py
- \_plotutils.py
- \_procrustes.py
- \_qhull.cp312-win\_amd64.dll.a
- \_qhull.cp312-win\_amd64.pyd
- \_qhull.pyi
- \_spherical\_voronoi.py
- \_voronoi.cp312-win\_amd64.dll.a
- \_voronoi.cp312-win\_amd64.pyd
- \_voronoi.pyi
- ckdtree.py
- distance.py
- distance.pyi
- kdtree.py
- qhull.py
- special/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - add\_newdocs.cpython-312.pyc
    - \_basic.cpython-312.pyc
    - \_ellip\_harm.cpython-312.pyc
    - \_input\_validation.cpython-312.pyc
    - \_lambertw.cpython-312.pyc
    - \_logsumexp.cpython-312.pyc
    - \_mpstutils.cpython-312.pyc
    - \_multiufuncs.cpython-312.pyc
    - \_orthogonal.cpython-312.pyc
    - \_sf\_error.cpython-312.pyc
    - \_spfun\_stats.cpython-312.pyc
    - \_spherical\_bessel.cpython-312.pyc
    - \_support\_alternative\_backends.cpython-312.pyc
    - \_testutils.cpython-312.pyc
    - add\_newdocs.cpython-312.pyc
    - basic.cpython-312.pyc
    - orthogonal.cpython-312.pyc
    - sf\_error.cpython-312.pyc
    - specfun.cpython-312.pyc
    - spfun\_stats.cpython-312.pyc
  - precompute/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - cosine\_cdf.cpython-312.pyc
      - expn\_asy.cpython-312.pyc
      - gammamainc\_asy.cpython-312.pyc
      - gammamainc\_data.cpython-312.pyc

- hyp2f1\_data.cpython-312.pyc
- lambertw.cpython-312.pyc
- loggamma.cpython-312.pyc
- struve\_convergence.cpython-312.pyc
- utils.cpython-312.pyc
- wright\_bessel.cpython-312.pyc
- wright\_bessel\_data.cpython-312.pyc
- wrightomega.cpython-312.pyc
- zeta.cpython-312.pyc
- \_\_init\_\_.py
- cosine\_cdf.py
- expn\_asy.py
- gammainc\_asy.py
- gammainc\_data.py
- hyp2f1\_data.py
- lambertw.py
- loggamma.py
- struve\_convergence.py
- utils.py
- wright\_bessel.py
- wright\_bessel\_data.py
- wrightomega.py
- zeta.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_basic.cpython-312.pyc
    - test\_bdtr.cpython-312.pyc
    - test\_boost\_ufuncs.cpython-312.pyc
    - test\_boxcox.cpython-312.pyc
    - test\_cdflib.cpython-312.pyc
    - test\_cdft\_asymptotic.cpython-312.pyc
    - test\_cephes\_intp\_cast.cpython-312.pyc
    - test\_cosine\_distr.cpython-312.pyc
    - test\_cython\_special.cpython-312.pyc
    - test\_data.cpython-312.pyc
    - test\_dd.cpython-312.pyc
    - test\_digamma.cpython-312.pyc
    - test\_ellip\_harm.cpython-312.pyc
    - test\_erfinv.cpython-312.pyc
    - test\_exponential\_integrals.cpython-312.pyc
    - test\_extending.cpython-312.pyc
    - test\_faddeeva.cpython-312.pyc
    - test\_gamma.cpython-312.pyc
    - test\_gammainc.cpython-312.pyc
    - test\_gen\_harmonic.cpython-312.pyc
    - test\_hyp2f1.cpython-312.pyc
    - test\_hypergeometric.cpython-312.pyc
    - test\_iv\_ratio.cpython-312.pyc
    - test\_kolmogorov.cpython-312.pyc
    - test\_lambertw.cpython-312.pyc
    - test\_legendre.cpython-312.pyc
    - test\_log1mexp.cpython-312.pyc
    - test\_loggamma.cpython-312.pyc
    - test\_logit.cpython-312.pyc
    - test\_logsumexp.cpython-312.pyc
    - test\_mpmath.cpython-312.pyc
    - test\_nan\_inputs.cpython-312.pyc
    - test\_ndtr.cpython-312.pyc
    - test\_ndtri\_exp.cpython-312.pyc
    - test\_orthogonal.cpython-312.pyc
    - test\_orthogonal\_eval.cpython-312.pyc
    - test\_owens\_t.cpython-312.pyc
    - test\_pcf.cpython-312.pyc
    - test\_pdtr.cpython-312.pyc
    - test\_powm1.cpython-312.pyc
    - test\_precompute\_expn\_asy.cpython-312.pyc
    - test\_precompute\_gammainc.cpython-312.pyc
    - test\_precompute\_utils.cpython-312.pyc
    - test\_round.cpython-312.pyc
    - test\_sf\_error.cpython-312.pyc
    - test\_sici.cpython-312.pyc
    - test\_specfun.cpython-312.pyc
    - test\_spence.cpython-312.pyc
    - test\_sfun\_stats.cpython-312.pyc
    - test\_sph\_harm.cpython-312.pyc
    - test\_spherical\_bessel.cpython-312.pyc
    - test\_support\_alternative\_backends.cpython-312.pyc
    - test\_trig.cpython-312.pyc
    - test\_ufunc\_signatures.cpython-312.pyc
    - test\_wright\_bessel.cpython-312.pyc
    - test\_wrightomega.cpython-312.pyc
    - test\_zeta.cpython-312.pyc
  - cython\_examples/
    - extending.pyx

- └─ meson.build
- data/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ boost.npz
  - └─ gsl.npz
  - └─ local.npz
- ─ \_\_init\_\_.py
- ─ test\_basic.py
- ─ test\_bdtr.py
- ─ test\_boost\_ufuncs.py
- ─ test\_boxcox.py
- ─ test\_cdflib.py
- ─ test\_cdf\_t\_asymptotic.py
- ─ test\_cephes\_intp\_cast.py
- ─ test\_cosine\_distr.py
- ─ test\_cython\_special.py
- ─ test\_data.py
- ─ test\_dd.py
- ─ test\_digamma.py
- ─ test\_ellip\_harm.py
- ─ test\_erfinv.py
- ─ test\_exponential\_integrals.py
- ─ test\_extending.py
- ─ test\_faddeeva.py
- ─ test\_gamma.py
- ─ test\_gammainc.py
- ─ test\_gen\_harmonic.py
- ─ test\_hyp2f1.py
- ─ test\_hypergeometric.py
- ─ test\_iv\_ratio.py
- ─ test\_kolmogorov.py
- ─ test\_lambertw.py
- ─ test\_legendre.py
- ─ test\_log1mexp.py
- ─ test\_loggamma.py
- ─ test\_logit.py
- ─ test\_logsumexp.py
- ─ test\_mpmath.py
- ─ test\_nan\_inputs.py
- ─ test\_ndtr.py
- ─ test\_ndtri\_exp.py
- ─ test\_orthogonal.py
- ─ test\_orthogonal\_eval.py
- ─ test\_owens\_t.py
- ─ test\_pcf.py
- ─ test\_pdtr.py
- ─ test\_powm1.py
- ─ test\_precompute\_expn\_asym.py
- ─ test\_precompute\_gammainc.py
- ─ test\_precompute\_utils.py
- ─ test\_round.py
- ─ test\_sf\_error.py
- ─ test\_sici.py
- ─ test\_specfun.py
- ─ test\_spence.py
- ─ test\_spfun\_stats.py
- ─ test\_sph\_harm.py
- ─ test\_spherical\_bessel.py
- ─ test\_support\_alternative\_backends.py
- ─ test\_trig.py
- ─ test\_ufunc\_signatures.py
- ─ test\_wright\_bessel.py
- ─ test\_wrightomega.py
- ─ test\_zeta.py
- ─ \_\_init\_\_.pxd
- ─ \_\_init\_\_.py
- ─ add\_newdocs.py
- ─ basic.py
- ─ comb.cp312-win\_amd64.dll.a
- ─ comb.cp312-win\_amd64.pyd
- ─ ellip\_harm.py
- ─ ellip\_harm\_2.cp312-win\_amd64.dll.a
- ─ ellip\_harm\_2.cp312-win\_amd64.pyd
- ─ gufuncs.cp312-win\_amd64.dll.a
- ─ gufuncs.cp312-win\_amd64.pyd
- ─ input\_validation.py
- ─ lambertw.py
- ─ logsumexp.py
- ─ mptestutils.py
- ─ multiufuncs.py
- ─ orthogonal.py
- ─ orthogonal.pyi
- ─ sf\_error.py

- \_specfun.cp312-win\_amd64.dll.a
- \_specfun.cp312-win\_amd64.pyd
- \_special\_ufuncs.cp312-win\_amd64.dll.a
- \_special\_ufuncs.cp312-win\_amd64.pyd
- \_spfun\_stats.py
- \_spherical\_bessel.py
- \_support\_alternative\_backends.py
- \_test\_internal.cp312-win\_amd64.dll.a
- \_test\_internal.cp312-win\_amd64.pyd
- \_test\_internal.pyi
- \_testutils.py
- \_ufuncs.cp312-win\_amd64.dll.a
- \_ufuncs.cp312-win\_amd64.pyd
- \_ufuncs.pyi
- \_ufuncs.pyx
- \_ufuncs\_cxx.cp312-win\_amd64.dll.a
- \_ufuncs\_cxx.cp312-win\_amd64.pyd
- \_ufuncs\_cxx.pxd
- \_ufuncs\_cxx.pyx
- \_ufuncs\_cxx\_defs.h
- \_ufuncs\_defs.h
- add\_newdocs.py
- basic.py
- cython\_special.cp312-win\_amd64.dll.a
- cython\_special.cp312-win\_amd64.pyd
- cython\_special.pxd
- cython\_special.pyi
- orthogonal.py
- sf\_error.py
- specfun.py
- spfun\_stats.py
- stats/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_axis\_nan\_policy.cpython-312.pyc
    - \_binned\_statistic.cpython-312.pyc
    - \_binomtest.cpython-312.pyc
    - \_bws\_test.cpython-312.pyc
    - \_censored\_data.cpython-312.pyc
    - \_common.cpython-312.pyc
    - \_constants.cpython-312.pyc
    - \_continued\_fraction.cpython-312.pyc
    - \_continuous\_distns.cpython-312.pyc
    - \_correlation.cpython-312.pyc
    - \_covariance.cpython-312.pyc
    - \_crosstab.cpython-312.pyc
    - \_discrete\_distns.cpython-312.pyc
    - \_distn\_infrastructure.cpython-312.pyc
    - \_distr\_params.cpython-312.pyc
    - \_distribution\_infrastructure.cpython-312.pyc
    - \_entropy.cpython-312.pyc
    - \_finite\_differences.cpython-312.pyc
    - \_fit.cpython-312.pyc
    - \_hypotests.cpython-312.pyc
    - \_kde.cpython-312.pyc
    - \_ksstats.cpython-312.pyc
    - \_mannwhitneyu.cpython-312.pyc
    - \_mgc.cpython-312.pyc
    - \_morestats.cpython-312.pyc
    - \_mstats\_basic.cpython-312.pyc
    - \_mstats\_extras.cpython-312.pyc
    - \_multicomp.cpython-312.pyc
    - \_multivariate.cpython-312.pyc
    - \_new\_distributions.cpython-312.pyc
    - \_odds\_ratio.cpython-312.pyc
    - \_page\_trend\_test.cpython-312.pyc
    - \_probability\_distribution.cpython-312.pyc
    - \_qmc.cpython-312.pyc
    - \_qmvnt.cpython-312.pyc
    - \_quantile.cpython-312.pyc
    - \_relative\_risk.cpython-312.pyc
    - \_resampling.cpython-312.pyc
    - \_result\_classes.cpython-312.pyc
    - \_sampling.cpython-312.pyc
    - \_sensitivity\_analysis.cpython-312.pyc
    - \_stats\_mstats\_common.cpython-312.pyc
    - \_stats\_py.cpython-312.pyc
    - \_survival.cpython-312.pyc
    - \_tukeylambda\_stats.cpython-312.pyc
    - \_variation.cpython-312.pyc
    - \_warnings\_errors.cpython-312.pyc
    - \_wilcoxon.cpython-312.pyc
    - biasedurn.cpython-312.pyc
    - contingency.cpython-312.pyc
    - distributions.cpython-312.pyc



- kde.cpython-312.pyc
- morestats.cpython-312.pyc
- mstats.cpython-312.pyc
- mstats\_basic.cpython-312.pyc
- mstats\_extras.cpython-312.pyc
- mvn.cpython-312.pyc
- qmc.cpython-312.pyc
- sampling.cpython-312.pyc
- stats.cpython-312.pyc
- levy\_stable/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - levyst.cp312-win\_amd64.dll.a
  - levyst.cp312-win\_amd64.pyd
- rcont/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - rcont.cp312-win\_amd64.dll.a
  - rcont.cp312-win\_amd64.pyd
- unuran/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - unuran\_wrapper.cp312-win\_amd64.dll.a
  - unuran\_wrapper.cp312-win\_amd64.pyd
  - unuran\_wrapper.pyi
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - common\_tests.cpython-312.pyc
  - test\_axis\_nan\_policy.cpython-312.pyc
  - test\_binned\_statistic.cpython-312.pyc
  - test\_censored\_data.cpython-312.pyc
  - test\_contingency.cpython-312.pyc
  - test\_continued\_fraction.cpython-312.pyc
  - test\_continuous.cpython-312.pyc
  - test\_continuous\_basic.cpython-312.pyc
  - test\_continuous\_fit\_censored.cpython-312.pyc
  - test\_correlation.cpython-312.pyc
  - test\_crosstab.cpython-312.pyc
  - test\_device\_dtype.cpython-312.pyc
  - test\_discrete\_basic.cpython-312.pyc
  - test\_discrete\_distns.cpython-312.pyc
  - test\_distributions.cpython-312.pyc
  - test\_entropy.cpython-312.pyc
  - test\_fast\_gen\_inversion.cpython-312.pyc
  - test\_fit.cpython-312.pyc
  - test\_hypotests.cpython-312.pyc
  - test\_kdeoth.cpython-312.pyc
  - test\_marray.cpython-312.pyc
  - test\_mgc.cpython-312.pyc
  - test\_morestats.cpython-312.pyc
  - test\_mstats\_basic.cpython-312.pyc
  - test\_mstats\_extras.cpython-312.pyc
  - test\_multicomp.cpython-312.pyc
  - test\_multivariate.cpython-312.pyc
  - test\_new\_distributions.cpython-312.pyc
  - test\_odds\_ratio.cpython-312.pyc
  - test\_qmc.cpython-312.pyc
  - test\_quantile.cpython-312.pyc
  - test\_rank.cpython-312.pyc
  - test\_relative\_risk.cpython-312.pyc
  - test\_resampling.cpython-312.pyc
  - test\_sampling.cpython-312.pyc
  - test\_sensitivity\_analysis.cpython-312.pyc
  - test\_stats.cpython-312.pyc
  - test\_survival.cpython-312.pyc
  - test\_tukeylambda\_stats.cpython-312.pyc
  - test\_variation.cpython-312.pyc
- data/
  - pycache\_/
    - \_mvt.cpython-312.pyc
    - fisher\_exact\_results\_from\_r.cpython-312.pyc
  - levy\_stable/
    - stable-loc-scale-sample-data.npy
    - stable-Z1-cdf-sample-data.npy
    - stable-Z1-pdf-sample-data.npy
  - nist\_anova/
    - AtmWtAg.dat
    - SiRstv.dat
    - SmLs01.dat
    - SmLs02.dat
    - SmLs03.dat

- SmLs04.dat
- SmLs05.dat
- SmLs06.dat
- SmLs07.dat
- SmLs08.dat
- SmLs09.dat
- nist\_linregress/
  - Norris.dat
- \_mvt.py
- fisher\_exact\_results\_from\_r.py
- jf\_skew\_t\_gamlss\_pdf\_data.npy
- rel\_breitwigner\_pdf\_sample\_data\_ROOT.npy
- studentized\_range\_mpmath\_ref.json
- \_\_init\_\_.py
- common\_tests.py
- test\_axis\_nan\_policy.py
- test\_binned\_statistic.py
- test\_censored\_data.py
- test\_contingency.py
- test\_continued\_fraction.py
- test\_continuous.py
- test\_continuous\_basic.py
- test\_continuous\_fit\_censored.py
- test\_correlation.py
- test\_crosstab.py
- test\_device\_dtype.py
- test\_discrete\_basic.py
- test\_discrete\_distns.py
- test\_distributions.py
- test\_entropy.py
- test\_fast\_gen\_inversion.py
- test\_fit.py
- test\_hypotests.py
- test\_kdeoth.py
- test\_marray.py
- test\_mgc.py
- test\_morestats.py
- test\_mstats\_basic.py
- test\_mstats\_extras.py
- test\_multicomp.py
- test\_multivariate.py
- test\_new\_distributions.py
- test\_odds\_ratio.py
- test\_qmc.py
- test\_quantile.py
- test\_rank.py
- test\_relative\_risk.py
- test\_resampling.py
- test\_sampling.py
- test\_sensitivity\_analysis.py
- test\_stats.py
- test\_survival.py
- test\_tukeylambda\_stats.py
- test\_variation.py
- \_\_init\_\_.py
- \_ansari\_swilk\_statistics.cp312-win\_amd64.dll.a
- \_ansari\_swilk\_statistics.cp312-win\_amd64.pyd
- \_axis\_nan\_policy.py
- \_biasedurn.cp312-win\_amd64.dll.a
- \_biasedurn.cp312-win\_amd64.pyd
- \_biasedurn.pxd
- \_binned\_statistic.py
- \_binomtest.py
- \_bws\_test.py
- \_censored\_data.py
- \_common.py
- \_constants.py
- \_continued\_fraction.py
- \_continuous\_distns.py
- \_correlation.py
- \_covariance.py
- \_crosstab.py
- \_discrete\_distns.py
- \_distn\_infrastructure.py
- \_distr\_params.py
- \_distribution\_infrastructure.py
- \_entropy.py
- \_finite\_differences.py
- \_fit.py
- \_hypotests.py
- \_kde.py
- \_ksstats.py
- \_mannwhitneyu.py
- \_mgc.py
- \_morestats.py

- \_mstats\_basic.py
- \_mstats\_extras.py
- multcomp.py
- multivariate.py
- new\_distributions.py
- odds\_ratio.py
- page\_trend\_test.py
- probability\_distribution.py
- qmc.py
- qmc\_cy.cp312-win\_amd64.dll.a
- qmc\_cy.cp312-win\_amd64.pyd
- qmc\_cy.pyi
- qmvnt.py
- qmvnt\_cy.cp312-win\_amd64.dll.a
- qmvnt\_cy.cp312-win\_amd64.pyd
- quantile.py
- relative\_risk.py
- resampling.py
- result\_classes.py
- sampling.py
- sensitivity\_analysis.py
- sobol.cp312-win\_amd64.dll.a
- sobol.cp312-win\_amd64.pyd
- sobol.pyi
- sobol\_direction\_numbers.npz
- stats.cp312-win\_amd64.dll.a
- stats.cp312-win\_amd64.pyd
- stats.pxd
- stats\_mstats\_common.py
- stats\_py.py
- stats\_pythran.cp312-win\_amd64.dll.a
- stats\_pythran.cp312-win\_amd64.pyd
- survival.py
- tukeylambda\_stats.py
- variation.py
- warnings\_errors.py
- wilcoxon.py
- biasedurn.py
- contingency.py
- distributions.py
- kde.py
- morestats.py
- mstats.py
- mstats\_basic.py
- mstats\_extras.py
- mvn.py
- qmc.py
- sampling.py
- stats.py
- \_config\_.py
- \_init\_.py
- \_cyutility.cp312-win\_amd64.dll.a
- \_cyutility.cp312-win\_amd64.pyd
- \_distributor\_init.py
- conftest.py
- version.py
- scipy-1.17.1.dist-info/
  - DELVEWHEEL
  - INSTALLER
  - LICENSE.txt
  - METADATA
  - RECORD
  - WHEEL
- scipy.libs/
  - libscipy\_openblas-64eda39e79589aedb16f58e5547eb599.dll
- seaborn/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_compat.cpython-312.pyc
    - \_docstrings.cpython-312.pyc
    - \_statistics.cpython-312.pyc
    - \_testing.cpython-312.pyc
    - algorithms.cpython-312.pyc
    - axisgrid.cpython-312.pyc
    - categorical.cpython-312.pyc
    - cm.cpython-312.pyc
    - distributions.cpython-312.pyc
    - matrix.cpython-312.pyc
    - miscplot.cpython-312.pyc
    - objects.cpython-312.pyc
    - palettes.cpython-312.pyc
    - rcmod.cpython-312.pyc
    - regression.cpython-312.pyc
    - relational.cpython-312.pyc

- utils.cpython-312.pyc
- widgets.cpython-312.pyc
- core/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - data.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - groupby.cpython-312.pyc
    - moves.cpython-312.pyc
    - plot.cpython-312.pyc
    - properties.cpython-312.pyc
    - rules.cpython-312.pyc
    - scales.cpython-312.pyc
    - subplots.cpython-312.pyc
    - typing.cpython-312.pyc
  - \_\_init\_\_.py
  - data.py
  - exceptions.py
  - groupby.py
  - moves.py
  - plot.py
  - properties.py
  - rules.py
  - scales.py
  - subplots.py
  - typing.py
- marks/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - area.cpython-312.pyc
    - bar.cpython-312.pyc
    - base.cpython-312.pyc
    - dot.cpython-312.pyc
    - line.cpython-312.pyc
    - text.cpython-312.pyc
  - \_\_init\_\_.py
  - area.py
  - bar.py
  - base.py
  - dot.py
  - line.py
  - text.py
- stats/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - aggregation.cpython-312.pyc
    - base.cpython-312.pyc
    - counting.cpython-312.pyc
    - density.cpython-312.pyc
    - order.cpython-312.pyc
    - regression.cpython-312.pyc
  - \_\_init\_\_.py
  - aggregation.py
  - base.py
  - counting.py
  - density.py
  - order.py
  - regression.py
- colors/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - crayons.cpython-312.pyc
    - xkcd\_rgb.cpython-312.pyc
  - \_\_init\_\_.py
  - crayons.py
  - xkcd\_rgb.py
- external/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - appdirs.cpython-312.pyc
    - docscrape.cpython-312.pyc
    - husl.cpython-312.pyc
    - kde.cpython-312.pyc
    - version.cpython-312.pyc
  - \_\_init\_\_.py
  - appdirs.py
  - docscrape.py
  - husl.py
  - kde.py
  - version.py
- \_\_init\_\_.py
- \_base.py
- \_compat.py
- \_docstrings.py
- \_statistics.py

- \_testing.py
- algorithms.py
- axisgrid.py
- categorical.py
- cm.py
- distributions.py
- matrix.py
- miscplot.py
- objects.py
- palettes.py
- rcmod.py
- regression.py
- relational.py
- utils.py
- widgets.py
- seaborn-0.13.2.dist-info/
  - INSTALLER
  - LICENSE.md
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- setuptools/
  - pycache\_
    - \_\_init\_\_.cpython-312.pyc
    - \_core\_metadata.cpython-312.pyc
    - \_discovery.cpython-312.pyc
    - \_entry\_points.cpython-312.pyc
    - \_imp.cpython-312.pyc
    - \_importlib.cpython-312.pyc
    - \_itertools.cpython-312.pyc
    - \_normalization.cpython-312.pyc
    - \_path.cpython-312.pyc
    - \_reqs.cpython-312.pyc
    - \_scripts.cpython-312.pyc
    - \_shutil.cpython-312.pyc
    - \_static.cpython-312.pyc
    - archive\_util.cpython-312.pyc
    - build\_meta.cpython-312.pyc
    - depends.cpython-312.pyc
    - discovery.cpython-312.pyc
    - dist.cpython-312.pyc
    - errors.cpython-312.pyc
    - extension.cpython-312.pyc
    - glob.cpython-312.pyc
    - installer.cpython-312.pyc
    - launch.cpython-312.pyc
    - logging.cpython-312.pyc
    - modified.cpython-312.pyc
    - monkey.cpython-312.pyc
    - msvc.cpython-312.pyc
    - namespaces.cpython-312.pyc
    - unicode\_utils.cpython-312.pyc
    - version.cpython-312.pyc
    - warnings.cpython-312.pyc
    - wheel.cpython-312.pyc
    - windows\_support.cpython-312.pyc
  - distutils/
    - pycache\_
      - \_\_init\_\_.cpython-312.pyc
      - \_log.cpython-312.pyc
      - \_macos\_compat.cpython-312.pyc
      - \_modified.cpython-312.pyc
      - \_msvccompiler.cpython-312.pyc
      - archive\_util.cpython-312.pyc
      - ccompiler.cpython-312.pyc
      - cmd.cpython-312.pyc
      - core.cpython-312.pyc
      - cygwinccompiler.cpython-312.pyc
      - debug.cpython-312.pyc
      - dep\_util.cpython-312.pyc
      - dir\_util.cpython-312.pyc
      - dist.cpython-312.pyc
      - errors.cpython-312.pyc
      - extension.cpython-312.pyc
      - fancy\_getopt.cpython-312.pyc
      - file\_util.cpython-312.pyc
      - filelist.cpython-312.pyc
      - log.cpython-312.pyc
      - spawn.cpython-312.pyc
      - sysconfig.cpython-312.pyc
      - text\_file.cpython-312.pyc
      - unixccompiler.cpython-312.pyc
      - util.cpython-312.pyc
      - version.cpython-312.pyc

- versionpredicate.cpython-312.pyc
- zosccompiler.cpython-312.pyc
- command/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_framework\_compat.cpython-312.pyc
    - bdist.cpython-312.pyc
    - bdist\_dumb.cpython-312.pyc
    - bdist\_rpm.cpython-312.pyc
    - build.cpython-312.pyc
    - build\_clib.cpython-312.pyc
    - build\_ext.cpython-312.pyc
    - build\_py.cpython-312.pyc
    - build\_scripts.cpython-312.pyc
    - check.cpython-312.pyc
    - clean.cpython-312.pyc
    - config.cpython-312.pyc
    - install.cpython-312.pyc
    - install\_data.cpython-312.pyc
    - install\_egg\_info.cpython-312.pyc
    - install\_headers.cpython-312.pyc
    - install\_lib.cpython-312.pyc
    - install\_scripts.cpython-312.pyc
    - sdist.cpython-312.pyc
  - \_\_init\_\_.py
  - \_framework\_compat.py
  - bdist.py
  - bdist\_dumb.py
  - bdist\_rpm.py
  - build.py
  - build\_clib.py
  - build\_ext.py
  - build\_py.py
  - build\_scripts.py
  - check.py
  - clean.py
  - config.py
  - install.py
  - install\_data.py
  - install\_egg\_info.py
  - install\_headers.py
  - install\_lib.py
  - install\_scripts.py
  - sdist.py
- compat/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - numpy.cpython-312.pyc
    - py39.cpython-312.pyc
  - \_\_init\_\_.py
  - numpy.py
  - py39.py
- compilers/
  - C/
    - pycache\_/
      - base.cpython-312.pyc
      - cygwin.cpython-312.pyc
      - errors.cpython-312.pyc
      - msvc.cpython-312.pyc
      - unix.cpython-312.pyc
      - zos.cpython-312.pyc
    - tests/
      - pycache\_/
        - test\_base.cpython-312.pyc
        - test\_cygwin.cpython-312.pyc
        - test\_mingw.cpython-312.pyc
        - test\_msvc.cpython-312.pyc
        - test\_unix.cpython-312.pyc
      - test\_base.py
      - test\_cygwin.py
      - test\_mingw.py
      - test\_msvc.py
      - test\_unix.py
    - base.py
    - cygwin.py
    - errors.py
    - msvc.py
    - unix.py
    - zos.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - support.cpython-312.pyc
    - test\_archive\_util.cpython-312.pyc
    - test\_bdist.cpython-312.pyc

- test\_bdist\_dumb.cpython-312.pyc
- test\_bdist\_rpm.cpython-312.pyc
- test\_build.cpython-312.pyc
- test\_build\_clib.cpython-312.pyc
- test\_build\_ext.cpython-312.pyc
- test\_build\_py.cpython-312.pyc
- test\_build\_scripts.cpython-312.pyc
- test\_check.cpython-312.pyc
- test\_clean.cpython-312.pyc
- test\_cmd.cpython-312.pyc
- test\_config\_cmd.cpython-312.pyc
- test\_core.cpython-312.pyc
- test\_dir\_util.cpython-312.pyc
- test\_dist.cpython-312.pyc
- test\_extension.cpython-312.pyc
- test\_file\_util.cpython-312.pyc
- test\_filelist.cpython-312.pyc
- test\_install.cpython-312.pyc
- test\_install\_data.cpython-312.pyc
- test\_install\_headers.cpython-312.pyc
- test\_install\_lib.cpython-312.pyc
- test\_install\_scripts.cpython-312.pyc
- test\_log.cpython-312.pyc
- test\_modified.cpython-312.pyc
- test\_sdist.cpython-312.pyc
- test\_spawn.cpython-312.pyc
- test\_sysconfig.cpython-312.pyc
- test\_text\_file.cpython-312.pyc
- test\_util.cpython-312.pyc
- test\_version.cpython-312.pyc
- test\_versionpredicate.cpython-312.pyc
- unix\_compat.cpython-312.pyc
- compat/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - py39.cpython-312.pyc
  - \_\_init\_\_.py
  - py39.py
- \_\_init\_\_.py
- support.py
- test\_archive\_util.py
- test\_bdist.py
- test\_bdist\_dumb.py
- test\_bdist\_rpm.py
- test\_build.py
- test\_build\_clib.py
- test\_build\_ext.py
- test\_build\_py.py
- test\_build\_scripts.py
- test\_check.py
- test\_clean.py
- test\_cmd.py
- test\_config\_cmd.py
- test\_core.py
- test\_dir\_util.py
- test\_dist.py
- test\_extension.py
- test\_file\_util.py
- test\_filelist.py
- test\_install.py
- test\_install\_data.py
- test\_install\_headers.py
- test\_install\_lib.py
- test\_install\_scripts.py
- test\_log.py
- test\_modified.py
- test\_sdist.py
- test\_spawn.py
- test\_sysconfig.py
- test\_text\_file.py
- test\_util.py
- test\_version.py
- test\_versionpredicate.py
- unix\_compat.py
- \_\_init\_\_.py
- \_log.py
- \_macos\_compat.py
- \_modified.py
- \_msvccompiler.py
- archive\_util.py
- ccompiler.py
- cmd.py
- core.py
- cygwinccompiler.py
- debug.py

- dep\_util.py
- dir\_util.py
- dist.py
- errors.py
- extension.py
- fancy\_getopt.py
- file\_util.py
- filelist.py
- log.py
- spawn.py
- sysconfig.py
- text\_file.py
- unixccompiler.py
- util.py
- version.py
- versionpredicate.py
- zosccompiler.py
- vendor/
  - autocommand/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - autoasync.cpython-312.pyc
      - autocommand.cpython-312.pyc
      - automain.cpython-312.pyc
      - autoparse.cpython-312.pyc
      - errors.cpython-312.pyc
    - \_\_init\_\_.py
    - autoasync.py
    - autocommand.py
    - automain.py
    - autoparse.py
    - errors.py
  - autocommand-2.2.2.dist-info/
    - INSTALLER
    - LICENSE
    - METADATA
    - RECORD
    - REQUESTED
    - top\_level.txt
    - WHEEL
  - backports/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - tarfile/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - \_\_main\_\_.cpython-312.pyc
      - compat/
        - pycache\_/
          - \_\_init\_\_.cpython-312.pyc
          - py38.cpython-312.pyc
        - \_\_init\_\_.py
        - py38.py
        - \_\_init\_\_.py
        - \_\_main\_\_.py
        - \_\_init\_\_.py
  - backports.tarfile-1.2.0.dist-info/
    - INSTALLER
    - LICENSE
    - METADATA
    - RECORD
    - REQUESTED
    - top\_level.txt
    - WHEEL
  - importlib\_metadata/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_adapters.cpython-312.pyc
      - \_collections.cpython-312.pyc
      - \_compat.cpython-312.pyc
      - \_functools.cpython-312.pyc
      - \_itertools.cpython-312.pyc
      - \_meta.cpython-312.pyc
      - \_text.cpython-312.pyc
      - \_typing.cpython-312.pyc
      - diagnose.cpython-312.pyc
    - compat/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - py311.cpython-312.pyc
        - py39.cpython-312.pyc
      - \_\_init\_\_.py
      - py311.py
      - py39.py
      - \_\_init\_\_.py



- \_adapters.py
- \_collections.py
- \_compat.py
- \_functools.py
- \_iterutils.py
- \_meta.py
- \_text.py
- \_typing.py
- diagnose.py
- py.typed
- importlib\_metadata-8.7.1.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- jaraco/
  - context/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
    - py.typed
  - functools/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
    - \_\_init\_\_.pyi
    - py.typed
  - text/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - layouts.cpython-312.pyc
      - show-newlines.cpython-312.pyc
      - strip-prefix.cpython-312.pyc
      - to-dvorak.cpython-312.pyc
      - to-qwerty.cpython-312.pyc
    - \_\_init\_\_.py
    - layouts.py
    - Lorem ipsum.txt
    - show-newlines.py
    - strip-prefix.py
    - to-dvorak.py
    - to-qwerty.py
- jaraco.text-4.0.0.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- jaraco\_context-6.1.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- jaraco\_functools-4.4.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- more\_iterutils/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - more.cpython-312.pyc
    - recipes.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - more.py
  - more.pyi
  - py.typed
  - recipes.py
  - recipes.pyi
- more\_iterutils-10.8.0.dist-info/

- licenses/
  - LICENSE
- INSTALLER
- METADATA
- RECORD
- REQUESTED
- WHEEL
- packaging/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_elffile.cpython-312.pyc
    - \_manylinux.cpython-312.pyc
    - \_musllinux.cpython-312.pyc
    - \_parser.cpython-312.pyc
    - \_structures.cpython-312.pyc
    - \_tokenizer.cpython-312.pyc
    - markers.cpython-312.pyc
    - metadata.cpython-312.pyc
    - pylock.cpython-312.pyc
    - requirements.cpython-312.pyc
    - specifiers.cpython-312.pyc
    - tags.cpython-312.pyc
    - utils.cpython-312.pyc
    - version.cpython-312.pyc
  - licenses/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_spx.cpython-312.pyc
    - \_\_init\_\_.py
    - \_spx.py
  - \_\_init\_\_.py
  - \_elffile.py
  - \_manylinux.py
  - \_musllinux.py
  - \_parser.py
  - \_structures.py
  - \_tokenizer.py
  - markers.py
  - metadata.py
  - py.typed
  - pylock.py
  - requirements.py
  - specifiers.py
  - tags.py
  - utils.py
  - version.py
- packaging-26.0.dist-info/
  - licenses/
    - LICENSE
    - LICENSE.APACHE
    - LICENSE.BSD
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- platformdirs/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
    - android.cpython-312.pyc
    - api.cpython-312.pyc
    - macos.cpython-312.pyc
    - unix.cpython-312.pyc
    - version.cpython-312.pyc
    - windows.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - android.py
  - api.py
  - macos.py
  - py.typed
  - unix.py
  - version.py
  - windows.py
- platformdirs-4.4.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- tomli/
  - pycache\_/

- `__init__.cpython-312.pyc`
  - `_parser.cpython-312.pyc`
  - `_re.cpython-312.pyc`
  - `_types.cpython-312.pyc`
- `__init__.py`
- `_parser.py`
- `_re.py`
- `_types.py`
- `py.typed`
- `tomli-2.4.0.dist-info/`
  - `licenses/`
    - `LICENSE`
  - `INSTALLER`
  - `METADATA`
  - `RECORD`
  - `REQUESTED`
  - `WHEEL`
- `wheel/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_main_.cpython-312.pyc`
    - `_bdist_wheel.cpython-312.pyc`
    - `_metadata.cpython-312.pyc`
    - `_setuptools_logging.cpython-312.pyc`
    - `bdist_wheel.cpython-312.pyc`
    - `macosx_libfile.cpython-312.pyc`
    - `metadata.cpython-312.pyc`
    - `wheelfile.cpython-312.pyc`
  - `_commands/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `convert.cpython-312.pyc`
      - `pack.cpython-312.pyc`
      - `tags.cpython-312.pyc`
      - `unpack.cpython-312.pyc`
    - `__init__.py`
    - `convert.py`
    - `pack.py`
    - `tags.py`
    - `unpack.py`
  - `__init__.py`
  - `_main_.py`
  - `_bdist_wheel.py`
  - `_metadata.py`
  - `_setuptools_logging.py`
  - `bdist_wheel.py`
  - `macosx_libfile.py`
  - `metadata.py`
  - `wheelfile.py`
- `wheel-0.46.3.dist-info/`
  - `licenses/`
    - `LICENSE.txt`
  - `entry_points.txt`
  - `INSTALLER`
  - `METADATA`
  - `RECORD`
  - `REQUESTED`
  - `WHEEL`
- `zipp/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_functools.cpython-312.pyc`
    - `glob.cpython-312.pyc`
  - `compat/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `overlay.cpython-312.pyc`
      - `py310.cpython-312.pyc`
      - `py313.cpython-312.pyc`
    - `__init__.py`
    - `overlay.py`
    - `py310.py`
    - `py313.py`
  - `__init__.py`
  - `_functools.py`
  - `glob.py`
- `zipp-3.23.0.dist-info/`
  - `licenses/`
    - `LICENSE`
  - `INSTALLER`
  - `METADATA`
  - `RECORD`
  - `REQUESTED`
  - `top_level.txt`
  - `WHEEL`

```

└─ .lock
command/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── _requirestxt.cpython-312.pyc
    ├── alias.cpython-312.pyc
    ├── bdist_egg.cpython-312.pyc
    ├── bdist_rpm.cpython-312.pyc
    ├── bdist_wheel.cpython-312.pyc
    ├── build.cpython-312.pyc
    ├── build_clib.cpython-312.pyc
    ├── build_ext.cpython-312.pyc
    ├── build_py.cpython-312.pyc
    ├── develop.cpython-312.pyc
    ├── dist_info.cpython-312.pyc
    ├── easy_install.cpython-312.pyc
    ├── editable_wheel.cpython-312.pyc
    ├── egg_info.cpython-312.pyc
    ├── install.cpython-312.pyc
    ├── install_egg_info.cpython-312.pyc
    ├── install_lib.cpython-312.pyc
    ├── install_scripts.cpython-312.pyc
    ├── rotate.cpython-312.pyc
    ├── saveopts.cpython-312.pyc
    ├── sdist.cpython-312.pyc
    ├── setopt.cpython-312.pyc
    └── test.cpython-312.pyc
└─ __init__.py
└─ _requirestxt.py
└─ alias.py
└─ bdist_egg.py
└─ bdist_rpm.py
└─ bdist_wheel.py
└─ build.py
└─ build_clib.py
└─ build_ext.py
└─ build_py.py
└─ develop.py
└─ dist_info.py
└─ easy_install.py
└─ editable_wheel.py
└─ egg_info.py
└─ install.py
└─ install_egg_info.py
└─ install_lib.py
└─ install_scripts.py
└─ launcher manifest.xml
└─ rotate.py
└─ saveopts.py
└─ sdist.py
└─ setopt.py
└─ test.py
compat/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── py310.cpython-312.pyc
    ├── py311.cpython-312.pyc
    ├── py312.cpython-312.pyc
    └── py39.cpython-312.pyc
└─ __init__.py
└─ py310.py
└─ py311.py
└─ py312.py
└─ py39.py
config/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── _apply_pyprojecttoml.cpython-312.pyc
    ├── expand.cpython-312.pyc
    ├── pyprojecttoml.cpython-312.pyc
    └── setupcfg.cpython-312.pyc
└─ _validate_pyproject/
    └─ __pycache__/
        ├── __init__.cpython-312.pyc
        ├── error_reporting.cpython-312.pyc
        ├── extra_validations.cpython-312.pyc
        ├── fastjsonschema_exceptions.cpython-312.pyc
        ├── fastjsonschema_validations.cpython-312.pyc
        └── formats.cpython-312.pyc
└─ __init__.py
└─ error_reporting.py
└─ extra_validations.py
└─ fastjsonschema_exceptions.py
└─ fastjsonschema_validations.py
└─ formats.py

```

- └─ NOTICE
- └─ \_\_init\_\_.py
- └─ \_apply\_pyprojecttoml.py
- └─ distutils.schema.json
- └─ expand.py
- └─ NOTICE
- └─ pyprojecttoml.py
- └─ setupcfg.py
- └─ setuptools.schema.json
- └─ tests/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ contexts.cpython-312.pyc
    - └─ environment.cpython-312.pyc
    - └─ fixtures.cpython-312.pyc
    - └─ mod\_with\_constant.cpython-312.pyc
    - └─ namespaces.cpython-312.pyc
    - └─ script-with-bom.cpython-312.pyc
    - └─ test\_archive\_util.cpython-312.pyc
    - └─ test\_bdist\_deprecations.cpython-312.pyc
    - └─ test\_bdist\_egg.cpython-312.pyc
    - └─ test\_bdist\_wheel.cpython-312.pyc
    - └─ test\_build.cpython-312.pyc
    - └─ test\_build\_clib.cpython-312.pyc
    - └─ test\_build\_ext.cpython-312.pyc
    - └─ test\_build\_meta.cpython-312.pyc
    - └─ test\_build\_py.cpython-312.pyc
    - └─ test\_config\_discovery.cpython-312.pyc
    - └─ test\_core\_metadata.cpython-312.pyc
    - └─ test\_depends.cpython-312.pyc
    - └─ test\_develop.cpython-312.pyc
    - └─ test\_dist.cpython-312.pyc
    - └─ test\_dist\_info.cpython-312.pyc
    - └─ test\_distutils\_adoption.cpython-312.pyc
    - └─ test\_editable\_install.cpython-312.pyc
    - └─ test\_egg\_info.cpython-312.pyc
    - └─ test\_extern.cpython-312.pyc
    - └─ test\_find\_packages.cpython-312.pyc
    - └─ test\_find\_py\_modules.cpython-312.pyc
    - └─ test\_glob.cpython-312.pyc
    - └─ test\_install\_scripts.cpython-312.pyc
    - └─ test\_logging.cpython-312.pyc
    - └─ test\_manifest.cpython-312.pyc
    - └─ test\_namespaces.cpython-312.pyc
    - └─ test\_scripts.cpython-312.pyc
    - └─ test\_sdist.cpython-312.pyc
    - └─ test\_setopt.cpython-312.pyc
    - └─ test\_setuptools.cpython-312.pyc
    - └─ test\_shutil\_wrapper.cpython-312.pyc
    - └─ test\_unicode\_utils.cpython-312.pyc
    - └─ test\_virtualenv.cpython-312.pyc
    - └─ test\_warnings.cpython-312.pyc
    - └─ test\_wheel.cpython-312.pyc
    - └─ test\_windows\_wrappers.cpython-312.pyc
    - └─ text.cpython-312.pyc
    - └─ textwrap.cpython-312.pyc
  - └─ compat/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ py39.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ py39.py
  - └─ config/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ test\_apply\_pyprojecttoml.cpython-312.pyc
      - └─ test\_expand.cpython-312.pyc
      - └─ test\_pyprojecttoml.cpython-312.pyc
      - └─ test\_pyprojecttoml\_dynamic\_deps.cpython-312.pyc
      - └─ test\_setupcfg.cpython-312.pyc
  - └─ downloads/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ preload.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ preload.py
  - └─ \_\_init\_\_.py
  - └─ setupcfg\_examples.txt
  - └─ test\_apply\_pyprojecttoml.py
  - └─ test\_expand.py
  - └─ test\_pyprojecttoml.py
  - └─ test\_pyprojecttoml\_dynamic\_deps.py
  - └─ test\_setupcfg.py
- └─ indexes/
  - └─ test\_links\_priority/

```

├── simple/
│   ├── foobar/
│   │   └── index.html
│   └── external.html
├── integration/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── helpers.cpython-312.pyc
│   │   ├── test_pbr.cpython-312.pyc
│   │   └── test_pip_install_sdists.cpython-312.pyc
│   ├── __init__.py
│   ├── helpers.py
│   ├── test_pbr.py
│   └── test_pip_install_sdists.py
├── __init__.py
├── contexts.py
├── environment.py
├── fixtures.py
├── mod_with_constant.py
├── namespaces.py
├── script-with-bom.py
├── test_archive_util.py
├── test_bdist_deprecations.py
├── test_bdist_egg.py
├── test_bdist_wheel.py
├── test_build.py
├── test_build_clib.py
├── test_build_ext.py
├── test_build_meta.py
├── test_build_py.py
├── test_config_discovery.py
├── test_core_metadata.py
├── test_depends.py
├── test_develop.py
├── test_dist.py
├── test_dist_info.py
├── test_distutils_adoption.py
├── test_editable_install.py
├── test_egg_info.py
├── test_extern.py
├── test_find_packages.py
├── test_find_py_modules.py
├── test_glob.py
├── test_install_scripts.py
├── test_logging.py
├── test_manifest.py
├── test_namespaces.py
├── test_scripts.py
├── test_sdists.py
├── test_setopt.py
├── test_setuptools.py
├── test_shutil_wrapper.py
├── test_unicode_utils.py
├── test_virtualenv.py
├── test_warnings.py
├── test_wheel.py
├── test_windows_wrappers.py
├── text.py
├── textwrap.py
├── __init__.py
├── _core_metadata.py
├── _discovery.py
├── _entry_points.py
├── _imp.py
├── _importlib.py
├── _itertools.py
├── _normalization.py
├── _path.py
├── _reqs.py
├── _scripts.py
├── _shutil.py
├── _static.py
├── archive_util.py
├── build_meta.py
├── cli-32.exe
├── cli-64.exe
├── cli-arm64.exe
├── cli.exe
├── depends.py
├── discovery.py
├── dist.py
├── errors.py
├── extension.py
├── glob.py
├── gui-32.exe

```

- gui-64.exe
- gui-arm64.exe
- gui.exe
- installer.py
- launch.py
- logging.py
- modified.py
- monkey.py
- msvc.py
- namespaces.py
- script (dev).tmpl
- script.tmpl
- unicode\_utils.py
- version.py
- warnings.py
- wheel.py
- windows\_support.py
- setuptools-81.0.0.dist-info/
  - licenses/
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- shellingham/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_core.cpython-312.pyc
    - nt.cpython-312.pyc
  - posix/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_core.cpython-312.pyc
      - proc.cpython-312.pyc
      - ps.cpython-312.pyc
    - \_\_init\_\_.py
    - \_core.py
    - proc.py
    - ps.py
  - \_\_init\_\_.py
  - \_core.py
  - nt.py
- shellingham-1.5.4.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
  - zip-safe
- six-1.17.0.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- sklearn/
  - .libs/
    - msvc140.dll
    - vcomp140.dll
  - \_check\_build/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
    - \_check\_build.cp312-win\_amd64.lib
    - \_check\_build.cp312-win\_amd64.pyd
    - \_check\_build.pyx
    - meson.build
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_config.cpython-312.pyc
    - \_distributor\_init.cpython-312.pyc
    - \_min\_dependencies.cpython-312.pyc
    - base.cpython-312.pyc
    - calibration.cpython-312.pyc
    - conftest.cpython-312.pyc
    - discriminant\_analysis.cpython-312.pyc
    - dummy.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - isotonic.cpython-312.pyc
    - kernel\_approximation.cpython-312.pyc
    - kernel\_ridge.cpython-312.pyc

- multiclass.cpython-312.pyc
- multioutput.cpython-312.pyc
- naive\_bayes.cpython-312.pyc
- pipeline.cpython-312.pyc
- random\_projection.cpython-312.pyc
- build\_utils/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - tempita.cpython-312.pyc
    - version.cpython-312.pyc
  - \_\_init\_\_.py
  - tempita.py
  - version.py
- loss/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - link.cpython-312.pyc
    - loss.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_link.cpython-312.pyc
      - test\_loss.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_link.py
    - test\_loss.py
  - \_\_init\_\_.py
  - \_loss.cp312-win\_amd64.lib
  - \_loss.cp312-win\_amd64.pyd
  - \_loss.pxd
  - \_loss.pyx.tp
  - link.py
  - loss.py
  - meson.build
- cluster/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_affinity\_propagation.cpython-312.pyc
    - \_agglomerative.cpython-312.pyc
    - \_bicluster.cpython-312.pyc
    - \_birch.cpython-312.pyc
    - \_bisect\_k\_means.cpython-312.pyc
    - \_dbscan.cpython-312.pyc
    - \_feature\_agglomeration.cpython-312.pyc
    - \_kmeans.cpython-312.pyc
    - \_mean\_shift.cpython-312.pyc
    - \_optics.cpython-312.pyc
    - \_spectral.cpython-312.pyc
  - hdbscan/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - hdbscan.cpython-312.pyc
    - tests/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - test\_reachability.cpython-312.pyc
      - \_\_init\_\_.py
      - test\_reachability.py
    - \_\_init\_\_.py
    - \_linkage.cp312-win\_amd64.lib
    - \_linkage.cp312-win\_amd64.pyd
    - \_linkage.pyx
    - \_reachability.cp312-win\_amd64.lib
    - \_reachability.cp312-win\_amd64.pyd
    - \_reachability.pyx
    - \_tree.cp312-win\_amd64.lib
    - \_tree.cp312-win\_amd64.pyd
    - \_tree.pxd
    - \_tree.pyx
    - hdbscan.py
    - meson.build
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - common.cpython-312.pyc
      - test\_affinity\_propagation.cpython-312.pyc
      - test\_bicluster.cpython-312.pyc
      - test\_birch.cpython-312.pyc
      - test\_bisect\_k\_means.cpython-312.pyc
      - test\_dbscan.cpython-312.pyc
      - test\_feature\_agglomeration.cpython-312.pyc
      - test\_hdbscan.cpython-312.pyc
      - test\_hierarchical.cpython-312.pyc
      - test\_k\_means.cpython-312.pyc
      - test\_mean\_shift.cpython-312.pyc



- test\_optics.cpython-312.pyc
  - test\_spectral.cpython-312.pyc
- \_\_init\_\_.py
- common.py
- test\_affinity\_propagation.py
- test\_biclustertest.py
- test\_birch.py
- test\_bisect\_k\_means.py
- test\_dbscan.py
- test\_feature\_agglomeration.py
- test\_hdbscan.py
- test\_hierarchical.py
- test\_k\_means.py
- test\_mean\_shift.py
- test\_optics.py
- test\_spectral.py
- \_\_init\_\_.py
- \_affinity\_propagation.py
- \_agglomerative.py
- \_biclustertest.py
- \_birch.py
- \_bisect\_k\_means.py
- \_dbscan.py
- \_dbscan\_inner.cp312-win\_amd64.lib
- \_dbscan\_inner.cp312-win\_amd64.pyd
- \_dbscan\_inner.pyx
- \_feature\_agglomeration.py
- \_hierarchical\_fast.cp312-win\_amd64.lib
- \_hierarchical\_fast.cp312-win\_amd64.pyd
- \_hierarchical\_fast.pxd
- \_hierarchical\_fast.pyx
- \_k\_means\_common.cp312-win\_amd64.lib
- \_k\_means\_common.cp312-win\_amd64.pyd
- \_k\_means\_common.pxd
- \_k\_means\_common.pyx
- \_k\_means\_elkan.cp312-win\_amd64.lib
- \_k\_means\_elkan.cp312-win\_amd64.pyd
- \_k\_means\_elkan.pyx
- \_k\_means\_lloyd.cp312-win\_amd64.lib
- \_k\_means\_lloyd.cp312-win\_amd64.pyd
- \_k\_means\_lloyd.pyx
- \_k\_means\_minibatch.cp312-win\_amd64.lib
- \_k\_means\_minibatch.cp312-win\_amd64.pyd
- \_k\_means\_minibatch.pyx
- \_kmeans.py
- \_mean\_shift.py
- \_optics.py
- \_spectral.py
- meson.build
- compose/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_column\_transformer.cpython-312.pyc
    - \_target.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_column\_transformer.cpython-312.pyc
      - test\_target.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_column\_transformer.py
    - test\_target.py
  - \_\_init\_\_.py
  - \_column\_transformer.py
  - \_target.py
- covariance/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_elliptic\_envelope.cpython-312.pyc
    - \_empirical\_covariance.cpython-312.pyc
    - \_graph\_lasso.cpython-312.pyc
    - \_robust\_covariance.cpython-312.pyc
    - \_shrunk\_covariance.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_covariance.cpython-312.pyc
      - test\_elliptic\_envelope.cpython-312.pyc
      - test\_graphical\_lasso.cpython-312.pyc
      - test\_robust\_covariance.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_covariance.py
    - test\_elliptic\_envelope.py
    - test\_graphical\_lasso.py
    - test\_robust\_covariance.py

- `__init__.py`
- `_elliptic_envelope.py`
- `_empirical_covariance.py`
- `_graph_lasso.py`
- `_robust_covariance.py`
- `_shrunk_covariance.py`
- `cross_decomposition/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_pls.cpython-312.pyc`
  - `tests/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `test_pls.cpython-312.pyc`
    - `__init__.py`
    - `test_pls.py`
  - `__init__.py`
  - `_pls.py`
- `datasets/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_arff_parser.cpython-312.pyc`
    - `_base.cpython-312.pyc`
    - `_california_housing.cpython-312.pyc`
    - `_covtype.cpython-312.pyc`
    - `_kddcup99.cpython-312.pyc`
    - `_lfw.cpython-312.pyc`
    - `_olivetti_faces.cpython-312.pyc`
    - `_openml.cpython-312.pyc`
    - `_rcv1.cpython-312.pyc`
    - `_samples_generator.cpython-312.pyc`
    - `_species_distributions.cpython-312.pyc`
    - `_svmlight_format_io.cpython-312.pyc`
    - `_twenty_newsgroups.cpython-312.pyc`
  - `data/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
    - `__init__.py`
    - `breast_cancer.csv`
    - `diabetes_data_raw.csv.gz`
    - `diabetes_target.csv.gz`
    - `digits.csv.gz`
    - `iris.csv`
    - `linnerud_exercise.csv`
    - `linnerud_physiological.csv`
    - `wine_data.csv`
  - `descr/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
    - `__init__.py`
    - `breast_cancer.rst`
    - `california_housing.rst`
    - `covtype.rst`
    - `diabetes.rst`
    - `digits.rst`
    - `iris.rst`
    - `kddcup99.rst`
    - `lfw.rst`
    - `linnerud.rst`
    - `olivetti_faces.rst`
    - `rcv1.rst`
    - `species_distributions.rst`
    - `twenty_newsgroups.rst`
    - `wine_data.rst`
  - `images/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
    - `__init__.py`
    - `china.jpg`
    - `flower.jpg`
    - `README.txt`
  - `tests/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `test_20news.cpython-312.pyc`
      - `test_arff_parser.cpython-312.pyc`
      - `test_base.cpython-312.pyc`
      - `test_california_housing.cpython-312.pyc`
      - `test_common.cpython-312.pyc`
      - `test_covtype.cpython-312.pyc`
      - `test_kddcup99.cpython-312.pyc`
      - `test_lfw.cpython-312.pyc`
      - `test_olivetti_faces.cpython-312.pyc`
      - `test_openml.cpython-312.pyc`
      - `test_rcv1.cpython-312.pyc`

- └─ test\_samples\_generator.cpython-312.pyc
- └─ test\_svmlight\_format.cpython-312.pyc
- ─ data/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
  - ─ openml/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
    - ─ id\_1/
      - └─ \_\_pycache\_\_/
        - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ api-v1-jd-1.json.gz
      - └─ api-v1-jdf-1.json.gz
      - └─ api-v1-jdq-1.json.gz
      - └─ data-v1-dl-1.arff.gz
    - ─ id\_1119/
      - └─ \_\_pycache\_\_/
        - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ api-v1-jd-1119.json.gz
      - └─ api-v1-jdf-1119.json.gz
      - └─ api-v1-jdl-dn-adult-census-1-2-dv-1.json.gz
      - └─ api-v1-jdl-dn-adult-census-1-2-s-act-.json.gz
      - └─ api-v1-jdq-1119.json.gz
      - └─ data-v1-dl-54002.arff.gz
    - ─ id\_1590/
      - └─ \_\_pycache\_\_/
        - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ api-v1-jd-1590.json.gz
      - └─ api-v1-jdf-1590.json.gz
      - └─ api-v1-jdq-1590.json.gz
      - └─ data-v1-dl-1595261.arff.gz
    - ─ id\_2/
      - └─ \_\_pycache\_\_/
        - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ api-v1-jd-2.json.gz
      - └─ api-v1-jdf-2.json.gz
      - └─ api-v1-jdl-dn-anneal-1-2-dv-1.json.gz
      - └─ api-v1-jdl-dn-anneal-1-2-s-act-.json.gz
      - └─ api-v1-jdq-2.json.gz
      - └─ data-v1-dl-1666876.arff.gz
    - ─ id\_292/
      - └─ \_\_pycache\_\_/
        - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ api-v1-jd-292.json.gz
      - └─ api-v1-jd-40981.json.gz
      - └─ api-v1-jdf-292.json.gz
      - └─ api-v1-jdf-40981.json.gz
      - └─ api-v1-jdl-dn-australian-1-2-dv-1-s-dact.json.gz
      - └─ api-v1-jdl-dn-australian-1-2-dv-1.json.gz
      - └─ api-v1-jdl-dn-australian-1-2-s-act-.json.gz
      - └─ data-v1-dl-49822.arff.gz
    - ─ id\_3/
      - └─ \_\_pycache\_\_/
        - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ api-v1-jd-3.json.gz
      - └─ api-v1-jdf-3.json.gz
      - └─ api-v1-jdq-3.json.gz
      - └─ data-v1-dl-3.arff.gz
    - ─ id\_40589/
      - └─ \_\_pycache\_\_/
        - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ api-v1-jd-40589.json.gz
      - └─ api-v1-jdf-40589.json.gz
      - └─ api-v1-jdl-dn-emotions-1-2-dv-3.json.gz
      - └─ api-v1-jdl-dn-emotions-1-2-s-act-.json.gz
      - └─ api-v1-jdq-40589.json.gz
      - └─ data-v1-dl-4644182.arff.gz
    - ─ id\_40675/
      - └─ \_\_pycache\_\_/
        - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ api-v1-jd-40675.json.gz
      - └─ api-v1-jdf-40675.json.gz
      - └─ api-v1-jdl-dn-glass2-1-2-dv-1-s-dact.json.gz
      - └─ api-v1-jdl-dn-glass2-1-2-dv-1.json.gz
      - └─ api-v1-jdl-dn-glass2-1-2-s-act-.json.gz
      - └─ api-v1-jdq-40675.json.gz
      - └─ data-v1-dl-4965250.arff.gz

- id\_40945/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - api-v1-jd-40945.json.gz
  - api-v1-jdf-40945.json.gz
  - api-v1-jdq-40945.json.gz
  - data-v1-dl-16826755.arff.gz
- id\_40966/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - api-v1-jd-40966.json.gz
  - api-v1-jdf-40966.json.gz
  - api-v1-jdl-dn-miceprotein-1-2-dv-4.json.gz
  - api-v1-jdl-dn-miceprotein-1-2-s-act-.json.gz
  - api-v1-jdq-40966.json.gz
  - data-v1-dl-17928620.arff.gz
- id\_42074/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - api-v1-jd-42074.json.gz
  - api-v1-jdf-42074.json.gz
  - api-v1-jdq-42074.json.gz
  - data-v1-dl-21552912.arff.gz
- id\_42585/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - api-v1-jd-42585.json.gz
  - api-v1-jdf-42585.json.gz
  - api-v1-jdq-42585.json.gz
  - data-v1-dl-21854866.arff.gz
- id\_561/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - api-v1-jd-561.json.gz
  - api-v1-jdf-561.json.gz
  - api-v1-jdl-dn-cpu-1-2-dv-1.json.gz
  - api-v1-jdl-dn-cpu-1-2-s-act-.json.gz
  - api-v1-jdq-561.json.gz
  - data-v1-dl-52739.arff.gz
- id\_61/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - api-v1-jd-61.json.gz
  - api-v1-jdf-61.json.gz
  - api-v1-jdl-dn-iris-1-2-dv-1.json.gz
  - api-v1-jdl-dn-iris-1-2-s-act-.json.gz
  - api-v1-jdq-61.json.gz
  - data-v1-dl-61.arff.gz
- id\_62/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - api-v1-jd-62.json.gz
  - api-v1-jdf-62.json.gz
  - api-v1-jdq-62.json.gz
  - data-v1-dl-52352.arff.gz
- \_\_init\_\_.py
- svmlight\_classification.txt
- svmlight\_invalid.txt
- svmlight\_invalid\_order.txt
- svmlight\_multilabel.txt
- \_\_init\_\_.py
- test\_20news.py
- test\_arff\_parser.py
- test\_base.py
- test\_california\_housing.py
- test\_common.py
- test\_covtype.py
- test\_kddcup99.py
- test\_lfw.py
- test\_olivetti\_faces.py
- test\_openml.py
- test\_rcv1.py
- test\_samples\_generator.py
- test\_svmformat.py
- \_\_init\_\_.py
- arff\_parser.py
- base.py

- \_california\_housing.py
- covtype.py
- kddcup99.py
- lfw.py
- olivetti\_faces.py
- openml.py
- rcv1.py
- samples\_generator.py
- species\_distributions.py
- svmlight\_format\_fast.cp312-win\_amd64.lib
- svmlight\_format\_fast.cp312-win\_amd64.pyd
- svmlight\_format\_fast.pyx
- svmlight\_format\_io.py
- twenty\_newsgroups.py
- meson.build
- decomposition/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_dict\_learning.cpython-312.pyc
    - \_factor\_analysis.cpython-312.pyc
    - \_fastica.cpython-312.pyc
    - \_incremental\_pca.cpython-312.pyc
    - \_kernel\_pca.cpython-312.pyc
    - \_lda.cpython-312.pyc
    - \_nmf.cpython-312.pyc
    - \_pca.cpython-312.pyc
    - \_sparse\_pca.cpython-312.pyc
    - \_truncated\_svd.cpython-312.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_dict\_learning.cpython-312.pyc
      - test\_factor\_analysis.cpython-312.pyc
      - test\_fastica.cpython-312.pyc
      - test\_incremental\_pca.cpython-312.pyc
      - test\_kernel\_pca.cpython-312.pyc
      - test\_nmf.cpython-312.pyc
      - test\_online\_lda.cpython-312.pyc
      - test\_pca.cpython-312.pyc
      - test\_sparse\_pca.cpython-312.pyc
      - test\_truncated\_svd.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_dict\_learning.py
    - test\_factor\_analysis.py
    - test\_fastica.py
    - test\_incremental\_pca.py
    - test\_kernel\_pca.py
    - test\_nmf.py
    - test\_online\_lda.py
    - test\_pca.py
    - test\_sparse\_pca.py
    - test\_truncated\_svd.py
  - \_\_init\_\_.py
  - \_base.py
  - \_cdnmf\_fast.cp312-win\_amd64.lib
  - \_cdnmf\_fast.cp312-win\_amd64.pyd
  - \_cdnmf\_fast.pyx
  - \_dict\_learning.py
  - \_factor\_analysis.py
  - \_fastica.py
  - \_incremental\_pca.py
  - \_kernel\_pca.py
  - \_lda.py
  - \_nmf.py
  - \_online\_lda\_fast.cp312-win\_amd64.lib
  - \_online\_lda\_fast.cp312-win\_amd64.pyd
  - \_online\_lda\_fast.pyx
  - \_pca.py
  - \_sparse\_pca.py
  - \_truncated\_svd.py
  - meson.build
- ensemble/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_bagging.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_forest.cpython-312.pyc
    - \_gb.cpython-312.pyc
    - \_iforest.cpython-312.pyc
    - \_stacking.cpython-312.pyc
    - \_voting.cpython-312.pyc
    - \_weight\_boosting.cpython-312.pyc
  - hist\_gradient\_boosting/
    - \_pycache\_/

- `__init__.cpython-312.pyc`
- `binning.cpython-312.pyc`
- `gradient_boosting.cpython-312.pyc`
- `grower.cpython-312.pyc`
- `predictor.cpython-312.pyc`
- `utils.cpython-312.pyc`
- `tests/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `test_binning.cpython-312.pyc`
    - `test_bitset.cpython-312.pyc`
    - `test_compare_lightgbm.cpython-312.pyc`
    - `test_gradient_boosting.cpython-312.pyc`
    - `test_grower.cpython-312.pyc`
    - `test_histogram.cpython-312.pyc`
    - `test_monotonic_constraints.cpython-312.pyc`
    - `test_predictor.cpython-312.pyc`
    - `test_splitting.cpython-312.pyc`
    - `test_warm_start.cpython-312.pyc`
  - `__init__.py`
  - `test_binning.py`
  - `test_bitset.py`
  - `test_compare_lightgbm.py`
  - `test_gradient_boosting.py`
  - `test_grower.py`
  - `test_histogram.py`
  - `test_monotonic_constraints.py`
  - `test_predictor.py`
  - `test_splitting.py`
  - `test_warm_start.py`
- `__init__.py`
- `_binning.cp312-win_amd64.lib`
- `_binning.cp312-win_amd64.pyd`
- `_binning.pyx`
- `_bitset.cp312-win_amd64.lib`
- `_bitset.cp312-win_amd64.pyd`
- `_bitset.pxd`
- `_bitset.pyx`
- `_gradient_boosting.cp312-win_amd64.lib`
- `_gradient_boosting.cp312-win_amd64.pyd`
- `_gradient_boosting.pyx`
- `_predictor.cp312-win_amd64.lib`
- `_predictor.cp312-win_amd64.pyd`
- `_predictor.pyx`
- `binning.py`
- `common.cp312-win_amd64.lib`
- `common.cp312-win_amd64.pyd`
- `common.pxd`
- `common.pyx`
- `gradient_boosting.py`
- `grower.py`
- `histogram.cp312-win_amd64.lib`
- `histogram.cp312-win_amd64.pyd`
- `histogram.pyx`
- `meson.build`
- `predictor.py`
- `splitting.cp312-win_amd64.lib`
- `splitting.cp312-win_amd64.pyd`
- `splitting.pyx`
- `utils.py`

- `tests/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `test_bagging.cpython-312.pyc`
    - `test_base.cpython-312.pyc`
    - `test_common.cpython-312.pyc`
    - `test_forest.cpython-312.pyc`
    - `test_gradient_boosting.cpython-312.pyc`
    - `test_iforest.cpython-312.pyc`
    - `test_stacking.cpython-312.pyc`
    - `test_voting.cpython-312.pyc`
    - `test_weight_boosting.cpython-312.pyc`
  - `__init__.py`
  - `test_bagging.py`
  - `test_base.py`
  - `test_common.py`
  - `test_forest.py`
  - `test_gradient_boosting.py`
  - `test_iforest.py`
  - `test_stacking.py`
  - `test_voting.py`
  - `test_weight_boosting.py`
- `__init__.py`
- `_bagging.py`
- `_base.py`

- \_forest.py
- \_gb.py
- \_gradient\_boosting.cp312-win\_amd64.lib
- \_gradient\_boosting.cp312-win\_amd64.pyd
- \_gradient\_boosting.pyx
- \_iforest.py
- \_stacking.py
- \_voting.py
- \_weight\_boosting.py
- meson.build
- experimental/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - enable\_halving\_search\_cv.cpython-312.pyc
    - enable\_hist\_gradient\_boosting.cpython-312.pyc
    - enable\_iterative\_imputer.cpython-312.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_enable\_hist\_gradient\_boosting.cpython-312.pyc
      - test\_enable\_iterative\_imputer.cpython-312.pyc
      - test\_enable\_successive\_halving.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_enable\_hist\_gradient\_boosting.py
    - test\_enable\_iterative\_imputer.py
    - test\_enable\_successive\_halving.py
  - \_\_init\_\_.py
  - enable\_halving\_search\_cv.py
  - enable\_hist\_gradient\_boosting.py
  - enable\_iterative\_imputer.py
- externals/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_arff.cpython-312.pyc
    - \_array\_api\_compat\_vendor.cpython-312.pyc
    - conftest.cpython-312.pyc
  - numpydoc/
    - \_pycache\_/
      - docscrape.cpython-312.pyc
    - docscrape.py
  - packaging/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_structures.cpython-312.pyc
      - version.cpython-312.pyc
    - \_\_init\_\_.py
    - \_structures.py
    - version.py
  - scipy/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - sparse/
      - \_pycache\_/
        - \_\_init\_\_.cpython-312.pyc
      - csgraph/
        - \_pycache\_/
          - \_\_init\_\_.cpython-312.pyc
          - \_laplacian.cpython-312.pyc
        - \_\_init\_\_.py
        - \_laplacian.py
      - \_\_init\_\_.py
  - array\_api\_compat/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_internal.cpython-312.pyc
    - common/
      - \_pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - \_aliases.cpython-312.pyc
        - \_fft.cpython-312.pyc
        - \_helpers.cpython-312.pyc
        - \_linalg.cpython-312.pyc
        - \_typing.cpython-312.pyc
      - \_\_init\_\_.py
      - \_aliases.py
      - \_fft.py
      - \_helpers.py
      - \_linalg.py
      - \_typing.py
  - cupy/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_aliases.cpython-312.pyc
      - \_info.cpython-312.pyc





- \_backends.py
    - \_funcs.py
    - \_lazy.py
    - \_testing.py
  - \_\_init\_\_.py
  - \_delegation.py
  - LICENSE
  - py.typed
  - README.md
  - testing.py
- \_\_init\_\_.py
- \_arff.py
- \_array\_api\_compat\_vendor.py
- conftest.py
- README
- feature\_extraction/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_dict\_vectorizer.cpython-312.pyc
    - \_hash.cpython-312.pyc
    - \_stop\_words.cpython-312.pyc
    - image.cpython-312.pyc
    - text.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_dict\_vectorizer.cpython-312.pyc
      - test\_feature\_hasher.cpython-312.pyc
      - test\_image.cpython-312.pyc
      - test\_text.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_dict\_vectorizer.py
    - test\_feature\_hasher.py
    - test\_image.py
    - test\_text.py
  - \_\_init\_\_.py
  - \_dict\_vectorizer.py
  - \_hash.py
  - \_hashing\_fast.cp312-win\_amd64.lib
  - \_hashing\_fast.cp312-win\_amd64.pyd
  - \_hashing\_fast.pyx
  - \_stop\_words.py
  - image.py
  - meson.build
  - text.py
- feature\_selection/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_from\_model.cpython-312.pyc
    - \_mutual\_info.cpython-312.pyc
    - \_rfe.cpython-312.pyc
    - \_sequential.cpython-312.pyc
    - \_univariate\_selection.cpython-312.pyc
    - \_variance\_threshold.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_base.cpython-312.pyc
      - test\_chi2.cpython-312.pyc
      - test\_feature\_select.cpython-312.pyc
      - test\_from\_model.cpython-312.pyc
      - test\_mutual\_info.cpython-312.pyc
      - test\_rfe.cpython-312.pyc
      - test\_sequential.cpython-312.pyc
      - test\_variance\_threshold.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_base.py
    - test\_chi2.py
    - test\_feature\_select.py
    - test\_from\_model.py
    - test\_mutual\_info.py
    - test\_rfe.py
    - test\_sequential.py
    - test\_variance\_threshold.py
  - \_\_init\_\_.py
  - \_base.py
  - \_from\_model.py
  - \_mutual\_info.py
  - \_rfe.py
  - \_sequential.py
  - \_univariate\_selection.py
  - \_variance\_threshold.py
- frozen/
  - \_\_pycache\_\_/

```

├── __init__.cpython-312.pyc
├── __frozen.cpython-312.pyc
├── tests/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   └── test_frozen.cpython-312.pyc
│   ├── __init__.py
│   └── test_frozen.py
├── __init__.py
├── __frozen.py
├── gaussian_process/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── _gpc.cpython-312.pyc
│   │   ├── _gpr.cpython-312.pyc
│   │   └── kernels.cpython-312.pyc
│   ├── tests/
│   │   ├── __pycache__/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   ├── _mini_sequence_kernel.cpython-312.pyc
│   │   │   ├── test_gpc.cpython-312.pyc
│   │   │   ├── test_gpr.cpython-312.pyc
│   │   │   └── test_kernels.cpython-312.pyc
│   │   ├── __init__.py
│   │   ├── _mini_sequence_kernel.py
│   │   ├── test_gpc.py
│   │   ├── test_gpr.py
│   │   └── test_kernels.py
│   ├── __init__.py
│   ├── _gpc.py
│   ├── _gpr.py
│   └── kernels.py
├── impute/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── _base.cpython-312.pyc
│   │   ├── _iterative.cpython-312.pyc
│   │   └── _knn.cpython-312.pyc
│   ├── tests/
│   │   ├── __pycache__/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   ├── test_base.cpython-312.pyc
│   │   │   ├── test_common.cpython-312.pyc
│   │   │   ├── test_impute.cpython-312.pyc
│   │   │   └── test_knn.cpython-312.pyc
│   │   ├── __init__.py
│   │   ├── test_base.py
│   │   ├── test_common.py
│   │   ├── test_impute.py
│   │   └── test_knn.py
│   ├── __init__.py
│   ├── _base.py
│   ├── _iterative.py
│   └── _knn.py
├── inspection/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── _partial_dependence.cpython-312.pyc
│   │   ├── _pd_utils.cpython-312.pyc
│   │   └── _permutation_importance.cpython-312.pyc
│   ├── __plot/
│   │   ├── __pycache__/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   ├── decision_boundary.cpython-312.pyc
│   │   │   └── partial_dependence.cpython-312.pyc
│   │   ├── tests/
│   │   │   ├── __pycache__/
│   │   │   │   ├── __init__.cpython-312.pyc
│   │   │   │   ├── test_boundary_decision_display.cpython-312.pyc
│   │   │   │   └── test_plot_partial_dependence.cpython-312.pyc
│   │   │   ├── __init__.py
│   │   │   ├── test_boundary_decision_display.py
│   │   │   └── test_plot_partial_dependence.py
│   │   ├── __init__.py
│   │   ├── decision_boundary.py
│   │   └── partial_dependence.py
│   ├── tests/
│   │   ├── __pycache__/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   ├── test_partial_dependence.cpython-312.pyc
│   │   │   ├── test_pd_utils.cpython-312.pyc
│   │   │   └── test_permutation_importance.cpython-312.pyc
│   │   ├── __init__.py
│   │   ├── test_partial_dependence.py
│   │   └── test_pd_utils.py

```

- └─ test\_permutation\_importance.py
- └─ \_\_init\_\_.py
- └─ partial\_dependence.py
- └─ pd\_utils.py
- └─ permutation\_importance.py
- linear\_model/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ base.cpython-312.pyc
    - └─ bayes.cpython-312.pyc
    - └─ coordinate\_descent.cpython-312.pyc
    - └─ huber.cpython-312.pyc
    - └─ least\_angle.cpython-312.pyc
    - └─ linear\_loss.cpython-312.pyc
    - └─ logistic.cpython-312.pyc
    - └─ omp.cpython-312.pyc
    - └─ passive\_aggressive.cpython-312.pyc
    - └─ perceptron.cpython-312.pyc
    - └─ quantile.cpython-312.pyc
    - └─ ransac.cpython-312.pyc
    - └─ ridge.cpython-312.pyc
    - └─ sag.cpython-312.pyc
    - └─ stochastic\_gradient.cpython-312.pyc
    - └─ theil\_sen.cpython-312.pyc
  - └─ glm/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ newton\_solver.cpython-312.pyc
      - └─ glm.cpython-312.pyc
    - └─ tests/
      - └─ \_\_pycache\_\_/
        - └─ \_\_init\_\_.cpython-312.pyc
        - └─ test\_glm.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ test\_glm.py
    - └─ \_\_init\_\_.py
    - └─ newton\_solver.py
    - └─ glm.py
  - tests/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ test\_base.cpython-312.pyc
      - └─ test\_bayes.cpython-312.pyc
      - └─ test\_common.cpython-312.pyc
      - └─ test\_coordinate\_descent.cpython-312.pyc
      - └─ test\_huber.cpython-312.pyc
      - └─ test\_least\_angle.cpython-312.pyc
      - └─ test\_linear\_loss.cpython-312.pyc
      - └─ test\_logistic.cpython-312.pyc
      - └─ test\_omp.cpython-312.pyc
      - └─ test\_passive\_aggressive.cpython-312.pyc
      - └─ test\_perceptron.cpython-312.pyc
      - └─ test\_quantile.cpython-312.pyc
      - └─ test\_ransac.cpython-312.pyc
      - └─ test\_ridge.cpython-312.pyc
      - └─ test\_sag.cpython-312.pyc
      - └─ test\_sgd.cpython-312.pyc
      - └─ test\_sparse\_coordinate\_descent.cpython-312.pyc
      - └─ test\_theil\_sen.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_base.py
    - └─ test\_bayes.py
    - └─ test\_common.py
    - └─ test\_coordinate\_descent.py
    - └─ test\_huber.py
    - └─ test\_least\_angle.py
    - └─ test\_linear\_loss.py
    - └─ test\_logistic.py
    - └─ test\_omp.py
    - └─ test\_passive\_aggressive.py
    - └─ test\_perceptron.py
    - └─ test\_quantile.py
    - └─ test\_ransac.py
    - └─ test\_ridge.py
    - └─ test\_sag.py
    - └─ test\_sgd.py
    - └─ test\_sparse\_coordinate\_descent.py
    - └─ test\_theil\_sen.py
  - └─ \_\_init\_\_.py
  - └─ base.py
  - └─ bayes.py
  - └─ \_cd\_fast.cp312-win\_amd64.lib
  - └─ \_cd\_fast.cp312-win\_amd64.pyd
  - └─ \_cd\_fast.pyx
  - └─ coordinate\_descent.py

- \_huber.py
- \_least\_angle.py
- \_linear\_loss.py
- \_logistic.py
- \_omp.py
- \_passive\_aggressive.py
- \_perceptron.py
- \_quantile.py
- \_ransac.py
- \_ridge.py
- \_sag.py
- \_sag\_fast.cp312-win\_amd64.lib
- \_sag\_fast.cp312-win\_amd64.pyd
- \_sag\_fast.pyx.tp
- \_sgd\_fast.cp312-win\_amd64.lib
- \_sgd\_fast.cp312-win\_amd64.pyd
- \_sgd\_fast.pyx.tp
- \_stochastic\_gradient.py
- \_theil\_sen.py
- meson.build
- manifold/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_classical\_mds.cpython-312.pyc
    - \_isomap.cpython-312.pyc
    - \_locally\_linear.cpython-312.pyc
    - \_mds.cpython-312.pyc
    - \_spectral\_embedding.cpython-312.pyc
    - \_t\_sne.cpython-312.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_classical\_mds.cpython-312.pyc
      - test\_isomap.cpython-312.pyc
      - test\_locally\_linear.cpython-312.pyc
      - test\_mds.cpython-312.pyc
      - test\_spectral\_embedding.cpython-312.pyc
      - test\_t\_sne.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_classical\_mds.py
    - test\_isomap.py
    - test\_locally\_linear.py
    - test\_mds.py
    - test\_spectral\_embedding.py
    - test\_t\_sne.py
  - \_\_init\_\_.py
  - \_barnes\_hut\_tsne.cp312-win\_amd64.lib
  - \_barnes\_hut\_tsne.cp312-win\_amd64.pyd
  - \_barnes\_hut\_tsne.pyx
  - \_classical\_mds.py
  - \_isomap.py
  - \_locally\_linear.py
  - \_mds.py
  - \_spectral\_embedding.py
  - \_t\_sne.py
  - \_utils.cp312-win\_amd64.lib
  - \_utils.cp312-win\_amd64.pyd
  - \_utils.pyx
  - meson.build
- metrics/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_classification.cpython-312.pyc
    - \_ranking.cpython-312.pyc
    - \_regression.cpython-312.pyc
    - \_scorer.cpython-312.pyc
    - pairwise.cpython-312.pyc
  - pairwise\_distances\_reduction/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_dispatcher.cpython-312.pyc
    - \_\_init\_\_.py
    - \_argkmin.cp312-win\_amd64.lib
    - \_argkmin.cp312-win\_amd64.pyd
    - \_argkmin.pxd.tp
    - \_argkmin.pyx.tp
    - \_argkmin\_classmode.cp312-win\_amd64.lib
    - \_argkmin\_classmode.cp312-win\_amd64.pyd
    - \_argkmin\_classmode.pyx.tp
    - \_base.cp312-win\_amd64.lib
    - \_base.cp312-win\_amd64.pyd
    - \_base.pxd.tp
    - \_base.pyx.tp
    - \_classmode.pxd

- \_datasets\_pair.cp312-win\_amd64.lib
- \_datasets\_pair.cp312-win\_amd64.pyd
- \_datasets\_pair.pxd.tp
- \_datasets\_pair.pyx.tp
- \_dispatcher.py
- \_middle\_term\_computer.cp312-win\_amd64.lib
- \_middle\_term\_computer.cp312-win\_amd64.pyd
- \_middle\_term\_computer.pxd.tp
- \_middle\_term\_computer.pyx.tp
- \_radius\_neighbors.cp312-win\_amd64.lib
- \_radius\_neighbors.cp312-win\_amd64.pyd
- \_radius\_neighbors.pxd.tp
- \_radius\_neighbors.pyx.tp
- \_radius\_neighbors\_classmode.cp312-win\_amd64.lib
- \_radius\_neighbors\_classmode.cp312-win\_amd64.pyd
- \_radius\_neighbors\_classmode.pyx.tp
- meson.build
- plot/
  - \_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - confusion\_matrix.cpython-312.pyc
    - det\_curve.cpython-312.pyc
    - precision\_recall\_curve.cpython-312.pyc
    - regression.cpython-312.pyc
    - roc\_curve.cpython-312.pyc
  - tests/
    - \_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_common\_curve\_display.cpython-312.pyc
      - test\_confusion\_matrix\_display.cpython-312.pyc
      - test\_det\_curve\_display.cpython-312.pyc
      - test\_precision\_recall\_display.cpython-312.pyc
      - test\_predict\_error\_display.cpython-312.pyc
      - test\_roc\_curve\_display.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_common\_curve\_display.py
    - test\_confusion\_matrix\_display.py
    - test\_det\_curve\_display.py
    - test\_precision\_recall\_display.py
    - test\_predict\_error\_display.py
    - test\_roc\_curve\_display.py
  - \_\_init\_\_.py
  - confusion\_matrix.py
  - det\_curve.py
  - precision\_recall\_curve.py
  - regression.py
  - roc\_curve.py
- cluster/
  - \_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_bicluster.cpython-312.pyc
    - \_supervised.cpython-312.pyc
    - \_unsupervised.cpython-312.pyc
  - tests/
    - \_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_bicluster.cpython-312.pyc
      - test\_common.cpython-312.pyc
      - test\_supervised.cpython-312.pyc
      - test\_unsupervised.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_bicluster.py
    - test\_common.py
    - test\_supervised.py
    - test\_unsupervised.py
  - \_\_init\_\_.py
  - \_bicluster.py
  - \_expected\_mutual\_info\_fast.cp312-win\_amd64.lib
  - \_expected\_mutual\_info\_fast.cp312-win\_amd64.pyd
  - \_expected\_mutual\_info\_fast.pyx
  - \_supervised.py
  - \_unsupervised.py
  - meson.build
  - tests/
    - \_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_classification.cpython-312.pyc
      - test\_common.cpython-312.pyc
      - test\_dist\_metrics.cpython-312.pyc
      - test\_pairwise.cpython-312.pyc
      - test\_pairwise\_distances\_reduction.cpython-312.pyc
      - test\_ranking.cpython-312.pyc
      - test\_regression.cpython-312.pyc
      - test\_score\_objects.cpython-312.pyc
    - \_\_init\_\_.py

- test\_classification.py
- test\_common.py
- test\_dist\_metrics.py
- test\_pairwise.py
- test\_pairwise\_distances\_reduction.py
- test\_ranking.py
- test\_regression.py
- test\_score\_objects.py
- \_\_init\_\_.py
- \_base.py
- \_classification.py
- \_dist\_metrics.cp312-win\_amd64.lib
- \_dist\_metrics.cp312-win\_amd64.pyd
- \_dist\_metrics.pxd
- \_dist\_metrics.pxd.tp
- \_dist\_metrics.pyx.tp
- \_pairwise\_fast.cp312-win\_amd64.lib
- \_pairwise\_fast.cp312-win\_amd64.pyd
- \_pairwise\_fast.pyx
- \_ranking.py
- \_regression.py
- \_scorer.py
- meson.build
- pairwise.py
- mixture/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_bayesian\_mixture.cpython-312.pyc
    - \_gaussian\_mixture.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_bayesian\_mixture.cpython-312.pyc
      - test\_gaussian\_mixture.cpython-312.pyc
      - test\_mixture.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_bayesian\_mixture.py
    - test\_gaussian\_mixture.py
    - test\_mixture.py
  - \_\_init\_\_.py
  - \_base.py
  - \_bayesian\_mixture.py
  - \_gaussian\_mixture.py
- model\_selection/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_classification\_threshold.cpython-312.pyc
    - \_plot.cpython-312.pyc
    - \_search.cpython-312.pyc
    - \_search\_successive\_halving.cpython-312.pyc
    - \_split.cpython-312.pyc
    - \_validation.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - common.cpython-312.pyc
      - test\_classification\_threshold.cpython-312.pyc
      - test\_plot.cpython-312.pyc
      - test\_search.cpython-312.pyc
      - test\_split.cpython-312.pyc
      - test\_successive\_halving.cpython-312.pyc
      - test\_validation.cpython-312.pyc
    - \_\_init\_\_.py
    - common.py
    - test\_classification\_threshold.py
    - test\_plot.py
    - test\_search.py
    - test\_split.py
    - test\_successive\_halving.py
    - test\_validation.py
  - \_\_init\_\_.py
  - \_classification\_threshold.py
  - \_plot.py
  - \_search.py
  - \_search\_successive\_halving.py
  - \_split.py
  - \_validation.py
- neighbors/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_classification.cpython-312.pyc
    - \_graph.cpython-312.pyc
    - \_kde.cpython-312.pyc

- \_lof.cpython-312.pyc
- \_nca.cpython-312.pyc
- \_nearest\_centroid.cpython-312.pyc
- \_regression.cpython-312.pyc
- \_unsupervised.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_ball\_tree.cpython-312.pyc
    - test\_graph.cpython-312.pyc
    - test\_kd\_tree.cpython-312.pyc
    - test\_kde.cpython-312.pyc
    - test\_lof.cpython-312.pyc
    - test\_nca.cpython-312.pyc
    - test\_nearest\_centroid.cpython-312.pyc
    - test\_neighbors.cpython-312.pyc
    - test\_neighbors\_pipeline.cpython-312.pyc
    - test\_neighbors\_tree.cpython-312.pyc
    - test\_quad\_tree.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_ball\_tree.py
  - test\_graph.py
  - test\_kd\_tree.py
  - test\_kde.py
  - test\_lof.py
  - test\_nca.py
  - test\_nearest\_centroid.py
  - test\_neighbors.py
  - test\_neighbors\_pipeline.py
  - test\_neighbors\_tree.py
  - test\_quad\_tree.py
- \_\_init\_\_.py
- \_ball\_tree.cp312-win\_amd64.lib
- \_ball\_tree.cp312-win\_amd64.pyd
- \_ball\_tree.pyx.tp
- \_base.py
- \_binary\_tree.pxi.tp
- \_classification.py
- \_graph.py
- \_kd\_tree.cp312-win\_amd64.lib
- \_kd\_tree.cp312-win\_amd64.pyd
- \_kd\_tree.pyx.tp
- \_kde.py
- \_lof.py
- \_nca.py
- \_nearest\_centroid.py
- \_partition\_nodes.cp312-win\_amd64.lib
- \_partition\_nodes.cp312-win\_amd64.pyd
- \_partition\_nodes.pxd
- \_partition\_nodes.pyx
- \_quad\_tree.cp312-win\_amd64.lib
- \_quad\_tree.cp312-win\_amd64.pyd
- \_quad\_tree.pxd
- \_quad\_tree.pyx
- \_regression.py
- \_unsupervised.py
- meson.build
- neural\_network/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_multilayer\_perceptron.cpython-312.pyc
    - \_rbm.cpython-312.pyc
    - \_stochastic\_optimizers.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_base.cpython-312.pyc
      - test\_mlp.cpython-312.pyc
      - test\_rbm.cpython-312.pyc
      - test\_stochastic\_optimizers.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_base.py
    - test\_mlp.py
    - test\_rbm.py
    - test\_stochastic\_optimizers.py
  - \_\_init\_\_.py
  - \_base.py
  - \_multilayer\_perceptron.py
  - \_rbm.py
  - \_stochastic\_optimizers.py
- preprocessing/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_data.cpython-312.pyc

- \_discretization.cpython-312.pyc
- \_encoders.cpython-312.pyc
- \_function\_transformer.cpython-312.pyc
- \_label.cpython-312.pyc
- \_polynomial.cpython-312.pyc
- \_target\_encoder.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_common.cpython-312.pyc
    - test\_data.cpython-312.pyc
    - test\_discretization.cpython-312.pyc
    - test\_encoders.cpython-312.pyc
    - test\_function\_transformer.cpython-312.pyc
    - test\_label.cpython-312.pyc
    - test\_polynomial.cpython-312.pyc
    - test\_target\_encoder.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_common.py
  - test\_data.py
  - test\_discretization.py
  - test\_encoders.py
  - test\_function\_transformer.py
  - test\_label.py
  - test\_polynomial.py
  - test\_target\_encoder.py
- \_\_init\_\_.py
- \_csr\_polynomial\_expansion.cp312-win\_amd64.lib
- \_csr\_polynomial\_expansion.cp312-win\_amd64.pyd
- \_csr\_polynomial\_expansion.pyx
- \_data.py
- \_discretization.py
- \_encoders.py
- \_function\_transformer.py
- \_label.py
- \_polynomial.py
- \_target\_encoder.py
- \_target\_encoder\_fast.cp312-win\_amd64.lib
- \_target\_encoder\_fast.cp312-win\_amd64.pyd
- \_target\_encoder\_fast.pyx
- meson.build
- semi\_supervised/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_label\_propagation.cpython-312.pyc
    - \_self\_training.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_label\_propagation.cpython-312.pyc
      - test\_self\_training.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_label\_propagation.py
    - test\_self\_training.py
  - \_\_init\_\_.py
  - \_label\_propagation.py
  - \_self\_training.py
- svm/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_base.cpython-312.pyc
    - \_bounds.cpython-312.pyc
    - \_classes.cpython-312.pyc
  - src/
    - liblinear/
      - \_cython\_blas\_helpers.h
      - COPYRIGHT
      - liblinear\_helper.c
      - linear.cpp
      - linear.h
      - tron.cpp
      - tron.h
    - libsvm/
      - \_svm\_cython\_blas\_helpers.h
      - LIBSVM\_CHANGES
      - libsvm\_helper.c
      - libsvm\_sparse\_helper.c
      - libsvm\_template.cpp
      - svm.cpp
      - svm.h
    - newrand/
      - newrand.h
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc



```

├── test_bounds.cpython-312.pyc
├── test_sparse.cpython-312.pyc
├── test_svm.cpython-312.pyc
├── __init__.py
├── test_bounds.py
├── test_sparse.py
├── test_svm.py
├── __init__.py
├── _base.py
├── _bounds.py
├── _classes.py
├── _liblinear.cp312-win_amd64.lib
├── _liblinear.cp312-win_amd64.pyd
├── _liblinear.pxi
├── _liblinear.pyx
├── _libsvm.cp312-win_amd64.lib
├── _libsvm.cp312-win_amd64.pyd
├── _libsvm.pxi
├── _libsvm.pyx
├── _libsvm_sparse.cp312-win_amd64.lib
├── _libsvm_sparse.cp312-win_amd64.pyd
├── _libsvm_sparse.pyx
├── _newrand.cp312-win_amd64.lib
├── _newrand.cp312-win_amd64.pyd
├── _newrand.pyx
├── meson.build
├── tests/
├──   _pycache_/
├──     __init__.cpython-312.pyc
├──     metadata_routing_common.cpython-312.pyc
├──     test_base.cpython-312.pyc
├──     test_build.cpython-312.pyc
├──     test_calibration.cpython-312.pyc
├──     test_check_build.cpython-312.pyc
├──     test_common.cpython-312.pyc
├──     test_config.cpython-312.pyc
├──     test_discriminant_analysis.cpython-312.pyc
├──     test_docstring_parameters.cpython-312.pyc
├──     test_docstring_parameters_consistency.cpython-312.pyc
├──     test_docstrings.cpython-312.pyc
├──     test_dummy.cpython-312.pyc
├──     test_init.cpython-312.pyc
├──     test_isotonic.cpython-312.pyc
├──     test_kernel_approximation.cpython-312.pyc
├──     test_kernel_ridge.cpython-312.pyc
├──     test_metadata_routing.cpython-312.pyc
├──     test_metaestimators.cpython-312.pyc
├──     test_metaestimators_metadata_routing.cpython-312.pyc
├──     test_min_dependencies_readme.cpython-312.pyc
├──     test_multiclass.cpython-312.pyc
├──     test_multioutput.cpython-312.pyc
├──     test_naive_bayes.cpython-312.pyc
├──     test_pipeline.cpython-312.pyc
├──     test_public_functions.cpython-312.pyc
├──     test_random_projection.cpython-312.pyc
├──   __init__.py
├──   metadata_routing_common.py
├──   test_base.py
├──   test_build.py
├──   test_calibration.py
├──   test_check_build.py
├──   test_common.py
├──   test_config.py
├──   test_discriminant_analysis.py
├──   test_docstring_parameters.py
├──   test_docstring_parameters_consistency.py
├──   test_docstrings.py
├──   test_dummy.py
├──   test_init.py
├──   test_isotonic.py
├──   test_kernel_approximation.py
├──   test_kernel_ridge.py
├──   test_metadata_routing.py
├──   test_metaestimators.py
├──   test_metaestimators_metadata_routing.py
├──   test_min_dependencies_readme.py
├──   test_multiclass.py
├──   test_multioutput.py
├──   test_naive_bayes.py
├──   test_pipeline.py
├──   test_public_functions.py
├──   test_random_projection.py
├── tree/
├──   _pycache_/
├──     __init__.cpython-312.pyc

```

- \_classes.cpython-312.pyc
- \_export.cpython-312.pyc
- \_reingold\_tilford.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_export.cpython-312.pyc
    - test\_fenwick.cpython-312.pyc
    - test\_monotonic\_tree.cpython-312.pyc
    - test\_reingold\_tilford.cpython-312.pyc
    - test\_tree.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_export.py
  - test\_fenwick.py
  - test\_monotonic\_tree.py
  - test\_reingold\_tilford.py
  - test\_tree.py
- \_\_init\_\_.py
- \_classes.py
- \_criterion.cp312-win\_amd64.lib
- \_criterion.cp312-win\_amd64.pyd
- \_criterion.pxd
- \_criterion.pyx
- \_export.py
- \_partitioner.cp312-win\_amd64.lib
- \_partitioner.cp312-win\_amd64.pyd
- \_partitioner.pxd
- \_partitioner.pyx
- \_reingold\_tilford.py
- \_splitter.cp312-win\_amd64.lib
- \_splitter.cp312-win\_amd64.pyd
- \_splitter.pxd
- \_splitter.pyx
- \_tree.cp312-win\_amd64.lib
- \_tree.cp312-win\_amd64.pyd
- \_tree.pxd
- \_tree.pyx
- \_utils.cp312-win\_amd64.lib
- \_utils.cp312-win\_amd64.pyd
- \_utils.pxd
- \_utils.pyx
- meson.build

- utils/
- \_\_pycache\_\_/
  - \_\_init\_\_.cpython-312.pyc
  - \_arpack.cpython-312.pyc
  - \_array\_api.cpython-312.pyc
  - \_available\_if.cpython-312.pyc
  - \_bunch.cpython-312.pyc
  - \_chunking.cpython-312.pyc
  - \_dataframe.cpython-312.pyc
  - \_encode.cpython-312.pyc
  - \_indexing.cpython-312.pyc
  - \_mask.cpython-312.pyc
  - \_metadata\_requests.cpython-312.pyc
  - \_missing.cpython-312.pyc
  - \_mocking.cpython-312.pyc
  - \_optional\_dependencies.cpython-312.pyc
  - \_param\_validation.cpython-312.pyc
  - \_plotting.cpython-312.pyc
  - \_pprint.cpython-312.pyc
  - \_response.cpython-312.pyc
  - \_set\_output.cpython-312.pyc
  - \_show\_versions.cpython-312.pyc
  - \_tags.cpython-312.pyc
  - \_testing.cpython-312.pyc
  - \_unique.cpython-312.pyc
  - \_user\_interface.cpython-312.pyc
  - \_class\_weight.cpython-312.pyc
  - \_deprecation.cpython-312.pyc
  - \_discovery.cpython-312.pyc
  - \_estimator\_checks.cpython-312.pyc
  - \_extmath.cpython-312.pyc
  - \_fixes.cpython-312.pyc
  - \_graph.cpython-312.pyc
  - \_metadata\_routing.cpython-312.pyc
  - \_metaestimators.cpython-312.pyc
  - \_multiclass.cpython-312.pyc
  - \_optimize.cpython-312.pyc
  - \_parallel.cpython-312.pyc
  - \_random.cpython-312.pyc
  - \_sparsefuncs.cpython-312.pyc
  - \_stats.cpython-312.pyc
  - \_validation.cpython-312.pyc
- \_repr\_html/

- pycache\_\_/
  - \_\_init\_\_.cpython-312.pyc
  - base.cpython-312.pyc
  - estimator.cpython-312.pyc
  - params.cpython-312.pyc
- tests/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_estimator.cpython-312.pyc
    - test\_js.cpython-312.pyc
    - test\_params.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_estimator.py
  - test\_js.py
  - test\_params.py
- \_\_init\_\_.py
- base.py
- estimator.css
- estimator.js
- estimator.py
- params.css
- params.py
- test\_common/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - instance\_generator.cpython-312.pyc
  - \_\_init\_\_.py
  - instance\_generator.py
- src/
  - MurmurHash3.cpp
  - MurmurHash3.h
- tests/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_arpack.cpython-312.pyc
    - test\_array\_api.cpython-312.pyc
    - test\_arrayfuncs.cpython-312.pyc
    - test\_bunch.cpython-312.pyc
    - test\_chunking.cpython-312.pyc
    - test\_class\_weight.cpython-312.pyc
    - test\_cython\_blas.cpython-312.pyc
    - test\_dataframe.cpython-312.pyc
    - test\_deprecation.cpython-312.pyc
    - test\_encode.cpython-312.pyc
    - test\_estimator\_checks.cpython-312.pyc
    - test\_extmath.cpython-312.pyc
    - test\_fast\_dict.cpython-312.pyc
    - test\_fixes.cpython-312.pyc
    - test\_graph.cpython-312.pyc
    - test\_indexing.cpython-312.pyc
    - test\_mask.cpython-312.pyc
    - test\_metaestimators.cpython-312.pyc
    - test\_missing.cpython-312.pyc
    - test\_mocking.cpython-312.pyc
    - test\_multiclass.cpython-312.pyc
    - test\_murmurhash.cpython-312.pyc
    - test\_optimize.cpython-312.pyc
    - test\_parallel.cpython-312.pyc
    - test\_param\_validation.cpython-312.pyc
    - test\_plotting.cpython-312.pyc
    - test\_pprint.cpython-312.pyc
    - test\_random.cpython-312.pyc
    - test\_response.cpython-312.pyc
    - test\_seq\_dataset.cpython-312.pyc
    - test\_set\_output.cpython-312.pyc
    - test\_shortest\_path.cpython-312.pyc
    - test\_show\_versions.cpython-312.pyc
    - test\_sparsefuncs.cpython-312.pyc
    - test\_stats.cpython-312.pyc
    - test\_tags.cpython-312.pyc
    - test\_testing.cpython-312.pyc
    - test\_typedefs.cpython-312.pyc
    - test\_unique.cpython-312.pyc
    - test\_user\_interface.cpython-312.pyc
    - test\_validation.cpython-312.pyc
    - test\_weight\_vector.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_arpack.py
  - test\_array\_api.py
  - test\_arrayfuncs.py
  - test\_bunch.py
  - test\_chunking.py
  - test\_class\_weight.py
  - test\_cython\_blas.py
  - test\_dataframe.py

```
— test_deprecation.py
— test_encode.py
— test_estimator_checks.py
— test_extmath.py
— test_fast_dict.py
— test_fixes.py
— test_graph.py
— test_indexing.py
— test_mask.py
— test_metaestimators.py
— test_missing.py
— test_mocking.py
— test_multiclass.py
— test_murmurhash.py
— test_optimize.py
— test_parallel.py
— test_param_validation.py
— test_plotting.py
— test_pprint.py
— test_random.py
— test_response.py
— test_seq_dataset.py
— test_set_output.py
— test_shortest_path.py
— test_show_versions.py
— test_sparsefuncs.py
— test_stats.py
— test_tags.py
— test_testing.py
— test_typedefs.py
— test_unique.py
— test_user_interface.py
— test_validation.py
— test_weight_vector.py
— _init_.py
— _arpack.py
— _array_api.py
— _available_if.py
— _bunch.py
— _chunking.py
— _cython_blas.cp312-win_amd64.lib
— _cython_blas.cp312-win_amd64.pyd
— _cython_blas.pxd
— _cython_blas.pyx
— _dataframe.py
— _encode.py
— _fast_dict.cp312-win_amd64.lib
— _fast_dict.cp312-win_amd64.pyd
— _fast_dict.pxd
— _fast_dict.pyx
— _heap.cp312-win_amd64.lib
— _heap.cp312-win_amd64.pyd
— _heap.pxd
— _heap.pyx
— _indexing.py
— _isfinite.cp312-win_amd64.lib
— _isfinite.cp312-win_amd64.pyd
— _isfinite.pyx
— _mask.py
— _metadata_requests.py
— _missing.py
— _mocking.py
— _openmp_helpers.cp312-win_amd64.lib
— _openmp_helpers.cp312-win_amd64.pyd
— _openmp_helpers.pxd
— _openmp_helpers.pyx
— _optional_dependencies.py
— _param_validation.py
— _plotting.py
— _pprint.py
— _random.cp312-win_amd64.lib
— _random.cp312-win_amd64.pyd
— _random.pxd
— _random.pyx
— _response.py
— _seq_dataset.cp312-win_amd64.lib
— _seq_dataset.cp312-win_amd64.pyd
— _seq_dataset.pxd.tp
— _seq_dataset.pyx.tp
— _set_output.py
— _show_versions.py
— _sorting.cp312-win_amd64.lib
— _sorting.cp312-win_amd64.pyd
— _sorting.pxd
— _sorting.pyx
```

- \_tags.py
- \_testing.py
- \_typedefs.cp312-win\_amd64.lib
- \_typedefs.cp312-win\_amd64.pyd
- \_typedefs.pxd
- \_typedefs.pyx
- \_unique.py
- \_user\_interface.py
- \_vector\_sentinel.cp312-win\_amd64.lib
- \_vector\_sentinel.cp312-win\_amd64.pyd
- \_vector\_sentinel.pxd
- \_vector\_sentinel.pyx
- \_weight\_vector.cp312-win\_amd64.lib
- \_weight\_vector.cp312-win\_amd64.pyd
- \_weight\_vector.pxd.tp
- \_weight\_vector.pyx.tp
- arrayfuncs.cp312-win\_amd64.lib
- arrayfuncs.cp312-win\_amd64.pyd
- arrayfuncs.pyx
- class\_weight.py
- deprecation.py
- discovery.py
- estimator\_checks.py
- extmath.py
- fixes.py
- graph.py
- meson.build
- metadata\_routing.py
- metaestimators.py
- multiclass.py
- murmurhash.cp312-win\_amd64.lib
- murmurhash.cp312-win\_amd64.pyd
- murmurhash.pxd
- murmurhash.pyx
- optimize.py
- parallel.py
- random.py
- sparsefuncs.py
- sparsefuncs\_fast.cp312-win\_amd64.lib
- sparsefuncs\_fast.cp312-win\_amd64.pyd
- sparsefuncs\_fast.pyx
- stats.py
- validation.py
- \_init\_\_.py
- \_config.py
- \_cyutility.cp312-win\_amd64.lib
- \_cyutility.cp312-win\_amd64.pyd
- \_distributor\_init.py
- \_isotonic.cp312-win\_amd64.lib
- \_isotonic.cp312-win\_amd64.pyd
- \_isotonic.pyx
- \_min\_dependencies.py
- base.py
- calibration.py
- conftest.py
- discriminant\_analysis.py
- dummy.py
- exceptions.py
- isotonic.py
- kernel\_approximation.py
- kernel\_ridge.py
- meson.build
- multiclass.py
- multioutput.py
- naive\_bayes.py
- pipeline.py
- random\_projection.py
- soundfile-0.13.1.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- soxr/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_version.cpython-312.pyc
  - \_\_init\_\_.py
  - \_version.py
  - soxr\_ext.pyd
  - soxr\_ext.pyi
- soxr-1.1.0.dist-info/
  - licenses/

- COPYING.LGPL
- LICENSE-libsoxr.txt
- LICENSE-PFFFT.txt
- LICENSE.txt
- INSTALLER
- METADATA
- RECORD
- WHEEL
- sympy/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - abc.cpython-312.pyc
    - conftest.cpython-312.pyc
    - galgebra.cpython-312.pyc
    - release.cpython-312.pyc
    - this.cpython-312.pyc
  - algebras/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - quaternion.cpython-312.pyc
    - tests/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - test\_quaternion.cpython-312.pyc
      - \_\_init\_\_.py
      - test\_quaternion.py
    - \_\_init\_\_.py
    - quaternion.py
  - assumptions/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - ask.cpython-312.pyc
      - ask\_generated.cpython-312.pyc
      - assume.cpython-312.pyc
      - cnf.cpython-312.pyc
      - facts.cpython-312.pyc
      - lra\_satask.cpython-312.pyc
      - refine.cpython-312.pyc
      - satask.cpython-312.pyc
      - sathandlers.cpython-312.pyc
      - wrapper.cpython-312.pyc
    - handlers/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - calculus.cpython-312.pyc
        - common.cpython-312.pyc
        - matrices.cpython-312.pyc
        - nththeory.cpython-312.pyc
        - order.cpython-312.pyc
        - sets.cpython-312.pyc
      - \_\_init\_\_.py
      - calculus.py
      - common.py
      - matrices.py
      - nththeory.py
      - order.py
      - sets.py
    - predicates/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - calculus.cpython-312.pyc
        - common.cpython-312.pyc
        - matrices.cpython-312.pyc
        - nththeory.cpython-312.pyc
        - order.cpython-312.pyc
        - sets.cpython-312.pyc
      - \_\_init\_\_.py
      - calculus.py
      - common.py
      - matrices.py
      - nththeory.py
      - order.py
      - sets.py
    - relation/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - binrel.cpython-312.pyc
        - equality.cpython-312.pyc
      - \_\_init\_\_.py
      - binrel.py
      - equality.py
    - tests/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - test\_assumptions\_2.cpython-312.pyc

- test\_context.cpython-312.pyc
  - test\_matrices.cpython-312.pyc
  - test\_query.cpython-312.pyc
  - test\_refine.cpython-312.pyc
  - test\_rel\_queries.cpython-312.pyc
  - test\_satask.cpython-312.pyc
  - test\_sathandlers.cpython-312.pyc
  - test\_wrapper.cpython-312.pyc
- \_\_init\_\_.py
- test\_assumptions\_2.py
- test\_context.py
- test\_matrices.py
- test\_query.py
- test\_refine.py
- test\_rel\_queries.py
- test\_satask.py
- test\_sathandlers.py
- test\_wrapper.py
- \_\_init\_\_.py
- ask.py
- ask\_generated.py
- assume.py
- cnf.py
- facts.py
- lra\_satask.py
- refine.py
- satask.py
- sathandlers.py
- wrapper.py
- benchmarks/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - bench\_discrete\_log.cpython-312.pyc
    - bench\_meijerint.cpython-312.pyc
    - bench\_symbench.cpython-312.pyc
  - \_\_init\_\_.py
  - bench\_discrete\_log.py
  - bench\_meijerint.py
  - bench\_symbench.py
- calculus/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - accumulationbounds.cpython-312.pyc
    - euler.cpython-312.pyc
    - finite\_diff.cpython-312.pyc
    - singularities.cpython-312.pyc
    - util.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_accumulationbounds.cpython-312.pyc
    - test\_euler.cpython-312.pyc
    - test\_finite\_diff.cpython-312.pyc
    - test\_singularities.cpython-312.pyc
    - test\_util.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_accumulationbounds.py
  - test\_euler.py
  - test\_finite\_diff.py
  - test\_singularities.py
  - test\_util.py
- \_\_init\_\_.py
- accumulationbounds.py
- euler.py
- finite\_diff.py
- singularities.py
- util.py
- categories/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - baseclasses.cpython-312.pyc
    - diagram\_drawing.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_baseclasses.cpython-312.pyc
      - test\_drawing.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_baseclasses.py
    - test\_drawing.py
  - \_\_init\_\_.py
  - baseclasses.py
  - diagram\_drawing.py
- codegen/
  - \_\_pycache\_\_/

- `__init__.cpython-312.pyc`
- `abstract_nodes.cpython-312.pyc`
- `algorithms.cpython-312.pyc`
- `approximations.cpython-312.pyc`
- `ast.cpython-312.pyc`
- `cfunctions.cpython-312.pyc`
- `cnodes.cpython-312.pyc`
- `cutils.cpython-312.pyc`
- `cxnnodes.cpython-312.pyc`
- `fnodes.cpython-312.pyc`
- `futils.cpython-312.pyc`
- `matrix_nodes.cpython-312.pyc`
- `numpy_nodes.cpython-312.pyc`
- `pynodes.cpython-312.pyc`
- `pyutils.cpython-312.pyc`
- `rewriting.cpython-312.pyc`
- `scipy_nodes.cpython-312.pyc`
- `tests/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `test_abstract_nodes.cpython-312.pyc`
    - `test_algorithms.cpython-312.pyc`
    - `test_applications.cpython-312.pyc`
    - `test_approximations.cpython-312.pyc`
    - `test_ast.cpython-312.pyc`
    - `test_cfunctions.cpython-312.pyc`
    - `test_cnodes.cpython-312.pyc`
    - `test_cxnnodes.cpython-312.pyc`
    - `test_fnodes.cpython-312.pyc`
    - `test_matrix_nodes.cpython-312.pyc`
    - `test_numpy_nodes.cpython-312.pyc`
    - `test_pynodes.cpython-312.pyc`
    - `test_pyutils.cpython-312.pyc`
    - `test_rewriting.cpython-312.pyc`
    - `test_scipy_nodes.cpython-312.pyc`
  - `__init__.py`
  - `test_abstract_nodes.py`
  - `test_algorithms.py`
  - `test_applications.py`
  - `test_approximations.py`
  - `test_ast.py`
  - `test_cfunctions.py`
  - `test_cnodes.py`
  - `test_cxnnodes.py`
  - `test_fnodes.py`
  - `test_matrix_nodes.py`
  - `test_numpy_nodes.py`
  - `test_pynodes.py`
  - `test_pyutils.py`
  - `test_rewriting.py`
  - `test_scipy_nodes.py`
- `__init__.py`
- `abstract_nodes.py`
- `algorithms.py`
- `approximations.py`
- `ast.py`
- `cfunctions.py`
- `cnodes.py`
- `cutils.py`
- `cxnnodes.py`
- `fnodes.py`
- `futils.py`
- `matrix_nodes.py`
- `numpy_nodes.py`
- `pynodes.py`
- `pyutils.py`
- `rewriting.py`
- `scipy_nodes.py`
- `combinatorics/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `coset_table.cpython-312.pyc`
    - `fp_groups.cpython-312.pyc`
    - `free_groups.cpython-312.pyc`
    - `galois.cpython-312.pyc`
    - `generators.cpython-312.pyc`
    - `graycode.cpython-312.pyc`
    - `group_constructs.cpython-312.pyc`
    - `group_numbers.cpython-312.pyc`
    - `homomorphisms.cpython-312.pyc`
    - `named_groups.cpython-312.pyc`
    - `partitions.cpython-312.pyc`
    - `pc_groups.cpython-312.pyc`
    - `perm_groups.cpython-312.pyc`
    - `permutations.cpython-312.pyc`



- polyhedron.cpython-312.pyc
- prufer.cpython-312.pyc
- rewritingsystem.cpython-312.pyc
- rewritingsystem\_fsm.cpython-312.pyc
- schur\_number.cpython-312.pyc
- subsets.cpython-312.pyc
- tensor\_can.cpython-312.pyc
- testutil.cpython-312.pyc
- util.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_coset\_table.cpython-312.pyc
    - test\_fp\_groups.cpython-312.pyc
    - test\_free\_groups.cpython-312.pyc
    - test\_galois.cpython-312.pyc
    - test\_generators.cpython-312.pyc
    - test\_graycode.cpython-312.pyc
    - test\_group\_constructs.cpython-312.pyc
    - test\_group\_numbers.cpython-312.pyc
    - test\_homomorphisms.cpython-312.pyc
    - test\_named\_groups.cpython-312.pyc
    - test\_partitions.cpython-312.pyc
    - test\_pc\_groups.cpython-312.pyc
    - test\_perm\_groups.cpython-312.pyc
    - test\_permutations.cpython-312.pyc
    - test\_polyhedron.cpython-312.pyc
    - test\_prufer.cpython-312.pyc
    - test\_rewriting.cpython-312.pyc
    - test\_schur\_number.cpython-312.pyc
    - test\_subsets.cpython-312.pyc
    - test\_tensor\_can.cpython-312.pyc
    - test\_testutil.cpython-312.pyc
    - test\_util.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_coset\_table.py
  - test\_fp\_groups.py
  - test\_free\_groups.py
  - test\_galois.py
  - test\_generators.py
  - test\_graycode.py
  - test\_group\_constructs.py
  - test\_group\_numbers.py
  - test\_homomorphisms.py
  - test\_named\_groups.py
  - test\_partitions.py
  - test\_pc\_groups.py
  - test\_perm\_groups.py
  - test\_permutations.py
  - test\_polyhedron.py
  - test\_prufer.py
  - test\_rewriting.py
  - test\_schur\_number.py
  - test\_subsets.py
  - test\_tensor\_can.py
  - test\_testutil.py
  - test\_util.py
- \_\_init\_\_.py
- coset\_table.py
- fp\_groups.py
- free\_groups.py
- galois.py
- generators.py
- graycode.py
- group\_constructs.py
- group\_numbers.py
- homomorphisms.py
- named\_groups.py
- partitions.py
- pc\_groups.py
- perm\_groups.py
- permutations.py
- polyhedron.py
- prufer.py
- rewritingsystem.py
- rewritingsystem\_fsm.py
- schur\_number.py
- subsets.py
- tensor\_can.py
- testutil.py
- util.py
- concrete/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - delta.cpython-312.pyc

- expr\_with\_intlimits.cpython-312.pyc
- expr\_with\_limits.cpython-312.pyc
- gosper.cpython-312.pyc
- guess.cpython-312.pyc
- products.cpython-312.pyc
- summations.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_delta.cpython-312.pyc
    - test\_gosper.cpython-312.pyc
    - test\_guess.cpython-312.pyc
    - test\_products.cpython-312.pyc
    - test\_sums\_products.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_delta.py
  - test\_gosper.py
  - test\_guess.py
  - test\_products.py
  - test\_sums\_products.py
- \_\_init\_\_.py
- delta.py
- expr\_with\_intlimits.py
- expr\_with\_limits.py
- gosper.py
- guess.py
- products.py
- summations.py
- core/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_print\_helpers.cpython-312.pyc
    - add.cpython-312.pyc
    - alphabets.cpython-312.pyc
    - assumptions.cpython-312.pyc
    - assumptions\_generated.cpython-312.pyc
    - backend.cpython-312.pyc
    - basic.cpython-312.pyc
    - cache.cpython-312.pyc
    - compatibility.cpython-312.pyc
    - containers.cpython-312.pyc
    - core.cpython-312.pyc
    - coreerrors.cpython-312.pyc
    - decorators.cpython-312.pyc
    - evalf.cpython-312.pyc
    - expr.cpython-312.pyc
    - exprtools.cpython-312.pyc
    - facts.cpython-312.pyc
    - function.cpython-312.pyc
    - intfunc.cpython-312.pyc
    - kind.cpython-312.pyc
    - logic.cpython-312.pyc
    - mod.cpython-312.pyc
    - mul.cpython-312.pyc
    - multidimensional.cpython-312.pyc
    - numbers.cpython-312.pyc
    - operations.cpython-312.pyc
    - parameters.cpython-312.pyc
    - power.cpython-312.pyc
    - random.cpython-312.pyc
    - relational.cpython-312.pyc
    - rules.cpython-312.pyc
    - singleton.cpython-312.pyc
    - sorting.cpython-312.pyc
    - symbol.cpython-312.pyc
    - sympify.cpython-312.pyc
    - trace.cpython-312.pyc
    - traversal.cpython-312.pyc
  - benchmarks/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - bench\_arit.cpython-312.pyc
      - bench\_assumptions.cpython-312.pyc
      - bench\_basic.cpython-312.pyc
      - bench\_expand.cpython-312.pyc
      - bench\_numbers.cpython-312.pyc
      - bench\_sympify.cpython-312.pyc
    - \_\_init\_\_.py
    - bench\_arit.py
    - bench\_assumptions.py
    - bench\_basic.py
    - bench\_expand.py
    - bench\_numbers.py
    - bench\_sympify.py
  - tests/

- \_pycache\_\_/
  - \_\_init\_\_.cpython-312.pyc
  - test\_args.cpython-312.pyc
  - test\_arit.cpython-312.pyc
  - test\_assumptions.cpython-312.pyc
  - test\_basic.cpython-312.pyc
  - test\_cache.cpython-312.pyc
  - test\_compatibility.cpython-312.pyc
  - test\_complex.cpython-312.pyc
  - test\_constructor\_postprocessor.cpython-312.pyc
  - test\_containers.cpython-312.pyc
  - test\_count\_ops.cpython-312.pyc
  - test\_diff.cpython-312.pyc
  - test\_equal.cpython-312.pyc
  - test\_eval.cpython-312.pyc
  - test\_evalf.cpython-312.pyc
  - test\_expand.cpython-312.pyc
  - test\_expr.cpython-312.pyc
  - test\_exprtools.cpython-312.pyc
  - test\_facts.cpython-312.pyc
  - test\_function.cpython-312.pyc
  - test\_kind.cpython-312.pyc
  - test\_logic.cpython-312.pyc
  - test\_match.cpython-312.pyc
  - test\_multidimensional.cpython-312.pyc
  - test\_noncommutative.cpython-312.pyc
  - test\_numbers.cpython-312.pyc
  - test\_operations.cpython-312.pyc
  - test\_parameters.cpython-312.pyc
  - test\_power.cpython-312.pyc
  - test\_priority.cpython-312.pyc
  - test\_random.cpython-312.pyc
  - test\_relational.cpython-312.pyc
  - test\_rules.cpython-312.pyc
  - test\_singleton.cpython-312.pyc
  - test\_sorting.cpython-312.pyc
  - test\_subs.cpython-312.pyc
  - test\_symbol.cpython-312.pyc
  - test\_sympify.cpython-312.pyc
  - test\_traversal.cpython-312.pyc
  - test\_truediv.cpython-312.pyc
  - test\_var.cpython-312.pyc
- \_\_init\_\_.py
- test\_args.py
- test\_arit.py
- test\_assumptions.py
- test\_basic.py
- test\_cache.py
- test\_compatibility.py
- test\_complex.py
- test\_constructor\_postprocessor.py
- test\_containers.py
- test\_count\_ops.py
- test\_diff.py
- test\_equal.py
- test\_eval.py
- test\_evalf.py
- test\_expand.py
- test\_expr.py
- test\_exprtools.py
- test\_facts.py
- test\_function.py
- test\_kind.py
- test\_logic.py
- test\_match.py
- test\_multidimensional.py
- test\_noncommutative.py
- test\_numbers.py
- test\_operations.py
- test\_parameters.py
- test\_power.py
- test\_priority.py
- test\_random.py
- test\_relational.py
- test\_rules.py
- test\_singleton.py
- test\_sorting.py
- test\_subs.py
- test\_symbol.py
- test\_sympify.py
- test\_traversal.py
- test\_truediv.py
- test\_var.py
- \_\_init\_\_.py
- \_print\_helpers.py

- add.py
- alphabets.py
- assumptions.py
- assumptions\_generated.py
- backend.py
- basic.py
- cache.py
- compatibility.py
- containers.py
- core.py
- coreerrors.py
- decorators.py
- evalf.py
- expr.py
- exprtools.py
- facts.py
- function.py
- intfunc.py
- kind.py
- logic.py
- mod.py
- mul.py
- multidimensional.py
- numbers.py
- operations.py
- parameters.py
- power.py
- random.py
- relational.py
- rules.py
- singleton.py
- sorting.py
- symbol.py
- sympify.py
- trace.py
- traversal.py
- crypto/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - crypto.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_crypto.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_crypto.py
  - \_\_init\_\_.py
  - crypto.py
- diffgeom/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - diffgeom.cpython-312.pyc
    - rn.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_class\_structure.cpython-312.pyc
      - test\_diffgeom.cpython-312.pyc
      - test\_function\_diffgeom\_book.cpython-312.pyc
      - test\_hyperbolic\_space.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_class\_structure.py
    - test\_diffgeom.py
    - test\_function\_diffgeom\_book.py
    - test\_hyperbolic\_space.py
  - \_\_init\_\_.py
  - diffgeom.py
  - rn.py
- discrete/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - convolutions.cpython-312.pyc
    - recurrences.cpython-312.pyc
    - transforms.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_convolutions.cpython-312.pyc
      - test\_recurrences.cpython-312.pyc
      - test\_transforms.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_convolutions.py
    - test\_recurrences.py
    - test\_transforms.py
  - \_\_init\_\_.py

- convolutions.py
- recurrences.py
- transforms.py
- external/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - gmpy.cpython-312.pyc
    - importtools.cpython-312.pyc
    - ntheory.cpython-312.pyc
    - pythonmpq.cpython-312.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_autowrap.cpython-312.pyc
      - test\_codegen.cpython-312.pyc
      - test\_gmpy.cpython-312.pyc
      - test\_importtools.cpython-312.pyc
      - test\_nttheory.cpython-312.pyc
      - test\_numpy.cpython-312.pyc
      - test\_pythonmpq.cpython-312.pyc
      - test\_scipy.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_autowrap.py
    - test\_codegen.py
    - test\_gmpy.py
    - test\_importtools.py
    - test\_nttheory.py
    - test\_numpy.py
    - test\_pythonmpq.py
    - test\_scipy.py
  - \_\_init\_\_.py
  - gmpy.py
  - importtools.py
  - ntheory.py
  - pythonmpq.py
- functions/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - combinatorial/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - factorials.cpython-312.pyc
      - numbers.cpython-312.pyc
    - tests/
      - \_pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - test\_comb\_factorials.cpython-312.pyc
        - test\_comb\_numbers.cpython-312.pyc
      - \_\_init\_\_.py
      - test\_comb\_factorials.py
      - test\_comb\_numbers.py
    - \_\_init\_\_.py
    - factorials.py
    - numbers.py
  - elementary/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_trigonometric\_special.cpython-312.pyc
      - complexes.cpython-312.pyc
      - exponential.cpython-312.pyc
      - hyperbolic.cpython-312.pyc
      - integers.cpython-312.pyc
      - miscellaneous.cpython-312.pyc
      - piecewise.cpython-312.pyc
      - trigonometric.cpython-312.pyc
    - benchmarks/
      - \_pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - bench\_exp.cpython-312.pyc
      - \_\_init\_\_.py
      - bench\_exp.py
    - tests/
      - \_pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - test\_complexes.cpython-312.pyc
        - test\_exponential.cpython-312.pyc
        - test\_hyperbolic.cpython-312.pyc
        - test\_integers.cpython-312.pyc
        - test\_interface.cpython-312.pyc
        - test\_miscellaneous.cpython-312.pyc
        - test\_piecewise.cpython-312.pyc
        - test\_trigonometric.cpython-312.pyc
      - \_\_init\_\_.py
      - test\_complexes.py
      - test\_exponential.py

- test\_hyperbolic.py
- test\_integers.py
- test\_interface.py
- test\_miscellaneous.py
- test\_piecewise.py
- test\_trigonometric.py
- \_\_init\_\_.py
- \_trigonometric\_special.py
- complexes.py
- exponential.py
- hyperbolic.py
- integers.py
- miscellaneous.py
- piecewise.py
- trigonometric.py
- special/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - bessel.cpython-312.pyc
    - beta\_functions.cpython-312.pyc
    - bsplines.cpython-312.pyc
    - delta\_functions.cpython-312.pyc
    - elliptic\_integrals.cpython-312.pyc
    - error\_functions.cpython-312.pyc
    - gamma\_functions.cpython-312.pyc
    - hyper.cpython-312.pyc
    - mathieu\_functions.cpython-312.pyc
    - polynomials.cpython-312.pyc
    - singularity\_functions.cpython-312.pyc
    - spherical\_harmonics.cpython-312.pyc
    - tensor\_functions.cpython-312.pyc
    - zeta\_functions.cpython-312.pyc
  - benchmarks/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - bench\_special.cpython-312.pyc
    - \_\_init\_\_.py
    - bench\_special.py
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_bessel.cpython-312.pyc
      - test\_beta\_functions.cpython-312.pyc
      - test\_bsplines.cpython-312.pyc
      - test\_delta\_functions.cpython-312.pyc
      - test\_elliptic\_integrals.cpython-312.pyc
      - test\_error\_functions.cpython-312.pyc
      - test\_gamma\_functions.cpython-312.pyc
      - test\_hyper.cpython-312.pyc
      - test\_mathieu.cpython-312.pyc
      - test\_singularity\_functions.cpython-312.pyc
      - test\_spec\_polynomials.cpython-312.pyc
      - test\_spherical\_harmonics.cpython-312.pyc
      - test\_tensor\_functions.cpython-312.pyc
      - test\_zeta\_functions.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_bessel.py
    - test\_beta\_functions.py
    - test\_bsplines.py
    - test\_delta\_functions.py
    - test\_elliptic\_integrals.py
    - test\_error\_functions.py
    - test\_gamma\_functions.py
    - test\_hyper.py
    - test\_mathieu.py
    - test\_singularity\_functions.py
    - test\_spec\_polynomials.py
    - test\_spherical\_harmonics.py
    - test\_tensor\_functions.py
    - test\_zeta\_functions.py
- \_\_init\_\_.py
- bessel.py
- beta\_functions.py
- bsplines.py
- delta\_functions.py
- elliptic\_integrals.py
- error\_functions.py
- gamma\_functions.py
- hyper.py
- mathieu\_functions.py
- polynomials.py
- singularity\_functions.py
- spherical\_harmonics.py
- tensor\_functions.py
- zeta\_functions.py

```

└─ __init__.py
geometry/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── curve.cpython-312.pyc
    ├── ellipse.cpython-312.pyc
    ├── entity.cpython-312.pyc
    ├── exceptions.cpython-312.pyc
    ├── line.cpython-312.pyc
    ├── parabola.cpython-312.pyc
    ├── plane.cpython-312.pyc
    ├── point.cpython-312.pyc
    ├── polygon.cpython-312.pyc
    └── util.cpython-312.pyc
tests/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── test_curve.cpython-312.pyc
    ├── test_ellipse.cpython-312.pyc
    ├── test_entity.cpython-312.pyc
    ├── test_geometrysets.cpython-312.pyc
    ├── test_line.cpython-312.pyc
    ├── test_parabola.cpython-312.pyc
    ├── test_plane.cpython-312.pyc
    ├── test_point.cpython-312.pyc
    ├── test_polygon.cpython-312.pyc
    └── test_util.cpython-312.pyc
    ├── __init__.py
    ├── test_curve.py
    ├── test_ellipse.py
    ├── test_entity.py
    ├── test_geometrysets.py
    ├── test_line.py
    ├── test_parabola.py
    ├── test_plane.py
    ├── test_point.py
    ├── test_polygon.py
    └── test_util.py
    ├── __init__.py
    ├── curve.py
    ├── ellipse.py
    ├── entity.py
    ├── exceptions.py
    ├── line.py
    ├── parabola.py
    ├── plane.py
    ├── point.py
    ├── polygon.py
    └── util.py
holonomic/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── holonomic.cpython-312.pyc
    ├── holonomicerrors.cpython-312.pyc
    ├── numerical.cpython-312.pyc
    └── recurrence.cpython-312.pyc
tests/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── test_holonomic.cpython-312.pyc
    └── test_recurrence.cpython-312.pyc
    ├── __init__.py
    ├── test_holonomic.py
    └── test_recurrence.py
    ├── __init__.py
    ├── holonomic.py
    ├── holonomicerrors.py
    ├── numerical.py
    └── recurrence.py
integrals/
└─ __pycache__/
    ├── __init__.cpython-312.pyc
    ├── deltafunctions.cpython-312.pyc
    ├── heurisch.cpython-312.pyc
    ├── integrals.cpython-312.pyc
    ├── intpoly.cpython-312.pyc
    ├── laplace.cpython-312.pyc
    ├── manualintegrate.cpython-312.pyc
    ├── meijerint.cpython-312.pyc
    ├── meijerint_doc.cpython-312.pyc
    ├── prde.cpython-312.pyc
    ├── quadrature.cpython-312.pyc
    ├── rationaltools.cpython-312.pyc
    ├── rde.cpython-312.pyc
    └── risch.cpython-312.pyc

```

- singularityfunctions.cpython-312.pyc
- transforms.cpython-312.pyc
- trigonometry.cpython-312.pyc
- benchmarks/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - bench\_integrate.cpython-312.pyc
    - bench\_trigintegrate.cpython-312.pyc
  - \_\_init\_\_.py
  - bench\_integrate.py
  - bench\_trigintegrate.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_deltafunctions.cpython-312.pyc
    - test\_failing\_integrals.cpython-312.pyc
    - test\_heurisch.cpython-312.pyc
    - test\_integrals.cpython-312.pyc
    - test\_intpoly.cpython-312.pyc
    - test\_laplace.cpython-312.pyc
    - test\_lineintegrals.cpython-312.pyc
    - test\_manual.cpython-312.pyc
    - test\_meijerint.cpython-312.pyc
    - test\_prde.cpython-312.pyc
    - test\_quadrature.cpython-312.pyc
    - test\_rationaltools.cpython-312.pyc
    - test\_rde.cpython-312.pyc
    - test\_risch.cpython-312.pyc
    - test\_singularityfunctions.cpython-312.pyc
    - test\_transforms.cpython-312.pyc
    - test\_trigonometry.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_deltafunctions.py
  - test\_failing\_integrals.py
  - test\_heurisch.py
  - test\_integrals.py
  - test\_intpoly.py
  - test\_laplace.py
  - test\_lineintegrals.py
  - test\_manual.py
  - test\_meijerint.py
  - test\_prde.py
  - test\_quadrature.py
  - test\_rationaltools.py
  - test\_rde.py
  - test\_risch.py
  - test\_singularityfunctions.py
  - test\_transforms.py
  - test\_trigonometry.py
- \_\_init\_\_.py
- deltafunctions.py
- heurisch.py
- integrals.py
- intpoly.py
- laplace.py
- manualintegrate.py
- meijerint.py
- meijerint\_doc.py
- prde.py
- quadrature.py
- rationaltools.py
- rde.py
- risch.py
- singularityfunctions.py
- transforms.py
- trigonometry.py
- interactive/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - printing.cpython-312.pyc
    - session.cpython-312.pyc
    - traversal.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_interactive.cpython-312.pyc
      - test\_ipython.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_interactive.py
    - test\_ipython.py
  - \_\_init\_\_.py
  - printing.py
  - session.py
  - traversal.py
- liealgebras/



- pycache\_/
  - \_\_init\_\_.cpython-312.pyc
  - cartan\_matrix.cpython-312.pyc
  - cartan\_type.cpython-312.pyc
  - dynkin\_diagram.cpython-312.pyc
  - root\_system.cpython-312.pyc
  - type\_a.cpython-312.pyc
  - type\_b.cpython-312.pyc
  - type\_c.cpython-312.pyc
  - type\_d.cpython-312.pyc
  - type\_e.cpython-312.pyc
  - type\_f.cpython-312.pyc
  - type\_g.cpython-312.pyc
  - weyl\_group.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_cartan\_matrix.cpython-312.pyc
    - test\_cartan\_type.cpython-312.pyc
    - test\_dynkin\_diagram.cpython-312.pyc
    - test\_root\_system.cpython-312.pyc
    - test\_type\_A.cpython-312.pyc
    - test\_type\_B.cpython-312.pyc
    - test\_type\_C.cpython-312.pyc
    - test\_type\_D.cpython-312.pyc
    - test\_type\_E.cpython-312.pyc
    - test\_type\_F.cpython-312.pyc
    - test\_type\_G.cpython-312.pyc
    - test\_weyl\_group.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_cartan\_matrix.py
  - test\_cartan\_type.py
  - test\_dynkin\_diagram.py
  - test\_root\_system.py
  - test\_type\_A.py
  - test\_type\_B.py
  - test\_type\_C.py
  - test\_type\_D.py
  - test\_type\_E.py
  - test\_type\_F.py
  - test\_type\_G.py
  - test\_weyl\_group.py
- \_\_init\_\_.py
- cartan\_matrix.py
- cartan\_type.py
- dynkin\_diagram.py
- root\_system.py
- type\_a.py
- type\_b.py
- type\_c.py
- type\_d.py
- type\_e.py
- type\_f.py
- type\_g.py
- weyl\_group.py

- logic/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - boolalg.cpython-312.pyc
    - inference.cpython-312.pyc
  - algorithms/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - dp11.cpython-312.pyc
      - dp112.cpython-312.pyc
      - lra\_theory.cpython-312.pyc
      - minisat22\_wrapper.cpython-312.pyc
      - pycosat\_wrapper.cpython-312.pyc
      - z3\_wrapper.cpython-312.pyc
    - \_\_init\_\_.py
    - dp11.py
    - dp112.py
    - lra\_theory.py
    - minisat22\_wrapper.py
    - pycosat\_wrapper.py
    - z3\_wrapper.py
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_boolalg.cpython-312.pyc
      - test\_dimacs.cpython-312.pyc
      - test\_inference.cpython-312.pyc
      - test\_lra\_theory.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_boolalg.py

- test\_dimacs.py
  - test\_inference.py
  - test\_lra\_theory.py
- utilities/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - dimacs.cpython-312.pyc
    - \_\_init\_\_.py
    - dimacs.py
  - \_\_init\_\_.py
  - boolalg.py
  - inference.py
- matrices/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.cpython-312.pyc
    - common.cpython-312.pyc
    - decompositions.cpython-312.pyc
    - dense.cpython-312.pyc
    - determinant.cpython-312.pyc
    - eigen.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - graph.cpython-312.pyc
    - immutable.cpython-312.pyc
    - inverse.cpython-312.pyc
    - kind.cpython-312.pyc
    - matrices.cpython-312.pyc
    - matrixbase.cpython-312.pyc
    - normalforms.cpython-312.pyc
    - reductions.cpython-312.pyc
    - repmatrix.cpython-312.pyc
    - solvers.cpython-312.pyc
    - sparse.cpython-312.pyc
    - sparsetools.cpython-312.pyc
    - subspaces.cpython-312.pyc
    - utilities.cpython-312.pyc
- benchmarks/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - bench\_matrix.cpython-312.pyc
    - \_\_init\_\_.py
    - bench\_matrix.py
- expressions/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_shape.cpython-312.pyc
      - adjoint.cpython-312.pyc
      - applyfunc.cpython-312.pyc
      - blockmatrix.cpython-312.pyc
      - companion.cpython-312.pyc
      - determinant.cpython-312.pyc
      - diagonal.cpython-312.pyc
      - dotproduct.cpython-312.pyc
      - factorizations.cpython-312.pyc
      - fourier.cpython-312.pyc
      - funcmatrix.cpython-312.pyc
      - hadamard.cpython-312.pyc
      - inverse.cpython-312.pyc
      - kronecker.cpython-312.pyc
      - matadd.cpython-312.pyc
      - matexpr.cpython-312.pyc
      - matmul.cpython-312.pyc
      - matpow.cpython-312.pyc
      - permutation.cpython-312.pyc
      - sets.cpython-312.pyc
      - slice.cpython-312.pyc
      - special.cpython-312.pyc
      - trace.cpython-312.pyc
      - transpose.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_adjoint.cpython-312.pyc
      - test\_applyfunc.cpython-312.pyc
      - test\_blockmatrix.cpython-312.pyc
      - test\_companion.cpython-312.pyc
      - test\_derivatives.cpython-312.pyc
      - test\_determinant.cpython-312.pyc
      - test\_diagonal.cpython-312.pyc
      - test\_dotproduct.cpython-312.pyc
      - test\_factorizations.cpython-312.pyc
      - test\_fourier.cpython-312.pyc
      - test\_funcmatrix.cpython-312.pyc
      - test\_hadamard.cpython-312.pyc
      - test\_indexing.cpython-312.pyc
      - test\_inverse.cpython-312.pyc

- test\_kronecker.cpython-312.pyc
- test\_matadd.cpython-312.pyc
- test\_matexpr.cpython-312.pyc
- test\_matmul.cpython-312.pyc
- test\_matpow.cpython-312.pyc
- test\_permutation.cpython-312.pyc
- test\_sets.cpython-312.pyc
- test\_slice.cpython-312.pyc
- test\_special.cpython-312.pyc
- test\_trace.cpython-312.pyc
- test\_transpose.cpython-312.pyc
- \_\_init\_\_.py
- test\_adjoint.py
- test\_applyfunc.py
- test\_blockmatrix.py
- test\_companion.py
- test\_derivatives.py
- test\_determinant.py
- test\_diagonal.py
- test\_dotproduct.py
- test\_factorizations.py
- test\_fourier.py
- test\_funcmatrix.py
- test\_hadamard.py
- test\_indexing.py
- test\_inverse.py
- test\_kronecker.py
- test\_matadd.py
- test\_matexpr.py
- test\_matmul.py
- test\_matpow.py
- test\_permutation.py
- test\_sets.py
- test\_slice.py
- test\_special.py
- test\_trace.py
- test\_transpose.py
- \_\_init\_\_.py
- \_shape.py
- adjoint.py
- applyfunc.py
- blockmatrix.py
- companion.py
- determinant.py
- diagonal.py
- dotproduct.py
- factorizations.py
- fourier.py
- funcmatrix.py
- hadamard.py
- inverse.py
- kronecker.py
- matadd.py
- matexpr.py
- matmul.py
- matpow.py
- permutation.py
- sets.py
- slice.py
- special.py
- trace.py
- transpose.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_commonmatrix.cpython-312.pyc
    - test\_decompositions.cpython-312.pyc
    - test\_determinant.cpython-312.pyc
    - test\_domains.cpython-312.pyc
    - test\_eigen.cpython-312.pyc
    - test\_graph.cpython-312.pyc
    - test\_immutable.cpython-312.pyc
    - test\_interactions.cpython-312.pyc
    - test\_matrices.cpython-312.pyc
    - test\_matrixbase.cpython-312.pyc
    - test\_normalforms.cpython-312.pyc
    - test\_reductions.cpython-312.pyc
    - test\_repmatrix.cpython-312.pyc
    - test\_solvers.cpython-312.pyc
    - test\_sparse.cpython-312.pyc
    - test\_sparsetools.cpython-312.pyc
    - test\_subspaces.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_commonmatrix.py
  - test\_decompositions.py

- test\_determinant.py
- test\_domains.py
- test\_eigen.py
- test\_graph.py
- test\_immutable.py
- test\_interactions.py
- test\_matrices.py
- test\_matrixbase.py
- test\_normalforms.py
- test\_reductions.py
- test\_repmatrix.py
- test\_solvers.py
- test\_sparse.py
- test\_sparsetools.py
- test\_subspaces.py
- \_\_init\_\_.py
- common.py
- decompositions.py
- dense.py
- determinant.py
- eigen.py
- exceptions.py
- graph.py
- immutable.py
- inverse.py
- kind.py
- matrices.py
- matrixbase.py
- normalforms.py
- reductions.py
- repmatrix.py
- solvers.py
- sparse.py
- sparsetools.py
- subspaces.py
- utilities.py
- multipledispatch/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - conflict.cpython-312.pyc
    - core.cpython-312.pyc
    - dispatcher.cpython-312.pyc
    - utils.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_conflict.cpython-312.pyc
      - test\_core.cpython-312.pyc
      - test\_dispatcher.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_conflict.py
    - test\_core.py
    - test\_dispatcher.py
  - \_\_init\_\_.py
  - conflict.py
  - core.py
  - dispatcher.py
  - utils.py
- ntheory/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - bbp\_pi.cpython-312.pyc
    - continued\_fraction.cpython-312.pyc
    - digits.cpython-312.pyc
    - ecm.cpython-312.pyc
    - egyptian\_fraction.cpython-312.pyc
    - elliptic\_curve.cpython-312.pyc
    - factor\_.cpython-312.pyc
    - generate.cpython-312.pyc
    - modular.cpython-312.pyc
    - multinomial.cpython-312.pyc
    - partitions\_.cpython-312.pyc
    - primetest.cpython-312.pyc
    - qs.cpython-312.pyc
    - residue\_nttheory.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_bbp\_pi.cpython-312.pyc
      - test\_continued\_fraction.cpython-312.pyc
      - test\_digits.cpython-312.pyc
      - test\_ecm.cpython-312.pyc
      - test\_egyptian\_fraction.cpython-312.pyc
      - test\_elliptic\_curve.cpython-312.pyc
      - test\_factor\_.cpython-312.pyc

- test\_generate.cpython-312.pyc
- test\_hypothesis.cpython-312.pyc
- test\_modular.cpython-312.pyc
- test\_multinomial.cpython-312.pyc
- test\_partitions.cpython-312.pyc
- test\_primetest.cpython-312.pyc
- test\_qs.cpython-312.pyc
- test\_residue.cpython-312.pyc
- \_\_init\_\_.py
- test\_bbp\_pi.py
- test\_continued\_fraction.py
- test\_digits.py
- test\_ecm.py
- test\_egyptian\_fraction.py
- test\_elliptic\_curve.py
- test\_factor\_.py
- test\_generate.py
- test\_hypothesis.py
- test\_modular.py
- test\_multinomial.py
- test\_partitions.py
- test\_primetest.py
- test\_qs.py
- test\_residue.py
- \_\_init\_\_.py
- bbp\_pi.py
- continued\_fraction.py
- digits.py
- ecm.py
- egyptian\_fraction.py
- elliptic\_curve.py
- factor\_.py
- generate.py
- modular.py
- multinomial.py
- partitions\_.py
- primetest.py
- qs.py
- residue\_ntheory.py
- parsing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - ast\_parser.cpython-312.pyc
    - mathematica.cpython-312.pyc
    - maxima.cpython-312.pyc
    - sym\_expr.cpython-312.pyc
    - sympy\_parser.cpython-312.pyc
- autolev/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_build\_autolev\_antlr.cpython-312.pyc
    - \_listener\_autolev\_antlr.cpython-312.pyc
    - \_parse\_autolev\_antlr.cpython-312.pyc
  - antlr/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - autolevlexer.cpython-312.pyc
      - autolevlistener.cpython-312.pyc
      - autolevparser.cpython-312.pyc
    - \_\_init\_\_.py
    - autolevlexer.py
    - autolevlistener.py
    - autolevparser.py
- test-examples/
  - \_\_pycache\_\_/
    - ruletest1.cpython-312.pyc
    - ruletest10.cpython-312.pyc
    - ruletest11.cpython-312.pyc
    - ruletest12.cpython-312.pyc
    - ruletest2.cpython-312.pyc
    - ruletest3.cpython-312.pyc
    - ruletest4.cpython-312.pyc
    - ruletest5.cpython-312.pyc
    - ruletest6.cpython-312.pyc
    - ruletest7.cpython-312.pyc
    - ruletest8.cpython-312.pyc
    - ruletest9.cpython-312.pyc
- pydy-example-repo/
  - \_\_pycache\_\_/
    - chaos\_pendulum.cpython-312.pyc
    - double\_pendulum.cpython-312.pyc
    - mass\_spring\_damper.cpython-312.pyc
    - non\_min\_pendulum.cpython-312.pyc
  - chaos\_pendulum.al
  - chaos\_pendulum.py

- double\_pendulum.al
  - double\_pendulum.py
  - mass\_spring\_damper.al
  - mass\_spring\_damper.py
  - non\_min\_pendulum.al
  - non\_min\_pendulum.py
- README.txt
- ruletest1.al
- ruletest1.py
- ruletest10.al
- ruletest10.py
- ruletest11.al
- ruletest11.py
- ruletest12.al
- ruletest12.py
- ruletest2.al
- ruletest2.py
- ruletest3.al
- ruletest3.py
- ruletest4.al
- ruletest4.py
- ruletest5.al
- ruletest5.py
- ruletest6.al
- ruletest6.py
- ruletest7.al
- ruletest7.py
- ruletest8.al
- ruletest8.py
- ruletest9.al
- ruletest9.py
- \_\_init\_\_.py
- \_build\_autolev\_antlr.py
- \_listener\_autolev\_antlr.py
- \_parse\_autolev\_antlr.py
- Autolev.g4
- c/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - c\_parser.cpython-312.pyc
  - \_\_init\_\_.py
  - c\_parser.py
- fortran/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - fortran\_parser.cpython-312.pyc
  - \_\_init\_\_.py
  - fortran\_parser.py
- latex/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_build\_latex\_antlr.cpython-312.pyc
    - \_parse\_latex\_antlr.cpython-312.pyc
    - errors.cpython-312.pyc
  - antlr/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - latexlexer.cpython-312.pyc
      - latexparser.cpython-312.pyc
    - \_\_init\_\_.py
    - latexlexer.py
    - latexparser.py
- lark/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - latex\_parser.cpython-312.pyc
    - transformer.cpython-312.pyc
  - grammar/
    - greek\_symbols.lark
    - latex.lark
  - \_\_init\_\_.py
  - latex\_parser.py
  - transformer.py
- \_\_init\_\_.py
- \_build\_latex\_antlr.py
- \_parse\_latex\_antlr.py
- errors.py
- LaTeX.g4
- LICENSE.txt
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_ast\_parser.cpython-312.pyc
    - test\_autolev.cpython-312.pyc
    - test\_c\_parser.cpython-312.pyc

- test\_custom\_latex.cpython-312.pyc
- test\_fortran\_parser.cpython-312.pyc
- test\_implicit\_multiplication\_application.cpython-312.pyc
- test\_latex.cpython-312.pyc
- test\_latex\_deps.cpython-312.pyc
- test\_latex\_lark.cpython-312.pyc
- test\_mathematica.cpython-312.pyc
- test\_maxima.cpython-312.pyc
- test\_sym\_expr.cpython-312.pyc
- test\_sympy\_parser.cpython-312.pyc
- \_\_init\_\_.py
- test\_ast\_parser.py
- test\_autolev.py
- test\_c\_parser.py
- test\_custom\_latex.py
- test\_fortran\_parser.py
- test\_implicit\_multiplication\_application.py
- test\_latex.py
- test\_latex\_deps.py
- test\_latex\_lark.py
- test\_mathematica.py
- test\_maxima.py
- test\_sym\_expr.py
- test\_sympy\_parser.py
- \_\_init\_\_.py
- ast\_parser.py
- mathematica.py
- maxima.py
- sym\_expr.py
- sympy\_parser.py
- physics/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - hydrogen.cpython-312.pyc
    - matrices.cpython-312.pyc
    - paulialgebra.cpython-312.pyc
    - pring.cpython-312.pyc
    - qho\_1d.cpython-312.pyc
    - secondquant.cpython-312.pyc
    - sho.cpython-312.pyc
    - wigner.cpython-312.pyc
- biomechanics/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_mixin.cpython-312.pyc
    - activation.cpython-312.pyc
    - curve.cpython-312.pyc
    - musculotendon.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_activation.cpython-312.pyc
      - test\_curve.cpython-312.pyc
      - test\_mixin.cpython-312.pyc
      - test\_musculotendon.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_activation.py
    - test\_curve.py
    - test\_mixin.py
    - test\_musculotendon.py
  - \_\_init\_\_.py
  - \_mixin.py
  - activation.py
  - curve.py
  - musculotendon.py
- continuum\_mechanics/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - arch.cpython-312.pyc
    - beam.cpython-312.pyc
    - cable.cpython-312.pyc
    - truss.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_arch.cpython-312.pyc
      - test\_beam.cpython-312.pyc
      - test\_cable.cpython-312.pyc
      - test\_truss.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_arch.py
    - test\_beam.py
    - test\_cable.py
    - test\_truss.py
  - \_\_init\_\_.py

- arch.py
- beam.py
- cable.py
- truss.py
- control/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - control\_plots.cpython-312.pyc
    - lti.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_control\_plots.cpython-312.pyc
      - test\_lti.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_control\_plots.py
    - test\_lti.py
  - \_\_init\_\_.py
  - control\_plots.py
  - lti.py
- hep/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - gamma\_matrices.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_gamma\_matrices.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_gamma\_matrices.py
  - \_\_init\_\_.py
  - gamma\_matrices.py
- mechanics/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - actuator.cpython-312.pyc
    - body.cpython-312.pyc
    - body\_base.cpython-312.pyc
    - functions.cpython-312.pyc
    - inertia.cpython-312.pyc
    - joint.cpython-312.pyc
    - jointsmethod.cpython-312.pyc
    - kane.cpython-312.pyc
    - lagrange.cpython-312.pyc
    - linearize.cpython-312.pyc
    - loads.cpython-312.pyc
    - method.cpython-312.pyc
    - models.cpython-312.pyc
    - particle.cpython-312.pyc
    - pathway.cpython-312.pyc
    - rigidbody.cpython-312.pyc
    - system.cpython-312.pyc
    - wrapping\_geometry.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_actuator.cpython-312.pyc
      - test\_body.cpython-312.pyc
      - test\_functions.cpython-312.pyc
      - test\_inertia.cpython-312.pyc
      - test\_joint.cpython-312.pyc
      - test\_jointsmethod.cpython-312.pyc
      - test\_kane.cpython-312.pyc
      - test\_kane2.cpython-312.pyc
      - test\_kane3.cpython-312.pyc
      - test\_kane4.cpython-312.pyc
      - test\_kane5.cpython-312.pyc
      - test\_lagrange.cpython-312.pyc
      - test\_lagrange2.cpython-312.pyc
      - test\_linearity\_of\_velocity\_constraints.cpython-312.pyc
      - test\_linearize.cpython-312.pyc
      - test\_loads.cpython-312.pyc
      - test\_method.cpython-312.pyc
      - test\_models.cpython-312.pyc
      - test\_particle.cpython-312.pyc
      - test\_pathway.cpython-312.pyc
      - test\_rigidbody.cpython-312.pyc
      - test\_system.cpython-312.pyc
      - test\_system\_class.cpython-312.pyc
      - test\_wrapping\_geometry.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_actuator.py
    - test\_body.py
    - test\_functions.py
    - test\_inertia.py



- test\_joint.py
- test\_jointsmethod.py
- test\_kane.py
- test\_kane2.py
- test\_kane3.py
- test\_kane4.py
- test\_kane5.py
- test\_lagrange.py
- test\_lagrange2.py
- test\_linearity\_of\_velocity\_constraints.py
- test\_linearize.py
- test\_loads.py
- test\_method.py
- test\_models.py
- test\_particle.py
- test\_pathway.py
- test\_rigidbody.py
- test\_system.py
- test\_system\_class.py
- test\_wrapping\_geometry.py
- \_\_init\_\_.py
- actuator.py
- body.py
- body\_base.py
- functions.py
- inertia.py
- joint.py
- jointsmethod.py
- kane.py
- lagrange.py
- linearize.py
- loads.py
- method.py
- models.py
- particle.py
- pathway.py
- rigidbody.py
- system.py
- wrapping\_geometry.py
- optics/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - gaussopt.cpython-312.pyc
    - medium.cpython-312.pyc
    - polarization.cpython-312.pyc
    - utils.cpython-312.pyc
    - waves.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_gaussopt.cpython-312.pyc
    - test\_medium.cpython-312.pyc
    - test\_polarization.cpython-312.pyc
    - test\_utils.cpython-312.pyc
    - test\_waves.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_gaussopt.py
  - test\_medium.py
  - test\_polarization.py
  - test\_utils.py
  - test\_waves.py
- \_\_init\_\_.py
- gaussopt.py
- medium.py
- polarization.py
- utils.py
- waves.py
- quantum/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - anticommutator.cpython-312.pyc
    - boson.cpython-312.pyc
    - cartesian.cpython-312.pyc
    - cg.cpython-312.pyc
    - circuitplot.cpython-312.pyc
    - circuitutils.cpython-312.pyc
    - commutator.cpython-312.pyc
    - constants.cpython-312.pyc
    - dagger.cpython-312.pyc
    - density.cpython-312.pyc
    - fermion.cpython-312.pyc
    - gate.cpython-312.pyc
    - grover.cpython-312.pyc
    - hilbert.cpython-312.pyc
    - identitysearch.cpython-312.pyc

- innerproduct.cpython-312.pyc
- kind.cpython-312.pyc
- matrixcache.cpython-312.pyc
- matrixutils.cpython-312.pyc
- operator.cpython-312.pyc
- operatorordering.cpython-312.pyc
- operatorset.cpython-312.pyc
- pauli.cpython-312.pyc
- piab.cpython-312.pyc
- qapply.cpython-312.pyc
- qasm.cpython-312.pyc
- qexpr.cpython-312.pyc
- qft.cpython-312.pyc
- qubit.cpython-312.pyc
- represent.cpython-312.pyc
- sho1d.cpython-312.pyc
- shor.cpython-312.pyc
- spin.cpython-312.pyc
- state.cpython-312.pyc
- tensorproduct.cpython-312.pyc
- trace.cpython-312.pyc
- transforms.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_anticommutator.cpython-312.pyc
    - test\_boson.cpython-312.pyc
    - test\_cartesian.cpython-312.pyc
    - test\_cg.cpython-312.pyc
    - test\_circuitplot.cpython-312.pyc
    - test\_circuitutils.cpython-312.pyc
    - test\_commutator.cpython-312.pyc
    - test\_constants.cpython-312.pyc
    - test\_dagger.cpython-312.pyc
    - test\_density.cpython-312.pyc
    - test\_fermion.cpython-312.pyc
    - test\_gate.cpython-312.pyc
    - test\_grover.cpython-312.pyc
    - test\_hilbert.cpython-312.pyc
    - test\_identitysearch.cpython-312.pyc
    - test\_innerproduct.cpython-312.pyc
    - test\_kind.cpython-312.pyc
    - test\_matrixutils.cpython-312.pyc
    - test\_operator.cpython-312.pyc
    - test\_operatorordering.cpython-312.pyc
    - test\_operatorset.cpython-312.pyc
    - test\_pauli.cpython-312.pyc
    - test\_piab.cpython-312.pyc
    - test\_printing.cpython-312.pyc
    - test\_qapply.cpython-312.pyc
    - test\_qasm.cpython-312.pyc
    - test\_qexpr.cpython-312.pyc
    - test\_qft.cpython-312.pyc
    - test\_qubit.cpython-312.pyc
    - test\_represent.cpython-312.pyc
    - test\_sho1d.cpython-312.pyc
    - test\_shor.cpython-312.pyc
    - test\_spin.cpython-312.pyc
    - test\_state.cpython-312.pyc
    - test\_tensorproduct.cpython-312.pyc
    - test\_trace.cpython-312.pyc
    - test\_transforms.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_anticommutator.py
  - test\_boson.py
  - test\_cartesian.py
  - test\_cg.py
  - test\_circuitplot.py
  - test\_circuitutils.py
  - test\_commutator.py
  - test\_constants.py
  - test\_dagger.py
  - test\_density.py
  - test\_fermion.py
  - test\_gate.py
  - test\_grover.py
  - test\_hilbert.py
  - test\_identitysearch.py
  - test\_innerproduct.py
  - test\_kind.py
  - test\_matrixutils.py
  - test\_operator.py
  - test\_operatorordering.py
  - test\_operatorset.py
  - test\_pauli.py

- test\_piab.py
- test\_printing.py
- test\_qapply.py
- test\_qasm.py
- test\_qexpr.py
- test\_qft.py
- test\_qubit.py
- test\_represent.py
- test\_sho1d.py
- test\_shor.py
- test\_spin.py
- test\_state.py
- test\_tensorproduct.py
- test\_trace.py
- test\_transforms.py
- \_\_init\_\_.py
- anticommutator.py
- boson.py
- cartesian.py
- cg.py
- circuitplot.py
- circuitutils.py
- commutator.py
- constants.py
- dagger.py
- density.py
- fermion.py
- gate.py
- grover.py
- hilbert.py
- identitysearch.py
- innerproduct.py
- kind.py
- matrixcache.py
- matrixutils.py
- operator.py
- operatorordering.py
- operatorset.py
- pauli.py
- piab.py
- qapply.py
- qasm.py
- qexpr.py
- qft.py
- qubit.py
- represent.py
- sho1d.py
- shor.py
- spin.py
- state.py
- tensorproduct.py
- trace.py
- transforms.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_clebsch\_gordan.cpython-312.pyc
    - test\_hydrogen.cpython-312.pyc
    - test\_paulialgebra.cpython-312.pyc
    - test\_physics\_matrices.cpython-312.pyc
    - test\_pring.cpython-312.pyc
    - test\_qho\_1d.cpython-312.pyc
    - test\_secondquant.cpython-312.pyc
    - test\_sho.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_clebsch\_gordan.py
  - test\_hydrogen.py
  - test\_paulialgebra.py
  - test\_physics\_matrices.py
  - test\_pring.py
  - test\_qho\_1d.py
  - test\_secondquant.py
  - test\_sho.py
- units/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - dimensions.cpython-312.pyc
    - prefixes.cpython-312.pyc
    - quantities.cpython-312.pyc
    - unitssystem.cpython-312.pyc
    - util.cpython-312.pyc
- definitions/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - dimension\_definitions.cpython-312.pyc

- └─ unit\_definitions.cpython-312.pyc
- └─ \_\_init\_\_.py
- └─ dimension\_definitions.py
- └─ unit\_definitions.py
- └─ systems/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ cgs.cpython-312.pyc
    - └─ length\_weight\_time.cpython-312.pyc
    - └─ mks.cpython-312.pyc
    - └─ mksa.cpython-312.pyc
    - └─ natural.cpython-312.pyc
    - └─ si.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ cgs.py
  - └─ length\_weight\_time.py
  - └─ mks.py
  - └─ mksa.py
  - └─ natural.py
  - └─ si.py
- └─ tests/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ test\_dimensions.cpython-312.pyc
    - └─ test\_dimensionsystem.cpython-312.pyc
    - └─ test\_prefixes.cpython-312.pyc
    - └─ test\_quantities.cpython-312.pyc
    - └─ test\_unit\_system\_cgs\_gauss.cpython-312.pyc
    - └─ test\_unitsystem.cpython-312.pyc
    - └─ test\_util.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_dimensions.py
  - └─ test\_dimensionsystem.py
  - └─ test\_prefixes.py
  - └─ test\_quantities.py
  - └─ test\_unit\_system\_cgs\_gauss.py
  - └─ test\_unitsystem.py
  - └─ test\_util.py
- └─ \_\_init\_\_.py
- └─ dimensions.py
- └─ prefixes.py
- └─ quantities.py
- └─ unitsystem.py
- └─ util.py
- └─ vector/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ dyadic.cpython-312.pyc
    - └─ fieldfunctions.cpython-312.pyc
    - └─ frame.cpython-312.pyc
    - └─ functions.cpython-312.pyc
    - └─ point.cpython-312.pyc
    - └─ printing.cpython-312.pyc
    - └─ vector.cpython-312.pyc
  - └─ tests/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ test\_dyadic.cpython-312.pyc
      - └─ test\_fieldfunctions.cpython-312.pyc
      - └─ test\_frame.cpython-312.pyc
      - └─ test\_functions.cpython-312.pyc
      - └─ test\_output.cpython-312.pyc
      - └─ test\_point.cpython-312.pyc
      - └─ test\_printing.cpython-312.pyc
      - └─ test\_vector.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_dyadic.py
    - └─ test\_fieldfunctions.py
    - └─ test\_frame.py
    - └─ test\_functions.py
    - └─ test\_output.py
    - └─ test\_point.py
    - └─ test\_printing.py
    - └─ test\_vector.py
  - └─ \_\_init\_\_.py
  - └─ dyadic.py
  - └─ fieldfunctions.py
  - └─ frame.py
  - └─ functions.py
  - └─ point.py
  - └─ printing.py
  - └─ vector.py
  - └─ \_\_init\_\_.py
  - └─ hydrogen.py
  - └─ matrices.py

- paulialgebra.py
- pring.py
- qho\_1d.py
- secondquant.py
- sho.py
- wigner.py
- plotting/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - experimental\_lambdify.cpython-312.pyc
    - plot.cpython-312.pyc
    - plot\_implicit.cpython-312.pyc
    - plotgrid.cpython-312.pyc
    - series.cpython-312.pyc
    - textplot.cpython-312.pyc
    - utils.cpython-312.pyc
  - backends/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - base\_backend.cpython-312.pyc
    - matplotlibbackend/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - matplotlib.cpython-312.pyc
      - \_\_init\_\_.py
      - matplotlib.py
    - textbackend/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - text.cpython-312.pyc
      - \_\_init\_\_.py
      - text.py
    - \_\_init\_\_.py
    - base\_backend.py
  - intervalmath/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - interval\_arithmetic.cpython-312.pyc
      - interval\_membership.cpython-312.pyc
      - lib\_interval.cpython-312.pyc
    - tests/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - test\_interval\_functions.cpython-312.pyc
        - test\_interval\_membership.cpython-312.pyc
        - test\_intervalmath.cpython-312.pyc
      - \_\_init\_\_.py
      - test\_interval\_functions.py
      - test\_interval\_membership.py
      - test\_intervalmath.py
    - \_\_init\_\_.py
    - interval\_arithmetic.py
    - interval\_membership.py
    - lib\_interval.py
  - pyplotplot/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - color\_scheme.cpython-312.pyc
      - managed\_window.cpython-312.pyc
      - plot.cpython-312.pyc
      - plot\_axes.cpython-312.pyc
      - plot\_camera.cpython-312.pyc
      - plot\_controller.cpython-312.pyc
      - plot\_curve.cpython-312.pyc
      - plot\_interval.cpython-312.pyc
      - plot\_mode.cpython-312.pyc
      - plot\_mode\_base.cpython-312.pyc
      - plot\_modes.cpython-312.pyc
      - plot\_object.cpython-312.pyc
      - plot\_rotation.cpython-312.pyc
      - plot\_surface.cpython-312.pyc
      - plot\_window.cpython-312.pyc
      - util.cpython-312.pyc
    - tests/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - test\_plotting.cpython-312.pyc
      - \_\_init\_\_.py
      - test\_plotting.py
    - \_\_init\_\_.py
    - color\_scheme.py
    - managed\_window.py
    - plot.py
    - plot\_axes.py
    - plot\_camera.py

- plot\_controller.py
- plot\_curve.py
- plot\_interval.py
- plot\_mode.py
- plot\_mode\_base.py
- plot\_modes.py
- plot\_object.py
- plot\_rotation.py
- plot\_surface.py
- plot\_window.py
- util.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_experimental\_lambdify.cpython-312.pyc
    - test\_plot.cpython-312.pyc
    - test\_plot\_implicit.cpython-312.pyc
    - test\_series.cpython-312.pyc
    - test\_textplot.cpython-312.pyc
    - test\_utils.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_experimental\_lambdify.py
  - test\_plot.py
  - test\_plot\_implicit.py
  - test\_region\_and.png
  - test\_region\_not.png
  - test\_region\_or.png
  - test\_region\_xor.png
  - test\_series.py
  - test\_textplot.py
  - test\_utils.py
- \_\_init\_\_.py
- experimental\_lambdify.py
- plot.py
- plot\_implicit.py
- plotgrid.py
- series.py
- textplot.py
- utils.py
- polys/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - appellseqs.cpython-312.pyc
    - compatibility.cpython-312.pyc
    - constructor.cpython-312.pyc
    - densearith.cpython-312.pyc
    - densebasic.cpython-312.pyc
    - densetools.cpython-312.pyc
    - dispersion.cpython-312.pyc
    - distributedmodules.cpython-312.pyc
    - domainmatrix.cpython-312.pyc
    - euclidtools.cpython-312.pyc
    - factortools.cpython-312.pyc
    - fglmttools.cpython-312.pyc
    - fields.cpython-312.pyc
    - galoistools.cpython-312.pyc
    - groebnertools.cpython-312.pyc
    - heuristicgcd.cpython-312.pyc
    - modulargcd.cpython-312.pyc
    - monomials.cpython-312.pyc
    - multivariate\_resultants.cpython-312.pyc
    - orderings.cpython-312.pyc
    - orthopolys.cpython-312.pyc
    - partfrac.cpython-312.pyc
    - polyclasses.cpython-312.pyc
    - polyconfig.cpython-312.pyc
    - polyerrors.cpython-312.pyc
    - polyfuncs.cpython-312.pyc
    - polymatrix.cpython-312.pyc
    - polyoptions.cpython-312.pyc
    - polyquinticconst.cpython-312.pyc
    - polyroots.cpython-312.pyc
    - polytools.cpython-312.pyc
    - polyutils.cpython-312.pyc
    - puioux.cpython-312.pyc
    - rationaltools.cpython-312.pyc
    - ring\_series.cpython-312.pyc
    - rings.cpython-312.pyc
    - rootisolation.cpython-312.pyc
    - rootoftools.cpython-312.pyc
    - solvers.cpython-312.pyc
    - specialpolys.cpython-312.pyc
    - sqfreetools.cpython-312.pyc
    - subresultants\_qq\_zz.cpython-312.pyc
- agca/

- pycache\_/
  - \_\_init\_\_.cpython-312.pyc
  - extensions.cpython-312.pyc
  - homomorphisms.cpython-312.pyc
  - ideals.cpython-312.pyc
  - modules.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_extensions.cpython-312.pyc
    - test\_homomorphisms.cpython-312.pyc
    - test\_ideals.cpython-312.pyc
    - test\_modules.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_extensions.py
  - test\_homomorphisms.py
  - test\_ideals.py
  - test\_modules.py
- \_\_init\_\_.py
- extensions.py
- homomorphisms.py
- ideals.py
- modules.py
- benchmarks/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - bench\_galoispolys.cpython-312.pyc
    - bench\_groebnertools.cpython-312.pyc
    - bench\_solvers.cpython-312.pyc
  - \_\_init\_\_.py
  - bench\_galoispolys.py
  - bench\_groebnertools.py
  - bench\_solvers.py
- domains/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - algebraicfield.cpython-312.pyc
    - characteristiczero.cpython-312.pyc
    - complexfield.cpython-312.pyc
    - compositedomain.cpython-312.pyc
    - domain.cpython-312.pyc
    - domainelement.cpython-312.pyc
    - expressiondomain.cpython-312.pyc
    - expressionrawdomain.cpython-312.pyc
    - field.cpython-312.pyc
    - finitefield.cpython-312.pyc
    - fractionfield.cpython-312.pyc
    - gaussiandomains.cpython-312.pyc
    - gmpyfinitefield.cpython-312.pyc
    - gmpyintegerring.cpython-312.pyc
    - gmpyrationalfield.cpython-312.pyc
    - groundtypes.cpython-312.pyc
    - integerring.cpython-312.pyc
    - modularinteger.cpython-312.pyc
    - mpelements.cpython-312.pyc
    - old\_fractionfield.cpython-312.pyc
    - old\_polynomialring.cpython-312.pyc
    - polynomialring.cpython-312.pyc
    - pythonfinitefield.cpython-312.pyc
    - pythonintegerring.cpython-312.pyc
    - pythonrational.cpython-312.pyc
    - pythonrationalfield.cpython-312.pyc
    - quotientring.cpython-312.pyc
    - rationalfield.cpython-312.pyc
    - realfield.cpython-312.pyc
    - ring.cpython-312.pyc
    - simpledomain.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_domains.cpython-312.pyc
    - test\_polynomialring.cpython-312.pyc
    - test\_quotientring.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_domains.py
  - test\_polynomialring.py
  - test\_quotientring.py
- \_\_init\_\_.py
- algebraicfield.py
- characteristiczero.py
- complexfield.py
- compositedomain.py
- domain.py
- domainelement.py
- expressiondomain.py

- expressionrawdomain.py
- field.py
- finitefield.py
- fractionfield.py
- gaussiandomains.py
- gmpyfinitefield.py
- gmpyintegerring.py
- gmpyrationalfield.py
- groundtypes.py
- integerring.py
- modularinteger.py
- mpelements.py
- old\_fractionfield.py
- old\_polynomialring.py
- polynomialring.py
- pythonfinitefield.py
- pythonintegerring.py
- pythonrational.py
- pythonrationalfield.py
- quotientring.py
- rationalfield.py
- realfield.py
- ring.py
- simpledomain.py
- matrices/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_dfm.cpython-312.pyc
    - \_typing.cpython-312.pyc
    - ddm.cpython-312.pyc
    - dense.cpython-312.pyc
    - dfm.cpython-312.pyc
    - domainmatrix.cpython-312.pyc
    - domainscalar.cpython-312.pyc
    - eigen.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - linsolve.cpython-312.pyc
    - lll.cpython-312.pyc
    - normalforms.cpython-312.pyc
    - rref.cpython-312.pyc
    - sdm.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_ddm.cpython-312.pyc
      - test\_dense.cpython-312.pyc
      - test\_domainmatrix.cpython-312.pyc
      - test\_domainscalar.cpython-312.pyc
      - test\_eigen.cpython-312.pyc
      - test\_fflu.cpython-312.pyc
      - test\_inverse.cpython-312.pyc
      - test\_linsolve.cpython-312.pyc
      - test\_lll.cpython-312.pyc
      - test\_normalforms.cpython-312.pyc
      - test\_nullspace.cpython-312.pyc
      - test\_rref.cpython-312.pyc
      - test\_sdm.cpython-312.pyc
      - test\_xxm.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_ddm.py
    - test\_dense.py
    - test\_domainmatrix.py
    - test\_domainscalar.py
    - test\_eigen.py
    - test\_fflu.py
    - test\_inverse.py
    - test\_linsolve.py
    - test\_lll.py
    - test\_normalforms.py
    - test\_nullspace.py
    - test\_rref.py
    - test\_sdm.py
    - test\_xxm.py
- \_\_init\_\_.py
- \_dfm.py
- \_typing.py
- ddm.py
- dense.py
- dfm.py
- domainmatrix.py
- domainscalar.py
- eigen.py
- exceptions.py
- linsolve.py
- lll.py



- normalforms.py
- rref.py
- sdm.py
- numberfields/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - basis.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - galois\_resolvents.cpython-312.pyc
    - galoisgroups.cpython-312.pyc
    - minpoly.cpython-312.pyc
    - modules.cpython-312.pyc
    - primes.cpython-312.pyc
    - resolvent\_lookup.cpython-312.pyc
    - subfield.cpython-312.pyc
    - utilities.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_basis.cpython-312.pyc
      - test\_galoisgroups.cpython-312.pyc
      - test\_minpoly.cpython-312.pyc
      - test\_modules.cpython-312.pyc
      - test\_numbers.cpython-312.pyc
      - test\_primes.cpython-312.pyc
      - test\_subfield.cpython-312.pyc
      - test\_utilities.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_basis.py
    - test\_galoisgroups.py
    - test\_minpoly.py
    - test\_modules.py
    - test\_numbers.py
    - test\_primes.py
    - test\_subfield.py
    - test\_utilities.py
  - \_\_init\_\_.py
  - basis.py
  - exceptions.py
  - galois\_resolvents.py
  - galoisgroups.py
  - minpoly.py
  - modules.py
  - primes.py
  - resolvent\_lookup.py
  - subfield.py
  - utilities.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_appellseqs.cpython-312.pyc
    - test\_constructor.cpython-312.pyc
    - test\_densearith.cpython-312.pyc
    - test\_densebasic.cpython-312.pyc
    - test\_densetools.cpython-312.pyc
    - test\_dispersion.cpython-312.pyc
    - test\_distributedmodules.cpython-312.pyc
    - test\_euclidtools.cpython-312.pyc
    - test\_factortools.cpython-312.pyc
    - test\_fields.cpython-312.pyc
    - test\_galoistools.cpython-312.pyc
    - test\_groebnertools.cpython-312.pyc
    - test\_heuristicgcd.cpython-312.pyc
    - test\_hypothesis.cpython-312.pyc
    - test\_injections.cpython-312.pyc
    - test\_modulargcd.cpython-312.pyc
    - test\_monomials.cpython-312.pyc
    - test\_multivariate\_resultants.cpython-312.pyc
    - test\_orderings.cpython-312.pyc
    - test\_orthopolys.cpython-312.pyc
    - test\_partfrac.cpython-312.pyc
    - test\_polyclasses.cpython-312.pyc
    - test\_polyfuncs.cpython-312.pyc
    - test\_polymatrix.cpython-312.pyc
    - test\_polyoptions.cpython-312.pyc
    - test\_polyroots.cpython-312.pyc
    - test\_polytools.cpython-312.pyc
    - test\_polyutils.cpython-312.pyc
    - test\_puiseux.cpython-312.pyc
    - test\_pythonrational.cpython-312.pyc
    - test\_rationaltools.cpython-312.pyc
    - test\_ring\_series.cpython-312.pyc
    - test\_rings.cpython-312.pyc
    - test\_rootisolation.cpython-312.pyc
    - test\_rootoftools.cpython-312.pyc

```

— test_solvers.cpython-312.pyc
— test_specialpolys.cpython-312.pyc
— test_sqfreetools.cpython-312.pyc
— test_subresultants_qq_zz.cpython-312.pyc
— __init__.py
— test_appellseqs.py
— test_constructor.py
— test_densearith.py
— test_densebasic.py
— test_densetools.py
— test_dispersion.py
— test_distributedmodules.py
— test_euclidtools.py
— test_factorertools.py
— test_fields.py
— test_galoistools.py
— test_groebnertools.py
— test_heuristicgcd.py
— test_hypothesis.py
— test_injections.py
— test_modulargcd.py
— test_monomials.py
— test_multivariate_resultants.py
— test_orderings.py
— test_orthopolys.py
— test_partfrac.py
— test_polyclasses.py
— test_polyfuncs.py
— test_polymatrix.py
— test_polyoptions.py
— test_polyroots.py
— test_polytools.py
— test_polyutils.py
— test_puiseux.py
— test_pythonrational.py
— test_rationaltools.py
— test_ring_series.py
— test_rings.py
— test_rootisolation.py
— test_rootoftools.py
— test_solvers.py
— test_specialpolys.py
— test_sqfreetools.py
— test_subresultants_qq_zz.py
— __init__.py
— appellseqs.py
— compatibility.py
— constructor.py
— densearith.py
— densebasic.py
— densetools.py
— dispersion.py
— distributedmodules.py
— domainmatrix.py
— euclidtools.py
— factorertools.py
— fglmttools.py
— fields.py
— galoistools.py
— groebnertools.py
— heuristicgcd.py
— modulargcd.py
— monomials.py
— multivariate_resultants.py
— orderings.py
— orthopolys.py
— partfrac.py
— polyclasses.py
— polyconfig.py
— polyerrors.py
— polyfuncs.py
— polymatrix.py
— polyoptions.py
— polyquinticconst.py
— polyroots.py
— polytools.py
— polyutils.py
— puiseux.py
— rationaltools.py
— ring_series.py
— rings.py
— rootisolation.py
— rootoftools.py
— solvers.py
— specialpolys.py

```

- sqfreertools.py
- subresultants\_qq\_zz.py
- printing/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - aesaracode.cpython-312.pyc
    - c.cpython-312.pyc
    - codeprinter.cpython-312.pyc
    - conventions.cpython-312.pyc
    - cxx.cpython-312.pyc
    - defaults.cpython-312.pyc
    - dot.cpython-312.pyc
    - fortran.cpython-312.pyc
    - glsl.cpython-312.pyc
    - gtk.cpython-312.pyc
    - jscode.cpython-312.pyc
    - julia.cpython-312.pyc
    - lambdarepr.cpython-312.pyc
    - latex.cpython-312.pyc
    - llvmljitcode.cpython-312.pyc
    - maple.cpython-312.pyc
    - mathematica.cpython-312.pyc
    - mathml.cpython-312.pyc
    - numpy.cpython-312.pyc
    - octave.cpython-312.pyc
    - precedence.cpython-312.pyc
    - preview.cpython-312.pyc
    - printer.cpython-312.pyc
    - pycode.cpython-312.pyc
    - python.cpython-312.pyc
    - pytorch.cpython-312.pyc
    - rcode.cpython-312.pyc
    - repr.cpython-312.pyc
    - rust.cpython-312.pyc
    - smtlib.cpython-312.pyc
    - str.cpython-312.pyc
    - tableform.cpython-312.pyc
    - tensorflow.cpython-312.pyc
    - theano.cpython-312.pyc
    - tree.cpython-312.pyc
- pretty/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - pretty.cpython-312.pyc
    - pretty\_symbolology.cpython-312.pyc
    - stringpict.cpython-312.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_pretty.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_pretty.py
  - \_\_init\_\_.py
  - pretty.py
  - pretty\_symbolology.py
  - stringpict.py
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_aesaracode.cpython-312.pyc
    - test\_c.cpython-312.pyc
    - test\_codeprinter.cpython-312.pyc
    - test\_conventions.cpython-312.pyc
    - test\_cupy.cpython-312.pyc
    - test\_cxx.cpython-312.pyc
    - test\_dot.cpython-312.pyc
    - test\_fortran.cpython-312.pyc
    - test\_glsl.cpython-312.pyc
    - test\_gtk.cpython-312.pyc
    - test\_jax.cpython-312.pyc
    - test\_jscode.cpython-312.pyc
    - test\_julia.cpython-312.pyc
    - test\_lambdarepr.cpython-312.pyc
    - test\_latex.cpython-312.pyc
    - test\_llvmljit.cpython-312.pyc
    - test\_maple.cpython-312.pyc
    - test\_mathematica.cpython-312.pyc
    - test\_mathml.cpython-312.pyc
    - test\_numpy.cpython-312.pyc
    - test\_octave.cpython-312.pyc
    - test\_precedence.cpython-312.pyc
    - test\_preview.cpython-312.pyc
    - test\_pycode.cpython-312.pyc
    - test\_python.cpython-312.pyc
    - test\_rcode.cpython-312.pyc

- test\_repr.cpython-312.pyc
- test\_rust.cpython-312.pyc
- test\_smtlib.cpython-312.pyc
- test\_str.cpython-312.pyc
- test\_tableform.cpython-312.pyc
- test\_tensorflow.cpython-312.pyc
- test\_theanocode.cpython-312.pyc
- test\_torch.cpython-312.pyc
- test\_tree.cpython-312.pyc
- \_\_init\_\_.py
- test\_aesaracode.py
- test\_c.py
- test\_codeprinter.py
- test\_conventions.py
- test\_cupy.py
- test\_cxx.py
- test\_dot.py
- test\_fortran.py
- test\_gls1.py
- test\_gtk.py
- test\_jax.py
- test\_jscode.py
- test\_julia.py
- test\_lambdarepr.py
- test\_latex.py
- test\_llvmjit.py
- test\_maple.py
- test\_mathematica.py
- test\_mathml.py
- test\_numpy.py
- test\_octave.py
- test\_precedence.py
- test\_preview.py
- test\_pycode.py
- test\_python.py
- test\_rcode.py
- test\_repr.py
- test\_rust.py
- test\_smtlib.py
- test\_str.py
- test\_tableform.py
- test\_tensorflow.py
- test\_theanocode.py
- test\_torch.py
- test\_tree.py
- \_\_init\_\_.py
- aesaracode.py
- c.py
- codeprinter.py
- conventions.py
- cxx.py
- defaults.py
- dot.py
- fortran.py
- gls1.py
- gtk.py
- jscode.py
- julia.py
- lambdarepr.py
- latex.py
- llvmjitcode.py
- maple.py
- mathematica.py
- mathml.py
- numpy.py
- octave.py
- precedence.py
- preview.py
- printer.py
- pycode.py
- python.py
- pytorch.py
- rcode.py
- repr.py
- rust.py
- smtlib.py
- str.py
- tableform.py
- tensorflow.py
- theano.py
- tree.py
- sandbox/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - indexed\_integrals.cpython-312.pyc

```

├── tests/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   └── test_indexed_integrals.cpython-312.pyc
│   ├── __init__.py
│   └── test_indexed_integrals.py
├── __init__.py
├── indexed_integrals.py
├── series/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── acceleration.cpython-312.pyc
│   │   ├── approximants.cpython-312.pyc
│   │   ├── aseries.cpython-312.pyc
│   │   ├── formal.cpython-312.pyc
│   │   ├── fourier.cpython-312.pyc
│   │   ├── gruntz.cpython-312.pyc
│   │   ├── kauers.cpython-312.pyc
│   │   ├── limits.cpython-312.pyc
│   │   ├── limitseq.cpython-312.pyc
│   │   ├── order.cpython-312.pyc
│   │   ├── residues.cpython-312.pyc
│   │   ├── sequences.cpython-312.pyc
│   │   ├── series.cpython-312.pyc
│   │   └── series_class.cpython-312.pyc
│   ├── benchmarks/
│   │   ├── pycache_/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   ├── bench_limit.cpython-312.pyc
│   │   │   └── bench_order.cpython-312.pyc
│   │   ├── __init__.py
│   │   ├── bench_limit.py
│   │   └── bench_order.py
│   └── tests/
│       ├── pycache_/
│       │   ├── __init__.cpython-312.pyc
│       │   ├── test_approximants.cpython-312.pyc
│       │   ├── test_aseries.cpython-312.pyc
│       │   ├── test_demidovich.cpython-312.pyc
│       │   ├── test_formal.cpython-312.pyc
│       │   ├── test_fourier.cpython-312.pyc
│       │   ├── test_gruntz.cpython-312.pyc
│       │   ├── test_kauers.cpython-312.pyc
│       │   ├── test_limits.cpython-312.pyc
│       │   ├── test_limitseq.cpython-312.pyc
│       │   ├── test_lseries.cpython-312.pyc
│       │   ├── test_nseries.cpython-312.pyc
│       │   ├── test_order.cpython-312.pyc
│       │   ├── test_residues.cpython-312.pyc
│       │   ├── test_sequences.cpython-312.pyc
│       │   └── test_series.cpython-312.pyc
│       ├── __init__.py
│       ├── test_approximants.py
│       ├── test_aseries.py
│       ├── test_demidovich.py
│       ├── test_formal.py
│       ├── test_fourier.py
│       ├── test_gruntz.py
│       ├── test_kauers.py
│       ├── test_limits.py
│       ├── test_limitseq.py
│       ├── test_lseries.py
│       ├── test_nseries.py
│       ├── test_order.py
│       ├── test_residues.py
│       ├── test_sequences.py
│       └── test_series.py
├── __init__.py
├── acceleration.py
├── approximants.py
├── aseries.py
├── formal.py
├── fourier.py
├── gruntz.py
├── kauers.py
├── limits.py
├── limitseq.py
├── order.py
├── residues.py
├── sequences.py
├── series.py
├── series_class.py
├── sets/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc

```

- conditionset.cpython-312.pyc
- contains.cpython-312.pyc
- fancysets.cpython-312.pyc
- ordinals.cpython-312.pyc
- powerset.cpython-312.pyc
- setexpr.cpython-312.pyc
- sets.cpython-312.pyc
- handlers/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - add.cpython-312.pyc
    - comparison.cpython-312.pyc
    - functions.cpython-312.pyc
    - intersection.cpython-312.pyc
    - issubset.cpython-312.pyc
    - mul.cpython-312.pyc
    - power.cpython-312.pyc
    - union.cpython-312.pyc
  - \_\_init\_\_.py
  - add.py
  - comparison.py
  - functions.py
  - intersection.py
  - issubset.py
  - mul.py
  - power.py
  - union.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_conditionset.cpython-312.pyc
    - test\_contains.cpython-312.pyc
    - test\_fancysets.cpython-312.pyc
    - test\_ordinals.cpython-312.pyc
    - test\_powerset.cpython-312.pyc
    - test\_setexpr.cpython-312.pyc
    - test\_sets.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_conditionset.py
  - test\_contains.py
  - test\_fancysets.py
  - test\_ordinals.py
  - test\_powerset.py
  - test\_setexpr.py
  - test\_sets.py
- \_\_init\_\_.py
- conditionset.py
- contains.py
- fancysets.py
- ordinals.py
- powerset.py
- setexpr.py
- sets.py
- simplify/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_cse\_diff.cpython-312.pyc
    - combsimp.cpython-312.pyc
    - cse\_main.cpython-312.pyc
    - cse\_opts.cpython-312.pyc
    - epathtools.cpython-312.pyc
    - fu.cpython-312.pyc
    - gammasimp.cpython-312.pyc
    - hyperexpand.cpython-312.pyc
    - hyperexpand\_doc.cpython-312.pyc
    - powsimp.cpython-312.pyc
    - radsimp.cpython-312.pyc
    - ratsimp.cpython-312.pyc
    - simplify.cpython-312.pyc
    - sqrtidenest.cpython-312.pyc
    - traversaltools.cpython-312.pyc
    - trigsimp.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_combsimp.cpython-312.pyc
    - test\_cse.cpython-312.pyc
    - test\_cse\_diff.cpython-312.pyc
    - test\_epathtools.cpython-312.pyc
    - test\_fu.cpython-312.pyc
    - test\_function.cpython-312.pyc
    - test\_gammasimp.cpython-312.pyc
    - test\_hyperexpand.cpython-312.pyc
    - test\_powsimp.cpython-312.pyc
    - test\_radsimp.cpython-312.pyc

- test\_ratsimp.cpython-312.pyc
  - test\_rewrite.cpython-312.pyc
  - test\_simplify.cpython-312.pyc
  - test\_sqrtdenest.cpython-312.pyc
  - test\_trigsimp.cpython-312.pyc
- \_\_init\_\_.py
- test\_combsimp.py
- test\_cse.py
- test\_cse\_diff.py
- test\_epathtools.py
- test\_fu.py
- test\_function.py
- test\_gammasimp.py
- test\_hyperexpand.py
- test\_powsimp.py
- test\_radsimp.py
- test\_ratsimp.py
- test\_rewrite.py
- test\_simplify.py
- test\_sqrtdenest.py
- test\_trigsimp.py
- \_\_init\_\_.py
- \_cse\_diff.py
- combsimp.py
- cse\_main.py
- cse\_opts.py
- epathtools.py
- fu.py
- gammasimp.py
- hyperexpand.py
- hyperexpand\_doc.py
- powsimp.py
- radsimp.py
- ratsimp.py
- simplify.py
- sqrtdenest.py
- traversaltools.py
- trigsimp.py
- solvers/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - bivariate.cpython-312.pyc
    - decompogen.cpython-312.pyc
    - deutils.cpython-312.pyc
    - inequalities.cpython-312.pyc
    - pde.cpython-312.pyc
    - polysys.cpython-312.pyc
    - recurr.cpython-312.pyc
    - simplex.cpython-312.pyc
    - solvers.cpython-312.pyc
    - solveset.cpython-312.pyc
- benchmarks/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - bench\_solvers.cpython-312.pyc
  - \_\_init\_\_.py
  - bench\_solvers.py
- diophantine/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - diophantine.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_diophantine.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_diophantine.py
  - \_\_init\_\_.py
  - diophantine.py
- ode/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - hypergeometric.cpython-312.pyc
    - lie\_group.cpython-312.pyc
    - nonhomogeneous.cpython-312.pyc
    - ode.cpython-312.pyc
    - riccati.cpython-312.pyc
    - single.cpython-312.pyc
    - subcheck.cpython-312.pyc
    - systems.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_lie\_group.cpython-312.pyc
      - test\_ode.cpython-312.pyc

- test\_riccati.cpython-312.pyc
    - test\_single.cpython-312.pyc
    - test\_subcheck.cpython-312.pyc
    - test\_systems.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_lie\_group.py
  - test\_ode.py
  - test\_riccati.py
  - test\_single.py
  - test\_subcheck.py
  - test\_systems.py
- \_\_init\_\_.py
- hypergeometric.py
- lie\_group.py
- nonhomogeneous.py
- ode.py
- riccati.py
- single.py
- subcheck.py
- systems.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_constantsimp.cpython-312.pyc
    - test\_decompogen.cpython-312.pyc
    - test\_inequalities.cpython-312.pyc
    - test\_numeric.cpython-312.pyc
    - test\_pde.cpython-312.pyc
    - test\_polysys.cpython-312.pyc
    - test\_recurr.cpython-312.pyc
    - test\_simplex.cpython-312.pyc
    - test\_solvers.cpython-312.pyc
    - test\_solveiset.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_constantsimp.py
  - test\_decompogen.py
  - test\_inequalities.py
  - test\_numeric.py
  - test\_pde.py
  - test\_polysys.py
  - test\_recurr.py
  - test\_simplex.py
  - test\_solvers.py
  - test\_solveiset.py
- \_\_init\_\_.py
- bivariate.py
- decompogen.py
- deutils.py
- inequalities.py
- pde.py
- polysys.py
- recurr.py
- simplex.py
- solvers.py
- solveiset.py
- stats/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - compound\_rv.cpython-312.pyc
    - crv.cpython-312.pyc
    - crv\_types.cpython-312.pyc
    - drv.cpython-312.pyc
    - drv\_types.cpython-312.pyc
    - error\_prop.cpython-312.pyc
    - frv.cpython-312.pyc
    - frv\_types.cpython-312.pyc
    - joint\_rv.cpython-312.pyc
    - joint\_rv\_types.cpython-312.pyc
    - matrix\_distributions.cpython-312.pyc
    - random\_matrix.cpython-312.pyc
    - random\_matrix\_models.cpython-312.pyc
    - rv.cpython-312.pyc
    - rv\_interface.cpython-312.pyc
    - stochastic\_process.cpython-312.pyc
    - stochastic\_process\_types.cpython-312.pyc
    - symbolic\_multivariate\_probability.cpython-312.pyc
    - symbolic\_probability.cpython-312.pyc
- sampling/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - sample\_numpy.cpython-312.pyc
    - sample\_pymc.cpython-312.pyc
    - sample\_scipy.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/



- \_\_init\_\_.cpython-312.pyc
    - test\_sample\_continuous\_rv.cpython-312.pyc
    - test\_sample\_discrete\_rv.cpython-312.pyc
    - test\_sample\_finite\_rv.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_sample\_continuous\_rv.py
  - test\_sample\_discrete\_rv.py
  - test\_sample\_finite\_rv.py
- \_\_init\_\_.py
- sample\_numpy.py
- sample\_pymc.py
- sample\_scipy.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_compound\_rv.cpython-312.pyc
    - test\_continuous\_rv.cpython-312.pyc
    - test\_discrete\_rv.cpython-312.pyc
    - test\_error\_prop.cpython-312.pyc
    - test\_finite\_rv.cpython-312.pyc
    - test\_joint\_rv.cpython-312.pyc
    - test\_matrix\_distributions.cpython-312.pyc
    - test\_mix.cpython-312.pyc
    - test\_random\_matrix.cpython-312.pyc
    - test\_rv.cpython-312.pyc
    - test\_stochastic\_process.cpython-312.pyc
    - test\_symbolic\_multivariate.cpython-312.pyc
    - test\_symbolic\_probability.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_compound\_rv.py
  - test\_continuous\_rv.py
  - test\_discrete\_rv.py
  - test\_error\_prop.py
  - test\_finite\_rv.py
  - test\_joint\_rv.py
  - test\_matrix\_distributions.py
  - test\_mix.py
  - test\_random\_matrix.py
  - test\_rv.py
  - test\_stochastic\_process.py
  - test\_symbolic\_multivariate.py
  - test\_symbolic\_probability.py
- \_\_init\_\_.py
- compound\_rv.py
- crv.py
- crv\_types.py
- drv.py
- drv\_types.py
- error\_prop.py
- frv.py
- frv\_types.py
- joint\_rv.py
- joint\_rv\_types.py
- matrix\_distributions.py
- random\_matrix.py
- random\_matrix\_models.py
- rv.py
- rv\_interface.py
- stochastic\_process.py
- stochastic\_process\_types.py
- symbolic\_multivariate\_probability.py
- symbolic\_probability.py
- strategies/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - core.cpython-312.pyc
    - rl.cpython-312.pyc
    - tools.cpython-312.pyc
    - traverse.cpython-312.pyc
    - tree.cpython-312.pyc
    - util.cpython-312.pyc
- branch/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - core.cpython-312.pyc
    - tools.cpython-312.pyc
    - traverse.cpython-312.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_core.cpython-312.pyc
    - test\_tools.cpython-312.pyc
    - test\_traverse.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_core.py

- test\_tools.py
  - test\_traverse.py
- \_\_init\_\_.py
- core.py
- tools.py
- traverse.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_core.cpython-312.pyc
    - test\_rl.cpython-312.pyc
    - test\_tools.cpython-312.pyc
    - test\_traverse.cpython-312.pyc
    - test\_tree.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_core.py
  - test\_rl.py
  - test\_tools.py
  - test\_traverse.py
  - test\_tree.py
- \_\_init\_\_.py
- core.py
- rl.py
- tools.py
- traverse.py
- tree.py
- util.py
- tensor/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - functions.cpython-312.pyc
    - index\_methods.cpython-312.pyc
    - indexed.cpython-312.pyc
    - tensor.cpython-312.pyc
    - topoperators.cpython-312.pyc
- array/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - array\_comprehension.cpython-312.pyc
    - array\_derivatives.cpython-312.pyc
    - arrayop.cpython-312.pyc
    - dense\_ndim\_array.cpython-312.pyc
    - mutable\_ndim\_array.cpython-312.pyc
    - ndim\_array.cpython-312.pyc
    - sparse\_ndim\_array.cpython-312.pyc
- expressions/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - array\_expressions.cpython-312.pyc
    - arrayexpr\_derivatives.cpython-312.pyc
    - conv\_array\_to\_indexed.cpython-312.pyc
    - conv\_array\_to\_matrix.cpython-312.pyc
    - conv\_indexed\_to\_array.cpython-312.pyc
    - conv\_matrix\_to\_array.cpython-312.pyc
    - from\_array\_to\_indexed.cpython-312.pyc
    - from\_array\_to\_matrix.cpython-312.pyc
    - from\_indexed\_to\_array.cpython-312.pyc
    - from\_matrix\_to\_array.cpython-312.pyc
    - utils.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_array\_expressions.cpython-312.pyc
    - test\_arrayexpr\_derivatives.cpython-312.pyc
    - test\_as\_explicit.cpython-312.pyc
    - test\_convert\_array\_to\_indexed.cpython-312.pyc
    - test\_convert\_array\_to\_matrix.cpython-312.pyc
    - test\_convert\_indexed\_to\_array.cpython-312.pyc
    - test\_convert\_matrix\_to\_array.cpython-312.pyc
    - test\_deprecated\_conv\_modules.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_array\_expressions.py
  - test\_arrayexpr\_derivatives.py
  - test\_as\_explicit.py
  - test\_convert\_array\_to\_indexed.py
  - test\_convert\_array\_to\_matrix.py
  - test\_convert\_indexed\_to\_array.py
  - test\_convert\_matrix\_to\_array.py
  - test\_deprecated\_conv\_modules.py
- \_\_init\_\_.py
- array\_expressions.py
- arrayexpr\_derivatives.py
- conv\_array\_to\_indexed.py
- conv\_array\_to\_matrix.py
- conv\_indexed\_to\_array.py

- conv\_matrix\_to\_array.py
- from\_array\_to\_indexed.py
- from\_array\_to\_matrix.py
- from\_indexed\_to\_array.py
- from\_matrix\_to\_array.py
- utils.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_array\_comprehension.cpython-312.pyc
    - test\_array\_derivatives.cpython-312.pyc
    - test\_arrayop.cpython-312.pyc
    - test\_immutable\_ndim\_array.cpython-312.pyc
    - test\_mutable\_ndim\_array.cpython-312.pyc
    - test\_ndim\_array.cpython-312.pyc
    - test\_ndim\_array\_conversions.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_array\_comprehension.py
  - test\_array\_derivatives.py
  - test\_arrayop.py
  - test\_immutable\_ndim\_array.py
  - test\_mutable\_ndim\_array.py
  - test\_ndim\_array.py
  - test\_ndim\_array\_conversions.py
- \_\_init\_\_.py
- array\_comprehension.py
- array\_derivatives.py
- arrayop.py
- dense\_ndim\_array.py
- mutable\_ndim\_array.py
- ndim\_array.py
- sparse\_ndim\_array.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_functions.cpython-312.pyc
    - test\_index\_methods.cpython-312.pyc
    - test\_indexed.cpython-312.pyc
    - test\_printing.cpython-312.pyc
    - test\_tensor.cpython-312.pyc
    - test\_tensor\_element.cpython-312.pyc
    - test\_tensor\_operators.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_functions.py
  - test\_index\_methods.py
  - test\_indexed.py
  - test\_printing.py
  - test\_tensor.py
  - test\_tensor\_element.py
  - test\_tensor\_operators.py
- \_\_init\_\_.py
- functions.py
- index\_methods.py
- indexed.py
- tensor.py
- toperators.py
- testing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - matrices.cpython-312.pyc
    - pytest.cpython-312.pyc
    - quality\_unicode.cpython-312.pyc
    - randtest.cpython-312.pyc
    - runtests.cpython-312.pyc
    - runtests\_pytest.cpython-312.pyc
    - tmpfiles.cpython-312.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - diagnose\_imports.cpython-312.pyc
      - test\_code\_quality.cpython-312.pyc
      - test\_deprecated.cpython-312.pyc
      - test\_module\_imports.cpython-312.pyc
      - test\_pytest.cpython-312.pyc
      - test\_runtests\_pytest.cpython-312.pyc
    - \_\_init\_\_.py
    - diagnose\_imports.py
    - test\_code\_quality.py
    - test\_deprecated.py
    - test\_module\_imports.py
    - test\_pytest.py
    - test\_runtests\_pytest.py
- \_\_init\_\_.py
- matrices.py
- pytest.py

- quality\_unicode.py
- randtest.py
- runtests.py
- runtests\_pytest.py
- tmpfiles.py
- unify/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - core.cpython-312.pyc
    - rewrite.cpython-312.pyc
    - usympy.cpython-312.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_rewrite.cpython-312.pyc
      - test\_sympy.cpython-312.pyc
      - test\_unify.cpython-312.pyc
    - \_\_init\_\_.py
    - test\_rewrite.py
    - test\_sympy.py
    - test\_unify.py
  - \_\_init\_\_.py
  - core.py
  - rewrite.py
  - usympy.py
- utilities/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - autowrap.cpython-312.pyc
    - codegen.cpython-312.pyc
    - decorator.cpython-312.pyc
    - enumerative.cpython-312.pyc
    - exceptions.cpython-312.pyc
    - iterables.cpython-312.pyc
    - lambdify.cpython-312.pyc
    - magic.cpython-312.pyc
    - matchpy\_connector.cpython-312.pyc
    - memoization.cpython-312.pyc
    - misc.cpython-312.pyc
    - pkgdata.cpython-312.pyc
    - pytest.cpython-312.pyc
    - randtest.cpython-312.pyc
    - runtests.cpython-312.pyc
    - source.cpython-312.pyc
    - timeutils.cpython-312.pyc
    - tmpfiles.cpython-312.pyc
  - compilation/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - availability.cpython-312.pyc
      - compilation.cpython-312.pyc
      - runners.cpython-312.pyc
      - util.cpython-312.pyc
    - tests/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - test\_compilation.cpython-312.pyc
      - \_\_init\_\_.py
      - test\_compilation.py
    - \_\_init\_\_.py
    - availability.py
    - compilation.py
    - runners.py
    - util.py
  - mathml/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - data/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
      - mmlctop.xml
      - mmltex.xml
      - simple\_mmlctop.xml
    - \_\_init\_\_.py
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - test\_autowrap.cpython-312.pyc
      - test\_codegen.cpython-312.pyc
      - test\_codegen\_julia.cpython-312.pyc
      - test\_codegen\_octave.cpython-312.pyc
      - test\_codegen\_rust.cpython-312.pyc
      - test\_decorator.cpython-312.pyc
      - test\_deprecated.cpython-312.pyc

- test\_enumerative.cpython-312.pyc
- test\_exceptions.cpython-312.pyc
- test\_iterables.cpython-312.pyc
- test\_lambdify.cpython-312.pyc
- test\_matchpy\_connector.cpython-312.pyc
- test\_mathml.cpython-312.pyc
- test\_misc.cpython-312.pyc
- test\_pickling.cpython-312.pyc
- test\_source.cpython-312.pyc
- test\_timeutils.cpython-312.pyc
- test\_wester.cpython-312.pyc
- test\_xxe.cpython-312.pyc
- \_\_init\_\_.py
- test\_autowrap.py
- test\_codegen.py
- test\_codegen\_julia.py
- test\_codegen\_octave.py
- test\_codegen\_rust.py
- test\_decorator.py
- test\_deprecated.py
- test\_enumerative.py
- test\_exceptions.py
- test\_iterables.py
- test\_lambdify.py
- test\_matchpy\_connector.py
- test\_mathml.py
- test\_misc.py
- test\_pickling.py
- test\_source.py
- test\_timeutils.py
- test\_wester.py
- test\_xxe.py
- \_\_init\_\_.py
- autowrap.py
- codegen.py
- decorator.py
- enumerative.py
- exceptions.py
- iterables.py
- lambdify.py
- magic.py
- matchpy\_connector.py
- memoization.py
- misc.py
- pkgdata.py
- pytest.py
- randtest.py
- runtests.py
- source.py
- timeutils.py
- tmpfiles.py
- vector/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - basisdependent.cpython-312.pyc
    - coordsysrect.cpython-312.pyc
    - deloperator.cpython-312.pyc
    - dyadic.cpython-312.pyc
    - functions.cpython-312.pyc
    - implicitregion.cpython-312.pyc
    - integrals.cpython-312.pyc
    - kind.cpython-312.pyc
    - operators.cpython-312.pyc
    - orienters.cpython-312.pyc
    - parametricregion.cpython-312.pyc
    - point.cpython-312.pyc
    - scalar.cpython-312.pyc
    - vector.cpython-312.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - test\_coordsysrect.cpython-312.pyc
    - test\_dyadic.cpython-312.pyc
    - test\_field\_functions.cpython-312.pyc
    - test\_functions.cpython-312.pyc
    - test\_implicitregion.cpython-312.pyc
    - test\_integrals.cpython-312.pyc
    - test\_operators.cpython-312.pyc
    - test\_parametricregion.cpython-312.pyc
    - test\_printing.cpython-312.pyc
    - test\_vector.cpython-312.pyc
  - \_\_init\_\_.py
  - test\_coordsysrect.py
  - test\_dyadic.py
  - test\_field\_functions.py

- test\_functions.py
  - test\_implicitregion.py
  - test\_integrals.py
  - test\_operators.py
  - test\_parametricregion.py
  - test\_printing.py
  - test\_vector.py
  - \_\_init\_\_.py
  - basisdependent.py
  - coordsysrect.py
  - deloperator.py
  - dyadic.py
  - functions.py
  - implicitregion.py
  - integrals.py
  - kind.py
  - operators.py
  - orienters.py
  - parametricregion.py
  - point.py
  - scalar.py
  - vector.py
- \_\_init\_\_.py
- abc.py
- conftest.py
- galgebra.py
- release.py
- this.py
- sympy-1.14.0.dist-info/
  - licenses/
    - AUTHORS
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- tabulate/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- tabulate-0.10.0.dist-info/
  - licenses/
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- threadpoolctl-3.6.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- tokenizers/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - decoders/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
    - \_\_init\_\_.pyi
  - implementations/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - base\_tokenizer.cpython-312.pyc
      - bert\_wordpiece.cpython-312.pyc
      - byte\_level\_bpe.cpython-312.pyc
      - char\_level\_bpe.cpython-312.pyc
      - sentencepiece\_bpe.cpython-312.pyc
      - sentencepiece\_unigram.cpython-312.pyc
    - \_\_init\_\_.py
    - base\_tokenizer.py
    - bert\_wordpiece.py
    - byte\_level\_bpe.py
    - char\_level\_bpe.py
    - sentencepiece\_bpe.py
    - sentencepiece\_unigram.py
  - models/
    - \_\_pycache\_\_/

- └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ \_\_init\_\_.pyi
  - normalizers/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ \_\_init\_\_.pyi
  - pre\_tokenizers/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ \_\_init\_\_.pyi
  - processors/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ \_\_init\_\_.pyi
  - tools/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ visualizer.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ visualizer-styles.css
      - └─ visualizer.py
  - trainers/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ \_\_init\_\_.pyi
  - └─ \_\_init\_\_.py
  - └─ \_\_init\_\_.pyi
  - └─ tokenizers.pyd
  - └─ tokenizers.pyi
- tokenizers-0.22.2.dist-info/
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ WHEEL
- torch/
  - └─ pycache\_/
    - └─ \_\_config\_\_.cpython-312.pyc
    - └─ \_\_future\_\_.cpython-312.pyc
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ appdirs.cpython-312.pyc
    - └─ classes.cpython-312.pyc
    - └─ compile.cpython-312.pyc
    - └─ custom\_ops.cpython-312.pyc
    - └─ environment.cpython-312.pyc
    - └─ guards.cpython-312.pyc
    - └─ jit\_internal.cpython-312.pyc
    - └─ linalg\_utils.cpython-312.pyc
    - └─ lobpcg.cpython-312.pyc
    - └─ lowrank.cpython-312.pyc
    - └─ meta\_registrations.cpython-312.pyc
    - └─ namedtensor\_internals.cpython-312.pyc
    - └─ opaque\_base.cpython-312.pyc
    - └─ ops.cpython-312.pyc
    - └─ python\_dispatcher.cpython-312.pyc
    - └─ size\_docs.cpython-312.pyc
    - └─ sources.cpython-312.pyc
    - └─ storage\_docs.cpython-312.pyc
    - └─ streambase.cpython-312.pyc
    - └─ tensor.cpython-312.pyc
    - └─ tensor\_docs.cpython-312.pyc
    - └─ tensor\_str.cpython-312.pyc
    - └─ thread\_safe\_fork.cpython-312.pyc
    - └─ torch\_docs.cpython-312.pyc
    - └─ utils.cpython-312.pyc
    - └─ utils\_internal.cpython-312.pyc
    - └─ VF.cpython-312.pyc
    - └─ vmap\_internals.cpython-312.pyc
    - └─ weights\_only\_unpickler.cpython-312.pyc
    - └─ functional.cpython-312.pyc
    - └─ hub.cpython-312.pyc
    - └─ library.cpython-312.pyc
    - └─ overrides.cpython-312.pyc
    - └─ quasirandom.cpython-312.pyc
    - └─ random.cpython-312.pyc
    - └─ return\_types.cpython-312.pyc
    - └─ serialization.cpython-312.pyc
    - └─ storage.cpython-312.pyc
    - └─ torch\_version.cpython-312.pyc
    - └─ types.cpython-312.pyc
    - └─ version.cpython-312.pyc

- \_await/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
- C/
  - \_acc/
    - \_\_init\_\_.pyi
  - \_dynamo/
    - \_\_init\_\_.pyi
    - compiled\_autograd.pyi
    - eval\_frame.pyi
    - guards.pyi
  - \_export/
    - \_\_init\_\_.pyi
    - pt2\_archive\_constants.pyi
  - \_\_init\_\_.pyi
  - \_aoti.pyi
  - \_autograd.pyi
  - \_cpu.pyi
  - \_cudnn.pyi
  - \_cusparselt.pyi
  - \_distributed.pyi
  - \_distributed\_autograd.pyi
  - \_distributed\_c10d.pyi
  - \_distributed\_rpc.pyi
  - \_distributed\_rpc\_testing.pyi
  - \_functionalization.pyi
  - \_functions.pyi
  - \_functorch.pyi
  - \_instruction\_counter.pyi
  - \_itt.pyi
  - \_jit\_tree\_views.pyi
  - \_lazy.pyi
  - \_lazy\_ts\_backend.pyi
  - \_monitor.pyi
  - \_nn.pyi
  - \_nvtx.pyi
  - \_onnx.pyi
  - \_profiler.pyi
  - \_VariableFunctions.pyi
  - \_verbose.pyi
- C\_flatbuffer/
  - \_\_init\_\_.pyi
- custom\_op/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - autograd.cpython-312.pyc
    - impl.cpython-312.pyc
  - \_\_init\_\_.py
  - autograd.py
  - impl.py
- decomp/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - decompositions.cpython-312.pyc
    - decompositions\_for\_jvp.cpython-312.pyc
    - decompositions\_for\_rng.cpython-312.pyc
  - \_\_init\_\_.py
  - decompositions.py
  - decompositions\_for\_jvp.py
  - decompositions\_for\_rng.py
- dispatch/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - python.cpython-312.pyc
  - \_\_init\_\_.py
  - python.py
- dynamo/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_trace\_wrapped\_higher\_order\_op.cpython-312.pyc
    - aot\_compile.cpython-312.pyc
    - aot\_compile\_types.cpython-312.pyc
    - bytecode\_analysis.cpython-312.pyc
    - bytecode\_debugger.cpython-312.pyc
    - bytecode\_transformation.cpython-312.pyc
    - cache\_size.cpython-312.pyc
    - callback.cpython-312.pyc
    - code\_context.cpython-312.pyc
    - codegen.cpython-312.pyc
    - compiled\_autograd.cpython-312.pyc
    - comprehension\_graph\_break.cpython-312.pyc
    - comptime.cpython-312.pyc
    - config.cpython-312.pyc
    - convert\_frame.cpython-312.pyc



- create\_parameter\_op.cpython-312.pyc
- current\_scope\_id.cpython-312.pyc
- dce\_extra\_outputs.cpython-312.pyc
- debug\_utils.cpython-312.pyc
- decorators.cpython-312.pyc
- device\_interface.cpython-312.pyc
- distributed.cpython-312.pyc
- dynamo\_profiler.cpython-312.pyc
- eval\_frame.cpython-312.pyc
- exc.cpython-312.pyc
- external\_utils.cpython-312.pyc
- funcname\_cache.cpython-312.pyc
- functional\_export.cpython-312.pyc
- graph\_break\_hints.cpython-312.pyc
- graph\_bytecode\_inputs.cpython-312.pyc
- graph\_deduplication.cpython-312.pyc
- graph\_id\_filter.cpython-312.pyc
- graph\_region\_tracker.cpython-312.pyc
- graph\_utils.cpython-312.pyc
- guards.cpython-312.pyc
- hooks.cpython-312.pyc
- logging.cpython-312.pyc
- metrics\_context.cpython-312.pyc
- mutation\_guard.cpython-312.pyc
- output\_graph.cpython-312.pyc
- package.cpython-312.pyc
- pgo.cpython-312.pyc
- precompile\_context.cpython-312.pyc
- profiler.cpython-312.pyc
- replay\_record.cpython-312.pyc
- resume\_execution.cpython-312.pyc
- side\_effects.cpython-312.pyc
- source.cpython-312.pyc
- symbolic\_convert.cpython-312.pyc
- tensor\_version\_op.cpython-312.pyc
- test\_case.cpython-312.pyc
- test\_dont\_skip\_tracing\_functions.cpython-312.pyc
- test\_minifier\_common.cpython-312.pyc
- testing.cpython-312.pyc
- trace\_rules.cpython-312.pyc
- types.cpython-312.pyc
- utils.cpython-312.pyc
- backends/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - common.cpython-312.pyc
    - cudagraphs.cpython-312.pyc
    - debugging.cpython-312.pyc
    - distributed.cpython-312.pyc
    - inductor.cpython-312.pyc
    - onnxrt.cpython-312.pyc
    - registry.cpython-312.pyc
    - tensorrt.cpython-312.pyc
    - torchxla.cpython-312.pyc
    - tvm.cpython-312.pyc
  - \_\_init\_\_.py
  - common.py
  - cudagraphs.py
  - debugging.py
  - distributed.py
  - inductor.py
  - onnxrt.py
  - registry.py
  - tensorrt.py
  - torchxla.py
  - tvm.py
- polyfills/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_collections.cpython-312.pyc
    - builtins.cpython-312.pyc
    - copy.cpython-312.pyc
    - functools.cpython-312.pyc
    - fx.cpython-312.pyc
    - heapq.cpython-312.pyc
    - itertools.cpython-312.pyc
    - loader.cpython-312.pyc
    - operator.cpython-312.pyc
    - os.cpython-312.pyc
    - pytree.cpython-312.pyc
    - struct.cpython-312.pyc
    - sys.cpython-312.pyc
    - tensor.cpython-312.pyc
    - torch\_c\_nn.cpython-312.pyc
    - traceback.cpython-312.pyc

- `__init__.py`
- `_collections.py`
- `builtins.py`
- `copy.py`
- `functools.py`
- `fx.py`
- `heapq.py`
- `itertools.py`
- `loader.py`
- `operator.py`
- `os.py`
- `pytree.py`
- `struct.py`
- `sys.py`
- `tensor.py`
- `torch_c_nn.py`
- `traceback.py`
- `repro/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `after_aot.cpython-312.pyc`
    - `after_dynamo.cpython-312.pyc`
    - `aoti.cpython-312.pyc`
  - `__init__.py`
  - `after_aot.py`
  - `after_dynamo.py`
  - `aoti.py`
- `variables/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `base.cpython-312.pyc`
    - `builder.cpython-312.pyc`
    - `builtin.cpython-312.pyc`
    - `constant.cpython-312.pyc`
    - `ctx_manager.cpython-312.pyc`
    - `dicts.cpython-312.pyc`
    - `distributed.cpython-312.pyc`
    - `functions.cpython-312.pyc`
    - `hashable.cpython-312.pyc`
    - `higher_order_ops.cpython-312.pyc`
    - `invoke_subgraph.cpython-312.pyc`
    - `iter.cpython-312.pyc`
    - `lazy.cpython-312.pyc`
    - `lists.cpython-312.pyc`
    - `misc.cpython-312.pyc`
    - `nn_module.cpython-312.pyc`
    - `object_protocol.cpython-312.pyc`
    - `optimizer.cpython-312.pyc`
    - `script_object.cpython-312.pyc`
    - `sdpa.cpython-312.pyc`
    - `sets.cpython-312.pyc`
    - `streams.cpython-312.pyc`
    - `tensor.cpython-312.pyc`
    - `torch.cpython-312.pyc`
    - `torch_function.cpython-312.pyc`
    - `user_defined.cpython-312.pyc`
  - `__init__.py`
  - `base.py`
  - `builder.py`
  - `builtin.py`
  - `constant.py`
  - `ctx_manager.py`
  - `dicts.py`
  - `distributed.py`
  - `functions.py`
  - `hashable.py`
  - `higher_order_ops.py`
  - `invoke_subgraph.py`
  - `iter.py`
  - `lazy.py`
  - `lists.py`
  - `misc.py`
  - `nn_module.py`
  - `object_protocol.py`
  - `optimizer.py`
  - `script_object.py`
  - `sdpa.py`
  - `sets.py`
  - `streams.py`
  - `tensor.py`
  - `torch.py`
  - `torch_function.py`
  - `user_defined.py`
- `__init__.py`
- `_trace_wrapped_higher_order_op.py`

- aot\_compile.py
- aot\_compile\_types.py
- bytecode\_analysis.py
- bytecode\_debugger.py
- bytecode\_transformation.py
- cache\_size.py
- callback.py
- code\_context.py
- codegen.py
- compiled\_autograd.py
- comprehension\_graph\_break.py
- comptime.py
- config.py
- convert\_frame.py
- create\_parameter\_op.py
- current\_scope\_id.py
- dce\_extra\_outputs.py
- debug\_utils.py
- decorators.py
- device\_interface.py
- distributed.py
- dynamo\_profiler.py
- eval\_frame.py
- exc.py
- external\_utils.py
- funcname\_cache.py
- functional\_export.py
- graph\_break\_hints.py
- graph\_break\_registry.json
- graph\_bytecode\_inputs.py
- graph\_deduplication.py
- graph\_id\_filter.py
- graph\_region\_tracker.py
- graph\_utils.py
- guards.py
- hooks.py
- logging.py
- metrics\_context.py
- mutation\_guard.py
- output\_graph.py
- package.py
- pgo.py
- precompile\_context.py
- profiler.py
- replay\_record.py
- resume\_execution.py
- side\_effects.py
- source.py
- symbolic\_convert.py
- tensor\_version\_op.py
- test\_case.py
- test\_dont\_skip\_tracing\_functions.py
- test\_minifier\_common.py
- testing.py
- trace\_rules.py
- types.py
- utils.py
- export/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - config.cpython-312.pyc
    - converter.cpython-312.pyc
    - error.cpython-312.pyc
    - non\_strict\_utils.cpython-312.pyc
    - pass\_base.cpython-312.pyc
    - tools.cpython-312.pyc
    - utils.cpython-312.pyc
    - verifier.cpython-312.pyc
    - wrappers.cpython-312.pyc
  - db/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - case.cpython-312.pyc
      - gen\_example.cpython-312.pyc
      - logging.cpython-312.pyc
    - examples/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - assume\_constant\_result.cpython-312.pyc
        - autograd\_function.cpython-312.pyc
        - class\_method.cpython-312.pyc
        - cond\_branch\_class\_method.cpython-312.pyc
        - cond\_branch\_nested\_function.cpython-312.pyc
        - cond\_branch\_nonlocal\_variables.cpython-312.pyc
        - cond\_closed\_over\_variable.cpython-312.pyc

- cond\_operands.cpython-312.pyc
- cond\_predicate.cpython-312.pyc
- constrain\_as\_size\_example.cpython-312.pyc
- constrain\_as\_value\_example.cpython-312.pyc
- decorator.cpython-312.pyc
- dictionary.cpython-312.pyc
- dynamic\_shape\_assert.cpython-312.pyc
- dynamic\_shape\_constructor.cpython-312.pyc
- dynamic\_shape\_if\_guard.cpython-312.pyc
- dynamic\_shape\_map.cpython-312.pyc
- dynamic\_shape\_round.cpython-312.pyc
- dynamic\_shape\_slicing.cpython-312.pyc
- dynamic\_shape\_view.cpython-312.pyc
- fn\_with\_kwargs.cpython-312.pyc
- list\_contains.cpython-312.pyc
- list\_unpack.cpython-312.pyc
- model\_attr\_mutation.cpython-312.pyc
- nested\_function.cpython-312.pyc
- null\_context\_manager.cpython-312.pyc
- optional\_input.cpython-312.pyc
- pytree\_flatten.cpython-312.pyc
- scalar\_output.cpython-312.pyc
- specialized\_attribute.cpython-312.pyc
- static\_for\_loop.cpython-312.pyc
- static\_if.cpython-312.pyc
- tensor\_setattr.cpython-312.pyc
- type\_reflection\_method.cpython-312.pyc
- unsupported\_operator.cpython-312.pyc
- user\_input\_mutation.cpython-312.pyc
- \_\_init\_\_.py
- assume\_constant\_result.py
- autograd\_function.py
- class\_method.py
- cond\_branch\_class\_method.py
- cond\_branch\_nested\_function.py
- cond\_branch\_nonlocal\_variables.py
- cond\_closed\_over\_variable.py
- cond\_operands.py
- cond\_predicate.py
- constrain\_as\_size\_example.py
- constrain\_as\_value\_example.py
- decorator.py
- dictionary.py
- dynamic\_shape\_assert.py
- dynamic\_shape\_constructor.py
- dynamic\_shape\_if\_guard.py
- dynamic\_shape\_map.py
- dynamic\_shape\_round.py
- dynamic\_shape\_slicing.py
- dynamic\_shape\_view.py
- fn\_with\_kwargs.py
- list\_contains.py
- list\_unpack.py
- model\_attr\_mutation.py
- nested\_function.py
- null\_context\_manager.py
- optional\_input.py
- pytree\_flatten.py
- scalar\_output.py
- specialized\_attribute.py
- static\_for\_loop.py
- static\_if.py
- tensor\_setattr.py
- type\_reflection\_method.py
- unsupported\_operator.py
- user\_input\_mutation.py
- \_\_init\_\_.py
- case.py
- gen\_example.py
- logging.py
- pass\_infra/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - node\_metadata.cpython-312.pyc
    - proxy\_value.cpython-312.pyc
  - \_\_init\_\_.py
  - node\_metadata.py
  - proxy\_value.py
- passes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_node\_metadata\_hook.cpython-312.pyc
    - add\_runtime\_assertions\_for\_constraints\_pass.cpython-312.pyc
    - collect\_tracepoints\_pass.cpython-312.pyc
    - constant\_folding.cpython-312.pyc

- functionalize\_side\_effectful\_ops\_pass.cpython-312.pyc
- insert\_custom\_op\_guards.cpython-312.pyc
- lift\_constants\_pass.cpython-312.pyc
- remove\_runtime\_assertions.cpython-312.pyc
- replace\_autocast\_with\_hop\_pass.cpython-312.pyc
- replace\_quantized\_ops\_with\_standard\_ops\_pass.cpython-312.pyc
- replace\_set\_grad\_with\_hop\_pass.cpython-312.pyc
- replace\_view\_ops\_with\_view\_copy\_ops\_pass.cpython-312.pyc
- replace\_with\_hop\_pass\_util.cpython-312.pyc
- \_\_init\_\_.py
- \_node\_metadata\_hook.py
- add\_runtime\_assertions\_for\_constraints\_pass.py
- collect\_tracepoints\_pass.py
- constant\_folding.py
- functionalize\_side\_effectful\_ops\_pass.py
- insert\_custom\_op\_guards.py
- lift\_constants\_pass.py
- remove\_runtime\_assertions.py
- replace\_autocast\_with\_hop\_pass.py
- replace\_quantized\_ops\_with\_standard\_ops\_pass.py
- replace\_set\_grad\_with\_hop\_pass.py
- replace\_view\_ops\_with\_view\_copy\_ops\_pass.py
- replace\_with\_hop\_pass\_util.py
- serde/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - dynamic\_shapes.cpython-312.pyc
    - schema.cpython-312.pyc
    - schema\_check.cpython-312.pyc
    - serialize.cpython-312.pyc
    - union.cpython-312.pyc
  - \_\_init\_\_.py
  - dynamic\_shapes.py
  - export\_schema.thrift
  - schema.py
  - schema.yaml
  - schema\_check.py
  - serialize.py
  - union.py
- \_\_init\_\_.py
- config.py
- converter.py
- error.py
- non\_strict\_utils.py
- pass\_base.py
- tools.py
- utils.py
- verifier.py
- wrappers.py
- functorch/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - aot\_autograd.cpython-312.pyc
    - apis.cpython-312.pyc
    - autograd\_function.cpython-312.pyc
    - batch\_norm\_replacement.cpython-312.pyc
    - benchmark\_utils.cpython-312.pyc
    - compile\_utils.cpython-312.pyc
    - compilers.cpython-312.pyc
    - config.cpython-312.pyc
    - deprecated.cpython-312.pyc
    - eager\_transforms.cpython-312.pyc
    - functional\_call.cpython-312.pyc
    - fx\_minifier.cpython-312.pyc
    - make\_functional.cpython-312.pyc
    - partitioners.cpython-312.pyc
    - predispach.cpython-312.pyc
    - pyfunctorch.cpython-312.pyc
    - python\_key.cpython-312.pyc
    - pytree\_hacks.cpython-312.pyc
    - top\_operators\_github\_usage.cpython-312.pyc
    - utils.cpython-312.pyc
    - vmap.cpython-312.pyc
- activation\_checkpointing/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - ac\_logging\_utils.cpython-312.pyc
    - graph\_info\_provider.cpython-312.pyc
    - knapsack.cpython-312.pyc
    - knapsack\_evaluator.cpython-312.pyc
    - remat\_using\_tags\_for\_fwd\_loss\_bwd\_graph\_pass.cpython-312.pyc
  - \_\_init\_\_.py
  - ac\_logging\_utils.py
  - graph\_info\_provider.py
  - knapsack.py

- knapsack\_evaluator.py
- remat\_using\_tags\_for\_fwd\_loss\_bwd\_graph\_pass.py
- activation\_offloading/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - activation\_offloading.cpython-312.pyc
    - offload\_ops.cpython-312.pyc
  - \_\_init\_\_.py
  - activation\_offloading.py
  - offload\_ops.py
- aot\_autograd/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - aot\_autograd\_result.cpython-312.pyc
    - autograd\_cache.cpython-312.pyc
    - collect\_metadata\_analysis.cpython-312.pyc
    - descriptors.cpython-312.pyc
    - frontend\_utils.cpython-312.pyc
    - functional\_utils.cpython-312.pyc
    - fx\_utils.cpython-312.pyc
    - graph\_capture.cpython-312.pyc
    - graph\_capture\_wrappers.cpython-312.pyc
    - graph\_compile.cpython-312.pyc
    - indexed\_dict.cpython-312.pyc
    - input\_output\_analysis.cpython-312.pyc
    - logging\_utils.cpython-312.pyc
    - runtime\_wrappers.cpython-312.pyc
    - schemas.cpython-312.pyc
    - streams.cpython-312.pyc
    - subclass\_codegen.cpython-312.pyc
    - subclass\_parametrization.cpython-312.pyc
    - subclass\_utils.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py
  - aot\_autograd\_result.py
  - autograd\_cache.py
  - collect\_metadata\_analysis.py
  - descriptors.py
  - frontend\_utils.py
  - functional\_utils.py
  - fx\_utils.py
  - graph\_capture.py
  - graph\_capture\_wrappers.py
  - graph\_compile.py
  - indexed\_dict.py
  - input\_output\_analysis.py
  - logging\_utils.py
  - runtime\_wrappers.py
  - schemas.py
  - streams.py
  - subclass\_codegen.py
  - subclass\_parametrization.py
  - subclass\_utils.py
  - utils.py
- \_\_init\_\_.py
- aot\_autograd.py
- apis.py
- autograd\_function.py
- batch\_norm\_replacement.py
- benchmark\_utils.py
- compile\_utils.py
- compilers.py
- config.py
- deprecated.py
- eager\_transforms.py
- functional\_call.py
- fx\_minifier.py
- make\_functional.py
- partitioners.py
- predispatch.py
- pyfunctorch.py
- python\_key.py
- pytree\_hacks.py
- top\_operators\_github\_usage.py
- utils.py
- vmap.py
- higher\_order\_ops/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_invoke\_quant.cpython-312.pyc
    - aoti\_call\_delegate.cpython-312.pyc
    - associative\_scan.cpython-312.pyc
    - auto\_functionalize.cpython-312.pyc
    - base\_hop.cpython-312.pyc
    - cond.cpython-312.pyc

- cudagraph\_conditional\_nodes.cpython-312.pyc
- effects.cpython-312.pyc
- executorch\_call\_delegate.cpython-312.pyc
- flat\_apply.cpython-312.pyc
- flex\_attention.cpython-312.pyc
- foreach\_map.cpython-312.pyc
- hints\_wrap.cpython-312.pyc
- inline\_asm\_elementwise.cpython-312.pyc
- invoke\_leaf\_function.cpython-312.pyc
- invoke\_subgraph.cpython-312.pyc
- local\_map.cpython-312.pyc
- map.cpython-312.pyc
- out\_dtype.cpython-312.pyc
- partitioner.cpython-312.pyc
- print.cpython-312.pyc
- run\_const\_graph.cpython-312.pyc
- scan.cpython-312.pyc
- schema.cpython-312.pyc
- strict\_mode.cpython-312.pyc
- torchbind.cpython-312.pyc
- triton\_kernel\_wrap.cpython-312.pyc
- utils.cpython-312.pyc
- while\_loop.cpython-312.pyc
- wrap.cpython-312.pyc
- passes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - inline\_invoke\_subgraph.cpython-312.pyc
  - \_\_init\_\_.py
  - inline\_invoke\_subgraph.py
- \_\_init\_\_.py
- \_invoke\_quant.py
- aoti\_call\_delegate.py
- associative\_scan.py
- auto\_functionalize.py
- base\_hop.py
- cond.py
- cudagraph\_conditional\_nodes.py
- effects.py
- executorch\_call\_delegate.py
- flat\_apply.py
- flex\_attention.py
- foreach\_map.py
- hints\_wrap.py
- inline\_asm\_elementwise.py
- invoke\_leaf\_function.py
- invoke\_subgraph.py
- local\_map.py
- map.py
- out\_dtype.py
- partitioner.py
- print.py
- run\_const\_graph.py
- scan.py
- schema.py
- strict\_mode.py
- torchbind.py
- triton\_kernel\_wrap.py
- utils.py
- while\_loop.py
- wrap.py
- inductor/
  - \_\_pycache\_\_/
    - \_\_autotune\_main\_\_.cpython-312.pyc
    - \_\_init\_\_.cpython-312.pyc
    - analyze\_preserves\_zero\_mask.cpython-312.pyc
    - aoti\_eager.cpython-312.pyc
    - async\_compile.cpython-312.pyc
    - augmented\_graph\_helper.cpython-312.pyc
    - autotune\_process.cpython-312.pyc
    - await\_utils.cpython-312.pyc
    - bounds.cpython-312.pyc
    - cache.cpython-312.pyc
    - choices.cpython-312.pyc
    - codecache.cpython-312.pyc
    - comm\_analysis.cpython-312.pyc
    - comm\_lowering.cpython-312.pyc
    - comms.cpython-312.pyc
    - comms\_debug.cpython-312.pyc
    - compile\_fx.cpython-312.pyc
    - compile\_fx\_async.cpython-312.pyc
    - compile\_fx\_ext.cpython-312.pyc
    - compile\_fx\_subproc.cpython-312.pyc
    - compiler\_bisector.cpython-312.pyc
    - config.cpython-312.pyc

- config\_comms.cpython-312.pyc
- constant\_folding.cpython-312.pyc
- cpp\_builder.cpython-312.pyc
- cpu\_vec\_isa.cpython-312.pyc
- cudagraph\_trees.cpython-312.pyc
- cudagraph\_utils.cpython-312.pyc
- custom\_graph\_pass.cpython-312.pyc
- debug.cpython-312.pyc
- decomposition.cpython-312.pyc
- dependencies.cpython-312.pyc
- distributed\_autotune.cpython-312.pyc
- dtype\_propagation.cpython-312.pyc
- exc.cpython-312.pyc
- extern\_node\_serializer.cpython-312.pyc
- freezing.cpython-312.pyc
- freezing\_utils.cpython-312.pyc
- fuzzer.cpython-312.pyc
- fx\_utils.cpython-312.pyc
- graph.cpython-312.pyc
- hooks.cpython-312.pyc
- index\_propagation.cpython-312.pyc
- inductor\_prims.cpython-312.pyc
- invert\_expr\_analysis.cpython-312.pyc
- ir.cpython-312.pyc
- jagged\_lowerings.cpython-312.pyc
- kernel\_inputs.cpython-312.pyc
- kernel\_template\_choice.cpython-312.pyc
- loop\_body.cpython-312.pyc
- lowering.cpython-312.pyc
- memory.cpython-312.pyc
- metrics.cpython-312.pyc
- mkl\_dnn\_ir.cpython-312.pyc
- mkl\_dnn\_lowerings.cpython-312.pyc
- mock\_cache.cpython-312.pyc
- ops\_handler.cpython-312.pyc
- optimize\_indexing.cpython-312.pyc
- output\_code.cpython-312.pyc
- pattern\_matcher.cpython-312.pyc
- quantized\_lowerings.cpython-312.pyc
- remote\_cache.cpython-312.pyc
- remote\_gemm\_autotune\_cache.cpython-312.pyc
- rocm\_multiarch\_utils.cpython-312.pyc
- scheduler.cpython-312.pyc
- select\_algorithm.cpython-312.pyc
- shape\_propagation.cpython-312.pyc
- sizevars.cpython-312.pyc
- standalone\_compile.cpython-312.pyc
- stream\_constants.cpython-312.pyc
- stream\_utils.cpython-312.pyc
- subgraph\_lowering.cpython-312.pyc
- test\_case.cpython-312.pyc
- test\_operators.cpython-312.pyc
- tiling\_utils.cpython-312.pyc
- triton\_bundler.cpython-312.pyc
- utils.cpython-312.pyc
- virtualized.cpython-312.pyc
- wrapper\_benchmark.cpython-312.pyc
- analysis/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - device\_info.cpython-312.pyc
    - profile\_analysis.cpython-312.pyc
  - \_\_init\_\_.py
  - device\_info.py
  - profile\_analysis.py
- autoheuristic/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - autoheuristic.cpython-312.pyc
    - autoheuristic\_utils.cpython-312.pyc
    - learned\_heuristic\_controller.cpython-312.pyc
    - learnedheuristic\_interface.cpython-312.pyc
- artifacts/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - MixedMMA100.cpython-312.pyc
    - MixedMMH100.cpython-312.pyc
    - MMRankingA100.cpython-312.pyc
    - MMRankingH100.cpython-312.pyc
    - PadMMA100.cpython-312.pyc
    - PadMMH200.cpython-312.pyc
  - \_\_init\_\_.py
  - MixedMMA100.py
  - MixedMMH100.py
  - MMRankingA100.py



- \_MMRankingH100.py
    - \_PadMMA100.py
    - \_PadMMH200.py
  - \_\_init\_\_.py
  - autoheuristic.py
  - autoheuristic\_utils.py
  - learned\_heuristic\_controller.py
  - learnedheuristic\_interface.py
- codegen/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - aoti\_hipify\_utils.cpython-312.pyc
    - block\_analysis.cpython-312.pyc
    - common.cpython-312.pyc
    - cpp.cpython-312.pyc
    - cpp\_bmm\_template.cpython-312.pyc
    - cpp\_flex\_attention\_template.cpython-312.pyc
    - cpp\_gemm\_template.cpython-312.pyc
    - cpp\_grouped\_gemm\_template.cpython-312.pyc
    - cpp\_micro\_gemm.cpython-312.pyc
    - cpp\_template.cpython-312.pyc
    - cpp\_template\_kernel.cpython-312.pyc
    - cpp\_utils.cpython-312.pyc
    - cpp\_wrapper\_cpu.cpython-312.pyc
    - cpp\_wrapper\_cpu\_array\_ref.cpython-312.pyc
    - cpp\_wrapper\_gpu.cpython-312.pyc
    - cpp\_wrapper\_mps.cpython-312.pyc
    - cpu\_device\_op\_overrides.cpython-312.pyc
    - cuda\_combined\_scheduling.cpython-312.pyc
    - custom\_extern\_kernel\_codegen.cpython-312.pyc
    - debug\_utils.cpython-312.pyc
    - halide.cpython-312.pyc
    - memory\_planning.cpython-312.pyc
    - mps.cpython-312.pyc
    - mps\_device\_op\_overrides.cpython-312.pyc
    - multi\_kernel.cpython-312.pyc
    - pallas.cpython-312.pyc
    - python\_wrapper\_mtia.cpython-312.pyc
    - segmented\_tree.cpython-312.pyc
    - simd.cpython-312.pyc
    - simd\_kernel\_features.cpython-312.pyc
    - subgraph.cpython-312.pyc
    - triton.cpython-312.pyc
    - triton\_combo\_kernel.cpython-312.pyc
    - triton\_split\_scan.cpython-312.pyc
    - triton\_utils.cpython-312.pyc
    - wrapper.cpython-312.pyc
    - wrapper\_fxir.cpython-312.pyc
  - aoti\_runtime/
    - interface.cpp
  - cuda/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - compile\_utils.cpython-312.pyc
      - cuda\_env.cpython-312.pyc
      - device\_op\_overrides.cpython-312.pyc
    - \_\_init\_\_.py
    - compile\_utils.py
    - cuda\_env.py
    - device\_op\_overrides.py
  - cutedsl/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_cutedsl\_utils.cpython-312.pyc
      - cutedsl\_kernel.cpython-312.pyc
      - cutedsl\_op\_overrides.cpython-312.pyc
      - cutedsl\_scheduling.cpython-312.pyc
      - cutedsl\_template.cpython-312.pyc
    - \_\_init\_\_.py
    - \_cutedsl\_utils.py
    - cutedsl\_kernel.py
    - cutedsl\_op\_overrides.py
    - cutedsl\_scheduling.py
    - cutedsl\_template.py
  - cutlass/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - cache.cpython-312.pyc
      - gemm\_template.cpython-312.pyc
      - kernel.cpython-312.pyc
      - python\_evt.cpython-312.pyc
      - scheduling.cpython-312.pyc
      - serialization.cpython-312.pyc
      - template.cpython-312.pyc
      - utils.cpython-312.pyc

```

lib_extensions/
├── pycache_/
│   ├── __init__.cpython-312.pyc
│   ├── evt_extensions.cpython-312.pyc
│   └── gemm_operation_extensions.cpython-312.pyc
├── cutlass_mock_imports/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   └── cuda/
│       ├── pycache_/
│       │   ├── __init__.cpython-312.pyc
│       │   ├── cuda.cpython-312.pyc
│       │   └── cudart.cpython-312.pyc
│       ├── __init__.py
│       ├── cuda.py
│       └── cudart.py
├── pydot/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   └── __init__.py
│   └── scipy/
│       ├── pycache_/
│       │   ├── __init__.cpython-312.pyc
│       │   └── special.cpython-312.pyc
│       ├── __init__.py
│       └── special.py
├── __init__.py
├── evt_extensions.py
├── gemm_operation_extensions.py
├── __init__.py
├── cache.py
├── gemm_template.py
├── kernel.py
├── python_evt.py
├── scheduling.py
├── serialization.py
├── template.py
├── utils.py
mtia/
├── pycache_/
│   ├── __init__.cpython-312.pyc
│   ├── device_op_overrides.cpython-312.pyc
│   └── __init__.py
├── device_op_overrides.py
nv_universal_gemm/
├── pycache_/
│   ├── __init__.cpython-312.pyc
│   ├── kernel_cache.cpython-312.pyc
│   ├── nv_universal_gemm.cpython-312.pyc
│   ├── nv_universal_gemm_kernel.cpython-312.pyc
│   ├── nv_universal_gemm_scheduling.cpython-312.pyc
│   └── nv_universal_gemm_utils.cpython-312.pyc
├── __init__.py
├── kernel_cache.py
├── nv_universal_gemm.py
├── nv_universal_gemm_kernel.py
├── nv_universal_gemm_scheduling.py
├── nv_universal_gemm_utils.py
rocm/
├── pycache_/
│   ├── __init__.cpython-312.pyc
│   ├── ck_conv_template.cpython-312.pyc
│   ├── ck_template.cpython-312.pyc
│   ├── ck_tile_template.cpython-312.pyc
│   ├── ck_tile_universal_gemm_template.cpython-312.pyc
│   ├── ck_universal_gemm_template.cpython-312.pyc
│   ├── compile_command.cpython-312.pyc
│   ├── rocm_benchmark_request.cpython-312.pyc
│   ├── rocm_cpp_scheduling.cpython-312.pyc
│   ├── rocm_kernel.cpython-312.pyc
│   ├── rocm_template.cpython-312.pyc
│   ├── rocm_template_buffer.cpython-312.pyc
│   └── rocm_utils.cpython-312.pyc
├── __init__.py
├── ck_conv_template.py
├── ck_template.py
├── ck_tile_template.py
├── ck_tile_universal_gemm_template.py
├── ck_universal_gemm_template.py
├── compile_command.py
├── rocm_benchmark_request.py
├── rocm_cpp_scheduling.py
├── rocm_kernel.py
├── rocm_template.py

```

- rocm\_template\_buffer.py
  - rocm\_utils.py
- xpu/
  - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - compile\_utils.cpython-312.pyc
      - device\_op\_overrides.cpython-312.pyc
      - xpu\_combined\_scheduling.cpython-312.pyc
      - xpu\_env.cpython-312.pyc
    - \_\_init\_\_.py
    - compile\_utils.py
    - device\_op\_overrides.py
    - xpu\_combined\_scheduling.py
    - xpu\_env.py
  - \_\_init\_\_.py
  - aoti\_hipify\_utils.py
  - block\_analysis.py
  - common.py
  - cpp.py
  - cpp\_bmm\_template.py
  - cpp\_flex\_attention\_template.py
  - cpp\_gemm\_template.py
  - cpp\_grouped\_gemm\_template.py
  - cpp\_micro\_gemm.py
  - cpp\_template.py
  - cpp\_template\_kernel.py
  - cpp\_utils.py
  - cpp\_wrapper\_cpu.py
  - cpp\_wrapper\_cpu\_array\_ref.py
  - cpp\_wrapper\_gpu.py
  - cpp\_wrapper\_mps.py
  - cpu\_device\_op\_overrides.py
  - cuda\_combined\_scheduling.py
  - custom\_extern\_kernel\_codegen.py
  - debug\_utils.py
  - halide.py
  - memory\_planning.py
  - mps.py
  - mps\_device\_op\_overrides.py
  - multi\_kernel.py
  - pallas.py
  - python\_wrapper\_mtia.py
  - segmented\_tree.py
  - simd.py
  - simd\_kernel\_features.py
  - subgraph.py
  - triton.py
  - triton\_combo\_kernel.py
  - triton\_split\_scan.py
  - triton\_utils.py
  - wrapper.py
  - wrapper\_fxir.py
- compile\_worker/
  - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_main\_\_.cpython-312.pyc
      - subproc\_pool.cpython-312.pyc
      - timer.cpython-312.pyc
      - tracked\_process\_pool.cpython-312.pyc
      - utils.cpython-312.pyc
    - \_\_init\_\_.py
    - \_\_main\_\_.py
    - subproc\_pool.py
    - timer.py
    - tracked\_process\_pool.py
    - utils.py
- fx\_passes/
  - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - apply\_gumbel\_max\_trick.cpython-312.pyc
      - b2b\_gemm.cpython-312.pyc
      - binary\_folding.cpython-312.pyc
      - bucketing.cpython-312.pyc
      - control\_dependencies.cpython-312.pyc
      - ddp\_fusion.cpython-312.pyc
      - decompose\_mem\_bound\_mm.cpython-312.pyc
      - dedupe\_symint\_uses.cpython-312.pyc
      - efficient\_conv\_bn\_eval.cpython-312.pyc
      - freezing\_patterns.cpython-312.pyc
      - fsdp.cpython-312.pyc
      - fuse\_attention.cpython-312.pyc
      - fusion\_regions.cpython-312.pyc
      - graph\_view.cpython-312.pyc
      - group\_batch\_fusion.cpython-312.pyc
      - joint\_graph.cpython-312.pyc

- memory\_estimator.cpython-312.pyc
- micro\_pipeline\_tp.cpython-312.pyc
- misc\_patterns.cpython-312.pyc
- mkldnn\_fusion.cpython-312.pyc
- node\_runtime\_estimation.cpython-312.pyc
- numeric\_utils.cpython-312.pyc
- overlap\_manual\_scheduling.cpython-312.pyc
- overlap\_preserving\_bucketeter.cpython-312.pyc
- overlap\_scheduling.cpython-312.pyc
- pad\_mm.cpython-312.pyc
- post\_grad.cpython-312.pyc
- pre\_grad.cpython-312.pyc
- quantization.cpython-312.pyc
- reduced\_atomic\_contention.cpython-312.pyc
- reinplace.cpython-312.pyc
- replace\_random.cpython-312.pyc
- split\_cat.cpython-312.pyc
- spmd\_check.cpython-312.pyc
- auto\_chunker/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - applier.cpython-312.pyc
    - common.cpython-312.pyc
    - core.cpython-312.pyc
    - propagate\_scale\_by.cpython-312.pyc
    - propagator.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py
  - applier.py
  - common.py
  - core.py
  - propagate\_scale\_by.py
  - propagator.py
  - utils.py
- serialized\_patterns/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - sfdp\_pattern\_1.cpython-312.pyc
    - sfdp\_pattern\_10.cpython-312.pyc
    - sfdp\_pattern\_11.cpython-312.pyc
    - sfdp\_pattern\_12.cpython-312.pyc
    - sfdp\_pattern\_13.cpython-312.pyc
    - sfdp\_pattern\_14.cpython-312.pyc
    - sfdp\_pattern\_15.cpython-312.pyc
    - sfdp\_pattern\_16.cpython-312.pyc
    - sfdp\_pattern\_17.cpython-312.pyc
    - sfdp\_pattern\_18.cpython-312.pyc
    - sfdp\_pattern\_19.cpython-312.pyc
    - sfdp\_pattern\_2.cpython-312.pyc
    - sfdp\_pattern\_20.cpython-312.pyc
    - sfdp\_pattern\_21.cpython-312.pyc
    - sfdp\_pattern\_22.cpython-312.pyc
    - sfdp\_pattern\_23.cpython-312.pyc
    - sfdp\_pattern\_24.cpython-312.pyc
    - sfdp\_pattern\_25.cpython-312.pyc
    - sfdp\_pattern\_26.cpython-312.pyc
    - sfdp\_pattern\_27.cpython-312.pyc
    - sfdp\_pattern\_28.cpython-312.pyc
    - sfdp\_pattern\_3.cpython-312.pyc
    - sfdp\_pattern\_4.cpython-312.pyc
    - sfdp\_pattern\_5.cpython-312.pyc
    - sfdp\_pattern\_6.cpython-312.pyc
    - sfdp\_pattern\_7.cpython-312.pyc
    - sfdp\_pattern\_8.cpython-312.pyc
    - sfdp\_pattern\_9.cpython-312.pyc
    - addmm\_pattern.cpython-312.pyc
    - bmm\_pattern.cpython-312.pyc
    - mm\_pattern.cpython-312.pyc
  - \_\_init\_\_.py
  - sfdp\_pattern\_1.py
  - sfdp\_pattern\_10.py
  - sfdp\_pattern\_11.py
  - sfdp\_pattern\_12.py
  - sfdp\_pattern\_13.py
  - sfdp\_pattern\_14.py
  - sfdp\_pattern\_15.py
  - sfdp\_pattern\_16.py
  - sfdp\_pattern\_17.py
  - sfdp\_pattern\_18.py
  - sfdp\_pattern\_19.py
  - sfdp\_pattern\_2.py
  - sfdp\_pattern\_20.py
  - sfdp\_pattern\_21.py
  - sfdp\_pattern\_22.py
  - sfdp\_pattern\_23.py

- \_sfdp\_pattern\_24.py
- \_sfdp\_pattern\_25.py
- \_sfdp\_pattern\_26.py
- \_sfdp\_pattern\_27.py
- \_sfdp\_pattern\_28.py
- \_sfdp\_pattern\_3.py
- \_sfdp\_pattern\_4.py
- \_sfdp\_pattern\_5.py
- \_sfdp\_pattern\_6.py
- \_sfdp\_pattern\_7.py
- \_sfdp\_pattern\_8.py
- \_sfdp\_pattern\_9.py
- addmm\_pattern.py
- bmm\_pattern.py
- mm\_pattern.py
- \_\_init\_\_.py
- apply\_gumbel\_max\_trick.py
- b2b\_gemm.py
- binary\_folding.py
- bucketing.py
- control\_dependencies.py
- ddp\_fusion.py
- decompose\_mem\_bound\_mm.py
- dedupe\_syminit\_uses.py
- efficient\_conv\_bn\_eval.py
- freezing\_patterns.py
- fsdp.py
- fuse\_attention.py
- fusion\_regions.py
- graph\_view.py
- group\_batch\_fusion.py
- joint\_graph.py
- memory\_estimator.py
- micro\_pipeline\_tp.py
- misc\_patterns.py
- mkldnn\_fusion.py
- node\_runtime\_estimation.py
- numeric\_utils.py
- overlap\_manual\_scheduling.py
- overlap\_preserving\_bucketter.py
- overlap\_scheduling.py
- pad\_mm.py
- post\_grad.py
- pre\_grad.py
- quantization.py
- reduced\_atomic\_contention.py
- reinplace.py
- replace\_random.py
- split\_cat.py
- spmd\_check.py
- kernel/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - bmm.cpython-312.pyc
    - conv.cpython-312.pyc
    - custom\_op.cpython-312.pyc
    - mm.cpython-312.pyc
    - mm\_common.cpython-312.pyc
    - mm\_grouped.cpython-312.pyc
    - mm\_plus\_mm.cpython-312.pyc
  - flex/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - common.cpython-312.pyc
      - flex\_attention.cpython-312.pyc
      - flex\_cpu.cpython-312.pyc
      - flex\_decoding.cpython-312.pyc
      - flex\_flash\_attention.cpython-312.pyc
    - templates/
      - common.py.jinja
      - flash\_attention.py.jinja
      - flash\_attention\_backward.py.jinja
      - flex\_attention.py.jinja
      - flex\_backwards.py.jinja
      - flex\_decode.py.jinja
      - utilities.py.jinja
    - \_\_init\_\_.py
    - common.py
    - flex\_attention.py
    - flex\_cpu.py
    - flex\_decoding.py
    - flex\_flash\_attention.py
  - templates/
    - cutedsl\_mm\_grouped.py.jinja
    - triton\_blackwell\_ws\_persistent\_device\_tma\_mm.py.jinja

- triton\_bmm.py.jinja
- triton\_depthwise\_conv.py.jinja
- triton\_epilogue\_scaled\_mm.py.jinja
- triton\_main\_loop\_scaled\_mm.py.jinja
- triton\_mm.py.jinja
- triton\_mm\_grouped.py.jinja
- triton\_mm\_rocm.py.jinja
- triton\_persistent\_mm.py.jinja
- triton\_persistent\_tma\_mm.py.jinja
- vendored\_templates/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - cutedsl/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - dense\_blockscaled\_gemm\_persistent.cpython-312.pyc
    - kernels/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - cutedsl\_grouped\_gemm.cpython-312.pyc
      - \_\_init\_\_.py
      - cutedsl\_grouped\_gemm.py
    - wrappers/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - dense\_blockscaled\_gemm\_kernel.cpython-312.pyc
      - \_\_init\_\_.py
      - dense\_blockscaled\_gemm\_kernel.py
    - \_\_init\_\_.py
    - dense\_blockscaled\_gemm\_persistent.py
    - \_\_init\_\_.py
  - \_\_init\_\_.py
  - bmm.py
  - conv.py
  - custom\_op.py
  - mm.py
  - mm\_common.py
  - mm\_grouped.py
  - mm\_plus\_mm.py
  - lookup\_table/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - choices.cpython-312.pyc
    - \_\_init\_\_.py
    - choices.py
  - package/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - build\_package.cpython-312.pyc
      - package.cpython-312.pyc
    - \_\_init\_\_.py
    - build\_package.py
    - package.py
  - runtime/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - autotune\_cache.cpython-312.pyc
      - benchmarking.cpython-312.pyc
      - cache\_dir\_utils.cpython-312.pyc
      - compile\_tasks.cpython-312.pyc
      - coordinate\_descent\_tuner.cpython-312.pyc
      - debug\_utils.cpython-312.pyc
      - halide\_helpers.cpython-312.pyc
      - hints.cpython-312.pyc
      - proton\_utils.cpython-312.pyc
      - runtime\_utils.cpython-312.pyc
      - static\_triton\_launcher.cpython-312.pyc
      - triton\_compat.cpython-312.pyc
      - triton\_helpers.cpython-312.pyc
      - triton\_heuristics.cpython-312.pyc
      - triton\_lazy\_compile.cpython-312.pyc
  - caching/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - config.cpython-312.pyc
      - context.cpython-312.pyc
      - encoders.cpython-312.pyc
      - exceptions.cpython-312.pyc
      - implementations.cpython-312.pyc
      - interfaces.cpython-312.pyc
      - locks.cpython-312.pyc
      - memoizers.cpython-312.pyc
      - utils.cpython-312.pyc
    - \_\_init\_\_.py
    - config.py

- context.py
- encoders.py
- exceptions.py
- implementations.py
- interfaces.py
- locks.py
- memoizers.py
- utils.py
- \_\_init\_\_.py
- autotune\_cache.py
- benchmarking.py
- cache\_dir\_utils.py
- compile\_tasks.py
- coordinate\_descent\_tuner.py
- debug\_utils.py
- halide\_helpers.py
- hints.py
- proton\_utils.py
- runtime\_utils.py
- static\_triton\_launcher.py
- triton\_compat.py
- triton\_helpers.py
- triton\_heuristics.py
- triton\_lazy\_compile.py
- template\_heuristics/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - aten.cpython-312.pyc
    - base.cpython-312.pyc
    - contiguous\_mm.cpython-312.pyc
    - cutedsl.cpython-312.pyc
    - decompose\_k.cpython-312.pyc
    - gemm.cpython-312.pyc
    - nv\_universal\_gemm.cpython-312.pyc
    - params.cpython-312.pyc
    - registry.cpython-312.pyc
    - tlx.cpython-312.pyc
    - triton.cpython-312.pyc
    - triton\_addmm.cpython-312.pyc
  - \_\_init\_\_.py
  - aten.py
  - base.py
  - contiguous\_mm.py
  - cutedsl.py
  - decompose\_k.py
  - gemm.py
  - nv\_universal\_gemm.py
  - params.py
  - registry.py
  - tlx.py
  - triton.py
  - triton\_addmm.py
- autotune\_main.py
- \_\_init\_\_.py
- analyze\_preserves\_zero\_mask.py
- aoti\_eager.py
- async\_compile.py
- augmented\_graph\_helper.py
- autotune\_process.py
- await\_utils.py
- bounds.py
- cache.py
- choices.py
- codecache.py
- comm\_analysis.py
- comm\_lowering.py
- comms.py
- comms\_debug.py
- compile\_fx.py
- compile\_fx\_async.py
- compile\_fx\_ext.py
- compile\_fx\_subproc.py
- compiler\_bisector.py
- config.py
- config\_comms.py
- constant\_folding.py
- cpp\_builder.py
- cpu\_vec\_isa.py
- cudagraph\_trees.py
- cudagraph\_utils.py
- custom\_graph\_pass.py
- debug.py
- decomposition.py
- dependencies.py
- distributed\_autotune.py

- dtype\_propagation.py
- exc.py
- extern\_node\_serializer.py
- freezing.py
- freezing\_utils.py
- fuzzer.py
- fx\_utils.py
- graph.py
- hooks.py
- index\_propagation.py
- inductor\_prims.py
- invert\_expr\_analysis.py
- ir.py
- jagged\_lowerings.py
- kernel\_inputs.py
- kernel\_template\_choice.py
- loop\_body.py
- lowering.py
- memory.py
- metrics.py
- mkl\_dnn\_ir.py
- mkl\_dnn\_lowerings.py
- mock\_cache.py
- ops\_handler.py
- optimize\_indexing.py
- output\_code.py
- pattern\_matcher.py
- quantized\_lowerings.py
- remote\_cache.py
- remote\_gemm\_autotune\_cache.py
- rocm\_multiarch\_utils.py
- scheduler.py
- script.ld
- select\_algorithm.py
- shape\_propagation.py
- sizevars.py
- standalone\_compile.py
- stream\_constants.py
- stream\_utils.py
- subgraph\_lowering.py
- test\_case.py
- test\_operators.py
- tiling\_utils.py
- triton\_bundler.py
- utils.py
- virtualized.py
- wrapper\_benchmark.py
- lazy/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - closure.cpython-312.pyc
    - computation.cpython-312.pyc
    - config.cpython-312.pyc
    - debug.cpython-312.pyc
    - device\_context.cpython-312.pyc
    - extract\_compiled\_graph.cpython-312.pyc
    - ir\_cache.cpython-312.pyc
    - metrics.cpython-312.pyc
    - tensor\_factory\_functions.cpython-312.pyc
    - ts\_backend.cpython-312.pyc
  - \_\_init\_\_.py
  - closure.py
  - computation.py
  - config.py
  - debug.py
  - device\_context.py
  - extract\_compiled\_graph.py
  - ir\_cache.py
  - metrics.py
  - tensor\_factory\_functions.py
  - ts\_backend.py
- library/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_out\_variant.cpython-312.pyc
    - autograd.cpython-312.pyc
    - custom\_ops.cpython-312.pyc
    - effects.cpython-312.pyc
    - fake\_class\_registry.cpython-312.pyc
    - fake\_impl.cpython-312.pyc
    - fake\_profile.cpython-312.pyc
    - infer\_schema.cpython-312.pyc
    - opaque\_object.cpython-312.pyc
    - simple\_registry.cpython-312.pyc
    - triton.cpython-312.pyc



- └─ utils.cpython-312.pyc
- ─ \_\_init\_\_.py
- ─ out\_variant.py
- ─ autograd.py
- ─ custom\_ops.py
- ─ effects.py
- ─ fake\_class\_registry.py
- ─ fake\_impl.py
- ─ fake\_profile.py
- ─ infer\_schema.py
- ─ opaque\_object.py
- ─ simple\_registry.py
- ─ triton.py
- ─ utils.py
- ─ logging/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_internal.cpython-312.pyc
    - └─ \_registrations.cpython-312.pyc
    - └─ scribe.cpython-312.pyc
    - └─ structured.cpython-312.pyc
  - ─ \_\_init\_\_.py
  - ─ \_internal.py
  - ─ \_registrations.py
  - ─ scribe.py
  - ─ structured.py
- ─ native/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ common\_utils.cpython-312.pyc
    - └─ cutedsl\_utils.cpython-312.pyc
    - └─ dsl\_registry.cpython-312.pyc
    - └─ registry.cpython-312.pyc
    - └─ triton\_utils.cpython-312.pyc
  - ─ ops/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_\_init\_\_.py
  - ─ \_\_init\_\_.py
  - ─ common\_utils.py
  - ─ cutedsl\_utils.py
  - ─ dsl\_registry.py
  - ─ registry.py
  - ─ triton\_utils.py
- ─ numpy/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_binary\_ufuncs\_impl.cpython-312.pyc
    - └─ \_casting\_dicts.cpython-312.pyc
    - └─ \_dtypes.cpython-312.pyc
    - └─ \_dtypes\_impl.cpython-312.pyc
    - └─ \_funcs.cpython-312.pyc
    - └─ \_funcs\_impl.cpython-312.pyc
    - └─ \_getlimits.cpython-312.pyc
    - └─ \_ndarray.cpython-312.pyc
    - └─ \_normalizations.cpython-312.pyc
    - └─ \_reductions\_impl.cpython-312.pyc
    - └─ \_ufuncs.cpython-312.pyc
    - └─ \_unary\_ufuncs\_impl.cpython-312.pyc
    - └─ \_util.cpython-312.pyc
    - └─ fft.cpython-312.pyc
    - └─ linalg.cpython-312.pyc
    - └─ random.cpython-312.pyc
  - ─ testing/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ utils.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ utils.py
  - ─ \_\_init\_\_.py
  - ─ \_binary\_ufuncs\_impl.py
  - ─ \_casting\_dicts.py
  - ─ \_dtypes.py
  - ─ \_dtypes\_impl.py
  - ─ \_funcs.py
  - ─ \_funcs\_impl.py
  - ─ \_getlimits.py
  - ─ \_ndarray.py
  - ─ \_normalizations.py
  - ─ \_reductions\_impl.py
  - ─ \_ufuncs.py
  - ─ \_unary\_ufuncs\_impl.py
  - ─ \_util.py
  - ─ fft.py
  - ─ linalg.py

- └─ random.py
- └─ prims/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ context.cpython-312.pyc
    - └─ debug\_prims.cpython-312.pyc
    - └─ executor.cpython-312.pyc
    - └─ rng\_prims.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ context.py
  - └─ debug\_prims.py
  - └─ executor.py
  - └─ rng\_prims.py
- └─ prims\_common/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ wrappers.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ wrappers.py
- └─ refs/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ conversions.cpython-312.pyc
    - └─ fft.cpython-312.pyc
  - └─ linalg/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_\_init\_\_.py
  - └─ nn/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
    - └─ functional/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_\_init\_\_.py
    - └─ \_\_init\_\_.py
  - └─ special/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_\_init\_\_.py
  - └─ \_\_init\_\_.py
  - └─ conversions.py
  - └─ fft.py
- └─ strobelight/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ cli\_function\_profiler.cpython-312.pyc
    - └─ compile\_time\_profiler.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ cli\_function\_profiler.py
  - └─ compile\_time\_profiler.py
- └─ subclasses/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ fake\_tensor\_utils.cpython-312.pyc
    - └─ fake\_impls.cpython-312.pyc
    - └─ fake\_tensor.cpython-312.pyc
    - └─ fake\_utils.cpython-312.pyc
    - └─ functional\_tensor.cpython-312.pyc
    - └─ meta\_utils.cpython-312.pyc
    - └─ schema\_check\_mode.cpython-312.pyc
  - └─ complex\_tensor/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ core.cpython-312.pyc
    - └─ ops/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-312.pyc
        - └─ aten.cpython-312.pyc
        - └─ common.cpython-312.pyc
        - └─ prims.cpython-312.pyc
      - └─ \_\_init\_\_.py
      - └─ aten.py
      - └─ common.py
      - └─ prims.py
    - └─ \_\_init\_\_.py
    - └─ core.py
  - └─ \_\_init\_\_.py
  - └─ fake\_tensor\_utils.py
  - └─ fake\_impls.py
  - └─ fake\_tensor.py
  - └─ fake\_utils.py
  - └─ functional\_tensor.py
  - └─ meta\_utils.py
  - └─ schema\_check\_mode.py

```

vendor/
├── pycache_/
│   ├── __init__.cpython-312.pyc
│   └── __init__.py
├── packaging/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── __structures.cpython-312.pyc
│   │   └── version.cpython-312.pyc
│   ├── __init__.py
│   ├── __structures.py
│   └── version.py
├── __init__.py
└── accelerator/
    ├── pycache_/
    │   ├── __init__.cpython-312.pyc
    │   ├── _utils.cpython-312.pyc
    │   ├── graphs.cpython-312.pyc
    │   └── memory.cpython-312.pyc
    ├── __init__.py
    ├── _utils.py
    ├── graphs.py
    └── memory.py

amp/
├── pycache_/
│   ├── __init__.cpython-312.pyc
│   ├── autocast_mode.cpython-312.pyc
│   └── grad_scaler.cpython-312.pyc
├── __init__.py
├── autocast_mode.py
└── grad_scaler.py

ao/
├── pycache_/
│   ├── __init__.cpython-312.pyc
│   └── __init__.py
├── nn/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   └── __init__.py
│   ├── intrinsic/
│   │   ├── pycache_/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   └── __init__.py
│   │   └── modules/
│   │       ├── pycache_/
│   │       │   ├── __init__.cpython-312.pyc
│   │       │   └── fused.cpython-312.pyc
│   │       ├── __init__.py
│   │       └── fused.py
│   ├── qat/
│   │   ├── pycache_/
│   │   │   ├── __init__.cpython-312.pyc
│   │   │   └── __init__.py
│   │   ├── modules/
│   │   │   ├── pycache_/
│   │   │   │   ├── __init__.cpython-312.pyc
│   │   │   │   ├── conv_fused.cpython-312.pyc
│   │   │   │   ├── linear_fused.cpython-312.pyc
│   │   │   │   └── linear_relu.cpython-312.pyc
│   │   │   ├── __init__.py
│   │   │   ├── conv_fused.py
│   │   │   ├── linear_fused.py
│   │   │   └── linear_relu.py
│   │   └── __init__.py
│   └── quantized/
│       ├── pycache_/
│       │   ├── __init__.cpython-312.pyc
│       │   └── __init__.py
│       ├── dynamic/
│       │   ├── pycache_/
│       │   │   ├── __init__.cpython-312.pyc
│       │   │   └── __init__.py
│       │   ├── modules/
│       │   │   ├── pycache_/
│       │   │   │   ├── __init__.cpython-312.pyc
│       │   │   │   └── linear_relu.cpython-312.pyc
│       │   │   ├── __init__.py
│       │   │   └── linear_relu.py
│       │   └── __init__.py
│       └── modules/
│           ├── pycache_/
│           │   ├── __init__.cpython-312.pyc
│           │   ├── bn_relu.cpython-312.pyc
│           │   ├── conv_add.cpython-312.pyc
│           │   ├── conv_relu.cpython-312.pyc
│           │   └── linear_relu.cpython-312.pyc
│           ├── __init__.py
│           ├── bn_relu.py
│           ├── conv_add.py
│           ├── conv_relu.py
│           ├── linear_relu.py
│           └── __init__.py

```

```

└─ __init__.py
qat/
└─ pycache_/
    └─ __init__.cpython-312.pyc
dynamic/
└─ pycache_/
    └─ __init__.cpython-312.pyc
modules/
└─ pycache_/
    └─ __init__.cpython-312.pyc
        └─ linear.cpython-312.pyc
└─ __init__.py
    └─ linear.py
└─ __init__.py
modules/
└─ pycache_/
    └─ __init__.cpython-312.pyc
        └─ conv.cpython-312.pyc
        └─ embedding_ops.cpython-312.pyc
        └─ linear.cpython-312.pyc
└─ __init__.py
└─ conv.py
└─ embedding_ops.py
└─ linear.py
└─ __init__.py
quantizable/
└─ pycache_/
    └─ __init__.cpython-312.pyc
modules/
└─ pycache_/
    └─ __init__.cpython-312.pyc
        └─ activation.cpython-312.pyc
        └─ rnn.cpython-312.pyc
└─ __init__.py
└─ activation.py
└─ rnn.py
└─ __init__.py
quantized/
└─ pycache_/
    └─ __init__.cpython-312.pyc
        └─ functional.cpython-312.pyc
dynamic/
└─ pycache_/
    └─ __init__.cpython-312.pyc
modules/
└─ pycache_/
    └─ __init__.cpython-312.pyc
        └─ conv.cpython-312.pyc
        └─ linear.cpython-312.pyc
        └─ rnn.cpython-312.pyc
└─ __init__.py
└─ conv.py
└─ linear.py
└─ rnn.py
└─ __init__.py
modules/
└─ pycache_/
    └─ __init__.cpython-312.pyc
        └─ activation.cpython-312.pyc
        └─ batchnorm.cpython-312.pyc
        └─ conv.cpython-312.pyc
        └─ dropout.cpython-312.pyc
        └─ embedding_ops.cpython-312.pyc
        └─ functional_modules.cpython-312.pyc
        └─ linear.cpython-312.pyc
        └─ normalization.cpython-312.pyc
        └─ rnn.cpython-312.pyc
        └─ utils.cpython-312.pyc
└─ __init__.py
└─ activation.py
└─ batchnorm.py
└─ conv.py
└─ dropout.py
└─ embedding_ops.py
└─ functional_modules.py
└─ linear.py
└─ normalization.py
└─ rnn.py
└─ utils.py
reference/
└─ pycache_/
    └─ __init__.cpython-312.pyc
modules/
└─ pycache_/
    └─ __init__.cpython-312.pyc

```

- conv.cpython-312.pyc
    - linear.cpython-312.pyc
    - rnn.cpython-312.pyc
    - sparse.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py
  - conv.py
  - linear.py
  - rnn.py
  - sparse.py
  - utils.py
- \_\_init\_\_.py
- \_\_init\_\_.py
- functional.py
- sparse/
  - pycache/
    - \_\_init\_\_.cpython-312.pyc
  - quantized/
    - pycache/
      - \_\_init\_\_.cpython-312.pyc
      - linear.cpython-312.pyc
      - utils.cpython-312.pyc
    - dynamic/
      - pycache/
        - \_\_init\_\_.cpython-312.pyc
        - linear.cpython-312.pyc
      - \_\_init\_\_.py
      - linear.py
    - \_\_init\_\_.py
    - linear.py
    - utils.py
    - \_\_init\_\_.py
    - \_\_init\_\_.py
  - ns/
    - pycache/
      - \_\_init\_\_.cpython-312.pyc
      - \_numeric\_suite.cpython-312.pyc
      - \_numeric\_suite\_fx.cpython-312.pyc
    - fx/
      - pycache/
        - \_\_init\_\_.cpython-312.pyc
        - graph\_matcher.cpython-312.pyc
        - graph\_passes.cpython-312.pyc
        - mappings.cpython-312.pyc
        - n\_shadows\_utils.cpython-312.pyc
        - ns\_types.cpython-312.pyc
        - pattern\_utils.cpython-312.pyc
        - qconfig\_multi\_mapping.cpython-312.pyc
        - utils.cpython-312.pyc
        - weight\_utils.cpython-312.pyc
      - \_\_init\_\_.py
      - graph\_matcher.py
      - graph\_passes.py
      - mappings.py
      - n\_shadows\_utils.py
      - ns\_types.py
      - pattern\_utils.py
      - qconfig\_multi\_mapping.py
      - utils.py
      - weight\_utils.py
      - \_\_init\_\_.py
      - \_numeric\_suite.py
      - \_numeric\_suite\_fx.py
    - pruning/
      - pycache/
        - \_\_init\_\_.cpython-312.pyc
        - \_mappings.cpython-312.pyc
      - experimental/
        - pycache/
          - \_\_init\_\_.cpython-312.pyc
        - activation\_sparsifier/
          - pycache/
            - \_\_init\_\_.cpython-312.pyc
            - activation\_sparsifier.cpython-312.pyc
          - \_\_init\_\_.py
          - activation\_sparsifier.py
        - data\_scheduler/
          - pycache/
            - \_\_init\_\_.cpython-312.pyc
            - base\_data\_scheduler.cpython-312.pyc
          - \_\_init\_\_.py
          - base\_data\_scheduler.py
        - data\_sparsifier/
          - pycache/
            - \_\_init\_\_.cpython-312.pyc

- base\_data\_sparsifier.cpython-312.pyc
  - data\_norm\_sparsifier.cpython-312.pyc
  - quantization\_utils.cpython-312.pyc
- lightning/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - callbacks/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - data\_sparstity\_utils.cpython-312.pyc
      - data\_sparsity.cpython-312.pyc
    - \_\_init\_\_.py
    - data\_sparstity\_utils.py
    - data\_sparsity.py
    - \_\_init\_\_.py
  - \_\_init\_\_.py
  - base\_data\_sparsifier.py
  - data\_norm\_sparsifier.py
  - quantization\_utils.py
- pruner/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - base\_structured\_sparsifier.cpython-312.pyc
    - FPGM\_pruner.cpython-312.pyc
    - lstm\_saliency\_pruner.cpython-312.pyc
    - match\_utils.cpython-312.pyc
    - parametrization.cpython-312.pyc
    - prune\_functions.cpython-312.pyc
    - saliency\_pruner.cpython-312.pyc
  - \_\_init\_\_.py
  - base\_structured\_sparsifier.py
  - FPGM\_pruner.py
  - lstm\_saliency\_pruner.py
  - match\_utils.py
  - parametrization.py
  - prune\_functions.py
  - saliency\_pruner.py
  - \_\_init\_\_.py
- scheduler/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - base\_scheduler.cpython-312.pyc
    - cubic\_scheduler.cpython-312.pyc
    - lambda\_scheduler.cpython-312.pyc
  - \_\_init\_\_.py
  - base\_scheduler.py
  - cubic\_scheduler.py
  - lambda\_scheduler.py
- sparsifier/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - base\_sparsifier.cpython-312.pyc
    - nearly\_diagonal\_sparsifier.cpython-312.pyc
    - utils.cpython-312.pyc
    - weight\_norm\_sparsifier.cpython-312.pyc
  - \_\_init\_\_.py
  - base\_sparsifier.py
  - nearly\_diagonal\_sparsifier.py
  - utils.py
  - weight\_norm\_sparsifier.py
  - \_\_init\_\_.py
  - \_mappings.py
- quantization/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_correct\_bias.cpython-312.pyc
    - \_equalize.cpython-312.pyc
    - \_learnable\_fake\_quantize.cpython-312.pyc
    - fake\_quantize.cpython-312.pyc
    - fuse\_modules.cpython-312.pyc
    - fuser\_method\_mappings.cpython-312.pyc
    - observer.cpython-312.pyc
    - qconfig.cpython-312.pyc
    - qconfig\_mapping.cpython-312.pyc
    - quant\_type.cpython-312.pyc
    - quantization\_mappings.cpython-312.pyc
    - quantize.cpython-312.pyc
    - quantize\_fx.cpython-312.pyc
    - quantize\_jit.cpython-312.pyc
    - stubs.cpython-312.pyc
    - utils.cpython-312.pyc
- backend\_config/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_common\_operator\_config\_utils.cpython-312.pyc

- \_qnnpack\_pt2e.cpython-312.pyc
- backend\_config.cpython-312.pyc
- executorch.cpython-312.pyc
- fbgemm.cpython-312.pyc
- native.cpython-312.pyc
- onednn.cpython-312.pyc
- qnnpack.cpython-312.pyc
- tensorrt.cpython-312.pyc
- utils.cpython-312.pyc
- x86.cpython-312.pyc
- \_\_init\_\_.py
- \_common\_operator\_config\_utils.py
- \_qnnpack\_pt2e.py
- backend\_config.py
- executorch.py
- fbgemm.py
- native.py
- onednn.py
- qnnpack.py
- tensorrt.py
- utils.py
- x86.py
- fx/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_decomposed.cpython-312.pyc
    - \_equalize.cpython-312.pyc
    - \_lower\_to\_native\_backend.cpython-312.pyc
    - convert.cpython-312.pyc
    - custom\_config.cpython-312.pyc
    - fuse.cpython-312.pyc
    - fuse\_handler.cpython-312.pyc
    - graph\_module.cpython-312.pyc
    - lower\_to\_fbgemm.cpython-312.pyc
    - lower\_to\_qnnpack.cpython-312.pyc
    - lstm\_utils.cpython-312.pyc
    - match\_utils.cpython-312.pyc
    - pattern\_utils.cpython-312.pyc
    - prepare.cpython-312.pyc
    - qconfig\_mapping\_utils.cpython-312.pyc
    - quantize\_handler.cpython-312.pyc
    - tracer.cpython-312.pyc
    - utils.cpython-312.pyc
  - model\_report/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - detector.cpython-312.pyc
      - model\_report.cpython-312.pyc
      - model\_report\_observer.cpython-312.pyc
      - model\_report\_visualizer.cpython-312.pyc
    - \_\_init\_\_.py
    - detector.py
    - model\_report.py
    - model\_report\_observer.py
    - model\_report\_visualizer.py
- \_\_init\_\_.py
- \_decomposed.py
- \_equalize.py
- \_lower\_to\_native\_backend.py
- convert.py
- custom\_config.py
- fuse.py
- fuse\_handler.py
- graph\_module.py
- lower\_to\_fbgemm.py
- lower\_to\_qnnpack.py
- lstm\_utils.py
- match\_utils.py
- pattern\_utils.py
- prepare.py
- qconfig\_mapping\_utils.py
- quantize\_handler.py
- tracer.py
- utils.py
- \_\_init\_\_.py
- \_correct\_bias.py
- \_equalize.py
- \_learnable\_fake\_quantize.py
- fake\_quantize.py
- fuse\_modules.py
- fuser\_method\_mappings.py
- observer.py
- qconfig.py
- qconfig\_mapping.py
- quant\_type.py

- quantization\_mappings.py
- quantize.py
- quantize\_fx.py
- quantize\_jit.py
- stubs.py
- utils.py
- \_\_init\_\_.py
- autograd/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - anomaly\_mode.cpython-312.pyc
    - forward\_ad.cpython-312.pyc
    - function.cpython-312.pyc
    - functional.cpython-312.pyc
    - grad\_mode.cpython-312.pyc
    - gradcheck.cpython-312.pyc
    - graph.cpython-312.pyc
    - profiler.cpython-312.pyc
    - profiler\_legacy.cpython-312.pyc
    - profiler\_util.cpython-312.pyc
    - variable.cpython-312.pyc
  - functions/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - tensor.cpython-312.pyc
      - utils.cpython-312.pyc
    - \_\_init\_\_.py
    - tensor.py
    - utils.py
  - \_\_init\_\_.py
  - anomaly\_mode.py
  - forward\_ad.py
  - function.py
  - functional.py
  - grad\_mode.py
  - gradcheck.py
  - graph.py
  - profiler.py
  - profiler\_legacy.py
  - profiler\_util.py
  - variable.py
- backends/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - coreml/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - preprocess.cpython-312.pyc
    - \_\_init\_\_.py
    - preprocess.py
  - nnapi/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - prepare.cpython-312.pyc
      - serializer.cpython-312.pyc
    - \_\_init\_\_.py
    - prepare.py
    - serializer.py
  - cpu/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - cuda/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - cudnn/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - rnn.cpython-312.pyc
    - \_\_init\_\_.py
    - rnn.py
  - cusparselt/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - kleidiai/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - mha/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - miopen/



- \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
  - mk1/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
  - mkldnn/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
  - mps/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
  - nnpack/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
  - openmp/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
  - opt\_einsum/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
  - python\_native/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
  - quantized/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
  - xeon/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - run\_cpu.cpython-312.pyc
      - \_\_init\_\_.py
      - run\_cpu.py
  - xnnpack/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_\_init\_\_.py
  - \_\_init\_\_.py
- bin/
  - protoc.exe
- compiler/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_cache.cpython-312.pyc
    - config.cpython-312.pyc
    - \_\_init\_\_.py
    - \_cache.py
    - config.py
- contrib/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_tensorboard\_vis.cpython-312.pyc
    - \_\_init\_\_.py
    - \_tensorboard\_vis.py
- cpu/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - amp/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - autocast\_mode.cpython-312.pyc
      - grad\_scaler.cpython-312.pyc
      - \_\_init\_\_.py
      - autocast\_mode.py
      - grad\_scaler.py
    - \_\_init\_\_.py
- csrc/
  - inductor/
    - aoti\_runtime/
      - model.h
- cuda/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_annotate\_cuda\_graph\_trace.cpython-312.pyc
    - \_device\_limits.cpython-312.pyc
    - \_gpu\_trace.cpython-312.pyc
    - \_graph\_annotations.cpython-312.pyc

- \_memory\_viz.cpython-312.pyc
- \_pin\_memory\_utils.cpython-312.pyc
- \_sanitizer.cpython-312.pyc
- \_utils.cpython-312.pyc
- comm.cpython-312.pyc
- gds.cpython-312.pyc
- graphs.cpython-312.pyc
- green\_contexts.cpython-312.pyc
- jiterator.cpython-312.pyc
- memory.cpython-312.pyc
- nccl.cpython-312.pyc
- nvtx.cpython-312.pyc
- profiler.cpython-312.pyc
- random.cpython-312.pyc
- sparse.cpython-312.pyc
- streams.cpython-312.pyc
- tunable.cpython-312.pyc
- amp/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - autocast\_mode.cpython-312.pyc
    - common.cpython-312.pyc
    - grad\_scaler.cpython-312.pyc
  - \_\_init\_\_.py
  - autocast\_mode.py
  - common.py
  - grad\_scaler.py
  - \_\_init\_\_.py
  - \_annotate\_cuda\_graph\_trace.py
  - \_device\_limits.py
  - \_gpu\_trace.py
  - \_graph\_annotations.py
  - \_memory\_viz.py
  - \_pin\_memory\_utils.py
  - \_sanitizer.py
  - \_utils.py
  - comm.py
  - gds.py
  - graphs.py
  - green\_contexts.py
  - jiterator.py
  - memory.py
  - nccl.py
  - nvtx.py
  - profiler.py
  - random.py
  - sparse.py
  - streams.py
  - tunable.py
- distributed/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_checkpointable.cpython-312.pyc
    - \_composable\_state.cpython-312.pyc
    - \_dist2.cpython-312.pyc
    - \_functional\_collectives.cpython-312.pyc
    - \_functional\_collectives\_impl.cpython-312.pyc
    - \_mesh\_layout.cpython-312.pyc
    - \_meta\_registrations.cpython-312.pyc
    - \_serialization.cpython-312.pyc
    - \_state\_dict\_utils.cpython-312.pyc
    - argparse\_util.cpython-312.pyc
    - c10d\_logger.cpython-312.pyc
    - collective\_utils.cpython-312.pyc
    - config.cpython-312.pyc
    - constants.cpython-312.pyc
    - device\_mesh.cpython-312.pyc
    - distributed\_c10d.cpython-312.pyc
    - launch.cpython-312.pyc
    - logging\_handlers.cpython-312.pyc
    - remote\_device.cpython-312.pyc
    - rendezvous.cpython-312.pyc
    - run.cpython-312.pyc
    - utils.cpython-312.pyc
  - composable/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - checkpoint\_activation.cpython-312.pyc
      - contract.cpython-312.pyc
      - replicate.cpython-312.pyc
      - replicate\_with\_fsdp.cpython-312.pyc
  - fsdp/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - fully\_shard.cpython-312.pyc

- \_\_init\_\_.py
    - fully\_shard.py
  - \_\_init\_\_.py
  - checkpoint\_activation.py
  - contract.py
  - replicate.py
  - replicate\_with\_fsdp.py
- local\_tensor/
  - \_\_init\_\_.py
    - \_\_c10d.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_c10d.py
- ops/
  - \_\_init\_\_.cpython-312.pyc
    - device\_mesh.cpython-312.pyc
  - \_\_init\_\_.py
  - device\_mesh.py
- pycute/
  - \_\_init\_\_.cpython-312.pyc
    - int\_tuple.cpython-312.pyc
    - layout.cpython-312.pyc
    - typing.cpython-312.pyc
  - \_\_init\_\_.py
  - int\_tuple.py
  - layout.py
  - typing.py
- shard/
  - \_\_init\_\_.cpython-312.pyc
    - \_\_utils.cpython-312.pyc
    - api.cpython-312.pyc
    - common\_op\_utils.cpython-312.pyc
    - metadata.cpython-312.pyc
    - op\_registry\_utils.cpython-312.pyc
    - sharder.cpython-312.pyc
- checkpoint/
  - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- sharded\_optim/
  - \_\_init\_\_.cpython-312.pyc
    - api.cpython-312.pyc
  - \_\_init\_\_.py
  - api.py
- sharded\_tensor/
  - \_\_init\_\_.cpython-312.pyc
    - api.cpython-312.pyc
    - logger.cpython-312.pyc
    - logging\_handlers.cpython-312.pyc
    - metadata.cpython-312.pyc
    - reshard.cpython-312.pyc
    - shard.cpython-312.pyc
    - utils.cpython-312.pyc
- \_ops/
  - \_\_init\_\_.cpython-312.pyc
    - \_common.cpython-312.pyc
    - binary\_cmp.cpython-312.pyc
    - init.cpython-312.pyc
    - misc\_ops.cpython-312.pyc
    - tensor\_ops.cpython-312.pyc
  - \_\_init\_\_.py
  - \_common.py
  - binary\_cmp.py
  - init.py
  - misc\_ops.py
  - tensor\_ops.py
- \_\_init\_\_.py
- api.py
- logger.py
- logging\_handlers.py
- metadata.py
- reshard.py
- shard.py
- utils.py

- sharding\_plan/
- \_\_init\_\_.cpython-312.pyc
  - api.cpython-312.pyc
- \_\_init\_\_.py

- └─ api.py
- └─ sharding\_spec/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_internals.cpython-312.pyc
    - └─ api.cpython-312.pyc
    - └─ chunk\_sharding\_spec.cpython-312.pyc
  - └─ chunk\_sharding\_spec\_ops/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ \_common.cpython-312.pyc
      - └─ embedding.cpython-312.pyc
      - └─ embedding\_bag.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ \_common.py
    - └─ embedding.py
    - └─ embedding\_bag.py
  - └─ \_\_init\_\_.py
  - └─ \_internals.py
  - └─ api.py
  - └─ chunk\_sharding\_spec.py
- └─ \_\_init\_\_.py
- └─ \_utils.py
- └─ api.py
- └─ common\_op\_utils.py
- └─ metadata.py
- └─ op\_registry\_utils.py
- └─ sharder.py
- └─ sharded\_tensor/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
  - └─ \_\_init\_\_.py
- └─ sharding\_spec/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
  - └─ \_\_init\_\_.py
- └─ symmetric\_memory/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_nvshmem\_triton.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ \_nvshmem\_triton.py
- └─ tensor/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ api.cpython-312.pyc
    - └─ placement\_types.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ api.py
  - └─ placement\_types.py
- └─ tools/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ common\_utils.cpython-312.pyc
    - └─ fake\_collectives.cpython-312.pyc
    - └─ fsdp2\_mem\_tracker.cpython-312.pyc
    - └─ ilp\_utils.cpython-312.pyc
    - └─ mem\_tracker.cpython-312.pyc
    - └─ memory\_tracker.cpython-312.pyc
    - └─ mod\_tracker.cpython-312.pyc
    - └─ runtime\_estimator.cpython-312.pyc
    - └─ sac\_estimator.cpython-312.pyc
    - └─ sac\_ilp.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ common\_utils.py
  - └─ fake\_collectives.py
  - └─ fsdp2\_mem\_tracker.py
  - └─ ilp\_utils.py
  - └─ mem\_tracker.py
  - └─ memory\_tracker.py
  - └─ mod\_tracker.py
  - └─ runtime\_estimator.py
  - └─ sac\_estimator.py
  - └─ sac\_ilp.py
- └─ algorithms/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ join.cpython-312.pyc
  - └─ checkpoint/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ checkpoint\_wrapper.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ checkpoint\_wrapper.py
  - └─ \_comm\_hooks/

- \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - default\_hooks.cpython-312.pyc
    - \_\_init\_\_.py
    - default\_hooks.py
  - optimizer\_overlap/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - optimizer\_overlap.cpython-312.pyc
      - \_\_init\_\_.py
    - optimizer\_overlap.py
  - quantization/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - quantization.cpython-312.pyc
      - \_\_init\_\_.py
    - quantization.py
  - ddp\_comm\_hooks/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - ddp\_zero\_hook.cpython-312.pyc
        - debugging\_hooks.cpython-312.pyc
        - default\_hooks.cpython-312.pyc
        - mixed\_precision\_hooks.cpython-312.pyc
        - optimizer\_overlap\_hooks.cpython-312.pyc
        - post\_localSGD\_hook.cpython-312.pyc
        - powerSGD\_hook.cpython-312.pyc
        - quantization\_hooks.cpython-312.pyc
      - \_\_init\_\_.py
    - ddp\_zero\_hook.py
    - debugging\_hooks.py
    - default\_hooks.py
    - mixed\_precision\_hooks.py
    - optimizer\_overlap\_hooks.py
    - post\_localSGD\_hook.py
    - powerSGD\_hook.py
    - quantization\_hooks.py
  - model\_averaging/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - averagers.cpython-312.pyc
        - hierarchical\_model\_averager.cpython-312.pyc
        - utils.cpython-312.pyc
      - \_\_init\_\_.py
    - averagers.py
    - hierarchical\_model\_averager.py
    - utils.py
  - \_\_init\_\_.py
  - join.py
- autograd/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
- checkpoint/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_async\_executor.cpython-312.pyc
      - \_async\_process\_executor.cpython-312.pyc
      - \_async\_thread\_executor.cpython-312.pyc
      - \_checkpointer.cpython-312.pyc
      - \_consolidate\_hf\_safetensors.cpython-312.pyc
      - \_dedup\_save\_plans.cpython-312.pyc
      - \_dedup\_tensors.cpython-312.pyc
      - \_extension.cpython-312.pyc
      - \_fsspec\_filesystem.cpython-312.pyc
      - \_hf\_utils.cpython-312.pyc
      - \_nested\_dict.cpython-312.pyc
      - \_pg\_transport.cpython-312.pyc
      - \_sharded\_tensor\_utils.cpython-312.pyc
      - \_state\_dict\_stager.cpython-312.pyc
      - \_storage\_utils.cpython-312.pyc
      - \_traverse.cpython-312.pyc
      - \_version.cpython-312.pyc
      - api.cpython-312.pyc
      - default\_planner.cpython-312.pyc
      - filesystem.cpython-312.pyc
      - format\_utils.cpython-312.pyc
      - hf\_storage.cpython-312.pyc
      - logger.cpython-312.pyc
      - logging\_handlers.cpython-312.pyc
      - metadata.cpython-312.pyc
      - optimizer.cpython-312.pyc
      - planner.cpython-312.pyc
      - planner\_helpers.cpython-312.pyc
      - quantized\_hf\_storage.cpython-312.pyc

- resharding.cpython-312.pyc
- staging.cpython-312.pyc
- state\_dict.cpython-312.pyc
- state\_dict\_loader.cpython-312.pyc
- state\_dict\_saver.cpython-312.pyc
- stateful.cpython-312.pyc
- storage.cpython-312.pyc
- utils.cpython-312.pyc
- experimental/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - barriers.cpython-312.pyc
    - builder.cpython-312.pyc
    - checkpoint\_process.cpython-312.pyc
    - checkpoint\_reader.cpython-312.pyc
    - checkpoint\_writer.cpython-312.pyc
    - checkpointpointer.cpython-312.pyc
    - config.cpython-312.pyc
    - staging.cpython-312.pyc
    - types.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py
  - barriers.py
  - builder.py
  - checkpoint\_process.py
  - checkpoint\_reader.py
  - checkpoint\_writer.py
  - checkpointpointer.py
  - config.py
  - staging.py
  - types.py
  - utils.py
- \_\_init\_\_.py
- \_async\_executor.py
- \_async\_process\_executor.py
- \_async\_thread\_executor.py
- \_checkpointpointer.py
- \_consolidate\_hf\_safetensors.py
- \_dedup\_save\_plans.py
- \_dedup\_tensors.py
- \_extension.py
- \_fsspec\_filesystem.py
- \_hf\_utils.py
- \_nested\_dict.py
- \_pg\_transport.py
- \_sharded\_tensor\_utils.py
- \_state\_dict\_stager.py
- \_storage\_utils.py
- \_traverse.py
- \_version.py
- api.py
- default\_planner.py
- filesystem.py
- format\_utils.py
- hf\_storage.py
- logger.py
- logging\_handlers.py
- metadata.py
- optimizer.py
- planner.py
- planner\_helpers.py
- quantized\_hf\_storage.py
- resharding.py
- staging.py
- state\_dict.py
- state\_dict\_loader.py
- state\_dict\_saver.py
- stateful.py
- storage.py
- utils.py
- debug/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_debug\_handlers.cpython-312.pyc
    - \_frontend.cpython-312.pyc
    - \_handlers.cpython-312.pyc
    - \_store.cpython-312.pyc
  - \_\_init\_\_.py
  - \_debug\_handlers.py
  - \_frontend.py
  - \_handlers.py
  - \_store.py
- elastic/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc

- └─ control\_plane.cpython-312.pyc
- agent/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
  - server/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ api.cpython-312.pyc
      - └─ health\_check\_server.cpython-312.pyc
      - └─ local\_elastic\_agent.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ api.py
    - └─ health\_check\_server.py
    - └─ local\_elastic\_agent.py
    - └─ \_\_init\_\_.py
- events/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ api.cpython-312.pyc
    - └─ handlers.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ api.py
  - └─ handlers.py
- metrics/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ api.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ api.py
- multiprocessing/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ api.cpython-312.pyc
    - └─ redirects.cpython-312.pyc
    - └─ tail\_log.cpython-312.pyc
- errors/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ error\_handler.cpython-312.pyc
    - └─ handlers.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ error\_handler.py
  - └─ handlers.py
- subprocess\_handler/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ handlers.cpython-312.pyc
    - └─ subprocess\_handler.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ handlers.py
  - └─ subprocess\_handler.py
- └─ \_\_init\_\_.py
- └─ api.py
- └─ redirects.py
- └─ tail\_log.py
- rendezvous/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_etcd\_stub.cpython-312.pyc
    - └─ api.cpython-312.pyc
    - └─ c10d\_rendezvous\_backend.cpython-312.pyc
    - └─ dynamic\_rendezvous.cpython-312.pyc
    - └─ etcd\_rendezvous.cpython-312.pyc
    - └─ etcd\_rendezvous\_backend.cpython-312.pyc
    - └─ etcd\_server.cpython-312.pyc
    - └─ etcd\_store.cpython-312.pyc
    - └─ registry.cpython-312.pyc
    - └─ static\_tcp\_rendezvous.cpython-312.pyc
    - └─ utils.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ \_etcd\_stub.py
  - └─ api.py
  - └─ c10d\_rendezvous\_backend.py
  - └─ dynamic\_rendezvous.py
  - └─ etcd\_rendezvous.py
  - └─ etcd\_rendezvous\_backend.py
  - └─ etcd\_server.py
  - └─ etcd\_store.py
  - └─ registry.py
  - └─ static\_tcp\_rendezvous.py
  - └─ utils.py
- timer/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ api.cpython-312.pyc

- debug\_info\_logging.cpython-312.pyc
  - file\_based\_local\_timer.cpython-312.pyc
  - local\_timer.cpython-312.pyc
- \_\_init\_\_.py
- api.py
- debug\_info\_logging.py
- file\_based\_local\_timer.py
- local\_timer.py
- utils/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - api.cpython-312.pyc
    - distributed.cpython-312.pyc
    - log\_level.cpython-312.pyc
    - logging.cpython-312.pyc
    - store.cpython-312.pyc
  - data/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - cycling\_iterator.cpython-312.pyc
      - elastic\_distributed\_sampler.cpython-312.pyc
    - \_\_init\_\_.py
    - cycling\_iterator.py
    - elastic\_distributed\_sampler.py
  - \_\_init\_\_.py
  - api.py
  - distributed.py
  - log\_level.py
  - logging.py
  - store.py
- \_\_init\_\_.py
- control\_plane.py
- flight\_recorder/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - fr\_trace.cpython-312.pyc
- components/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - builder.cpython-312.pyc
    - config\_manager.cpython-312.pyc
    - fr\_logger.cpython-312.pyc
    - loader.cpython-312.pyc
    - types.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py
  - builder.py
  - config\_manager.py
  - fr\_logger.py
  - loader.py
  - types.py
  - utils.py
- \_\_init\_\_.py
- fr\_trace.py
- fsdp/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - common\_utils.cpython-312.pyc
    - debug\_utils.cpython-312.pyc
    - dynamo\_utils.cpython-312.pyc
    - exec\_order\_utils.cpython-312.pyc
    - flat\_param.cpython-312.pyc
    - fsdp\_extensions.cpython-312.pyc
    - init\_utils.cpython-312.pyc
    - limiter\_utils.cpython-312.pyc
    - optim\_utils.cpython-312.pyc
    - runtime\_utils.cpython-312.pyc
    - shard\_utils.cpython-312.pyc
    - state\_dict\_utils.cpython-312.pyc
    - trace\_utils.cpython-312.pyc
    - traversal\_utils.cpython-312.pyc
    - unshard\_param\_utils.cpython-312.pyc
    - wrap\_utils.cpython-312.pyc
    - api.cpython-312.pyc
    - fully\_sharded\_data\_parallel.cpython-312.pyc
    - sharded\_grad\_scaler.cpython-312.pyc
    - wrap.cpython-312.pyc
- fully\_shard/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - fsdp\_api.cpython-312.pyc
    - fsdp\_collectives.cpython-312.pyc
    - fsdp\_common.cpython-312.pyc
    - fsdp\_init.cpython-312.pyc
    - fsdp\_param.cpython-312.pyc



- \_fsdp\_param\_group.cpython-312.pyc
    - \_fsdp\_state.cpython-312.pyc
    - \_fully\_shard.cpython-312.pyc
  - \_init\_\_.py
  - fsdp\_api.py
  - fsdp\_collectives.py
  - fsdp\_common.py
  - fsdp\_init.py
  - fsdp\_param.py
  - fsdp\_param\_group.py
  - fsdp\_state.py
  - \_fully\_shard.py
- \_init\_\_.py
- \_common\_utils.py
- \_debug\_utils.py
- \_dynamo\_utils.py
- \_exec\_order\_utils.py
- \_flat\_param.py
- \_fsdp\_extensions.py
- \_init\_utils.py
- \_limiter\_utils.py
- \_optim\_utils.py
- \_runtime\_utils.py
- \_shard\_utils.py
- \_state\_dict\_utils.py
- \_trace\_utils.py
- \_traversal\_utils.py
- \_unshard\_param\_utils.py
- \_wrap\_utils.py
- api.py
- fully\_sharded\_data\_parallel.py
- sharded\_grad\_scaler.py
- wrap.py
- launcher/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - api.cpython-312.pyc
  - \_init\_\_.py
  - api.py
- nn/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - functional.cpython-312.pyc
  - api/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - remote\_module.cpython-312.pyc
    - \_init\_\_.py
    - remote\_module.py
  - jit/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - instantiator.cpython-312.pyc
    - templates/
      - \_pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - remote\_module\_template.cpython-312.pyc
      - \_init\_\_.py
      - remote\_module\_template.py
    - \_init\_\_.py
    - instantiator.py
  - \_init\_\_.py
  - functional.py
- optim/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_deprecation\_warning.cpython-312.pyc
    - apply\_optimizer\_in\_backward.cpython-312.pyc
    - functional\_adadelta.cpython-312.pyc
    - functional\_adagrad.cpython-312.pyc
    - functional\_adam.cpython-312.pyc
    - functional\_adamax.cpython-312.pyc
    - functional\_adamw.cpython-312.pyc
    - functional\_rmsprop.cpython-312.pyc
    - functional\_rprop.cpython-312.pyc
    - functional\_sgd.cpython-312.pyc
    - named\_optimizer.cpython-312.pyc
    - optimizer.cpython-312.pyc
    - post\_localSGD\_optimizer.cpython-312.pyc
    - utils.cpython-312.pyc
    - zero\_redundancy\_optimizer.cpython-312.pyc
  - \_init\_\_.py
  - \_deprecation\_warning.py
  - apply\_optimizer\_in\_backward.py
  - functional\_adadelta.py

- functional\_adagrad.py
- functional\_adam.py
- functional\_adamax.py
- functional\_adamw.py
- functional\_rmsprop.py
- functional\_rprop.py
- functional\_sgd.py
- named\_optimizer.py
- optimizer.py
- post\_localSGD\_optimizer.py
- utils.py
- zero\_redundancy\_optimizer.py
- zero\_redundancy\_optimizer.pyi
- pipelining/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_backward.cpython-312.pyc
    - \_debug.cpython-312.pyc
    - \_IR.cpython-312.pyc
    - \_schedule\_visualizer.cpython-312.pyc
    - \_unflatten.cpython-312.pyc
    - \_utils.cpython-312.pyc
    - microbatch.cpython-312.pyc
    - schedules.cpython-312.pyc
    - stage.cpython-312.pyc
  - \_\_init\_\_.py
  - \_backward.py
  - \_debug.py
  - \_IR.py
  - \_schedule\_visualizer.py
  - \_unflatten.py
  - \_utils.py
  - microbatch.py
  - schedules.py
  - stage.py
- rpc/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_utils.cpython-312.pyc
    - api.cpython-312.pyc
    - backend\_registry.cpython-312.pyc
    - constants.cpython-312.pyc
    - functions.cpython-312.pyc
    - internal.cpython-312.pyc
    - options.cpython-312.pyc
    - rref\_proxy.cpython-312.pyc
    - server\_process\_global\_profiler.cpython-312.pyc
  - testing/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - faulty\_agent\_backend\_registry.cpython-312.pyc
    - \_\_init\_\_.py
    - faulty\_agent\_backend\_registry.py
    - \_\_init\_\_.py
    - \_utils.py
    - api.py
    - backend\_registry.py
    - constants.py
    - functions.py
    - internal.py
    - options.py
    - rref\_proxy.py
    - server\_process\_global\_profiler.py
- tensor/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_api.cpython-312.pyc
    - \_collective\_utils.cpython-312.pyc
    - \_decompositions.cpython-312.pyc
    - \_dispatch.cpython-312.pyc
    - \_dtensor\_spec.cpython-312.pyc
    - \_nonlinear\_redux.cpython-312.pyc
    - \_op\_schema.cpython-312.pyc
    - \_random.cpython-312.pyc
    - \_redistribute.cpython-312.pyc
    - \_sharding\_prop.cpython-312.pyc
    - \_shards\_wrapper.cpython-312.pyc
    - \_tp\_conv.cpython-312.pyc
    - \_utils.cpython-312.pyc
    - device\_mesh.cpython-312.pyc
    - placement\_types.cpython-312.pyc
  - ops/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_common\_rules.cpython-312.pyc

- \_conv\_ops.cpython-312.pyc
- einsum\_strategy.cpython-312.pyc
- embedding\_ops.cpython-312.pyc
- mask\_buffer.cpython-312.pyc
- math\_ops.cpython-312.pyc
- matrix\_ops.cpython-312.pyc
- pointwise\_ops.cpython-312.pyc
- random\_ops.cpython-312.pyc
- tensor\_ops.cpython-312.pyc
- view\_ops.cpython-312.pyc
- single\_dim\_strategy.cpython-312.pyc
- strategy\_validation.cpython-312.pyc
- utils.cpython-312.pyc
- \_init\_\_.py
- \_common\_rules.py
- \_conv\_ops.py
- einsum\_strategy.py
- embedding\_ops.py
- mask\_buffer.py
- math\_ops.py
- matrix\_ops.py
- pointwise\_ops.py
- random\_ops.py
- tensor\_ops.py
- view\_ops.py
- single\_dim\_strategy.py
- strategy\_validation.py
- utils.py
- debug/
  - \_pycache\_/
    - \_init\_\_.cpython-312.pyc
    - \_comm\_mode.cpython-312.pyc
    - \_op\_coverage.cpython-312.pyc
    - \_visualize\_sharding.cpython-312.pyc
  - \_init\_\_.py
  - \_comm\_mode.py
  - \_op\_coverage.py
  - \_visualize\_sharding.py
- experimental/
  - \_pycache\_/
    - \_init\_\_.cpython-312.pyc
    - attention.cpython-312.pyc
    - func\_map.cpython-312.pyc
    - register\_sharding.cpython-312.pyc
    - tp\_transform.cpython-312.pyc
  - context\_parallel/
    - \_pycache\_/
      - \_init\_\_.cpython-312.pyc
      - attention.cpython-312.pyc
      - \_cp\_custom\_ops.cpython-312.pyc
      - \_load\_balancer.cpython-312.pyc
      - \_sharding\_rules.cpython-312.pyc
    - \_init\_\_.py
    - attention.py
    - \_cp\_custom\_ops.py
    - \_load\_balancer.py
    - \_sharding\_rules.py
  - \_init\_\_.py
  - attention.py
  - func\_map.py
  - register\_sharding.py
  - tp\_transform.py
- parallel/
  - \_pycache\_/
    - \_init\_\_.cpython-312.pyc
    - \_data\_parallel\_utils.cpython-312.pyc
    - api.cpython-312.pyc
    - ddp.cpython-312.pyc
    - fsdp.cpython-312.pyc
    - input\_reshard.cpython-312.pyc
    - loss.cpython-312.pyc
    - style.cpython-312.pyc
  - \_init\_\_.py
  - \_data\_parallel\_utils.py
  - api.py
  - ddp.py
  - fsdp.py
  - input\_reshard.py
  - loss.py
  - style.py
- \_init\_\_.py
- \_api.py
- \_collective\_utils.py
- \_decompositions.py
- \_dispatch.py

- \_dtensor\_spec.py
- \_nonlinear\_redux.py
- \_op\_schema.py
- \_random.py
- \_redistribute.py
- \_sharding\_prop.py
- \_shards\_wrapper.py
- \_tp\_conv.py
- \_utils.py
- device\_mesh.py
- placement\_types.py
- \_\_init\_\_.py
- checkpointable.py
- composable\_state.py
- dist2.py
- functional\_collectives.py
- functional\_collectives\_impl.py
- mesh\_layout.py
- meta\_registrations.py
- serialization.py
- state\_dict\_utils.py
- argparse\_util.py
- c10d\_logger.py
- collective\_utils.py
- config.py
- constants.py
- device\_mesh.py
- distributed\_c10d.py
- launch.py
- logging\_handlers.py
- remote\_device.py
- rendezvous.py
- run.py
- utils.py
- distributions/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - bernoulli.cpython-312.pyc
    - beta.cpython-312.pyc
    - binomial.cpython-312.pyc
    - categorical.cpython-312.pyc
    - cauchy.cpython-312.pyc
    - chi2.cpython-312.pyc
    - constraint\_registry.cpython-312.pyc
    - constraints.cpython-312.pyc
    - continuous\_bernoulli.cpython-312.pyc
    - dirichlet.cpython-312.pyc
    - distribution.cpython-312.pyc
    - exp\_family.cpython-312.pyc
    - exponential.cpython-312.pyc
    - fishersnedecor.cpython-312.pyc
    - gamma.cpython-312.pyc
    - generalized\_pareto.cpython-312.pyc
    - geometric.cpython-312.pyc
    - gumbel.cpython-312.pyc
    - half\_cauchy.cpython-312.pyc
    - half\_normal.cpython-312.pyc
    - independent.cpython-312.pyc
    - inverse\_gamma.cpython-312.pyc
    - kl.cpython-312.pyc
    - kumaraswamy.cpython-312.pyc
    - laplace.cpython-312.pyc
    - lkj\_cholesky.cpython-312.pyc
    - log\_normal.cpython-312.pyc
    - logistic\_normal.cpython-312.pyc
    - lowrank\_multivariate\_normal.cpython-312.pyc
    - mixture\_same\_family.cpython-312.pyc
    - multinomial.cpython-312.pyc
    - multivariate\_normal.cpython-312.pyc
    - negative\_binomial.cpython-312.pyc
    - normal.cpython-312.pyc
    - one\_hot\_categorical.cpython-312.pyc
    - pareto.cpython-312.pyc
    - poisson.cpython-312.pyc
    - relaxed\_bernoulli.cpython-312.pyc
    - relaxed\_categorical.cpython-312.pyc
    - studentT.cpython-312.pyc
    - transformed\_distribution.cpython-312.pyc
    - transforms.cpython-312.pyc
    - uniform.cpython-312.pyc
    - utils.cpython-312.pyc
    - von\_mises.cpython-312.pyc
    - weibull.cpython-312.pyc
    - wishart.cpython-312.pyc
- \_\_init\_\_.py

- bernoulli.py
- beta.py
- binomial.py
- categorical.py
- cauchy.py
- chi2.py
- constraint\_registry.py
- constraints.py
- continuous\_bernoulli.py
- dirichlet.py
- distribution.py
- exp\_family.py
- exponential.py
- fishersnedecor.py
- gamma.py
- generalized\_pareto.py
- geometric.py
- gumbel.py
- half\_cauchy.py
- half\_normal.py
- independent.py
- inverse\_gamma.py
- kl.py
- kumaraswamy.py
- laplace.py
- lkj\_cholesky.py
- log\_normal.py
- logistic\_normal.py
- lowrank\_multivariate\_normal.py
- mixture\_same\_family.py
- multinomial.py
- multivariate\_normal.py
- negative\_binomial.py
- normal.py
- one\_hot\_categorical.py
- pareto.py
- poisson.py
- relaxed\_bernoulli.py
- relaxed\_categorical.py
- studentT.py
- transformed\_distribution.py
- transforms.py
- uniform.py
- utils.py
- von\_mises.py
- weibull.py
- wishart.py
- export/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_draft\_export.cpython-312.pyc
    - \_leakage\_detection\_utils.cpython-312.pyc
    - \_patches.cpython-312.pyc
    - \_remove\_auto\_functionalized\_pass.cpython-312.pyc
    - \_remove\_effect\_tokens\_pass.cpython-312.pyc
    - \_safeguard.cpython-312.pyc
    - \_state\_dict\_utils.cpython-312.pyc
    - \_swap.cpython-312.pyc
    - \_trace.cpython-312.pyc
    - \_tree\_utils.cpython-312.pyc
    - \_unlift.cpython-312.pyc
    - \_wrapper\_utils.cpython-312.pyc
    - custom\_obj.cpython-312.pyc
    - custom\_ops.cpython-312.pyc
    - decomp\_utils.cpython-312.pyc
    - dynamic\_shapes.cpython-312.pyc
    - exported\_program.cpython-312.pyc
    - graph\_signature.cpython-312.pyc
    - unflatten.cpython-312.pyc
- experimental/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_utils.cpython-312.pyc
  - \_\_init\_\_.py
  - \_utils.py
- passes/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- pt2\_archive/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_package.cpython-312.pyc
    - \_package\_weights.cpython-312.pyc
    - constants.cpython-312.pyc

- `__init__.py`
  - `_package.py`
  - `_package_weights.py`
  - `constants.py`
- `__init__.py`
- `_draft_export.py`
- `_leakage_detection_utils.py`
- `_patches.py`
- `_remove_auto_functionalized_pass.py`
- `_remove_effect_tokens_pass.py`
- `_safeguard.py`
- `_state_dict_utils.py`
- `_swap.py`
- `_trace.py`
- `_tree_utils.py`
- `_unlift.py`
- `_wrapper_utils.py`
- `custom_obj.py`
- `custom_ops.py`
- `decomp_utils.py`
- `dynamic_shapes.py`
- `exported_program.py`
- `graph_signature.py`
- `unflatten.py`
- `fft/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
  - `__init__.py`
- `func/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_random.cpython-312.pyc`
  - `__init__.py`
  - `_random.py`
- `futures/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
  - `__init__.py`
- `fx/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_compatibility.cpython-312.pyc`
    - `_graph_pickler.cpython-312.pyc`
    - `_lazy_graph_module.cpython-312.pyc`
    - `_pytree.cpython-312.pyc`
    - `_symbolic_trace.cpython-312.pyc`
    - `_utils.cpython-312.pyc`
    - `annotate.cpython-312.pyc`
    - `config.cpython-312.pyc`
    - `graph.cpython-312.pyc`
    - `graph_module.cpython-312.pyc`
    - `immutable_collections.cpython-312.pyc`
    - `interpreter.cpython-312.pyc`
    - `node.cpython-312.pyc`
    - `operator_schemas.cpython-312.pyc`
    - `proxy.cpython-312.pyc`
    - `subgraph_rewriter.cpython-312.pyc`
    - `tensor_type.cpython-312.pyc`
    - `traceback.cpython-312.pyc`
- `experimental/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_backward_state.cpython-312.pyc`
    - `_config.cpython-312.pyc`
    - `_constant_symnode.cpython-312.pyc`
    - `_dynamism.cpython-312.pyc`
    - `_size_hinting.cpython-312.pyc`
    - `accelerator_partitioner.cpython-312.pyc`
    - `const_fold.cpython-312.pyc`
    - `debug.cpython-312.pyc`
    - `graph_gradual_typechecker.cpython-312.pyc`
    - `merge_matmul.cpython-312.pyc`
    - `meta_tracer.cpython-312.pyc`
    - `normalize.cpython-312.pyc`
    - `optimization.cpython-312.pyc`
    - `partitioner_utils.cpython-312.pyc`
    - `proxy_tensor.cpython-312.pyc`
    - `recording.cpython-312.pyc`
    - `refinement_types.cpython-312.pyc`
    - `rewriter.cpython-312.pyc`
    - `schema_type_annotation.cpython-312.pyc`
    - `sym_node.cpython-312.pyc`
    - `symbolic_shapes.cpython-312.pyc`
    - `unify_refinements.cpython-312.pyc`
    - `validator.cpython-312.pyc`

- migrate\_gradual\_types/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - constraint.cpython-312.pyc
    - constraint\_generator.cpython-312.pyc
    - constraint\_transformation.cpython-312.pyc
    - operation.cpython-312.pyc
    - transform\_to\_z3.cpython-312.pyc
    - util.cpython-312.pyc
    - z3\_types.cpython-312.pyc
  - \_\_init\_\_.py
  - constraint.py
  - constraint\_generator.py
  - constraint\_transformation.py
  - operation.py
  - transform\_to\_z3.py
  - util.py
  - z3\_types.py
- unification/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - core.cpython-312.pyc
    - dispatch.cpython-312.pyc
    - match.cpython-312.pyc
    - more.cpython-312.pyc
    - unification\_tools.cpython-312.pyc
    - utils.cpython-312.pyc
    - variable.cpython-312.pyc
  - multipledispatch/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - conflict.cpython-312.pyc
      - core.cpython-312.pyc
      - dispatcher.cpython-312.pyc
      - utils.cpython-312.pyc
      - variadic.cpython-312.pyc
    - \_\_init\_\_.py
    - conflict.py
    - core.py
    - dispatcher.py
    - utils.py
    - variadic.py
  - \_\_init\_\_.py
  - core.py
  - dispatch.py
  - match.py
  - more.py
  - unification\_tools.py
  - utils.py
  - variable.py
- \_\_init\_\_.py
- \_backward\_state.py
- \_config.py
- \_constant\_symnode.py
- \_dynamism.py
- \_size\_hinting.py
- accelerator\_partitioner.py
- const\_fold.py
- debug.py
- graph\_gradual\_typechecker.py
- merge\_matmul.py
- meta\_tracer.py
- normalize.py
- optimization.py
- partitioner\_utils.py
- proxy\_tensor.py
- recording.py
- refinement\_types.py
- rewriter.py
- schema\_type\_annotation.py
- sym\_node.py
- symbolic\_shapes.py
- unify\_refinements.py
- validator.py

— passes/

- pycache\_/
  - \_\_init\_\_.cpython-312.pyc
  - \_tensorify\_python\_scalars.cpython-312.pyc
  - annotate\_getitem\_nodes.cpython-312.pyc
  - fake\_tensor\_prop.cpython-312.pyc
  - graph\_drawer.cpython-312.pyc
  - graph\_manipulation.cpython-312.pyc
  - graph\_transform\_observer.cpython-312.pyc
  - net\_min\_base.cpython-312.pyc
  - operator\_support.cpython-312.pyc

- param\_fetch.cpython-312.pyc
- pass\_manager.cpython-312.pyc
- regional\_inductor.cpython-312.pyc
- regional\_inductor\_invoke\_subgraph.cpython-312.pyc
- reinplace.cpython-312.pyc
- runtime\_assert.cpython-312.pyc
- shape\_prop.cpython-312.pyc
- split\_module.cpython-312.pyc
- split\_utils.cpython-312.pyc
- splitter\_base.cpython-312.pyc
- tools\_common.cpython-312.pyc
- backends/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - cudagraphs.cpython-312.pyc
  - \_\_init\_\_.py
  - cudagraphs.py
- dialect/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - common/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - cse\_pass.cpython-312.pyc
    - \_\_init\_\_.py
    - cse\_pass.py
  - \_\_init\_\_.py
- infra/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - partitioner.cpython-312.pyc
    - pass\_base.cpython-312.pyc
    - pass\_manager.cpython-312.pyc
  - \_\_init\_\_.py
  - partitioner.py
  - pass\_base.py
  - pass\_manager.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_test\_split\_utils.cpython-312.pyc
    - test\_pass\_manager.cpython-312.pyc
  - \_\_init\_\_.py
  - \_test\_split\_utils.py
  - test\_pass\_manager.py
- utils/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - common.cpython-312.pyc
    - fuser\_utils.cpython-312.pyc
    - matcher\_utils.cpython-312.pyc
    - matcher\_with\_name\_node\_map\_utils.cpython-312.pyc
    - source\_matcher\_utils.cpython-312.pyc
  - \_\_init\_\_.py
  - common.py
  - fuser\_utils.py
  - matcher\_utils.py
  - matcher\_with\_name\_node\_map\_utils.py
  - source\_matcher\_utils.py
- \_\_init\_\_.py
- \_tensorify\_python\_scalars.py
- annotate\_getitem\_nodes.py
- fake\_tensor\_prop.py
- graph\_drawer.py
- graph\_manipulation.py
- graph\_transform\_observer.py
- net\_min\_base.py
- operator\_support.py
- param\_fetch.py
- pass\_manager.py
- regional\_inductor.py
- regional\_inductor\_invoke\_subgraph.py
- reinplace.py
- runtime\_assert.py
- shape\_prop.py
- split\_module.py
- split\_utils.py
- splitter\_base.py
- tools\_common.py
- \_\_init\_\_.py
- \_compatibility.py
- \_graph\_pickler.py
- \_lazy\_graph\_module.py
- \_pytree.py
- \_symbolic\_trace.py



- \_utils.py
- annotate.py
- config.py
- graph.py
- graph\_module.py
- immutable\_collections.py
- interpreter.py
- node.py
- operator\_schemas.py
- proxy.py
- subgraph\_rewriter.py
- tensor\_type.py
- traceback.py
- include/
  - ATen/
    - accelerator/
      - Graph.h
    - core/
      - boxing/
        - impl/
          - boxing.h
          - make\_boxed\_from\_unboxed\_functor.h
          - test\_helpers.h
          - WrapFunctionIntoFunctor.h
          - WrapFunctionIntoRuntimeFunctor.h
      - BoxedKernel.h
      - BoxedKernel\_impl.h
      - KernelFunction.h
      - KernelFunction\_impl.h
      - OperatorKernel.h
    - dispatch/
      - CppSignature.h
      - Dispatcher.h
      - DispatchKeyExtractor.h
      - ObservedOperators.h
      - OperatorEntry.h
      - OperatorOptions.h
      - RegistrationHandlerRAII.h
    - op\_registration/
      - adaption.h
      - infer\_schema.h
      - op\_allowlist.h
      - op\_registration.h
  - alias\_info.h
  - Array.h
  - ATen\_fwd.h
  - aten\_interned\_strings.h
  - ATen\_pch.h
  - ATenGeneral.h
  - ATenOpList.h
  - Backtrace.h
  - blob.h
  - builtin\_function.h
  - CachingHostAllocator.h
  - CheckMemoryFormat.h
  - class\_type.h
  - custom\_class.h
  - DeprecatedTypeProperties.h
  - DeprecatedTypePropertiesRegistry.h
  - Dict.h
  - Dict\_inl.h
  - Dimname.h
  - DimVector.h
  - DistributionsHelper.h
  - dynamic\_type.h
  - enum\_tag.h
  - enum\_type.h
  - Formatting.h
  - function.h
  - function\_schema.h
  - function\_schema\_inl.h
  - functional.h
  - Generator.h
  - GeneratorForPrivateuseone.h
  - grad\_mode.h
  - GraphImplInterface.h
  - IListRef.h
  - IListRef\_inl.h
  - interned\_strings.h
  - interned\_strings\_class.h
  - ivalue.h
  - ivalue\_inl.h
  - ivalue\_to.h
  - jit\_type.h
  - jit\_type\_base.h

- LegacyTypeDispatch.h
- List.h
- List\_inl.h
- MT19937RNGEngine.h
- NamedTensor.h
- NestedIntSymNodeImpl.h
- operator\_name.h
- PhiloxRNGEngine.h
- PythonFallbackKernel.h
- PythonOpRegistrationTrampoline.h
- qualified\_name.h
- QuantizerBase.h
- Range.h
- Reduction.h
- rref\_interface.h
- Scalar.h
- ScalarType.h
- stack.h
- symbol.h
- Tensor.h
- TensorAccessor.h
- TensorBase.h
- TensorBody.h
- TorchDispatchUtils.h
- TransformationHelper.h
- type\_factory.h
- type\_ptr.h
- typeid.h
- UndefinedTensorImpl.h
- UnsafeFromTH.h
- VariableHooksInterface.h
- Variadic.h
- cpu/
  - vec/
    - sve/
      - sve\_helper.h
      - vec\_bfloat16.h
      - vec\_common\_sve.h
      - vec\_double.h
      - vec\_float.h
      - vec\_int.h
      - vec\_qint.h
    - vec128/
      - vec128.h
      - vec128\_bfloat16\_neon.h
      - vec128\_convert.h
      - vec128\_double\_neon.h
      - vec128\_float\_neon.h
      - vec128\_half\_neon.h
      - vec128\_int\_aarch64.h
      - vec128\_reduced\_precision\_common\_neon.h
      - vec128\_uint\_aarch64.h
    - vec256/
      - vsx/
        - vec256\_bfloat16\_vsx.h
        - vec256\_common\_vsx.h
        - vec256\_complex\_double\_vsx.h
        - vec256\_complex\_float\_vsx.h
        - vec256\_double\_vsx.h
        - vec256\_float\_vsx.h
        - vec256\_int16\_vsx.h
        - vec256\_int32\_vsx.h
        - vec256\_int64\_vsx.h
        - vec256\_mask\_vsx.h
        - vec256\_qint32\_vsx.h
        - vec256\_qint8\_vsx.h
        - vec256\_quint8\_vsx.h
        - vsx\_helpers.h
      - zarch/
        - vec256\_zarch.h
    - vec256.h
    - vec256\_16bit\_float.h
    - vec256\_bfloat16.h
    - vec256\_complex\_double.h
    - vec256\_complex\_float.h
    - vec256\_convert.h
    - vec256\_double.h
    - vec256\_float.h
    - vec256\_half.h
    - vec256\_int.h
    - vec256\_mask.h
    - vec256\_qint.h
  - vec512/
    - vec512.h
    - vec512\_bfloat16.h

- vec512\_complex\_double.h
- vec512\_complex\_float.h
- vec512\_convert.h
- vec512\_double.h
- vec512\_float.h
- vec512\_float8.h
- vec512\_int.h
- vec512\_mask.h
- vec512\_qint.h
- functional.h
- functional\_base.h
- functional\_bfloat16.h
- intrinsics.h
- vec.h
- vec\_base.h
- vec\_convert.h
- vec\_half.h
- vec\_mask.h
- vec\_n.h
- vec\_quant.h
- FlushDenormal.h
- Utils.h
- vml.h
- cuda/
  - detail/
    - BLASConstants.h
    - CUdahooks.h
    - DeviceThreadHandles.h
    - IndexUtils.cuh
    - IntegerDivider.cuh
    - KernelUtils.h
    - LazyNVRTC.h
    - OffsetCalculator.cuh
    - PhiloxCudaStateRaw.cuh
    - TensorInfo.cuh
    - UnpackRaw.cuh
  - tunable/
    - GemmCommon.h
    - GemmHipblaslt.h
    - GemmRocblas.h
    - StreamTimer.h
    - Tunable.h
    - TunableGemm.h
    - TunableOp.h
  - ApplyGridUtils.cuh
  - AsmUtils.cuh
  - ATenCUDAGeneral.h
  - Atomic.cuh
  - CachingHostAllocator.h
  - cub-RadixSortPairs.cuh
  - cub.cuh
  - cub.h
  - cub\_definitions.cuh
  - CUDAApplUtils.cuh
  - CUDABlas.h
  - CUDAContext.h
  - CUDAContextLight.h
  - CUDADatatype.h
  - CUDADevice.h
  - CUDAEvent.h
  - CUDAGeneratorImpl.h
  - CUDAGraph.h
  - CUDAGraphsUtils.cuh
  - CUDAGreenContext.h
  - CUDASparse.h
  - CUDASparseBlas.h
  - CUDASparseDescriptors.h
  - CUDATensorMethods.cuh
  - CUDAUtils.h
  - DeviceUtils.cuh
  - EmptyTensor.h
  - Exceptions.h
  - jiterator.h
  - jiterator\_impl.h
  - llvm\_jit\_strings.h
  - MemPool.h
  - NumericLimits.cuh
  - PeerToPeerAccess.h
  - PhiloxCudaState.h
  - PhiloxUtils.cuh
  - PinnedMemoryAllocator.h
  - ScanUtils.cuh
  - Sleep.h
  - StatelessPhilox4x32.cuh
  - ThrustAllocator.h

- cudnn/
  - cudnn-wrapper.h
  - Descriptors.h
  - Handle.h
  - Handles.h
  - Types.h
  - Utils.h
- detail/
  - AcceleratorHooksInterface.h
  - CUDAHooksInterface.h
  - FunctionTraits.h
  - HIPHooksInterface.h
  - HPUHooksInterface.h
  - IPUHooksInterface.h
  - MAIAHooksInterface.h
  - MPSHooksInterface.h
  - MTIAHooksInterface.h
  - PrivateUse1HooksInterface.h
  - XLAHooksInterface.h
  - XPUHooksInterface.h
- functorch/
  - ADInterpreters.h
  - BatchedFallback.h
  - BatchedTensorImpl.h
  - BatchingMetaprogramming.h
  - BatchRulesHelper.h
  - DynamicLayer.h
  - FunctionalizeInterpreter.h
  - Interpreter.h
  - LegacyVmapTransforms.h
  - Macros.h
  - PlumbingHelper.h
  - TensorWrapper.h
  - VmapInterpreter.h
- hip/
  - impl/
    - HIPAllocatorMasqueradingAsCUDA.h
    - HIPCachingAllocatorMasqueradingAsCUDA.h
    - HIPGuardImplMasqueradingAsCUDA.h
    - HIPStreamMasqueradingAsCUDA.h
- metal/
  - Context.h
- miopen/
  - Descriptors.h
  - Exceptions.h
  - Handle.h
  - miopen-wrapper.h
  - Types.h
  - Utils.h
- mps/
  - EmptyTensor.h
  - IndexKernels.h
  - MPSAllocator.h
  - MPSAllocatorInterface.h
  - MPSDevice.h
  - MPSEvent.h
  - MPSGeneratorImpl.h
  - MPSGuardImpl.h
  - MPSHooks.h
  - MPSProfiler.h
  - MPSStream.h
- native/
  - ao\_sparse/
    - quantized/
      - cpu/
        - fbgemm\_utils.h
        - packed\_params.h
        - qnnpack\_utils.h
  - cpu/
    - AtomicAddFloat.h
    - avx\_mathfun.h
    - CatKernel.h
    - ChannelShuffleKernel.h
    - CopyKernel.h
    - DepthwiseConvKernel.h
    - DistributionTemplates.h
    - Elu.h
    - Gelu.h
    - GridSamplerKernel.h
    - IndexKernelUtils.h
    - int\_mm\_kernel.h
    - Intrinsics.h
    - IsContiguous.h
    - LogAddExp.h
    - LogSoftmaxKernelImpl.h

- Loops.h
- MaxUnpoolKernel.h
- mixed\_data\_type.h
- moments\_utils.h
- PixelShuffleKernel.h
- Reduce.h
- ReducedPrecisionFloatGemmFastPathKernel.h
- ReduceUtils.h
- SampledAddmmKernel.h
- SerialStackImpl.h
- SoftmaxKernel.h
- SpmmReduceKernel.h
- StackKernel.h
- UpSampleKernelAVXAntialias.h
- UpSampleKernelNEONAntialias.h
- utils.h
- WeightNormKernel.h
- zmath.h
- cuda/
  - Activation.h
  - BinaryInternal.h
  - block\_reduce.cuh
  - CompositeRandomAccessor.h
  - Copy.h
  - cuBlasCommonArgs.h
  - CUDAjitLoops.cuh
  - CUDALoops.cuh
  - CuFFTPlanCache.h
  - CuFFTUtils.h
  - cutlass\_common.cuh
  - DeviceAddCmulCdiv.cuh
  - DeviceSqrt.cuh
  - Distributions.h
  - DistributionTemplates.h
  - EmbeddingBackwardKernel.cuh
  - ForeachFunctors.cuh
  - ForeachMinMaxFunctors.cuh
  - fused\_adagrad\_impl.cuh
  - fused\_adagrad\_utils.cuh
  - fused\_adam\_amsgrad\_impl.cuh
  - fused\_adam\_impl.cuh
  - fused\_adam\_utils.cuh
  - fused\_adamw\_amsgrad\_impl.cuh
  - fused\_adamw\_impl.cuh
  - GridSampler.cuh
  - GridSampler.h
  - GroupMM.h
  - GroupMMCommon.cuh
  - im2col.cuh
  - IndexKernel.h
  - IndexKernelUtils.h
  - jit\_utils.h
  - JitLoops.cuh
  - KernelUtils.cuh
  - LaunchUtils.h
  - Loops.cuh
  - Math.cuh
  - MemoryAccess.cuh
  - MiscUtils.h
  - MultiTensorApply.cuh
  - Normalization.cuh
  - PersistentSoftmax.cuh
  - Pow.cuh
  - Randperm.cuh
  - Reduce.cuh
  - ReduceOps.h
  - reduction\_template.cuh
  - Resize.h
  - RowwiseScaledMM.h
  - ScaledGroupMM.h
  - ScanKernels.h
  - ScanUtils.cuh
  - Sort.h
  - Sorting.h
  - SortingCommon.cuh
  - SortingRadixSelect.cuh
  - SortStable.h
  - SortUtils.cuh
  - TensorModeKernel.cuh
  - TensorModeKernel.h
  - TensorTopK.h
  - thread\_constants.h
  - UniqueCub.cuh
  - UpSample.cuh
  - vol2col.cuh

- hip/
  - bgemm\_kernels/
    - bgemm\_kernel\_collection.h
    - bgemm\_kernel\_template.h
  - ck\_bgemm.h
  - ck\_gemm.h
  - ck\_gemm\_template.h
  - ck\_group\_gemm.h
  - ck\_types.h
- kleidiai/
  - kai\_kernels.h
  - kai\_pack.h
  - kai\_ukernel\_interface.h
- mps/
  - kernels/
    - Activation.h
    - EmbeddingBag.h
    - GridSampler.h
    - Indexing.h
    - LinearAlgebra.h
    - Pooling.h
    - ReduceOps.h
    - SamplingHelpers.h
    - Shape.h
    - TensorCompare.h
    - UpSample.h
  - operations/
    - BinaryKernel.h
    - FusedAdamAmsgradKernelImpl.h
    - FusedAdamKernelImpl.h
    - FusedAdamWAmsgradKernelImpl.h
    - FusedAdamWKernelImpl.h
    - MultiTensorApply.h
    - ScanKernel.h
  - Copy.h
  - MetalShaderLibrary.h
  - MPSGraphSequoiaOps.h
  - OperationUtils.h
  - TensorFactory.h
- nested/
  - NestedTensorBinaryOps.h
  - NestedTensorMath.h
  - NestedTensorTransformerFunctions.h
  - NestedTensorTransformerUtils.h
  - NestedTensorUtils.h
- quantized/
  - cpu/
    - ACLUtils.h
    - BinaryOps.h
    - conv\_serialization.h
    - EmbeddingPackedParams.h
    - fbgemm\_utils.h
    - init\_qnnpack.h
    - OnednnUtils.h
    - qconv.h
    - qembeddingbag.h
    - qembeddingbag\_prepack.h
    - qlinear.h
    - QnnpackUtils.h
    - QuantizedOps.h
    - QuantUtils.h
    - RuyUtils.h
    - XnnpackUtils.h
  - cudnn/
    - utils.h
  - AffineQuantizer.h
  - AffineQuantizerBase.h
  - ConvUtils.h
  - Copy.h
  - FakeQuantAffine.h
  - IndexKernel.h
  - library.h
  - PackedParams.h
- transformers/
  - cuda/
    - flash\_attn/
      - flash\_api.h
      - static\_switch.h
    - mem\_eff\_attention/
      - epilogue/
        - epilogue\_pipelined.h
        - epilogue\_rescale\_output.h
        - epilogue\_thread\_apply\_logsumexp.h
      - gemm/
        - custom\_mma.h

- custom\_mma\_base.h
- custom\_mma\_multistage.h
- custom\_mma\_pipelined.h
- find\_default\_mma.h
- mma\_accum\_lambda\_iterator.h
- mma\_from\_smem.h
- iterators/
  - default\_warp\_iterator\_from\_smem.h
  - epilogue\_predicated\_tile\_iterator.h
  - make\_residual\_last.h
  - predicated\_tile\_access\_iterator\_residual\_last.h
  - predicated\_tile\_iterator\_residual\_last.h
  - transpose\_warp\_iterator.h
  - warp\_iterator\_from\_smem.h
- kernels/
  - cutlassB.h
  - cutlassF.h
- transform/
  - tile\_smem\_loader.h
- debug\_utils.h
- gemm\_kernel\_utils.h
- kernel\_backward.h
- kernel\_forward.h
- pytorch\_utils.h
- sdp\_utils.h
- hip/
  - flash\_attn/
    - ck/
      - me\_ckpt\_api.h
    - flash\_api.h
  - aotriton\_adapter.h
  - aotriton\_versions.h
  - gemm\_kernel\_utils.h
- xpu/
  - sdp\_utils.h
- attention.h
- sdp\_utils.h
- sdp\_utils\_cpp.h
- utils/
  - Factory.h
  - ParamsHash.h
  - ParamUtils.h
- Activation.h
- AdaptivePooling.h
- AmpKernels.h
- batch\_norm.h
- BatchLinearAlgebra.h
- BinaryOps.h
- BucketizationUtils.h
- CanUse32BitIndexMath.h
- ComplexHelper.h
- CompositeRandomAccessor.h
- CompositeRandomAccessorCommon.h
- ConvolutionMM3d.h
- ConvUtils.h
- Copy.h
- CPUBlas.h
- CPUFallback.h
- Cross.h
- DilatedConvolutionUtils.h
- DispatchStub.h
- Distance.h
- Distributions.h
- DistributionTemplates.h
- EmbeddingBag.h
- Fill.h
- ForeachUtils.h
- FractionalMaxPooling.h
- FunctionOfAMatrixUtils.h
- FusedAdagrad.h
- FusedAdam.h
- FusedSGD.h
- Gelu.h
- GridSampler.h
- GridSamplerUtils.h
- group\_norm.h
- GroupedMMUtils.h
- Histogram.h
- im2col.h
- im2col\_shape\_check.h
- IndexingUtils.h
- IndexKernel.h
- layer\_norm.h
- Lerp.h
- LinearAlgebra.h

- LinearAlgebraUtils.h
- LossMulti.h
- Math.h
- MathBitFallThroughLists.h
- MathBitsFallback.h
- MaxPooling.h
- NonEmptyUtils.h
- NonSymbolicBC.h
- Normalization.h
- Padding.h
- PixelShuffle.h
- PointwiseOps.h
- Pool.h
- Pow.h
- RangeFactories.h
- RangeUtils.h
- ReduceAllOps.h
- ReduceOps.h
- ReduceOpsUtils.h
- ReductionType.h
- Repeat.h
- Resize.h
- ResizeCommon.h
- RNN.h
- ScaledBlasUtils.h
- ScatterGatherChecks.h
- SegmentReduce.h
- SharedReduceOps.h
- SobolEngineOpsUtils.h
- Sorting.h
- SortingUtils.h
- SparseTensorUtils.h
- SpectralOpsUtils.h
- StridedRandomAccessor.h
- TensorAdvancedIndexing.h
- TensorAdvancedIndexingUtils.h
- TensorCompare.h
- TensorConversions.h
- TensorDimApply.h
- TensorFactories.h
- TensorIterator.h
- TensorIteratorDynamicCasting.h
- TensorProperties.h
- TensorShape.h
- TensorTransformations.h
- TopKImpl.h
- TransposeType.h
- TriangularOpsUtils.h
- TypeProperties.h
- UnaryOps.h
- Unfold2d.h
- Unfold3d.h
- UnfoldBackward.h
- UpSample.h
- verbose\_wrapper.h
- vol2col.h
- ops/
  - \_adaptive\_avg\_pool2d.h
  - \_adaptive\_avg\_pool2d\_backward.h
  - \_adaptive\_avg\_pool2d\_backward\_compositeexplicitautograd\_dispatch.h
  - \_adaptive\_avg\_pool2d\_backward\_cpu\_dispatch.h
  - \_adaptive\_avg\_pool2d\_backward\_cuda\_dispatch.h
  - \_adaptive\_avg\_pool2d\_backward\_native.h
  - \_adaptive\_avg\_pool2d\_backward\_ops.h
  - \_adaptive\_avg\_pool2d\_compositeexplicitautograd\_dispatch.h
  - \_adaptive\_avg\_pool2d\_cpu\_dispatch.h
  - \_adaptive\_avg\_pool2d\_cuda\_dispatch.h
  - \_adaptive\_avg\_pool2d\_native.h
  - \_adaptive\_avg\_pool2d\_ops.h
  - \_adaptive\_avg\_pool3d.h
  - \_adaptive\_avg\_pool3d\_backward.h
  - \_adaptive\_avg\_pool3d\_backward\_compositeexplicitautograd\_dispatch.h
  - \_adaptive\_avg\_pool3d\_backward\_cpu\_dispatch.h
  - \_adaptive\_avg\_pool3d\_backward\_cuda\_dispatch.h
  - \_adaptive\_avg\_pool3d\_backward\_native.h
  - \_adaptive\_avg\_pool3d\_backward\_ops.h
  - \_adaptive\_avg\_pool3d\_compositeexplicitautograd\_dispatch.h
  - \_adaptive\_avg\_pool3d\_cpu\_dispatch.h
  - \_adaptive\_avg\_pool3d\_cuda\_dispatch.h
  - \_adaptive\_avg\_pool3d\_native.h
  - \_adaptive\_avg\_pool3d\_ops.h
  - \_add\_batch\_dim.h
  - \_add\_batch\_dim\_compositeimplicitautograd\_dispatch.h
  - \_add\_batch\_dim\_native.h
  - \_add\_batch\_dim\_ops.h



```

__add_relu.h
__add_relu_compositeexplicitautograd_dispatch.h
__add_relu_cpu_dispatch.h
__add_relu_meta_dispatch.h
__add_relu_native.h
__add_relu_ops.h
__addmm_activation.h
__addmm_activation_compositeexplicitautogradnonfunctional_dispatch.h
__addmm_activation_cpu_dispatch.h
__addmm_activation_cuda_dispatch.h
__addmm_activation_meta.h
__addmm_activation_meta_dispatch.h
__addmm_activation_native.h
__addmm_activation_ops.h
__aminmax.h
__aminmax_compositeexplicitautograd_dispatch.h
__aminmax_cpu_dispatch.h
__aminmax_cuda_dispatch.h
__aminmax_native.h
__aminmax_ops.h
__amp_foreach_non_finite_check_and_unscale.h
__amp_foreach_non_finite_check_and_unscale_compositeexplicitautograd_dispatch.h
__amp_foreach_non_finite_check_and_unscale_cpu_dispatch.h
__amp_foreach_non_finite_check_and_unscale_cuda_dispatch.h
__amp_foreach_non_finite_check_and_unscale_native.h
__amp_foreach_non_finite_check_and_unscale_ops.h
__amp_update_scale.h
__amp_update_scale_compositeexplicitautograd_dispatch.h
__amp_update_scale_cpu_dispatch.h
__amp_update_scale_cuda_dispatch.h
__amp_update_scale_meta_dispatch.h
__amp_update_scale_native.h
__amp_update_scale_ops.h
__assert_async.h
__assert_async_cpu_dispatch.h
__assert_async_cuda_dispatch.h
__assert_async_native.h
__assert_async_ops.h
__assert_scalar.h
__assert_scalar_compositeexplicitautograd_dispatch.h
__assert_scalar_native.h
__assert_scalar_ops.h
__assert_tensor_metadata.h
__assert_tensor_metadata_compositeexplicitautograd_dispatch.h
__assert_tensor_metadata_meta_dispatch.h
__assert_tensor_metadata_native.h
__assert_tensor_metadata_ops.h
__autocast_to_full_precision.h
__autocast_to_full_precision_compositeimplicitautograd_dispatch.h
__autocast_to_full_precision_native.h
__autocast_to_full_precision_ops.h
__autocast_to_reduced_precision.h
__autocast_to_reduced_precision_compositeimplicitautograd_dispatch.h
__autocast_to_reduced_precision_native.h
__autocast_to_reduced_precision_ops.h
__backward.h
__backward_compositeimplicitautograd_dispatch.h
__backward_native.h
__backward_ops.h
__batch_norm_impl_index.h
__batch_norm_impl_index_backward.h
__batch_norm_impl_index_backward_compositeimplicitautograd_dispatch.h
__batch_norm_impl_index_backward_native.h
__batch_norm_impl_index_backward_ops.h
__batch_norm_impl_index_compositeimplicitautograd_dispatch.h
__batch_norm_impl_index_native.h
__batch_norm_impl_index_ops.h
__batch_norm_no_update.h
__batch_norm_no_update_compositeexplicitautograd_dispatch.h
__batch_norm_no_update_native.h
__batch_norm_no_update_ops.h
__batch_norm_with_update.h
__batch_norm_with_update_compositeexplicitautograd_dispatch.h
__batch_norm_with_update_cpu_dispatch.h
__batch_norm_with_update_cuda_dispatch.h
__batch_norm_with_update_native.h
__batch_norm_with_update_ops.h
__cast_Byte.h
__cast_Byte_compositeimplicitautograd_dispatch.h
__cast_Byte_native.h
__cast_Byte_ops.h
__cast_Char.h
__cast_Char_compositeimplicitautograd_dispatch.h
__cast_Char_native.h
__cast_Char_ops.h

```

\_cast\_Double.h  
\_cast\_Double\_compositeimplicitautograd\_dispatch.h  
\_cast\_Double\_native.h  
\_cast\_Double\_ops.h  
\_cast\_Float.h  
\_cast\_Float\_compositeimplicitautograd\_dispatch.h  
\_cast\_Float\_native.h  
\_cast\_Float\_ops.h  
\_cast\_Half.h  
\_cast\_Half\_compositeimplicitautograd\_dispatch.h  
\_cast\_Half\_native.h  
\_cast\_Half\_ops.h  
\_cast\_Int.h  
\_cast\_Int\_compositeimplicitautograd\_dispatch.h  
\_cast\_Int\_native.h  
\_cast\_Int\_ops.h  
\_cast\_Long.h  
\_cast\_Long\_compositeimplicitautograd\_dispatch.h  
\_cast\_Long\_native.h  
\_cast\_Long\_ops.h  
\_cast\_Short.h  
\_cast\_Short\_compositeimplicitautograd\_dispatch.h  
\_cast\_Short\_native.h  
\_cast\_Short\_ops.h  
\_cdist\_backward.h  
\_cdist\_backward\_compositeexplicitautograd\_dispatch.h  
\_cdist\_backward\_cpu\_dispatch.h  
\_cdist\_backward\_cuda\_dispatch.h  
\_cdist\_backward\_native.h  
\_cdist\_backward\_ops.h  
\_cdist\_forward.h  
\_cdist\_forward\_compositeexplicitautograd\_dispatch.h  
\_cdist\_forward\_cpu\_dispatch.h  
\_cdist\_forward\_cuda\_dispatch.h  
\_cdist\_forward\_native.h  
\_cdist\_forward\_ops.h  
\_cholesky\_solve\_helper.h  
\_cholesky\_solve\_helper\_compositeexplicitautograd\_dispatch.h  
\_cholesky\_solve\_helper\_cpu\_dispatch.h  
\_cholesky\_solve\_helper\_cuda\_dispatch.h  
\_cholesky\_solve\_helper\_native.h  
\_cholesky\_solve\_helper\_ops.h  
\_choose\_qparams\_per\_tensor.h  
\_choose\_qparams\_per\_tensor\_compositeimplicitautograd\_dispatch.h  
\_choose\_qparams\_per\_tensor\_native.h  
\_choose\_qparams\_per\_tensor\_ops.h  
\_chunk\_cat.h  
\_chunk\_cat\_compositeexplicitautograd\_dispatch.h  
\_chunk\_cat\_cuda\_dispatch.h  
\_chunk\_cat\_native.h  
\_chunk\_cat\_ops.h  
\_coalesce.h  
\_coalesce\_compositeexplicitautograd\_dispatch.h  
\_coalesce\_native.h  
\_coalesce\_ops.h  
\_coalesced.h  
\_coalesced\_compositeexplicitautograd\_dispatch.h  
\_coalesced\_meta\_dispatch.h  
\_coalesced\_native.h  
\_coalesced\_ops.h  
\_compute\_linear\_combination.h  
\_compute\_linear\_combination\_cpu\_dispatch.h  
\_compute\_linear\_combination\_cuda\_dispatch.h  
\_compute\_linear\_combination\_native.h  
\_compute\_linear\_combination\_ops.h  
\_conj.h  
\_conj\_compositeexplicitautograd\_dispatch.h  
\_conj\_copy.h  
\_conj\_copy\_compositeexplicitautograd\_dispatch.h  
\_conj\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_conj\_copy\_native.h  
\_conj\_copy\_ops.h  
\_conj\_native.h  
\_conj\_ops.h  
\_conj\_physical.h  
\_conj\_physical\_compositeexplicitautograd\_dispatch.h  
\_conj\_physical\_native.h  
\_conj\_physical\_ops.h  
\_conv\_depthwise2d.h  
\_conv\_depthwise2d\_cuda\_dispatch.h  
\_conv\_depthwise2d\_native.h  
\_conv\_depthwise2d\_ops.h  
\_convert\_indices\_from\_coo\_to\_csr.h  
\_convert\_indices\_from\_coo\_to\_csr\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_convert\_indices\_from\_coo\_to\_csr\_cpu\_dispatch.h

\_\_convert\_indices\_from\_coo\_to\_csr\_cuda\_dispatch.h  
\_\_convert\_indices\_from\_coo\_to\_csr\_meta.h  
\_\_convert\_indices\_from\_coo\_to\_csr\_meta\_dispatch.h  
\_\_convert\_indices\_from\_coo\_to\_csr\_native.h  
\_\_convert\_indices\_from\_coo\_to\_csr\_ops.h  
\_\_convert\_indices\_from\_csr\_to\_coo.h  
\_\_convert\_indices\_from\_csr\_to\_coo\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_convert\_indices\_from\_csr\_to\_coo\_cpu\_dispatch.h  
\_\_convert\_indices\_from\_csr\_to\_coo\_cuda\_dispatch.h  
\_\_convert\_indices\_from\_csr\_to\_coo\_meta.h  
\_\_convert\_indices\_from\_csr\_to\_coo\_meta\_dispatch.h  
\_\_convert\_indices\_from\_csr\_to\_coo\_native.h  
\_\_convert\_indices\_from\_csr\_to\_coo\_ops.h  
\_\_convert\_weight\_to\_int4pack.h  
\_\_convert\_weight\_to\_int4pack\_cuda\_dispatch.h  
\_\_convert\_weight\_to\_int4pack\_for\_cpu.h  
\_\_convert\_weight\_to\_int4pack\_for\_cpu\_cpu\_dispatch.h  
\_\_convert\_weight\_to\_int4pack\_for\_cpu\_native.h  
\_\_convert\_weight\_to\_int4pack\_for\_cpu\_ops.h  
\_\_convert\_weight\_to\_int4pack\_native.h  
\_\_convert\_weight\_to\_int4pack\_ops.h  
\_\_convolution.h  
\_\_convolution\_compositeexplicitautograd\_dispatch.h  
\_\_convolution\_compositeimplicitautograd\_dispatch.h  
\_\_convolution\_double\_backward.h  
\_\_convolution\_double\_backward\_compositeimplicitautograd\_dispatch.h  
\_\_convolution\_double\_backward\_native.h  
\_\_convolution\_double\_backward\_ops.h  
\_\_convolution\_mode.h  
\_\_convolution\_mode\_compositeimplicitautograd\_dispatch.h  
\_\_convolution\_mode\_native.h  
\_\_convolution\_mode\_ops.h  
\_\_convolution\_native.h  
\_\_convolution\_ops.h  
\_\_copy\_from.h  
\_\_copy\_from\_and\_resize.h  
\_\_copy\_from\_and\_resize\_compositeexplicitautograd\_dispatch.h  
\_\_copy\_from\_and\_resize\_native.h  
\_\_copy\_from\_and\_resize\_ops.h  
\_\_copy\_from\_compositeexplicitautograd\_dispatch.h  
\_\_copy\_from\_native.h  
\_\_copy\_from\_ops.h  
\_\_cslt\_compress.h  
\_\_cslt\_compress\_cuda\_dispatch.h  
\_\_cslt\_compress\_native.h  
\_\_cslt\_compress\_ops.h  
\_\_cslt\_sparse\_mm.h  
\_\_cslt\_sparse\_mm\_cuda\_dispatch.h  
\_\_cslt\_sparse\_mm\_native.h  
\_\_cslt\_sparse\_mm\_ops.h  
\_\_cslt\_sparse\_mm\_search.h  
\_\_cslt\_sparse\_mm\_search\_cuda\_dispatch.h  
\_\_cslt\_sparse\_mm\_search\_native.h  
\_\_cslt\_sparse\_mm\_search\_ops.h  
\_\_ctc\_loss.h  
\_\_ctc\_loss\_backward.h  
\_\_ctc\_loss\_backward\_compositeexplicitautograd\_dispatch.h  
\_\_ctc\_loss\_backward\_cpu\_dispatch.h  
\_\_ctc\_loss\_backward\_cuda\_dispatch.h  
\_\_ctc\_loss\_backward\_native.h  
\_\_ctc\_loss\_backward\_ops.h  
\_\_ctc\_loss\_compositeexplicitautograd\_dispatch.h  
\_\_ctc\_loss\_cpu\_dispatch.h  
\_\_ctc\_loss\_cuda\_dispatch.h  
\_\_ctc\_loss\_meta\_dispatch.h  
\_\_ctc\_loss\_native.h  
\_\_ctc\_loss\_ops.h  
\_\_cudnn\_attention\_backward.h  
\_\_cudnn\_attention\_backward\_cuda\_dispatch.h  
\_\_cudnn\_attention\_backward\_native.h  
\_\_cudnn\_attention\_backward\_ops.h  
\_\_cudnn\_attention\_forward.h  
\_\_cudnn\_attention\_forward\_cuda\_dispatch.h  
\_\_cudnn\_attention\_forward\_native.h  
\_\_cudnn\_attention\_forward\_ops.h  
\_\_cudnn\_ctc\_loss.h  
\_\_cudnn\_ctc\_loss\_compositeexplicitautograd\_dispatch.h  
\_\_cudnn\_ctc\_loss\_cuda\_dispatch.h  
\_\_cudnn\_ctc\_loss\_native.h  
\_\_cudnn\_ctc\_loss\_ops.h  
\_\_cudnn\_init\_dropout\_state.h  
\_\_cudnn\_init\_dropout\_state\_compositeexplicitautograd\_dispatch.h  
\_\_cudnn\_init\_dropout\_state\_cuda\_dispatch.h  
\_\_cudnn\_init\_dropout\_state\_native.h  
\_\_cudnn\_init\_dropout\_state\_ops.h

\_\_cudnn\_rnn.h  
\_\_cudnn\_rnn\_backward.h  
\_\_cudnn\_rnn\_backward\_compositeexplicitautograd\_dispatch.h  
\_\_cudnn\_rnn\_backward\_cuda\_dispatch.h  
\_\_cudnn\_rnn\_backward\_native.h  
\_\_cudnn\_rnn\_backward\_ops.h  
\_\_cudnn\_rnn\_compositeexplicitautograd\_dispatch.h  
\_\_cudnn\_rnn\_cuda\_dispatch.h  
\_\_cudnn\_rnn\_flatten\_weight.h  
\_\_cudnn\_rnn\_flatten\_weight\_compositeexplicitautograd\_dispatch.h  
\_\_cudnn\_rnn\_flatten\_weight\_cuda\_dispatch.h  
\_\_cudnn\_rnn\_flatten\_weight\_native.h  
\_\_cudnn\_rnn\_flatten\_weight\_ops.h  
\_\_cudnn\_rnn\_native.h  
\_\_cudnn\_rnn\_ops.h  
\_\_cufft\_clear\_plan\_cache.h  
\_\_cufft\_clear\_plan\_cache\_compositeimplicitautograd\_dispatch.h  
\_\_cufft\_clear\_plan\_cache\_native.h  
\_\_cufft\_clear\_plan\_cache\_ops.h  
\_\_cufft\_get\_plan\_cache\_max\_size.h  
\_\_cufft\_get\_plan\_cache\_max\_size\_compositeimplicitautograd\_dispatch.h  
\_\_cufft\_get\_plan\_cache\_max\_size\_native.h  
\_\_cufft\_get\_plan\_cache\_max\_size\_ops.h  
\_\_cufft\_get\_plan\_cache\_size.h  
\_\_cufft\_get\_plan\_cache\_size\_compositeimplicitautograd\_dispatch.h  
\_\_cufft\_get\_plan\_cache\_size\_native.h  
\_\_cufft\_get\_plan\_cache\_size\_ops.h  
\_\_cufft\_set\_plan\_cache\_max\_size.h  
\_\_cufft\_set\_plan\_cache\_max\_size\_compositeimplicitautograd\_dispatch.h  
\_\_cufft\_set\_plan\_cache\_max\_size\_native.h  
\_\_cufft\_set\_plan\_cache\_max\_size\_ops.h  
\_\_cummax\_helper.h  
\_\_cummax\_helper\_cpu\_dispatch.h  
\_\_cummax\_helper\_cuda\_dispatch.h  
\_\_cummax\_helper\_native.h  
\_\_cummax\_helper\_ops.h  
\_\_cummin\_helper.h  
\_\_cummin\_helper\_cpu\_dispatch.h  
\_\_cummin\_helper\_cuda\_dispatch.h  
\_\_cummin\_helper\_native.h  
\_\_cummin\_helper\_ops.h  
\_\_debug\_has\_internal\_overlap.h  
\_\_debug\_has\_internal\_overlap\_compositeimplicitautograd\_dispatch.h  
\_\_debug\_has\_internal\_overlap\_native.h  
\_\_debug\_has\_internal\_overlap\_ops.h  
\_\_dim\_arange.h  
\_\_dim\_arange\_compositeimplicitautograd\_dispatch.h  
\_\_dim\_arange\_native.h  
\_\_dim\_arange\_ops.h  
\_\_dimI.h  
\_\_dimI\_native.h  
\_\_dimI\_ops.h  
\_\_dimV.h  
\_\_dimV\_native.h  
\_\_dimV\_ops.h  
\_\_dirichlet\_grad.h  
\_\_dirichlet\_grad\_compositeexplicitautograd\_dispatch.h  
\_\_dirichlet\_grad\_cpu\_dispatch.h  
\_\_dirichlet\_grad\_cuda\_dispatch.h  
\_\_dirichlet\_grad\_native.h  
\_\_dirichlet\_grad\_ops.h  
\_\_dyn\_quant\_matmul\_4bit.h  
\_\_dyn\_quant\_matmul\_4bit\_cpu\_dispatch.h  
\_\_dyn\_quant\_matmul\_4bit\_native.h  
\_\_dyn\_quant\_matmul\_4bit\_ops.h  
\_\_dyn\_quant\_pack\_4bit\_weight.h  
\_\_dyn\_quant\_pack\_4bit\_weight\_cpu\_dispatch.h  
\_\_dyn\_quant\_pack\_4bit\_weight\_native.h  
\_\_dyn\_quant\_pack\_4bit\_weight\_ops.h  
\_\_efficient\_attention\_backward.h  
\_\_efficient\_attention\_backward\_cuda\_dispatch.h  
\_\_efficient\_attention\_backward\_native.h  
\_\_efficient\_attention\_backward\_ops.h  
\_\_efficient\_attention\_forward.h  
\_\_efficient\_attention\_forward\_cuda\_dispatch.h  
\_\_efficient\_attention\_forward\_native.h  
\_\_efficient\_attention\_forward\_ops.h  
\_\_efficientzerotensor.h  
\_\_efficientzerotensor\_compositeexplicitautograd\_dispatch.h  
\_\_efficientzerotensor\_cpu\_dispatch.h  
\_\_efficientzerotensor\_cuda\_dispatch.h  
\_\_efficientzerotensor\_meta\_dispatch.h  
\_\_efficientzerotensor\_native.h  
\_\_efficientzerotensor\_ops.h  
\_\_embedding\_bag.h

```

__embedding_bag_backward.h
__embedding_bag_backward_cpu_dispatch.h
__embedding_bag_backward_cuda_dispatch.h
__embedding_bag_backward_native.h
__embedding_bag_backward_ops.h
__embedding_bag_compositeexplicitautograd_dispatch.h
__embedding_bag_cpu_dispatch.h
__embedding_bag_cuda_dispatch.h
__embedding_bag_dense_backward.h
__embedding_bag_dense_backward_compositeexplicitautograd_dispatch.h
__embedding_bag_dense_backward_cpu_dispatch.h
__embedding_bag_dense_backward_cuda_dispatch.h
__embedding_bag_dense_backward_native.h
__embedding_bag_dense_backward_ops.h
__embedding_bag_forward_only.h
__embedding_bag_forward_only_compositeexplicitautograd_dispatch.h
__embedding_bag_forward_only_cpu_dispatch.h
__embedding_bag_forward_only_cuda_dispatch.h
__embedding_bag_forward_only_native.h
__embedding_bag_forward_only_ops.h
__embedding_bag_native.h
__embedding_bag_ops.h
__embedding_bag_per_sample_weights_backward.h
__embedding_bag_per_sample_weights_backward_compositeexplicitautograd_dispatch.h
__embedding_bag_per_sample_weights_backward_cpu_dispatch.h
__embedding_bag_per_sample_weights_backward_cuda_dispatch.h
__embedding_bag_per_sample_weights_backward_native.h
__embedding_bag_per_sample_weights_backward_ops.h
__embedding_bag_sparse_backward.h
__embedding_bag_sparse_backward_compositeimplicitautograd_dispatch.h
__embedding_bag_sparse_backward_native.h
__embedding_bag_sparse_backward_ops.h
__empty_affine_quantized.h
__empty_affine_quantized_compositeexplicitautograd_dispatch.h
__empty_affine_quantized_cpu_dispatch.h
__empty_affine_quantized_native.h
__empty_affine_quantized_ops.h
__empty_per_channel_affine_quantized.h
__empty_per_channel_affine_quantized_compositeexplicitautograd_dispatch.h
__empty_per_channel_affine_quantized_cpu_dispatch.h
__empty_per_channel_affine_quantized_native.h
__empty_per_channel_affine_quantized_ops.h
__euclidean_dist.h
__euclidean_dist_compositeexplicitautograd_dispatch.h
__euclidean_dist_native.h
__euclidean_dist_ops.h
__fake_quantize_learnable_per_channel_affine.h
__fake_quantize_learnable_per_channel_affine_backward.h
__fake_quantize_learnable_per_channel_affine_backward_cpu_dispatch.h
__fake_quantize_learnable_per_channel_affine_backward_cuda_dispatch.h
__fake_quantize_learnable_per_channel_affine_backward_native.h
__fake_quantize_learnable_per_channel_affine_backward_ops.h
__fake_quantize_learnable_per_channel_affine_compositeexplicitautograd_dispatch.h
__fake_quantize_learnable_per_channel_affine_cpu_dispatch.h
__fake_quantize_learnable_per_channel_affine_cuda_dispatch.h
__fake_quantize_learnable_per_channel_affine_native.h
__fake_quantize_learnable_per_channel_affine_ops.h
__fake_quantize_learnable_per_tensor_affine.h
__fake_quantize_learnable_per_tensor_affine_backward.h
__fake_quantize_learnable_per_tensor_affine_backward_cpu_dispatch.h
__fake_quantize_learnable_per_tensor_affine_backward_cuda_dispatch.h
__fake_quantize_learnable_per_tensor_affine_backward_native.h
__fake_quantize_learnable_per_tensor_affine_backward_ops.h
__fake_quantize_learnable_per_tensor_affine_compositeexplicitautograd_dispatch.h
__fake_quantize_learnable_per_tensor_affine_cpu_dispatch.h
__fake_quantize_learnable_per_tensor_affine_cuda_dispatch.h
__fake_quantize_learnable_per_tensor_affine_native.h
__fake_quantize_learnable_per_tensor_affine_ops.h
__fake_quantize_per_tensor_affine_cachemask_tensor_qparams.h
__fake_quantize_per_tensor_affine_cachemask_tensor_qparams_compositeexplicitautograd_dispatch.h
__fake_quantize_per_tensor_affine_cachemask_tensor_qparams_cpu_dispatch.h
__fake_quantize_per_tensor_affine_cachemask_tensor_qparams_cuda_dispatch.h
__fake_quantize_per_tensor_affine_cachemask_tensor_qparams_native.h
__fake_quantize_per_tensor_affine_cachemask_tensor_qparams_ops.h
__fft_c2c.h
__fft_c2c_cpu_dispatch.h
__fft_c2c_cuda_dispatch.h
__fft_c2c_native.h
__fft_c2c_ops.h
__fft_c2r.h
__fft_c2r_cpu_dispatch.h
__fft_c2r_cuda_dispatch.h
__fft_c2r_native.h
__fft_c2r_ops.h
__fft_r2c.h

```

\_fft\_r2c\_cpu\_dispatch.h  
\_fft\_r2c\_cuda\_dispatch.h  
\_fft\_r2c\_native.h  
\_fft\_r2c\_ops.h  
\_fill\_mem\_eff\_dropout\_mask.h  
\_fill\_mem\_eff\_dropout\_mask\_cuda\_dispatch.h  
\_fill\_mem\_eff\_dropout\_mask\_meta\_dispatch.h  
\_fill\_mem\_eff\_dropout\_mask\_native.h  
\_fill\_mem\_eff\_dropout\_mask\_ops.h  
\_flash\_attention\_backward.h  
\_flash\_attention\_backward\_cuda\_dispatch.h  
\_flash\_attention\_backward\_native.h  
\_flash\_attention\_backward\_ops.h  
\_flash\_attention\_forward.h  
\_flash\_attention\_forward\_cuda\_dispatch.h  
\_flash\_attention\_forward\_native.h  
\_flash\_attention\_forward\_no\_dropout\_inplace.h  
\_flash\_attention\_forward\_no\_dropout\_inplace\_cuda\_dispatch.h  
\_flash\_attention\_forward\_no\_dropout\_inplace\_native.h  
\_flash\_attention\_forward\_no\_dropout\_inplace\_ops.h  
\_flash\_attention\_forward\_ops.h  
\_foobar.h  
\_foobar\_compositeexplicitautograd\_dispatch.h  
\_foobar\_cpu\_dispatch.h  
\_foobar\_native.h  
\_foobar\_ops.h  
\_foreach\_abs.h  
\_foreach\_abs\_compositeexplicitautograd\_dispatch.h  
\_foreach\_abs\_cuda\_dispatch.h  
\_foreach\_abs\_native.h  
\_foreach\_abs\_ops.h  
\_foreach\_acos.h  
\_foreach\_acos\_compositeexplicitautograd\_dispatch.h  
\_foreach\_acos\_cuda\_dispatch.h  
\_foreach\_acos\_native.h  
\_foreach\_acos\_ops.h  
\_foreach\_add.h  
\_foreach\_add\_compositeexplicitautograd\_dispatch.h  
\_foreach\_add\_cuda\_dispatch.h  
\_foreach\_add\_native.h  
\_foreach\_add\_ops.h  
\_foreach\_addcdiv.h  
\_foreach\_addcdiv\_compositeexplicitautograd\_dispatch.h  
\_foreach\_addcdiv\_cuda\_dispatch.h  
\_foreach\_addcdiv\_native.h  
\_foreach\_addcdiv\_ops.h  
\_foreach\_addcmul.h  
\_foreach\_addcmul\_compositeexplicitautograd\_dispatch.h  
\_foreach\_addcmul\_cuda\_dispatch.h  
\_foreach\_addcmul\_native.h  
\_foreach\_addcmul\_ops.h  
\_foreach\_asin.h  
\_foreach\_asin\_compositeexplicitautograd\_dispatch.h  
\_foreach\_asin\_cuda\_dispatch.h  
\_foreach\_asin\_native.h  
\_foreach\_asin\_ops.h  
\_foreach\_atan.h  
\_foreach\_atan\_compositeexplicitautograd\_dispatch.h  
\_foreach\_atan\_cuda\_dispatch.h  
\_foreach\_atan\_native.h  
\_foreach\_atan\_ops.h  
\_foreach\_ceil.h  
\_foreach\_ceil\_compositeexplicitautograd\_dispatch.h  
\_foreach\_ceil\_cuda\_dispatch.h  
\_foreach\_ceil\_native.h  
\_foreach\_ceil\_ops.h  
\_foreach\_clamp\_max.h  
\_foreach\_clamp\_max\_compositeexplicitautograd\_dispatch.h  
\_foreach\_clamp\_max\_cuda\_dispatch.h  
\_foreach\_clamp\_max\_native.h  
\_foreach\_clamp\_max\_ops.h  
\_foreach\_clamp\_min.h  
\_foreach\_clamp\_min\_compositeexplicitautograd\_dispatch.h  
\_foreach\_clamp\_min\_cuda\_dispatch.h  
\_foreach\_clamp\_min\_native.h  
\_foreach\_clamp\_min\_ops.h  
\_foreach\_clone.h  
\_foreach\_clone\_compositeexplicitautograd\_dispatch.h  
\_foreach\_clone\_cuda\_dispatch.h  
\_foreach\_clone\_native.h  
\_foreach\_clone\_ops.h  
\_foreach\_copy.h  
\_foreach\_copy\_compositeexplicitautograd\_dispatch.h  
\_foreach\_copy\_cuda\_dispatch.h  
\_foreach\_copy\_native.h

\_\_foreach\_copy\_ops.h  
\_\_foreach\_cos.h  
\_\_foreach\_cos\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_cos\_cuda\_dispatch.h  
\_\_foreach\_cos\_native.h  
\_\_foreach\_cos\_ops.h  
\_\_foreach\_cosh.h  
\_\_foreach\_cosh\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_cosh\_cuda\_dispatch.h  
\_\_foreach\_cosh\_native.h  
\_\_foreach\_cosh\_ops.h  
\_\_foreach\_div.h  
\_\_foreach\_div\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_div\_cuda\_dispatch.h  
\_\_foreach\_div\_native.h  
\_\_foreach\_div\_ops.h  
\_\_foreach\_erf.h  
\_\_foreach\_erf\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_erf\_cuda\_dispatch.h  
\_\_foreach\_erf\_native.h  
\_\_foreach\_erf\_ops.h  
\_\_foreach\_erfc.h  
\_\_foreach\_erfc\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_erfc\_cuda\_dispatch.h  
\_\_foreach\_erfc\_native.h  
\_\_foreach\_erfc\_ops.h  
\_\_foreach\_exp.h  
\_\_foreach\_exp\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_exp\_cuda\_dispatch.h  
\_\_foreach\_exp\_native.h  
\_\_foreach\_exp\_ops.h  
\_\_foreach\_expm1.h  
\_\_foreach\_expm1\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_expm1\_cuda\_dispatch.h  
\_\_foreach\_expm1\_native.h  
\_\_foreach\_expm1\_ops.h  
\_\_foreach\_floor.h  
\_\_foreach\_floor\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_floor\_cuda\_dispatch.h  
\_\_foreach\_floor\_native.h  
\_\_foreach\_floor\_ops.h  
\_\_foreach\_frac.h  
\_\_foreach\_frac\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_frac\_cuda\_dispatch.h  
\_\_foreach\_frac\_native.h  
\_\_foreach\_frac\_ops.h  
\_\_foreach\_lerp.h  
\_\_foreach\_lerp\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_lerp\_cuda\_dispatch.h  
\_\_foreach\_lerp\_native.h  
\_\_foreach\_lerp\_ops.h  
\_\_foreach\_lgamma.h  
\_\_foreach\_lgamma\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_lgamma\_cuda\_dispatch.h  
\_\_foreach\_lgamma\_native.h  
\_\_foreach\_lgamma\_ops.h  
\_\_foreach\_log.h  
\_\_foreach\_log10.h  
\_\_foreach\_log10\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_log10\_cuda\_dispatch.h  
\_\_foreach\_log10\_native.h  
\_\_foreach\_log10\_ops.h  
\_\_foreach\_log1p.h  
\_\_foreach\_log1p\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_log1p\_cuda\_dispatch.h  
\_\_foreach\_log1p\_native.h  
\_\_foreach\_log1p\_ops.h  
\_\_foreach\_log2.h  
\_\_foreach\_log2\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_log2\_cuda\_dispatch.h  
\_\_foreach\_log2\_native.h  
\_\_foreach\_log2\_ops.h  
\_\_foreach\_log\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_log\_cuda\_dispatch.h  
\_\_foreach\_log\_native.h  
\_\_foreach\_log\_ops.h  
\_\_foreach\_max.h  
\_\_foreach\_max\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_max\_cuda\_dispatch.h  
\_\_foreach\_max\_native.h  
\_\_foreach\_max\_ops.h  
\_\_foreach\_maximum.h  
\_\_foreach\_maximum\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_maximum\_cuda\_dispatch.h  
\_\_foreach\_maximum\_native.h

\_\_foreach\_maximum\_ops.h  
\_\_foreach\_minimum.h  
\_\_foreach\_minimum\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_minimum\_cuda\_dispatch.h  
\_\_foreach\_minimum\_native.h  
\_\_foreach\_minimum\_ops.h  
\_\_foreach\_mul.h  
\_\_foreach\_mul\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_mul\_cuda\_dispatch.h  
\_\_foreach\_mul\_native.h  
\_\_foreach\_mul\_ops.h  
\_\_foreach\_neg.h  
\_\_foreach\_neg\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_neg\_cuda\_dispatch.h  
\_\_foreach\_neg\_native.h  
\_\_foreach\_neg\_ops.h  
\_\_foreach\_norm.h  
\_\_foreach\_norm\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_norm\_cuda\_dispatch.h  
\_\_foreach\_norm\_native.h  
\_\_foreach\_norm\_ops.h  
\_\_foreach\_pow.h  
\_\_foreach\_pow\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_pow\_cuda\_dispatch.h  
\_\_foreach\_pow\_native.h  
\_\_foreach\_pow\_ops.h  
\_\_foreach\_powsum.h  
\_\_foreach\_powsum\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_powsum\_cuda\_dispatch.h  
\_\_foreach\_powsum\_native.h  
\_\_foreach\_powsum\_ops.h  
\_\_foreach\_reciprocal.h  
\_\_foreach\_reciprocal\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_reciprocal\_cuda\_dispatch.h  
\_\_foreach\_reciprocal\_native.h  
\_\_foreach\_reciprocal\_ops.h  
\_\_foreach\_round.h  
\_\_foreach\_round\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_round\_cuda\_dispatch.h  
\_\_foreach\_round\_native.h  
\_\_foreach\_round\_ops.h  
\_\_foreach\_rsqrt.h  
\_\_foreach\_rsqrt\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_rsqrt\_cuda\_dispatch.h  
\_\_foreach\_rsqrt\_native.h  
\_\_foreach\_rsqrt\_ops.h  
\_\_foreach\_sigmoid.h  
\_\_foreach\_sigmoid\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_sigmoid\_cuda\_dispatch.h  
\_\_foreach\_sigmoid\_native.h  
\_\_foreach\_sigmoid\_ops.h  
\_\_foreach\_sign.h  
\_\_foreach\_sign\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_sign\_cuda\_dispatch.h  
\_\_foreach\_sign\_native.h  
\_\_foreach\_sign\_ops.h  
\_\_foreach\_sin.h  
\_\_foreach\_sin\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_sin\_cuda\_dispatch.h  
\_\_foreach\_sin\_native.h  
\_\_foreach\_sin\_ops.h  
\_\_foreach\_sinh.h  
\_\_foreach\_sinh\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_sinh\_cuda\_dispatch.h  
\_\_foreach\_sinh\_native.h  
\_\_foreach\_sinh\_ops.h  
\_\_foreach\_sqrt.h  
\_\_foreach\_sqrt\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_sqrt\_cuda\_dispatch.h  
\_\_foreach\_sqrt\_native.h  
\_\_foreach\_sqrt\_ops.h  
\_\_foreach\_sub.h  
\_\_foreach\_sub\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_sub\_cuda\_dispatch.h  
\_\_foreach\_sub\_native.h  
\_\_foreach\_sub\_ops.h  
\_\_foreach\_tan.h  
\_\_foreach\_tan\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_tan\_cuda\_dispatch.h  
\_\_foreach\_tan\_native.h  
\_\_foreach\_tan\_ops.h  
\_\_foreach\_tanh.h  
\_\_foreach\_tanh\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_tanh\_cuda\_dispatch.h  
\_\_foreach\_tanh\_native.h



\_\_foreach\_tanh\_ops.h  
\_\_foreach\_trunc.h  
\_\_foreach\_trunc\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_trunc\_cuda\_dispatch.h  
\_\_foreach\_trunc\_native.h  
\_\_foreach\_trunc\_ops.h  
\_\_foreach\_zero.h  
\_\_foreach\_zero\_compositeexplicitautograd\_dispatch.h  
\_\_foreach\_zero\_cuda\_dispatch.h  
\_\_foreach\_zero\_native.h  
\_\_foreach\_zero\_ops.h  
\_\_functional\_assert\_async.h  
\_\_functional\_assert\_async\_cpu\_dispatch.h  
\_\_functional\_assert\_async\_native.h  
\_\_functional\_assert\_async\_ops.h  
\_\_functional\_assert\_scalar.h  
\_\_functional\_assert\_scalar\_compositeexplicitautograd\_dispatch.h  
\_\_functional\_assert\_scalar\_native.h  
\_\_functional\_assert\_scalar\_ops.h  
\_\_functional\_sym\_constrain\_range.h  
\_\_functional\_sym\_constrain\_range\_compositeexplicitautograd\_dispatch.h  
\_\_functional\_sym\_constrain\_range\_for\_size.h  
\_\_functional\_sym\_constrain\_range\_for\_size\_compositeexplicitautograd\_dispatch.h  
\_\_functional\_sym\_constrain\_range\_for\_size\_native.h  
\_\_functional\_sym\_constrain\_range\_for\_size\_ops.h  
\_\_functional\_sym\_constrain\_range\_native.h  
\_\_functional\_sym\_constrain\_range\_ops.h  
\_\_fused\_adagrad.h  
\_\_fused\_adagrad\_compositeexplicitautograd\_dispatch.h  
\_\_fused\_adagrad\_cpu\_dispatch.h  
\_\_fused\_adagrad\_cuda\_dispatch.h  
\_\_fused\_adagrad\_native.h  
\_\_fused\_adagrad\_ops.h  
\_\_fused\_adam.h  
\_\_fused\_adam\_compositeexplicitautograd\_dispatch.h  
\_\_fused\_adam\_cpu\_dispatch.h  
\_\_fused\_adam\_cuda\_dispatch.h  
\_\_fused\_adam\_native.h  
\_\_fused\_adam\_ops.h  
\_\_fused\_adamw.h  
\_\_fused\_adamw\_compositeexplicitautograd\_dispatch.h  
\_\_fused\_adamw\_cpu\_dispatch.h  
\_\_fused\_adamw\_cuda\_dispatch.h  
\_\_fused\_adamw\_native.h  
\_\_fused\_adamw\_ops.h  
\_\_fused\_dropout.h  
\_\_fused\_dropout\_compositeexplicitautograd\_dispatch.h  
\_\_fused\_dropout\_cuda\_dispatch.h  
\_\_fused\_dropout\_native.h  
\_\_fused\_dropout\_ops.h  
\_\_fused\_moving\_avg\_obs\_fq\_helper.h  
\_\_fused\_moving\_avg\_obs\_fq\_helper\_compositeexplicitautograd\_dispatch.h  
\_\_fused\_moving\_avg\_obs\_fq\_helper\_cpu\_dispatch.h  
\_\_fused\_moving\_avg\_obs\_fq\_helper\_cuda\_dispatch.h  
\_\_fused\_moving\_avg\_obs\_fq\_helper\_native.h  
\_\_fused\_moving\_avg\_obs\_fq\_helper\_ops.h  
\_\_fused\_rms\_norm.h  
\_\_fused\_rms\_norm\_backward.h  
\_\_fused\_rms\_norm\_backward\_cuda\_dispatch.h  
\_\_fused\_rms\_norm\_backward\_native.h  
\_\_fused\_rms\_norm\_backward\_ops.h  
\_\_fused\_rms\_norm\_compositeimplicitautograd\_dispatch.h  
\_\_fused\_rms\_norm\_cuda\_dispatch.h  
\_\_fused\_rms\_norm\_native.h  
\_\_fused\_rms\_norm\_ops.h  
\_\_fused\_sdp\_choice.h  
\_\_fused\_sdp\_choice\_cpu\_dispatch.h  
\_\_fused\_sdp\_choice\_cuda\_dispatch.h  
\_\_fused\_sdp\_choice\_meta\_dispatch.h  
\_\_fused\_sdp\_choice\_native.h  
\_\_fused\_sdp\_choice\_ops.h  
\_\_fused\_sgd.h  
\_\_fused\_sgd\_compositeexplicitautograd\_dispatch.h  
\_\_fused\_sgd\_cpu\_dispatch.h  
\_\_fused\_sgd\_cuda\_dispatch.h  
\_\_fused\_sgd\_native.h  
\_\_fused\_sgd\_ops.h  
\_\_fw\_primal.h  
\_\_fw\_primal\_compositeexplicitautograd\_dispatch.h  
\_\_fw\_primal\_copy.h  
\_\_fw\_primal\_copy\_compositeexplicitautograd\_dispatch.h  
\_\_fw\_primal\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_fw\_primal\_copy\_native.h  
\_\_fw\_primal\_copy\_ops.h  
\_\_fw\_primal\_native.h

```

_fw_primal_ops.h
_gather_sparse_backward.h
_gather_sparse_backward_compositeimplicitautograd_dispatch.h
_gather_sparse_backward_native.h
_gather_sparse_backward_ops.h
_grid_sampler_2d_cpu_fallback.h
_grid_sampler_2d_cpu_fallback_backward.h
_grid_sampler_2d_cpu_fallback_backward_compositeexplicitautograd_dispatch.h
_grid_sampler_2d_cpu_fallback_backward_native.h
_grid_sampler_2d_cpu_fallback_backward_ops.h
_grid_sampler_2d_cpu_fallback_compositeexplicitautograd_dispatch.h
_grid_sampler_2d_cpu_fallback_native.h
_grid_sampler_2d_cpu_fallback_ops.h
_grouped_mm.h
_grouped_mm_compositeexplicitautograd_dispatch.h
_grouped_mm_cuda_dispatch.h
_grouped_mm_native.h
_grouped_mm_ops.h
_has_compatible_shallow_copy_type.h
_has_compatible_shallow_copy_type_compositeimplicitautograd_dispatch.h
_has_compatible_shallow_copy_type_native.h
_has_compatible_shallow_copy_type_ops.h
_has_same_storage_numel.h
_has_same_storage_numel_compositeexplicitautograd_dispatch.h
_has_same_storage_numel_native.h
_has_same_storage_numel_ops.h
_histogramdd_bin_edges.h
_histogramdd_bin_edges_compositeexplicitautograd_dispatch.h
_histogramdd_bin_edges_cpu_dispatch.h
_histogramdd_bin_edges_native.h
_histogramdd_bin_edges_ops.h
_histogramdd_from_bin_cts.h
_histogramdd_from_bin_cts_compositeexplicitautograd_dispatch.h
_histogramdd_from_bin_cts_cpu_dispatch.h
_histogramdd_from_bin_cts_native.h
_histogramdd_from_bin_cts_ops.h
_histogramdd_from_bin_tensors.h
_histogramdd_from_bin_tensors_compositeexplicitautograd_dispatch.h
_histogramdd_from_bin_tensors_cpu_dispatch.h
_histogramdd_from_bin_tensors_native.h
_histogramdd_from_bin_tensors_ops.h
_index_put_impl.h
_index_put_impl_compositeexplicitautograd_dispatch.h
_index_put_impl_cpu_dispatch.h
_index_put_impl_cuda_dispatch.h
_index_put_impl_meta_dispatch.h
_index_put_impl_native.h
_index_put_impl_ops.h
_indices.h
_indices_copy.h
_indices_copy_compositeexplicitautograd_dispatch.h
_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
_indices_copy_native.h
_indices_copy_ops.h
_indices_native.h
_indices_ops.h
_int_mm.h
_int_mm_cpu_dispatch.h
_int_mm_cuda_dispatch.h
_int_mm_native.h
_int_mm_ops.h
_is_all_true.h
_is_all_true_compositeexplicitautograd_dispatch.h
_is_all_true_native.h
_is_all_true_ops.h
_is_any_true.h
_is_any_true_compositeexplicitautograd_dispatch.h
_is_any_true_native.h
_is_any_true_ops.h
_is_zerotensor.h
_is_zerotensor_compositeimplicitautograd_dispatch.h
_is_zerotensor_native.h
_is_zerotensor_ops.h
_jagged_to_padded_dense_forward.h
_jagged_to_padded_dense_forward_cpu_dispatch.h
_jagged_to_padded_dense_forward_cuda_dispatch.h
_jagged_to_padded_dense_forward_native.h
_jagged_to_padded_dense_forward_ops.h
_lazy_clone.h
_lazy_clone_compositeexplicitautograd_dispatch.h
_lazy_clone_native.h
_lazy_clone_ops.h
_linalg_check_errors.h
_linalg_check_errors_compositeexplicitautograd_dispatch.h
_linalg_check_errors_native.h

```

```

_linalg_check_errors_ops.h
_linalg_det.h
_linalg_det_compositeexplicitautogradnonfunctional_dispatch.h
_linalg_det_cpu_dispatch.h
_linalg_det_cuda_dispatch.h
_linalg_det_meta.h
_linalg_det_meta_dispatch.h
_linalg_det_native.h
_linalg_det_ops.h
_linalg_eigh.h
_linalg_eigh_compositeexplicitautogradnonfunctional_dispatch.h
_linalg_eigh_cpu_dispatch.h
_linalg_eigh_cuda_dispatch.h
_linalg_eigh_meta.h
_linalg_eigh_meta_dispatch.h
_linalg_eigh_native.h
_linalg_eigh_ops.h
_linalg_eigvals.h
_linalg_eigvals_cpu_dispatch.h
_linalg_eigvals_cuda_dispatch.h
_linalg_eigvals_native.h
_linalg_eigvals_ops.h
_linalg_slogdet.h
_linalg_slogdet_compositeexplicitautogradnonfunctional_dispatch.h
_linalg_slogdet_cpu_dispatch.h
_linalg_slogdet_cuda_dispatch.h
_linalg_slogdet_meta.h
_linalg_slogdet_meta_dispatch.h
_linalg_slogdet_native.h
_linalg_slogdet_ops.h
_linalg_solve_ex.h
_linalg_solve_ex_compositeexplicitautogradnonfunctional_dispatch.h
_linalg_solve_ex_cpu_dispatch.h
_linalg_solve_ex_cuda_dispatch.h
_linalg_solve_ex_meta.h
_linalg_solve_ex_meta_dispatch.h
_linalg_solve_ex_native.h
_linalg_solve_ex_ops.h
_linalg_svd.h
_linalg_svd_compositeexplicitautogradnonfunctional_dispatch.h
_linalg_svd_cpu_dispatch.h
_linalg_svd_cuda_dispatch.h
_linalg_svd_meta.h
_linalg_svd_meta_dispatch.h
_linalg_svd_native.h
_linalg_svd_ops.h
_local_scalar_dense.h
_local_scalar_dense_cpu_dispatch.h
_local_scalar_dense_cuda_dispatch.h
_local_scalar_dense_native.h
_local_scalar_dense_ops.h
_log_softmax.h
_log_softmax_backward_data.h
_log_softmax_backward_data_compositeexplicitautogradnonfunctional_dispatch.h
_log_softmax_backward_data_cpu_dispatch.h
_log_softmax_backward_data_cuda_dispatch.h
_log_softmax_backward_data_meta.h
_log_softmax_backward_data_meta_dispatch.h
_log_softmax_backward_data_native.h
_log_softmax_backward_data_ops.h
_log_softmax_compositeexplicitautogradnonfunctional_dispatch.h
_log_softmax_cpu_dispatch.h
_log_softmax_cuda_dispatch.h
_log_softmax_meta.h
_log_softmax_meta_dispatch.h
_log_softmax_native.h
_log_softmax_ops.h
_logcumsumexp.h
_logcumsumexp_cpu_dispatch.h
_logcumsumexp_cuda_dispatch.h
_logcumsumexp_native.h
_logcumsumexp_ops.h
_lstm_mps.h
_lstm_mps_compositeexplicitautograd_dispatch.h
_lstm_mps_native.h
_lstm_mps_ops.h
_lu_with_info.h
_lu_with_info_compositeimplicitautograd_dispatch.h
_lu_with_info_native.h
_lu_with_info_ops.h
_make_dep_token.h
_make_dep_token_cpu_dispatch.h
_make_dep_token_native.h
_make_dep_token_ops.h
_make_dual.h

```

\_make\_dual\_compositeexplicitautograd\_dispatch.h  
\_make\_dual\_copy.h  
\_make\_dual\_copy\_compositeexplicitautograd\_dispatch.h  
\_make\_dual\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_make\_dual\_copy\_native.h  
\_make\_dual\_copy\_ops.h  
\_make\_dual\_native.h  
\_make\_dual\_ops.h  
\_make\_per\_channel\_quantized\_tensor.h  
\_make\_per\_channel\_quantized\_tensor\_compositeexplicitautograd\_dispatch.h  
\_make\_per\_channel\_quantized\_tensor\_cpu\_dispatch.h  
\_make\_per\_channel\_quantized\_tensor\_cuda\_dispatch.h  
\_make\_per\_channel\_quantized\_tensor\_native.h  
\_make\_per\_channel\_quantized\_tensor\_ops.h  
\_make\_per\_tensor\_quantized\_tensor.h  
\_make\_per\_tensor\_quantized\_tensor\_compositeexplicitautograd\_dispatch.h  
\_make\_per\_tensor\_quantized\_tensor\_cpu\_dispatch.h  
\_make\_per\_tensor\_quantized\_tensor\_cuda\_dispatch.h  
\_make\_per\_tensor\_quantized\_tensor\_native.h  
\_make\_per\_tensor\_quantized\_tensor\_ops.h  
\_masked\_scale.h  
\_masked\_scale\_compositeexplicitautograd\_dispatch.h  
\_masked\_scale\_cuda\_dispatch.h  
\_masked\_scale\_native.h  
\_masked\_scale\_ops.h  
\_masked\_softmax.h  
\_masked\_softmax\_backward.h  
\_masked\_softmax\_backward\_compositeexplicitautograd\_dispatch.h  
\_masked\_softmax\_backward\_cpu\_dispatch.h  
\_masked\_softmax\_backward\_cuda\_dispatch.h  
\_masked\_softmax\_backward\_native.h  
\_masked\_softmax\_backward\_ops.h  
\_masked\_softmax\_compositeexplicitautograd\_dispatch.h  
\_masked\_softmax\_cpu\_dispatch.h  
\_masked\_softmax\_cuda\_dispatch.h  
\_masked\_softmax\_native.h  
\_masked\_softmax\_ops.h  
\_mixed\_dtypes\_linear.h  
\_mixed\_dtypes\_linear\_cuda\_dispatch.h  
\_mixed\_dtypes\_linear\_native.h  
\_mixed\_dtypes\_linear\_ops.h  
\_mkldnn\_reshape.h  
\_mkldnn\_reshape\_compositeexplicitautograd\_dispatch.h  
\_mkldnn\_reshape\_native.h  
\_mkldnn\_reshape\_ops.h  
\_mkldnn\_transpose.h  
\_mkldnn\_transpose\_compositeexplicitautograd\_dispatch.h  
\_mkldnn\_transpose\_meta\_dispatch.h  
\_mkldnn\_transpose\_native.h  
\_mkldnn\_transpose\_ops.h  
\_mps\_convolution.h  
\_mps\_convolution\_compositeexplicitautograd\_dispatch.h  
\_mps\_convolution\_native.h  
\_mps\_convolution\_ops.h  
\_mps\_convolution\_transpose.h  
\_mps\_convolution\_transpose\_compositeexplicitautograd\_dispatch.h  
\_mps\_convolution\_transpose\_native.h  
\_mps\_convolution\_transpose\_ops.h  
\_native\_batch\_norm\_legit.h  
\_native\_batch\_norm\_legit\_compositeexplicitautograd\_dispatch.h  
\_native\_batch\_norm\_legit\_cpu\_dispatch.h  
\_native\_batch\_norm\_legit\_cuda\_dispatch.h  
\_native\_batch\_norm\_legit\_native.h  
\_native\_batch\_norm\_legit\_no\_training.h  
\_native\_batch\_norm\_legit\_no\_training\_compositeexplicitautograd\_dispatch.h  
\_native\_batch\_norm\_legit\_no\_training\_native.h  
\_native\_batch\_norm\_legit\_no\_training\_ops.h  
\_native\_batch\_norm\_legit\_ops.h  
\_native\_multi\_head\_attention.h  
\_native\_multi\_head\_attention\_compositeexplicitautograd\_dispatch.h  
\_native\_multi\_head\_attention\_cpu\_dispatch.h  
\_native\_multi\_head\_attention\_cuda\_dispatch.h  
\_native\_multi\_head\_attention\_native.h  
\_native\_multi\_head\_attention\_ops.h  
\_neg\_view.h  
\_neg\_view\_compositeexplicitautograd\_dispatch.h  
\_neg\_view\_copy.h  
\_neg\_view\_copy\_compositeexplicitautograd\_dispatch.h  
\_neg\_view\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_neg\_view\_copy\_native.h  
\_neg\_view\_copy\_ops.h  
\_neg\_view\_native.h  
\_neg\_view\_ops.h  
\_nested\_compute\_contiguous\_strides\_offsets.h  
\_nested\_compute\_contiguous\_strides\_offsets\_cpu\_dispatch.h

```

__nested_compute_contiguous_strides_offsets_cuda_dispatch.h
__nested_compute_contiguous_strides_offsets_native.h
__nested_compute_contiguous_strides_offsets_ops.h
__nested_from_padded.h
__nested_from_padded_and_nested_example.h
__nested_from_padded_and_nested_example_compositeexplicitautograd_dispatch.h
__nested_from_padded_and_nested_example_native.h
__nested_from_padded_and_nested_example_ops.h
__nested_from_padded_compositeexplicitautograd_dispatch.h
__nested_from_padded_cpu_dispatch.h
__nested_from_padded_cuda_dispatch.h
__nested_from_padded_native.h
__nested_from_padded_ops.h
__nested_from_padded_tensor.h
__nested_from_padded_tensor_native.h
__nested_from_padded_tensor_ops.h
__nested_get_jagged_dummy.h
__nested_get_jagged_dummy_native.h
__nested_get_jagged_dummy_ops.h
__nested_get_lengths.h
__nested_get_lengths_native.h
__nested_get_lengths_ops.h
__nested_get_max_seqlen.h
__nested_get_max_seqlen_native.h
__nested_get_max_seqlen_ops.h
__nested_get_min_seqlen.h
__nested_get_min_seqlen_native.h
__nested_get_min_seqlen_ops.h
__nested_get_offsets.h
__nested_get_offsets_native.h
__nested_get_offsets_ops.h
__nested_get_ragged_idx.h
__nested_get_ragged_idx_native.h
__nested_get_ragged_idx_ops.h
__nested_get_values.h
__nested_get_values_copy.h
__nested_get_values_copy_compositeexplicitautograd_dispatch.h
__nested_get_values_copy_compositeexplicitautogradnonfunctional_dispatch.h
__nested_get_values_copy_native.h
__nested_get_values_copy_ops.h
__nested_get_values_native.h
__nested_get_values_ops.h
__nested_select_backward.h
__nested_select_backward_native.h
__nested_select_backward_ops.h
__nested_sum_backward.h
__nested_sum_backward_native.h
__nested_sum_backward_ops.h
__nested_tensor_from_mask.h
__nested_tensor_from_mask_compositeexplicitautograd_dispatch.h
__nested_tensor_from_mask_cpu_dispatch.h
__nested_tensor_from_mask_cuda_dispatch.h
__nested_tensor_from_mask_left_aligned.h
__nested_tensor_from_mask_left_aligned_cpu_dispatch.h
__nested_tensor_from_mask_left_aligned_cuda_dispatch.h
__nested_tensor_from_mask_left_aligned_native.h
__nested_tensor_from_mask_left_aligned_ops.h
__nested_tensor_from_mask_native.h
__nested_tensor_from_mask_ops.h
__nested_tensor_from_tensor_list.h
__nested_tensor_from_tensor_list_compositeexplicitautograd_dispatch.h
__nested_tensor_from_tensor_list_native.h
__nested_tensor_from_tensor_list_ops.h
__nested_tensor_size.h
__nested_tensor_size_compositeexplicitautograd_dispatch.h
__nested_tensor_size_native.h
__nested_tensor_size_ops.h
__nested_tensor_softmax_with_shape.h
__nested_tensor_softmax_with_shape_native.h
__nested_tensor_softmax_with_shape_ops.h
__nested_tensor_storage_offsets.h
__nested_tensor_storage_offsets_compositeexplicitautograd_dispatch.h
__nested_tensor_storage_offsets_native.h
__nested_tensor_storage_offsets_ops.h
__nested_tensor_strides.h
__nested_tensor_strides_compositeexplicitautograd_dispatch.h
__nested_tensor_strides_native.h
__nested_tensor_strides_ops.h
__nested_view_from_buffer.h
__nested_view_from_buffer_copy.h
__nested_view_from_buffer_copy_compositeexplicitautograd_dispatch.h
__nested_view_from_buffer_copy_compositeexplicitautogradnonfunctional_dispatch.h
__nested_view_from_buffer_copy_native.h
__nested_view_from_buffer_copy_ops.h
__nested_view_from_buffer_cpu_dispatch.h

```

```

__nested_view_from_buffer_cuda_dispatch.h
__nested_view_from_buffer_native.h
__nested_view_from_buffer_ops.h
__nested_view_from_jagged.h
__nested_view_from_jagged_copy.h
__nested_view_from_jagged_copy_compositeexplicitautograd_dispatch.h
__nested_view_from_jagged_copy_compositeexplicitautogradnonfunctional_dispatch.h
__nested_view_from_jagged_copy_native.h
__nested_view_from_jagged_copy_ops.h
__nested_view_from_jagged_native.h
__nested_view_from_jagged_ops.h
__new_zeros_with_same_feature_meta.h
__new_zeros_with_same_feature_meta_compositeexplicitautograd_dispatch.h
__new_zeros_with_same_feature_meta_native.h
__new_zeros_with_same_feature_meta_ops.h
__nnpack_available.h
__nnpack_available_compositeimplicitautograd_dispatch.h
__nnpack_available_native.h
__nnpack_available_ops.h
__nnpack_spatial_convolution.h
__nnpack_spatial_convolution_compositeexplicitautograd_dispatch.h
__nnpack_spatial_convolution_native.h
__nnpack_spatial_convolution_ops.h
__nnz.h
__nnz_native.h
__nnz_ops.h
__pack_padded_sequence.h
__pack_padded_sequence_backward.h
__pack_padded_sequence_backward_compositeimplicitautograd_dispatch.h
__pack_padded_sequence_backward_native.h
__pack_padded_sequence_backward_ops.h
__pack_padded_sequence_compositeexplicitautograd_dispatch.h
__pack_padded_sequence_native.h
__pack_padded_sequence_ops.h
__pad_circular.h
__pad_circular_compositeimplicitautograd_dispatch.h
__pad_circular_native.h
__pad_circular_ops.h
__pad_enum.h
__pad_enum_compositeimplicitautograd_dispatch.h
__pad_enum_native.h
__pad_enum_ops.h
__pad_packed_sequence.h
__pad_packed_sequence_compositeimplicitautograd_dispatch.h
__pad_packed_sequence_native.h
__pad_packed_sequence_ops.h
__padded_dense_to_jagged_forward.h
__padded_dense_to_jagged_forward_cpu_dispatch.h
__padded_dense_to_jagged_forward_cuda_dispatch.h
__padded_dense_to_jagged_forward_native.h
__padded_dense_to_jagged_forward_ops.h
__pdist_backward.h
__pdist_backward_compositeexplicitautograd_dispatch.h
__pdist_backward_cpu_dispatch.h
__pdist_backward_cuda_dispatch.h
__pdist_backward_native.h
__pdist_backward_ops.h
__pdist_forward.h
__pdist_forward_compositeexplicitautograd_dispatch.h
__pdist_forward_cpu_dispatch.h
__pdist_forward_cuda_dispatch.h
__pdist_forward_native.h
__pdist_forward_ops.h
__philox_key_fold_in.h
__philox_key_fold_in_cuda_dispatch.h
__philox_key_fold_in_native.h
__philox_key_fold_in_ops.h
__philox_key_split.h
__philox_key_split_cuda_dispatch.h
__philox_key_split_native.h
__philox_key_split_ops.h
__philox_normal.h
__philox_normal_compositeexplicitautograd_dispatch.h
__philox_normal_cuda_dispatch.h
__philox_normal_meta_dispatch.h
__philox_normal_native.h
__philox_normal_ops.h
__philox_uniform.h
__philox_uniform_compositeexplicitautograd_dispatch.h
__philox_uniform_cuda_dispatch.h
__philox_uniform_meta_dispatch.h
__philox_uniform_native.h
__philox_uniform_ops.h
__pin_memory.h
__pin_memory_compositeexplicitautograd_dispatch.h

```

\_\_pin\_memory\_native.h  
\_\_pin\_memory\_ops.h  
\_\_prelu\_kernel.h  
\_\_prelu\_kernel\_backward.h  
\_\_prelu\_kernel\_backward\_cpu\_dispatch.h  
\_\_prelu\_kernel\_backward\_cuda\_dispatch.h  
\_\_prelu\_kernel\_backward\_native.h  
\_\_prelu\_kernel\_backward\_ops.h  
\_\_prelu\_kernel\_cpu\_dispatch.h  
\_\_prelu\_kernel\_cuda\_dispatch.h  
\_\_prelu\_kernel\_native.h  
\_\_prelu\_kernel\_ops.h  
\_\_print.h  
\_\_print\_compositeexplicitautograd\_dispatch.h  
\_\_print\_native.h  
\_\_print\_ops.h  
\_\_propagate\_xla\_data.h  
\_\_propagate\_xla\_data\_compositeimplicitautograd\_dispatch.h  
\_\_propagate\_xla\_data\_native.h  
\_\_propagate\_xla\_data\_ops.h  
\_\_remove\_batch\_dim.h  
\_\_remove\_batch\_dim\_compositeimplicitautograd\_dispatch.h  
\_\_remove\_batch\_dim\_native.h  
\_\_remove\_batch\_dim\_ops.h  
\_\_reshape\_alias.h  
\_\_reshape\_alias\_copy.h  
\_\_reshape\_alias\_copy\_compositeexplicitautograd\_dispatch.h  
\_\_reshape\_alias\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_reshape\_alias\_copy\_native.h  
\_\_reshape\_alias\_copy\_ops.h  
\_\_reshape\_alias\_cpu\_dispatch.h  
\_\_reshape\_alias\_cuda\_dispatch.h  
\_\_reshape\_alias\_meta\_dispatch.h  
\_\_reshape\_alias\_native.h  
\_\_reshape\_alias\_ops.h  
\_\_reshape\_copy.h  
\_\_reshape\_copy\_compositeexplicitautograd\_dispatch.h  
\_\_reshape\_copy\_native.h  
\_\_reshape\_copy\_ops.h  
\_\_reshape\_from\_tensor.h  
\_\_reshape\_from\_tensor\_compositeimplicitautograd\_dispatch.h  
\_\_reshape\_from\_tensor\_native.h  
\_\_reshape\_from\_tensor\_ops.h  
\_\_resize\_output.h  
\_\_resize\_output\_compositeexplicitautograd\_dispatch.h  
\_\_resize\_output\_meta\_dispatch.h  
\_\_resize\_output\_native.h  
\_\_resize\_output\_ops.h  
\_\_rowwise\_prune.h  
\_\_rowwise\_prune\_compositeimplicitautograd\_dispatch.h  
\_\_rowwise\_prune\_native.h  
\_\_rowwise\_prune\_ops.h  
\_\_safe\_softmax.h  
\_\_safe\_softmax\_compositeexplicitautograd\_dispatch.h  
\_\_safe\_softmax\_native.h  
\_\_safe\_softmax\_ops.h  
\_\_sample\_dirichlet.h  
\_\_sample\_dirichlet\_compositeexplicitautograd\_dispatch.h  
\_\_sample\_dirichlet\_cpu\_dispatch.h  
\_\_sample\_dirichlet\_cuda\_dispatch.h  
\_\_sample\_dirichlet\_native.h  
\_\_sample\_dirichlet\_ops.h  
\_\_saturate\_weight\_to\_fp16.h  
\_\_saturate\_weight\_to\_fp16\_compositeimplicitautograd\_dispatch.h  
\_\_saturate\_weight\_to\_fp16\_native.h  
\_\_saturate\_weight\_to\_fp16\_ops.h  
\_\_scaled\_dot\_product\_attention\_math.h  
\_\_scaled\_dot\_product\_attention\_math\_compositeimplicitautograd\_dispatch.h  
\_\_scaled\_dot\_product\_attention\_math\_for\_mps.h  
\_\_scaled\_dot\_product\_attention\_math\_for\_mps\_native.h  
\_\_scaled\_dot\_product\_attention\_math\_for\_mps\_ops.h  
\_\_scaled\_dot\_product\_attention\_math\_native.h  
\_\_scaled\_dot\_product\_attention\_math\_ops.h  
\_\_scaled\_dot\_product\_cudnn\_attention.h  
\_\_scaled\_dot\_product\_cudnn\_attention\_backward.h  
\_\_scaled\_dot\_product\_cudnn\_attention\_backward\_cuda\_dispatch.h  
\_\_scaled\_dot\_product\_cudnn\_attention\_backward\_native.h  
\_\_scaled\_dot\_product\_cudnn\_attention\_backward\_ops.h  
\_\_scaled\_dot\_product\_cudnn\_attention\_cuda\_dispatch.h  
\_\_scaled\_dot\_product\_cudnn\_attention\_native.h  
\_\_scaled\_dot\_product\_cudnn\_attention\_ops.h  
\_\_scaled\_dot\_product\_efficient\_attention.h  
\_\_scaled\_dot\_product\_efficient\_attention\_backward.h  
\_\_scaled\_dot\_product\_efficient\_attention\_backward\_cuda\_dispatch.h  
\_\_scaled\_dot\_product\_efficient\_attention\_backward\_native.h

```

__scaled_dot_product_efficient_attention_backward_ops.h
__scaled_dot_product_efficient_attention_cuda_dispatch.h
__scaled_dot_product_efficient_attention_native.h
__scaled_dot_product_efficient_attention_ops.h
__scaled_dot_product_flash_attention.h
__scaled_dot_product_flash_attention_backward.h
__scaled_dot_product_flash_attention_backward_cuda_dispatch.h
__scaled_dot_product_flash_attention_backward_native.h
__scaled_dot_product_flash_attention_backward_ops.h
__scaled_dot_product_flash_attention_cuda_dispatch.h
__scaled_dot_product_flash_attention_for_cpu.h
__scaled_dot_product_flash_attention_for_cpu_backward.h
__scaled_dot_product_flash_attention_for_cpu_backward_cpu_dispatch.h
__scaled_dot_product_flash_attention_for_cpu_backward_native.h
__scaled_dot_product_flash_attention_for_cpu_backward_ops.h
__scaled_dot_product_flash_attention_for_cpu_cpu_dispatch.h
__scaled_dot_product_flash_attention_for_cpu_native.h
__scaled_dot_product_flash_attention_for_cpu_ops.h
__scaled_dot_product_flash_attention_native.h
__scaled_dot_product_flash_attention_ops.h
__scaled_dot_product_fused_attention_overrideable.h
__scaled_dot_product_fused_attention_overrideable_backward.h
__scaled_dot_product_fused_attention_overrideable_backward_compositeexplicitautograd_dispatch.h
__scaled_dot_product_fused_attention_overrideable_backward_native.h
__scaled_dot_product_fused_attention_overrideable_backward_ops.h
__scaled_dot_product_fused_attention_overrideable_compositeexplicitautograd_dispatch.h
__scaled_dot_product_fused_attention_overrideable_native.h
__scaled_dot_product_fused_attention_overrideable_ops.h
__scaled_grouped_mm.h
__scaled_grouped_mm_cuda_dispatch.h
__scaled_grouped_mm_native.h
__scaled_grouped_mm_ops.h
__scaled_grouped_mm_v2.h
__scaled_grouped_mm_v2_cuda_dispatch.h
__scaled_grouped_mm_v2_native.h
__scaled_grouped_mm_v2_ops.h
__scaled_mm.h
__scaled_mm_cpu_dispatch.h
__scaled_mm_cuda_dispatch.h
__scaled_mm_native.h
__scaled_mm_ops.h
__scaled_mm_v2.h
__scaled_mm_v2_cpu_dispatch.h
__scaled_mm_v2_cuda_dispatch.h
__scaled_mm_v2_native.h
__scaled_mm_v2_ops.h
__segment_reduce_backward.h
__segment_reduce_backward_compositeexplicitautograd_dispatch.h
__segment_reduce_backward_cpu_dispatch.h
__segment_reduce_backward_cuda_dispatch.h
__segment_reduce_backward_native.h
__segment_reduce_backward_ops.h
__shape_as_tensor.h
__shape_as_tensor_compositeimplicitautograd_dispatch.h
__shape_as_tensor_native.h
__shape_as_tensor_ops.h
__slow_conv2d_backward.h
__slow_conv2d_backward_compositeexplicitautograd_dispatch.h
__slow_conv2d_backward_cpu_dispatch.h
__slow_conv2d_backward_cuda_dispatch.h
__slow_conv2d_backward_native.h
__slow_conv2d_backward_ops.h
__slow_conv2d_forward.h
__slow_conv2d_forward_cpu_dispatch.h
__slow_conv2d_forward_cuda_dispatch.h
__slow_conv2d_forward_native.h
__slow_conv2d_forward_ops.h
__sobol_engine_draw.h
__sobol_engine_draw_compositeimplicitautograd_dispatch.h
__sobol_engine_draw_native.h
__sobol_engine_draw_ops.h
__sobol_engine_ff.h
__sobol_engine_ff_compositeimplicitautograd_dispatch.h
__sobol_engine_ff_native.h
__sobol_engine_ff_ops.h
__sobol_engine_initialize_state.h
__sobol_engine_initialize_state_compositeimplicitautograd_dispatch.h
__sobol_engine_initialize_state_native.h
__sobol_engine_initialize_state_ops.h
__sobol_engine_scramble.h
__sobol_engine_scramble_compositeimplicitautograd_dispatch.h
__sobol_engine_scramble_native.h
__sobol_engine_scramble_ops.h
__softmax.h
__softmax_backward_data.h

```



\_softmax\_backward\_data\_compositeexplicitautogradnonfunctional\_dispatch.h  
 \_softmax\_backward\_data\_cpu\_dispatch.h  
 \_softmax\_backward\_data\_cuda\_dispatch.h  
 \_softmax\_backward\_data\_meta.h  
 \_softmax\_backward\_data\_meta\_dispatch.h  
 \_softmax\_backward\_data\_native.h  
 \_softmax\_backward\_data\_ops.h  
 \_softmax\_compositeexplicitautogradnonfunctional\_dispatch.h  
 \_softmax\_cpu\_dispatch.h  
 \_softmax\_cuda\_dispatch.h  
 \_softmax\_meta.h  
 \_softmax\_meta\_dispatch.h  
 \_softmax\_native.h  
 \_softmax\_ops.h  
 \_sparse\_addmm.h  
 \_sparse\_addmm\_compositeexplicitautograd\_dispatch.h  
 \_sparse\_addmm\_native.h  
 \_sparse\_addmm\_ops.h  
 \_sparse\_broadcast\_to.h  
 \_sparse\_broadcast\_to\_copy.h  
 \_sparse\_broadcast\_to\_copy\_compositeexplicitautograd\_dispatch.h  
 \_sparse\_broadcast\_to\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
 \_sparse\_broadcast\_to\_copy\_native.h  
 \_sparse\_broadcast\_to\_copy\_ops.h  
 \_sparse\_broadcast\_to\_native.h  
 \_sparse\_broadcast\_to\_ops.h  
 \_sparse\_bsc\_tensor\_unsafe.h  
 \_sparse\_bsc\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
 \_sparse\_bsc\_tensor\_unsafe\_native.h  
 \_sparse\_bsc\_tensor\_unsafe\_ops.h  
 \_sparse\_bsr\_tensor\_unsafe.h  
 \_sparse\_bsr\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
 \_sparse\_bsr\_tensor\_unsafe\_native.h  
 \_sparse\_bsr\_tensor\_unsafe\_ops.h  
 \_sparse\_compressed\_tensor\_unsafe.h  
 \_sparse\_compressed\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
 \_sparse\_compressed\_tensor\_unsafe\_native.h  
 \_sparse\_compressed\_tensor\_unsafe\_ops.h  
 \_sparse\_compressed\_tensor\_with\_dims.h  
 \_sparse\_compressed\_tensor\_with\_dims\_compositeexplicitautograd\_dispatch.h  
 \_sparse\_compressed\_tensor\_with\_dims\_native.h  
 \_sparse\_compressed\_tensor\_with\_dims\_ops.h  
 \_sparse\_coo\_tensor\_unsafe.h  
 \_sparse\_coo\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
 \_sparse\_coo\_tensor\_unsafe\_native.h  
 \_sparse\_coo\_tensor\_unsafe\_ops.h  
 \_sparse\_coo\_tensor\_with\_dims.h  
 \_sparse\_coo\_tensor\_with\_dims\_and\_tensors.h  
 \_sparse\_coo\_tensor\_with\_dims\_and\_tensors\_compositeexplicitautograd\_dispatch.h  
 \_sparse\_coo\_tensor\_with\_dims\_and\_tensors\_meta\_dispatch.h  
 \_sparse\_coo\_tensor\_with\_dims\_and\_tensors\_native.h  
 \_sparse\_coo\_tensor\_with\_dims\_and\_tensors\_ops.h  
 \_sparse\_coo\_tensor\_with\_dims\_compositeexplicitautograd\_dispatch.h  
 \_sparse\_coo\_tensor\_with\_dims\_meta\_dispatch.h  
 \_sparse\_coo\_tensor\_with\_dims\_native.h  
 \_sparse\_coo\_tensor\_with\_dims\_ops.h  
 \_sparse\_csc\_tensor\_unsafe.h  
 \_sparse\_csc\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
 \_sparse\_csc\_tensor\_unsafe\_native.h  
 \_sparse\_csc\_tensor\_unsafe\_ops.h  
 \_sparse\_csr\_prod.h  
 \_sparse\_csr\_prod\_compositeexplicitautograd\_dispatch.h  
 \_sparse\_csr\_prod\_native.h  
 \_sparse\_csr\_prod\_ops.h  
 \_sparse\_csr\_sum.h  
 \_sparse\_csr\_sum\_compositeexplicitautograd\_dispatch.h  
 \_sparse\_csr\_sum\_native.h  
 \_sparse\_csr\_sum\_ops.h  
 \_sparse\_csr\_tensor\_unsafe.h  
 \_sparse\_csr\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
 \_sparse\_csr\_tensor\_unsafe\_native.h  
 \_sparse\_csr\_tensor\_unsafe\_ops.h  
 \_sparse\_log\_softmax.h  
 \_sparse\_log\_softmax\_backward\_data.h  
 \_sparse\_log\_softmax\_backward\_data\_compositeexplicitautograd\_dispatch.h  
 \_sparse\_log\_softmax\_backward\_data\_native.h  
 \_sparse\_log\_softmax\_backward\_data\_ops.h  
 \_sparse\_log\_softmax\_compositeexplicitautograd\_dispatch.h  
 \_sparse\_log\_softmax\_compositeimplicitautograd\_dispatch.h  
 \_sparse\_log\_softmax\_native.h  
 \_sparse\_log\_softmax\_ops.h  
 \_sparse\_mask\_projection.h  
 \_sparse\_mask\_projection\_compositeexplicitautograd\_dispatch.h  
 \_sparse\_mask\_projection\_native.h  
 \_sparse\_mask\_projection\_ops.h

```

__sparse_mm.h
__sparse_mm_compositeimplicitautograd_dispatch.h
__sparse_mm_native.h
__sparse_mm_ops.h
__sparse_mm_reduce_impl.h
__sparse_mm_reduce_impl_backward.h
__sparse_mm_reduce_impl_backward_native.h
__sparse_mm_reduce_impl_backward_ops.h
__sparse_mm_reduce_impl_native.h
__sparse_mm_reduce_impl_ops.h
__sparse_semi_structured_addmm.h
__sparse_semi_structured_addmm_cuda_dispatch.h
__sparse_semi_structured_addmm_native.h
__sparse_semi_structured_addmm_ops.h
__sparse_semi_structured_apply.h
__sparse_semi_structured_apply_cuda_dispatch.h
__sparse_semi_structured_apply_dense.h
__sparse_semi_structured_apply_dense_cuda_dispatch.h
__sparse_semi_structured_apply_dense_native.h
__sparse_semi_structured_apply_dense_ops.h
__sparse_semi_structured_apply_native.h
__sparse_semi_structured_apply_ops.h
__sparse_semi_structured_linear.h
__sparse_semi_structured_linear_cuda_dispatch.h
__sparse_semi_structured_linear_native.h
__sparse_semi_structured_linear_ops.h
__sparse_semi_structured_mm.h
__sparse_semi_structured_mm_cuda_dispatch.h
__sparse_semi_structured_mm_native.h
__sparse_semi_structured_mm_ops.h
__sparse_semi_structured_tile.h
__sparse_semi_structured_tile_cuda_dispatch.h
__sparse_semi_structured_tile_native.h
__sparse_semi_structured_tile_ops.h
__sparse_softmax.h
__sparse_softmax_backward_data.h
__sparse_softmax_backward_data_compositeexplicitautograd_dispatch.h
__sparse_softmax_backward_data_native.h
__sparse_softmax_backward_data_ops.h
__sparse_softmax_compositeexplicitautograd_dispatch.h
__sparse_softmax_compositeimplicitautograd_dispatch.h
__sparse_softmax_native.h
__sparse_softmax_ops.h
__sparse_sparse_matmul.h
__sparse_sparse_matmul_compositeexplicitautograd_dispatch.h
__sparse_sparse_matmul_native.h
__sparse_sparse_matmul_ops.h
__sparse_sum.h
__sparse_sum_backward.h
__sparse_sum_backward_compositeexplicitautograd_dispatch.h
__sparse_sum_backward_native.h
__sparse_sum_backward_ops.h
__sparse_sum_compositeexplicitautograd_dispatch.h
__sparse_sum_compositeimplicitautograd_dispatch.h
__sparse_sum_native.h
__sparse_sum_ops.h
__spdiags.h
__spdiags_compositeexplicitautograd_dispatch.h
__spdiags_cpu_dispatch.h
__spdiags_native.h
__spdiags_ops.h
__spsolve.h
__spsolve_native.h
__spsolve_ops.h
__stack.h
__stack_compositeexplicitautograd_dispatch.h
__stack_cpu_dispatch.h
__stack_native.h
__stack_ops.h
__standard_gamma.h
__standard_gamma_compositeexplicitautograd_dispatch.h
__standard_gamma_cpu_dispatch.h
__standard_gamma_cuda_dispatch.h
__standard_gamma_grad.h
__standard_gamma_grad_compositeexplicitautograd_dispatch.h
__standard_gamma_grad_cpu_dispatch.h
__standard_gamma_grad_cuda_dispatch.h
__standard_gamma_grad_native.h
__standard_gamma_grad_ops.h
__standard_gamma_native.h
__standard_gamma_ops.h
__test_ambiguous_defaults.h
__test_ambiguous_defaults_compositeimplicitautograd_dispatch.h
__test_ambiguous_defaults_native.h
__test_ambiguous_defaults_ops.h

```

\_\_test\_autograd\_multiple\_dispatch.h  
\_\_test\_autograd\_multiple\_dispatch\_compositeexplicitautograd\_dispatch.h  
\_\_test\_autograd\_multiple\_dispatch\_compositeimplicitautograd\_dispatch.h  
\_\_test\_autograd\_multiple\_dispatch\_native.h  
\_\_test\_autograd\_multiple\_dispatch\_ops.h  
\_\_test\_autograd\_multiple\_dispatch\_view.h  
\_\_test\_autograd\_multiple\_dispatch\_view\_compositeexplicitautograd\_dispatch.h  
\_\_test\_autograd\_multiple\_dispatch\_view\_copy.h  
\_\_test\_autograd\_multiple\_dispatch\_view\_copy\_compositeexplicitautograd\_dispatch.h  
\_\_test\_autograd\_multiple\_dispatch\_view\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_test\_autograd\_multiple\_dispatch\_view\_copy\_native.h  
\_\_test\_autograd\_multiple\_dispatch\_view\_copy\_ops.h  
\_\_test\_autograd\_multiple\_dispatch\_view\_native.h  
\_\_test\_autograd\_multiple\_dispatch\_view\_ops.h  
\_\_test\_check\_tensor.h  
\_\_test\_check\_tensor\_compositeimplicitautograd\_dispatch.h  
\_\_test\_check\_tensor\_native.h  
\_\_test\_check\_tensor\_ops.h  
\_\_test\_functorch\_fallback.h  
\_\_test\_functorch\_fallback\_compositeexplicitautograd\_dispatch.h  
\_\_test\_functorch\_fallback\_cpu\_dispatch.h  
\_\_test\_functorch\_fallback\_native.h  
\_\_test\_functorch\_fallback\_ops.h  
\_\_test\_optional\_filled\_intlist.h  
\_\_test\_optional\_filled\_intlist\_compositeexplicitautograd\_dispatch.h  
\_\_test\_optional\_filled\_intlist\_cpu\_dispatch.h  
\_\_test\_optional\_filled\_intlist\_native.h  
\_\_test\_optional\_filled\_intlist\_ops.h  
\_\_test\_optional\_floatlist.h  
\_\_test\_optional\_floatlist\_compositeexplicitautograd\_dispatch.h  
\_\_test\_optional\_floatlist\_cpu\_dispatch.h  
\_\_test\_optional\_floatlist\_native.h  
\_\_test\_optional\_floatlist\_ops.h  
\_\_test\_optional\_intlist.h  
\_\_test\_optional\_intlist\_compositeexplicitautograd\_dispatch.h  
\_\_test\_optional\_intlist\_cpu\_dispatch.h  
\_\_test\_optional\_intlist\_native.h  
\_\_test\_optional\_intlist\_ops.h  
\_\_test\_parallel\_materialize.h  
\_\_test\_parallel\_materialize\_compositeexplicitautograd\_dispatch.h  
\_\_test\_parallel\_materialize\_native.h  
\_\_test\_parallel\_materialize\_ops.h  
\_\_test\_serialization\_subcmul.h  
\_\_test\_serialization\_subcmul\_compositeimplicitautograd\_dispatch.h  
\_\_test\_serialization\_subcmul\_native.h  
\_\_test\_serialization\_subcmul\_ops.h  
\_\_test\_string\_default.h  
\_\_test\_string\_default\_compositeimplicitautograd\_dispatch.h  
\_\_test\_string\_default\_native.h  
\_\_test\_string\_default\_ops.h  
\_\_test\_warn\_in\_autograd.h  
\_\_test\_warn\_in\_autograd\_compositeexplicitautograd\_dispatch.h  
\_\_test\_warn\_in\_autograd\_native.h  
\_\_test\_warn\_in\_autograd\_ops.h  
\_thnn\_differentiable\_gru\_cell\_backward.h  
\_thnn\_differentiable\_gru\_cell\_backward\_compositeimplicitautograd\_dispatch.h  
\_thnn\_differentiable\_gru\_cell\_backward\_native.h  
\_thnn\_differentiable\_gru\_cell\_backward\_ops.h  
\_thnn\_differentiable\_lstm\_cell\_backward.h  
\_thnn\_differentiable\_lstm\_cell\_backward\_compositeimplicitautograd\_dispatch.h  
\_thnn\_differentiable\_lstm\_cell\_backward\_native.h  
\_thnn\_differentiable\_lstm\_cell\_backward\_ops.h  
\_thnn\_fused\_gru\_cell.h  
\_thnn\_fused\_gru\_cell\_backward.h  
\_thnn\_fused\_gru\_cell\_backward\_compositeexplicitautograd\_dispatch.h  
\_thnn\_fused\_gru\_cell\_backward\_cuda\_dispatch.h  
\_thnn\_fused\_gru\_cell\_backward\_native.h  
\_thnn\_fused\_gru\_cell\_backward\_ops.h  
\_thnn\_fused\_gru\_cell\_compositeexplicitautograd\_dispatch.h  
\_thnn\_fused\_gru\_cell\_cuda\_dispatch.h  
\_thnn\_fused\_gru\_cell\_native.h  
\_thnn\_fused\_gru\_cell\_ops.h  
\_thnn\_fused\_lstm\_cell.h  
\_thnn\_fused\_lstm\_cell\_backward.h  
\_thnn\_fused\_lstm\_cell\_backward\_compositeimplicitautograd\_dispatch.h  
\_thnn\_fused\_lstm\_cell\_backward\_impl.h  
\_thnn\_fused\_lstm\_cell\_backward\_impl\_compositeexplicitautograd\_dispatch.h  
\_thnn\_fused\_lstm\_cell\_backward\_impl\_cuda\_dispatch.h  
\_thnn\_fused\_lstm\_cell\_backward\_impl\_native.h  
\_thnn\_fused\_lstm\_cell\_backward\_impl\_ops.h  
\_thnn\_fused\_lstm\_cell\_backward\_native.h  
\_thnn\_fused\_lstm\_cell\_backward\_ops.h  
\_thnn\_fused\_lstm\_cell\_compositeexplicitautograd\_dispatch.h  
\_thnn\_fused\_lstm\_cell\_cuda\_dispatch.h  
\_thnn\_fused\_lstm\_cell\_native.h

```

__thnn_fused_lstm_cell_ops.h
__to_copy.h
__to_copy_compositeexplicitautograd_dispatch.h
__to_copy_native.h
__to_copy_ops.h
__to_cpu.h
__to_cpu_compositeimplicitautograd_dispatch.h
__to_cpu_native.h
__to_cpu_ops.h
__to_dense.h
__to_dense_compositeexplicitautograd_dispatch.h
__to_dense_native.h
__to_dense_ops.h
__to_sparse.h
__to_sparse_bsc.h
__to_sparse_bsc_compositeexplicitautograd_dispatch.h
__to_sparse_bsc_cpu_dispatch.h
__to_sparse_bsc_cuda_dispatch.h
__to_sparse_bsc_native.h
__to_sparse_bsc_ops.h
__to_sparse_bsr.h
__to_sparse_bsr_compositeexplicitautograd_dispatch.h
__to_sparse_bsr_cpu_dispatch.h
__to_sparse_bsr_cuda_dispatch.h
__to_sparse_bsr_native.h
__to_sparse_bsr_ops.h
__to_sparse_compositeexplicitautograd_dispatch.h
__to_sparse_cpu_dispatch.h
__to_sparse_csc.h
__to_sparse_csc_compositeexplicitautograd_dispatch.h
__to_sparse_csc_cpu_dispatch.h
__to_sparse_csc_cuda_dispatch.h
__to_sparse_csc_native.h
__to_sparse_csc_ops.h
__to_sparse_csr.h
__to_sparse_csr_compositeexplicitautograd_dispatch.h
__to_sparse_csr_cpu_dispatch.h
__to_sparse_csr_cuda_dispatch.h
__to_sparse_csr_native.h
__to_sparse_csr_ops.h
__to_sparse_cuda_dispatch.h
__to_sparse_native.h
__to_sparse_ops.h
__to_sparse_semi_structured.h
__to_sparse_semi_structured_cuda_dispatch.h
__to_sparse_semi_structured_native.h
__to_sparse_semi_structured_ops.h
__transform_bias_rescale_qkv.h
__transform_bias_rescale_qkv_compositeexplicitautograd_dispatch.h
__transform_bias_rescale_qkv_cpu_dispatch.h
__transform_bias_rescale_qkv_cuda_dispatch.h
__transform_bias_rescale_qkv_native.h
__transform_bias_rescale_qkv_ops.h
__transformer_encoder_layer_fwd.h
__transformer_encoder_layer_fwd_compositeexplicitautograd_dispatch.h
__transformer_encoder_layer_fwd_cpu_dispatch.h
__transformer_encoder_layer_fwd_cuda_dispatch.h
__transformer_encoder_layer_fwd_native.h
__transformer_encoder_layer_fwd_ops.h
__trilinear.h
__trilinear_compositeexplicitautograd_dispatch.h
__trilinear_compositeexplicitautogradnonfunctional_dispatch.h
__trilinear_native.h
__trilinear_ops.h
__triton_multi_head_attention.h
__triton_multi_head_attention_compositeexplicitautograd_dispatch.h
__triton_multi_head_attention_cuda_dispatch.h
__triton_multi_head_attention_native.h
__triton_multi_head_attention_ops.h
__triton_scaled_dot_attention.h
__triton_scaled_dot_attention_compositeexplicitautograd_dispatch.h
__triton_scaled_dot_attention_cuda_dispatch.h
__triton_scaled_dot_attention_native.h
__triton_scaled_dot_attention_ops.h
__unique.h
__unique2.h
__unique2_compositeexplicitautograd_dispatch.h
__unique2_cpu_dispatch.h
__unique2_cuda_dispatch.h
__unique2_native.h
__unique2_ops.h
__unique_compositeexplicitautograd_dispatch.h
__unique_cpu_dispatch.h
__unique_cuda_dispatch.h
__unique_native.h

```

\_\_unique\_ops.h  
\_\_unpack\_dual.h  
\_\_unpack\_dual\_compositeimplicitautograd\_dispatch.h  
\_\_unpack\_dual\_native.h  
\_\_unpack\_dual\_ops.h  
\_\_unsafe\_index.h  
\_\_unsafe\_index\_compositeexplicitautograd\_dispatch.h  
\_\_unsafe\_index\_native.h  
\_\_unsafe\_index\_ops.h  
\_\_unsafe\_index\_put.h  
\_\_unsafe\_index\_put\_compositeexplicitautograd\_dispatch.h  
\_\_unsafe\_index\_put\_native.h  
\_\_unsafe\_index\_put\_ops.h  
\_\_unsafe\_masked\_index.h  
\_\_unsafe\_masked\_index\_compositeexplicitautograd\_dispatch.h  
\_\_unsafe\_masked\_index\_native.h  
\_\_unsafe\_masked\_index\_ops.h  
\_\_unsafe\_masked\_index\_put\_accumulate.h  
\_\_unsafe\_masked\_index\_put\_accumulate\_compositeexplicitautograd\_dispatch.h  
\_\_unsafe\_masked\_index\_put\_accumulate\_native.h  
\_\_unsafe\_masked\_index\_put\_accumulate\_ops.h  
\_\_unsafe\_view.h  
\_\_unsafe\_view\_compositeexplicitautograd\_dispatch.h  
\_\_unsafe\_view\_native.h  
\_\_unsafe\_view\_ops.h  
\_\_upsample\_bicubic2d\_aa.h  
\_\_upsample\_bicubic2d\_aa\_backward.h  
\_\_upsample\_bicubic2d\_aa\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_upsample\_bicubic2d\_aa\_backward\_cpu\_dispatch.h  
\_\_upsample\_bicubic2d\_aa\_backward\_cuda\_dispatch.h  
\_\_upsample\_bicubic2d\_aa\_backward\_meta.h  
\_\_upsample\_bicubic2d\_aa\_backward\_meta\_dispatch.h  
\_\_upsample\_bicubic2d\_aa\_backward\_native.h  
\_\_upsample\_bicubic2d\_aa\_backward\_ops.h  
\_\_upsample\_bicubic2d\_aa\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_upsample\_bicubic2d\_aa\_compositeimplicitautograd\_dispatch.h  
\_\_upsample\_bicubic2d\_aa\_cpu\_dispatch.h  
\_\_upsample\_bicubic2d\_aa\_cuda\_dispatch.h  
\_\_upsample\_bicubic2d\_aa\_meta.h  
\_\_upsample\_bicubic2d\_aa\_meta\_dispatch.h  
\_\_upsample\_bicubic2d\_aa\_native.h  
\_\_upsample\_bicubic2d\_aa\_ops.h  
\_\_upsample\_bilinear2d\_aa.h  
\_\_upsample\_bilinear2d\_aa\_backward.h  
\_\_upsample\_bilinear2d\_aa\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_upsample\_bilinear2d\_aa\_backward\_cpu\_dispatch.h  
\_\_upsample\_bilinear2d\_aa\_backward\_cuda\_dispatch.h  
\_\_upsample\_bilinear2d\_aa\_backward\_meta.h  
\_\_upsample\_bilinear2d\_aa\_backward\_meta\_dispatch.h  
\_\_upsample\_bilinear2d\_aa\_backward\_native.h  
\_\_upsample\_bilinear2d\_aa\_backward\_ops.h  
\_\_upsample\_bilinear2d\_aa\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_upsample\_bilinear2d\_aa\_compositeimplicitautograd\_dispatch.h  
\_\_upsample\_bilinear2d\_aa\_cpu\_dispatch.h  
\_\_upsample\_bilinear2d\_aa\_cuda\_dispatch.h  
\_\_upsample\_bilinear2d\_aa\_meta.h  
\_\_upsample\_bilinear2d\_aa\_meta\_dispatch.h  
\_\_upsample\_bilinear2d\_aa\_native.h  
\_\_upsample\_bilinear2d\_aa\_ops.h  
\_\_upsample\_lanczos2d\_aa.h  
\_\_upsample\_lanczos2d\_aa\_backward.h  
\_\_upsample\_lanczos2d\_aa\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_upsample\_lanczos2d\_aa\_backward\_cpu\_dispatch.h  
\_\_upsample\_lanczos2d\_aa\_backward\_meta.h  
\_\_upsample\_lanczos2d\_aa\_backward\_meta\_dispatch.h  
\_\_upsample\_lanczos2d\_aa\_backward\_native.h  
\_\_upsample\_lanczos2d\_aa\_backward\_ops.h  
\_\_upsample\_lanczos2d\_aa\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_upsample\_lanczos2d\_aa\_compositeimplicitautograd\_dispatch.h  
\_\_upsample\_lanczos2d\_aa\_cpu\_dispatch.h  
\_\_upsample\_lanczos2d\_aa\_meta.h  
\_\_upsample\_lanczos2d\_aa\_meta\_dispatch.h  
\_\_upsample\_lanczos2d\_aa\_native.h  
\_\_upsample\_lanczos2d\_aa\_ops.h  
\_\_upsample\_nearest\_exact1d.h  
\_\_upsample\_nearest\_exact1d\_backward.h  
\_\_upsample\_nearest\_exact1d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_upsample\_nearest\_exact1d\_backward\_cpu\_dispatch.h  
\_\_upsample\_nearest\_exact1d\_backward\_cuda\_dispatch.h  
\_\_upsample\_nearest\_exact1d\_backward\_meta.h  
\_\_upsample\_nearest\_exact1d\_backward\_meta\_dispatch.h  
\_\_upsample\_nearest\_exact1d\_backward\_native.h  
\_\_upsample\_nearest\_exact1d\_backward\_ops.h  
\_\_upsample\_nearest\_exact1d\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_\_upsample\_nearest\_exact1d\_compositeimplicitautograd\_dispatch.h

\_upsample\_nearest\_exact1d\_cpu\_dispatch.h  
\_upsample\_nearest\_exact1d\_cuda\_dispatch.h  
\_upsample\_nearest\_exact1d\_meta.h  
\_upsample\_nearest\_exact1d\_meta\_dispatch.h  
\_upsample\_nearest\_exact1d\_native.h  
\_upsample\_nearest\_exact1d\_ops.h  
\_upsample\_nearest\_exact2d.h  
\_upsample\_nearest\_exact2d\_backward.h  
\_upsample\_nearest\_exact2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_upsample\_nearest\_exact2d\_backward\_cpu\_dispatch.h  
\_upsample\_nearest\_exact2d\_backward\_cuda\_dispatch.h  
\_upsample\_nearest\_exact2d\_backward\_meta.h  
\_upsample\_nearest\_exact2d\_backward\_meta\_dispatch.h  
\_upsample\_nearest\_exact2d\_backward\_native.h  
\_upsample\_nearest\_exact2d\_backward\_ops.h  
\_upsample\_nearest\_exact2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_upsample\_nearest\_exact2d\_compositeimplicitautograd\_dispatch.h  
\_upsample\_nearest\_exact2d\_cpu\_dispatch.h  
\_upsample\_nearest\_exact2d\_cuda\_dispatch.h  
\_upsample\_nearest\_exact2d\_meta.h  
\_upsample\_nearest\_exact2d\_meta\_dispatch.h  
\_upsample\_nearest\_exact2d\_native.h  
\_upsample\_nearest\_exact2d\_ops.h  
\_upsample\_nearest\_exact3d.h  
\_upsample\_nearest\_exact3d\_backward.h  
\_upsample\_nearest\_exact3d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_upsample\_nearest\_exact3d\_backward\_cpu\_dispatch.h  
\_upsample\_nearest\_exact3d\_backward\_cuda\_dispatch.h  
\_upsample\_nearest\_exact3d\_backward\_meta.h  
\_upsample\_nearest\_exact3d\_backward\_meta\_dispatch.h  
\_upsample\_nearest\_exact3d\_backward\_native.h  
\_upsample\_nearest\_exact3d\_backward\_ops.h  
\_upsample\_nearest\_exact3d\_compositeexplicitautogradnonfunctional\_dispatch.h  
\_upsample\_nearest\_exact3d\_compositeimplicitautograd\_dispatch.h  
\_upsample\_nearest\_exact3d\_cpu\_dispatch.h  
\_upsample\_nearest\_exact3d\_cuda\_dispatch.h  
\_upsample\_nearest\_exact3d\_meta.h  
\_upsample\_nearest\_exact3d\_meta\_dispatch.h  
\_upsample\_nearest\_exact3d\_native.h  
\_upsample\_nearest\_exact3d\_ops.h  
\_use\_cudnn\_ctc\_loss.h  
\_use\_cudnn\_ctc\_loss\_cuda\_dispatch.h  
\_use\_cudnn\_ctc\_loss\_native.h  
\_use\_cudnn\_ctc\_loss\_ops.h  
\_use\_cudnn\_rnn\_flatten\_weight.h  
\_use\_cudnn\_rnn\_flatten\_weight\_compositeimplicitautograd\_dispatch.h  
\_use\_cudnn\_rnn\_flatten\_weight\_native.h  
\_use\_cudnn\_rnn\_flatten\_weight\_ops.h  
\_use\_miopen\_ctc\_loss.h  
\_use\_miopen\_ctc\_loss\_cuda\_dispatch.h  
\_use\_miopen\_ctc\_loss\_native.h  
\_use\_miopen\_ctc\_loss\_ops.h  
\_validate\_compressed\_sparse\_indices.h  
\_validate\_compressed\_sparse\_indices\_cpu\_dispatch.h  
\_validate\_compressed\_sparse\_indices\_cuda\_dispatch.h  
\_validate\_compressed\_sparse\_indices\_native.h  
\_validate\_compressed\_sparse\_indices\_ops.h  
\_validate\_sparse\_bsc\_tensor\_args.h  
\_validate\_sparse\_bsc\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
\_validate\_sparse\_bsc\_tensor\_args\_native.h  
\_validate\_sparse\_bsc\_tensor\_args\_ops.h  
\_validate\_sparse\_bsr\_tensor\_args.h  
\_validate\_sparse\_bsr\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
\_validate\_sparse\_bsr\_tensor\_args\_native.h  
\_validate\_sparse\_bsr\_tensor\_args\_ops.h  
\_validate\_sparse\_compressed\_tensor\_args.h  
\_validate\_sparse\_compressed\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
\_validate\_sparse\_compressed\_tensor\_args\_native.h  
\_validate\_sparse\_compressed\_tensor\_args\_ops.h  
\_validate\_sparse\_coo\_tensor\_args.h  
\_validate\_sparse\_coo\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
\_validate\_sparse\_coo\_tensor\_args\_native.h  
\_validate\_sparse\_coo\_tensor\_args\_ops.h  
\_validate\_sparse\_csc\_tensor\_args.h  
\_validate\_sparse\_csc\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
\_validate\_sparse\_csc\_tensor\_args\_native.h  
\_validate\_sparse\_csc\_tensor\_args\_ops.h  
\_validate\_sparse\_csr\_tensor\_args.h  
\_validate\_sparse\_csr\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
\_validate\_sparse\_csr\_tensor\_args\_native.h  
\_validate\_sparse\_csr\_tensor\_args\_ops.h  
\_values.h  
\_values\_copy.h  
\_values\_copy\_compositeexplicitautograd\_dispatch.h  
\_values\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h

```

— _values_copy_native.h
— _values_copy_ops.h
— _values_native.h
— _values_ops.h
— _version.h
— _version_compositeimplicitautograd_dispatch.h
— _version_native.h
— _version_ops.h
— _weight_int4pack_mm.h
— _weight_int4pack_mm_cuda_dispatch.h
— _weight_int4pack_mm_for_cpu.h
— _weight_int4pack_mm_for_cpu_cpu_dispatch.h
— _weight_int4pack_mm_for_cpu_native.h
— _weight_int4pack_mm_for_cpu_ops.h
— _weight_int4pack_mm_native.h
— _weight_int4pack_mm_ops.h
— _weight_int4pack_mm_with_scales_and_zeros.h
— _weight_int4pack_mm_with_scales_and_zeros_native.h
— _weight_int4pack_mm_with_scales_and_zeros_ops.h
— _weight_int8pack_mm.h
— _weight_int8pack_mm_cpu_dispatch.h
— _weight_int8pack_mm_cuda_dispatch.h
— _weight_int8pack_mm_native.h
— _weight_int8pack_mm_ops.h
— _weight_norm.h
— _weight_norm_compositeimplicitautograd_dispatch.h
— _weight_norm_differentiable_backward.h
— _weight_norm_differentiable_backward_compositeimplicitautograd_dispatch.h
— _weight_norm_differentiable_backward_native.h
— _weight_norm_differentiable_backward_ops.h
— _weight_norm_interface.h
— _weight_norm_interface_backward.h
— _weight_norm_interface_backward_compositeexplicitautograd_dispatch.h
— _weight_norm_interface_backward_cpu_dispatch.h
— _weight_norm_interface_backward_cuda_dispatch.h
— _weight_norm_interface_backward_native.h
— _weight_norm_interface_backward_ops.h
— _weight_norm_interface_compositeexplicitautograd_dispatch.h
— _weight_norm_interface_cpu_dispatch.h
— _weight_norm_interface_cuda_dispatch.h
— _weight_norm_interface_native.h
— _weight_norm_interface_ops.h
— _weight_norm_native.h
— _weight_norm_ops.h
— _wrapped_linear_prepack.h
— _wrapped_linear_prepack_compositeimplicitautograd_dispatch.h
— _wrapped_linear_prepack_native.h
— _wrapped_linear_prepack_ops.h
— _wrapped_quantized_linear_prepacked.h
— _wrapped_quantized_linear_prepacked_compositeimplicitautograd_dispatch.h
— _wrapped_quantized_linear_prepacked_native.h
— _wrapped_quantized_linear_prepacked_ops.h
— abs.h
— abs_compositeexplicitautograd_dispatch.h
— abs_cpu_dispatch.h
— abs_cuda_dispatch.h
— abs_native.h
— abs_ops.h
— absolute.h
— absolute_compositeimplicitautograd_dispatch.h
— absolute_native.h
— absolute_ops.h
— acos.h
— acos_compositeexplicitautogradnonfunctional_dispatch.h
— acos_cpu_dispatch.h
— acos_cuda_dispatch.h
— acos_meta.h
— acos_meta_dispatch.h
— acos_native.h
— acos_ops.h
— acosh.h
— acosh_compositeexplicitautogradnonfunctional_dispatch.h
— acosh_cpu_dispatch.h
— acosh_cuda_dispatch.h
— acosh_meta.h
— acosh_meta_dispatch.h
— acosh_native.h
— acosh_ops.h
— adaptive_avg_pool1d.h
— adaptive_avg_pool1d_compositeexplicitautograd_dispatch.h
— adaptive_avg_pool1d_compositeimplicitautograd_dispatch.h
— adaptive_avg_pool1d_native.h
— adaptive_avg_pool1d_ops.h
— adaptive_avg_pool2d.h
— adaptive_avg_pool2d_compositeimplicitautograd_dispatch.h

```

- adaptive\_avg\_pool2d\_cpu\_dispatch.h
- adaptive\_avg\_pool2d\_cuda\_dispatch.h
- adaptive\_avg\_pool2d\_native.h
- adaptive\_avg\_pool2d\_ops.h
- adaptive\_avg\_pool3d.h
- adaptive\_avg\_pool3d\_backward.h
- adaptive\_avg\_pool3d\_backward\_cpu\_dispatch.h
- adaptive\_avg\_pool3d\_backward\_cuda\_dispatch.h
- adaptive\_avg\_pool3d\_backward\_native.h
- adaptive\_avg\_pool3d\_backward\_ops.h
- adaptive\_avg\_pool3d\_compositeimplicitautograd\_dispatch.h
- adaptive\_avg\_pool3d\_cpu\_dispatch.h
- adaptive\_avg\_pool3d\_cuda\_dispatch.h
- adaptive\_avg\_pool3d\_native.h
- adaptive\_avg\_pool3d\_ops.h
- adaptive\_max\_pool1d.h
- adaptive\_max\_pool1d\_compositeimplicitautograd\_dispatch.h
- adaptive\_max\_pool1d\_native.h
- adaptive\_max\_pool1d\_ops.h
- adaptive\_max\_pool2d.h
- adaptive\_max\_pool2d\_backward.h
- adaptive\_max\_pool2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- adaptive\_max\_pool2d\_backward\_cpu\_dispatch.h
- adaptive\_max\_pool2d\_backward\_cuda\_dispatch.h
- adaptive\_max\_pool2d\_backward\_meta.h
- adaptive\_max\_pool2d\_backward\_meta\_dispatch.h
- adaptive\_max\_pool2d\_backward\_native.h
- adaptive\_max\_pool2d\_backward\_ops.h
- adaptive\_max\_pool2d\_compositeexplicitautogradnonfunctional\_dispatch.h
- adaptive\_max\_pool2d\_cpu\_dispatch.h
- adaptive\_max\_pool2d\_cuda\_dispatch.h
- adaptive\_max\_pool2d\_meta.h
- adaptive\_max\_pool2d\_meta\_dispatch.h
- adaptive\_max\_pool2d\_native.h
- adaptive\_max\_pool2d\_ops.h
- adaptive\_max\_pool3d.h
- adaptive\_max\_pool3d\_backward.h
- adaptive\_max\_pool3d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- adaptive\_max\_pool3d\_backward\_cpu\_dispatch.h
- adaptive\_max\_pool3d\_backward\_cuda\_dispatch.h
- adaptive\_max\_pool3d\_backward\_meta.h
- adaptive\_max\_pool3d\_backward\_meta\_dispatch.h
- adaptive\_max\_pool3d\_backward\_native.h
- adaptive\_max\_pool3d\_backward\_ops.h
- adaptive\_max\_pool3d\_compositeexplicitautogradnonfunctional\_dispatch.h
- adaptive\_max\_pool3d\_cpu\_dispatch.h
- adaptive\_max\_pool3d\_cuda\_dispatch.h
- adaptive\_max\_pool3d\_meta.h
- adaptive\_max\_pool3d\_meta\_dispatch.h
- adaptive\_max\_pool3d\_native.h
- adaptive\_max\_pool3d\_ops.h
- add.h
- add\_compositeexplicitautograd\_dispatch.h
- add\_compositeexplicitautogradnonfunctional\_dispatch.h
- add\_cpu\_dispatch.h
- add\_cuda\_dispatch.h
- add\_meta.h
- add\_meta\_dispatch.h
- add\_native.h
- add\_ops.h
- addbmm.h
- addbmm\_cpu\_dispatch.h
- addbmm\_cuda\_dispatch.h
- addbmm\_meta\_dispatch.h
- addbmm\_native.h
- addbmm\_ops.h
- addcdiv.h
- addcdiv\_compositeexplicitautogradnonfunctional\_dispatch.h
- addcdiv\_cpu\_dispatch.h
- addcdiv\_cuda\_dispatch.h
- addcdiv\_meta.h
- addcdiv\_meta\_dispatch.h
- addcdiv\_native.h
- addcdiv\_ops.h
- addcmul.h
- addcmul\_compositeexplicitautogradnonfunctional\_dispatch.h
- addcmul\_cpu\_dispatch.h
- addcmul\_cuda\_dispatch.h
- addcmul\_meta.h
- addcmul\_meta\_dispatch.h
- addcmul\_native.h
- addcmul\_ops.h
- addmm.h
- addmm\_compositeexplicitautogradnonfunctional\_dispatch.h
- addmm\_cpu\_dispatch.h



— addmm\_cuda\_dispatch.h  
— addmm\_meta.h  
— addmm\_meta\_dispatch.h  
— addmm\_native.h  
— addmm\_ops.h  
— addmv.h  
— addmv\_compositeexplicitautogradnonfunctional\_dispatch.h  
— addmv\_cpu\_dispatch.h  
— addmv\_cuda\_dispatch.h  
— addmv\_meta.h  
— addmv\_meta\_dispatch.h  
— addmv\_native.h  
— addmv\_ops.h  
— addr.h  
— addr\_compositeexplicitautograd\_dispatch.h  
— addr\_cpu\_dispatch.h  
— addr\_cuda\_dispatch.h  
— addr\_native.h  
— addr\_ops.h  
— adjoint.h  
— adjoint\_compositeimplicitautograd\_dispatch.h  
— adjoint\_native.h  
— adjoint\_ops.h  
— affine\_grid\_generator.h  
— affine\_grid\_generator\_backward.h  
— affine\_grid\_generator\_backward\_compositeimplicitautograd\_dispatch.h  
— affine\_grid\_generator\_backward\_native.h  
— affine\_grid\_generator\_backward\_ops.h  
— affine\_grid\_generator\_compositeexplicitautograd\_dispatch.h  
— affine\_grid\_generator\_native.h  
— affine\_grid\_generator\_ops.h  
— alias.h  
— alias\_compositeexplicitautograd\_dispatch.h  
— alias\_copy.h  
— alias\_copy\_compositeexplicitautograd\_dispatch.h  
— alias\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
— alias\_copy\_native.h  
— alias\_copy\_ops.h  
— alias\_native.h  
— alias\_ops.h  
— align\_as.h  
— align\_as\_compositeimplicitautograd\_dispatch.h  
— align\_as\_native.h  
— align\_as\_ops.h  
— align\_tensors.h  
— align\_tensors\_compositeimplicitautograd\_dispatch.h  
— align\_tensors\_native.h  
— align\_tensors\_ops.h  
— align\_to.h  
— align\_to\_compositeimplicitautograd\_dispatch.h  
— align\_to\_native.h  
— align\_to\_ops.h  
— all.h  
— all\_compositeexplicitautograd\_dispatch.h  
— all\_compositeexplicitautogradnonfunctional\_dispatch.h  
— all\_compositeimplicitautograd\_dispatch.h  
— all\_cpu\_dispatch.h  
— all\_cuda\_dispatch.h  
— all\_meta.h  
— all\_meta\_dispatch.h  
— all\_native.h  
— all\_ops.h  
— allclose.h  
— allclose\_compositeexplicitautograd\_dispatch.h  
— allclose\_native.h  
— allclose\_ops.h  
— alpha\_dropout.h  
— alpha\_dropout\_compositeimplicitautograd\_dispatch.h  
— alpha\_dropout\_native.h  
— alpha\_dropout\_ops.h  
— amax.h  
— amax\_compositeexplicitautogradnonfunctional\_dispatch.h  
— amax\_cpu\_dispatch.h  
— amax\_cuda\_dispatch.h  
— amax\_meta.h  
— amax\_meta\_dispatch.h  
— amax\_native.h  
— amax\_ops.h  
— amin.h  
— amin\_compositeexplicitautogradnonfunctional\_dispatch.h  
— amin\_cpu\_dispatch.h  
— amin\_cuda\_dispatch.h  
— amin\_meta.h  
— amin\_meta\_dispatch.h  
— amin\_native.h

amin\_ops.h  
aminmax.h  
aminmax\_compositeexplicitautogradnonfunctional\_dispatch.h  
aminmax\_cpu\_dispatch.h  
aminmax\_cuda\_dispatch.h  
aminmax\_meta.h  
aminmax\_meta\_dispatch.h  
aminmax\_native.h  
aminmax\_ops.h  
and.h  
and\_compositeimplicitautograd\_dispatch.h  
and\_native.h  
and\_ops.h  
angle.h  
angle\_cpu\_dispatch.h  
angle\_cuda\_dispatch.h  
angle\_native.h  
angle\_ops.h  
any.h  
any\_compositeexplicitautograd\_dispatch.h  
any\_compositeexplicitautogradnonfunctional\_dispatch.h  
any\_compositeimplicitautograd\_dispatch.h  
any\_cpu\_dispatch.h  
any\_cuda\_dispatch.h  
any\_meta.h  
any\_meta\_dispatch.h  
any\_native.h  
any\_ops.h  
arange.h  
arange\_compositeexplicitautograd\_dispatch.h  
arange\_cpu\_dispatch.h  
arange\_cuda\_dispatch.h  
arange\_meta\_dispatch.h  
arange\_native.h  
arange\_ops.h  
arccos.h  
arccos\_compositeimplicitautograd\_dispatch.h  
arccos\_native.h  
arccos\_ops.h  
arccosh.h  
arccosh\_compositeimplicitautograd\_dispatch.h  
arccosh\_native.h  
arccosh\_ops.h  
arcsin.h  
arcsin\_compositeimplicitautograd\_dispatch.h  
arcsin\_native.h  
arcsin\_ops.h  
arcsinh.h  
arcsinh\_compositeimplicitautograd\_dispatch.h  
arcsinh\_native.h  
arcsinh\_ops.h  
arctan.h  
arctan2.h  
arctan2\_compositeimplicitautograd\_dispatch.h  
arctan2\_native.h  
arctan2\_ops.h  
arctan\_compositeimplicitautograd\_dispatch.h  
arctan\_native.h  
arctan\_ops.h  
arctanh.h  
arctanh\_compositeimplicitautograd\_dispatch.h  
arctanh\_native.h  
arctanh\_ops.h  
argmax.h  
argmax\_compositeexplicitautogradnonfunctional\_dispatch.h  
argmax\_cpu\_dispatch.h  
argmax\_cuda\_dispatch.h  
argmax\_meta.h  
argmax\_meta\_dispatch.h  
argmax\_native.h  
argmax\_ops.h  
argmin.h  
argmin\_compositeexplicitautogradnonfunctional\_dispatch.h  
argmin\_cpu\_dispatch.h  
argmin\_cuda\_dispatch.h  
argmin\_meta.h  
argmin\_meta\_dispatch.h  
argmin\_native.h  
argmin\_ops.h  
argsort.h  
argsort\_compositeimplicitautograd\_dispatch.h  
argsort\_native.h  
argsort\_ops.h  
argwhere.h  
argwhere\_compositeimplicitautograd\_dispatch.h

argwhere\_native.h  
argwhere\_ops.h  
as\_strided.h  
as\_strided\_compositeexplicitautogradnonfunctional\_dispatch.h  
as\_strided\_copy.h  
as\_strided\_copy\_compositeexplicitautograd\_dispatch.h  
as\_strided\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
as\_strided\_copy\_native.h  
as\_strided\_copy\_ops.h  
as\_strided\_cpu\_dispatch.h  
as\_strided\_cuda\_dispatch.h  
as\_strided\_meta\_dispatch.h  
as\_strided\_native.h  
as\_strided\_ops.h  
as\_strided\_scatter.h  
as\_strided\_scatter\_compositeexplicitautograd\_dispatch.h  
as\_strided\_scatter\_compositeexplicitautogradnonfunctional\_dispatch.h  
as\_strided\_scatter\_native.h  
as\_strided\_scatter\_ops.h  
asin.h  
asin\_compositeexplicitautogradnonfunctional\_dispatch.h  
asin\_cpu\_dispatch.h  
asin\_cuda\_dispatch.h  
asin\_meta.h  
asin\_meta\_dispatch.h  
asin\_native.h  
asin\_ops.h  
asinh.h  
asinh\_compositeexplicitautogradnonfunctional\_dispatch.h  
asinh\_cpu\_dispatch.h  
asinh\_cuda\_dispatch.h  
asinh\_meta.h  
asinh\_meta\_dispatch.h  
asinh\_native.h  
asinh\_ops.h  
atan.h  
atan2.h  
atan2\_compositeexplicitautogradnonfunctional\_dispatch.h  
atan2\_cpu\_dispatch.h  
atan2\_cuda\_dispatch.h  
atan2\_meta.h  
atan2\_meta\_dispatch.h  
atan2\_native.h  
atan2\_ops.h  
atan\_compositeexplicitautogradnonfunctional\_dispatch.h  
atan\_cpu\_dispatch.h  
atan\_cuda\_dispatch.h  
atan\_meta.h  
atan\_meta\_dispatch.h  
atan\_native.h  
atan\_ops.h  
atanh.h  
atanh\_compositeexplicitautogradnonfunctional\_dispatch.h  
atanh\_cpu\_dispatch.h  
atanh\_cuda\_dispatch.h  
atanh\_meta.h  
atanh\_meta\_dispatch.h  
atanh\_native.h  
atanh\_ops.h  
atleast\_1d.h  
atleast\_1d\_compositeimplicitautograd\_dispatch.h  
atleast\_1d\_native.h  
atleast\_1d\_ops.h  
atleast\_2d.h  
atleast\_2d\_compositeimplicitautograd\_dispatch.h  
atleast\_2d\_native.h  
atleast\_2d\_ops.h  
atleast\_3d.h  
atleast\_3d\_compositeimplicitautograd\_dispatch.h  
atleast\_3d\_native.h  
atleast\_3d\_ops.h  
avg\_pool1d.h  
avg\_pool1d\_compositeexplicitautograd\_dispatch.h  
avg\_pool1d\_compositeimplicitautograd\_dispatch.h  
avg\_pool1d\_native.h  
avg\_pool1d\_ops.h  
avg\_pool2d.h  
avg\_pool2d\_backward.h  
avg\_pool2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
avg\_pool2d\_backward\_cpu\_dispatch.h  
avg\_pool2d\_backward\_cuda\_dispatch.h  
avg\_pool2d\_backward\_meta.h  
avg\_pool2d\_backward\_meta\_dispatch.h  
avg\_pool2d\_backward\_native.h  
avg\_pool2d\_backward\_ops.h

avg\_pool2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
avg\_pool2d\_cpu\_dispatch.h  
avg\_pool2d\_cuda\_dispatch.h  
avg\_pool2d\_meta.h  
avg\_pool2d\_meta\_dispatch.h  
avg\_pool2d\_native.h  
avg\_pool2d\_ops.h  
avg\_pool3d.h  
avg\_pool3d\_backward.h  
avg\_pool3d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
avg\_pool3d\_backward\_cpu\_dispatch.h  
avg\_pool3d\_backward\_cuda\_dispatch.h  
avg\_pool3d\_backward\_meta.h  
avg\_pool3d\_backward\_meta\_dispatch.h  
avg\_pool3d\_backward\_native.h  
avg\_pool3d\_backward\_ops.h  
avg\_pool3d\_compositeexplicitautogradnonfunctional\_dispatch.h  
avg\_pool3d\_cpu\_dispatch.h  
avg\_pool3d\_cuda\_dispatch.h  
avg\_pool3d\_meta.h  
avg\_pool3d\_meta\_dispatch.h  
avg\_pool3d\_native.h  
avg\_pool3d\_ops.h  
baddbmm.h  
baddbmm\_compositeexplicitautogradnonfunctional\_dispatch.h  
baddbmm\_cpu\_dispatch.h  
baddbmm\_cuda\_dispatch.h  
baddbmm\_meta.h  
baddbmm\_meta\_dispatch.h  
baddbmm\_native.h  
baddbmm\_ops.h  
bartlett\_window.h  
bartlett\_window\_compositeexplicitautograd\_dispatch.h  
bartlett\_window\_native.h  
bartlett\_window\_ops.h  
batch\_norm.h  
batch\_norm\_backward.h  
batch\_norm\_backward\_cpu\_dispatch.h  
batch\_norm\_backward\_cuda\_dispatch.h  
batch\_norm\_backward\_elemt.h  
batch\_norm\_backward\_elemt\_compositeexplicitautograd\_dispatch.h  
batch\_norm\_backward\_elemt\_cuda\_dispatch.h  
batch\_norm\_backward\_elemt\_native.h  
batch\_norm\_backward\_elemt\_ops.h  
batch\_norm\_backward\_native.h  
batch\_norm\_backward\_ops.h  
batch\_norm\_backward\_reduce.h  
batch\_norm\_backward\_reduce\_compositeexplicitautograd\_dispatch.h  
batch\_norm\_backward\_reduce\_cuda\_dispatch.h  
batch\_norm\_backward\_reduce\_native.h  
batch\_norm\_backward\_reduce\_ops.h  
batch\_norm\_compositeimplicitautograd\_dispatch.h  
batch\_norm\_elemt.h  
batch\_norm\_elemt\_cuda\_dispatch.h  
batch\_norm\_elemt\_native.h  
batch\_norm\_elemt\_ops.h  
batch\_norm\_gather\_stats.h  
batch\_norm\_gather\_stats\_compositeexplicitautograd\_dispatch.h  
batch\_norm\_gather\_stats\_cuda\_dispatch.h  
batch\_norm\_gather\_stats\_native.h  
batch\_norm\_gather\_stats\_ops.h  
batch\_norm\_gather\_stats\_with\_counts.h  
batch\_norm\_gather\_stats\_with\_counts\_compositeexplicitautograd\_dispatch.h  
batch\_norm\_gather\_stats\_with\_counts\_cuda\_dispatch.h  
batch\_norm\_gather\_stats\_with\_counts\_native.h  
batch\_norm\_gather\_stats\_with\_counts\_ops.h  
batch\_norm\_native.h  
batch\_norm\_ops.h  
batch\_norm\_stats.h  
batch\_norm\_stats\_compositeexplicitautograd\_dispatch.h  
batch\_norm\_stats\_cuda\_dispatch.h  
batch\_norm\_stats\_native.h  
batch\_norm\_stats\_ops.h  
batch\_norm\_update\_stats.h  
batch\_norm\_update\_stats\_compositeexplicitautograd\_dispatch.h  
batch\_norm\_update\_stats\_cpu\_dispatch.h  
batch\_norm\_update\_stats\_cuda\_dispatch.h  
batch\_norm\_update\_stats\_native.h  
batch\_norm\_update\_stats\_ops.h  
bernoulli.h  
bernoulli\_compositeexplicitautograd\_dispatch.h  
bernoulli\_compositeexplicitautogradnonfunctional\_dispatch.h  
bernoulli\_cpu\_dispatch.h  
bernoulli\_cuda\_dispatch.h  
bernoulli\_meta\_dispatch.h

- bernoulli\_native.h
- bernoulli\_ops.h
- bilinear.h
- bilinear\_compositeimplicitautograd\_dispatch.h
- bilinear\_native.h
- bilinear\_ops.h
- binary\_cross\_entropy.h
- binary\_cross\_entropy\_backward.h
- binary\_cross\_entropy\_backward\_cpu\_dispatch.h
- binary\_cross\_entropy\_backward\_cuda\_dispatch.h
- binary\_cross\_entropy\_backward\_native.h
- binary\_cross\_entropy\_backward\_ops.h
- binary\_cross\_entropy\_cpu\_dispatch.h
- binary\_cross\_entropy\_cuda\_dispatch.h
- binary\_cross\_entropy\_native.h
- binary\_cross\_entropy\_ops.h
- binary\_cross\_entropy\_with\_logits.h
- binary\_cross\_entropy\_with\_logits\_compositeexplicitautograd\_dispatch.h
- binary\_cross\_entropy\_with\_logits\_native.h
- binary\_cross\_entropy\_with\_logits\_ops.h
- bincount.h
- bincount\_compositeexplicitautograd\_dispatch.h
- bincount\_cpu\_dispatch.h
- bincount\_cuda\_dispatch.h
- bincount\_native.h
- bincount\_ops.h
- binomial.h
- binomial\_compositeexplicitautograd\_dispatch.h
- binomial\_cpu\_dispatch.h
- binomial\_cuda\_dispatch.h
- binomial\_native.h
- binomial\_ops.h
- bitwise\_and.h
- bitwise\_and\_compositeexplicitautograd\_dispatch.h
- bitwise\_and\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_and\_cpu\_dispatch.h
- bitwise\_and\_cuda\_dispatch.h
- bitwise\_and\_meta.h
- bitwise\_and\_meta\_dispatch.h
- bitwise\_and\_native.h
- bitwise\_and\_ops.h
- bitwise\_left\_shift.h
- bitwise\_left\_shift\_compositeexplicitautograd\_dispatch.h
- bitwise\_left\_shift\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_left\_shift\_cpu\_dispatch.h
- bitwise\_left\_shift\_cuda\_dispatch.h
- bitwise\_left\_shift\_meta.h
- bitwise\_left\_shift\_meta\_dispatch.h
- bitwise\_left\_shift\_native.h
- bitwise\_left\_shift\_ops.h
- bitwise\_not.h
- bitwise\_not\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_not\_cpu\_dispatch.h
- bitwise\_not\_cuda\_dispatch.h
- bitwise\_not\_meta.h
- bitwise\_not\_meta\_dispatch.h
- bitwise\_not\_native.h
- bitwise\_not\_ops.h
- bitwise\_or.h
- bitwise\_or\_compositeexplicitautograd\_dispatch.h
- bitwise\_or\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_or\_cpu\_dispatch.h
- bitwise\_or\_cuda\_dispatch.h
- bitwise\_or\_meta.h
- bitwise\_or\_meta\_dispatch.h
- bitwise\_or\_native.h
- bitwise\_or\_ops.h
- bitwise\_right\_shift.h
- bitwise\_right\_shift\_compositeexplicitautograd\_dispatch.h
- bitwise\_right\_shift\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_right\_shift\_cpu\_dispatch.h
- bitwise\_right\_shift\_cuda\_dispatch.h
- bitwise\_right\_shift\_meta.h
- bitwise\_right\_shift\_meta\_dispatch.h
- bitwise\_right\_shift\_native.h
- bitwise\_right\_shift\_ops.h
- bitwise\_xor.h
- bitwise\_xor\_compositeexplicitautograd\_dispatch.h
- bitwise\_xor\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_xor\_cpu\_dispatch.h
- bitwise\_xor\_cuda\_dispatch.h
- bitwise\_xor\_meta.h
- bitwise\_xor\_meta\_dispatch.h
- bitwise\_xor\_native.h
- bitwise\_xor\_ops.h

- blackman\_window.h
- blackman\_window\_compositeexplicitautograd\_dispatch.h
- blackman\_window\_native.h
- blackman\_window\_ops.h
- block\_diag.h
- block\_diag\_compositeexplicitautograd\_dispatch.h
- block\_diag\_native.h
- block\_diag\_ops.h
- bmm.h
- bmm\_compositeexplicitautogradnonfunctional\_dispatch.h
- bmm\_cpu\_dispatch.h
- bmm\_cuda\_dispatch.h
- bmm\_meta.h
- bmm\_meta\_dispatch.h
- bmm\_native.h
- bmm\_ops.h
- broadcast\_tensors.h
- broadcast\_tensors\_compositeimplicitautograd\_dispatch.h
- broadcast\_tensors\_native.h
- broadcast\_tensors\_ops.h
- broadcast\_to.h
- broadcast\_to\_compositeimplicitautograd\_dispatch.h
- broadcast\_to\_native.h
- broadcast\_to\_ops.h
- bucketize.h
- bucketize\_compositeexplicitautograd\_dispatch.h
- bucketize\_cpu\_dispatch.h
- bucketize\_cuda\_dispatch.h
- bucketize\_native.h
- bucketize\_ops.h
- can\_cast.h
- can\_cast\_compositeimplicitautograd\_dispatch.h
- can\_cast\_native.h
- can\_cast\_ops.h
- cartesian\_prod.h
- cartesian\_prod\_compositeimplicitautograd\_dispatch.h
- cartesian\_prod\_native.h
- cartesian\_prod\_ops.h
- cat.h
- cat\_compositeexplicitautogradnonfunctional\_dispatch.h
- cat\_compositeimplicitautograd\_dispatch.h
- cat\_cpu\_dispatch.h
- cat\_cuda\_dispatch.h
- cat\_meta.h
- cat\_meta\_dispatch.h
- cat\_native.h
- cat\_ops.h
- cauchy.h
- cauchy\_compositeexplicitautograd\_dispatch.h
- cauchy\_cpu\_dispatch.h
- cauchy\_cuda\_dispatch.h
- cauchy\_meta\_dispatch.h
- cauchy\_native.h
- cauchy\_ops.h
- ccol\_indices.h
- ccol\_indices\_compositeexplicitautograd\_dispatch.h
- ccol\_indices\_copy.h
- ccol\_indices\_copy\_compositeexplicitautograd\_dispatch.h
- ccol\_indices\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- ccol\_indices\_copy\_native.h
- ccol\_indices\_copy\_ops.h
- ccol\_indices\_native.h
- ccol\_indices\_ops.h
- cdist.h
- cdist\_compositeimplicitautograd\_dispatch.h
- cdist\_native.h
- cdist\_ops.h
- ceil.h
- ceil\_compositeexplicitautogradnonfunctional\_dispatch.h
- ceil\_cpu\_dispatch.h
- ceil\_cuda\_dispatch.h
- ceil\_meta.h
- ceil\_meta\_dispatch.h
- ceil\_native.h
- ceil\_ops.h
- celu.h
- celu\_compositeexplicitautograd\_dispatch.h
- celu\_native.h
- celu\_ops.h
- chain\_matmul.h
- chain\_matmul\_compositeimplicitautograd\_dispatch.h
- chain\_matmul\_native.h
- chain\_matmul\_ops.h
- chalf.h
- chalf\_compositeimplicitautograd\_dispatch.h

— chalf\_native.h  
— chalf\_ops.h  
— channel\_shuffle.h  
— channel\_shuffle\_compositeexplicitautograd\_dispatch.h  
— channel\_shuffle\_cpu\_dispatch.h  
— channel\_shuffle\_cuda\_dispatch.h  
— channel\_shuffle\_native.h  
— channel\_shuffle\_ops.h  
— cholesky.h  
— cholesky\_cpu\_dispatch.h  
— cholesky\_cuda\_dispatch.h  
— cholesky\_inverse.h  
— cholesky\_inverse\_cpu\_dispatch.h  
— cholesky\_inverse\_cuda\_dispatch.h  
— cholesky\_inverse\_native.h  
— cholesky\_inverse\_ops.h  
— cholesky\_native.h  
— cholesky\_ops.h  
— cholesky\_solve.h  
— cholesky\_solve\_compositeexplicitautograd\_dispatch.h  
— cholesky\_solve\_native.h  
— cholesky\_solve\_ops.h  
— choose\_qparams\_optimized.h  
— choose\_qparams\_optimized\_compositeimplicitautograd\_dispatch.h  
— choose\_qparams\_optimized\_native.h  
— choose\_qparams\_optimized\_ops.h  
— chunk.h  
— chunk\_compositeimplicitautograd\_dispatch.h  
— chunk\_native.h  
— chunk\_ops.h  
— clamp.h  
— clamp\_compositeexplicitautogradnonfunctional\_dispatch.h  
— clamp\_cpu\_dispatch.h  
— clamp\_cuda\_dispatch.h  
— clamp\_max.h  
— clamp\_max\_compositeexplicitautogradnonfunctional\_dispatch.h  
— clamp\_max\_cpu\_dispatch.h  
— clamp\_max\_cuda\_dispatch.h  
— clamp\_max\_meta.h  
— clamp\_max\_meta\_dispatch.h  
— clamp\_max\_native.h  
— clamp\_max\_ops.h  
— clamp\_meta.h  
— clamp\_meta\_dispatch.h  
— clamp\_min.h  
— clamp\_min\_compositeexplicitautogradnonfunctional\_dispatch.h  
— clamp\_min\_cpu\_dispatch.h  
— clamp\_min\_cuda\_dispatch.h  
— clamp\_min\_meta.h  
— clamp\_min\_meta\_dispatch.h  
— clamp\_min\_native.h  
— clamp\_min\_ops.h  
— clamp\_native.h  
— clamp\_ops.h  
— clip.h  
— clip\_compositeimplicitautograd\_dispatch.h  
— clip\_native.h  
— clip\_ops.h  
— clone.h  
— clone\_compositeexplicitautograd\_dispatch.h  
— clone\_native.h  
— clone\_ops.h  
— coalesce.h  
— coalesce\_compositeimplicitautograd\_dispatch.h  
— coalesce\_native.h  
— coalesce\_ops.h  
— col2im.h  
— col2im\_cpu\_dispatch.h  
— col2im\_cuda\_dispatch.h  
— col2im\_native.h  
— col2im\_ops.h  
— col\_indices.h  
— col\_indices\_compositeexplicitautograd\_dispatch.h  
— col\_indices\_copy.h  
— col\_indices\_copy\_compositeexplicitautograd\_dispatch.h  
— col\_indices\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
— col\_indices\_copy\_native.h  
— col\_indices\_copy\_ops.h  
— col\_indices\_native.h  
— col\_indices\_ops.h  
— column\_stack.h  
— column\_stack\_compositeimplicitautograd\_dispatch.h  
— column\_stack\_native.h  
— column\_stack\_ops.h  
— combinations.h

combinations\_compositeimplicitautograd\_dispatch.h  
combinations\_native.h  
combinations\_ops.h  
complex.h  
complex\_compositeexplicitautograd\_dispatch.h  
complex\_cpu\_dispatch.h  
complex\_cuda\_dispatch.h  
complex\_native.h  
complex\_ops.h  
concat.h  
concat\_compositeimplicitautograd\_dispatch.h  
concat\_native.h  
concat\_ops.h  
concatenate.h  
concatenate\_compositeimplicitautograd\_dispatch.h  
concatenate\_native.h  
concatenate\_ops.h  
conj.h  
conj\_compositeimplicitautograd\_dispatch.h  
conj\_native.h  
conj\_ops.h  
conj\_physical.h  
conj\_physical\_compositeexplicitautograd\_dispatch.h  
conj\_physical\_compositeimplicitautograd\_dispatch.h  
conj\_physical\_cpu\_dispatch.h  
conj\_physical\_cuda\_dispatch.h  
conj\_physical\_native.h  
conj\_physical\_ops.h  
constant\_pad\_nd.h  
constant\_pad\_nd\_compositeexplicitautograd\_dispatch.h  
constant\_pad\_nd\_native.h  
constant\_pad\_nd\_ops.h  
contiguous.h  
contiguous\_compositeimplicitautograd\_dispatch.h  
contiguous\_native.h  
contiguous\_ops.h  
conv1d.h  
conv1d\_compositeimplicitautograd\_dispatch.h  
conv1d\_native.h  
conv1d\_ops.h  
conv2d.h  
conv2d\_compositeimplicitautograd\_dispatch.h  
conv2d\_native.h  
conv2d\_ops.h  
conv3d.h  
conv3d\_compositeimplicitautograd\_dispatch.h  
conv3d\_native.h  
conv3d\_ops.h  
conv\_depthwise3d.h  
conv\_depthwise3d\_compositeexplicitautograd\_dispatch.h  
conv\_depthwise3d\_cuda\_dispatch.h  
conv\_depthwise3d\_native.h  
conv\_depthwise3d\_ops.h  
conv\_tbc.h  
conv\_tbc\_backward.h  
conv\_tbc\_backward\_compositeimplicitautograd\_dispatch.h  
conv\_tbc\_backward\_native.h  
conv\_tbc\_backward\_ops.h  
conv\_tbc\_compositeexplicitautograd\_dispatch.h  
conv\_tbc\_native.h  
conv\_tbc\_ops.h  
conv\_transpose1d.h  
conv\_transpose1d\_compositeimplicitautograd\_dispatch.h  
conv\_transpose1d\_native.h  
conv\_transpose1d\_ops.h  
conv\_transpose2d.h  
conv\_transpose2d\_compositeimplicitautograd\_dispatch.h  
conv\_transpose2d\_native.h  
conv\_transpose2d\_ops.h  
conv\_transpose3d.h  
conv\_transpose3d\_compositeimplicitautograd\_dispatch.h  
conv\_transpose3d\_native.h  
conv\_transpose3d\_ops.h  
convolution.h  
convolution\_backward.h  
convolution\_backward\_compositeexplicitautograd\_dispatch.h  
convolution\_backward\_cuda\_dispatch.h  
convolution\_backward\_native.h  
convolution\_backward\_ops.h  
convolution\_backward\_overrideable.h  
convolution\_backward\_overrideable\_compositeexplicitautograd\_dispatch.h  
convolution\_backward\_overrideable\_native.h  
convolution\_backward\_overrideable\_ops.h  
convolution\_compositeexplicitautograd\_dispatch.h  
convolution\_native.h



- convolution\_ops.h
- convolution\_overrideable.h
- convolution\_overrideable\_compositeexplicitautograd\_dispatch.h
- convolution\_overrideable\_native.h
- convolution\_overrideable\_ops.h
- copy.h
- copy\_compositeexplicitautograd\_dispatch.h
- copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- copy\_meta\_dispatch.h
- copy\_native.h
- copy\_ops.h
- copy\_sparse\_to\_sparse.h
- copy\_sparse\_to\_sparse\_compositeexplicitautograd\_dispatch.h
- copy\_sparse\_to\_sparse\_meta\_dispatch.h
- copy\_sparse\_to\_sparse\_native.h
- copy\_sparse\_to\_sparse\_ops.h
- copysign.h
- copysign\_compositeexplicitautograd\_dispatch.h
- copysign\_compositeexplicitautogradnonfunctional\_dispatch.h
- copysign\_cpu\_dispatch.h
- copysign\_cuda\_dispatch.h
- copysign\_meta.h
- copysign\_meta\_dispatch.h
- copysign\_native.h
- copysign\_ops.h
- corrcoeff.h
- corrcoeff\_compositeimplicitautograd\_dispatch.h
- corrcoeff\_native.h
- corrcoeff\_ops.h
- cos.h
- cos\_compositeexplicitautogradnonfunctional\_dispatch.h
- cos\_cpu\_dispatch.h
- cos\_cuda\_dispatch.h
- cos\_meta.h
- cos\_meta\_dispatch.h
- cos\_native.h
- cos\_ops.h
- cosh.h
- cosh\_compositeexplicitautogradnonfunctional\_dispatch.h
- cosh\_cpu\_dispatch.h
- cosh\_cuda\_dispatch.h
- cosh\_meta.h
- cosh\_meta\_dispatch.h
- cosh\_native.h
- cosh\_ops.h
- cosine\_embedding\_loss.h
- cosine\_embedding\_loss\_compositeimplicitautograd\_dispatch.h
- cosine\_embedding\_loss\_native.h
- cosine\_embedding\_loss\_ops.h
- cosine\_similarity.h
- cosine\_similarity\_compositeimplicitautograd\_dispatch.h
- cosine\_similarity\_native.h
- cosine\_similarity\_ops.h
- count\_nonzero.h
- count\_nonzero\_compositeexplicitautograd\_dispatch.h
- count\_nonzero\_cpu\_dispatch.h
- count\_nonzero\_cuda\_dispatch.h
- count\_nonzero\_native.h
- count\_nonzero\_ops.h
- cov.h
- cov\_compositeimplicitautograd\_dispatch.h
- cov\_native.h
- cov\_ops.h
- cross.h
- cross\_compositeimplicitautograd\_dispatch.h
- cross\_entropy\_loss.h
- cross\_entropy\_loss\_compositeimplicitautograd\_dispatch.h
- cross\_entropy\_loss\_native.h
- cross\_entropy\_loss\_ops.h
- cross\_native.h
- cross\_ops.h
- crow\_indices.h
- crow\_indices\_compositeexplicitautograd\_dispatch.h
- crow\_indices\_copy.h
- crow\_indices\_copy\_compositeexplicitautograd\_dispatch.h
- crow\_indices\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- crow\_indices\_copy\_native.h
- crow\_indices\_copy\_ops.h
- crow\_indices\_native.h
- crow\_indices\_ops.h
- ctc\_loss.h
- ctc\_loss\_compositeimplicitautograd\_dispatch.h
- ctc\_loss\_native.h
- ctc\_loss\_ops.h
- cudnn\_affine\_grid\_generator.h

```

— cudnn_affine_grid_generator_backward.h
— cudnn_affine_grid_generator_backward_compositeexplicitautograd_dispatch.h
— cudnn_affine_grid_generator_backward_cuda_dispatch.h
— cudnn_affine_grid_generator_backward_native.h
— cudnn_affine_grid_generator_backward_ops.h
— cudnn_affine_grid_generator_compositeexplicitautograd_dispatch.h
— cudnn_affine_grid_generator_cuda_dispatch.h
— cudnn_affine_grid_generator_native.h
— cudnn_affine_grid_generator_ops.h
— cudnn_batch_norm.h
— cudnn_batch_norm_backward.h
— cudnn_batch_norm_backward_compositeexplicitautograd_dispatch.h
— cudnn_batch_norm_backward_cuda_dispatch.h
— cudnn_batch_norm_backward_native.h
— cudnn_batch_norm_backward_ops.h
— cudnn_batch_norm_cuda_dispatch.h
— cudnn_batch_norm_native.h
— cudnn_batch_norm_ops.h
— cudnn_convolution.h
— cudnn_convolution_add_relu.h
— cudnn_convolution_add_relu_compositeexplicitautograd_dispatch.h
— cudnn_convolution_add_relu_cuda_dispatch.h
— cudnn_convolution_add_relu_native.h
— cudnn_convolution_add_relu_ops.h
— cudnn_convolution_cuda_dispatch.h
— cudnn_convolution_native.h
— cudnn_convolution_ops.h
— cudnn_convolution_relu.h
— cudnn_convolution_relu_compositeexplicitautograd_dispatch.h
— cudnn_convolution_relu_cuda_dispatch.h
— cudnn_convolution_relu_native.h
— cudnn_convolution_relu_ops.h
— cudnn_convolution_transpose.h
— cudnn_convolution_transpose_compositeexplicitautograd_dispatch.h
— cudnn_convolution_transpose_cuda_dispatch.h
— cudnn_convolution_transpose_native.h
— cudnn_convolution_transpose_ops.h
— cudnn_grid_sampler.h
— cudnn_grid_sampler_backward.h
— cudnn_grid_sampler_backward_compositeexplicitautograd_dispatch.h
— cudnn_grid_sampler_backward_cuda_dispatch.h
— cudnn_grid_sampler_backward_native.h
— cudnn_grid_sampler_backward_ops.h
— cudnn_grid_sampler_compositeexplicitautograd_dispatch.h
— cudnn_grid_sampler_cuda_dispatch.h
— cudnn_grid_sampler_native.h
— cudnn_grid_sampler_ops.h
— cudnn_is_acceptable.h
— cudnn_is_acceptable_compositeimplicitautograd_dispatch.h
— cudnn_is_acceptable_native.h
— cudnn_is_acceptable_ops.h
— cummax.h
— cummax_compositeexplicitautograd_dispatch.h
— cummax_compositeimplicitautograd_dispatch.h
— cummax_native.h
— cummax_ops.h
— cummaxmin_backward.h
— cummaxmin_backward_compositeimplicitautograd_dispatch.h
— cummaxmin_backward_native.h
— cummaxmin_backward_ops.h
— cummin.h
— cummin_compositeexplicitautograd_dispatch.h
— cummin_compositeimplicitautograd_dispatch.h
— cummin_native.h
— cummin_ops.h
— cumprod.h
— cumprod_backward.h
— cumprod_backward_compositeimplicitautograd_dispatch.h
— cumprod_backward_native.h
— cumprod_backward_ops.h
— cumprod_compositeexplicitautogradnonfunctional_dispatch.h
— cumprod_compositeimplicitautograd_dispatch.h
— cumprod_cpu_dispatch.h
— cumprod_cuda_dispatch.h
— cumprod_meta.h
— cumprod_meta_dispatch.h
— cumprod_native.h
— cumprod_ops.h
— cumsum.h
— cumsum_compositeexplicitautogradnonfunctional_dispatch.h
— cumsum_compositeimplicitautograd_dispatch.h
— cumsum_cpu_dispatch.h
— cumsum_cuda_dispatch.h
— cumsum_meta.h
— cumsum_meta_dispatch.h

```

- cumsum\_native.h
- cumsum\_ops.h
- cumulative\_trapezoid.h
- cumulative\_trapezoid\_compositeimplicitautograd\_dispatch.h
- cumulative\_trapezoid\_native.h
- cumulative\_trapezoid\_ops.h
- data.h
- data\_compositeimplicitautograd\_dispatch.h
- data\_native.h
- data\_ops.h
- deg2rad.h
- deg2rad\_compositeexplicitautograd\_dispatch.h
- deg2rad\_native.h
- deg2rad\_ops.h
- dense\_dim.h
- dense\_dim\_compositeexplicitautograd\_dispatch.h
- dense\_dim\_native.h
- dense\_dim\_ops.h
- dequantize.h
- dequantize\_compositeexplicitautograd\_dispatch.h
- dequantize\_cpu\_dispatch.h
- dequantize\_cuda\_dispatch.h
- dequantize\_native.h
- dequantize\_ops.h
- det.h
- det\_compositeimplicitautograd\_dispatch.h
- det\_native.h
- det\_ops.h
- detach.h
- detach\_compositeexplicitautograd\_dispatch.h
- detach\_copy.h
- detach\_copy\_compositeexplicitautograd\_dispatch.h
- detach\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- detach\_copy\_native.h
- detach\_copy\_ops.h
- detach\_native.h
- detach\_ops.h
- diag.h
- diag\_compositeimplicitautograd\_dispatch.h
- diag\_embed.h
- diag\_embed\_compositeexplicitautograd\_dispatch.h
- diag\_embed\_compositeexplicitautogradnonfunctional\_dispatch.h
- diag\_embed\_native.h
- diag\_embed\_ops.h
- diag\_native.h
- diag\_ops.h
- diagflat.h
- diagflat\_compositeimplicitautograd\_dispatch.h
- diagflat\_native.h
- diagflat\_ops.h
- diagonal.h
- diagonal\_backward.h
- diagonal\_backward\_compositeexplicitautograd\_dispatch.h
- diagonal\_backward\_native.h
- diagonal\_backward\_ops.h
- diagonal\_compositeexplicitautograd\_dispatch.h
- diagonal\_compositeimplicitautograd\_dispatch.h
- diagonal\_copy.h
- diagonal\_copy\_compositeexplicitautograd\_dispatch.h
- diagonal\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- diagonal\_copy\_native.h
- diagonal\_copy\_ops.h
- diagonal\_native.h
- diagonal\_ops.h
- diagonal\_scatter.h
- diagonal\_scatter\_compositeexplicitautograd\_dispatch.h
- diagonal\_scatter\_compositeexplicitautogradnonfunctional\_dispatch.h
- diagonal\_scatter\_native.h
- diagonal\_scatter\_ops.h
- diff.h
- diff\_compositeimplicitautograd\_dispatch.h
- diff\_native.h
- diff\_ops.h
- digamma.h
- digamma\_compositeexplicitautogradnonfunctional\_dispatch.h
- digamma\_cpu\_dispatch.h
- digamma\_cuda\_dispatch.h
- digamma\_meta.h
- digamma\_meta\_dispatch.h
- digamma\_native.h
- digamma\_ops.h
- dim.h
- dim\_compositeimplicitautograd\_dispatch.h
- dim\_native.h
- dim\_ops.h

dist.h  
dist\_compositeexplicitautograd\_dispatch.h  
dist\_native.h  
dist\_ops.h  
div.h  
div\_compositeexplicitautograd\_dispatch.h  
div\_compositeexplicitautogradnonfunctional\_dispatch.h  
div\_cpu\_dispatch.h  
div\_cuda\_dispatch.h  
div\_meta.h  
div\_meta\_dispatch.h  
div\_native.h  
div\_ops.h  
divide.h  
divide\_compositeimplicitautograd\_dispatch.h  
divide\_native.h  
divide\_ops.h  
dot.h  
dot\_compositeexplicitautograd\_dispatch.h  
dot\_cpu\_dispatch.h  
dot\_cuda\_dispatch.h  
dot\_native.h  
dot\_ops.h  
dropout.h  
dropout\_compositeimplicitautograd\_dispatch.h  
dropout\_native.h  
dropout\_ops.h  
dsplit.h  
dsplit\_compositeimplicitautograd\_dispatch.h  
dsplit\_native.h  
dsplit\_ops.h  
dstack.h  
dstack\_compositeimplicitautograd\_dispatch.h  
dstack\_native.h  
dstack\_ops.h  
einsum.h  
einsum\_compositeimplicitautograd\_dispatch.h  
einsum\_native.h  
einsum\_ops.h  
elu.h  
elu\_backward.h  
elu\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
elu\_backward\_cpu\_dispatch.h  
elu\_backward\_cuda\_dispatch.h  
elu\_backward\_meta.h  
elu\_backward\_meta\_dispatch.h  
elu\_backward\_native.h  
elu\_backward\_ops.h  
elu\_compositeexplicitautogradnonfunctional\_dispatch.h  
elu\_cpu\_dispatch.h  
elu\_cuda\_dispatch.h  
elu\_meta.h  
elu\_meta\_dispatch.h  
elu\_native.h  
elu\_ops.h  
embedding.h  
embedding\_backward.h  
embedding\_backward\_compositeimplicitautograd\_dispatch.h  
embedding\_backward\_native.h  
embedding\_backward\_ops.h  
embedding\_bag.h  
embedding\_bag\_compositeimplicitautograd\_dispatch.h  
embedding\_bag\_native.h  
embedding\_bag\_ops.h  
embedding\_compositeexplicitautograd\_dispatch.h  
embedding\_dense\_backward.h  
embedding\_dense\_backward\_compositeexplicitautograd\_dispatch.h  
embedding\_dense\_backward\_cpu\_dispatch.h  
embedding\_dense\_backward\_cuda\_dispatch.h  
embedding\_dense\_backward\_native.h  
embedding\_dense\_backward\_ops.h  
embedding\_native.h  
embedding\_ops.h  
embedding\_renorm.h  
embedding\_renorm\_compositeexplicitautograd\_dispatch.h  
embedding\_renorm\_cpu\_dispatch.h  
embedding\_renorm\_cuda\_dispatch.h  
embedding\_renorm\_meta\_dispatch.h  
embedding\_renorm\_native.h  
embedding\_renorm\_ops.h  
embedding\_sparse\_backward.h  
embedding\_sparse\_backward\_compositeimplicitautograd\_dispatch.h  
embedding\_sparse\_backward\_native.h  
embedding\_sparse\_backward\_ops.h  
empty.h

```

empty_compositeexplicitautograd_dispatch.h
empty_compositeimplicitautograd_dispatch.h
empty_cpu_dispatch.h
empty_cuda_dispatch.h
empty_like.h
empty_like_compositeexplicitautograd_dispatch.h
empty_like_native.h
empty_like_ops.h
empty_meta_dispatch.h
empty_native.h
empty_ops.h
empty_permuted.h
empty_permuted_compositeexplicitautograd_dispatch.h
empty_permuted_native.h
empty_permuted_ops.h
empty_quantized.h
empty_quantized_compositeexplicitautograd_dispatch.h
empty_quantized_native.h
empty_quantized_ops.h
empty_strided.h
empty_strided_compositeexplicitautograd_dispatch.h
empty_strided_cpu_dispatch.h
empty_strided_cuda_dispatch.h
empty_strided_meta_dispatch.h
empty_strided_native.h
empty_strided_ops.h
eq.h
eq_compositeexplicitautogradnonfunctional_dispatch.h
eq_cpu_dispatch.h
eq_cuda_dispatch.h
eq_meta.h
eq_meta_dispatch.h
eq_native.h
eq_ops.h
equal.h
equal_cpu_dispatch.h
equal_cuda_dispatch.h
equal_native.h
equal_ops.h
erf.h
erf_compositeexplicitautogradnonfunctional_dispatch.h
erf_cpu_dispatch.h
erf_cuda_dispatch.h
erf_meta.h
erf_meta_dispatch.h
erf_native.h
erf_ops.h
erfc.h
erfc_compositeexplicitautogradnonfunctional_dispatch.h
erfc_cpu_dispatch.h
erfc_cuda_dispatch.h
erfc_meta.h
erfc_meta_dispatch.h
erfc_native.h
erfc_ops.h
erfinv.h
erfinv_compositeexplicitautogradnonfunctional_dispatch.h
erfinv_cpu_dispatch.h
erfinv_cuda_dispatch.h
erfinv_meta.h
erfinv_meta_dispatch.h
erfinv_native.h
erfinv_ops.h
exp.h
exp2.h
exp2_compositeexplicitautogradnonfunctional_dispatch.h
exp2_cpu_dispatch.h
exp2_cuda_dispatch.h
exp2_meta.h
exp2_meta_dispatch.h
exp2_native.h
exp2_ops.h
exp_compositeexplicitautogradnonfunctional_dispatch.h
exp_cpu_dispatch.h
exp_cuda_dispatch.h
exp_meta.h
exp_meta_dispatch.h
exp_native.h
exp_ops.h
expand.h
expand_as.h
expand_as_compositeimplicitautograd_dispatch.h
expand_as_native.h
expand_as_ops.h
expand_compositeexplicitautograd_dispatch.h

```

expand\_copy.h  
expand\_copy\_compositeexplicitautograd\_dispatch.h  
expand\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
expand\_copy\_native.h  
expand\_copy\_ops.h  
expand\_native.h  
expand\_ops.h  
expm1.h  
expm1\_compositeexplicitautogradnonfunctional\_dispatch.h  
expm1\_cpu\_dispatch.h  
expm1\_cuda\_dispatch.h  
expm1\_meta.h  
expm1\_meta\_dispatch.h  
expm1\_native.h  
expm1\_ops.h  
exponential.h  
exponential\_compositeexplicitautograd\_dispatch.h  
exponential\_cpu\_dispatch.h  
exponential\_cuda\_dispatch.h  
exponential\_meta\_dispatch.h  
exponential\_native.h  
exponential\_ops.h  
eye.h  
eye\_compositeexplicitautograd\_dispatch.h  
eye\_cpu\_dispatch.h  
eye\_cuda\_dispatch.h  
eye\_meta\_dispatch.h  
eye\_native.h  
eye\_ops.h  
fake\_quantize\_per\_channel\_affine.h  
fake\_quantize\_per\_channel\_affine\_cachemask.h  
fake\_quantize\_per\_channel\_affine\_cachemask\_backward.h  
fake\_quantize\_per\_channel\_affine\_cachemask\_backward\_compositeimplicitautograd\_dispatch.h  
fake\_quantize\_per\_channel\_affine\_cachemask\_backward\_native.h  
fake\_quantize\_per\_channel\_affine\_cachemask\_backward\_ops.h  
fake\_quantize\_per\_channel\_affine\_cachemask\_compositeexplicitautograd\_dispatch.h  
fake\_quantize\_per\_channel\_affine\_cachemask\_cpu\_dispatch.h  
fake\_quantize\_per\_channel\_affine\_cachemask\_cuda\_dispatch.h  
fake\_quantize\_per\_channel\_affine\_cachemask\_native.h  
fake\_quantize\_per\_channel\_affine\_cachemask\_ops.h  
fake\_quantize\_per\_channel\_affine\_compositeimplicitautograd\_dispatch.h  
fake\_quantize\_per\_channel\_affine\_native.h  
fake\_quantize\_per\_channel\_affine\_ops.h  
fake\_quantize\_per\_tensor\_affine.h  
fake\_quantize\_per\_tensor\_affine\_cachemask.h  
fake\_quantize\_per\_tensor\_affine\_cachemask\_backward.h  
fake\_quantize\_per\_tensor\_affine\_cachemask\_backward\_compositeimplicitautograd\_dispatch.h  
fake\_quantize\_per\_tensor\_affine\_cachemask\_backward\_native.h  
fake\_quantize\_per\_tensor\_affine\_cachemask\_backward\_ops.h  
fake\_quantize\_per\_tensor\_affine\_cachemask\_compositeexplicitautograd\_dispatch.h  
fake\_quantize\_per\_tensor\_affine\_cachemask\_cpu\_dispatch.h  
fake\_quantize\_per\_tensor\_affine\_cachemask\_cuda\_dispatch.h  
fake\_quantize\_per\_tensor\_affine\_cachemask\_native.h  
fake\_quantize\_per\_tensor\_affine\_cachemask\_ops.h  
fake\_quantize\_per\_tensor\_affine\_compositeimplicitautograd\_dispatch.h  
fake\_quantize\_per\_tensor\_affine\_native.h  
fake\_quantize\_per\_tensor\_affine\_ops.h  
fbgemm\_linear\_fp16\_weight.h  
fbgemm\_linear\_fp16\_weight\_compositeimplicitautograd\_dispatch.h  
fbgemm\_linear\_fp16\_weight\_fp32\_activation.h  
fbgemm\_linear\_fp16\_weight\_fp32\_activation\_compositeimplicitautograd\_dispatch.h  
fbgemm\_linear\_fp16\_weight\_fp32\_activation\_native.h  
fbgemm\_linear\_fp16\_weight\_fp32\_activation\_ops.h  
fbgemm\_linear\_fp16\_weight\_native.h  
fbgemm\_linear\_fp16\_weight\_ops.h  
fbgemm\_linear\_int8\_weight.h  
fbgemm\_linear\_int8\_weight\_compositeimplicitautograd\_dispatch.h  
fbgemm\_linear\_int8\_weight\_fp32\_activation.h  
fbgemm\_linear\_int8\_weight\_fp32\_activation\_compositeimplicitautograd\_dispatch.h  
fbgemm\_linear\_int8\_weight\_fp32\_activation\_native.h  
fbgemm\_linear\_int8\_weight\_fp32\_activation\_ops.h  
fbgemm\_linear\_int8\_weight\_native.h  
fbgemm\_linear\_int8\_weight\_ops.h  
fbgemm\_linear\_quantize\_weight.h  
fbgemm\_linear\_quantize\_weight\_compositeimplicitautograd\_dispatch.h  
fbgemm\_linear\_quantize\_weight\_native.h  
fbgemm\_linear\_quantize\_weight\_ops.h  
fbgemm\_pack\_gemm\_matrix\_fp16.h  
fbgemm\_pack\_gemm\_matrix\_fp16\_compositeimplicitautograd\_dispatch.h  
fbgemm\_pack\_gemm\_matrix\_fp16\_native.h  
fbgemm\_pack\_gemm\_matrix\_fp16\_ops.h  
fbgemm\_pack\_quantized\_matrix.h  
fbgemm\_pack\_quantized\_matrix\_compositeimplicitautograd\_dispatch.h  
fbgemm\_pack\_quantized\_matrix\_native.h  
fbgemm\_pack\_quantized\_matrix\_ops.h

— feature\_alpha\_dropout.h  
— feature\_alpha\_dropout\_compositeimplicitautograd\_dispatch.h  
— feature\_alpha\_dropout\_native.h  
— feature\_alpha\_dropout\_ops.h  
— feature\_dropout.h  
— feature\_dropout\_compositeimplicitautograd\_dispatch.h  
— feature\_dropout\_native.h  
— feature\_dropout\_ops.h  
— fft\_fft.h  
— fft\_fft2.h  
— fft\_fft2\_compositeimplicitautograd\_dispatch.h  
— fft\_fft2\_native.h  
— fft\_fft2\_ops.h  
— fft\_fft\_compositeimplicitautograd\_dispatch.h  
— fft\_fft\_native.h  
— fft\_fft\_ops.h  
— fft\_fftfreq.h  
— fft\_fftfreq\_compositeexplicitautograd\_dispatch.h  
— fft\_fftfreq\_native.h  
— fft\_fftfreq\_ops.h  
— fft\_fftn.h  
— fft\_fftn\_compositeimplicitautograd\_dispatch.h  
— fft\_fftn\_native.h  
— fft\_fftn\_ops.h  
— fft\_fftnshift.h  
— fft\_fftnshift\_compositeimplicitautograd\_dispatch.h  
— fft\_fftnshift\_native.h  
— fft\_fftnshift\_ops.h  
— fft\_hfft.h  
— fft\_hfft2.h  
— fft\_hfft2\_compositeimplicitautograd\_dispatch.h  
— fft\_hfft2\_native.h  
— fft\_hfft2\_ops.h  
— fft\_hfft\_compositeimplicitautograd\_dispatch.h  
— fft\_hfft\_native.h  
— fft\_hfft\_ops.h  
— fft\_hfftn.h  
— fft\_hfftn\_compositeimplicitautograd\_dispatch.h  
— fft\_hfftn\_native.h  
— fft\_hfftn\_ops.h  
— fft\_ifft.h  
— fft\_ifft2.h  
— fft\_ifft2\_compositeimplicitautograd\_dispatch.h  
— fft\_ifft2\_native.h  
— fft\_ifft2\_ops.h  
— fft\_ifft\_compositeimplicitautograd\_dispatch.h  
— fft\_ifft\_native.h  
— fft\_ifft\_ops.h  
— fft\_ifftn.h  
— fft\_ifftn\_compositeimplicitautograd\_dispatch.h  
— fft\_ifftn\_native.h  
— fft\_ifftn\_ops.h  
— fft\_ifftshift.h  
— fft\_ifftshift\_compositeimplicitautograd\_dispatch.h  
— fft\_ifftshift\_native.h  
— fft\_ifftshift\_ops.h  
— fft\_ihfft.h  
— fft\_ihfft2.h  
— fft\_ihfft2\_compositeimplicitautograd\_dispatch.h  
— fft\_ihfft2\_native.h  
— fft\_ihfft2\_ops.h  
— fft\_ihfft\_compositeimplicitautograd\_dispatch.h  
— fft\_ihfft\_native.h  
— fft\_ihfft\_ops.h  
— fft\_ihfftn.h  
— fft\_ihfftn\_compositeimplicitautograd\_dispatch.h  
— fft\_ihfftn\_native.h  
— fft\_ihfftn\_ops.h  
— fft\_irfft.h  
— fft\_irfft2.h  
— fft\_irfft2\_compositeimplicitautograd\_dispatch.h  
— fft\_irfft2\_native.h  
— fft\_irfft2\_ops.h  
— fft\_irfft\_compositeimplicitautograd\_dispatch.h  
— fft\_irfft\_native.h  
— fft\_irfft\_ops.h  
— fft\_irfftn.h  
— fft\_irfftn\_compositeimplicitautograd\_dispatch.h  
— fft\_irfftn\_native.h  
— fft\_irfftn\_ops.h  
— fft\_rfft.h  
— fft\_rfft2.h  
— fft\_rfft2\_compositeimplicitautograd\_dispatch.h  
— fft\_rfft2\_native.h  
— fft\_rfft2\_ops.h

- `fft_rfft_compositeimplicitautograd_dispatch.h`
- `fft_rfft_native.h`
- `fft_rfft_ops.h`
- `fft_rfftfreq.h`
- `fft_rfftfreq_compositeexplicitautograd_dispatch.h`
- `fft_rfftfreq_native.h`
- `fft_rfftfreq_ops.h`
- `fft_rfftn.h`
- `fft_rfftn_compositeimplicitautograd_dispatch.h`
- `fft_rfftn_native.h`
- `fft_rfftn_ops.h`
- `fill.h`
- `fill_compositeexplicitautograd_dispatch.h`
- `fill_cpu_dispatch.h`
- `fill_cuda_dispatch.h`
- `fill_diagonal.h`
- `fill_diagonal_compositeimplicitautograd_dispatch.h`
- `fill_diagonal_native.h`
- `fill_diagonal_ops.h`
- `fill_meta_dispatch.h`
- `fill_native.h`
- `fill_ops.h`
- `fix.h`
- `fix_compositeimplicitautograd_dispatch.h`
- `fix_native.h`
- `fix_ops.h`
- `flatten.h`
- `flatten_compositeimplicitautograd_dispatch.h`
- `flatten_dense_tensors.h`
- `flatten_dense_tensors_compositeimplicitautograd_dispatch.h`
- `flatten_dense_tensors_native.h`
- `flatten_dense_tensors_ops.h`
- `flatten_native.h`
- `flatten_ops.h`
- `flip.h`
- `flip_compositeexplicitautograd_dispatch.h`
- `flip_cpu_dispatch.h`
- `flip_cuda_dispatch.h`
- `flip_native.h`
- `flip_ops.h`
- `fliplr.h`
- `fliplr_compositeimplicitautograd_dispatch.h`
- `fliplr_native.h`
- `fliplr_ops.h`
- `flipud.h`
- `flipud_compositeimplicitautograd_dispatch.h`
- `flipud_native.h`
- `flipud_ops.h`
- `float_power.h`
- `float_power_compositeimplicitautograd_dispatch.h`
- `float_power_native.h`
- `float_power_ops.h`
- `floor.h`
- `floor_compositeexplicitautogradnonfunctional_dispatch.h`
- `floor_cpu_dispatch.h`
- `floor_cuda_dispatch.h`
- `floor_divide.h`
- `floor_divide_compositeexplicitautograd_dispatch.h`
- `floor_divide_cpu_dispatch.h`
- `floor_divide_cuda_dispatch.h`
- `floor_divide_meta_dispatch.h`
- `floor_divide_native.h`
- `floor_divide_ops.h`
- `floor_meta.h`
- `floor_meta_dispatch.h`
- `floor_native.h`
- `floor_ops.h`
- `fmax.h`
- `fmax_compositeexplicitautogradnonfunctional_dispatch.h`
- `fmax_cpu_dispatch.h`
- `fmax_cuda_dispatch.h`
- `fmax_meta.h`
- `fmax_meta_dispatch.h`
- `fmax_native.h`
- `fmax_ops.h`
- `fmin.h`
- `fmin_compositeexplicitautogradnonfunctional_dispatch.h`
- `fmin_cpu_dispatch.h`
- `fmin_cuda_dispatch.h`
- `fmin_meta.h`
- `fmin_meta_dispatch.h`
- `fmin_native.h`
- `fmin_ops.h`
- `fmod.h`
- `fmod_compositeexplicitautograd_dispatch.h`



fmod\_compositeexplicitautogradnonfunctional\_dispatch.h  
fmod\_cpu\_dispatch.h  
fmod\_cuda\_dispatch.h  
fmod\_meta.h  
fmod\_meta\_dispatch.h  
fmod\_native.h  
fmod\_ops.h  
frac.h  
frac\_compositeexplicitautogradnonfunctional\_dispatch.h  
frac\_cpu\_dispatch.h  
frac\_cuda\_dispatch.h  
frac\_meta.h  
frac\_meta\_dispatch.h  
frac\_native.h  
frac\_ops.h  
fractional\_max\_pool2d.h  
fractional\_max\_pool2d\_backward.h  
fractional\_max\_pool2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
fractional\_max\_pool2d\_backward\_cpu\_dispatch.h  
fractional\_max\_pool2d\_backward\_cuda\_dispatch.h  
fractional\_max\_pool2d\_backward\_meta.h  
fractional\_max\_pool2d\_backward\_meta\_dispatch.h  
fractional\_max\_pool2d\_backward\_native.h  
fractional\_max\_pool2d\_backward\_ops.h  
fractional\_max\_pool2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
fractional\_max\_pool2d\_cpu\_dispatch.h  
fractional\_max\_pool2d\_cuda\_dispatch.h  
fractional\_max\_pool2d\_meta.h  
fractional\_max\_pool2d\_meta\_dispatch.h  
fractional\_max\_pool2d\_native.h  
fractional\_max\_pool2d\_ops.h  
fractional\_max\_pool3d.h  
fractional\_max\_pool3d\_backward.h  
fractional\_max\_pool3d\_backward\_cpu\_dispatch.h  
fractional\_max\_pool3d\_backward\_cuda\_dispatch.h  
fractional\_max\_pool3d\_backward\_native.h  
fractional\_max\_pool3d\_backward\_ops.h  
fractional\_max\_pool3d\_compositeexplicitautogradnonfunctional\_dispatch.h  
fractional\_max\_pool3d\_cpu\_dispatch.h  
fractional\_max\_pool3d\_cuda\_dispatch.h  
fractional\_max\_pool3d\_meta.h  
fractional\_max\_pool3d\_meta\_dispatch.h  
fractional\_max\_pool3d\_native.h  
fractional\_max\_pool3d\_ops.h  
frexp.h  
frexp\_compositeexplicitautograd\_dispatch.h  
frexp\_cpu\_dispatch.h  
frexp\_cuda\_dispatch.h  
frexp\_native.h  
frexp\_ops.h  
frobenius\_norm.h  
frobenius\_norm\_compositeimplicitautograd\_dispatch.h  
frobenius\_norm\_native.h  
frobenius\_norm\_ops.h  
from\_blob.h  
from\_file.h  
from\_file\_compositeexplicitautograd\_dispatch.h  
from\_file\_cpu\_dispatch.h  
from\_file\_native.h  
from\_file\_ops.h  
full.h  
full\_compositeexplicitautograd\_dispatch.h  
full\_like.h  
full\_like\_compositeexplicitautograd\_dispatch.h  
full\_like\_native.h  
full\_like\_ops.h  
full\_native.h  
full\_ops.h  
fused\_moving\_avg\_obs\_fake\_quant.h  
fused\_moving\_avg\_obs\_fake\_quant\_compositeimplicitautograd\_dispatch.h  
fused\_moving\_avg\_obs\_fake\_quant\_native.h  
fused\_moving\_avg\_obs\_fake\_quant\_ops.h  
gather.h  
gather\_backward.h  
gather\_backward\_compositeimplicitautograd\_dispatch.h  
gather\_backward\_native.h  
gather\_backward\_ops.h  
gather\_compositeexplicitautogradnonfunctional\_dispatch.h  
gather\_compositeimplicitautograd\_dispatch.h  
gather\_cpu\_dispatch.h  
gather\_cuda\_dispatch.h  
gather\_meta.h  
gather\_meta\_dispatch.h  
gather\_native.h  
gather\_ops.h

- gcd.h
- gcd\_compositeexplicitautogradnonfunctional\_dispatch.h
- gcd\_cpu\_dispatch.h
- gcd\_cuda\_dispatch.h
- gcd\_meta.h
- gcd\_meta\_dispatch.h
- gcd\_native.h
- gcd\_ops.h
- ge.h
- ge\_compositeexplicitautogradnonfunctional\_dispatch.h
- ge\_cpu\_dispatch.h
- ge\_cuda\_dispatch.h
- ge\_meta.h
- ge\_meta\_dispatch.h
- ge\_native.h
- ge\_ops.h
- gelu.h
- gelu\_backward.h
- gelu\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- gelu\_backward\_cpu\_dispatch.h
- gelu\_backward\_cuda\_dispatch.h
- gelu\_backward\_meta.h
- gelu\_backward\_meta\_dispatch.h
- gelu\_backward\_native.h
- gelu\_backward\_ops.h
- gelu\_compositeexplicitautogradnonfunctional\_dispatch.h
- gelu\_cpu\_dispatch.h
- gelu\_cuda\_dispatch.h
- gelu\_meta.h
- gelu\_meta\_dispatch.h
- gelu\_native.h
- gelu\_ops.h
- geometric.h
- geometric\_compositeexplicitautograd\_dispatch.h
- geometric\_cpu\_dispatch.h
- geometric\_cuda\_dispatch.h
- geometric\_meta\_dispatch.h
- geometric\_native.h
- geometric\_ops.h
- geqrf.h
- geqrf\_cpu\_dispatch.h
- geqrf\_cuda\_dispatch.h
- geqrf\_native.h
- geqrf\_ops.h
- ger.h
- ger\_compositeimplicitautograd\_dispatch.h
- ger\_native.h
- ger\_ops.h
- get\_device.h
- get\_device\_compositeimplicitautograd\_dispatch.h
- get\_device\_native.h
- get\_device\_ops.h
- glu.h
- glu\_backward.h
- glu\_backward\_cpu\_dispatch.h
- glu\_backward\_cuda\_dispatch.h
- glu\_backward\_jvp.h
- glu\_backward\_jvp\_compositeexplicitautograd\_dispatch.h
- glu\_backward\_jvp\_cpu\_dispatch.h
- glu\_backward\_jvp\_cuda\_dispatch.h
- glu\_backward\_jvp\_native.h
- glu\_backward\_jvp\_ops.h
- glu\_backward\_native.h
- glu\_backward\_ops.h
- glu\_compositeexplicitautogradnonfunctional\_dispatch.h
- glu\_cpu\_dispatch.h
- glu\_cuda\_dispatch.h
- glu\_jvp.h
- glu\_jvp\_compositeexplicitautograd\_dispatch.h
- glu\_jvp\_cpu\_dispatch.h
- glu\_jvp\_cuda\_dispatch.h
- glu\_jvp\_native.h
- glu\_jvp\_ops.h
- glu\_meta.h
- glu\_meta\_dispatch.h
- glu\_native.h
- glu\_ops.h
- gradient.h
- gradient\_compositeimplicitautograd\_dispatch.h
- gradient\_native.h
- gradient\_ops.h
- greater.h
- greater\_compositeimplicitautograd\_dispatch.h
- greater\_equal.h
- greater\_equal\_compositeimplicitautograd\_dispatch.h

greater\_equal\_native.h  
greater\_equal\_ops.h  
greater\_native.h  
greater\_ops.h  
grid\_sampler.h  
grid\_sampler\_2d.h  
grid\_sampler\_2d\_backward.h  
grid\_sampler\_2d\_backward\_compositeexplicitautograd\_dispatch.h  
grid\_sampler\_2d\_backward\_cpu\_dispatch.h  
grid\_sampler\_2d\_backward\_cuda\_dispatch.h  
grid\_sampler\_2d\_backward\_native.h  
grid\_sampler\_2d\_backward\_ops.h  
grid\_sampler\_2d\_compositeexplicitautograd\_dispatch.h  
grid\_sampler\_2d\_cpu\_dispatch.h  
grid\_sampler\_2d\_cuda\_dispatch.h  
grid\_sampler\_2d\_native.h  
grid\_sampler\_2d\_ops.h  
grid\_sampler\_3d.h  
grid\_sampler\_3d\_backward.h  
grid\_sampler\_3d\_backward\_compositeexplicitautograd\_dispatch.h  
grid\_sampler\_3d\_backward\_cpu\_dispatch.h  
grid\_sampler\_3d\_backward\_cuda\_dispatch.h  
grid\_sampler\_3d\_backward\_native.h  
grid\_sampler\_3d\_backward\_ops.h  
grid\_sampler\_3d\_compositeexplicitautograd\_dispatch.h  
grid\_sampler\_3d\_cpu\_dispatch.h  
grid\_sampler\_3d\_cuda\_dispatch.h  
grid\_sampler\_3d\_native.h  
grid\_sampler\_3d\_ops.h  
grid\_sampler\_compositeimplicitautograd\_dispatch.h  
grid\_sampler\_native.h  
grid\_sampler\_ops.h  
group\_norm.h  
group\_norm\_compositeimplicitautograd\_dispatch.h  
group\_norm\_native.h  
group\_norm\_ops.h  
gru.h  
gru\_cell.h  
gru\_cell\_compositeimplicitautograd\_dispatch.h  
gru\_cell\_native.h  
gru\_cell\_ops.h  
gru\_compositeimplicitautograd\_dispatch.h  
gru\_native.h  
gru\_ops.h  
gt.h  
gt\_compositeexplicitautogradnonfunctional\_dispatch.h  
gt\_cpu\_dispatch.h  
gt\_cuda\_dispatch.h  
gt\_meta.h  
gt\_meta\_dispatch.h  
gt\_native.h  
gt\_ops.h  
hamming\_window.h  
hamming\_window\_compositeexplicitautograd\_dispatch.h  
hamming\_window\_native.h  
hamming\_window\_ops.h  
hann\_window.h  
hann\_window\_compositeexplicitautograd\_dispatch.h  
hann\_window\_native.h  
hann\_window\_ops.h  
hardshrink.h  
hardshrink\_backward.h  
hardshrink\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
hardshrink\_backward\_cpu\_dispatch.h  
hardshrink\_backward\_cuda\_dispatch.h  
hardshrink\_backward\_meta.h  
hardshrink\_backward\_meta\_dispatch.h  
hardshrink\_backward\_native.h  
hardshrink\_backward\_ops.h  
hardshrink\_compositeexplicitautogradnonfunctional\_dispatch.h  
hardshrink\_cpu\_dispatch.h  
hardshrink\_cuda\_dispatch.h  
hardshrink\_meta.h  
hardshrink\_meta\_dispatch.h  
hardshrink\_native.h  
hardshrink\_ops.h  
hardsigmoid.h  
hardsigmoid\_backward.h  
hardsigmoid\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
hardsigmoid\_backward\_cpu\_dispatch.h  
hardsigmoid\_backward\_cuda\_dispatch.h  
hardsigmoid\_backward\_meta.h  
hardsigmoid\_backward\_meta\_dispatch.h  
hardsigmoid\_backward\_native.h  
hardsigmoid\_backward\_ops.h

- hardsigmoid\_compositeexplicitautogradnonfunctional\_dispatch.h
- hardsigmoid\_cpu\_dispatch.h
- hardsigmoid\_cuda\_dispatch.h
- hardsigmoid\_meta.h
- hardsigmoid\_meta\_dispatch.h
- hardsigmoid\_native.h
- hardsigmoid\_ops.h
- hardswish.h
- hardswish\_backward.h
- hardswish\_backward\_compositeexplicitautograd\_dispatch.h
- hardswish\_backward\_cpu\_dispatch.h
- hardswish\_backward\_cuda\_dispatch.h
- hardswish\_backward\_native.h
- hardswish\_backward\_ops.h
- hardswish\_cpu\_dispatch.h
- hardswish\_cuda\_dispatch.h
- hardswish\_meta\_dispatch.h
- hardswish\_native.h
- hardswish\_ops.h
- hardtanh.h
- hardtanh\_backward.h
- hardtanh\_backward\_cpu\_dispatch.h
- hardtanh\_backward\_cuda\_dispatch.h
- hardtanh\_backward\_native.h
- hardtanh\_backward\_ops.h
- hardtanh\_cpu\_dispatch.h
- hardtanh\_cuda\_dispatch.h
- hardtanh\_meta\_dispatch.h
- hardtanh\_native.h
- hardtanh\_ops.h
- hash\_tensor.h
- hash\_tensor\_compositeexplicitautogradnonfunctional\_dispatch.h
- hash\_tensor\_cpu\_dispatch.h
- hash\_tensor\_cuda\_dispatch.h
- hash\_tensor\_meta.h
- hash\_tensor\_meta\_dispatch.h
- hash\_tensor\_native.h
- hash\_tensor\_ops.h
- heaviside.h
- heaviside\_compositeexplicitautogradnonfunctional\_dispatch.h
- heaviside\_cpu\_dispatch.h
- heaviside\_cuda\_dispatch.h
- heaviside\_meta.h
- heaviside\_meta\_dispatch.h
- heaviside\_native.h
- heaviside\_ops.h
- hinge\_embedding\_loss.h
- hinge\_embedding\_loss\_compositeimplicitautograd\_dispatch.h
- hinge\_embedding\_loss\_native.h
- hinge\_embedding\_loss\_ops.h
- histc.h
- histc\_cpu\_dispatch.h
- histc\_cuda\_dispatch.h
- histc\_native.h
- histc\_ops.h
- histogram.h
- histogram\_cpu\_dispatch.h
- histogram\_native.h
- histogram\_ops.h
- histogramdd.h
- histogramdd\_compositeimplicitautograd\_dispatch.h
- histogramdd\_native.h
- histogramdd\_ops.h
- hsplit.h
- hsplit\_compositeimplicitautograd\_dispatch.h
- hsplit\_native.h
- hsplit\_ops.h
- hspmm.h
- hspmm\_native.h
- hspmm\_ops.h
- hstack.h
- hstack\_compositeimplicitautograd\_dispatch.h
- hstack\_native.h
- hstack\_ops.h
- huber\_loss.h
- huber\_loss\_backward.h
- huber\_loss\_backward\_compositeexplicitautograd\_dispatch.h
- huber\_loss\_backward\_cpu\_dispatch.h
- huber\_loss\_backward\_cuda\_dispatch.h
- huber\_loss\_backward\_native.h
- huber\_loss\_backward\_ops.h
- huber\_loss\_cpu\_dispatch.h
- huber\_loss\_cuda\_dispatch.h
- huber\_loss\_native.h
- huber\_loss\_ops.h

- hypot.h
- hypot\_compositeexplicitautogradnonfunctional\_dispatch.h
- hypot\_cpu\_dispatch.h
- hypot\_cuda\_dispatch.h
- hypot\_meta.h
- hypot\_meta\_dispatch.h
- hypot\_native.h
- hypot\_ops.h
- i0.h
- i0\_compositeexplicitautogradnonfunctional\_dispatch.h
- i0\_cpu\_dispatch.h
- i0\_cuda\_dispatch.h
- i0\_meta.h
- i0\_meta\_dispatch.h
- i0\_native.h
- i0\_ops.h
- igamma.h
- igamma\_compositeexplicitautogradnonfunctional\_dispatch.h
- igamma\_cpu\_dispatch.h
- igamma\_cuda\_dispatch.h
- igamma\_meta.h
- igamma\_meta\_dispatch.h
- igamma\_native.h
- igamma\_ops.h
- igammac.h
- igammac\_compositeexplicitautogradnonfunctional\_dispatch.h
- igammac\_cpu\_dispatch.h
- igammac\_cuda\_dispatch.h
- igammac\_meta.h
- igammac\_meta\_dispatch.h
- igammac\_native.h
- igammac\_ops.h
- im2col.h
- im2col\_cpu\_dispatch.h
- im2col\_cuda\_dispatch.h
- im2col\_native.h
- im2col\_ops.h
- imag.h
- imag\_compositeimplicitautograd\_dispatch.h
- imag\_native.h
- imag\_ops.h
- index.h
- index\_add.h
- index\_add\_compositeexplicitautogradnonfunctional\_dispatch.h
- index\_add\_compositeimplicitautograd\_dispatch.h
- index\_add\_cpu\_dispatch.h
- index\_add\_cuda\_dispatch.h
- index\_add\_meta.h
- index\_add\_meta\_dispatch.h
- index\_add\_native.h
- index\_add\_ops.h
- index\_compositeexplicitautogradnonfunctional\_dispatch.h
- index\_copy.h
- index\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- index\_copy\_compositeimplicitautograd\_dispatch.h
- index\_copy\_cpu\_dispatch.h
- index\_copy\_cuda\_dispatch.h
- index\_copy\_meta.h
- index\_copy\_meta\_dispatch.h
- index\_copy\_native.h
- index\_copy\_ops.h
- index\_cpu\_dispatch.h
- index\_cuda\_dispatch.h
- index\_fill.h
- index\_fill\_compositeexplicitautograd\_dispatch.h
- index\_fill\_compositeimplicitautograd\_dispatch.h
- index\_fill\_cpu\_dispatch.h
- index\_fill\_cuda\_dispatch.h
- index\_fill\_meta\_dispatch.h
- index\_fill\_native.h
- index\_fill\_ops.h
- index\_meta.h
- index\_meta\_dispatch.h
- index\_native.h
- index\_ops.h
- index\_put.h
- index\_put\_compositeexplicitautograd\_dispatch.h
- index\_put\_native.h
- index\_put\_ops.h
- index\_reduce.h
- index\_reduce\_compositeexplicitautogradnonfunctional\_dispatch.h
- index\_reduce\_cpu\_dispatch.h
- index\_reduce\_cuda\_dispatch.h
- index\_reduce\_meta.h
- index\_reduce\_meta\_dispatch.h

- index\_reduce\_native.h
- index\_reduce\_ops.h
- index\_select.h
- index\_select\_backward.h
- index\_select\_backward\_compositeimplicitautograd\_dispatch.h
- index\_select\_backward\_native.h
- index\_select\_backward\_ops.h
- index\_select\_compositeimplicitautograd\_dispatch.h
- index\_select\_cpu\_dispatch.h
- index\_select\_cuda\_dispatch.h
- index\_select\_native.h
- index\_select\_ops.h
- indices.h
- indices\_compositeexplicitautograd\_dispatch.h
- indices\_copy.h
- indices\_copy\_compositeexplicitautograd\_dispatch.h
- indices\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- indices\_copy\_native.h
- indices\_copy\_ops.h
- indices\_native.h
- indices\_ops.h
- infinitely\_differentiable\_gelu\_backward.h
- infinitely\_differentiable\_gelu\_backward\_compositeimplicitautograd\_dispatch.h
- infinitely\_differentiable\_gelu\_backward\_native.h
- infinitely\_differentiable\_gelu\_backward\_ops.h
- inner.h
- inner\_compositeimplicitautograd\_dispatch.h
- inner\_native.h
- inner\_ops.h
- instance\_norm.h
- instance\_norm\_compositeimplicitautograd\_dispatch.h
- instance\_norm\_native.h
- instance\_norm\_ops.h
- int\_repr.h
- int\_repr\_compositeexplicitautograd\_dispatch.h
- int\_repr\_native.h
- int\_repr\_ops.h
- inverse.h
- inverse\_compositeimplicitautograd\_dispatch.h
- inverse\_native.h
- inverse\_ops.h
- is\_coalesced.h
- is\_coalesced\_compositeexplicitautograd\_dispatch.h
- is\_coalesced\_native.h
- is\_coalesced\_ops.h
- is\_complex.h
- is\_complex\_compositeimplicitautograd\_dispatch.h
- is\_complex\_native.h
- is\_complex\_ops.h
- is\_conj.h
- is\_conj\_compositeimplicitautograd\_dispatch.h
- is\_conj\_native.h
- is\_conj\_ops.h
- is\_contiguous.h
- is\_contiguous\_compositeimplicitautograd\_dispatch.h
- is\_contiguous\_native.h
- is\_contiguous\_ops.h
- is\_distributed.h
- is\_distributed\_compositeimplicitautograd\_dispatch.h
- is\_distributed\_native.h
- is\_distributed\_ops.h
- is\_floating\_point.h
- is\_floating\_point\_compositeimplicitautograd\_dispatch.h
- is\_floating\_point\_native.h
- is\_floating\_point\_ops.h
- is\_inference.h
- is\_inference\_compositeimplicitautograd\_dispatch.h
- is\_inference\_native.h
- is\_inference\_ops.h
- is\_leaf.h
- is\_leaf\_compositeimplicitautograd\_dispatch.h
- is\_leaf\_native.h
- is\_leaf\_ops.h
- is\_neg.h
- is\_neg\_compositeimplicitautograd\_dispatch.h
- is\_neg\_native.h
- is\_neg\_ops.h
- is\_nonzero.h
- is\_nonzero\_compositeimplicitautograd\_dispatch.h
- is\_nonzero\_native.h
- is\_nonzero\_ops.h
- is\_pinned.h
- is\_pinned\_compositeexplicitautograd\_dispatch.h
- is\_pinned\_native.h
- is\_pinned\_ops.h

- is\_same\_size.h
- is\_same\_size\_compositeexplicitautograd\_dispatch.h
- is\_same\_size\_native.h
- is\_same\_size\_ops.h
- is\_set\_to.h
- is\_set\_to\_cpu\_dispatch.h
- is\_set\_to\_cuda\_dispatch.h
- is\_set\_to\_native.h
- is\_set\_to\_ops.h
- is\_signed.h
- is\_signed\_compositeimplicitautograd\_dispatch.h
- is\_signed\_native.h
- is\_signed\_ops.h
- is\_vulkan\_available.h
- is\_vulkan\_available\_compositeimplicitautograd\_dispatch.h
- is\_vulkan\_available\_native.h
- is\_vulkan\_available\_ops.h
- isclose.h
- isclose\_compositeimplicitautograd\_dispatch.h
- isclose\_native.h
- isclose\_ops.h
- isfinite.h
- isfinite\_compositeimplicitautograd\_dispatch.h
- isfinite\_native.h
- isfinite\_ops.h
- isin.h
- isin\_compositeexplicitautogradnonfunctional\_dispatch.h
- isin\_cpu\_dispatch.h
- isin\_cuda\_dispatch.h
- isin\_meta.h
- isin\_meta\_dispatch.h
- isin\_native.h
- isin\_ops.h
- isinf.h
- isinf\_compositeexplicitautograd\_dispatch.h
- isinf\_native.h
- isinf\_ops.h
- isnan.h
- isnan\_compositeexplicitautograd\_dispatch.h
- isnan\_cpu\_dispatch.h
- isnan\_cuda\_dispatch.h
- isnan\_native.h
- isnan\_ops.h
- isneginf.h
- isneginf\_compositeexplicitautogradnonfunctional\_dispatch.h
- isneginf\_cpu\_dispatch.h
- isneginf\_cuda\_dispatch.h
- isneginf\_meta.h
- isneginf\_meta\_dispatch.h
- isneginf\_native.h
- isneginf\_ops.h
- isposinf.h
- isposinf\_compositeexplicitautogradnonfunctional\_dispatch.h
- isposinf\_cpu\_dispatch.h
- isposinf\_cuda\_dispatch.h
- isposinf\_meta.h
- isposinf\_meta\_dispatch.h
- isposinf\_native.h
- isposinf\_ops.h
- isreal.h
- isreal\_compositeimplicitautograd\_dispatch.h
- isreal\_native.h
- isreal\_ops.h
- istft.h
- istft\_compositeimplicitautograd\_dispatch.h
- istft\_native.h
- istft\_ops.h
- item.h
- item\_compositeimplicitautograd\_dispatch.h
- item\_native.h
- item\_ops.h
- kaiser\_window.h
- kaiser\_window\_compositeexplicitautograd\_dispatch.h
- kaiser\_window\_native.h
- kaiser\_window\_ops.h
- kl\_div.h
- kl\_div\_compositeimplicitautograd\_dispatch.h
- kl\_div\_native.h
- kl\_div\_ops.h
- kron.h
- kron\_compositeimplicitautograd\_dispatch.h
- kron\_native.h
- kron\_ops.h
- kthvalue.h
- kthvalue\_compositeexplicitautograd\_dispatch.h

— kthvalue\_compositeimplicitautograd\_dispatch.h  
— kthvalue\_cpu\_dispatch.h  
— kthvalue\_cuda\_dispatch.h  
— kthvalue\_native.h  
— kthvalue\_ops.h  
— l1\_loss.h  
— l1\_loss\_compositeimplicitautograd\_dispatch.h  
— l1\_loss\_native.h  
— l1\_loss\_ops.h  
— layer\_norm.h  
— layer\_norm\_compositeimplicitautograd\_dispatch.h  
— layer\_norm\_native.h  
— layer\_norm\_ops.h  
— lcm.h  
— lcm\_compositeexplicitautogradnonfunctional\_dispatch.h  
— lcm\_cpu\_dispatch.h  
— lcm\_cuda\_dispatch.h  
— lcm\_meta.h  
— lcm\_meta\_dispatch.h  
— lcm\_native.h  
— lcm\_ops.h  
— ldexp.h  
— ldexp\_compositeexplicitautograd\_dispatch.h  
— ldexp\_native.h  
— ldexp\_ops.h  
— le.h  
— le\_compositeexplicitautogradnonfunctional\_dispatch.h  
— le\_cpu\_dispatch.h  
— le\_cuda\_dispatch.h  
— le\_meta.h  
— le\_meta\_dispatch.h  
— le\_native.h  
— le\_ops.h  
— leaky\_relu.h  
— leaky\_relu\_backward.h  
— leaky\_relu\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— leaky\_relu\_backward\_cpu\_dispatch.h  
— leaky\_relu\_backward\_cuda\_dispatch.h  
— leaky\_relu\_backward\_meta.h  
— leaky\_relu\_backward\_meta\_dispatch.h  
— leaky\_relu\_backward\_native.h  
— leaky\_relu\_backward\_ops.h  
— leaky\_relu\_compositeexplicitautogradnonfunctional\_dispatch.h  
— leaky\_relu\_cpu\_dispatch.h  
— leaky\_relu\_cuda\_dispatch.h  
— leaky\_relu\_meta.h  
— leaky\_relu\_meta\_dispatch.h  
— leaky\_relu\_native.h  
— leaky\_relu\_ops.h  
— lerp.h  
— lerp\_compositeexplicitautogradnonfunctional\_dispatch.h  
— lerp\_cpu\_dispatch.h  
— lerp\_cuda\_dispatch.h  
— lerp\_meta.h  
— lerp\_meta\_dispatch.h  
— lerp\_native.h  
— lerp\_ops.h  
— less.h  
— less\_compositeimplicitautograd\_dispatch.h  
— less\_equal.h  
— less\_equal\_compositeimplicitautograd\_dispatch.h  
— less\_equal\_native.h  
— less\_equal\_ops.h  
— less\_native.h  
— less\_ops.h  
— lgamma.h  
— lgamma\_compositeexplicitautogradnonfunctional\_dispatch.h  
— lgamma\_cpu\_dispatch.h  
— lgamma\_cuda\_dispatch.h  
— lgamma\_meta.h  
— lgamma\_meta\_dispatch.h  
— lgamma\_native.h  
— lgamma\_ops.h  
— lift.h  
— lift\_compositeexplicitautograd\_dispatch.h  
— lift\_fresh.h  
— lift\_fresh\_compositeexplicitautograd\_dispatch.h  
— lift\_fresh\_copy.h  
— lift\_fresh\_copy\_compositeexplicitautograd\_dispatch.h  
— lift\_fresh\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
— lift\_fresh\_copy\_native.h  
— lift\_fresh\_copy\_ops.h  
— lift\_fresh\_native.h  
— lift\_fresh\_ops.h  
— lift\_native.h



— lift\_ops.h  
— linalg\_powsum.h  
— linalg\_powsum\_compositeexplicitautograd\_dispatch.h  
— linalg\_powsum\_cpu\_dispatch.h  
— linalg\_powsum\_cuda\_dispatch.h  
— linalg\_powsum\_native.h  
— linalg\_powsum\_ops.h  
— linalg\_cholesky.h  
— linalg\_cholesky\_compositeimplicitautograd\_dispatch.h  
— linalg\_cholesky\_ex.h  
— linalg\_cholesky\_ex\_compositeexplicitautogradnonfunctional\_dispatch.h  
— linalg\_cholesky\_ex\_cpu\_dispatch.h  
— linalg\_cholesky\_ex\_cuda\_dispatch.h  
— linalg\_cholesky\_ex\_meta.h  
— linalg\_cholesky\_ex\_meta\_dispatch.h  
— linalg\_cholesky\_ex\_native.h  
— linalg\_cholesky\_ex\_ops.h  
— linalg\_cholesky\_native.h  
— linalg\_cholesky\_ops.h  
— linalg\_cond.h  
— linalg\_cond\_compositeimplicitautograd\_dispatch.h  
— linalg\_cond\_native.h  
— linalg\_cond\_ops.h  
— linalg\_cross.h  
— linalg\_cross\_compositeexplicitautogradnonfunctional\_dispatch.h  
— linalg\_cross\_cpu\_dispatch.h  
— linalg\_cross\_cuda\_dispatch.h  
— linalg\_cross\_meta.h  
— linalg\_cross\_meta\_dispatch.h  
— linalg\_cross\_native.h  
— linalg\_cross\_ops.h  
— linalg\_det.h  
— linalg\_det\_compositeimplicitautograd\_dispatch.h  
— linalg\_det\_native.h  
— linalg\_det\_ops.h  
— linalg\_diagonal.h  
— linalg\_diagonal\_compositeimplicitautograd\_dispatch.h  
— linalg\_diagonal\_native.h  
— linalg\_diagonal\_ops.h  
— linalg\_eig.h  
— linalg\_eig\_cpu\_dispatch.h  
— linalg\_eig\_cuda\_dispatch.h  
— linalg\_eig\_native.h  
— linalg\_eig\_ops.h  
— linalg\_eigh.h  
— linalg\_eigh\_compositeimplicitautograd\_dispatch.h  
— linalg\_eigh\_native.h  
— linalg\_eigh\_ops.h  
— linalg\_eigvals.h  
— linalg\_eigvals\_compositeimplicitautograd\_dispatch.h  
— linalg\_eigvals\_cpu\_dispatch.h  
— linalg\_eigvals\_cuda\_dispatch.h  
— linalg\_eigvals\_native.h  
— linalg\_eigvals\_ops.h  
— linalg\_eigvalsh.h  
— linalg\_eigvalsh\_compositeimplicitautograd\_dispatch.h  
— linalg\_eigvalsh\_native.h  
— linalg\_eigvalsh\_ops.h  
— linalg\_householder\_product.h  
— linalg\_householder\_product\_cpu\_dispatch.h  
— linalg\_householder\_product\_cuda\_dispatch.h  
— linalg\_householder\_product\_native.h  
— linalg\_householder\_product\_ops.h  
— linalg\_inv.h  
— linalg\_inv\_compositeimplicitautograd\_dispatch.h  
— linalg\_inv\_ex.h  
— linalg\_inv\_ex\_compositeexplicitautogradnonfunctional\_dispatch.h  
— linalg\_inv\_ex\_cpu\_dispatch.h  
— linalg\_inv\_ex\_cuda\_dispatch.h  
— linalg\_inv\_ex\_meta.h  
— linalg\_inv\_ex\_meta\_dispatch.h  
— linalg\_inv\_ex\_native.h  
— linalg\_inv\_ex\_ops.h  
— linalg\_inv\_native.h  
— linalg\_inv\_ops.h  
— linalg\_ldl\_factor.h  
— linalg\_ldl\_factor\_compositeimplicitautograd\_dispatch.h  
— linalg\_ldl\_factor\_ex.h  
— linalg\_ldl\_factor\_ex\_compositeexplicitautogradnonfunctional\_dispatch.h  
— linalg\_ldl\_factor\_ex\_cpu\_dispatch.h  
— linalg\_ldl\_factor\_ex\_cuda\_dispatch.h  
— linalg\_ldl\_factor\_ex\_meta.h  
— linalg\_ldl\_factor\_ex\_meta\_dispatch.h  
— linalg\_ldl\_factor\_ex\_native.h  
— linalg\_ldl\_factor\_ex\_ops.h

linalg\_ldl\_factor\_native.h  
linalg\_ldl\_factor\_ops.h  
linalg\_ldl\_solve.h  
linalg\_ldl\_solve\_compositeexplicitautogradnonfunctional\_dispatch.h  
linalg\_ldl\_solve\_cpu\_dispatch.h  
linalg\_ldl\_solve\_cuda\_dispatch.h  
linalg\_ldl\_solve\_meta.h  
linalg\_ldl\_solve\_meta\_dispatch.h  
linalg\_ldl\_solve\_native.h  
linalg\_ldl\_solve\_ops.h  
linalg\_lstsq.h  
linalg\_lstsq\_compositeexplicitautograd\_dispatch.h  
linalg\_lstsq\_cpu\_dispatch.h  
linalg\_lstsq\_cuda\_dispatch.h  
linalg\_lstsq\_native.h  
linalg\_lstsq\_ops.h  
linalg\_lu.h  
linalg\_lu\_compositeexplicitautogradnonfunctional\_dispatch.h  
linalg\_lu\_cpu\_dispatch.h  
linalg\_lu\_cuda\_dispatch.h  
linalg\_lu\_factor.h  
linalg\_lu\_factor\_compositeimplicitautograd\_dispatch.h  
linalg\_lu\_factor\_ex.h  
linalg\_lu\_factor\_ex\_compositeexplicitautogradnonfunctional\_dispatch.h  
linalg\_lu\_factor\_ex\_cpu\_dispatch.h  
linalg\_lu\_factor\_ex\_cuda\_dispatch.h  
linalg\_lu\_factor\_ex\_meta.h  
linalg\_lu\_factor\_ex\_meta\_dispatch.h  
linalg\_lu\_factor\_ex\_native.h  
linalg\_lu\_factor\_ex\_ops.h  
linalg\_lu\_factor\_native.h  
linalg\_lu\_factor\_ops.h  
linalg\_lu\_meta.h  
linalg\_lu\_meta\_dispatch.h  
linalg\_lu\_native.h  
linalg\_lu\_ops.h  
linalg\_lu\_solve.h  
linalg\_lu\_solve\_compositeexplicitautogradnonfunctional\_dispatch.h  
linalg\_lu\_solve\_cpu\_dispatch.h  
linalg\_lu\_solve\_cuda\_dispatch.h  
linalg\_lu\_solve\_meta.h  
linalg\_lu\_solve\_meta\_dispatch.h  
linalg\_lu\_solve\_native.h  
linalg\_lu\_solve\_ops.h  
linalg\_matmul.h  
linalg\_matmul\_compositeimplicitautograd\_dispatch.h  
linalg\_matmul\_native.h  
linalg\_matmul\_ops.h  
linalg\_matrix\_exp.h  
linalg\_matrix\_exp\_compositeexplicitautograd\_dispatch.h  
linalg\_matrix\_exp\_cpu\_dispatch.h  
linalg\_matrix\_exp\_cuda\_dispatch.h  
linalg\_matrix\_exp\_native.h  
linalg\_matrix\_exp\_ops.h  
linalg\_matrix\_norm.h  
linalg\_matrix\_norm\_compositeimplicitautograd\_dispatch.h  
linalg\_matrix\_norm\_native.h  
linalg\_matrix\_norm\_ops.h  
linalg\_matrix\_power.h  
linalg\_matrix\_power\_compositeimplicitautograd\_dispatch.h  
linalg\_matrix\_power\_native.h  
linalg\_matrix\_power\_ops.h  
linalg\_matrix\_rank.h  
linalg\_matrix\_rank\_compositeimplicitautograd\_dispatch.h  
linalg\_matrix\_rank\_native.h  
linalg\_matrix\_rank\_ops.h  
linalg\_multi\_dot.h  
linalg\_multi\_dot\_compositeimplicitautograd\_dispatch.h  
linalg\_multi\_dot\_native.h  
linalg\_multi\_dot\_ops.h  
linalg\_norm.h  
linalg\_norm\_compositeimplicitautograd\_dispatch.h  
linalg\_norm\_native.h  
linalg\_norm\_ops.h  
linalg\_pinv.h  
linalg\_pinv\_compositeexplicitautograd\_dispatch.h  
linalg\_pinv\_compositeexplicitautogradnonfunctional\_dispatch.h  
linalg\_pinv\_compositeimplicitautograd\_dispatch.h  
linalg\_pinv\_native.h  
linalg\_pinv\_ops.h  
linalg\_qr.h  
linalg\_qr\_compositeexplicitautogradnonfunctional\_dispatch.h  
linalg\_qr\_cpu\_dispatch.h  
linalg\_qr\_cuda\_dispatch.h  
linalg\_qr\_meta.h

linalg\_qr\_meta\_dispatch.h  
linalg\_qr\_native.h  
linalg\_qr\_ops.h  
linalg\_slogdet.h  
linalg\_slogdet\_compositeimplicitautograd\_dispatch.h  
linalg\_slogdet\_native.h  
linalg\_slogdet\_ops.h  
linalg\_solve.h  
linalg\_solve\_compositeimplicitautograd\_dispatch.h  
linalg\_solve\_ex.h  
linalg\_solve\_ex\_compositeimplicitautograd\_dispatch.h  
linalg\_solve\_ex\_native.h  
linalg\_solve\_ex\_ops.h  
linalg\_solve\_native.h  
linalg\_solve\_ops.h  
linalg\_solve\_triangular.h  
linalg\_solve\_triangular\_cpu\_dispatch.h  
linalg\_solve\_triangular\_cuda\_dispatch.h  
linalg\_solve\_triangular\_native.h  
linalg\_solve\_triangular\_ops.h  
linalg\_svd.h  
linalg\_svd\_compositeimplicitautograd\_dispatch.h  
linalg\_svd\_native.h  
linalg\_svd\_ops.h  
linalg\_svdvals.h  
linalg\_svdvals\_compositeimplicitautograd\_dispatch.h  
linalg\_svdvals\_native.h  
linalg\_svdvals\_ops.h  
linalg\_tensorinv.h  
linalg\_tensorinv\_compositeimplicitautograd\_dispatch.h  
linalg\_tensorinv\_native.h  
linalg\_tensorinv\_ops.h  
linalg\_tensorsolve.h  
linalg\_tensorsolve\_compositeimplicitautograd\_dispatch.h  
linalg\_tensorsolve\_native.h  
linalg\_tensorsolve\_ops.h  
linalg\_vander.h  
linalg\_vander\_compositeimplicitautograd\_dispatch.h  
linalg\_vander\_native.h  
linalg\_vander\_ops.h  
linalg\_vecdot.h  
linalg\_vecdot\_compositeimplicitautograd\_dispatch.h  
linalg\_vecdot\_native.h  
linalg\_vecdot\_ops.h  
linalg\_vector\_norm.h  
linalg\_vector\_norm\_compositeexplicitautogradnonfunctional\_dispatch.h  
linalg\_vector\_norm\_cpu\_dispatch.h  
linalg\_vector\_norm\_cuda\_dispatch.h  
linalg\_vector\_norm\_meta.h  
linalg\_vector\_norm\_meta\_dispatch.h  
linalg\_vector\_norm\_native.h  
linalg\_vector\_norm\_ops.h  
linear.h  
linear\_backward.h  
linear\_backward\_compositeexplicitautograd\_dispatch.h  
linear\_backward\_native.h  
linear\_backward\_ops.h  
linear\_compositeexplicitautograd\_dispatch.h  
linear\_compositeimplicitautograd\_dispatch.h  
linear\_native.h  
linear\_ops.h  
linspace.h  
linspace\_compositeexplicitautograd\_dispatch.h  
linspace\_cpu\_dispatch.h  
linspace\_cuda\_dispatch.h  
linspace\_meta\_dispatch.h  
linspace\_native.h  
linspace\_ops.h  
log.h  
log10.h  
log10\_compositeexplicitautogradnonfunctional\_dispatch.h  
log10\_cpu\_dispatch.h  
log10\_cuda\_dispatch.h  
log10\_meta.h  
log10\_meta\_dispatch.h  
log10\_native.h  
log10\_ops.h  
log1p.h  
log1p\_compositeexplicitautogradnonfunctional\_dispatch.h  
log1p\_cpu\_dispatch.h  
log1p\_cuda\_dispatch.h  
log1p\_meta.h  
log1p\_meta\_dispatch.h  
log1p\_native.h  
log1p\_ops.h

```

— log2.h
— log2_compositeexplicitautogradnonfunctional_dispatch.h
— log2_cpu_dispatch.h
— log2_cuda_dispatch.h
— log2_meta.h
— log2_meta_dispatch.h
— log2_native.h
— log2_ops.h
— log_compositeexplicitautogradnonfunctional_dispatch.h
— log_cpu_dispatch.h
— log_cuda_dispatch.h
— log_meta.h
— log_meta_dispatch.h
— log_native.h
— log_normal.h
— log_normal_compositeexplicitautograd_dispatch.h
— log_normal_cpu_dispatch.h
— log_normal_cuda_dispatch.h
— log_normal_meta_dispatch.h
— log_normal_native.h
— log_normal_ops.h
— log_ops.h
— log_sigmoid.h
— log_sigmoid_backward.h
— log_sigmoid_backward_cpu_dispatch.h
— log_sigmoid_backward_cuda_dispatch.h
— log_sigmoid_backward_native.h
— log_sigmoid_backward_ops.h
— log_sigmoid_compositeimplicitautograd_dispatch.h
— log_sigmoid_forward.h
— log_sigmoid_forward_cpu_dispatch.h
— log_sigmoid_forward_cuda_dispatch.h
— log_sigmoid_forward_native.h
— log_sigmoid_forward_ops.h
— log_sigmoid_native.h
— log_sigmoid_ops.h
— log_softmax.h
— log_softmax_compositeexplicitautograd_dispatch.h
— log_softmax_compositeimplicitautograd_dispatch.h
— log_softmax_native.h
— log_softmax_ops.h
— logaddexp.h
— logaddexp2.h
— logaddexp2_compositeexplicitautogradnonfunctional_dispatch.h
— logaddexp2_cpu_dispatch.h
— logaddexp2_cuda_dispatch.h
— logaddexp2_meta.h
— logaddexp2_meta_dispatch.h
— logaddexp2_native.h
— logaddexp2_ops.h
— logaddexp_compositeexplicitautogradnonfunctional_dispatch.h
— logaddexp_cpu_dispatch.h
— logaddexp_cuda_dispatch.h
— logaddexp_meta.h
— logaddexp_meta_dispatch.h
— logaddexp_native.h
— logaddexp_ops.h
— logcumsumexp.h
— logcumsumexp_compositeexplicitautograd_dispatch.h
— logcumsumexp_compositeimplicitautograd_dispatch.h
— logcumsumexp_native.h
— logcumsumexp_ops.h
— logdet.h
— logdet_compositeimplicitautograd_dispatch.h
— logdet_native.h
— logdet_ops.h
— logical_and.h
— logical_and_compositeexplicitautograd_dispatch.h
— logical_and_cpu_dispatch.h
— logical_and_cuda_dispatch.h
— logical_and_native.h
— logical_and_ops.h
— logical_not.h
— logical_not_compositeexplicitautograd_dispatch.h
— logical_not_cpu_dispatch.h
— logical_not_cuda_dispatch.h
— logical_not_native.h
— logical_not_ops.h
— logical_or.h
— logical_or_compositeexplicitautograd_dispatch.h
— logical_or_cpu_dispatch.h
— logical_or_cuda_dispatch.h
— logical_or_native.h
— logical_or_ops.h
— logical_xor.h

```

- logical\_xor\_compositeexplicitautograd\_dispatch.h
- logical\_xor\_cpu\_dispatch.h
- logical\_xor\_cuda\_dispatch.h
- logical\_xor\_native.h
- logical\_xor\_ops.h
- logit.h
- logit\_backward.h
- logit\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- logit\_backward\_cpu\_dispatch.h
- logit\_backward\_cuda\_dispatch.h
- logit\_backward\_meta.h
- logit\_backward\_meta\_dispatch.h
- logit\_backward\_native.h
- logit\_backward\_ops.h
- logit\_cpu\_dispatch.h
- logit\_cuda\_dispatch.h
- logit\_meta\_dispatch.h
- logit\_native.h
- logit\_ops.h
- logspace.h
- logspace\_compositeexplicitautograd\_dispatch.h
- logspace\_cpu\_dispatch.h
- logspace\_cuda\_dispatch.h
- logspace\_meta\_dispatch.h
- logspace\_native.h
- logspace\_ops.h
- logsumexp.h
- logsumexp\_compositeexplicitautograd\_dispatch.h
- logsumexp\_compositeexplicitautogradnonfunctional\_dispatch.h
- logsumexp\_compositeimplicitautograd\_dispatch.h
- logsumexp\_native.h
- logsumexp\_ops.h
- lshift.h
- lshift\_compositeexplicitautograd\_dispatch.h
- lshift\_cpu\_dispatch.h
- lshift\_cuda\_dispatch.h
- lshift\_meta\_dispatch.h
- lshift\_native.h
- lshift\_ops.h
- lstm.h
- lstm\_cell.h
- lstm\_cell\_compositeimplicitautograd\_dispatch.h
- lstm\_cell\_native.h
- lstm\_cell\_ops.h
- lstm\_compositeimplicitautograd\_dispatch.h
- lstm\_mps\_backward.h
- lstm\_mps\_backward\_compositeexplicitautograd\_dispatch.h
- lstm\_mps\_backward\_native.h
- lstm\_mps\_backward\_ops.h
- lstm\_native.h
- lstm\_ops.h
- lt.h
- lt\_compositeexplicitautogradnonfunctional\_dispatch.h
- lt\_cpu\_dispatch.h
- lt\_cuda\_dispatch.h
- lt\_meta.h
- lt\_meta\_dispatch.h
- lt\_native.h
- lt\_ops.h
- lu\_solve.h
- lu\_solve\_compositeimplicitautograd\_dispatch.h
- lu\_solve\_native.h
- lu\_solve\_ops.h
- lu\_unpack.h
- lu\_unpack\_compositeexplicitautogradnonfunctional\_dispatch.h
- lu\_unpack\_cpu\_dispatch.h
- lu\_unpack\_cuda\_dispatch.h
- lu\_unpack\_meta.h
- lu\_unpack\_meta\_dispatch.h
- lu\_unpack\_native.h
- lu\_unpack\_ops.h
- margin\_ranking\_loss.h
- margin\_ranking\_loss\_compositeimplicitautograd\_dispatch.h
- margin\_ranking\_loss\_native.h
- margin\_ranking\_loss\_ops.h
- masked\_fill.h
- masked\_fill\_compositeexplicitautograd\_dispatch.h
- masked\_fill\_cpu\_dispatch.h
- masked\_fill\_cuda\_dispatch.h
- masked\_fill\_meta\_dispatch.h
- masked\_fill\_native.h
- masked\_fill\_ops.h
- masked\_scatter.h
- masked\_scatter\_backward.h
- masked\_scatter\_backward\_compositeexplicitautograd\_dispatch.h

masked\_scatter\_backward\_native.h  
masked\_scatter\_backward\_ops.h  
masked\_scatter\_compositeexplicitautograd\_dispatch.h  
masked\_scatter\_cpu\_dispatch.h  
masked\_scatter\_cuda\_dispatch.h  
masked\_scatter\_meta\_dispatch.h  
masked\_scatter\_native.h  
masked\_scatter\_ops.h  
masked\_select.h  
masked\_select\_backward.h  
masked\_select\_backward\_compositeimplicitautograd\_dispatch.h  
masked\_select\_backward\_native.h  
masked\_select\_backward\_ops.h  
masked\_select\_cpu\_dispatch.h  
masked\_select\_cuda\_dispatch.h  
masked\_select\_native.h  
masked\_select\_ops.h  
matmul.h  
matmul\_backward.h  
matmul\_backward\_compositeexplicitautograd\_dispatch.h  
matmul\_backward\_native.h  
matmul\_backward\_ops.h  
matmul\_compositeimplicitautograd\_dispatch.h  
matmul\_native.h  
matmul\_ops.h  
matrix\_exp.h  
matrix\_exp\_backward.h  
matrix\_exp\_backward\_compositeimplicitautograd\_dispatch.h  
matrix\_exp\_backward\_native.h  
matrix\_exp\_backward\_ops.h  
matrix\_exp\_compositeimplicitautograd\_dispatch.h  
matrix\_exp\_native.h  
matrix\_exp\_ops.h  
matrix\_H.h  
matrix\_H\_compositeimplicitautograd\_dispatch.h  
matrix\_H\_native.h  
matrix\_H\_ops.h  
matrix\_power.h  
matrix\_power\_compositeimplicitautograd\_dispatch.h  
matrix\_power\_native.h  
matrix\_power\_ops.h  
max.h  
max\_compositeexplicitautogradnonfunctional\_dispatch.h  
max\_compositeimplicitautograd\_dispatch.h  
max\_cpu\_dispatch.h  
max\_cuda\_dispatch.h  
max\_meta.h  
max\_meta\_dispatch.h  
max\_native.h  
max\_ops.h  
max\_pool1d.h  
max\_pool1d\_compositeimplicitautograd\_dispatch.h  
max\_pool1d\_native.h  
max\_pool1d\_ops.h  
max\_pool1d\_with\_indices.h  
max\_pool1d\_with\_indices\_compositeimplicitautograd\_dispatch.h  
max\_pool1d\_with\_indices\_native.h  
max\_pool1d\_with\_indices\_ops.h  
max\_pool2d.h  
max\_pool2d\_backward.h  
max\_pool2d\_backward\_compositeexplicitautograd\_dispatch.h  
max\_pool2d\_backward\_native.h  
max\_pool2d\_backward\_ops.h  
max\_pool2d\_compositeimplicitautograd\_dispatch.h  
max\_pool2d\_native.h  
max\_pool2d\_ops.h  
max\_pool2d\_with\_indices.h  
max\_pool2d\_with\_indices\_backward.h  
max\_pool2d\_with\_indices\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
max\_pool2d\_with\_indices\_backward\_cpu\_dispatch.h  
max\_pool2d\_with\_indices\_backward\_cuda\_dispatch.h  
max\_pool2d\_with\_indices\_backward\_meta.h  
max\_pool2d\_with\_indices\_backward\_meta\_dispatch.h  
max\_pool2d\_with\_indices\_backward\_native.h  
max\_pool2d\_with\_indices\_backward\_ops.h  
max\_pool2d\_with\_indices\_compositeexplicitautogradnonfunctional\_dispatch.h  
max\_pool2d\_with\_indices\_cpu\_dispatch.h  
max\_pool2d\_with\_indices\_cuda\_dispatch.h  
max\_pool2d\_with\_indices\_meta.h  
max\_pool2d\_with\_indices\_meta\_dispatch.h  
max\_pool2d\_with\_indices\_native.h  
max\_pool2d\_with\_indices\_ops.h  
max\_pool3d.h  
max\_pool3d\_compositeimplicitautograd\_dispatch.h  
max\_pool3d\_native.h

- max\_pool3d\_ops.h
- max\_pool3d\_with\_indices.h
- max\_pool3d\_with\_indices\_backward.h
- max\_pool3d\_with\_indices\_backward\_cpu\_dispatch.h
- max\_pool3d\_with\_indices\_backward\_cuda\_dispatch.h
- max\_pool3d\_with\_indices\_backward\_native.h
- max\_pool3d\_with\_indices\_backward\_ops.h
- max\_pool3d\_with\_indices\_cpu\_dispatch.h
- max\_pool3d\_with\_indices\_cuda\_dispatch.h
- max\_pool3d\_with\_indices\_native.h
- max\_pool3d\_with\_indices\_ops.h
- max\_unpool2d.h
- max\_unpool2d\_cpu\_dispatch.h
- max\_unpool2d\_cuda\_dispatch.h
- max\_unpool2d\_native.h
- max\_unpool2d\_ops.h
- max\_unpool3d.h
- max\_unpool3d\_cpu\_dispatch.h
- max\_unpool3d\_cuda\_dispatch.h
- max\_unpool3d\_native.h
- max\_unpool3d\_ops.h
- maximum.h
- maximum\_compositeexplicitautogradnonfunctional\_dispatch.h
- maximum\_cpu\_dispatch.h
- maximum\_cuda\_dispatch.h
- maximum\_meta.h
- maximum\_meta\_dispatch.h
- maximum\_native.h
- maximum\_ops.h
- mean.h
- mean\_compositeexplicitautograd\_dispatch.h
- mean\_compositeexplicitautogradnonfunctional\_dispatch.h
- mean\_compositeimplicitautograd\_dispatch.h
- mean\_cpu\_dispatch.h
- mean\_cuda\_dispatch.h
- mean\_meta.h
- mean\_meta\_dispatch.h
- mean\_native.h
- mean\_ops.h
- median.h
- median\_compositeexplicitautograd\_dispatch.h
- median\_compositeimplicitautograd\_dispatch.h
- median\_cpu\_dispatch.h
- median\_cuda\_dispatch.h
- median\_native.h
- median\_ops.h
- meshgrid.h
- meshgrid\_compositeimplicitautograd\_dispatch.h
- meshgrid\_native.h
- meshgrid\_ops.h
- mH.h
- mH\_compositeimplicitautograd\_dispatch.h
- mH\_native.h
- mH\_ops.h
- min.h
- min\_compositeexplicitautogradnonfunctional\_dispatch.h
- min\_compositeimplicitautograd\_dispatch.h
- min\_cpu\_dispatch.h
- min\_cuda\_dispatch.h
- min\_meta.h
- min\_meta\_dispatch.h
- min\_native.h
- min\_ops.h
- minimum.h
- minimum\_compositeexplicitautogradnonfunctional\_dispatch.h
- minimum\_cpu\_dispatch.h
- minimum\_cuda\_dispatch.h
- minimum\_meta.h
- minimum\_meta\_dispatch.h
- minimum\_native.h
- minimum\_ops.h
- miopen\_batch\_norm.h
- miopen\_batch\_norm\_backward.h
- miopen\_batch\_norm\_backward\_compositeexplicitautograd\_dispatch.h
- miopen\_batch\_norm\_backward\_cuda\_dispatch.h
- miopen\_batch\_norm\_backward\_native.h
- miopen\_batch\_norm\_backward\_ops.h
- miopen\_batch\_norm\_compositeexplicitautograd\_dispatch.h
- miopen\_batch\_norm\_cuda\_dispatch.h
- miopen\_batch\_norm\_native.h
- miopen\_batch\_norm\_ops.h
- miopen\_convolution.h
- miopen\_convolution\_add\_relu.h
- miopen\_convolution\_add\_relu\_cuda\_dispatch.h
- miopen\_convolution\_add\_relu\_native.h

- miopen\_convolution\_add\_relu\_ops.h
- miopen\_convolution\_compositeexplicitautograd\_dispatch.h
- miopen\_convolution\_cuda\_dispatch.h
- miopen\_convolution\_native.h
- miopen\_convolution\_ops.h
- miopen\_convolution\_relu.h
- miopen\_convolution\_relu\_cuda\_dispatch.h
- miopen\_convolution\_relu\_native.h
- miopen\_convolution\_relu\_ops.h
- miopen\_convolution\_transpose.h
- miopen\_convolution\_transpose\_compositeexplicitautograd\_dispatch.h
- miopen\_convolution\_transpose\_cuda\_dispatch.h
- miopen\_convolution\_transpose\_native.h
- miopen\_convolution\_transpose\_ops.h
- miopen\_ctc\_loss.h
- miopen\_ctc\_loss\_compositeexplicitautograd\_dispatch.h
- miopen\_ctc\_loss\_cuda\_dispatch.h
- miopen\_ctc\_loss\_native.h
- miopen\_ctc\_loss\_ops.h
- miopen\_depthwise\_convolution.h
- miopen\_depthwise\_convolution\_compositeexplicitautograd\_dispatch.h
- miopen\_depthwise\_convolution\_cuda\_dispatch.h
- miopen\_depthwise\_convolution\_native.h
- miopen\_depthwise\_convolution\_ops.h
- miopen\_rnn.h
- miopen\_rnn\_backward.h
- miopen\_rnn\_backward\_compositeexplicitautograd\_dispatch.h
- miopen\_rnn\_backward\_cuda\_dispatch.h
- miopen\_rnn\_backward\_native.h
- miopen\_rnn\_backward\_ops.h
- miopen\_rnn\_compositeexplicitautograd\_dispatch.h
- miopen\_rnn\_cuda\_dispatch.h
- miopen\_rnn\_native.h
- miopen\_rnn\_ops.h
- mish.h
- mish\_backward.h
- mish\_backward\_compositeimplicitautograd\_dispatch.h
- mish\_backward\_cpu\_dispatch.h
- mish\_backward\_cuda\_dispatch.h
- mish\_backward\_native.h
- mish\_backward\_ops.h
- mish\_compositeexplicitautogradnonfunctional\_dispatch.h
- mish\_cpu\_dispatch.h
- mish\_cuda\_dispatch.h
- mish\_meta.h
- mish\_meta\_dispatch.h
- mish\_native.h
- mish\_ops.h
- mkldnn\_adaptive\_avg\_pool2d.h
- mkldnn\_adaptive\_avg\_pool2d\_backward.h
- mkldnn\_adaptive\_avg\_pool2d\_backward\_compositeexplicitautograd\_dispatch.h
- mkldnn\_adaptive\_avg\_pool2d\_backward\_native.h
- mkldnn\_adaptive\_avg\_pool2d\_backward\_ops.h
- mkldnn\_adaptive\_avg\_pool2d\_native.h
- mkldnn\_adaptive\_avg\_pool2d\_ops.h
- mkldnn\_convolution.h
- mkldnn\_convolution\_compositeexplicitautograd\_dispatch.h
- mkldnn\_convolution\_native.h
- mkldnn\_convolution\_ops.h
- mkldnn\_linear.h
- mkldnn\_linear\_backward.h
- mkldnn\_linear\_backward\_compositeexplicitautograd\_dispatch.h
- mkldnn\_linear\_backward\_input.h
- mkldnn\_linear\_backward\_input\_compositeexplicitautograd\_dispatch.h
- mkldnn\_linear\_backward\_input\_native.h
- mkldnn\_linear\_backward\_input\_ops.h
- mkldnn\_linear\_backward\_native.h
- mkldnn\_linear\_backward\_ops.h
- mkldnn\_linear\_backward\_weights.h
- mkldnn\_linear\_backward\_weights\_compositeexplicitautograd\_dispatch.h
- mkldnn\_linear\_backward\_weights\_native.h
- mkldnn\_linear\_backward\_weights\_ops.h
- mkldnn\_linear\_compositeexplicitautograd\_dispatch.h
- mkldnn\_linear\_native.h
- mkldnn\_linear\_ops.h
- mkldnn\_max\_pool2d.h
- mkldnn\_max\_pool2d\_backward.h
- mkldnn\_max\_pool2d\_backward\_compositeexplicitautograd\_dispatch.h
- mkldnn\_max\_pool2d\_backward\_native.h
- mkldnn\_max\_pool2d\_backward\_ops.h
- mkldnn\_max\_pool2d\_compositeexplicitautograd\_dispatch.h
- mkldnn\_max\_pool2d\_native.h
- mkldnn\_max\_pool2d\_ops.h
- mkldnn\_max\_pool3d.h
- mkldnn\_max\_pool3d\_backward.h



- mkldnn\_max\_pool3d\_backward\_compositeexplicitautograd\_dispatch.h
- mkldnn\_max\_pool3d\_backward\_native.h
- mkldnn\_max\_pool3d\_backward\_ops.h
- mkldnn\_max\_pool3d\_compositeexplicitautograd\_dispatch.h
- mkldnn\_max\_pool3d\_native.h
- mkldnn\_max\_pool3d\_ops.h
- mkldnn\_reorder\_conv2d\_weight.h
- mkldnn\_reorder\_conv2d\_weight\_compositeexplicitautograd\_dispatch.h
- mkldnn\_reorder\_conv2d\_weight\_native.h
- mkldnn\_reorder\_conv2d\_weight\_ops.h
- mkldnn\_reorder\_conv3d\_weight.h
- mkldnn\_reorder\_conv3d\_weight\_compositeexplicitautograd\_dispatch.h
- mkldnn\_reorder\_conv3d\_weight\_native.h
- mkldnn\_reorder\_conv3d\_weight\_ops.h
- mkldnn\_rnn\_layer.h
- mkldnn\_rnn\_layer\_backward.h
- mkldnn\_rnn\_layer\_backward\_compositeexplicitautograd\_dispatch.h
- mkldnn\_rnn\_layer\_backward\_cpu\_dispatch.h
- mkldnn\_rnn\_layer\_backward\_native.h
- mkldnn\_rnn\_layer\_backward\_ops.h
- mkldnn\_rnn\_layer\_compositeexplicitautograd\_dispatch.h
- mkldnn\_rnn\_layer\_cpu\_dispatch.h
- mkldnn\_rnn\_layer\_native.h
- mkldnn\_rnn\_layer\_ops.h
- mm.h
- mm\_compositeexplicitautogradnonfunctional\_dispatch.h
- mm\_cpu\_dispatch.h
- mm\_cuda\_dispatch.h
- mm\_meta.h
- mm\_meta\_dispatch.h
- mm\_native.h
- mm\_ops.h
- mode.h
- mode\_compositeexplicitautograd\_dispatch.h
- mode\_compositeimplicitautograd\_dispatch.h
- mode\_cpu\_dispatch.h
- mode\_cuda\_dispatch.h
- mode\_native.h
- mode\_ops.h
- moveaxis.h
- moveaxis\_compositeimplicitautograd\_dispatch.h
- moveaxis\_native.h
- moveaxis\_ops.h
- movedim.h
- movedim\_compositeimplicitautograd\_dispatch.h
- movedim\_native.h
- movedim\_ops.h
- mps\_convolution\_backward.h
- mps\_convolution\_backward\_compositeexplicitautograd\_dispatch.h
- mps\_convolution\_backward\_native.h
- mps\_convolution\_backward\_ops.h
- mps\_convolution\_transpose\_backward.h
- mps\_convolution\_transpose\_backward\_compositeexplicitautograd\_dispatch.h
- mps\_convolution\_transpose\_backward\_native.h
- mps\_convolution\_transpose\_backward\_ops.h
- mse\_loss.h
- mse\_loss\_backward.h
- mse\_loss\_backward\_cpu\_dispatch.h
- mse\_loss\_backward\_cuda\_dispatch.h
- mse\_loss\_backward\_native.h
- mse\_loss\_backward\_ops.h
- mse\_loss\_compositeexplicitautogradnonfunctional\_dispatch.h
- mse\_loss\_cpu\_dispatch.h
- mse\_loss\_cuda\_dispatch.h
- mse\_loss\_meta.h
- mse\_loss\_meta\_dispatch.h
- mse\_loss\_native.h
- mse\_loss\_ops.h
- msort.h
- msort\_compositeimplicitautograd\_dispatch.h
- msort\_native.h
- msort\_ops.h
- mT.h
- mT\_compositeimplicitautograd\_dispatch.h
- mT\_native.h
- mT\_ops.h
- mul.h
- mul\_compositeexplicitautograd\_dispatch.h
- mul\_compositeexplicitautogradnonfunctional\_dispatch.h
- mul\_cpu\_dispatch.h
- mul\_cuda\_dispatch.h
- mul\_meta.h
- mul\_meta\_dispatch.h
- mul\_native.h
- mul\_ops.h

— multi\_margin\_loss.h  
— multi\_margin\_loss\_backward.h  
— multi\_margin\_loss\_backward\_cpu\_dispatch.h  
— multi\_margin\_loss\_backward\_cuda\_dispatch.h  
— multi\_margin\_loss\_backward\_native.h  
— multi\_margin\_loss\_backward\_ops.h  
— multi\_margin\_loss\_cpu\_dispatch.h  
— multi\_margin\_loss\_cuda\_dispatch.h  
— multi\_margin\_loss\_native.h  
— multi\_margin\_loss\_ops.h  
— multilabel\_margin\_loss.h  
— multilabel\_margin\_loss\_backward.h  
— multilabel\_margin\_loss\_backward\_cpu\_dispatch.h  
— multilabel\_margin\_loss\_backward\_cuda\_dispatch.h  
— multilabel\_margin\_loss\_backward\_native.h  
— multilabel\_margin\_loss\_backward\_ops.h  
— multilabel\_margin\_loss\_compositeimplicitautograd\_dispatch.h  
— multilabel\_margin\_loss\_forward.h  
— multilabel\_margin\_loss\_forward\_cpu\_dispatch.h  
— multilabel\_margin\_loss\_forward\_cuda\_dispatch.h  
— multilabel\_margin\_loss\_forward\_native.h  
— multilabel\_margin\_loss\_forward\_ops.h  
— multilabel\_margin\_loss\_native.h  
— multilabel\_margin\_loss\_ops.h  
— multinomial.h  
— multinomial\_cpu\_dispatch.h  
— multinomial\_cuda\_dispatch.h  
— multinomial\_native.h  
— multinomial\_ops.h  
— multiply.h  
— multiply\_compositeimplicitautograd\_dispatch.h  
— multiply\_native.h  
— multiply\_ops.h  
— mv.h  
— mv\_compositeexplicitautograd\_dispatch.h  
— mv\_native.h  
— mv\_ops.h  
— mvlgamma.h  
— mvlgamma\_compositeexplicitautograd\_dispatch.h  
— mvlgamma\_cpu\_dispatch.h  
— mvlgamma\_cuda\_dispatch.h  
— mvlgamma\_native.h  
— mvlgamma\_ops.h  
— nan\_to\_num.h  
— nan\_to\_num\_compositeexplicitautograd\_dispatch.h  
— nan\_to\_num\_cpu\_dispatch.h  
— nan\_to\_num\_cuda\_dispatch.h  
— nan\_to\_num\_native.h  
— nan\_to\_num\_ops.h  
— nanmean.h  
— nanmean\_compositeimplicitautograd\_dispatch.h  
— nanmean\_native.h  
— nanmean\_ops.h  
— nanmedian.h  
— nanmedian\_compositeexplicitautograd\_dispatch.h  
— nanmedian\_compositeimplicitautograd\_dispatch.h  
— nanmedian\_cpu\_dispatch.h  
— nanmedian\_cuda\_dispatch.h  
— nanmedian\_native.h  
— nanmedian\_ops.h  
— nanquantile.h  
— nanquantile\_compositeimplicitautograd\_dispatch.h  
— nanquantile\_native.h  
— nanquantile\_ops.h  
— nansum.h  
— nansum\_cpu\_dispatch.h  
— nansum\_cuda\_dispatch.h  
— nansum\_native.h  
— nansum\_ops.h  
— narrow.h  
— narrow\_compositeimplicitautograd\_dispatch.h  
— narrow\_copy.h  
— narrow\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
— narrow\_copy\_cpu\_dispatch.h  
— narrow\_copy\_native.h  
— narrow\_copy\_ops.h  
— narrow\_native.h  
— narrow\_ops.h  
— native\_batch\_norm.h  
— native\_batch\_norm\_backward.h  
— native\_batch\_norm\_backward\_compositeexplicitautograd\_dispatch.h  
— native\_batch\_norm\_backward\_cpu\_dispatch.h  
— native\_batch\_norm\_backward\_cuda\_dispatch.h  
— native\_batch\_norm\_backward\_native.h  
— native\_batch\_norm\_backward\_ops.h

- native\_batch\_norm\_cpu\_dispatch.h
- native\_batch\_norm\_cuda\_dispatch.h
- native\_batch\_norm\_native.h
- native\_batch\_norm\_ops.h
- native\_channel\_shuffle.h
- native\_channel\_shuffle\_compositeimplicitautograd\_dispatch.h
- native\_channel\_shuffle\_cpu\_dispatch.h
- native\_channel\_shuffle\_native.h
- native\_channel\_shuffle\_ops.h
- native\_dropout.h
- native\_dropout\_backward.h
- native\_dropout\_backward\_compositeexplicitautograd\_dispatch.h
- native\_dropout\_backward\_cpu\_dispatch.h
- native\_dropout\_backward\_cuda\_dispatch.h
- native\_dropout\_backward\_native.h
- native\_dropout\_backward\_ops.h
- native\_dropout\_compositeexplicitautograd\_dispatch.h
- native\_dropout\_cpu\_dispatch.h
- native\_dropout\_cuda\_dispatch.h
- native\_dropout\_native.h
- native\_dropout\_ops.h
- native\_group\_norm.h
- native\_group\_norm\_backward.h
- native\_group\_norm\_backward\_compositeexplicitautograd\_dispatch.h
- native\_group\_norm\_backward\_cpu\_dispatch.h
- native\_group\_norm\_backward\_cuda\_dispatch.h
- native\_group\_norm\_backward\_native.h
- native\_group\_norm\_backward\_ops.h
- native\_group\_norm\_compositeexplicitautograd\_dispatch.h
- native\_group\_norm\_cpu\_dispatch.h
- native\_group\_norm\_cuda\_dispatch.h
- native\_group\_norm\_native.h
- native\_group\_norm\_ops.h
- native\_layer\_norm.h
- native\_layer\_norm\_backward.h
- native\_layer\_norm\_backward\_compositeexplicitautograd\_dispatch.h
- native\_layer\_norm\_backward\_cpu\_dispatch.h
- native\_layer\_norm\_backward\_cuda\_dispatch.h
- native\_layer\_norm\_backward\_native.h
- native\_layer\_norm\_backward\_ops.h
- native\_layer\_norm\_compositeexplicitautograd\_dispatch.h
- native\_layer\_norm\_cpu\_dispatch.h
- native\_layer\_norm\_cuda\_dispatch.h
- native\_layer\_norm\_native.h
- native\_layer\_norm\_ops.h
- native\_norm.h
- native\_norm\_compositeexplicitautograd\_dispatch.h
- native\_norm\_native.h
- native\_norm\_ops.h
- ne.h
- ne\_compositeexplicitautogradnonfunctional\_dispatch.h
- ne\_cpu\_dispatch.h
- ne\_cuda\_dispatch.h
- ne\_meta.h
- ne\_meta\_dispatch.h
- ne\_native.h
- ne\_ops.h
- neg.h
- neg\_compositeexplicitautogradnonfunctional\_dispatch.h
- neg\_cpu\_dispatch.h
- neg\_cuda\_dispatch.h
- neg\_meta.h
- neg\_meta\_dispatch.h
- neg\_native.h
- neg\_ops.h
- negative.h
- negative\_compositeimplicitautograd\_dispatch.h
- negative\_native.h
- negative\_ops.h
- nested\_to\_padded\_tensor.h
- nested\_to\_padded\_tensor\_compositeimplicitautograd\_dispatch.h
- nested\_to\_padded\_tensor\_native.h
- nested\_to\_padded\_tensor\_ops.h
- new\_empty.h
- new\_empty\_compositeexplicitautograd\_dispatch.h
- new\_empty\_native.h
- new\_empty\_ops.h
- new\_empty\_strided.h
- new\_empty\_strided\_compositeexplicitautograd\_dispatch.h
- new\_empty\_strided\_compositeexplicitautogradnonfunctional\_dispatch.h
- new\_empty\_strided\_native.h
- new\_empty\_strided\_ops.h
- new\_full.h
- new\_full\_compositeexplicitautograd\_dispatch.h
- new\_full\_native.h

new\_full\_ops.h  
new\_ones.h  
new\_ones\_compositeexplicitautograd\_dispatch.h  
new\_ones\_native.h  
new\_ones\_ops.h  
new\_zeros.h  
new\_zeros\_compositeexplicitautograd\_dispatch.h  
new\_zeros\_native.h  
new\_zeros\_ops.h  
nextafter.h  
nextafter\_compositeexplicitautogradnonfunctional\_dispatch.h  
nextafter\_cpu\_dispatch.h  
nextafter\_cuda\_dispatch.h  
nextafter\_meta.h  
nextafter\_meta\_dispatch.h  
nextafter\_native.h  
nextafter\_ops.h  
nll\_loss.h  
nll\_loss2d.h  
nll\_loss2d\_backward.h  
nll\_loss2d\_backward\_cpu\_dispatch.h  
nll\_loss2d\_backward\_cuda\_dispatch.h  
nll\_loss2d\_backward\_native.h  
nll\_loss2d\_backward\_ops.h  
nll\_loss2d\_compositeimplicitautograd\_dispatch.h  
nll\_loss2d\_forward.h  
nll\_loss2d\_forward\_cpu\_dispatch.h  
nll\_loss2d\_forward\_cuda\_dispatch.h  
nll\_loss2d\_forward\_native.h  
nll\_loss2d\_forward\_ops.h  
nll\_loss2d\_native.h  
nll\_loss2d\_ops.h  
nll\_loss\_backward.h  
nll\_loss\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
nll\_loss\_backward\_cpu\_dispatch.h  
nll\_loss\_backward\_cuda\_dispatch.h  
nll\_loss\_backward\_meta.h  
nll\_loss\_backward\_meta\_dispatch.h  
nll\_loss\_backward\_native.h  
nll\_loss\_backward\_ops.h  
nll\_loss\_compositeimplicitautograd\_dispatch.h  
nll\_loss\_forward.h  
nll\_loss\_forward\_compositeexplicitautogradnonfunctional\_dispatch.h  
nll\_loss\_forward\_cpu\_dispatch.h  
nll\_loss\_forward\_cuda\_dispatch.h  
nll\_loss\_forward\_meta.h  
nll\_loss\_forward\_meta\_dispatch.h  
nll\_loss\_forward\_native.h  
nll\_loss\_forward\_ops.h  
nll\_loss\_native.h  
nll\_loss\_nd.h  
nll\_loss\_nd\_compositeimplicitautograd\_dispatch.h  
nll\_loss\_nd\_native.h  
nll\_loss\_nd\_ops.h  
nll\_loss\_ops.h  
nonzero.h  
nonzero\_cpu\_dispatch.h  
nonzero\_cuda\_dispatch.h  
nonzero\_native.h  
nonzero\_numpy.h  
nonzero\_numpy\_compositeimplicitautograd\_dispatch.h  
nonzero\_numpy\_native.h  
nonzero\_numpy\_ops.h  
nonzero\_ops.h  
nonzero\_static.h  
nonzero\_static\_cpu\_dispatch.h  
nonzero\_static\_cuda\_dispatch.h  
nonzero\_static\_native.h  
nonzero\_static\_ops.h  
norm.h  
norm\_compositeexplicitautograd\_dispatch.h  
norm\_compositeexplicitautogradnonfunctional\_dispatch.h  
norm\_compositeimplicitautograd\_dispatch.h  
norm\_cpu\_dispatch.h  
norm\_cuda\_dispatch.h  
norm\_except\_dim.h  
norm\_except\_dim\_compositeimplicitautograd\_dispatch.h  
norm\_except\_dim\_native.h  
norm\_except\_dim\_ops.h  
norm\_meta.h  
norm\_meta\_dispatch.h  
norm\_native.h  
norm\_ops.h  
normal.h  
normal\_compositeexplicitautograd\_dispatch.h

|  |                                                                |
|--|----------------------------------------------------------------|
|  | normal_cpu_dispatch.h                                          |
|  | normal_cuda_dispatch.h                                         |
|  | normal_meta_dispatch.h                                         |
|  | normal_native.h                                                |
|  | normal_ops.h                                                   |
|  | not_equal.h                                                    |
|  | not_equal_compositeimplicitautograd_dispatch.h                 |
|  | not_equal_native.h                                             |
|  | not_equal_ops.h                                                |
|  | nuclear_norm.h                                                 |
|  | nuclear_norm_compositeimplicitautograd_dispatch.h              |
|  | nuclear_norm_native.h                                          |
|  | nuclear_norm_ops.h                                             |
|  | numel.h                                                        |
|  | numel_compositeimplicitautograd_dispatch.h                     |
|  | numel_native.h                                                 |
|  | numel_ops.h                                                    |
|  | numpy_T.h                                                      |
|  | numpy_T_compositeimplicitautograd_dispatch.h                   |
|  | numpy_T_native.h                                               |
|  | numpy_T_ops.h                                                  |
|  | one_hot.h                                                      |
|  | one_hot_compositeimplicitautograd_dispatch.h                   |
|  | one_hot_native.h                                               |
|  | one_hot_ops.h                                                  |
|  | ones.h                                                         |
|  | ones_compositeexplicitautograd_dispatch.h                      |
|  | ones_like.h                                                    |
|  | ones_like_compositeexplicitautograd_dispatch.h                 |
|  | ones_like_native.h                                             |
|  | ones_like_ops.h                                                |
|  | ones_native.h                                                  |
|  | ones_ops.h                                                     |
|  | or.h                                                           |
|  | or_compositeimplicitautograd_dispatch.h                        |
|  | or_native.h                                                    |
|  | or_ops.h                                                       |
|  | orgqr.h                                                        |
|  | orgqr_compositeimplicitautograd_dispatch.h                     |
|  | orgqr_native.h                                                 |
|  | orgqr_ops.h                                                    |
|  | ormqr.h                                                        |
|  | ormqr_cpu_dispatch.h                                           |
|  | ormqr_cuda_dispatch.h                                          |
|  | ormqr_native.h                                                 |
|  | ormqr_ops.h                                                    |
|  | outer.h                                                        |
|  | outer_compositeimplicitautograd_dispatch.h                     |
|  | outer_native.h                                                 |
|  | outer_ops.h                                                    |
|  | output_nr.h                                                    |
|  | output_nr_compositeimplicitautograd_dispatch.h                 |
|  | output_nr_native.h                                             |
|  | output_nr_ops.h                                                |
|  | pad.h                                                          |
|  | pad_compositeimplicitautograd_dispatch.h                       |
|  | pad_native.h                                                   |
|  | pad_ops.h                                                      |
|  | pad_sequence.h                                                 |
|  | pad_sequence_compositeimplicitautograd_dispatch.h              |
|  | pad_sequence_native.h                                          |
|  | pad_sequence_ops.h                                             |
|  | pairwise_distance.h                                            |
|  | pairwise_distance_compositeimplicitautograd_dispatch.h         |
|  | pairwise_distance_native.h                                     |
|  | pairwise_distance_ops.h                                        |
|  | pdist.h                                                        |
|  | pdist_compositeimplicitautograd_dispatch.h                     |
|  | pdist_native.h                                                 |
|  | pdist_ops.h                                                    |
|  | permute.h                                                      |
|  | permute_compositeexplicitautograd_dispatch.h                   |
|  | permute_copy.h                                                 |
|  | permute_copy_compositeexplicitautograd_dispatch.h              |
|  | permute_copy_compositeexplicitautogradnonfunctional_dispatch.h |
|  | permute_copy_native.h                                          |
|  | permute_copy_ops.h                                             |
|  | permute_native.h                                               |
|  | permute_ops.h                                                  |
|  | pin_memory.h                                                   |
|  | pin_memory_compositeimplicitautograd_dispatch.h                |
|  | pin_memory_native.h                                            |
|  | pin_memory_ops.h                                               |
|  | pinverse.h                                                     |
|  | pinverse_compositeimplicitautograd_dispatch.h                  |

pinverse\_native.h  
pinverse\_ops.h  
pixel\_shuffle.h  
pixel\_shuffle\_compositeexplicitautograd\_dispatch.h  
pixel\_shuffle\_compositeexplicitautogradnonfunctional\_dispatch.h  
pixel\_shuffle\_cpu\_dispatch.h  
pixel\_shuffle\_native.h  
pixel\_shuffle\_ops.h  
pixel\_unshuffle.h  
pixel\_unshuffle\_compositeexplicitautograd\_dispatch.h  
pixel\_unshuffle\_compositeexplicitautogradnonfunctional\_dispatch.h  
pixel\_unshuffle\_cpu\_dispatch.h  
pixel\_unshuffle\_native.h  
pixel\_unshuffle\_ops.h  
poisson.h  
poisson\_compositeexplicitautograd\_dispatch.h  
poisson\_cpu\_dispatch.h  
poisson\_cuda\_dispatch.h  
poisson\_native.h  
poisson\_nll\_loss.h  
poisson\_nll\_loss\_compositeimplicitautograd\_dispatch.h  
poisson\_nll\_loss\_native.h  
poisson\_nll\_loss\_ops.h  
poisson\_ops.h  
polar.h  
polar\_compositeexplicitautograd\_dispatch.h  
polar\_cpu\_dispatch.h  
polar\_cuda\_dispatch.h  
polar\_native.h  
polar\_ops.h  
polygamma.h  
polygamma\_compositeexplicitautograd\_dispatch.h  
polygamma\_compositeexplicitautogradnonfunctional\_dispatch.h  
polygamma\_cpu\_dispatch.h  
polygamma\_cuda\_dispatch.h  
polygamma\_meta.h  
polygamma\_meta\_dispatch.h  
polygamma\_native.h  
polygamma\_ops.h  
positive.h  
positive\_compositeimplicitautograd\_dispatch.h  
positive\_native.h  
positive\_ops.h  
pow.h  
pow\_compositeexplicitautogradnonfunctional\_dispatch.h  
pow\_cpu\_dispatch.h  
pow\_cuda\_dispatch.h  
pow\_meta.h  
pow\_meta\_dispatch.h  
pow\_native.h  
pow\_ops.h  
prelu.h  
prelu\_compositeimplicitautograd\_dispatch.h  
prelu\_native.h  
prelu\_ops.h  
prod.h  
prod\_compositeexplicitautograd\_dispatch.h  
prod\_compositeexplicitautogradnonfunctional\_dispatch.h  
prod\_compositeimplicitautograd\_dispatch.h  
prod\_cpu\_dispatch.h  
prod\_cuda\_dispatch.h  
prod\_meta.h  
prod\_meta\_dispatch.h  
prod\_native.h  
prod\_ops.h  
promote\_types.h  
promote\_types\_compositeimplicitautograd\_dispatch.h  
promote\_types\_native.h  
promote\_types\_ops.h  
put.h  
put\_compositeexplicitautograd\_dispatch.h  
put\_cpu\_dispatch.h  
put\_cuda\_dispatch.h  
put\_meta\_dispatch.h  
put\_native.h  
put\_ops.h  
q\_per\_channel\_axis.h  
q\_per\_channel\_axis\_native.h  
q\_per\_channel\_axis\_ops.h  
q\_per\_channel\_scales.h  
q\_per\_channel\_scales\_compositeexplicitautograd\_dispatch.h  
q\_per\_channel\_scales\_native.h  
q\_per\_channel\_scales\_ops.h  
q\_per\_channel\_zero\_points.h  
q\_per\_channel\_zero\_points\_compositeexplicitautograd\_dispatch.h

- q\_per\_channel\_zero\_points\_native.h
- q\_per\_channel\_zero\_points\_ops.h
- q\_scale.h
- q\_scale\_native.h
- q\_scale\_ops.h
- q\_zero\_point.h
- q\_zero\_point\_native.h
- q\_zero\_point\_ops.h
- qr.h
- qr\_compositeimplicitautograd\_dispatch.h
- qr\_native.h
- qr\_ops.h
- qscheme.h
- qscheme\_native.h
- qscheme\_ops.h
- quantile.h
- quantile\_compositeimplicitautograd\_dispatch.h
- quantile\_native.h
- quantile\_ops.h
- quantize\_per\_channel.h
- quantize\_per\_channel\_compositeexplicitautograd\_dispatch.h
- quantize\_per\_channel\_cpu\_dispatch.h
- quantize\_per\_channel\_cuda\_dispatch.h
- quantize\_per\_channel\_native.h
- quantize\_per\_channel\_ops.h
- quantize\_per\_tensor.h
- quantize\_per\_tensor\_compositeexplicitautograd\_dispatch.h
- quantize\_per\_tensor\_cpu\_dispatch.h
- quantize\_per\_tensor\_cuda\_dispatch.h
- quantize\_per\_tensor\_dynamic.h
- quantize\_per\_tensor\_dynamic\_compositeexplicitautograd\_dispatch.h
- quantize\_per\_tensor\_dynamic\_cpu\_dispatch.h
- quantize\_per\_tensor\_dynamic\_cuda\_dispatch.h
- quantize\_per\_tensor\_dynamic\_native.h
- quantize\_per\_tensor\_dynamic\_ops.h
- quantize\_per\_tensor\_native.h
- quantize\_per\_tensor\_ops.h
- quantized\_batch\_norm.h
- quantized\_batch\_norm\_compositeexplicitautograd\_dispatch.h
- quantized\_batch\_norm\_native.h
- quantized\_batch\_norm\_ops.h
- quantized\_gru\_cell.h
- quantized\_gru\_cell\_compositeimplicitautograd\_dispatch.h
- quantized\_gru\_cell\_native.h
- quantized\_gru\_cell\_ops.h
- quantized\_lstm\_cell.h
- quantized\_lstm\_cell\_compositeimplicitautograd\_dispatch.h
- quantized\_lstm\_cell\_native.h
- quantized\_lstm\_cell\_ops.h
- quantized\_max\_pool1d.h
- quantized\_max\_pool1d\_compositeexplicitautograd\_dispatch.h
- quantized\_max\_pool1d\_native.h
- quantized\_max\_pool1d\_ops.h
- quantized\_max\_pool2d.h
- quantized\_max\_pool2d\_compositeexplicitautograd\_dispatch.h
- quantized\_max\_pool2d\_native.h
- quantized\_max\_pool2d\_ops.h
- quantized\_max\_pool3d.h
- quantized\_max\_pool3d\_compositeexplicitautograd\_dispatch.h
- quantized\_max\_pool3d\_native.h
- quantized\_max\_pool3d\_ops.h
- quantized\_rnn\_relu\_cell.h
- quantized\_rnn\_relu\_cell\_compositeimplicitautograd\_dispatch.h
- quantized\_rnn\_relu\_cell\_native.h
- quantized\_rnn\_relu\_cell\_ops.h
- quantized\_rnn\_tanh\_cell.h
- quantized\_rnn\_tanh\_cell\_compositeimplicitautograd\_dispatch.h
- quantized\_rnn\_tanh\_cell\_native.h
- quantized\_rnn\_tanh\_cell\_ops.h
- rad2deg.h
- rad2deg\_compositeexplicitautograd\_dispatch.h
- rad2deg\_native.h
- rad2deg\_ops.h
- rand.h
- rand\_compositeexplicitautograd\_dispatch.h
- rand\_compositeimplicitautograd\_dispatch.h
- rand\_like.h
- rand\_like\_compositeexplicitautograd\_dispatch.h
- rand\_like\_native.h
- rand\_like\_ops.h
- rand\_native.h
- rand\_ops.h
- randint.h
- randint\_compositeexplicitautograd\_dispatch.h
- randint\_like.h

— randint\_like\_compositeexplicitautograd\_dispatch.h  
— randint\_like\_native.h  
— randint\_like\_ops.h  
— randint\_native.h  
— randint\_ops.h  
— randn.h  
— randn\_compositeexplicitautograd\_dispatch.h  
— randn\_compositeimplicitautograd\_dispatch.h  
— randn\_like.h  
— randn\_like\_compositeexplicitautograd\_dispatch.h  
— randn\_like\_compositeimplicitautogradnestedtensor\_dispatch.h  
— randn\_like\_native.h  
— randn\_like\_ops.h  
— randn\_native.h  
— randn\_ops.h  
— random.h  
— random\_compositeexplicitautograd\_dispatch.h  
— random\_cpu\_dispatch.h  
— random\_cuda\_dispatch.h  
— random\_meta\_dispatch.h  
— random\_native.h  
— random\_ops.h  
— randperm.h  
— randperm\_compositeexplicitautograd\_dispatch.h  
— randperm\_cpu\_dispatch.h  
— randperm\_cuda\_dispatch.h  
— randperm\_native.h  
— randperm\_ops.h  
— range.h  
— range\_compositeexplicitautograd\_dispatch.h  
— range\_cpu\_dispatch.h  
— range\_cuda\_dispatch.h  
— range\_meta\_dispatch.h  
— range\_native.h  
— range\_ops.h  
— ravel.h  
— ravel\_compositeimplicitautograd\_dispatch.h  
— ravel\_native.h  
— ravel\_ops.h  
— real.h  
— real\_compositeimplicitautograd\_dispatch.h  
— real\_native.h  
— real\_ops.h  
— reciprocal.h  
— reciprocal\_compositeexplicitautogradnonfunctional\_dispatch.h  
— reciprocal\_cpu\_dispatch.h  
— reciprocal\_cuda\_dispatch.h  
— reciprocal\_meta.h  
— reciprocal\_meta\_dispatch.h  
— reciprocal\_native.h  
— reciprocal\_ops.h  
— record\_stream.h  
— record\_stream\_cuda\_dispatch.h  
— record\_stream\_native.h  
— record\_stream\_ops.h  
— refine\_names.h  
— refine\_names\_compositeimplicitautograd\_dispatch.h  
— refine\_names\_native.h  
— refine\_names\_ops.h  
— reflection\_pad1d.h  
— reflection\_pad1d\_backward.h  
— reflection\_pad1d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— reflection\_pad1d\_backward\_cpu\_dispatch.h  
— reflection\_pad1d\_backward\_cuda\_dispatch.h  
— reflection\_pad1d\_backward\_meta.h  
— reflection\_pad1d\_backward\_meta\_dispatch.h  
— reflection\_pad1d\_backward\_native.h  
— reflection\_pad1d\_backward\_ops.h  
— reflection\_pad1d\_compositeexplicitautogradnonfunctional\_dispatch.h  
— reflection\_pad1d\_cpu\_dispatch.h  
— reflection\_pad1d\_cuda\_dispatch.h  
— reflection\_pad1d\_meta.h  
— reflection\_pad1d\_meta\_dispatch.h  
— reflection\_pad1d\_native.h  
— reflection\_pad1d\_ops.h  
— reflection\_pad2d.h  
— reflection\_pad2d\_backward.h  
— reflection\_pad2d\_backward\_cpu\_dispatch.h  
— reflection\_pad2d\_backward\_cuda\_dispatch.h  
— reflection\_pad2d\_backward\_native.h  
— reflection\_pad2d\_backward\_ops.h  
— reflection\_pad2d\_cpu\_dispatch.h  
— reflection\_pad2d\_cuda\_dispatch.h  
— reflection\_pad2d\_native.h  
— reflection\_pad2d\_ops.h



reflection\_pad3d.h  
reflection\_pad3d\_backward.h  
reflection\_pad3d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
reflection\_pad3d\_backward\_cpu\_dispatch.h  
reflection\_pad3d\_backward\_cuda\_dispatch.h  
reflection\_pad3d\_backward\_meta.h  
reflection\_pad3d\_backward\_meta\_dispatch.h  
reflection\_pad3d\_backward\_native.h  
reflection\_pad3d\_backward\_ops.h  
reflection\_pad3d\_compositeexplicitautogradnonfunctional\_dispatch.h  
reflection\_pad3d\_cpu\_dispatch.h  
reflection\_pad3d\_cuda\_dispatch.h  
reflection\_pad3d\_meta.h  
reflection\_pad3d\_meta\_dispatch.h  
reflection\_pad3d\_native.h  
reflection\_pad3d\_ops.h  
relu.h  
relu6.h  
relu6\_compositeimplicitautograd\_dispatch.h  
relu6\_native.h  
relu6\_ops.h  
relu\_compositeexplicitautograd\_dispatch.h  
relu\_cpu\_dispatch.h  
relu\_cuda\_dispatch.h  
relu\_meta\_dispatch.h  
relu\_native.h  
relu\_ops.h  
remainder.h  
remainder\_compositeexplicitautograd\_dispatch.h  
remainder\_compositeexplicitautogradnonfunctional\_dispatch.h  
remainder\_cpu\_dispatch.h  
remainder\_cuda\_dispatch.h  
remainder\_meta.h  
remainder\_meta\_dispatch.h  
remainder\_native.h  
remainder\_ops.h  
rename.h  
rename\_compositeimplicitautograd\_dispatch.h  
rename\_native.h  
rename\_ops.h  
renorm.h  
renorm\_compositeexplicitautogradnonfunctional\_dispatch.h  
renorm\_cpu\_dispatch.h  
renorm\_cuda\_dispatch.h  
renorm\_meta.h  
renorm\_meta\_dispatch.h  
renorm\_native.h  
renorm\_ops.h  
repeat.h  
repeat\_compositeexplicitautograd\_dispatch.h  
repeat\_interleave.h  
repeat\_interleave\_compositeexplicitautograd\_dispatch.h  
repeat\_interleave\_compositeimplicitautograd\_dispatch.h  
repeat\_interleave\_cpu\_dispatch.h  
repeat\_interleave\_cuda\_dispatch.h  
repeat\_interleave\_native.h  
repeat\_interleave\_ops.h  
repeat\_native.h  
repeat\_ops.h  
replication\_pad1d.h  
replication\_pad1d\_backward.h  
replication\_pad1d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
replication\_pad1d\_backward\_cpu\_dispatch.h  
replication\_pad1d\_backward\_cuda\_dispatch.h  
replication\_pad1d\_backward\_meta.h  
replication\_pad1d\_backward\_meta\_dispatch.h  
replication\_pad1d\_backward\_native.h  
replication\_pad1d\_backward\_ops.h  
replication\_pad1d\_compositeexplicitautogradnonfunctional\_dispatch.h  
replication\_pad1d\_cpu\_dispatch.h  
replication\_pad1d\_cuda\_dispatch.h  
replication\_pad1d\_meta.h  
replication\_pad1d\_meta\_dispatch.h  
replication\_pad1d\_native.h  
replication\_pad1d\_ops.h  
replication\_pad2d.h  
replication\_pad2d\_backward.h  
replication\_pad2d\_backward\_cpu\_dispatch.h  
replication\_pad2d\_backward\_cuda\_dispatch.h  
replication\_pad2d\_backward\_native.h  
replication\_pad2d\_backward\_ops.h  
replication\_pad2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
replication\_pad2d\_cpu\_dispatch.h  
replication\_pad2d\_cuda\_dispatch.h  
replication\_pad2d\_meta.h

- replication\_pad2d\_meta\_dispatch.h
- replication\_pad2d\_native.h
- replication\_pad2d\_ops.h
- replication\_pad3d.h
- replication\_pad3d\_backward.h
- replication\_pad3d\_backward\_cpu\_dispatch.h
- replication\_pad3d\_backward\_cuda\_dispatch.h
- replication\_pad3d\_backward\_native.h
- replication\_pad3d\_backward\_ops.h
- replication\_pad3d\_compositeexplicitautogradnonfunctional\_dispatch.h
- replication\_pad3d\_cpu\_dispatch.h
- replication\_pad3d\_cuda\_dispatch.h
- replication\_pad3d\_meta.h
- replication\_pad3d\_meta\_dispatch.h
- replication\_pad3d\_native.h
- replication\_pad3d\_ops.h
- requires\_grad.h
- requires\_grad\_compositeimplicitautograd\_dispatch.h
- requires\_grad\_native.h
- requires\_grad\_ops.h
- reshape.h
- reshape\_as.h
- reshape\_as\_compositeimplicitautograd\_dispatch.h
- reshape\_as\_compositeimplicitautogradnestedtensor\_dispatch.h
- reshape\_as\_native.h
- reshape\_as\_ops.h
- reshape\_compositeimplicitautograd\_dispatch.h
- reshape\_compositeimplicitautogradnestedtensor\_dispatch.h
- reshape\_native.h
- reshape\_ops.h
- resize.h
- resize\_as.h
- resize\_as\_compositeexplicitautograd\_dispatch.h
- resize\_as\_native.h
- resize\_as\_ops.h
- resize\_as\_sparse.h
- resize\_as\_sparse\_compositeexplicitautograd\_dispatch.h
- resize\_as\_sparse\_meta\_dispatch.h
- resize\_as\_sparse\_native.h
- resize\_as\_sparse\_ops.h
- resize\_compositeexplicitautograd\_dispatch.h
- resize\_cpu\_dispatch.h
- resize\_cuda\_dispatch.h
- resize\_meta\_dispatch.h
- resize\_native.h
- resize\_ops.h
- resolve\_conj.h
- resolve\_conj\_compositeimplicitautograd\_dispatch.h
- resolve\_conj\_native.h
- resolve\_conj\_ops.h
- resolve\_neg.h
- resolve\_neg\_compositeimplicitautograd\_dispatch.h
- resolve\_neg\_native.h
- resolve\_neg\_ops.h
- result\_type.h
- result\_type\_compositeimplicitautograd\_dispatch.h
- result\_type\_native.h
- result\_type\_ops.h
- retain\_grad.h
- retain\_grad\_compositeimplicitautograd\_dispatch.h
- retain\_grad\_native.h
- retain\_grad\_ops.h
- retains\_grad.h
- retains\_grad\_compositeimplicitautograd\_dispatch.h
- retains\_grad\_native.h
- retains\_grad\_ops.h
- rms\_norm.h
- rms\_norm\_compositeimplicitautograd\_dispatch.h
- rms\_norm\_native.h
- rms\_norm\_ops.h
- rnn\_relu.h
- rnn\_relu\_cell.h
- rnn\_relu\_cell\_compositeimplicitautograd\_dispatch.h
- rnn\_relu\_cell\_native.h
- rnn\_relu\_cell\_ops.h
- rnn\_relu\_compositeimplicitautograd\_dispatch.h
- rnn\_relu\_native.h
- rnn\_relu\_ops.h
- rnn\_tanh.h
- rnn\_tanh\_cell.h
- rnn\_tanh\_cell\_compositeimplicitautograd\_dispatch.h
- rnn\_tanh\_cell\_native.h
- rnn\_tanh\_cell\_ops.h
- rnn\_tanh\_compositeimplicitautograd\_dispatch.h
- rnn\_tanh\_native.h

— rnn\_tanh\_ops.h  
— roll.h  
— roll\_compositeexplicitautograd\_dispatch.h  
— roll\_cpu\_dispatch.h  
— roll\_cuda\_dispatch.h  
— roll\_native.h  
— roll\_ops.h  
— rot90.h  
— rot90\_compositeexplicitautograd\_dispatch.h  
— rot90\_native.h  
— rot90\_ops.h  
— round.h  
— round\_compositeexplicitautogradnonfunctional\_dispatch.h  
— round\_cpu\_dispatch.h  
— round\_cuda\_dispatch.h  
— round\_meta.h  
— round\_meta\_dispatch.h  
— round\_native.h  
— round\_ops.h  
— row\_indices.h  
— row\_indices\_compositeexplicitautograd\_dispatch.h  
— row\_indices\_copy.h  
— row\_indices\_copy\_compositeexplicitautograd\_dispatch.h  
— row\_indices\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
— row\_indices\_copy\_native.h  
— row\_indices\_copy\_ops.h  
— row\_indices\_native.h  
— row\_indices\_ops.h  
— row\_stack.h  
— row\_stack\_compositeimplicitautograd\_dispatch.h  
— row\_stack\_native.h  
— row\_stack\_ops.h  
— rrelu.h  
— rrelu\_compositeimplicitautograd\_dispatch.h  
— rrelu\_native.h  
— rrelu\_ops.h  
— rrelu\_with\_noise.h  
— rrelu\_with\_noise\_backward.h  
— rrelu\_with\_noise\_backward\_compositeexplicitautograd\_dispatch.h  
— rrelu\_with\_noise\_backward\_native.h  
— rrelu\_with\_noise\_backward\_ops.h  
— rrelu\_with\_noise\_compositeexplicitautograd\_dispatch.h  
— rrelu\_with\_noise\_cpu\_dispatch.h  
— rrelu\_with\_noise\_cuda\_dispatch.h  
— rrelu\_with\_noise\_meta\_dispatch.h  
— rrelu\_with\_noise\_native.h  
— rrelu\_with\_noise\_ops.h  
— rshift.h  
— rshift\_compositeexplicitautograd\_dispatch.h  
— rshift\_cpu\_dispatch.h  
— rshift\_cuda\_dispatch.h  
— rshift\_meta\_dispatch.h  
— rshift\_native.h  
— rshift\_ops.h  
— rsqrt.h  
— rsqrt\_compositeexplicitautogradnonfunctional\_dispatch.h  
— rsqrt\_cpu\_dispatch.h  
— rsqrt\_cuda\_dispatch.h  
— rsqrt\_meta.h  
— rsqrt\_meta\_dispatch.h  
— rsqrt\_native.h  
— rsqrt\_ops.h  
— rsub.h  
— rsub\_compositeexplicitautograd\_dispatch.h  
— rsub\_cpu\_dispatch.h  
— rsub\_cuda\_dispatch.h  
— rsub\_native.h  
— rsub\_ops.h  
— scalar\_tensor.h  
— scalar\_tensor\_compositeexplicitautograd\_dispatch.h  
— scalar\_tensor\_native.h  
— scalar\_tensor\_ops.h  
— scaled\_dot\_product\_attention.h  
— scaled\_dot\_product\_attention\_compositeimplicitautograd\_dispatch.h  
— scaled\_dot\_product\_attention\_native.h  
— scaled\_dot\_product\_attention\_ops.h  
— scatter.h  
— scatter\_add.h  
— scatter\_add\_compositeexplicitautogradnonfunctional\_dispatch.h  
— scatter\_add\_compositeimplicitautograd\_dispatch.h  
— scatter\_add\_cpu\_dispatch.h  
— scatter\_add\_cuda\_dispatch.h  
— scatter\_add\_meta.h  
— scatter\_add\_meta\_dispatch.h  
— scatter\_add\_native.h

- scatter\_add\_ops.h
- scatter\_compositeexplicitautogradnonfunctional\_dispatch.h
- scatter\_compositeimplicitautograd\_dispatch.h
- scatter\_cpu\_dispatch.h
- scatter\_cuda\_dispatch.h
- scatter\_meta.h
- scatter\_meta\_dispatch.h
- scatter\_native.h
- scatter\_ops.h
- scatter\_reduce.h
- scatter\_reduce\_compositeexplicitautogradnonfunctional\_dispatch.h
- scatter\_reduce\_cpu\_dispatch.h
- scatter\_reduce\_cuda\_dispatch.h
- scatter\_reduce\_meta.h
- scatter\_reduce\_meta\_dispatch.h
- scatter\_reduce\_native.h
- scatter\_reduce\_ops.h
- searchsorted.h
- searchsorted\_cpu\_dispatch.h
- searchsorted\_cuda\_dispatch.h
- searchsorted\_native.h
- searchsorted\_ops.h
- segment\_reduce.h
- segment\_reduce\_compositeexplicitautograd\_dispatch.h
- segment\_reduce\_cpu\_dispatch.h
- segment\_reduce\_cuda\_dispatch.h
- segment\_reduce\_native.h
- segment\_reduce\_ops.h
- select.h
- select\_backward.h
- select\_backward\_compositeexplicitautograd\_dispatch.h
- select\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- select\_backward\_native.h
- select\_backward\_ops.h
- select\_compositeexplicitautograd\_dispatch.h
- select\_compositeimplicitautograd\_dispatch.h
- select\_copy.h
- select\_copy\_compositeexplicitautograd\_dispatch.h
- select\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- select\_copy\_native.h
- select\_copy\_ops.h
- select\_native.h
- select\_ops.h
- select\_scatter.h
- select\_scatter\_compositeexplicitautograd\_dispatch.h
- select\_scatter\_compositeexplicitautogradnonfunctional\_dispatch.h
- select\_scatter\_native.h
- select\_scatter\_ops.h
- selu.h
- selu\_compositeimplicitautograd\_dispatch.h
- selu\_native.h
- selu\_ops.h
- set.h
- set\_compositeexplicitautograd\_dispatch.h
- set\_compositeimplicitautograd\_dispatch.h
- set\_cpu\_dispatch.h
- set\_cuda\_dispatch.h
- set\_data.h
- set\_data\_compositeimplicitautograd\_dispatch.h
- set\_data\_native.h
- set\_data\_ops.h
- set\_meta\_dispatch.h
- set\_native.h
- set\_ops.h
- sgn.h
- sgn\_compositeexplicitautogradnonfunctional\_dispatch.h
- sgn\_cpu\_dispatch.h
- sgn\_cuda\_dispatch.h
- sgn\_meta.h
- sgn\_meta\_dispatch.h
- sgn\_native.h
- sgn\_ops.h
- sigmoid.h
- sigmoid\_backward.h
- sigmoid\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- sigmoid\_backward\_cpu\_dispatch.h
- sigmoid\_backward\_cuda\_dispatch.h
- sigmoid\_backward\_meta.h
- sigmoid\_backward\_meta\_dispatch.h
- sigmoid\_backward\_native.h
- sigmoid\_backward\_ops.h
- sigmoid\_compositeexplicitautogradnonfunctional\_dispatch.h
- sigmoid\_cpu\_dispatch.h
- sigmoid\_cuda\_dispatch.h
- sigmoid\_meta.h

— sigmoid\_meta\_dispatch.h  
— sigmoid\_native.h  
— sigmoid\_ops.h  
— sign.h  
— sign\_compositeexplicitautogradnonfunctional\_dispatch.h  
— sign\_cpu\_dispatch.h  
— sign\_cuda\_dispatch.h  
— sign\_meta.h  
— sign\_meta\_dispatch.h  
— sign\_native.h  
— sign\_ops.h  
— signbit.h  
— signbit\_compositeexplicitautogradnonfunctional\_dispatch.h  
— signbit\_cpu\_dispatch.h  
— signbit\_cuda\_dispatch.h  
— signbit\_meta.h  
— signbit\_meta\_dispatch.h  
— signbit\_native.h  
— signbit\_ops.h  
— silu.h  
— silu\_backward.h  
— silu\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— silu\_backward\_compositeimplicitautograd\_dispatch.h  
— silu\_backward\_cpu\_dispatch.h  
— silu\_backward\_cuda\_dispatch.h  
— silu\_backward\_meta.h  
— silu\_backward\_meta\_dispatch.h  
— silu\_backward\_native.h  
— silu\_backward\_ops.h  
— silu\_compositeexplicitautogradnonfunctional\_dispatch.h  
— silu\_cpu\_dispatch.h  
— silu\_cuda\_dispatch.h  
— silu\_meta.h  
— silu\_meta\_dispatch.h  
— silu\_native.h  
— silu\_ops.h  
— sin.h  
— sin\_compositeexplicitautogradnonfunctional\_dispatch.h  
— sin\_cpu\_dispatch.h  
— sin\_cuda\_dispatch.h  
— sin\_meta.h  
— sin\_meta\_dispatch.h  
— sin\_native.h  
— sin\_ops.h  
— sinc.h  
— sinc\_compositeexplicitautogradnonfunctional\_dispatch.h  
— sinc\_cpu\_dispatch.h  
— sinc\_cuda\_dispatch.h  
— sinc\_meta.h  
— sinc\_meta\_dispatch.h  
— sinc\_native.h  
— sinc\_ops.h  
— sinh.h  
— sinh\_compositeexplicitautogradnonfunctional\_dispatch.h  
— sinh\_cpu\_dispatch.h  
— sinh\_cuda\_dispatch.h  
— sinh\_meta.h  
— sinh\_meta\_dispatch.h  
— sinh\_native.h  
— sinh\_ops.h  
— size.h  
— size\_compositeimplicitautograd\_dispatch.h  
— size\_native.h  
— size\_ops.h  
— slice.h  
— slice\_backward.h  
— slice\_backward\_compositeexplicitautograd\_dispatch.h  
— slice\_backward\_native.h  
— slice\_backward\_ops.h  
— slice\_compositeexplicitautograd\_dispatch.h  
— slice\_copy.h  
— slice\_copy\_compositeexplicitautograd\_dispatch.h  
— slice\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
— slice\_copy\_native.h  
— slice\_copy\_ops.h  
— slice\_inverse.h  
— slice\_inverse\_compositeexplicitautograd\_dispatch.h  
— slice\_inverse\_native.h  
— slice\_inverse\_ops.h  
— slice\_native.h  
— slice\_ops.h  
— slice\_scatter.h  
— slice\_scatter\_compositeexplicitautograd\_dispatch.h  
— slice\_scatter\_compositeexplicitautogradnonfunctional\_dispatch.h  
— slice\_scatter\_native.h

- slice\_scatter\_ops.h
- slogdet.h
- slogdet\_compositeimplicitautograd\_dispatch.h
- slogdet\_native.h
- slogdet\_ops.h
- slow\_conv3d.h
- slow\_conv3d\_compositeimplicitautograd\_dispatch.h
- slow\_conv3d\_forward.h
- slow\_conv3d\_forward\_cpu\_dispatch.h
- slow\_conv3d\_forward\_native.h
- slow\_conv3d\_forward\_ops.h
- slow\_conv3d\_native.h
- slow\_conv3d\_ops.h
- slow\_conv\_dilated2d.h
- slow\_conv\_dilated2d\_compositeexplicitautograd\_dispatch.h
- slow\_conv\_dilated2d\_cpu\_dispatch.h
- slow\_conv\_dilated2d\_cuda\_dispatch.h
- slow\_conv\_dilated2d\_native.h
- slow\_conv\_dilated2d\_ops.h
- slow\_conv\_dilated3d.h
- slow\_conv\_dilated3d\_compositeexplicitautograd\_dispatch.h
- slow\_conv\_dilated3d\_cpu\_dispatch.h
- slow\_conv\_dilated3d\_cuda\_dispatch.h
- slow\_conv\_dilated3d\_native.h
- slow\_conv\_dilated3d\_ops.h
- slow\_conv\_transpose2d.h
- slow\_conv\_transpose2d\_compositeexplicitautogradnonfunctional\_dispatch.h
- slow\_conv\_transpose2d\_cpu\_dispatch.h
- slow\_conv\_transpose2d\_cuda\_dispatch.h
- slow\_conv\_transpose2d\_meta.h
- slow\_conv\_transpose2d\_meta\_dispatch.h
- slow\_conv\_transpose2d\_native.h
- slow\_conv\_transpose2d\_ops.h
- slow\_conv\_transpose3d.h
- slow\_conv\_transpose3d\_cpu\_dispatch.h
- slow\_conv\_transpose3d\_cuda\_dispatch.h
- slow\_conv\_transpose3d\_native.h
- slow\_conv\_transpose3d\_ops.h
- smm.h
- smm\_compositeimplicitautograd\_dispatch.h
- smm\_native.h
- smm\_ops.h
- smooth\_l1\_loss.h
- smooth\_l1\_loss\_backward.h
- smooth\_l1\_loss\_backward\_compositeexplicitautograd\_dispatch.h
- smooth\_l1\_loss\_backward\_cpu\_dispatch.h
- smooth\_l1\_loss\_backward\_cuda\_dispatch.h
- smooth\_l1\_loss\_backward\_native.h
- smooth\_l1\_loss\_backward\_ops.h
- smooth\_l1\_loss\_compositeexplicitautogradnonfunctional\_dispatch.h
- smooth\_l1\_loss\_cpu\_dispatch.h
- smooth\_l1\_loss\_cuda\_dispatch.h
- smooth\_l1\_loss\_meta.h
- smooth\_l1\_loss\_meta\_dispatch.h
- smooth\_l1\_loss\_native.h
- smooth\_l1\_loss\_ops.h
- soft\_margin\_loss.h
- soft\_margin\_loss\_backward.h
- soft\_margin\_loss\_backward\_compositeexplicitautograd\_dispatch.h
- soft\_margin\_loss\_backward\_native.h
- soft\_margin\_loss\_backward\_ops.h
- soft\_margin\_loss\_compositeexplicitautograd\_dispatch.h
- soft\_margin\_loss\_native.h
- soft\_margin\_loss\_ops.h
- softmax.h
- softmax\_compositeexplicitautograd\_dispatch.h
- softmax\_compositeimplicitautograd\_dispatch.h
- softmax\_native.h
- softmax\_ops.h
- softplus.h
- softplus\_backward.h
- softplus\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- softplus\_backward\_cpu\_dispatch.h
- softplus\_backward\_cuda\_dispatch.h
- softplus\_backward\_meta.h
- softplus\_backward\_meta\_dispatch.h
- softplus\_backward\_native.h
- softplus\_backward\_ops.h
- softplus\_compositeexplicitautogradnonfunctional\_dispatch.h
- softplus\_cpu\_dispatch.h
- softplus\_cuda\_dispatch.h
- softplus\_meta.h
- softplus\_meta\_dispatch.h
- softplus\_native.h
- softplus\_ops.h

- softshrink.h
- softshrink\_backward.h
- softshrink\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- softshrink\_backward\_cpu\_dispatch.h
- softshrink\_backward\_cuda\_dispatch.h
- softshrink\_backward\_meta.h
- softshrink\_backward\_meta\_dispatch.h
- softshrink\_backward\_native.h
- softshrink\_backward\_ops.h
- softshrink\_compositeexplicitautogradnonfunctional\_dispatch.h
- softshrink\_cpu\_dispatch.h
- softshrink\_cuda\_dispatch.h
- softshrink\_meta.h
- softshrink\_meta\_dispatch.h
- softshrink\_native.h
- softshrink\_ops.h
- sort.h
- sort\_compositeexplicitautograd\_dispatch.h
- sort\_compositeexplicitautogradnonfunctional\_dispatch.h
- sort\_compositeimplicitautograd\_dispatch.h
- sort\_cpu\_dispatch.h
- sort\_cuda\_dispatch.h
- sort\_meta.h
- sort\_meta\_dispatch.h
- sort\_native.h
- sort\_ops.h
- sparse\_bsc\_tensor.h
- sparse\_bsc\_tensor\_compositeimplicitautograd\_dispatch.h
- sparse\_bsc\_tensor\_native.h
- sparse\_bsc\_tensor\_ops.h
- sparse\_bsr\_tensor.h
- sparse\_bsr\_tensor\_compositeimplicitautograd\_dispatch.h
- sparse\_bsr\_tensor\_native.h
- sparse\_bsr\_tensor\_ops.h
- sparse\_compressed\_tensor.h
- sparse\_compressed\_tensor\_compositeexplicitautograd\_dispatch.h
- sparse\_compressed\_tensor\_native.h
- sparse\_compressed\_tensor\_ops.h
- sparse\_coo\_tensor.h
- sparse\_coo\_tensor\_compositeexplicitautograd\_dispatch.h
- sparse\_coo\_tensor\_compositeimplicitautograd\_dispatch.h
- sparse\_coo\_tensor\_native.h
- sparse\_coo\_tensor\_ops.h
- sparse\_csc\_tensor.h
- sparse\_csc\_tensor\_compositeimplicitautograd\_dispatch.h
- sparse\_csc\_tensor\_native.h
- sparse\_csc\_tensor\_ops.h
- sparse\_csr\_tensor.h
- sparse\_csr\_tensor\_compositeimplicitautograd\_dispatch.h
- sparse\_csr\_tensor\_native.h
- sparse\_csr\_tensor\_ops.h
- sparse\_dim.h
- sparse\_dim\_compositeexplicitautograd\_dispatch.h
- sparse\_dim\_native.h
- sparse\_dim\_ops.h
- sparse\_mask.h
- sparse\_mask\_compositeexplicitautograd\_dispatch.h
- sparse\_mask\_native.h
- sparse\_mask\_ops.h
- sparse\_resize.h
- sparse\_resize\_and\_clear.h
- sparse\_resize\_and\_clear\_compositeexplicitautograd\_dispatch.h
- sparse\_resize\_and\_clear\_meta\_dispatch.h
- sparse\_resize\_and\_clear\_native.h
- sparse\_resize\_and\_clear\_ops.h
- sparse\_resize\_compositeexplicitautograd\_dispatch.h
- sparse\_resize\_meta\_dispatch.h
- sparse\_resize\_native.h
- sparse\_resize\_ops.h
- sparse\_sampled\_addmm.h
- sparse\_sampled\_addmm\_native.h
- sparse\_sampled\_addmm\_ops.h
- special\_airy\_ai.h
- special\_airy\_ai\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_airy\_ai\_cpu\_dispatch.h
- special\_airy\_ai\_cuda\_dispatch.h
- special\_airy\_ai\_meta.h
- special\_airy\_ai\_meta\_dispatch.h
- special\_airy\_ai\_native.h
- special\_airy\_ai\_ops.h
- special\_bessel\_j0.h
- special\_bessel\_j0\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_bessel\_j0\_cpu\_dispatch.h
- special\_bessel\_j0\_cuda\_dispatch.h
- special\_bessel\_j0\_meta.h

special\_bessel\_j0\_meta\_dispatch.h  
special\_bessel\_j0\_native.h  
special\_bessel\_j0\_ops.h  
special\_bessel\_j1.h  
special\_bessel\_j1\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_bessel\_j1\_cpu\_dispatch.h  
special\_bessel\_j1\_cuda\_dispatch.h  
special\_bessel\_j1\_meta.h  
special\_bessel\_j1\_meta\_dispatch.h  
special\_bessel\_j1\_native.h  
special\_bessel\_j1\_ops.h  
special\_bessel\_y0.h  
special\_bessel\_y0\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_bessel\_y0\_cpu\_dispatch.h  
special\_bessel\_y0\_cuda\_dispatch.h  
special\_bessel\_y0\_meta.h  
special\_bessel\_y0\_meta\_dispatch.h  
special\_bessel\_y0\_native.h  
special\_bessel\_y0\_ops.h  
special\_bessel\_y1.h  
special\_bessel\_y1\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_bessel\_y1\_cpu\_dispatch.h  
special\_bessel\_y1\_cuda\_dispatch.h  
special\_bessel\_y1\_meta.h  
special\_bessel\_y1\_meta\_dispatch.h  
special\_bessel\_y1\_native.h  
special\_bessel\_y1\_ops.h  
special\_chebyshev\_polynomial\_t.h  
special\_chebyshev\_polynomial\_t\_compositeexplicitautograd\_dispatch.h  
special\_chebyshev\_polynomial\_t\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_chebyshev\_polynomial\_t\_cpu\_dispatch.h  
special\_chebyshev\_polynomial\_t\_cuda\_dispatch.h  
special\_chebyshev\_polynomial\_t\_meta.h  
special\_chebyshev\_polynomial\_t\_meta\_dispatch.h  
special\_chebyshev\_polynomial\_t\_native.h  
special\_chebyshev\_polynomial\_t\_ops.h  
special\_chebyshev\_polynomial\_u.h  
special\_chebyshev\_polynomial\_u\_compositeexplicitautograd\_dispatch.h  
special\_chebyshev\_polynomial\_u\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_chebyshev\_polynomial\_u\_cpu\_dispatch.h  
special\_chebyshev\_polynomial\_u\_cuda\_dispatch.h  
special\_chebyshev\_polynomial\_u\_meta.h  
special\_chebyshev\_polynomial\_u\_meta\_dispatch.h  
special\_chebyshev\_polynomial\_u\_native.h  
special\_chebyshev\_polynomial\_u\_ops.h  
special\_chebyshev\_polynomial\_v.h  
special\_chebyshev\_polynomial\_v\_compositeexplicitautograd\_dispatch.h  
special\_chebyshev\_polynomial\_v\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_chebyshev\_polynomial\_v\_cpu\_dispatch.h  
special\_chebyshev\_polynomial\_v\_cuda\_dispatch.h  
special\_chebyshev\_polynomial\_v\_meta.h  
special\_chebyshev\_polynomial\_v\_meta\_dispatch.h  
special\_chebyshev\_polynomial\_v\_native.h  
special\_chebyshev\_polynomial\_v\_ops.h  
special\_chebyshev\_polynomial\_w.h  
special\_chebyshev\_polynomial\_w\_compositeexplicitautograd\_dispatch.h  
special\_chebyshev\_polynomial\_w\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_chebyshev\_polynomial\_w\_cpu\_dispatch.h  
special\_chebyshev\_polynomial\_w\_cuda\_dispatch.h  
special\_chebyshev\_polynomial\_w\_meta.h  
special\_chebyshev\_polynomial\_w\_meta\_dispatch.h  
special\_chebyshev\_polynomial\_w\_native.h  
special\_chebyshev\_polynomial\_w\_ops.h  
special\_digamma.h  
special\_digamma\_compositeimplicitautograd\_dispatch.h  
special\_digamma\_native.h  
special\_digamma\_ops.h  
special\_entr.h  
special\_entr\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_entr\_cpu\_dispatch.h  
special\_entr\_cuda\_dispatch.h  
special\_entr\_meta.h  
special\_entr\_meta\_dispatch.h  
special\_entr\_native.h  
special\_entr\_ops.h  
special\_erf.h  
special\_erf\_compositeimplicitautograd\_dispatch.h  
special\_erf\_native.h  
special\_erf\_ops.h  
special\_erfc.h  
special\_erfc\_compositeimplicitautograd\_dispatch.h  
special\_erfc\_native.h  
special\_erfc\_ops.h  
special\_erfcx.h  
special\_erfcx\_compositeexplicitautogradnonfunctional\_dispatch.h



- special\_erfcx\_cpu\_dispatch.h
- special\_erfcx\_cuda\_dispatch.h
- special\_erfcx\_meta.h
- special\_erfcx\_meta\_dispatch.h
- special\_erfcx\_native.h
- special\_erfcx\_ops.h
- special\_erfinv.h
- special\_erfinv\_compositeimplicitautograd\_dispatch.h
- special\_erfinv\_native.h
- special\_erfinv\_ops.h
- special\_exp2.h
- special\_exp2\_compositeimplicitautograd\_dispatch.h
- special\_exp2\_native.h
- special\_exp2\_ops.h
- special\_expit.h
- special\_expit\_compositeimplicitautograd\_dispatch.h
- special\_expit\_native.h
- special\_expit\_ops.h
- special\_expm1.h
- special\_expm1\_compositeimplicitautograd\_dispatch.h
- special\_expm1\_native.h
- special\_expm1\_ops.h
- special\_gammainc.h
- special\_gammainc\_compositeimplicitautograd\_dispatch.h
- special\_gammainc\_native.h
- special\_gammainc\_ops.h
- special\_gammaincc.h
- special\_gammaincc\_compositeimplicitautograd\_dispatch.h
- special\_gammaincc\_native.h
- special\_gammaincc\_ops.h
- special\_gammaln.h
- special\_gammaln\_compositeimplicitautograd\_dispatch.h
- special\_gammaln\_native.h
- special\_gammaln\_ops.h
- special\_hermite\_polynomial\_h.h
- special\_hermite\_polynomial\_h\_compositeexplicitautograd\_dispatch.h
- special\_hermite\_polynomial\_h\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_hermite\_polynomial\_h\_cpu\_dispatch.h
- special\_hermite\_polynomial\_h\_cuda\_dispatch.h
- special\_hermite\_polynomial\_h\_meta.h
- special\_hermite\_polynomial\_h\_meta\_dispatch.h
- special\_hermite\_polynomial\_h\_native.h
- special\_hermite\_polynomial\_h\_ops.h
- special\_hermite\_polynomial\_he.h
- special\_hermite\_polynomial\_he\_compositeexplicitautograd\_dispatch.h
- special\_hermite\_polynomial\_he\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_hermite\_polynomial\_he\_cpu\_dispatch.h
- special\_hermite\_polynomial\_he\_cuda\_dispatch.h
- special\_hermite\_polynomial\_he\_meta.h
- special\_hermite\_polynomial\_he\_meta\_dispatch.h
- special\_hermite\_polynomial\_he\_native.h
- special\_hermite\_polynomial\_he\_ops.h
- special\_i0.h
- special\_i0\_compositeimplicitautograd\_dispatch.h
- special\_i0\_native.h
- special\_i0\_ops.h
- special\_i0e.h
- special\_i0e\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_i0e\_cpu\_dispatch.h
- special\_i0e\_cuda\_dispatch.h
- special\_i0e\_meta.h
- special\_i0e\_meta\_dispatch.h
- special\_i0e\_native.h
- special\_i0e\_ops.h
- special\_i1.h
- special\_i1\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_i1\_cpu\_dispatch.h
- special\_i1\_cuda\_dispatch.h
- special\_i1\_meta.h
- special\_i1\_meta\_dispatch.h
- special\_i1\_native.h
- special\_i1\_ops.h
- special\_i1e.h
- special\_i1e\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_i1e\_cpu\_dispatch.h
- special\_i1e\_cuda\_dispatch.h
- special\_i1e\_meta.h
- special\_i1e\_meta\_dispatch.h
- special\_i1e\_native.h
- special\_i1e\_ops.h
- special\_laguerre\_polynomial\_l.h
- special\_laguerre\_polynomial\_l\_compositeexplicitautograd\_dispatch.h
- special\_laguerre\_polynomial\_l\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_laguerre\_polynomial\_l\_cpu\_dispatch.h
- special\_laguerre\_polynomial\_l\_cuda\_dispatch.h

special\_laguerre\_polynomial\_l\_meta.h  
special\_laguerre\_polynomial\_l\_meta\_dispatch.h  
special\_laguerre\_polynomial\_l\_native.h  
special\_laguerre\_polynomial\_l\_ops.h  
special\_legendre\_polynomial\_p.h  
special\_legendre\_polynomial\_p\_compositeexplicitautograd\_dispatch.h  
special\_legendre\_polynomial\_p\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_legendre\_polynomial\_p\_cpu\_dispatch.h  
special\_legendre\_polynomial\_p\_cuda\_dispatch.h  
special\_legendre\_polynomial\_p\_meta.h  
special\_legendre\_polynomial\_p\_meta\_dispatch.h  
special\_legendre\_polynomial\_p\_native.h  
special\_legendre\_polynomial\_p\_ops.h  
special\_log1p.h  
special\_log1p\_compositeimplicitautograd\_dispatch.h  
special\_log1p\_native.h  
special\_log1p\_ops.h  
special\_log\_ndtr.h  
special\_log\_ndtr\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_log\_ndtr\_cpu\_dispatch.h  
special\_log\_ndtr\_cuda\_dispatch.h  
special\_log\_ndtr\_meta.h  
special\_log\_ndtr\_meta\_dispatch.h  
special\_log\_ndtr\_native.h  
special\_log\_ndtr\_ops.h  
special\_log\_softmax.h  
special\_log\_softmax\_compositeimplicitautograd\_dispatch.h  
special\_log\_softmax\_native.h  
special\_log\_softmax\_ops.h  
special\_logit.h  
special\_logit\_compositeimplicitautograd\_dispatch.h  
special\_logit\_native.h  
special\_logit\_ops.h  
special\_logsumexp.h  
special\_logsumexp\_compositeimplicitautograd\_dispatch.h  
special\_logsumexp\_native.h  
special\_logsumexp\_ops.h  
special\_modified\_bessel\_i0.h  
special\_modified\_bessel\_i0\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_modified\_bessel\_i0\_cpu\_dispatch.h  
special\_modified\_bessel\_i0\_cuda\_dispatch.h  
special\_modified\_bessel\_i0\_meta.h  
special\_modified\_bessel\_i0\_meta\_dispatch.h  
special\_modified\_bessel\_i0\_native.h  
special\_modified\_bessel\_i0\_ops.h  
special\_modified\_bessel\_i1.h  
special\_modified\_bessel\_i1\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_modified\_bessel\_i1\_cpu\_dispatch.h  
special\_modified\_bessel\_i1\_cuda\_dispatch.h  
special\_modified\_bessel\_i1\_meta.h  
special\_modified\_bessel\_i1\_meta\_dispatch.h  
special\_modified\_bessel\_i1\_native.h  
special\_modified\_bessel\_i1\_ops.h  
special\_modified\_bessel\_k0.h  
special\_modified\_bessel\_k0\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_modified\_bessel\_k0\_cpu\_dispatch.h  
special\_modified\_bessel\_k0\_cuda\_dispatch.h  
special\_modified\_bessel\_k0\_meta.h  
special\_modified\_bessel\_k0\_meta\_dispatch.h  
special\_modified\_bessel\_k0\_native.h  
special\_modified\_bessel\_k0\_ops.h  
special\_modified\_bessel\_k1.h  
special\_modified\_bessel\_k1\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_modified\_bessel\_k1\_cpu\_dispatch.h  
special\_modified\_bessel\_k1\_cuda\_dispatch.h  
special\_modified\_bessel\_k1\_meta.h  
special\_modified\_bessel\_k1\_meta\_dispatch.h  
special\_modified\_bessel\_k1\_native.h  
special\_modified\_bessel\_k1\_ops.h  
special\_multigammaln.h  
special\_multigammaln\_compositeimplicitautograd\_dispatch.h  
special\_multigammaln\_native.h  
special\_multigammaln\_ops.h  
special\_ndtr.h  
special\_ndtr\_compositeimplicitautograd\_dispatch.h  
special\_ndtr\_native.h  
special\_ndtr\_ops.h  
special\_ndtri.h  
special\_ndtri\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_ndtri\_cpu\_dispatch.h  
special\_ndtri\_cuda\_dispatch.h  
special\_ndtri\_meta.h  
special\_ndtri\_meta\_dispatch.h  
special\_ndtri\_native.h  
special\_ndtri\_ops.h

- special\_polygamma.h
- special\_polygamma\_compositeimplicitautograd\_dispatch.h
- special\_polygamma\_native.h
- special\_polygamma\_ops.h
- special\_psi.h
- special\_psi\_compositeimplicitautograd\_dispatch.h
- special\_psi\_native.h
- special\_psi\_ops.h
- special\_round.h
- special\_round\_compositeimplicitautograd\_dispatch.h
- special\_round\_native.h
- special\_round\_ops.h
- special\_scaled\_modified\_bessel\_k0.h
- special\_scaled\_modified\_bessel\_k0\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_scaled\_modified\_bessel\_k0\_cpu\_dispatch.h
- special\_scaled\_modified\_bessel\_k0\_cuda\_dispatch.h
- special\_scaled\_modified\_bessel\_k0\_meta.h
- special\_scaled\_modified\_bessel\_k0\_meta\_dispatch.h
- special\_scaled\_modified\_bessel\_k0\_native.h
- special\_scaled\_modified\_bessel\_k0\_ops.h
- special\_scaled\_modified\_bessel\_k1.h
- special\_scaled\_modified\_bessel\_k1\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_scaled\_modified\_bessel\_k1\_cpu\_dispatch.h
- special\_scaled\_modified\_bessel\_k1\_cuda\_dispatch.h
- special\_scaled\_modified\_bessel\_k1\_meta.h
- special\_scaled\_modified\_bessel\_k1\_meta\_dispatch.h
- special\_scaled\_modified\_bessel\_k1\_native.h
- special\_scaled\_modified\_bessel\_k1\_ops.h
- special\_shifted\_chebyshev\_polynomial\_t.h
- special\_shifted\_chebyshev\_polynomial\_t\_compositeexplicitautograd\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_t\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_t\_cpu\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_t\_cuda\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_t\_meta.h
- special\_shifted\_chebyshev\_polynomial\_t\_meta\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_t\_native.h
- special\_shifted\_chebyshev\_polynomial\_t\_ops.h
- special\_shifted\_chebyshev\_polynomial\_u.h
- special\_shifted\_chebyshev\_polynomial\_u\_compositeexplicitautograd\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_u\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_u\_cpu\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_u\_cuda\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_u\_meta.h
- special\_shifted\_chebyshev\_polynomial\_u\_meta\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_u\_native.h
- special\_shifted\_chebyshev\_polynomial\_u\_ops.h
- special\_shifted\_chebyshev\_polynomial\_v.h
- special\_shifted\_chebyshev\_polynomial\_v\_compositeexplicitautograd\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_v\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_v\_cpu\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_v\_cuda\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_v\_meta.h
- special\_shifted\_chebyshev\_polynomial\_v\_meta\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_v\_native.h
- special\_shifted\_chebyshev\_polynomial\_v\_ops.h
- special\_shifted\_chebyshev\_polynomial\_w.h
- special\_shifted\_chebyshev\_polynomial\_w\_compositeexplicitautograd\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_w\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_w\_cpu\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_w\_cuda\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_w\_meta.h
- special\_shifted\_chebyshev\_polynomial\_w\_meta\_dispatch.h
- special\_shifted\_chebyshev\_polynomial\_w\_native.h
- special\_shifted\_chebyshev\_polynomial\_w\_ops.h
- special\_sinc.h
- special\_sinc\_compositeimplicitautograd\_dispatch.h
- special\_sinc\_native.h
- special\_sinc\_ops.h
- special\_softmax.h
- special\_softmax\_compositeimplicitautograd\_dispatch.h
- special\_softmax\_native.h
- special\_softmax\_ops.h
- special\_spherical\_bessel\_j0.h
- special\_spherical\_bessel\_j0\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_spherical\_bessel\_j0\_cpu\_dispatch.h
- special\_spherical\_bessel\_j0\_cuda\_dispatch.h
- special\_spherical\_bessel\_j0\_meta.h
- special\_spherical\_bessel\_j0\_meta\_dispatch.h
- special\_spherical\_bessel\_j0\_native.h
- special\_spherical\_bessel\_j0\_ops.h
- special\_xlog1py.h
- special\_xlog1py\_compositeexplicitautograd\_dispatch.h
- special\_xlog1py\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_xlog1py\_cpu\_dispatch.h
- special\_xlog1py\_cuda\_dispatch.h

special\_xlog1py\_meta.h  
special\_xlog1py\_meta\_dispatch.h  
special\_xlog1py\_native.h  
special\_xlog1py\_ops.h  
special\_xlogy.h  
special\_xlogy\_compositeimplicitautograd\_dispatch.h  
special\_xlogy\_native.h  
special\_xlogy\_ops.h  
special\_zeta.h  
special\_zeta\_compositeexplicitautograd\_dispatch.h  
special\_zeta\_compositeexplicitautogradnonfunctional\_dispatch.h  
special\_zeta\_cpu\_dispatch.h  
special\_zeta\_cuda\_dispatch.h  
special\_zeta\_meta.h  
special\_zeta\_meta\_dispatch.h  
special\_zeta\_native.h  
special\_zeta\_ops.h  
split.h  
split\_compositeexplicitautograd\_dispatch.h  
split\_compositeimplicitautograd\_dispatch.h  
split\_copy.h  
split\_copy\_compositeexplicitautograd\_dispatch.h  
split\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
split\_copy\_native.h  
split\_copy\_ops.h  
split\_native.h  
split\_ops.h  
split\_with\_sizes.h  
split\_with\_sizes\_compositeexplicitautograd\_dispatch.h  
split\_with\_sizes\_copy.h  
split\_with\_sizes\_copy\_compositeexplicitautograd\_dispatch.h  
split\_with\_sizes\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
split\_with\_sizes\_copy\_cuda\_dispatch.h  
split\_with\_sizes\_copy\_native.h  
split\_with\_sizes\_copy\_ops.h  
split\_with\_sizes\_native.h  
split\_with\_sizes\_ops.h  
sqrt.h  
sqrt\_compositeexplicitautogradnonfunctional\_dispatch.h  
sqrt\_cpu\_dispatch.h  
sqrt\_cuda\_dispatch.h  
sqrt\_meta.h  
sqrt\_meta\_dispatch.h  
sqrt\_native.h  
sqrt\_ops.h  
square.h  
square\_compositeimplicitautograd\_dispatch.h  
square\_native.h  
square\_ops.h  
squeeze.h  
squeeze\_compositeexplicitautograd\_dispatch.h  
squeeze\_compositeimplicitautograd\_dispatch.h  
squeeze\_copy.h  
squeeze\_copy\_compositeexplicitautograd\_dispatch.h  
squeeze\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
squeeze\_copy\_native.h  
squeeze\_copy\_ops.h  
squeeze\_native.h  
squeeze\_ops.h  
sspaddmm.h  
sspaddmm\_compositeimplicitautograd\_dispatch.h  
sspaddmm\_cpu\_dispatch.h  
sspaddmm\_cuda\_dispatch.h  
sspaddmm\_native.h  
sspaddmm\_ops.h  
stack.h  
stack\_compositeexplicitautograd\_dispatch.h  
stack\_native.h  
stack\_ops.h  
std.h  
std\_compositeimplicitautograd\_dispatch.h  
std\_cpu\_dispatch.h  
std\_cuda\_dispatch.h  
std\_mean.h  
std\_mean\_compositeexplicitautograd\_dispatch.h  
std\_mean\_compositeimplicitautograd\_dispatch.h  
std\_mean\_cpu\_dispatch.h  
std\_mean\_cuda\_dispatch.h  
std\_mean\_native.h  
std\_mean\_ops.h  
std\_native.h  
std\_ops.h  
stft.h  
stft\_compositeimplicitautograd\_dispatch.h  
stft\_native.h

— stft\_ops.h  
— storage\_offset.h  
— storage\_offset\_compositeimplicitautograd\_dispatch.h  
— storage\_offset\_native.h  
— storage\_offset\_ops.h  
— stride.h  
— stride\_compositeimplicitautograd\_dispatch.h  
— stride\_native.h  
— stride\_ops.h  
— sub.h  
— sub\_compositeexplicitautograd\_dispatch.h  
— sub\_compositeexplicitautogradnonfunctional\_dispatch.h  
— sub\_cpu\_dispatch.h  
— sub\_cuda\_dispatch.h  
— sub\_meta.h  
— sub\_meta\_dispatch.h  
— sub\_native.h  
— sub\_ops.h  
— subtract.h  
— subtract\_compositeimplicitautograd\_dispatch.h  
— subtract\_native.h  
— subtract\_ops.h  
— sum.h  
— sum\_compositeexplicitautograd\_dispatch.h  
— sum\_compositeexplicitautogradnonfunctional\_dispatch.h  
— sum\_compositeimplicitautograd\_dispatch.h  
— sum\_cpu\_dispatch.h  
— sum\_cuda\_dispatch.h  
— sum\_meta.h  
— sum\_meta\_dispatch.h  
— sum\_native.h  
— sum\_ops.h  
— sum\_to\_size.h  
— sum\_to\_size\_compositeimplicitautograd\_dispatch.h  
— sum\_to\_size\_native.h  
— sum\_to\_size\_ops.h  
— svd.h  
— svd\_compositeimplicitautograd\_dispatch.h  
— svd\_native.h  
— svd\_ops.h  
— swapaxes.h  
— swapaxes\_compositeimplicitautograd\_dispatch.h  
— swapaxes\_native.h  
— swapaxes\_ops.h  
— swapdims.h  
— swapdims\_compositeimplicitautograd\_dispatch.h  
— swapdims\_native.h  
— swapdims\_ops.h  
— sym\_constrain\_range.h  
— sym\_constrain\_range\_compositeexplicitautograd\_dispatch.h  
— sym\_constrain\_range\_for\_size.h  
— sym\_constrain\_range\_for\_size\_compositeexplicitautograd\_dispatch.h  
— sym\_constrain\_range\_for\_size\_native.h  
— sym\_constrain\_range\_for\_size\_ops.h  
— sym\_constrain\_range\_native.h  
— sym\_constrain\_range\_ops.h  
— sym\_is\_contiguous.h  
— sym\_is\_contiguous\_compositeimplicitautograd\_dispatch.h  
— sym\_is\_contiguous\_native.h  
— sym\_is\_contiguous\_ops.h  
— sym\_numel.h  
— sym\_numel\_compositeimplicitautograd\_dispatch.h  
— sym\_numel\_native.h  
— sym\_numel\_ops.h  
— sym\_size.h  
— sym\_size\_compositeimplicitautograd\_dispatch.h  
— sym\_size\_native.h  
— sym\_size\_ops.h  
— sym\_storage\_offset.h  
— sym\_storage\_offset\_compositeimplicitautograd\_dispatch.h  
— sym\_storage\_offset\_native.h  
— sym\_storage\_offset\_ops.h  
— sym\_stride.h  
— sym\_stride\_compositeimplicitautograd\_dispatch.h  
— sym\_stride\_native.h  
— sym\_stride\_ops.h  
— t.h  
— t\_compositeexplicitautograd\_dispatch.h  
— t\_copy.h  
— t\_copy\_compositeexplicitautograd\_dispatch.h  
— t\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
— t\_copy\_native.h  
— t\_copy\_ops.h  
— t\_native.h  
— t\_ops.h

take.h  
take\_along\_dim.h  
take\_along\_dim\_compositeimplicitautograd\_dispatch.h  
take\_along\_dim\_native.h  
take\_along\_dim\_ops.h  
take\_cpu\_dispatch.h  
take\_cuda\_dispatch.h  
take\_native.h  
take\_ops.h  
tan.h  
tan\_compositeexplicitautogradnonfunctional\_dispatch.h  
tan\_cpu\_dispatch.h  
tan\_cuda\_dispatch.h  
tan\_meta.h  
tan\_meta\_dispatch.h  
tan\_native.h  
tan\_ops.h  
tanh.h  
tanh\_backward.h  
tanh\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
tanh\_backward\_cpu\_dispatch.h  
tanh\_backward\_cuda\_dispatch.h  
tanh\_backward\_meta.h  
tanh\_backward\_meta\_dispatch.h  
tanh\_backward\_native.h  
tanh\_backward\_ops.h  
tanh\_compositeexplicitautogradnonfunctional\_dispatch.h  
tanh\_cpu\_dispatch.h  
tanh\_cuda\_dispatch.h  
tanh\_meta.h  
tanh\_meta\_dispatch.h  
tanh\_native.h  
tanh\_ops.h  
tensor.h  
tensor\_split.h  
tensor\_split\_compositeimplicitautograd\_dispatch.h  
tensor\_split\_native.h  
tensor\_split\_ops.h  
tensordot.h  
tensordot\_compositeimplicitautograd\_dispatch.h  
tensordot\_native.h  
tensordot\_ops.h  
thnn\_conv2d.h  
thnn\_conv2d\_compositeimplicitautograd\_dispatch.h  
thnn\_conv2d\_native.h  
thnn\_conv2d\_ops.h  
threshold.h  
threshold\_backward.h  
threshold\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
threshold\_backward\_cpu\_dispatch.h  
threshold\_backward\_cuda\_dispatch.h  
threshold\_backward\_meta.h  
threshold\_backward\_meta\_dispatch.h  
threshold\_backward\_native.h  
threshold\_backward\_ops.h  
threshold\_compositeexplicitautogradnonfunctional\_dispatch.h  
threshold\_cpu\_dispatch.h  
threshold\_cuda\_dispatch.h  
threshold\_meta.h  
threshold\_meta\_dispatch.h  
threshold\_native.h  
threshold\_ops.h  
tile.h  
tile\_compositeimplicitautograd\_dispatch.h  
tile\_native.h  
tile\_ops.h  
to.h  
to\_compositeimplicitautograd\_dispatch.h  
to\_dense.h  
to\_dense\_backward.h  
to\_dense\_backward\_compositeimplicitautograd\_dispatch.h  
to\_dense\_backward\_native.h  
to\_dense\_backward\_ops.h  
to\_dense\_compositeimplicitautograd\_dispatch.h  
to\_dense\_native.h  
to\_dense\_ops.h  
to\_mkldnn.h  
to\_mkldnn\_backward.h  
to\_mkldnn\_backward\_compositeimplicitautograd\_dispatch.h  
to\_mkldnn\_backward\_native.h  
to\_mkldnn\_backward\_ops.h  
to\_mkldnn\_compositeexplicitautograd\_dispatch.h  
to\_mkldnn\_cpu\_dispatch.h  
to\_mkldnn\_native.h  
to\_mkldnn\_ops.h

to\_native.h  
to\_ops.h  
to\_padded\_tensor.h  
to\_padded\_tensor\_compositeexplicitautograd\_dispatch.h  
to\_padded\_tensor\_native.h  
to\_padded\_tensor\_ops.h  
to\_sparse.h  
to\_sparse\_bsc.h  
to\_sparse\_bsc\_compositeimplicitautograd\_dispatch.h  
to\_sparse\_bsc\_native.h  
to\_sparse\_bsc\_ops.h  
to\_sparse\_bsr.h  
to\_sparse\_bsr\_compositeimplicitautograd\_dispatch.h  
to\_sparse\_bsr\_native.h  
to\_sparse\_bsr\_ops.h  
to\_sparse\_compositeimplicitautograd\_dispatch.h  
to\_sparse\_csc.h  
to\_sparse\_csc\_compositeimplicitautograd\_dispatch.h  
to\_sparse\_csc\_native.h  
to\_sparse\_csc\_ops.h  
to\_sparse\_csr.h  
to\_sparse\_csr\_compositeimplicitautograd\_dispatch.h  
to\_sparse\_csr\_native.h  
to\_sparse\_csr\_ops.h  
to\_sparse\_native.h  
to\_sparse\_ops.h  
topk.h  
topk\_compositeexplicitautogradnonfunctional\_dispatch.h  
topk\_cpu\_dispatch.h  
topk\_cuda\_dispatch.h  
topk\_meta.h  
topk\_meta\_dispatch.h  
topk\_native.h  
topk\_ops.h  
trace.h  
trace\_backward.h  
trace\_backward\_compositeimplicitautograd\_dispatch.h  
trace\_backward\_native.h  
trace\_backward\_ops.h  
trace\_compositeexplicitautograd\_dispatch.h  
trace\_cpu\_dispatch.h  
trace\_cuda\_dispatch.h  
trace\_native.h  
trace\_ops.h  
transpose.h  
transpose\_compositeexplicitautograd\_dispatch.h  
transpose\_compositeimplicitautograd\_dispatch.h  
transpose\_copy.h  
transpose\_copy\_compositeexplicitautograd\_dispatch.h  
transpose\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
transpose\_copy\_native.h  
transpose\_copy\_ops.h  
transpose\_native.h  
transpose\_ops.h  
trapezoid.h  
trapezoid\_compositeimplicitautograd\_dispatch.h  
trapezoid\_native.h  
trapezoid\_ops.h  
trapz.h  
trapz\_compositeimplicitautograd\_dispatch.h  
trapz\_native.h  
trapz\_ops.h  
triangular\_solve.h  
triangular\_solve\_compositeexplicitautogradnonfunctional\_dispatch.h  
triangular\_solve\_cpu\_dispatch.h  
triangular\_solve\_cuda\_dispatch.h  
triangular\_solve\_meta.h  
triangular\_solve\_meta\_dispatch.h  
triangular\_solve\_native.h  
triangular\_solve\_ops.h  
tril.h  
tril\_compositeexplicitautogradnonfunctional\_dispatch.h  
tril\_cpu\_dispatch.h  
tril\_cuda\_dispatch.h  
tril\_indices.h  
tril\_indices\_compositeexplicitautograd\_dispatch.h  
tril\_indices\_cpu\_dispatch.h  
tril\_indices\_cuda\_dispatch.h  
tril\_indices\_native.h  
tril\_indices\_ops.h  
tril\_meta.h  
tril\_meta\_dispatch.h  
tril\_native.h  
tril\_ops.h  
triplet\_margin\_loss.h

- triplet\_margin\_loss\_compositeimplicitautograd\_dispatch.h
- triplet\_margin\_loss\_native.h
- triplet\_margin\_loss\_ops.h
- triu.h
- triu\_compositeexplicitautogradnonfunctional\_dispatch.h
- triu\_cpu\_dispatch.h
- triu\_cuda\_dispatch.h
- triu\_indices.h
- triu\_indices\_compositeexplicitautograd\_dispatch.h
- triu\_indices\_cpu\_dispatch.h
- triu\_indices\_cuda\_dispatch.h
- triu\_indices\_native.h
- triu\_indices\_ops.h
- triu\_meta.h
- triu\_meta\_dispatch.h
- triu\_native.h
- triu\_ops.h
- true\_divide.h
- true\_divide\_compositeimplicitautograd\_dispatch.h
- true\_divide\_native.h
- true\_divide\_ops.h
- trunc.h
- trunc\_compositeexplicitautogradnonfunctional\_dispatch.h
- trunc\_cpu\_dispatch.h
- trunc\_cuda\_dispatch.h
- trunc\_meta.h
- trunc\_meta\_dispatch.h
- trunc\_native.h
- trunc\_ops.h
- type\_as.h
- type\_as\_compositeimplicitautograd\_dispatch.h
- type\_as\_native.h
- type\_as\_ops.h
- unbind.h
- unbind\_compositeexplicitautograd\_dispatch.h
- unbind\_compositeimplicitautograd\_dispatch.h
- unbind\_copy.h
- unbind\_copy\_compositeexplicitautograd\_dispatch.h
- unbind\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- unbind\_copy\_native.h
- unbind\_copy\_ops.h
- unbind\_native.h
- unbind\_ops.h
- unflatten.h
- unflatten\_compositeimplicitautograd\_dispatch.h
- unflatten\_dense\_tensors.h
- unflatten\_dense\_tensors\_compositeimplicitautograd\_dispatch.h
- unflatten\_dense\_tensors\_native.h
- unflatten\_dense\_tensors\_ops.h
- unflatten\_native.h
- unflatten\_ops.h
- unfold.h
- unfold\_backward.h
- unfold\_backward\_compositeexplicitautograd\_dispatch.h
- unfold\_backward\_cpu\_dispatch.h
- unfold\_backward\_cuda\_dispatch.h
- unfold\_backward\_native.h
- unfold\_backward\_ops.h
- unfold\_copy.h
- unfold\_copy\_compositeexplicitautograd\_dispatch.h
- unfold\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- unfold\_copy\_native.h
- unfold\_copy\_ops.h
- unfold\_cpu\_dispatch.h
- unfold\_cuda\_dispatch.h
- unfold\_meta\_dispatch.h
- unfold\_native.h
- unfold\_ops.h
- uniform.h
- uniform\_compositeexplicitautograd\_dispatch.h
- uniform\_cpu\_dispatch.h
- uniform\_cuda\_dispatch.h
- uniform\_meta\_dispatch.h
- uniform\_native.h
- uniform\_ops.h
- unique\_consecutive.h
- unique\_consecutive\_compositeexplicitautograd\_dispatch.h
- unique\_consecutive\_cpu\_dispatch.h
- unique\_consecutive\_cuda\_dispatch.h
- unique\_consecutive\_native.h
- unique\_consecutive\_ops.h
- unique\_dim.h
- unique\_dim\_compositeexplicitautograd\_dispatch.h
- unique\_dim\_consecutive.h
- unique\_dim\_consecutive\_compositeexplicitautograd\_dispatch.h



unique\_dim\_consecutive\_cpu\_dispatch.h  
unique\_dim\_consecutive\_cuda\_dispatch.h  
unique\_dim\_consecutive\_native.h  
unique\_dim\_consecutive\_ops.h  
unique\_dim\_cpu\_dispatch.h  
unique\_dim\_cuda\_dispatch.h  
unique\_dim\_native.h  
unique\_dim\_ops.h  
unsafe\_chunk.h  
unsafe\_chunk\_compositeimplicitautograd\_dispatch.h  
unsafe\_chunk\_native.h  
unsafe\_chunk\_ops.h  
unsafe\_split.h  
unsafe\_split\_compositeexplicitautograd\_dispatch.h  
unsafe\_split\_native.h  
unsafe\_split\_ops.h  
unsafe\_split\_with\_sizes.h  
unsafe\_split\_with\_sizes\_compositeexplicitautograd\_dispatch.h  
unsafe\_split\_with\_sizes\_native.h  
unsafe\_split\_with\_sizes\_ops.h  
unsqueeze.h  
unsqueeze\_compositeexplicitautograd\_dispatch.h  
unsqueeze\_copy.h  
unsqueeze\_copy\_compositeexplicitautograd\_dispatch.h  
unsqueeze\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
unsqueeze\_copy\_native.h  
unsqueeze\_copy\_ops.h  
unsqueeze\_native.h  
unsqueeze\_ops.h  
upsample\_bicubic2d.h  
upsample\_bicubic2d\_backward.h  
upsample\_bicubic2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_bicubic2d\_backward\_cpu\_dispatch.h  
upsample\_bicubic2d\_backward\_cuda\_dispatch.h  
upsample\_bicubic2d\_backward\_meta.h  
upsample\_bicubic2d\_backward\_meta\_dispatch.h  
upsample\_bicubic2d\_backward\_native.h  
upsample\_bicubic2d\_backward\_ops.h  
upsample\_bicubic2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_bicubic2d\_compositeimplicitautograd\_dispatch.h  
upsample\_bicubic2d\_cpu\_dispatch.h  
upsample\_bicubic2d\_cuda\_dispatch.h  
upsample\_bicubic2d\_meta.h  
upsample\_bicubic2d\_meta\_dispatch.h  
upsample\_bicubic2d\_native.h  
upsample\_bicubic2d\_ops.h  
upsample\_bilinear2d.h  
upsample\_bilinear2d\_backward.h  
upsample\_bilinear2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_bilinear2d\_backward\_cpu\_dispatch.h  
upsample\_bilinear2d\_backward\_cuda\_dispatch.h  
upsample\_bilinear2d\_backward\_meta.h  
upsample\_bilinear2d\_backward\_meta\_dispatch.h  
upsample\_bilinear2d\_backward\_native.h  
upsample\_bilinear2d\_backward\_ops.h  
upsample\_bilinear2d\_compositeexplicitautograd\_dispatch.h  
upsample\_bilinear2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_bilinear2d\_compositeimplicitautograd\_dispatch.h  
upsample\_bilinear2d\_cpu\_dispatch.h  
upsample\_bilinear2d\_cuda\_dispatch.h  
upsample\_bilinear2d\_meta.h  
upsample\_bilinear2d\_meta\_dispatch.h  
upsample\_bilinear2d\_native.h  
upsample\_bilinear2d\_ops.h  
upsample\_linear1d.h  
upsample\_linear1d\_backward.h  
upsample\_linear1d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_linear1d\_backward\_cpu\_dispatch.h  
upsample\_linear1d\_backward\_cuda\_dispatch.h  
upsample\_linear1d\_backward\_meta.h  
upsample\_linear1d\_backward\_meta\_dispatch.h  
upsample\_linear1d\_backward\_native.h  
upsample\_linear1d\_backward\_ops.h  
upsample\_linear1d\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_linear1d\_compositeimplicitautograd\_dispatch.h  
upsample\_linear1d\_cpu\_dispatch.h  
upsample\_linear1d\_cuda\_dispatch.h  
upsample\_linear1d\_meta.h  
upsample\_linear1d\_meta\_dispatch.h  
upsample\_linear1d\_native.h  
upsample\_linear1d\_ops.h  
upsample\_nearest1d.h  
upsample\_nearest1d\_backward.h  
upsample\_nearest1d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_nearest1d\_backward\_cpu\_dispatch.h

upsample\_nearest1d\_backward\_cuda\_dispatch.h  
upsample\_nearest1d\_backward\_meta.h  
upsample\_nearest1d\_backward\_meta\_dispatch.h  
upsample\_nearest1d\_backward\_native.h  
upsample\_nearest1d\_backward\_ops.h  
upsample\_nearest1d\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_nearest1d\_compositeimplicitautograd\_dispatch.h  
upsample\_nearest1d\_cpu\_dispatch.h  
upsample\_nearest1d\_cuda\_dispatch.h  
upsample\_nearest1d\_meta.h  
upsample\_nearest1d\_meta\_dispatch.h  
upsample\_nearest1d\_native.h  
upsample\_nearest1d\_ops.h  
upsample\_nearest2d.h  
upsample\_nearest2d\_backward.h  
upsample\_nearest2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_nearest2d\_backward\_cpu\_dispatch.h  
upsample\_nearest2d\_backward\_cuda\_dispatch.h  
upsample\_nearest2d\_backward\_meta.h  
upsample\_nearest2d\_backward\_meta\_dispatch.h  
upsample\_nearest2d\_backward\_native.h  
upsample\_nearest2d\_backward\_ops.h  
upsample\_nearest2d\_compositeexplicitautograd\_dispatch.h  
upsample\_nearest2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_nearest2d\_compositeimplicitautograd\_dispatch.h  
upsample\_nearest2d\_cpu\_dispatch.h  
upsample\_nearest2d\_cuda\_dispatch.h  
upsample\_nearest2d\_meta.h  
upsample\_nearest2d\_meta\_dispatch.h  
upsample\_nearest2d\_native.h  
upsample\_nearest2d\_ops.h  
upsample\_nearest3d.h  
upsample\_nearest3d\_backward.h  
upsample\_nearest3d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_nearest3d\_backward\_cpu\_dispatch.h  
upsample\_nearest3d\_backward\_cuda\_dispatch.h  
upsample\_nearest3d\_backward\_meta.h  
upsample\_nearest3d\_backward\_meta\_dispatch.h  
upsample\_nearest3d\_backward\_native.h  
upsample\_nearest3d\_backward\_ops.h  
upsample\_nearest3d\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_nearest3d\_compositeimplicitautograd\_dispatch.h  
upsample\_nearest3d\_cpu\_dispatch.h  
upsample\_nearest3d\_cuda\_dispatch.h  
upsample\_nearest3d\_meta.h  
upsample\_nearest3d\_meta\_dispatch.h  
upsample\_nearest3d\_native.h  
upsample\_nearest3d\_ops.h  
upsample\_trilinear3d.h  
upsample\_trilinear3d\_backward.h  
upsample\_trilinear3d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_trilinear3d\_backward\_cpu\_dispatch.h  
upsample\_trilinear3d\_backward\_cuda\_dispatch.h  
upsample\_trilinear3d\_backward\_meta.h  
upsample\_trilinear3d\_backward\_meta\_dispatch.h  
upsample\_trilinear3d\_backward\_native.h  
upsample\_trilinear3d\_backward\_ops.h  
upsample\_trilinear3d\_compositeexplicitautogradnonfunctional\_dispatch.h  
upsample\_trilinear3d\_compositeimplicitautograd\_dispatch.h  
upsample\_trilinear3d\_cpu\_dispatch.h  
upsample\_trilinear3d\_cuda\_dispatch.h  
upsample\_trilinear3d\_meta.h  
upsample\_trilinear3d\_meta\_dispatch.h  
upsample\_trilinear3d\_native.h  
upsample\_trilinear3d\_ops.h  
value\_selecting\_reduction\_backward.h  
value\_selecting\_reduction\_backward\_compositeimplicitautograd\_dispatch.h  
value\_selecting\_reduction\_backward\_native.h  
value\_selecting\_reduction\_backward\_ops.h  
values.h  
values\_compositeexplicitautograd\_dispatch.h  
values\_copy.h  
values\_copy\_compositeexplicitautograd\_dispatch.h  
values\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
values\_copy\_native.h  
values\_copy\_ops.h  
values\_native.h  
values\_ops.h  
vander.h  
vander\_compositeimplicitautograd\_dispatch.h  
vander\_native.h  
vander\_ops.h  
var.h  
var\_compositeimplicitautograd\_dispatch.h  
var\_cpu\_dispatch.h

```

— var_cuda_dispatch.h
— var_mean.h
— var_mean_compositeexplicitautograd_dispatch.h
— var_mean_compositeimplicitautograd_dispatch.h
— var_mean_cpu_dispatch.h
— var_mean_cuda_dispatch.h
— var_mean_native.h
— var_mean_ops.h
— var_native.h
— var_ops.h
— vdot.h
— vdot_compositeexplicitautograd_dispatch.h
— vdot_cpu_dispatch.h
— vdot_cuda_dispatch.h
— vdot_native.h
— vdot_ops.h
— view.h
— view_as.h
— view_as_complex.h
— view_as_complex_copy.h
— view_as_complex_copy_compositeexplicitautograd_dispatch.h
— view_as_complex_copy_compositeexplicitautogradnonfunctional_dispatch.h
— view_as_complex_copy_native.h
— view_as_complex_copy_ops.h
— view_as_complex_cpu_dispatch.h
— view_as_complex_cuda_dispatch.h
— view_as_complex_meta_dispatch.h
— view_as_complex_native.h
— view_as_complex_ops.h
— view_as_compositeimplicitautograd_dispatch.h
— view_as_native.h
— view_as_ops.h
— view_as_real.h
— view_as_real_copy.h
— view_as_real_copy_compositeexplicitautograd_dispatch.h
— view_as_real_copy_compositeexplicitautogradnonfunctional_dispatch.h
— view_as_real_copy_native.h
— view_as_real_copy_ops.h
— view_as_real_cpu_dispatch.h
— view_as_real_cuda_dispatch.h
— view_as_real_meta_dispatch.h
— view_as_real_native.h
— view_as_real_ops.h
— view_compositeexplicitautograd_dispatch.h
— view_copy.h
— view_copy_compositeexplicitautograd_dispatch.h
— view_copy_compositeexplicitautogradnonfunctional_dispatch.h
— view_copy_native.h
— view_copy_ops.h
— view_cpu_dispatch.h
— view_cuda_dispatch.h
— view_meta_dispatch.h
— view_native.h
— view_ops.h
— vsplit.h
— vsplit_compositeimplicitautograd_dispatch.h
— vsplit_native.h
— vsplit_ops.h
— vstack.h
— vstack_compositeimplicitautograd_dispatch.h
— vstack_native.h
— vstack_ops.h
— where.h
— where_compositeimplicitautograd_dispatch.h
— where_cpu_dispatch.h
— where_cuda_dispatch.h
— where_native.h
— where_ops.h
— xlogy.h
— xlogy_compositeexplicitautograd_dispatch.h
— xlogy_compositeexplicitautogradnonfunctional_dispatch.h
— xlogy_cpu_dispatch.h
— xlogy_cuda_dispatch.h
— xlogy_meta.h
— xlogy_meta_dispatch.h
— xlogy_native.h
— xlogy_ops.h
— xor.h
— xor_compositeimplicitautograd_dispatch.h
— xor_native.h
— xor_ops.h
— zero.h
— zero_compositeexplicitautograd_dispatch.h
— zero_cpu_dispatch.h
— zero_cuda_dispatch.h

```

- zero\_meta\_dispatch.h
- zero\_native.h
- zero\_ops.h
- zeros.h
- zeros\_compositeexplicitautograd\_dispatch.h
- zeros\_like.h
- zeros\_like\_compositeexplicitautograd\_dispatch.h
- zeros\_like\_compositeimplicitautogradnestedtensor\_dispatch.h
- zeros\_like\_native.h
- zeros\_like\_ops.h
- zeros\_native.h
- zeros\_ops.h
- quantized/
  - QTensorImpl.h
  - Quantizer.h
- xpu/
  - detail/
    - LazyLevelZero.h
    - XPUHooks.h
  - CachingHostAllocator.h
  - EmptyTensor.h
  - PeerToPeerAccess.h
  - PhiloxXpuState.h
  - PinnedMemoryAllocator.h
  - XPUContext.h
  - XPUDevice.h
  - XPUEvent.h
  - XPUGeneratorImpl.h
  - XPUGraph.h
  - XPUGraphsUtils.h
  - XPUScaledBlas.h
  - XPUUtils.h
- AccumulateType.h
- ArrayRef.h
- ATen.h
- autocast\_mode.h
- Backend.h
- Backtrace.h
- BlasBackend.h
- CachedTensorUtils.h
- ceil\_div.h
- code\_template.h
- CollapseDims.h
- CompositeExplicitAutogradFunctions.h
- CompositeExplicitAutogradFunctions\_inl.h
- CompositeExplicitAutogradNonFunctionalFunctions.h
- CompositeExplicitAutogradNonFunctionalFunctions\_inl.h
- CompositeImplicitAutogradFunctions.h
- CompositeImplicitAutogradFunctions\_inl.h
- CompositeImplicitAutogradNestedTensorFunctions.h
- CompositeImplicitAutogradNestedTensorFunctions\_inl.h
- Config.h
- Context.h
- cpp\_custom\_type\_hack.h
- CPUApplyUtils.h
- CPUFixedAllocator.h
- CPUFunctions.h
- CPUFunctions\_inl.h
- CPUGeneratorImpl.h
- CUDAFunctions.h
- CUDAFunctions\_inl.h
- Device.h
- DeviceAccelerator.h
- DeviceGuard.h
- Dimname.h
- DimVector.h
- Dispatch.h
- Dispatch\_v2.h
- div\_rtn.h
- DLConvertor.h
- dlpack.h
- DTensorState.h
- DynamicLibrary.h
- EmptyTensor.h
- ExpandBase.h
- ExpandUtils.h
- Formatting.h
- FunctionalizeFallbackKernel.h
- FunctionalStorageImpl.h
- FunctionalTensorWrapper.h
- Functions.h
- FuncTorchTLS.h
- Generator.h
- InferSize.h
- InitialTensorOptions.h

- jit\_macros.h
- jiterator\_macros.h
- Layout.h
- LegacyBatchedFallback.h
- LegacyBatchedTensorImpl.h
- LegacyVmapMode.h
- LegacyVmapTransforms.h
- LinalgBackend.h
- MapAllocator.h
- MatrixRef.h
- MemoryOverlap.h
- MetaFunctions.h
- MetaFunctions\_inl.h
- MethodOperators.h
- NamedTensor.h
- NamedTensorUtils.h
- NativeFunctions.h
- NativeMetaFunctions.h
- NestedTensorImpl.h
- NumericUtils.h
- OpaqueTensorImpl.h
- Operators.h
- OpMathType.h
- PadNd.h
- Parallel-inl.h
- Parallel.h
- ParallelFuture.h
- ParallelNative.h
- ParallelOpenMP.h
- PTTThreadPool.h
- PythonTorchFunctionTLS.h
- record\_function.h
- RedispachFunctions.h
- RegistrationDeclarations.h
- ROCmFABackend.h
- SavedTensorHooks.h
- Scalar.h
- ScalarOps.h
- ScalarType.h
- SDPBackend.h
- SequenceNumber.h
- SmallVector.h
- SparseCsrTensorImpl.h
- SparseCsrTensorUtils.h
- SparseTensorImpl.h
- Storage.h
- StorageUtils.h
- Tensor.h
- TensorAccessor.h
- TensorGeometry.h
- TensorIndexing.h
- TensorIterator.h
- TensorIteratorInternal.h
- TensorMeta.h
- TensorNames.h
- TensorOperators.h
- TensorOptions.h
- TensorSubclassLikeUtils.h
- TensorUtils.h
- ThreadLocalPythonObjects.h
- ThreadLocalState.h
- TracerMode.h
- TypeDefault.h
- Utils.h
- Version.h
- VmapGeneratedPlumbing.h
- WrapDimUtils.h
- WrapDimUtilsMulti.h
- c10/
  - core/
    - impl/
      - alloc\_cpu.h
      - COW.h
      - COWDeleter.h
      - DeviceGuardImplInterface.h
      - FakeGuardImpl.h
      - GPUTrace.h
      - HermeticPyObjectTLS.h
      - InlineDeviceGuard.h
      - InlineEvent.h
      - InlineStreamGuard.h
      - LocalDispatchKeySet.h
      - PyInterpreter.h
      - PyInterpreterHooks.h
      - PyObjectSlot.h

- PythonDispatcherTLS.h
  - SizesAndStrides.h
  - TorchDispatchModeTLS.h
  - VirtualGuardImpl.h
- alignment.h
- Allocator.h
- AllocatorConfig.h
- AutogradState.h
- Backend.h
- CachingDeviceAllocator.h
- CompileTimeFunctionPointer.h
- ConstantSymNodeImpl.h
- Contiguity.h
- CopyBytes.h
- CPUAllocator.h
- DefaultDtype.h
- DefaultTensorOptions.h
- Device.h
- DeviceArray.h
- DeviceCapability.h
- DeviceGuard.h
- DeviceType.h
- DispatchKey.h
- DispatchKeySet.h
- DynamicCast.h
- Event.h
- GeneratorImpl.h
- GradMode.h
- InferenceMode.h
- Layout.h
- MemoryFormat.h
- OptionalRef.h
- PyHandleCache.h
- QEngine.h
- QScheme.h
- RefcountedDeleter.h
- SafePyObject.h
- Scalar.h
- ScalarType.h
- ScalarTypeToTypeMeta.h
- Storage.h
- StorageImpl.h
- Stream.h
- StreamGuard.h
- SymbolicShapeMeta.h
- SymBool.h
- SymFloat.h
- SymInt.h
- SymIntArrayRef.h
- SymNodeImpl.h
- TensorImpl.h
- TensorOptions.h
- thread\_pool.h
- UndefinedTensorImpl.h
- WrapDimMinimal.h
- cuda/
  - impl/
    - CUDAGuardImpl.h
    - CUDATest.h
  - CUDAAlgorithm.h
  - CUDAAllocatorConfig.h
  - CUDACachingAllocator.h
  - CUDADeviceAssertion.h
  - CUDADeviceAssertionHost.h
  - CUDAEvent.h
  - CUDAException.h
  - CUDAFunctions.h
  - CUDAGraphsC10Utils.h
  - CUDAGuard.h
  - CUDAMacros.h
  - CUDAMathCompat.h
  - CUDAMiscFunctions.h
  - CUDASTream.h
  - driver\_api.h
  - PeerToPeerAccess.h
- macros/
  - cmake\_macros.h
  - Export.h
  - Macros.h
- metal/
  - atomic.h
  - common.h
  - error.h
  - expm1f.h
  - igamma.h

- indexing.h
- random.h
- reduction\_utils.h
- special\_math.h
- utils.h
- mobile/
  - CPUCachingAllocator.h
  - CPUProfilingAllocator.h
- test/
  - util/
    - complex\_math\_test\_common.h
    - complex\_test\_common.h
    - Macros.h
- util/
  - AbortHandler.h
  - accumulate.h
  - AlignOf.h
  - ApproximateClock.h
  - Array.h
  - ArrayRef.h
  - Backtrace.h
  - BFloat16-inl.h
  - BFloat16-math.h
  - BFloat16.h
  - bit\_cast.h
  - bits.h
  - Bitset.h
  - C++17.h
  - CallOnce.h
  - complex.h
  - complex\_math.h
  - complex\_utils.h
  - ConstexprCrc.h
  - copysign.h
  - DeadlockDetection.h
  - Deprecated.h
  - DimVector.h
  - DynamicCounter.h
  - Enumerate.h
  - env.h
  - error.h
  - Exception.h
  - ExclusivelyOwned.h
  - ExclusivelyOwnedTensorTraits.h
  - FbcodeMaps.h
  - FileSystem.h
  - Flags.h
  - flat\_hash\_map.h
  - Float4\_e2m1fn\_x2.h
  - Float8\_e4m3fn-inl.h
  - Float8\_e4m3fn.h
  - Float8\_e4m3fnuz-inl.h
  - Float8\_e4m3fnuz.h
  - Float8\_e5m2-inl.h
  - Float8\_e5m2.h
  - Float8\_e5m2fnuz-inl.h
  - Float8\_e5m2fnuz.h
  - Float8\_e8m0fnu-inl.h
  - Float8\_e8m0fnu.h
  - floating\_point\_utils.h
  - FunctionRef.h
  - Gauge.h
  - generic\_math.h
  - Half-inl.h
  - Half.h
  - hash.h
  - IdWrapper.h
  - int128.h
  - intrusive\_ptr.h
  - IntrusiveList.h
  - irange.h
  - Lazy.h
  - LeftRight.h
  - llvmMathExtras.h
  - Load.h
  - logging.h
  - logging\_common.h
  - logging\_is\_google\_glog.h
  - logging\_is\_not\_google\_glog.h
  - MathConstants.h
  - MaybeOwned.h
  - Metaprogramming.h
  - NetworkFlow.h
  - numa.h
  - Optional.h

- OptionalArrayRef.h
- order\_preserving\_flat\_hash\_map.h
- overflows.h
- overloaded.h
- ParallelGuard.h
- python\_stub.h
- qint32.h
- qint8.h
- quint2x4.h
- quint4x2.h
- quint8.h
- Registry.h
- safe\_numerics.h
- ScopeExit.h
- Semaphore.h
- signal\_handler.h
- SmallBuffer.h
- SmallVector.h
- sparse\_bitset.h
- ssize.h
- static\_tracepoint.h
- static\_tracepoint\_elfx86.h
- strides.h
- string\_utils.h
- string\_view.h
- StringUtil.h
- strong\_type.h
- Synchronized.h
- tempfile.h
- thread\_name.h
- ThreadLocal.h
- ThreadLocalDebugInfo.h
- Type.h
- TypeCast.h
- typeid.h
- TypeIndex.h
- TypeList.h
- TypeSafeSignMath.h
- TypeTraits.h
- Unicode.h
- UniqueVoidPtr.h
- Unroll.h
- WaitCounter.h
- WaitCounterDynamicBackend.h
- win32-headers.h
- xpu/
  - impl/
    - XPUGuardImpl.h
  - test/
    - impl/
      - XPUTest.h
  - PeerToPeerAccess.h
  - XPUCachingAllocator.h
  - XPUDeviceProp.h
  - XPUEvent.h
  - XPUException.h
  - XPUFunctions.h
  - XPUGraphsC10Utils.h
  - XPUMacros.h
  - XPUStream.h
- caffe2/
  - core/
    - common.h
    - macros.h
    - timer.h
  - perfkernels/
    - common.h
    - embedding\_lookup\_idx.h
  - serialize/
    - crc\_alt.h
    - file\_adapter.h
    - in\_memory\_adapter.h
    - inline\_container.h
    - istream\_adapter.h
    - read\_adapter\_interface.h
    - versions.h
  - utils/
    - threadpool/
      - pthreadpool-cpp.h
      - pthreadpool.h
      - thread\_pool\_guard.h
      - ThreadPool.h
      - ThreadPoolCommon.h
      - WorkersPool.h
    - fixed\_divisor.h



- proto\_wrap.h
  - string\_utils.h
- fmt/
  - args.h
  - base.h
  - chrono.h
  - color.h
  - compile.h
  - core.h
  - format-inl.h
  - format.h
  - os.h
  - ostream.h
  - printf.h
  - ranges.h
  - std.h
  - xchar.h
- fp16/
  - bitcasts.h
  - fp16.h
  - psimd.h
- google/
  - protobuf/
    - compiler/
      - cpp/
        - cpp\_generator.h
      - csharp/
        - csharp\_generator.h
        - csharp\_names.h
      - java/
        - java\_generator.h
        - java\_names.h
      - js/
        - js\_generator.h
        - well\_known\_types\_embed.h
      - objectivec/
        - objectivec\_generator.h
        - objectivec\_helpers.h
      - php/
        - php\_generator.h
      - python/
        - python\_generator.h
      - ruby/
        - ruby\_generator.h
      - code\_generator.h
      - command\_line\_interface.h
      - importer.h
      - parser.h
      - plugin.h
      - plugin.pb.h
    - io/
      - coded\_stream.h
      - gzip\_stream.h
      - io\_win32.h
      - printer.h
      - strtod.h
      - tokenizer.h
      - zero\_copy\_stream.h
      - zero\_copy\_stream\_impl.h
      - zero\_copy\_stream\_impl\_lite.h
    - stubs/
      - bytestream.h
      - callback.h
      - casts.h
      - common.h
      - fastmem.h
      - hash.h
      - logging.h
      - macros.h
      - map\_util.h
      - mutex.h
      - once.h
      - platform\_macros.h
      - port.h
      - status.h
      - stl\_util.h
      - stringpiece.h
      - strutil.h
      - template\_util.h
    - util/
      - delimited\_message\_util.h
      - field\_comparator.h
      - field\_mask\_util.h
      - json\_util.h
      - message\_differencer.h

- time\_util.h
  - type\_resolver.h
  - type\_resolver\_util.h
- any.h
- any.pb.h
- api.pb.h
- arena.h
- arena\_impl.h
- arenastring.h
- descriptor.h
- descriptor.pb.h
- descriptor\_database.h
- duration.pb.h
- dynamic\_message.h
- empty.pb.h
- extension\_set.h
- extension\_set\_inl.h
- field\_mask.pb.h
- generated\_enum\_reflection.h
- generated\_enum\_util.h
- generated\_message\_reflection.h
- generated\_message\_table\_driven.h
- generated\_message\_util.h
- has\_bits.h
- implicit\_weak\_message.h
- inlined\_string\_field.h
- map.h
- map\_entry.h
- map\_entry\_lite.h
- map\_field.h
- map\_field\_inl.h
- map\_field\_lite.h
- map\_type\_handler.h
- message.h
- message\_lite.h
- metadata.h
- metadata\_lite.h
- parse\_context.h
- port.h
- reflection.h
- reflection\_ops.h
- repeated\_field.h
- service.h
- source\_context.pb.h
- struct.pb.h
- text\_format.h
- timestamp.pb.h
- type.pb.h
- unknown\_field\_set.h
- wire\_format.h
- wire\_format\_lite.h
- wrappers.pb.h
- kineto/
  - AbstractConfig.h
  - ActivityProfilerInterface.h
  - ActivityTraceInterface.h
  - ActivityType.h
  - ClientInterface.h
  - Config.h
  - GenericTraceActivity.h
  - IActivityProfiler.h
  - ILoggerObserver.h
  - ITraceActivity.h
  - libkineto.h
  - LoggingAPI.h
  - output\_base.h
  - ThreadUtil.h
  - time\_since\_epoch.h
  - TraceSpan.h
- legacy/
  - ittnotify.h
- mimalloc-2.2/
  - mimalloc-new-delete.h
  - mimalloc-override.h
  - mimalloc-stats.h
  - mimalloc.h
- oneapi/
  - dnnl/
    - dnnl.h
    - dnnl.hpp
    - dnnl\_common.h
    - dnnl\_common.hpp
    - dnnl\_common\_types.h
    - dnnl\_config.h
    - dnnl\_debug.h

- dnnl\_graph.h
- dnnl\_graph.hpp
- dnnl\_graph\_ocl.h
- dnnl\_graph\_ocl.hpp
- dnnl\_graph\_sycl.h
- dnnl\_graph\_sycl.hpp
- dnnl\_graph\_types.h
- dnnl\_ocl.h
- dnnl\_ocl.hpp
- dnnl\_ocl\_types.h
- dnnl\_sycl.h
- dnnl\_sycl.hpp
- dnnl\_sycl\_types.h
- dnnl\_threadpool.h
- dnnl\_threadpool.hpp
- dnnl\_threadpool\_iface.hpp
- dnnl\_types.h
- dnnl\_ukernel.h
- dnnl\_ukernel.hpp
- dnnl\_ukernel\_types.h
- dnnl\_version.h
- dnnl\_version\_hash.h
- pybind11/
  - conduit/
    - pybind11\_conduit\_v1.h
    - pybind11\_platform\_abi\_id.h
    - wrap\_include\_python\_h.h
  - detail/
    - class.h
    - common.h
    - cpp\_conduit.h
    - descr.h
    - dynamic\_raw\_ptr\_cast\_if\_possible.h
    - exception\_translation.h
    - function\_record\_pyobject.h
    - init.h
    - internals.h
    - native\_enum\_data.h
    - pybind11\_namespace\_macros.h
    - struct\_smart\_holder.h
    - type\_caster\_base.h
    - typeid.h
    - using\_smart\_holder.h
    - value\_and\_holder.h
  - eigen/
    - common.h
    - matrix.h
    - tensor.h
  - stl/
    - filesystem.h
  - attr.h
  - buffer\_info.h
  - cast.h
  - chrono.h
  - common.h
  - complex.h
  - critical\_section.h
  - eigen.h
  - embed.h
  - eval.h
  - functional.h
  - gil.h
  - gil\_safe\_call\_once.h
  - gil\_simple.h
  - iostream.h
  - native\_enum.h
  - numpy.h
  - operators.h
  - options.h
  - pybind11.h
  - pytypes.h
  - stl.h
  - stl\_bind.h
  - subinterpreter.h
  - trampoline\_self\_life\_support.h
  - type\_caster\_pyobject\_ptr.h
  - typing.h
  - warnings.h
- torch/
  - csrc/
    - acc/
      - Module.h
    - api/
      - include/
        - torch/

```
data/
├── dataloader/
│   ├── base.h
│   ├── stateful.h
│   └── stateless.h
├── datasets/
│   ├── base.h
│   ├── chunk.h
│   ├── map.h
│   ├── mnist.h
│   ├── shared.h
│   ├── stateful.h
│   └── tensor.h
├── detail/
│   ├── data_shuttle.h
│   ├── queue.h
│   └── sequencers.h
├── samplers/
│   ├── base.h
│   ├── custom_batch_request.h
│   ├── distributed.h
│   ├── random.h
│   ├── sequential.h
│   ├── serialize.h
│   └── stream.h
├── transforms/
│   ├── base.h
│   ├── collate.h
│   ├── lambda.h
│   ├── stack.h
│   └── tensor.h
├── dataloader.h
├── dataloader_options.h
├── datasets.h
├── example.h
├── iterator.h
├── samplers.h
├── transforms.h
└── worker_exception.h
detail/
├── static.h
└── TensorDataContainer.h
nativert/
└── ModelRunnerHandle.h
nn/
├── functional/
│   ├── activation.h
│   ├── batchnorm.h
│   ├── conv.h
│   ├── distance.h
│   ├── dropout.h
│   ├── embedding.h
│   ├── fold.h
│   ├── instancenorm.h
│   ├── linear.h
│   ├── loss.h
│   ├── normalization.h
│   ├── padding.h
│   ├── pixelshuffle.h
│   ├── pooling.h
│   ├── upsampling.h
│   └── vision.h
├── modules/
│   ├── container/
│   │   ├── any.h
│   │   ├── any_module_holder.h
│   │   ├── any_value.h
│   │   ├── functional.h
│   │   ├── moduledict.h
│   │   ├── modulelist.h
│   │   ├── named_any.h
│   │   ├── parameterdict.h
│   │   ├── parameterlist.h
│   │   └── sequential.h
│   ├── _functions.h
│   ├── activation.h
│   ├── adaptive.h
│   ├── batchnorm.h
│   ├── common.h
│   ├── conv.h
│   ├── distance.h
│   ├── dropout.h
│   ├── embedding.h
│   ├── fold.h
│   └── instancenorm.h
```

- linear.h
- loss.h
- normalization.h
- padding.h
- pixelshuffle.h
- pooling.h
- rnn.h
- transformer.h
- transformercoder.h
- transformerlayer.h
- upsampling.h
- utils.h
- options/
  - activation.h
  - adaptive.h
  - batchnorm.h
  - conv.h
  - distance.h
  - dropout.h
  - embedding.h
  - fold.h
  - instancenorm.h
  - linear.h
  - loss.h
  - normalization.h
  - padding.h
  - pixelshuffle.h
  - pooling.h
  - rnn.h
  - transformer.h
  - transformercoder.h
  - transformerlayer.h
  - upsampling.h
  - vision.h
- parallel/
  - data\_parallel.h
- utils/
  - clip\_grad.h
  - convert\_parameters.h
  - rnn.h
- cloneable.h
- functional.h
- init.h
- module.h
- modules.h
- options.h
- pimpl-inl.h
- pimpl.h
- utils.h
- optim/
  - schedulers/
    - lr\_scheduler.h
    - reduce\_on\_plateau\_scheduler.h
    - step\_lr.h
  - adagrad.h
  - adam.h
  - adamw.h
  - lbfgs.h
  - optimizer.h
  - rmsprop.h
  - serialize.h
  - sgd.h
- python/
  - init.h
- serialize/
  - archive.h
  - input-archive.h
  - output-archive.h
  - tensor.h
- all.h
- arg.h
- autograd.h
- cuda.h
- data.h
- enum.h
- expanding\_array.h
- fft.h
- imethod.h
- jit.h
- mps.h
- nested.h
- nn.h
- optim.h
- ordered\_dict.h
- python.h

- serialize.h
- sparse.h
- special.h
- torch.h
- types.h
- utils.h
- version.h
- xpu.h
- autograd/
  - functions/
    - accumulate\_grad.h
    - basic\_ops.h
    - comm.h
    - pybind.h
    - tensor.h
    - utils.h
  - generated/
    - Functions.h
    - python\_functions.h
    - python\_return\_types.h
    - variable\_factories.h
    - VariableType.h
    - ViewFuncs.h
  - utils/
    - error\_messages.h
    - grad\_layout\_contract.h
    - lambda\_post\_hook.h
    - python\_arg\_parsing.h
    - warnings.h
    - wrap\_outputs.h
- anomaly\_mode.h
- autograd.h
- autograd\_not\_implemented\_fallback.h
- cpp\_hook.h
- custom\_function.h
- edge.h
- engine.h
- forward\_grad.h
- function.h
- function\_hook.h
- FunctionsManual.h
- grad\_mode.h
- graph\_task.h
- InferenceMode.h
- input\_buffer.h
- input\_metadata.h
- jit\_decomp\_interface.h
- profiler.h
- profiler\_kineto.h
- profiler\_legacy.h
- profiler\_python.h
- python\_anomaly\_mode.h
- python\_autograd.h
- python\_cpp\_function.h
- python\_engine.h
- python\_enum\_tag.h
- python\_fft\_functions.h
- python\_function.h
- python\_hook.h
- python\_legacy\_variable.h
- python\_linalg\_functions.h
- python\_nested\_functions.h
- python\_nn\_functions.h
- python\_saved\_variable\_hooks.h
- python\_sparse\_functions.h
- python\_special\_functions.h
- python\_torch\_functions.h
- python\_variable.h
- python\_variable\_indexing.h
- record\_function\_ops.h
- saved\_variable.h
- saved\_variable\_hooks.h
- symbolic.h
- variable.h
- variable\_info.h
- VariableTypeUtils.h
- cpu/
  - Module.h
- cuda/
  - comm.h
  - CUDAPluggableAllocator.h
  - device\_set.h
  - Event.h
  - GdsFile.h
  - memory\_snapshot.h

- Module.h
- nccl.h
- python\_comm.h
- python\_nccl.h
- Stream.h
- THCP.h
- utils.h
- distributed/
  - autograd/
    - context/
      - container.h
      - context.h
    - engine/
      - dist\_engine.h
    - functions/
      - recvrpc\_backward.h
      - sendrpc\_backward.h
    - rpc\_messages/
      - autograd\_metadata.h
      - cleanup\_autograd\_context\_req.h
      - cleanup\_autograd\_context\_resp.h
      - propagate\_gradients\_req.h
      - propagate\_gradients\_resp.h
      - rpc\_with\_autograd.h
      - rpc\_with\_profiling\_req.h
      - rpc\_with\_profiling\_resp.h
      - rref\_backward\_req.h
      - rref\_backward\_resp.h
    - autograd.h
    - python\_autograd.h
    - utils.h
  - c10d/
    - control\_collectives/
      - ControlCollectives.hpp
      - StoreCollectives.hpp
    - control\_plane/
      - Handlers.hpp
      - WaitCounterHandler.hpp
      - WorkerServer.hpp
    - cuda/
      - CUDAEventCache.hpp
      - StreamBlock.hpp
      - utils.hpp
    - quantization/
      - quantization.h
      - quantization\_gpu.h
      - quantization\_utils.h
    - symm\_mem/
      - CUDASymmetricMemory.hpp
      - CUDASymmetricMemoryTypes.hpp
      - CUDASymmetricMemoryUtils.hpp
      - DMAConnectivity.hpp
      - env.hpp
      - intra\_node\_comm.hpp
      - macros.hpp
      - nccl\_dev\_cap.hpp
      - nccl\_devcomm\_manager.hpp
      - nccl\_extension.hpp
      - NCCLSymmetricMemory.hpp
      - nvshmem\_extension.hpp
      - nvshmem\_team\_manager.hpp
      - SymmetricMemory.hpp
  - Backend.hpp
  - Backoff.hpp
  - c10d.h
  - comm.hpp
  - debug.h
  - default\_comm\_hooks.hpp
  - error.h
  - exception.h
  - FakeProcessGroup.hpp
  - FileStore.hpp
  - FlightRecorder.hpp
  - FlightRecorderDetail.hpp
  - Functional.hpp
  - GlooDeviceFactory.hpp
  - GroupRegistry.hpp
  - HashStore.hpp
  - logger.hpp
  - logging.h
  - NanCheck.hpp
  - NCCLUtils.hpp
  - ParamCommsUtils.hpp
  - PrefixStore.hpp
  - ProcessGroup.hpp

- ProcessGroupGloo.hpp
- ProcessGroupGlooDetail.hpp
- ProcessGroupMPI.hpp
- ProcessGroupNCCL.hpp
- ProcessGroupUCC.hpp
- ProcessGroupWrapper.hpp
- PyProcessGroup.hpp
- python\_callback\_work.hpp
- python\_comm\_hook.h
- RankLocal.hpp
- reducer.hpp
- reducer\_timer.hpp
- sequence\_num.hpp
- socket.h
- socket\_fmt.h
- Store.hpp
- TCPStore.hpp
- TCPStoreBackend.hpp
- TraceUtils.h
- Types.hpp
- UCCTracing.hpp
- UCCUtils.hpp
- UnixSockUtils.hpp
- Utils.hpp
- WinSockUtils.hpp
- Work.hpp
- rpc/
  - metrics/
    - RpcMetricsHandler.h
  - profiler/
    - remote\_profiler\_manager.h
    - server\_process\_global\_profiler.h
  - testing/
    - faulty\_tensorpipe\_agent.h
    - testing.h
  - agent\_utils.h
  - message.h
  - py\_rref.h
  - python\_call.h
  - python\_functions.h
  - python\_remote\_call.h
  - python\_resp.h
  - python\_rpc\_handler.h
  - request\_callback.h
  - request\_callback\_impl.h
  - request\_callback\_no\_python.h
  - rpc.h
  - rpc\_agent.h
  - rpc\_command\_base.h
  - rref\_context.h
  - rref\_impl.h
  - rref\_proto.h
  - script\_call.h
  - script\_remote\_call.h
  - script\_resp.h
  - tensorpipe\_agent.h
  - tensorpipe\_utils.h
  - torchscript\_functions.h
  - types.h
  - unpickled\_python\_call.h
  - unpickled\_python\_remote\_call.h
  - utils.h
- Placement.h
- python\_placement.h
- dynamo/
  - cache\_entry.h
  - compiled\_autograd.h
  - cpp\_shim.h
  - cpython\_defs.h
  - cpython\_includes.h
  - debug\_macros.h
  - eval\_frame.h
  - eval\_frame\_cpp.h
  - extra\_state.h
  - framelocals\_mapping.h
  - guards.h
  - init.h
  - python\_compiled\_autograd.h
  - stackref\_bridge.h
  - utils.h
- export/
  - example\_upgraders.h
  - pt2\_archive\_constants.h
  - pybind.h
  - upgrader.h



- functionalization/
  - Module.h
- functorch/
  - init.h
- fx/
  - node.h
- inductor/
  - aoti\_eager/
    - kernel\_holder.h
    - kernel\_meta\_info.h
  - aoti\_include/
    - array\_ref.h
    - common.h
    - cpu.h
    - cuda.h
    - mps.h
    - xpu.h
  - aoti\_package/
    - model\_package\_loader.h
    - pybind.h
  - aoti\_runner/
    - model\_container\_runner.h
    - model\_container\_runner\_cpu.h
    - model\_container\_runner\_cuda.h
    - model\_container\_runner\_mps.h
    - model\_container\_runner\_xpu.h
    - pybind.h
  - aoti\_runtime/
    - arrayref\_tensor.h
    - arrayref\_tensor\_conversion.h
    - constant\_type.h
    - device\_utils.h
    - interface.h
    - kernel\_context\_tls.h
    - mini\_array\_ref.h
    - model.h
    - model\_base.h
    - model\_container.h
    - scalar\_to\_tensor.h
    - sycl\_runtime\_wrappers.h
    - thread\_local.h
    - utils.h
    - utils\_cuda.h
    - utils\_xpu.h
  - aoti\_torch/
    - c/
      - macros.h
      - shim.h
      - shim\_cpu.h
      - shim\_deprecated.h
      - shim\_mps.h
      - shim\_xpu.h
    - generated/
      - c\_shim\_aten.h
      - c\_shim\_cpu.h
      - c\_shim\_cuda.h
      - c\_shim\_mps.h
      - c\_shim\_xpu.h
    - generated\_enum\_converters.h
    - mkldnn\_tensor.h
    - oss\_proxy\_executor.h
    - proxy\_executor.h
    - tensor\_converter.h
    - utils.h
  - cpp\_wrapper/
    - device\_internal/
      - cpu.h
      - cuda.h
      - mps.h
      - xpu.h
    - array\_ref.h
    - common.h
    - cpu.h
    - cuda.h
    - lazy\_triton\_compile.h
    - mps.h
    - xpu.h
  - static\_launcher/
    - cuda.h
    - xpu.h
  - array\_ref\_impl.h
  - cpp\_prefix.h
  - inductor\_ops.h
- instruction\_counter/
  - Module.h

```

jit/
├── api/
│   ├── compilation_unit.h
│   ├── function_impl.h
│   ├── method.h
│   ├── module.h
│   └── object.h
├── backends/
│   ├── coreml/
│   │   ├── cpp/
│   │   │   └── context.h
│   │   └── objc/
│   │       ├── PTMCoreMLCompiler.h
│   │       ├── PTMCoreMLExecutor.h
│   │       ├── PTMCoreMLFeatureProvider.h
│   │       ├── PTMCoreMLModelWrapper.h
│   │       └── PTMCoreMLTensorSpec.h
│   ├── xnnpack/
│   │   ├── compiler/
│   │   │   └── xnn_compiler.h
│   │   ├── executor/
│   │   │   └── xnn_executor.h
│   │   ├── serialization/
│   │   │   └── serializer.h
│   │   └── xnnpack_graph_builder.h
│   ├── backend.h
│   ├── backend_debug_handler.h
│   ├── backend_debug_info.h
│   ├── backend_detail.h
│   ├── backend_exception.h
│   ├── backend_init.h
│   ├── backend_interface.h
│   ├── backend_preprocess.h
│   └── backend_resolver.h
├── codegen/
│   ├── cuda/
│   │   └── interface.h
│   ├── fuser/
│   │   ├── cpu/
│   │   │   ├── fused_kernel.h
│   │   │   ├── resource_strings.h
│   │   │   └── temp_file.h
│   │   └── cuda/
│   │       ├── fused_kernel.h
│   │       └── resource_strings.h
│   ├── arg_spec.h
│   ├── codegen.h
│   ├── compiler.h
│   ├── executor.h
│   ├── fallback.h
│   ├── fused_kernel.h
│   ├── interface.h
│   ├── kernel_cache.h
│   ├── kernel_spec.h
│   ├── partition_desc.h
│   ├── tensor_desc.h
│   └── tensor_info.h
├── onednn/
│   ├── decompose_silu.h
│   ├── defer_size_check.h
│   ├── graph_fuser.h
│   ├── graph_helper.h
│   ├── guard_shape.h
│   ├── interface.h
│   ├── kernel.h
│   ├── layout_propagation.h
│   ├── LlgaTensorImpl.h
│   ├── operator.h
│   └── prepare_binary.h
├── cuda/
│   └── cuda.h
├── frontend/
│   ├── builtin_functions.h
│   ├── canonicalize_modified_loop.h
│   ├── concrete_module_type.h
│   ├── convert_to_ssa.h
│   ├── edit_distance.h
│   ├── error_report.h
│   ├── exit_transforms.h
│   ├── function_schema_parser.h
│   ├── inline_loop_condition.h
│   ├── ir_emitter.h
│   ├── lexer.h
│   ├── mini_environment.h
│   └── name_mangler.h

```

- parse\_string\_literal.h
- parser.h
- parser\_constants.h
- resolver.h
- schema\_matching.h
- schema\_type\_parser.h
- script\_type\_parser.h
- source\_range.h
- source\_ref.h
- strtod.h
- sugared\_value.h
- tracer.h
- tree.h
- tree\_views.h
- versioned\_symbols.h
- ir/
  - alias\_analysis.h
  - attributes.h
  - constants.h
  - graph\_node\_list.h
  - graph\_utils.h
  - ir.h
  - ir\_views.h
  - irparser.h
  - named\_value.h
  - node\_hashing.h
  - scope.h
  - subgraph\_matcher.h
  - type\_hashing.h
- mobile/
  - compatibility/
    - backport.h
    - backport\_manager.h
    - model\_compatibility.h
    - runtime\_compatibility.h
  - model\_tracer/
    - BuildFeatureTracer.h
    - CustomClassTracer.h
    - KernelIDTypeTracer.h
    - MobileModelRunner.h
    - OperatorCallTracer.h
    - TensorUtils.h
    - TracerRunner.h
- nnc/
  - aot\_compiler.h
  - context.h
  - registry.h
- train/
  - optim/
    - sgd.h
  - export\_data.h
  - random.h
  - sequential.h
- code.h
- debug\_info.h
- file\_format.h
- flatbuffer\_loader.h
- frame.h
- function.h
- import.h
- import\_data.h
- import\_export\_common.h
- interpreter.h
- method.h
- module.h
- observer.h
- parse\_bytecode.h
- parse\_operators.h
- prim\_ops\_registry.h
- profiler\_edge.h
- promoted\_prim\_ops.h
- quantization.h
- register\_ops\_common\_utils.h
- type\_parser.h
- upgrader\_mobile.h
- operator\_upgraders/
  - upgraders.h
  - upgraders\_entry.h
  - utils.h
  - version\_map.h
- passes/
  - dbr\_quantization/
    - remove\_redundant\_aliases.h
  - onnx/
    - pattern\_conversion/

- autograd\_function\_process.h
- common.h
- pattern\_conversion.h
- pattern\_encapsulation.h
- cast\_all\_constant\_to\_floating.h
- constant\_fold.h
- constant\_map.h
- deduplicate\_initializers.h
- eliminate\_unused\_items.h
- eval\_peephole.h
- fixup\_onnx\_controlflow.h
- function\_extraction.h
- function\_substitution.h
- helper.h
- list\_model\_parameters.h
- naming.h
- onnx\_log.h
- peephole.h
- prepare\_division\_for\_onnx.h
- preprocess\_for\_onnx.h
- remove\_inplace\_ops\_for\_onnx.h
- scalar\_type\_analysis.h
- shape\_type\_inference.h
- unpack\_quantized\_weights.h
- quantization/
  - dedup\_module\_uses.h
  - finalize.h
  - fusion\_passes.h
  - helper.h
  - insert\_observers.h
  - insert\_quant\_dequant.h
  - quantization\_patterns.h
  - quantization\_type.h
  - register\_packed\_params.h
- utils/
  - check\_alias\_annotation.h
  - memory\_dag.h
  - op\_registry.h
  - optimization\_utils.h
  - subgraph\_utils.h
- add\_if\_then\_else.h
- annotate\_warns.h
- autocast.h
- bailout\_graph.h
- batch\_mm.h
- canonicalize.h
- canonicalize\_graph\_fuser\_ops.h
- check\_strict\_fusion.h
- clear\_profiling.h
- clear\_undefinedness.h
- common\_subexpression\_elimination.h
- concat\_opt.h
- constant\_pooling.h
- constant\_propagation.h
- create\_autodiff\_subgraphs.h
- create\_functional\_graphs.h
- dead\_code\_elimination.h
- decompose\_ops.h
- device\_type\_analysis.h
- dtype\_analysis.h
- eliminate\_no\_ops.h
- erase\_number\_types.h
- fixup\_trace\_scope\_blocks.h
- fold\_conv\_bn.h
- fold\_linear\_bn.h
- freeze\_module.h
- frozen\_concat\_linear.h
- frozen\_conv\_add\_relu\_fusion.h
- frozen\_conv\_folding.h
- frozen\_graph\_optimizations.h
- frozen\_linear\_folding.h
- frozen\_linear\_transpose.h
- frozen\_ops\_to\_mkldnn.h
- fuse\_linear.h
- fuse\_relu.h
- graph\_fuser.h
- graph\_rewrite\_helper.h
- guard\_elimination.h
- hoist\_conv\_packed\_params.h
- inline\_autodiff\_subgraphs.h
- inline\_fork\_wait.h
- inline\_forked\_closures.h
- inliner.h
- inplace\_check.h
- insert\_guards.h

- integer\_value\_refinement.h
- lift\_closures.h
- liveness.h
- loop\_unrolling.h
- lower\_grad\_of.h
- lower\_graph.h
- lower\_tuples.h
- metal\_rewrite.h
- mkl\_dnn\_rewrite.h
- mobile\_optimizer\_type.h
- normalize\_ops.h
- onednn\_graph\_fuser.h
- onnx.h
- pass\_manager.h
- peephole.h
- peephole\_alias\_sensitive.h
- peephole\_dict\_idioms.h
- peephole\_list\_idioms.h
- peephole\_non\_tensor.h
- prepack\_folding.h
- refine\_tuple\_types.h
- remove\_dropout.h
- remove\_exceptions.h
- remove\_expands.h
- remove\_inplace\_ops.h
- remove\_mutation.h
- remove\_redundant\_profiles.h
- replacement\_of\_old\_operators.h
- requires\_grad\_analysis.h
- restore\_mutation.h
- shape\_analysis.h
- specialize\_autogradzero.h
- subgraph\_rewrite.h
- symbolic\_shape\_analysis.h
- symbolic\_shape\_cache.h
- symbolic\_shape\_runtime\_fusion.h
- tensorexpr\_fuser.h
- update\_differentiable\_graph\_requires\_grad.h
- value\_refinement\_utils.h
- variadic\_ops.h
- vulkan\_rewrite.h
- xnnpack\_rewrite.h
- python/
  - init.h
  - module\_python.h
  - opaque\_obj.h
  - pybind.h
  - pybind\_utils.h
  - python\_arg\_flatten.h
  - python\_custom\_class.h
  - python\_dict.h
  - python\_ir.h
  - python\_ivalue.h
  - python\_list.h
  - python\_sugared\_value.h
  - python\_tracer.h
  - python\_tree\_views.h
  - script\_init.h
  - update\_graph\_executor\_opt.h
  - utf8\_decoding\_ignore.h
- runtime/
  - interpreter/
    - can\_emit\_inline.h
    - code\_impl.h
    - frame.h
    - preprocess\_graph.h
  - static/
    - fusion.h
    - impl.h
    - init.h
    - memory\_planner.h
    - ops.h
    - passes.h
    - processed\_node\_wrapper.h
    - ProcessedNodeInputs.h
    - static\_method.h
    - te\_wrapper.h
- argument\_spec.h
- autodiff.h
- calculate\_necessary\_args.h
- custom\_operator.h
- decomposition\_registry.h
- decomposition\_registry\_util.h
- exception\_message.h
- graph\_executor.h

- graph\_executor\_impl.h
- graph\_iterator.h
- instruction.h
- interpreter.h
- jit\_exception.h
- jit\_trace.h
- logging.h
- operator.h
- operator\_options.h
- print\_handler.h
- profiling\_graph\_executor\_impl.h
- profiling\_record.h
- register\_ops\_utils.h
- script\_profile.h
- serialized\_shape\_function\_registry.h
- shape\_function\_registry.h
- simple\_graph\_executor\_impl.h
- slice\_indices\_adjust.h
- symbolic\_script.h
- symbolic\_shape\_registry.h
- symbolic\_shape\_registry\_util.h
- vararg\_functions.h
- variable\_tensor\_list.h
- serialization/
  - callstack\_debug\_info\_serialization.h
  - export.h
  - export\_bytecode.h
  - flatbuffer\_serializer.h
  - flatbuffer\_serializer\_jit.h
  - import.h
  - import\_export\_constants.h
  - import\_export\_functions.h
  - import\_export\_helpers.h
  - import\_read.h
  - import\_source.h
  - mobile\_bytecode\_generated.h
  - onnx.h
  - pickle.h
  - pickler.h
  - pickler\_helper.h
  - python\_print.h
  - source\_range\_serialization.h
  - source\_range\_serialization\_impl.h
  - storage\_context.h
  - type\_name\_uniquer.h
  - unpickler.h
- tensorexpr/
  - operators/
    - conv2d.h
    - matmul.h
    - misc.h
    - norm.h
    - operators.h
    - pointwise.h
    - quantization.h
    - reduction.h
    - softmax.h
  - analysis.h
  - block\_codegen.h
  - bounds\_inference.h
  - bounds\_overlap.h
  - codegen.h
  - cpp\_codegen.h
  - cpp\_intrinsics.h
  - cuda\_codegen.h
  - cuda\_random.h
  - eval.h
  - exceptions.h
  - expr.h
  - external\_functions.h
  - external\_functions\_core.h
  - external\_functions\_registry.h
  - fwd\_decls.h
  - graph\_opt.h
  - half\_support.h
  - hash\_provider.h
  - intrinsic\_symbols.h
  - ir.h
  - ir\_cloner.h
  - ir\_mutator.h
  - ir\_printer.h
  - ir\_simplifier.h
  - ir\_verifier.h
  - ir\_visitor.h
  - kernel.h

- llvm\_codegen.h
- llvm\_jit.h
- loopnest.h
- loopnest\_randomization.h
- lowerings.h
- mem\_dependency\_checker.h
- reduction.h
- registerizer.h
- stmt.h
- tensor.h
- tensorexpr\_init.h
- types.h
- unique\_name\_manager.h
- var\_substitutor.h
- testing/
  - catch\_utils.hpp
  - file\_check.h
  - hooks\_for\_testing.h
- jit\_log.h
- jit\_opt\_limit.h
- resource\_guard.h
- lazy/
  - backend/
    - backend\_data.h
    - backend\_device.h
    - backend\_interface.h
    - lowering\_context.h
  - core/
    - internal\_ops/
      - ltc\_ops.h
    - ops/
      - arithmetic\_ir\_ops.h
      - utils.h
    - cache.h
    - config.h
    - debug\_util.h
    - dynamic\_ir.h
    - hash.h
    - helpers.h
    - ir.h
    - ir\_builder.h
    - ir\_dump\_util.h
    - ir\_metadata.h
    - ir\_util.h
    - lazy\_graph\_executor.h
    - metrics.h
    - multi\_wait.h
    - permutation\_util.h
    - shape.h
    - shape\_inference.h
    - tensor.h
    - tensor\_impl.h
    - tensor\_util.h
    - thread\_pool.h
    - trie.h
    - unique.h
    - util.h
  - generated/
    - LazyIr.h
    - LazyNativeFunctions.h
    - LazyNonNativeIr.h
  - python/
    - init.h
    - python\_util.h
- ts\_backend/
  - ops/
    - device\_data.h
    - generic.h
    - to\_copy.h
  - config.h
  - dynamic\_ir.h
  - ir\_builder.h
  - tensor\_aten\_ops.h
  - ts\_autograd\_functions.h
  - ts\_backend\_impl.h
  - ts\_eager\_fallback.h
  - ts\_lowering\_context.h
  - ts\_node.h
  - ts\_node\_lowering.h
- monitor/
  - counters.h
  - events.h
  - python\_init.h
- mps/
  - Module.h

- mtia/
  - profiler/
    - MTIAMemoryProfiler.h
    - Module.h
- multiprocessing/
  - init.h
- onnx/
  - back\_compat.h
  - init.h
  - onnx.h
- profiler/
  - orchestration/
    - observer.h
    - python\_tracer.h
    - vulkan.h
  - python/
    - combined\_traceback.h
    - init.h
    - pybind.h
  - standalone/
    - execution\_trace\_observer.h
    - itt\_observer.h
    - nvtx\_observer.h
    - privateuse1\_observer.h
    - privateuse1\_profiler.h
  - stubs/
    - base.h
  - unwind/
    - action.h
    - communicate.h
    - debug\_info.h
    - dwarf\_enums.h
    - dwarf\_symbolize\_enums.h
    - eh\_frame\_hdr.h
    - fast\_symbolizer.h
    - fde.h
    - lexer.h
    - line\_number\_program.h
    - mem\_file.h
    - range\_table.h
    - sections.h
    - unwind.h
    - unwind\_error.h
    - unwinder.h
- api.h
- collection.h
- combined\_traceback.h
- containers.h
- data\_flow.h
- events.h
- kineto\_client\_interface.h
- kineto\_shim.h
- perf-inl.h
- perf.h
- util.h
- stable/
  - c/
    - shim.h
  - accelerator.h
  - device.h
  - device\_inl.h
  - device\_struct.h
  - library.h
  - macros.h
  - ops.h
  - stablevalue\_conversions.h
  - tensor.h
  - tensor\_inl.h
  - tensor\_struct.h
  - version.h
- tensor/
  - python\_tensor.h
- utils/
  - byte\_order.h
  - cpp\_stacktraces.h
  - cuda\_enabled.h
  - device\_lazy\_init.h
  - disable\_torch\_function.h
  - generated\_serialization\_types.h
  - init.h
  - invalid\_arguments.h
  - nested.h
  - numpy\_stub.h
  - object\_ptr.h
  - out\_types.h



- pybind.h
- pycfunction\_helpers.h
- pyobject\_preservation.h
- python\_arg\_parser.h
- python\_compat.h
- python\_dispatch.h
- python\_numbers.h
- python\_raii.h
- python\_scalars.h
- python\_strings.h
- python\_stub.h
- python\_symnode.h
- python\_torch\_function\_mode.h
- python\_tuples.h
- pythoncapi\_compat.h
- schema\_info.h
- structseq.h
- tensor\_apply.h
- tensor\_dtypes.h
- tensor\_flatten.h
- tensor\_layouts.h
- tensor\_list.h
- tensor\_memoryformats.h
- tensor\_new.h
- tensor\_numpy.h
- tensor\_qschemas.h
- tensor\_types.h
- throughput\_benchmark-inl.h
- throughput\_benchmark.h
- torch\_dispatch\_mode.h
- variadic.h
- verbose.h
- xpu/
  - Event.h
  - memory\_snapshot.h
  - Module.h
  - Stream.h
  - XPUPluggableAllocator.h
- copy\_utils.h
- CudaIPCTypes.h
- DataLoader.h
- Device.h
- DeviceAccelerator.h
- Dtype.h
- DynamicTypes.h
- Event.h
- Exceptions.h
- Export.h
- Generator.h
- itt.h
- itt\_wrapper.h
- Layout.h
- MemoryFormat.h
- Module.h
- PyInterpreter.h
- PyInterpreterHooks.h
- python\_dimname.h
- python\_headers.h
- QScheme.h
- serialization.h
- shim\_conversion\_utils.h
- Size.h
- Storage.h
- StorageMethods.h
- StorageSharing.h
- Stream.h
- THConcat.h
- THP.h
- TypeInfo.h
- Types.h
- utils.h
- headeronly/
  - core/
    - DeviceType.h
    - Dispatch.h
    - Dispatch\_v2.h
    - enum\_tag.h
    - Layout.h
    - MemoryFormat.h
    - ScalarType.h
    - TensorAccessor.h
  - cpu/
    - vec/
      - intrinsics.h
      - vec\_half.h

- macros/
  - cmake\_macros.h
  - Export.h
  - Macros.h
- util/
  - BFloat16.h
  - bit\_cast.h
  - bits.h
  - complex.h
  - Deprecated.h
  - Exception.h
  - Float4\_e2m1fn\_x2.h
  - Float8\_e4m3fn.h
  - Float8\_e4m3fnuz.h
  - Float8\_e5m2.h
  - Float8\_e5m2fnuz.h
  - Float8\_e8m0fnu.h
  - Float8\_fnuz\_cvt.h
  - floating\_point\_utils.h
  - Half.h
  - HeaderOnlyArrayRef.h
  - Metaprogramming.h
  - qint32.h
  - qint8.h
  - quint2x4.h
  - quint4x2.h
  - quint8.h
  - shim\_utils.h
  - TypeList.h
  - TypeSafeSignMath.h
  - TypeTraits.h
- version.h
- custom\_class.h
- custom\_class\_detail.h
- extension.h
- library.h
- script.h
- advisor-annotate.h
- cpuinfo.h
- dnnl.h
- dnnl.hpp
- dnnl\_config.h
- dnnl\_debug.h
- dnnl\_ocl.h
- dnnl\_ocl.hpp
- dnnl\_sycl.h
- dnnl\_sycl.hpp
- dnnl\_sycl\_types.h
- dnnl\_threadpool.h
- dnnl\_threadpool.hpp
- dnnl\_threadpool\_iface.hpp
- dnnl\_types.h
- dnnl\_version.h
- experiments-config.h
- fp16.h
- fxdiv.h
- ittnotify-zca.h
- ittnotify.h
- jitprofiling.h
- libittnotify.h
- libshm.h
- psimd.h
- pthreadpool.h
- sleef.h
- xnnpack.h
- jit/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_async.cpython-312.pyc
    - \_await.cpython-312.pyc
    - \_builtins.cpython-312.pyc
    - \_check.cpython-312.pyc
    - \_dataclass\_impls.cpython-312.pyc
    - \_decomposition\_utils.cpython-312.pyc
    - \_decompositions.cpython-312.pyc
    - \_freeze.cpython-312.pyc
    - \_fuser.cpython-312.pyc
    - \_ir\_utils.cpython-312.pyc
    - \_logging.cpython-312.pyc
    - \_monkeytype\_config.cpython-312.pyc
    - \_pickle.cpython-312.pyc
    - \_recursive.cpython-312.pyc
    - \_script.cpython-312.pyc
    - \_serialization.cpython-312.pyc
    - \_shape\_functions.cpython-312.pyc

- \_state.cpython-312.pyc
- \_trace.cpython-312.pyc
- annotations.cpython-312.pyc
- frontend.cpython-312.pyc
- generate\_bytecode.cpython-312.pyc
- quantized.cpython-312.pyc
- supported\_ops.cpython-312.pyc
- unsupported\_tensor\_ops.cpython-312.pyc
- passes/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_property\_propagation.cpython-312.pyc
  - \_\_init\_\_.py
  - \_property\_propagation.py
- mobile/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- \_init\_\_.py
- \_async.py
- await.py
- builtins.py
- check.py
- \_dataclass\_impls.py
- \_decomposition\_utils.py
- \_decompositions.py
- freeze.py
- \_fuser.py
- \_ir\_utils.py
- \_logging.py
- \_monkeytype\_config.py
- \_pickle.py
- \_recursive.py
- \_script.py
- \_script.pyi
- \_serialization.py
- \_shape\_functions.py
- \_state.py
- \_trace.py
- annotations.py
- frontend.py
- generate\_bytecode.py
- quantized.py
- supported\_ops.py
- unsupported\_tensor\_ops.py
- lib/
  - libshm/
    - alloc\_info.h
    - err.h
    - libshm.h
    - socket.h
  - libshm\_windows/
    - libshm.h
  - \_C.lib
  - c10.dll
  - c10.lib
  - cpuinfo.lib
  - fmt.lib
  - libiomp5md.dll
  - libiompstubs5md.dll
  - libitnotify.lib
  - microkernels-prod.lib
  - pthreadpool.lib
  - shm.dll
  - shm.lib
  - sleef.lib
  - torch.dll
  - torch.lib
  - torch\_cpu.dll
  - torch\_cpu.lib
  - torch\_global\_deps.dll
  - torch\_python.dll
  - torch\_python.lib
  - uv.dll
  - XNNPACK.lib
- linalg/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- masked/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_docs.cpython-312.pyc
    - \_ops.cpython-312.pyc
  - maskedtensor/

- \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_ops\_refs.cpython-312.pyc
      - binary.cpython-312.pyc
      - core.cpython-312.pyc
      - creation.cpython-312.pyc
      - passthrough.cpython-312.pyc
      - reductions.cpython-312.pyc
      - unary.cpython-312.pyc
    - \_\_init\_\_.py
    - \_ops\_refs.py
    - binary.py
    - core.py
    - creation.py
    - passthrough.py
    - reductions.py
    - unary.py
  - \_\_init\_\_.py
  - \_docs.py
  - \_ops.py
- monitor/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- mps/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - event.cpython-312.pyc
    - profiler.cpython-312.pyc
  - \_\_init\_\_.py
  - event.py
  - profiler.py
- mtia/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_utils.cpython-312.pyc
    - memory.cpython-312.pyc
    - mtia\_graph.cpython-312.pyc
  - \_\_init\_\_.py
  - \_utils.py
  - memory.py
  - mtia\_graph.py
- multiprocessing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_atfork.cpython-312.pyc
    - pool.cpython-312.pyc
    - queue.cpython-312.pyc
    - reductions.cpython-312.pyc
    - spawn.cpython-312.pyc
  - \_\_init\_\_.py
  - \_atfork.py
  - pool.py
  - queue.py
  - reductions.py
  - spawn.py
- nativert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - backends/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_lower\_utils.cpython-312.pyc
      - \_lowered\_aoti\_module.cpython-312.pyc
    - \_\_init\_\_.py
    - \_lower\_utils.py
    - \_lowered\_aoti\_module.py
  - \_\_init\_\_.py
- nested/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - internal/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - nested\_int.cpython-312.pyc
      - nested\_tensor.cpython-312.pyc
      - ops.cpython-312.pyc
      - sdpa.cpython-312.pyc
    - \_\_init\_\_.py
    - nested\_int.py
    - nested\_tensor.py
    - ops.py
    - sdpa.py
  - \_\_init\_\_.py
- nn/

- pycache\_/
  - \_\_init\_\_.cpython-312.pyc
  - \_reduction.cpython-312.pyc
  - common\_types.cpython-312.pyc
  - cpp.cpython-312.pyc
  - functional.cpython-312.pyc
  - grad.cpython-312.pyc
  - init.cpython-312.pyc
  - parameter.cpython-312.pyc
- attention/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - fa3.cpython-312.pyc
    - fa4.cpython-312.pyc
    - \_registry.cpython-312.pyc
    - \_utils.cpython-312.pyc
    - bias.cpython-312.pyc
    - flex\_attention.cpython-312.pyc
    - varlen.cpython-312.pyc
  - experimental/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_paged\_attention.cpython-312.pyc
      - \_scaled\_dot\_product\_attention\_quantized.cpython-312.pyc
    - \_\_init\_\_.py
    - \_paged\_attention.py
    - \_scaled\_dot\_product\_attention\_quantized.py
  - \_\_init\_\_.py
  - fa3.py
  - fa4.py
  - \_registry.py
  - \_utils.py
  - bias.py
  - flex\_attention.py
  - varlen.py
- backends/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - thnn.cpython-312.pyc
  - \_\_init\_\_.py
  - thnn.py
- intrinsic/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - modules/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - fused.cpython-312.pyc
    - \_\_init\_\_.py
    - fused.py
  - qat/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - modules/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - conv\_fused.cpython-312.pyc
        - linear\_fused.cpython-312.pyc
        - linear\_relu.cpython-312.pyc
      - \_\_init\_\_.py
      - conv\_fused.py
      - linear\_fused.py
      - linear\_relu.py
    - \_\_init\_\_.py
  - quantized/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - dynamic/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
      - modules/
        - pycache\_/
          - \_\_init\_\_.cpython-312.pyc
          - linear\_relu.cpython-312.pyc
        - \_\_init\_\_.py
        - linear\_relu.py
      - \_\_init\_\_.py
    - modules/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - bn\_relu.cpython-312.pyc
        - conv\_relu.cpython-312.pyc
        - linear\_relu.cpython-312.pyc
      - \_\_init\_\_.py
      - bn\_relu.py

- conv\_relu.py
    - linear\_relu.py
    - \_\_init\_\_.py
  - \_\_init\_\_.py
- modules/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_functions.cpython-312.pyc
    - activation.cpython-312.pyc
    - adaptive.cpython-312.pyc
    - batchnorm.cpython-312.pyc
    - channelshuffle.cpython-312.pyc
    - container.cpython-312.pyc
    - conv.cpython-312.pyc
    - distance.cpython-312.pyc
    - dropout.cpython-312.pyc
    - flatten.cpython-312.pyc
    - fold.cpython-312.pyc
    - instancenorm.cpython-312.pyc
    - lazy.cpython-312.pyc
    - linear.cpython-312.pyc
    - loss.cpython-312.pyc
    - module.cpython-312.pyc
    - normalization.cpython-312.pyc
    - padding.cpython-312.pyc
    - pixelshuffle.cpython-312.pyc
    - pooling.cpython-312.pyc
    - rnn.cpython-312.pyc
    - sparse.cpython-312.pyc
    - transformer.cpython-312.pyc
    - upsampling.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py
  - \_functions.py
  - activation.py
  - adaptive.py
  - batchnorm.py
  - channelshuffle.py
  - container.py
  - conv.py
  - distance.py
  - dropout.py
  - flatten.py
  - fold.py
  - instancenorm.py
  - lazy.py
  - linear.py
  - loss.py
  - module.py
  - normalization.py
  - padding.py
  - pixelshuffle.py
  - pooling.py
  - rnn.py
  - sparse.py
  - transformer.py
  - upsampling.py
  - utils.py
- parallel/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_functions.cpython-312.pyc
    - comm.cpython-312.pyc
    - data\_parallel.cpython-312.pyc
    - distributed.cpython-312.pyc
    - parallel\_apply.cpython-312.pyc
    - replicate.cpython-312.pyc
    - scatter\_gather.cpython-312.pyc
  - \_\_init\_\_.py
  - \_functions.py
  - comm.py
  - data\_parallel.py
  - distributed.py
  - parallel\_apply.py
  - replicate.py
  - scatter\_gather.py
- qat/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - dynamic/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
    - modules/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc

```

├── linear.cpython-312.pyc
├── __init__.py
├── linear.py
├── __init__.py
├── modules/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── conv.cpython-312.pyc
│   │   ├── embedding_ops.cpython-312.pyc
│   │   └── linear.cpython-312.pyc
│   ├── __init__.py
│   ├── conv.py
│   ├── embedding_ops.py
│   └── linear.py
├── __init__.py
├── quantizable/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   └── modules/
│       ├── pycache_/
│       │   ├── __init__.cpython-312.pyc
│       │   ├── activation.cpython-312.pyc
│       │   └── rnn.cpython-312.pyc
│       ├── __init__.py
│       ├── activation.py
│       └── rnn.py
├── __init__.py
├── quantized/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   └── functional.cpython-312.pyc
│   └── reference/
│       ├── pycache_/
│       │   ├── __init__.cpython-312.pyc
│       └── modules/
│           ├── pycache_/
│           │   ├── __init__.cpython-312.pyc
│           │   ├── conv.cpython-312.pyc
│           │   ├── linear.cpython-312.pyc
│           │   ├── rnn.cpython-312.pyc
│           │   ├── sparse.cpython-312.pyc
│           │   └── utils.cpython-312.pyc
│           ├── __init__.py
│           ├── conv.py
│           ├── linear.py
│           ├── rnn.py
│           ├── sparse.py
│           └── utils.py
├── __init__.py
├── dynamic/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   └── modules/
│       ├── pycache_/
│       │   ├── __init__.cpython-312.pyc
│       │   ├── conv.cpython-312.pyc
│       │   ├── linear.cpython-312.pyc
│       │   └── rnn.cpython-312.pyc
│       ├── __init__.py
│       ├── conv.py
│       ├── linear.py
│       └── rnn.py
├── __init__.py
├── modules/
│   ├── pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── activation.cpython-312.pyc
│   │   ├── batchnorm.cpython-312.pyc
│   │   ├── conv.cpython-312.pyc
│   │   ├── dropout.cpython-312.pyc
│   │   ├── embedding_ops.cpython-312.pyc
│   │   ├── functional_modules.cpython-312.pyc
│   │   ├── linear.cpython-312.pyc
│   │   ├── normalization.cpython-312.pyc
│   │   ├── rnn.cpython-312.pyc
│   │   └── utils.cpython-312.pyc
│   ├── __init__.py
│   ├── activation.py
│   ├── batchnorm.py
│   ├── conv.py
│   ├── dropout.py
│   ├── embedding_ops.py
│   ├── functional_modules.py
│   ├── linear.py
│   └── normalization.py

```

- rnn.py
    - utils.py
  - \_\_init\_\_.py
  - functional.py
- utils/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_deprecation\_utils.cpython-312.pyc
    - \_named\_member\_accessor.cpython-312.pyc
    - \_per\_sample\_grad.cpython-312.pyc
    - clip\_grad.cpython-312.pyc
    - convert\_parameters.cpython-312.pyc
    - fusion.cpython-312.pyc
    - init.cpython-312.pyc
    - memory\_format.cpython-312.pyc
    - parametrizations.cpython-312.pyc
    - parametrize.cpython-312.pyc
    - prune.cpython-312.pyc
    - rnn.cpython-312.pyc
    - spectral\_norm.cpython-312.pyc
    - stateless.cpython-312.pyc
    - weight\_norm.cpython-312.pyc
  - expanded\_weights/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - conv\_expanded\_weights.cpython-312.pyc
      - conv\_utils.cpython-312.pyc
      - embedding\_expanded\_weights.cpython-312.pyc
      - expanded\_weights\_impl.cpython-312.pyc
      - expanded\_weights\_utils.cpython-312.pyc
      - group\_norm\_expanded\_weights.cpython-312.pyc
      - instance\_norm\_expanded\_weights.cpython-312.pyc
      - layer\_norm\_expanded\_weights.cpython-312.pyc
      - linear\_expanded\_weights.cpython-312.pyc
    - \_\_init\_\_.py
    - conv\_expanded\_weights.py
    - conv\_utils.py
    - embedding\_expanded\_weights.py
    - expanded\_weights\_impl.py
    - expanded\_weights\_utils.py
    - group\_norm\_expanded\_weights.py
    - instance\_norm\_expanded\_weights.py
    - layer\_norm\_expanded\_weights.py
    - linear\_expanded\_weights.py
  - \_\_init\_\_.py
  - \_deprecation\_utils.py
  - \_named\_member\_accessor.py
  - \_per\_sample\_grad.py
  - clip\_grad.py
  - convert\_parameters.py
  - fusion.py
  - init.py
  - memory\_format.py
  - parametrizations.py
  - parametrize.py
  - prune.py
  - rnn.py
  - spectral\_norm.py
  - stateless.py
  - weight\_norm.py
- \_\_init\_\_.py
- \_reduction.py
- common\_types.py
- cpp.py
- functional.py
- functional.pyi
- grad.py
- init.py
- parameter.py
- parameter.pyi

- numa/
- \_\_pycache\_\_/
  - \_\_init\_\_.cpython-312.pyc
  - binding.cpython-312.pyc
- \_\_init\_\_.py
- binding.py
- onnx/
- \_\_pycache\_\_/
  - \_\_init\_\_.cpython-312.pyc
  - \_constants.cpython-312.pyc
  - \_flags.cpython-312.pyc
  - errors.cpython-312.pyc
  - operators.cpython-312.pyc
  - symbolic\_helper.cpython-312.pyc
  - symbolic\_opset10.cpython-312.pyc



- symbolic\_opset11.cpython-312.pyc
- symbolic\_opset12.cpython-312.pyc
- symbolic\_opset13.cpython-312.pyc
- symbolic\_opset14.cpython-312.pyc
- symbolic\_opset15.cpython-312.pyc
- symbolic\_opset16.cpython-312.pyc
- symbolic\_opset17.cpython-312.pyc
- symbolic\_opset18.cpython-312.pyc
- symbolic\_opset19.cpython-312.pyc
- symbolic\_opset20.cpython-312.pyc
- symbolic\_opset7.cpython-312.pyc
- symbolic\_opset8.cpython-312.pyc
- symbolic\_opset9.cpython-312.pyc
- testing.cpython-312.pyc
- utils.cpython-312.pyc
- verification.cpython-312.pyc
- internal/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_lazy\_import.cpython-312.pyc
  - exporter/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - analysis.cpython-312.pyc
      - building.cpython-312.pyc
      - capture\_strategies.cpython-312.pyc
      - compat.cpython-312.pyc
      - constants.cpython-312.pyc
      - core.cpython-312.pyc
      - decomp.cpython-312.pyc
      - dispatching.cpython-312.pyc
      - dynamic\_shapes.cpython-312.pyc
      - errors.cpython-312.pyc
      - exportable\_module.cpython-312.pyc
      - flags.cpython-312.pyc
      - fx\_passes.cpython-312.pyc
      - input\_observer.cpython-312.pyc
      - ir\_passes.cpython-312.pyc
      - isolated.cpython-312.pyc
      - onnx\_program.cpython-312.pyc
      - registration.cpython-312.pyc
      - reporting.cpython-312.pyc
      - schemas.cpython-312.pyc
      - tensors.cpython-312.pyc
      - testing.cpython-312.pyc
      - type\_casting.cpython-312.pyc
      - verification.cpython-312.pyc
  - torchlib/
    - pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - tensor\_typing.cpython-312.pyc
      - torchlib\_registry.cpython-312.pyc
    - ops/
      - pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - core.cpython-312.pyc
        - hop.cpython-312.pyc
        - nn.cpython-312.pyc
        - symbolic.cpython-312.pyc
        - symops.cpython-312.pyc
      - \_\_init\_\_.py
      - core.py
      - hop.py
      - nn.py
      - symbolic.py
      - symops.py
    - \_\_init\_\_.py
    - tensor\_typing.py
    - torchlib\_registry.py
- \_\_init\_\_.py
- analysis.py
- building.py
- capture\_strategies.py
- compat.py
- constants.py
- core.py
- decomp.py
- dispatching.py
- dynamic\_shapes.py
- errors.py
- exportable\_module.py
- flags.py
- fx\_passes.py
- input\_observer.py
- ir\_passes.py

- \_isolated.py
- \_onnx\_program.py
- \_registration.py
- \_reporting.py
- \_schemas.py
- \_tensors.py
- \_testing.py
- \_type\_casting.py
- \_verification.py
- fx/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_pass.cpython-312.pyc
    - type\_utils.cpython-312.pyc
  - passes/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - type\_promotion.cpython-312.pyc
    - \_\_init\_\_.py
    - type\_promotion.py
  - \_\_init\_\_.py
  - \_pass.py
  - type\_utils.py
- torchscript\_exporter/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_experimental.cpython-312.pyc
    - \_globals.cpython-312.pyc
    - \_type\_utils.cpython-312.pyc
    - jit\_utils.cpython-312.pyc
    - onnx\_proto\_utils.cpython-312.pyc
    - registration.cpython-312.pyc
    - symbolic\_helper.cpython-312.pyc
    - symbolic\_opset10.cpython-312.pyc
    - symbolic\_opset11.cpython-312.pyc
    - symbolic\_opset12.cpython-312.pyc
    - symbolic\_opset13.cpython-312.pyc
    - symbolic\_opset14.cpython-312.pyc
    - symbolic\_opset15.cpython-312.pyc
    - symbolic\_opset16.cpython-312.pyc
    - symbolic\_opset17.cpython-312.pyc
    - symbolic\_opset18.cpython-312.pyc
    - symbolic\_opset19.cpython-312.pyc
    - symbolic\_opset20.cpython-312.pyc
    - symbolic\_opset7.cpython-312.pyc
    - symbolic\_opset8.cpython-312.pyc
    - symbolic\_opset9.cpython-312.pyc
    - utils.cpython-312.pyc
    - verification.cpython-312.pyc
  - \_\_init\_\_.py
  - \_experimental.py
  - \_globals.py
  - \_type\_utils.py
  - jit\_utils.py
  - onnx\_proto\_utils.py
  - registration.py
  - symbolic\_helper.py
  - symbolic\_opset10.py
  - symbolic\_opset11.py
  - symbolic\_opset12.py
  - symbolic\_opset13.py
  - symbolic\_opset14.py
  - symbolic\_opset15.py
  - symbolic\_opset16.py
  - symbolic\_opset17.py
  - symbolic\_opset18.py
  - symbolic\_opset19.py
  - symbolic\_opset20.py
  - symbolic\_opset7.py
  - symbolic\_opset8.py
  - symbolic\_opset9.py
  - utils.py
  - verification.py
- \_\_init\_\_.py
- \_lazy\_import.py
- ops/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_dtype\_mappings.cpython-312.pyc
    - \_impl.cpython-312.pyc
    - \_symbolic\_impl.cpython-312.pyc
  - \_\_init\_\_.py
  - \_dtype\_mappings.py
  - \_impl.py
  - \_symbolic\_impl.py

- `__init__.py`
- `_constants.py`
- `_flags.py`
- `errors.py`
- `operators.py`
- `symbolic_helper.py`
- `symbolic_opset10.py`
- `symbolic_opset11.py`
- `symbolic_opset12.py`
- `symbolic_opset13.py`
- `symbolic_opset14.py`
- `symbolic_opset15.py`
- `symbolic_opset16.py`
- `symbolic_opset17.py`
- `symbolic_opset18.py`
- `symbolic_opset19.py`
- `symbolic_opset20.py`
- `symbolic_opset7.py`
- `symbolic_opset8.py`
- `symbolic_opset9.py`
- `testing.py`
- `utils.py`
- `verification.py`
- `optim/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_adafactor.cpython-312.pyc`
    - `_functional.cpython-312.pyc`
    - `_muon.cpython-312.pyc`
    - `adadelata.cpython-312.pyc`
    - `adagrad.cpython-312.pyc`
    - `adam.cpython-312.pyc`
    - `adamax.cpython-312.pyc`
    - `adamw.cpython-312.pyc`
    - `asgd.cpython-312.pyc`
    - `lbfgs.cpython-312.pyc`
    - `lr_scheduler.cpython-312.pyc`
    - `nadam.cpython-312.pyc`
    - `optimizer.cpython-312.pyc`
    - `radam.cpython-312.pyc`
    - `rmsprop.cpython-312.pyc`
    - `rprop.cpython-312.pyc`
    - `sgd.cpython-312.pyc`
    - `sparse_adam.cpython-312.pyc`
    - `swa_utils.cpython-312.pyc`
  - `multi_tensor/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
    - `__init__.py`
    - `__init__.pyi`
  - `__init__.py`
  - `_adafactor.py`
  - `_functional.py`
  - `_muon.py`
  - `adadelata.py`
  - `adagrad.py`
  - `adam.py`
  - `adamax.py`
  - `adamw.py`
  - `asgd.py`
  - `lbfgs.py`
  - `lr_scheduler.py`
  - `nadam.py`
  - `optimizer.py`
  - `radam.py`
  - `rmsprop.py`
  - `rprop.py`
  - `sgd.py`
  - `sparse_adam.py`
  - `swa_utils.py`
- `package/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_digraph.cpython-312.pyc`
    - `_directory_reader.cpython-312.pyc`
    - `_importlib.cpython-312.pyc`
    - `_mangling.cpython-312.pyc`
    - `_mock.cpython-312.pyc`
    - `_package_pickler.cpython-312.pyc`
    - `_package_unpickler.cpython-312.pyc`
    - `_stdlib.cpython-312.pyc`
    - `file_structure_representation.cpython-312.pyc`
    - `find_file_dependencies.cpython-312.pyc`
    - `glob_group.cpython-312.pyc`
    - `importer.cpython-312.pyc`

- package\_exporter.cpython-312.pyc
- package\_importer.cpython-312.pyc
- analyze/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - find\_first\_use\_of\_broken\_modules.cpython-312.pyc
    - is\_from\_package.cpython-312.pyc
    - trace\_dependencies.cpython-312.pyc
  - \_\_init\_\_.py
  - find\_first\_use\_of\_broken\_modules.py
  - is\_from\_package.py
  - trace\_dependencies.py
- \_\_init\_\_.py
- digraph.py
- directory\_reader.py
- importlib.py
- mangling.py
- mock.py
- package\_pickler.py
- package\_unpickler.py
- stdlib.py
- file\_structure\_representation.py
- find\_file\_dependencies.py
- glob\_group.py
- importer.py
- package\_exporter.py
- package\_importer.py
- profiler/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - memory\_profiler.cpython-312.pyc
    - pattern\_matcher.cpython-312.pyc
    - utils.cpython-312.pyc
    - itt.cpython-312.pyc
    - profiler.cpython-312.pyc
    - python\_tracer.cpython-312.pyc
  - \_\_init\_\_.py
  - memory\_profiler.py
  - pattern\_matcher.py
  - utils.py
  - itt.py
  - profiler.py
  - python\_tracer.py
- quantization/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - numeric\_suite.cpython-312.pyc
    - numeric\_suite\_fx.cpython-312.pyc
    - quantized\_conversions.cpython-312.pyc
    - fake\_quantize.cpython-312.pyc
    - fuse\_modules.cpython-312.pyc
    - fuser\_method\_mappings.cpython-312.pyc
    - observer.cpython-312.pyc
    - qconfig.cpython-312.pyc
    - quant\_type.cpython-312.pyc
    - quantization\_mappings.cpython-312.pyc
    - quantize.cpython-312.pyc
    - quantize\_fx.cpython-312.pyc
    - quantize\_jit.cpython-312.pyc
    - stubs.cpython-312.pyc
    - utils.cpython-312.pyc
- fx/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - equalize.cpython-312.pyc
    - convert.cpython-312.pyc
    - fuse.cpython-312.pyc
    - fusion\_patterns.cpython-312.pyc
    - graph\_module.cpython-312.pyc
    - match\_utils.cpython-312.pyc
    - pattern\_utils.cpython-312.pyc
    - prepare.cpython-312.pyc
    - quantization\_patterns.cpython-312.pyc
    - quantization\_types.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py
  - equalize.py
  - convert.py
  - fuse.py
  - fusion\_patterns.py
  - graph\_module.py
  - match\_utils.py
  - pattern\_utils.py
  - prepare.py
  - quantization\_patterns.py

- quantization\_types.py
  - utils.py
- \_\_init\_\_.py
- \_numeric\_suite.py
- \_numeric\_suite\_fx.py
- \_quantized\_conversions.py
- fake\_quantize.py
- fuse\_modules.py
- fuser\_method\_mappings.py
- observer.py
- qconfig.py
- quant\_type.py
- quantization\_mappings.py
- quantize.py
- quantize\_fx.py
- quantize\_jit.py
- stubs.py
- utils.py
- share/
  - cmake/
    - ATen/
      - ATenConfig.cmake
    - Caffe2/
      - Modules\_CUDA\_fix/
        - upstream/
          - FindCUDA/
            - make2cmake.cmake
            - parse\_cubin.cmake
            - run\_nvcc.cmake
            - select\_compute\_arch.cmake
          - CMakeInitializeConfigs.cmake
          - FindCUDA.cmake
          - FindPackageMessage.cmake
        - FindCUDA.cmake
        - FindCUDNN.cmake
      - public/
        - cuda.cmake
        - gflags.cmake
        - glog.cmake
        - LoadHIP.cmake
        - mk1.cmake
        - mkldnn.cmake
        - protobuf.cmake
        - utils.cmake
        - xpu.cmake
      - Caffe2Config.cmake
      - Caffe2Targets-release.cmake
      - Caffe2Targets.cmake
      - FindCUDAToolkit.cmake
      - FindCUDSS.cmake
      - FindCUSPARSELT.cmake
      - FindSYCLToolkit.cmake
    - Torch/
      - TorchConfig.cmake
      - TorchConfigVersion.cmake
- signal/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
- windows/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - windows.cpython-312.pyc
  - \_\_init\_\_.py
  - windows.py
  - \_\_init\_\_.py
- sparse/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_semi\_structured\_conversions.cpython-312.pyc
    - \_semi\_structured\_ops.cpython-312.pyc
    - \_triton\_ops.cpython-312.pyc
    - \_triton\_ops\_meta.cpython-312.pyc
    - semi\_structured.cpython-312.pyc
  - \_\_init\_\_.py
  - \_semi\_structured\_conversions.py
  - \_semi\_structured\_ops.py
  - \_triton\_ops.py
  - \_triton\_ops\_meta.py
  - semi\_structured.py
- special/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- testing/
  - \_\_pycache\_\_/

- `__init__.cpython-312.pyc`
- `_comparison.cpython-312.pyc`
- `_creation.cpython-312.pyc`
- `_utils.cpython-312.pyc`
- `internal/`
  - `pycache_/`
    - `__init__.cpython-312.pyc`
    - `autocast_test_lists.cpython-312.pyc`
    - `autograd_function_db.cpython-312.pyc`
    - `check_kernel_launches.cpython-312.pyc`
    - `common_cuda.cpython-312.pyc`
    - `common_device_type.cpython-312.pyc`
    - `common_dist_composable.cpython-312.pyc`
    - `common_distributed.cpython-312.pyc`
    - `common_dtype.cpython-312.pyc`
    - `common_fsdp.cpython-312.pyc`
    - `common_jit.cpython-312.pyc`
    - `common_methods_invocations.cpython-312.pyc`
    - `common_mkldnn.cpython-312.pyc`
    - `common_modules.cpython-312.pyc`
    - `common_mps.cpython-312.pyc`
    - `common_nn.cpython-312.pyc`
    - `common_ops_unbacked.cpython-312.pyc`
    - `common_optimizers.cpython-312.pyc`
    - `common_pruning.cpython-312.pyc`
    - `common_quantization.cpython-312.pyc`
    - `common_quantized.cpython-312.pyc`
    - `common_subclass.cpython-312.pyc`
    - `common_utils.cpython-312.pyc`
    - `common_xpu.cpython-312.pyc`
    - `composite_compliance.cpython-312.pyc`
    - `custom_op_db.cpython-312.pyc`
    - `custom_tensor.cpython-312.pyc`
    - `dist_utils.cpython-312.pyc`
    - `dynamo_pytree_test_utils.cpython-312.pyc`
    - `dynamo_test_failures.cpython-312.pyc`
    - `fake_config_module.cpython-312.pyc`
    - `fake_config_module2.cpython-312.pyc`
    - `fake_config_module3.cpython-312.pyc`
    - `hop_db.cpython-312.pyc`
    - `hypothesis_utils.cpython-312.pyc`
    - `inductor_utils.cpython-312.pyc`
    - `jit_metaprogramming_utils.cpython-312.pyc`
    - `jit_utils.cpython-312.pyc`
    - `logging_tensor.cpython-312.pyc`
    - `logging_utils.cpython-312.pyc`
    - `py312_intrinsics.cpython-312.pyc`
    - `quantization_torch_package_models.cpython-312.pyc`
    - `static_module.cpython-312.pyc`
    - `subclasses.cpython-312.pyc`
    - `torchbind_impls.cpython-312.pyc`
    - `triton_utils.cpython-312.pyc`
    - `two_tensor.cpython-312.pyc`
  - `codegen/`
    - `pycache_/`
      - `__init__.cpython-312.pyc`
      - `__init__.py`
  - `data/`
    - `pycache_/`
      - `__init__.cpython-312.pyc`
      - `network1.cpython-312.pyc`
      - `network2.cpython-312.pyc`
    - `__init__.py`
    - `network1.py`
    - `network2.py`
  - `distributed/`
    - `pycache_/`
      - `__init__.cpython-312.pyc`
      - `checkpoint_utils.cpython-312.pyc`
      - `common_state_dict.cpython-312.pyc`
      - `ddp_under_dist_autograd_test.cpython-312.pyc`
      - `distributed_test.cpython-312.pyc`
      - `distributed_utils.cpython-312.pyc`
      - `fake_pg.cpython-312.pyc`
      - `multi_threaded_pg.cpython-312.pyc`
      - `rpc_utils.cpython-312.pyc`
    - `shard/`
      - `pycache_/`
        - `__init__.cpython-312.pyc`
        - `test_common.cpython-312.pyc`
      - `sharded_tensor/`
        - `pycache_/`
          - `__init__.cpython-312.pyc`
          - `_test_ops_common.cpython-312.pyc`
          - `_test_st_common.cpython-312.pyc`

- \_\_init\_\_.py
    - \_test\_ops\_common.py
    - \_test\_st\_common.py
  - \_\_init\_\_.py
  - test\_common.py
- tensor/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - common\_dtensor.cpython-312.pyc
    - \_\_init\_\_.py
    - common\_dtensor.py
- nn/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
  - api/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - remote\_module\_test.cpython-312.pyc
      - \_\_init\_\_.py
      - remote\_module\_test.py
    - \_\_init\_\_.py
- rpc/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - dist\_autograd\_test.cpython-312.pyc
      - dist\_optimizer\_test.cpython-312.pyc
      - faulty\_agent\_rpc\_test.cpython-312.pyc
      - faulty\_rpc\_agent\_test\_fixture.cpython-312.pyc
      - rpc\_agent\_test\_fixture.cpython-312.pyc
      - rpc\_test.cpython-312.pyc
      - tensorpipe\_rpc\_agent\_test\_fixture.cpython-312.pyc
  - examples/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - parameter\_server\_test.cpython-312.pyc
        - reinforcement\_learning\_rpc\_test.cpython-312.pyc
      - \_\_init\_\_.py
      - parameter\_server\_test.py
      - reinforcement\_learning\_rpc\_test.py
  - jit/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-312.pyc
        - dist\_autograd\_test.cpython-312.pyc
        - rpc\_test.cpython-312.pyc
        - rpc\_test\_faulty.cpython-312.pyc
      - \_\_init\_\_.py
      - dist\_autograd\_test.py
      - rpc\_test.py
      - rpc\_test\_faulty.py
  - \_\_init\_\_.py
  - dist\_autograd\_test.py
  - dist\_optimizer\_test.py
  - faulty\_agent\_rpc\_test.py
  - faulty\_rpc\_agent\_test\_fixture.py
  - rpc\_agent\_test\_fixture.py
  - rpc\_test.py
  - tensorpipe\_rpc\_agent\_test\_fixture.py
- \_\_init\_\_.py
- checkpoint\_utils.py
- common\_state\_dict.py
- ddp\_under\_dist\_autograd\_test.py
- distributed\_test.py
- distributed\_utils.py
- fake\_pg.py
- multi\_threaded\_pg.py
- rpc\_utils.py
- generated/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - annotated\_fn\_args.cpython-312.pyc
    - \_\_init\_\_.py
    - annotated\_fn\_args.py
- opinfo/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - core.cpython-312.pyc
      - refs.cpython-312.pyc
      - utils.cpython-312.pyc
- definitions/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_masked.cpython-312.pyc
      - fft.cpython-312.pyc
      - linalg.cpython-312.pyc
      - nested.cpython-312.pyc

- signal.cpython-312.pyc
    - sparse.cpython-312.pyc
    - special.cpython-312.pyc
  - \_\_init\_\_.py
  - \_masked.py
  - fft.py
  - linalg.py
  - nested.py
  - signal.py
  - sparse.py
  - special.py
- \_\_init\_\_.py
- core.py
- refs.py
- utils.py
- optests/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - aot\_autograd.cpython-312.pyc
    - autograd\_registration.cpython-312.pyc
    - fake\_tensor.cpython-312.pyc
    - generate\_tests.cpython-312.pyc
    - make\_fx.cpython-312.pyc
  - \_\_init\_\_.py
  - aot\_autograd.py
  - autograd\_registration.py
  - fake\_tensor.py
  - generate\_tests.py
  - make\_fx.py
- test\_module/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - future\_div.cpython-312.pyc
    - no\_future\_div.cpython-312.pyc
  - \_\_init\_\_.py
  - future\_div.py
  - no\_future\_div.py
- \_\_init\_\_.py
- autocast\_test\_lists.py
- autograd\_function\_db.py
- check\_kernel\_launches.py
- common\_cuda.py
- common\_device\_type.py
- common\_dist\_composable.py
- common\_distributed.py
- common\_dtype.py
- common\_fsdp.py
- common\_jit.py
- common\_methods\_invocations.py
- common\_mkldnn.py
- common\_modules.py
- common\_mps.py
- common\_nn.py
- common\_ops\_unbacked.py
- common\_optimizers.py
- common\_pruning.py
- common\_quantization.py
- common\_quantized.py
- common\_subclass.py
- common\_utils.py
- common\_xpu.py
- composite\_compliance.py
- custom\_op\_db.py
- custom\_tensor.py
- dist\_utils.py
- dynamo\_pytree\_test\_utils.py
- dynamo\_test\_failures.py
- fake\_config\_module.py
- fake\_config\_module2.py
- fake\_config\_module3.py
- hop\_db.py
- hypothesis\_utils.py
- inductor\_utils.py
- jit\_metaprogramming\_utils.py
- jit\_utils.py
- logging\_tensor.py
- logging\_utils.py
- py312\_intrinsics.py
- quantization\_torch\_package\_models.py
- static\_module.py
- subclasses.py
- torchbind\_impls.py
- triton\_utils.py
- two\_tensor.py
- \_\_init\_\_.py



- \_comparison.py
- \_creation.py
- \_utils.py
- utils/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_appending\_byte\_serializer.cpython-312.pyc
    - \_config\_module.cpython-312.pyc
    - \_content\_store.cpython-312.pyc
    - \_contextlib.cpython-312.pyc
    - \_cpp\_embed\_headers.cpython-312.pyc
    - \_cpp\_extension\_versioner.cpython-312.pyc
    - \_cxx\_pytree.cpython-312.pyc
    - \_device.cpython-312.pyc
    - \_dtype\_abbrs.cpython-312.pyc
    - \_exposed\_in.cpython-312.pyc
    - \_filelock.cpython-312.pyc
    - \_foreach\_utils.cpython-312.pyc
    - \_functools.cpython-312.pyc
    - \_get\_clean\_triton.cpython-312.pyc
    - \_helion.cpython-312.pyc
    - \_import\_utils.cpython-312.pyc
    - \_inspect.cpython-312.pyc
    - \_mode\_utils.cpython-312.pyc
    - \_ordered\_set.cpython-312.pyc
    - \_pallas.cpython-312.pyc
    - \_python\_dispatch.cpython-312.pyc
    - \_pytree.cpython-312.pyc
    - \_runtime\_estimation.cpython-312.pyc
    - \_stats.cpython-312.pyc
    - \_thunk.cpython-312.pyc
    - \_traceback.cpython-312.pyc
    - \_triton.cpython-312.pyc
    - \_typing\_utils.cpython-312.pyc
    - \_zip.cpython-312.pyc
    - backend\_registration.cpython-312.pyc
    - bundled\_inputs.cpython-312.pyc
    - checkpoint.cpython-312.pyc
    - collect\_env.cpython-312.pyc
    - cpp\_backtrace.cpython-312.pyc
    - cpp\_extension.cpython-312.pyc
    - deterministic.cpython-312.pyc
    - dlpack.cpython-312.pyc
    - file\_baton.cpython-312.pyc
    - flop\_counter.cpython-312.pyc
    - hooks.cpython-312.pyc
    - mkldnn.cpython-312.pyc
    - mobile\_optimizer.cpython-312.pyc
    - model\_zoo.cpython-312.pyc
    - module\_tracker.cpython-312.pyc
    - show\_pickle.cpython-312.pyc
    - throughput\_benchmark.cpython-312.pyc
    - weak.cpython-312.pyc
  - \_debug\_mode/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_calls.cpython-312.pyc
      - \_mode.cpython-312.pyc
      - \_utils.cpython-312.pyc
    - \_\_init\_\_.py
    - \_calls.py
    - \_mode.py
    - \_utils.py
  - \_strobelight/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - cli\_function\_profiler.cpython-312.pyc
    - \_\_init\_\_.py
    - cli\_function\_profiler.py
  - \_sympy/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - functions.cpython-312.pyc
      - interp.cpython-312.pyc
      - numbers.cpython-312.pyc
      - printers.cpython-312.pyc
      - reference.cpython-312.pyc
      - singleton\_int.cpython-312.pyc
      - solve.cpython-312.pyc
      - symbol.cpython-312.pyc
      - value\_ranges.cpython-312.pyc
    - \_\_init\_\_.py
    - functions.py
    - interp.py
    - numbers.py

- printers.py
- reference.py
- singleton\_int.py
- solve.py
- symbol.py
- value\_ranges.py
- backcompat/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
- benchmark/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - examples/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - compare.cpython-312.pyc
      - fuzzer.cpython-312.pyc
      - op\_benchmark.cpython-312.pyc
      - simple\_timeit.cpython-312.pyc
      - spectral\_ops\_fuzz\_test.cpython-312.pyc
    - \_\_init\_\_.py
    - compare.py
    - fuzzer.py
    - op\_benchmark.py
    - simple\_timeit.py
    - spectral\_ops\_fuzz\_test.py
  - op\_fuzzers/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - binary.cpython-312.pyc
      - sparse\_binary.cpython-312.pyc
      - sparse\_unary.cpython-312.pyc
      - spectral.cpython-312.pyc
      - unary.cpython-312.pyc
    - \_\_init\_\_.py
    - binary.py
    - sparse\_binary.py
    - sparse\_unary.py
    - spectral.py
    - unary.py
  - utils/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - \_stubs.cpython-312.pyc
      - common.cpython-312.pyc
      - compare.cpython-312.pyc
      - compile.cpython-312.pyc
      - cpp\_jit.cpython-312.pyc
      - fuzzer.cpython-312.pyc
      - sparse\_fuzzer.cpython-312.pyc
      - timer.cpython-312.pyc
    - valgrind\_wrapper/
      - \_pycache\_/
        - \_\_init\_\_.cpython-312.pyc
        - timer\_interface.cpython-312.pyc
      - \_\_init\_\_.py
      - callgrind.h
      - compat\_bindings.cpp
      - timer\_callgrind\_template.cpp
      - timer\_interface.py
      - valgrind.h
    - \_\_init\_\_.py
    - \_stubs.py
    - common.py
    - compare.py
    - compile.py
    - cpp\_jit.py
    - fuzzer.py
    - sparse\_fuzzer.py
    - timeit\_template.cpp
    - timer.py
    - \_\_init\_\_.py
- data/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - backward\_compatibility.cpython-312.pyc
    - dataloader.cpython-312.pyc
    - dataset.cpython-312.pyc
    - distributed.cpython-312.pyc
    - graph.cpython-312.pyc
    - graph\_settings.cpython-312.pyc
    - sampler.cpython-312.pyc
  - \_utils/
    - \_pycache\_/

- `__init__.cpython-312.pyc`
- `collate.cpython-312.pyc`
- `fetch.cpython-312.pyc`
- `pin_memory.cpython-312.pyc`
- `signal_handling.cpython-312.pyc`
- `worker.cpython-312.pyc`
- `__init__.py`
- `collate.py`
- `fetch.py`
- `pin_memory.py`
- `signal_handling.py`
- `worker.py`
- `datapipes/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `decorator.cpython-312.pyc`
    - `hook_iterator.cpython-312.pyc`
    - `typing.cpython-312.pyc`
    - `datapipe.cpython-312.pyc`
    - `gen_pyi.cpython-312.pyc`
  - `dataframe/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `dataframe_wrapper.cpython-312.pyc`
      - `dataframes.cpython-312.pyc`
      - `datapipes.cpython-312.pyc`
      - `structures.cpython-312.pyc`
    - `__init__.py`
    - `dataframe_wrapper.py`
    - `dataframes.py`
    - `datapipes.py`
    - `structures.py`
  - `iter/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `callable.cpython-312.pyc`
      - `combinatorics.cpython-312.pyc`
      - `combining.cpython-312.pyc`
      - `filelister.cpython-312.pyc`
      - `fileopener.cpython-312.pyc`
      - `grouping.cpython-312.pyc`
      - `routeddecoder.cpython-312.pyc`
      - `selecting.cpython-312.pyc`
      - `sharding.cpython-312.pyc`
      - `streamreader.cpython-312.pyc`
      - `utils.cpython-312.pyc`
    - `__init__.py`
    - `callable.py`
    - `combinatorics.py`
    - `combining.py`
    - `filelister.py`
    - `fileopener.py`
    - `grouping.py`
    - `routeddecoder.py`
    - `selecting.py`
    - `sharding.py`
    - `streamreader.py`
    - `utils.py`
  - `map/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `callable.cpython-312.pyc`
      - `combinatorics.cpython-312.pyc`
      - `combining.cpython-312.pyc`
      - `grouping.cpython-312.pyc`
      - `utils.cpython-312.pyc`
    - `__init__.py`
    - `callable.py`
    - `combinatorics.py`
    - `combining.py`
    - `grouping.py`
    - `utils.py`
  - `utils/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `common.cpython-312.pyc`
      - `decoder.cpython-312.pyc`
      - `snapshot.cpython-312.pyc`
    - `__init__.py`
    - `common.py`
    - `decoder.py`
    - `snapshot.py`
  - `__init__.py`
  - `_decorator.py`
  - `_hook_iterator.py`

- \_typing.py
  - datapipe.py
  - datapipe.pyi
  - gen\_pyi.py
- \_\_init\_\_.py
- backward\_compatibility.py
- dataloader.py
- dataset.py
- distributed.py
- graph.py
- graph\_settings.py
- sampler.py
- hipify/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - constants.cpython-312.pyc
    - cuda\_to\_hip\_mappings.cpython-312.pyc
    - hipify\_python.cpython-312.pyc
    - version.cpython-312.pyc
  - \_\_init\_\_.py
  - constants.py
  - cuda\_to\_hip\_mappings.py
  - hipify\_python.py
  - version.py
- jit/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - log\_extract.cpython-312.pyc
  - \_\_init\_\_.py
  - log\_extract.py
- model\_dump/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_\_main\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - code.js
  - htm.mjs
  - preact.mjs
  - skeleton.html
- serialization/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - config.cpython-312.pyc
  - \_\_init\_\_.py
  - config.py
- tensorboard/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_convert\_np.cpython-312.pyc
    - \_embedding.cpython-312.pyc
    - \_onnx\_graph.cpython-312.pyc
    - \_proto\_graph.cpython-312.pyc
    - \_pytorch\_graph.cpython-312.pyc
    - \_utils.cpython-312.pyc
    - summary.cpython-312.pyc
    - writer.cpython-312.pyc
  - \_\_init\_\_.py
  - \_convert\_np.py
  - \_embedding.py
  - \_onnx\_graph.py
  - \_proto\_graph.py
  - \_pytorch\_graph.py
  - \_utils.py
  - summary.py
  - writer.py
- viz/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_cycles.cpython-312.pyc
  - \_\_init\_\_.py
  - \_cycles.py
- \_\_init\_\_.py
- \_appending\_byte\_serializer.py
- \_config\_module.py
- \_config\_typing.pyi
- \_content\_store.py
- \_contextlib.py
- \_cpp\_embed\_headers.py
- \_cpp\_extension\_versioner.py
- \_cxx\_pytree.py
- \_device.py
- \_dtype\_abbrs.py
- \_exposed\_in.py
- \_filelock.py

- \_foreach\_utils.py
- functools.py
- get\_clean\_triton.py
- helion.py
- import\_utils.py
- inspect.py
- mode\_utils.py
- ordered\_set.py
- pallas.py
- python\_dispatch.py
- pytree.py
- runtime\_estimation.py
- stats.py
- thunk.py
- traceback.py
- triton.py
- typing\_utils.py
- zip.py
- backend\_registration.py
- bundled\_inputs.py
- checkpoint.py
- collect\_env.py
- cpp\_backtrace.py
- cpp\_extension.py
- deterministic.py
- dlpack.py
- file\_baton.py
- flop\_counter.py
- hooks.py
- mkldnn.py
- mobile\_optimizer.py
- model\_zoo.py
- module\_tracker.py
- show\_pickle.py
- throughput\_benchmark.py
- weak.py
- xpu/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_gpu\_trace.cpython-312.pyc
    - \_utils.cpython-312.pyc
    - graphs.cpython-312.pyc
    - memory.cpython-312.pyc
    - random.cpython-312.pyc
    - streams.cpython-312.pyc
  - \_\_init\_\_.py
  - \_gpu\_trace.py
  - \_utils.py
  - graphs.py
  - memory.py
  - random.py
  - streams.py
- \_\_config\_\_.py
- \_\_future\_\_.py
- \_\_init\_\_.py
- appdirs.py
- C.cp312-win\_amd64.pyd
- classes.py
- compile.py
- custom\_ops.py
- environment.py
- guards.py
- jit\_internal.py
- linalg\_utils.py
- lobpcg.py
- lowrank.py
- meta\_registrations.py
- namedtensor\_internals.py
- opaque\_base.py
- ops.py
- python\_dispatcher.py
- size\_docs.py
- sources.py
- storage\_docs.py
- streambase.py
- tensor.py
- tensor\_docs.py
- tensor\_str.py
- thread\_safe\_fork.py
- torch\_docs.py
- utils.py
- utils\_internal.py
- VF.py
- VF.pyi
- vmap\_internals.py

- \_weights\_only\_unpickler.py
- functional.py
- hub.py
- library.py
- overrides.py
- py.typed
- quasirandom.py
- random.py
- return\_types.py
- return\_types.pyi
- serialization.py
- storage.py
- torch\_version.py
- types.py
- version.py
- torch-2.12.0.dist-info/
  - entry\_points.txt
  - INSTALLER
  - LICENSE
  - METADATA
  - NOTICE
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- torchaudio/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - torchcodec.cpython-312.pyc
    - version.cpython-312.pyc
  - extension/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - utils.cpython-312.pyc
    - \_\_init\_\_.py
    - utils.py
  - internal/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - module\_utils.cpython-312.pyc
    - \_\_init\_\_.py
    - module\_utils.py
  - compliance/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - kaldi.cpython-312.pyc
    - \_\_init\_\_.py
    - kaldi.py
  - datasets/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - cmuarcctic.cpython-312.pyc
      - cmudict.cpython-312.pyc
      - commonvoice.cpython-312.pyc
      - dr\_vctk.cpython-312.pyc
      - fluentcommands.cpython-312.pyc
      - gtzan.cpython-312.pyc
      - iemocap.cpython-312.pyc
      - librilight\_limited.cpython-312.pyc
      - librimix.cpython-312.pyc
      - librispeech.cpython-312.pyc
      - librispeech\_biasing.cpython-312.pyc
      - libritts.cpython-312.pyc
      - ljspeech.cpython-312.pyc
      - musdb\_hq.cpython-312.pyc
      - quesst14.cpython-312.pyc
      - snips.cpython-312.pyc
      - speechcommands.cpython-312.pyc
      - tedlium.cpython-312.pyc
      - utils.cpython-312.pyc
      - vctk.cpython-312.pyc
      - voxceleb1.cpython-312.pyc
      - yesno.cpython-312.pyc
    - \_\_init\_\_.py
    - cmuarcctic.py
    - cmudict.py
    - commonvoice.py
    - dr\_vctk.py
    - fluentcommands.py
    - gtzan.py
    - iemocap.py
    - librilight\_limited.py
    - librimix.py
    - librispeech.py
    - librispeech\_biasing.py

- libritts.py
- ljspeech.py
- musdb\_hq.py
- quesst14.py
- snips.py
- speechcommands.py
- tedlium.py
- utils.py
- vctk.py
- voxceleb1.py
- yesno.py
- functional/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_alignment.cpython-312.pyc
    - filtering.cpython-312.pyc
    - functional.cpython-312.pyc
  - \_\_init\_\_.py
  - \_alignment.py
  - filtering.py
  - functional.py
- lib/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - torchaudio.pyd
  - libtorchaudio.pyd
- models/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_hdemucs.cpython-312.pyc
    - conformer.cpython-312.pyc
    - conv\_tasnet.cpython-312.pyc
    - deepspeech.cpython-312.pyc
    - emformer.cpython-312.pyc
    - rnnt.cpython-312.pyc
    - rnnt\_decoder.cpython-312.pyc
    - tacotron2.cpython-312.pyc
    - wav2letter.cpython-312.pyc
    - wavernn.cpython-312.pyc
- decoder/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - \_ctc\_decoder.cpython-312.pyc
    - \_cuda\_ctc\_decoder.cpython-312.pyc
  - \_\_init\_\_.py
  - \_ctc\_decoder.py
  - \_cuda\_ctc\_decoder.py
- squim/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - objective.cpython-312.pyc
    - subjective.cpython-312.pyc
  - \_\_init\_\_.py
  - objective.py
  - subjective.py
- wav2vec2/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - components.cpython-312.pyc
    - model.cpython-312.pyc
    - wavlm\_attention.cpython-312.pyc
  - utils/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
      - import\_fairseq.cpython-312.pyc
      - import\_huggingface.cpython-312.pyc
    - \_\_init\_\_.py
    - import\_fairseq.py
    - import\_huggingface.py
  - \_\_init\_\_.py
  - components.py
  - model.py
  - wavlm\_attention.py
- \_\_init\_\_.py
- \_hdemucs.py
- conformer.py
- conv\_tasnet.py
- deepspeech.py
- emformer.py
- rnnt.py
- rnnt\_decoder.py
- tacotron2.py
- wav2letter.py
- wavernn.py

```

| pipelines/
| | _pycache_/
| | | __init__.cpython-312.pyc
| | | _source_separation_pipeline.cpython-312.pyc
| | | _squim_pipeline.cpython-312.pyc
| | | rnnt_pipeline.cpython-312.pyc
| | tts/
| | | _pycache_/
| | | | __init__.cpython-312.pyc
| | | | impl.cpython-312.pyc
| | | | interface.cpython-312.pyc
| | | | utils.cpython-312.pyc
| | | __init__.py
| | | impl.py
| | | interface.py
| | | utils.py
| | wav2vec2/
| | | _pycache_/
| | | | __init__.cpython-312.pyc
| | | | aligner.cpython-312.pyc
| | | | impl.cpython-312.pyc
| | | | utils.cpython-312.pyc
| | | __init__.py
| | | aligner.py
| | | impl.py
| | | utils.py
| | __init__.py
| | _source_separation_pipeline.py
| | _squim_pipeline.py
| | rnnt_pipeline.py
| transforms/
| | _pycache_/
| | | __init__.cpython-312.pyc
| | | _multi_channel.cpython-312.pyc
| | | _transforms.cpython-312.pyc
| | __init__.py
| | _multi_channel.py
| | _transforms.py
| utils/
| | _pycache_/
| | | __init__.cpython-312.pyc
| | | download.cpython-312.pyc
| | __init__.py
| | download.py
| __init__.py
| _torchcodec.py
| version.py
| torchaudio-2.11.0.dist-info/
| | licenses/
| | | LICENSE
| | INSTALLER
| | METADATA
| | RECORD
| | REQUESTED
| | top_level.txt
| | WHEEL
| torchgen/
| | _pycache_/
| | | __init__.cpython-312.pyc
| | | code_template.cpython-312.pyc
| | | context.cpython-312.pyc
| | | gen.cpython-312.pyc
| | | gen_aoti_c_shim.cpython-312.pyc
| | | gen_backend_stubs.cpython-312.pyc
| | | gen_functionalization_type.cpython-312.pyc
| | | gen_lazy_tensor.cpython-312.pyc
| | | gen_schema_utils.cpython-312.pyc
| | | gen_vmap_plumbing.cpython-312.pyc
| | | local.cpython-312.pyc
| | | model.cpython-312.pyc
| | | native_function_generation.cpython-312.pyc
| | | utils.cpython-312.pyc
| | | yaml_utils.cpython-312.pyc
| | aoti/
| | | _pycache_/
| | | | __init__.cpython-312.pyc
| | | | fallback_ops.cpython-312.pyc
| | | __init__.py
| | | fallback_ops.py
| | api/
| | | _pycache_/
| | | | __init__.cpython-312.pyc
| | | | autograd.cpython-312.pyc
| | | | cpp.cpython-312.pyc
| | | | dispatcher.cpython-312.pyc

```



- functionalization.cpython-312.pyc
- lazy.cpython-312.pyc
- meta.cpython-312.pyc
- native.cpython-312.pyc
- python.cpython-312.pyc
- structured.cpython-312.pyc
- translate.cpython-312.pyc
- ufunc.cpython-312.pyc
- unboxing.cpython-312.pyc
- types/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - signatures.cpython-312.pyc
    - types.cpython-312.pyc
    - types\_base.cpython-312.pyc
  - \_\_init\_\_.py
  - signatures.py
  - types.py
  - types\_base.py
- \_\_init\_\_.py
- autograd.py
- cpp.py
- dispatcher.py
- functionalization.py
- lazy.py
- meta.py
- native.py
- python.py
- structured.py
- translate.py
- ufunc.py
- unboxing.py
- dest/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - lazy\_ir.cpython-312.pyc
    - lazy\_ts\_lowering.cpython-312.pyc
    - native\_functions.cpython-312.pyc
    - register\_dispatch\_key.cpython-312.pyc
    - ufunc.cpython-312.pyc
  - \_\_init\_\_.py
  - lazy\_ir.py
  - lazy\_ts\_lowering.py
  - native\_functions.py
  - register\_dispatch\_key.py
  - ufunc.py
- operator\_versions/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - gen\_mobile\_upgraders.cpython-312.pyc
    - gen\_mobile\_upgraders\_constant.cpython-312.pyc
  - \_\_init\_\_.py
  - gen\_mobile\_upgraders.py
  - gen\_mobile\_upgraders\_constant.py
- packaged/
  - ATen/
    - native/
      - native\_functions.yaml
      - tags.yaml
    - templates/
      - aten\_interned\_strings.h
      - ATenOpList.cpp
      - CompositeViewCopyKernels.cpp
      - DispatchKeyFunction.h
      - DispatchKeyFunctions.h
      - DispatchKeyFunctions\_inl.h
      - DispatchKeyNativeFunctions.cpp
      - DispatchKeyNativeFunctions.h
      - enum\_tag.h
      - Function.h
      - FunctionalInverses.h
      - Functions.cpp
      - Functions.h
      - LazyIr.h
      - LazyNonNativeIr.h
      - MethodOperators.h
      - NativeFunction.h
      - NativeFunctions.h
      - NativeMetaFunction.h
      - NativeMetaFunctions.h
      - Operator.h
      - Operators.cpp
      - Operators.h
      - RedispatchFunctions.cpp
      - RedispatchFunctions.h

- RegisterBackendSelect.cpp
- RegisterCodegenUnboxedKernels.cpp
- RegisterDispatchDefinitions.ini
- RegisterDispatchKey.cpp
- RegisterFunctionalization.cpp
- RegisterSchema.cpp
- RegistrationDeclarations.h
- TensorBody.h
- TensorMethods.cpp
- UfuncCPU.cpp
- UfuncCPUKernel.cpp
- UfuncCUDA.cu
- UnboxingFunctions.cpp
- UnboxingFunctions.h
- ViewMetaClasses.cpp
- ViewMetaClasses.h
- ViewMetaClassesPythonBinding.cpp
- autograd/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - context.cpython-312.pyc
    - gen\_annotated\_fn\_args.cpython-312.pyc
    - gen\_autograd.cpython-312.pyc
    - gen\_autograd\_functions.cpython-312.pyc
    - gen\_inplace\_or\_view\_type.cpython-312.pyc
    - gen\_python\_functions.cpython-312.pyc
    - gen\_trace\_type.cpython-312.pyc
    - gen\_variable\_factories.cpython-312.pyc
    - gen\_variable\_type.cpython-312.pyc
    - gen\_view\_funcs.cpython-312.pyc
    - load\_derivatives.cpython-312.pyc
  - templates/
    - ADInplaceOrViewType.cpp
    - annotated\_fn\_args.py.in
    - Functions.cpp
    - Functions.h
    - python\_enum\_tag.cpp
    - python\_fft\_functions.cpp
    - python\_functions.cpp
    - python\_functions.h
    - python\_linalg\_functions.cpp
    - python\_nested\_functions.cpp
    - python\_nn\_functions.cpp
    - python\_return\_types.cpp
    - python\_return\_types.h
    - python\_sparse\_functions.cpp
    - python\_special\_functions.cpp
    - python\_torch\_functions.cpp
    - python\_variable\_methods.cpp
    - TraceType.cpp
    - variable\_factories.h
    - VariableType.cpp
    - VariableType.h
    - ViewFuncs.cpp
    - ViewFuncs.h
  - \_\_init\_\_.py
  - BUILD.bazel
  - build.bzl
  - context.py
  - deprecated.yaml
  - derivatives.yaml
  - gen\_annotated\_fn\_args.py
  - gen\_autograd.py
  - gen\_autograd\_functions.py
  - gen\_inplace\_or\_view\_type.py
  - gen\_python\_functions.py
  - gen\_trace\_type.py
  - gen\_variable\_factories.py
  - gen\_variable\_type.py
  - gen\_view\_funcs.py
  - load\_derivatives.py
  - README.md
- selective\_build/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - operator.cpython-312.pyc
    - selector.cpython-312.pyc
  - \_\_init\_\_.py
  - operator.py
  - selector.py
- static\_runtime/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - config.cpython-312.pyc
    - gen\_static\_runtime\_ops.cpython-312.pyc

- └─ generator.cpython-312.pyc
- └─ \_\_init\_\_.py
- └─ config.py
- └─ gen\_static\_runtime\_ops.py
- └─ generator.py
- └─ \_\_init\_\_.py
- └─ code\_template.py
- └─ context.py
- └─ gen.py
- └─ gen\_aoti\_c\_shim.py
- └─ gen\_backend\_stubs.py
- └─ gen\_functionalization\_type.py
- └─ gen\_lazy\_tensor.py
- └─ gen\_schema\_utils.py
- └─ gen\_vmap\_plumbing.py
- └─ local.py
- └─ model.py
- └─ native\_function\_generation.py
- └─ utils.py
- └─ yaml\_utils.py
- └─ tqdm/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_\_main\_\_.cpython-312.pyc
    - └─ main.cpython-312.pyc
    - └─ monitor.cpython-312.pyc
    - └─ tqdm.cpython-312.pyc
    - └─ tqdm\_gui.cpython-312.pyc
    - └─ tqdm\_notebook.cpython-312.pyc
    - └─ tqdm\_pandas.cpython-312.pyc
    - └─ utils.cpython-312.pyc
    - └─ asyncio.cpython-312.pyc
    - └─ auto.cpython-312.pyc
    - └─ autonotebook.cpython-312.pyc
    - └─ cli.cpython-312.pyc
    - └─ dask.cpython-312.pyc
    - └─ gui.cpython-312.pyc
    - └─ keras.cpython-312.pyc
    - └─ notebook.cpython-312.pyc
    - └─ rich.cpython-312.pyc
    - └─ std.cpython-312.pyc
    - └─ tk.cpython-312.pyc
    - └─ utils.cpython-312.pyc
    - └─ version.cpython-312.pyc
  - └─ contrib/
    - └─ pycache/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ bells.cpython-312.pyc
      - └─ concurrent.cpython-312.pyc
      - └─ discord.cpython-312.pyc
      - └─ itertools.cpython-312.pyc
      - └─ logging.cpython-312.pyc
      - └─ slack.cpython-312.pyc
      - └─ telegram.cpython-312.pyc
      - └─ utils\_worker.cpython-312.pyc
    - └─ \_\_init\_\_.py
    - └─ bells.py
    - └─ concurrent.py
    - └─ discord.py
    - └─ itertools.py
    - └─ logging.py
    - └─ slack.py
    - └─ telegram.py
    - └─ utils\_worker.py
    - └─ \_\_init\_\_.py
    - └─ \_\_main\_\_.py
    - └─ main.py
    - └─ monitor.py
    - └─ tqdm.py
    - └─ tqdm\_gui.py
    - └─ tqdm\_notebook.py
    - └─ tqdm\_pandas.py
    - └─ utils.py
    - └─ asyncio.py
    - └─ auto.py
    - └─ autonotebook.py
    - └─ cli.py
    - └─ completion.sh
    - └─ dask.py
    - └─ gui.py
    - └─ keras.py
    - └─ notebook.py
    - └─ rich.py
    - └─ std.py
    - └─ tk.py

- └─ tqdm.1
- └─ utils.py
- └─ version.py
- ─ tqdm-4.67.3.dist-info/
  - └─ licenses/
    - └─ LICENCE
  - └─ entry\_points.txt
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ REQUESTED
  - └─ top\_level.txt
  - └─ WHEEL
- ─ transformers/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_typing.cpython-312.pyc
    - └─ activations.cpython-312.pyc
    - └─ audio\_utils.cpython-312.pyc
    - └─ backbone\_utils.cpython-312.pyc
    - └─ cache\_utils.cpython-312.pyc
    - └─ configuration\_utils.cpython-312.pyc
    - └─ conversion\_mapping.cpython-312.pyc
    - └─ convert\_slow\_tokenizer.cpython-312.pyc
    - └─ convert\_slow\_tokenizers\_checkpoints\_to\_fast.cpython-312.pyc
    - └─ core\_model\_loading.cpython-312.pyc
    - └─ debug\_utils.cpython-312.pyc
    - └─ dependency\_versions\_check.cpython-312.pyc
    - └─ dependency\_versions\_table.cpython-312.pyc
    - └─ dynamic\_module\_utils.cpython-312.pyc
    - └─ feature\_extraction\_sequence\_utils.cpython-312.pyc
    - └─ feature\_extraction\_utils.cpython-312.pyc
    - └─ file\_utils.cpython-312.pyc
    - └─ fusion\_mapping.cpython-312.pyc
    - └─ hf\_argparser.cpython-312.pyc
    - └─ hyperparameter\_search.cpython-312.pyc
    - └─ image\_processing\_backends.cpython-312.pyc
    - └─ image\_processing\_base.cpython-312.pyc
    - └─ image\_processing\_utils.cpython-312.pyc
    - └─ image\_transforms.cpython-312.pyc
    - └─ image\_utils.cpython-312.pyc
    - └─ initialization.cpython-312.pyc
    - └─ masking\_utils.cpython-312.pyc
    - └─ model\_debugging\_utils.cpython-312.pyc
    - └─ modelcard.cpython-312.pyc
    - └─ modeling\_attn\_mask\_utils.cpython-312.pyc
    - └─ modeling\_flash\_attention\_utils.cpython-312.pyc
    - └─ modeling\_gguf\_pytorch\_utils.cpython-312.pyc
    - └─ modeling\_layers.cpython-312.pyc
    - └─ modeling\_outputs.cpython-312.pyc
    - └─ modeling\_rope\_utils.cpython-312.pyc
    - └─ modeling\_utils.cpython-312.pyc
    - └─ monkey\_patching.cpython-312.pyc
    - └─ optimization.cpython-312.pyc
    - └─ processing\_utils.cpython-312.pyc
    - └─ pytorch\_utils.cpython-312.pyc
    - └─ safetensors\_conversion.cpython-312.pyc
    - └─ testing\_utils.cpython-312.pyc
    - └─ time\_series\_utils.cpython-312.pyc
    - └─ tokenization\_mistral\_common.cpython-312.pyc
    - └─ tokenization\_python.cpython-312.pyc
    - └─ tokenization\_utils\_base.cpython-312.pyc
    - └─ tokenization\_utils\_sentencepiece.cpython-312.pyc
    - └─ tokenization\_utils\_tokenizers.cpython-312.pyc
    - └─ trainer.cpython-312.pyc
    - └─ trainer\_callback.cpython-312.pyc
    - └─ trainer\_jit\_checkpoint.cpython-312.pyc
    - └─ trainer\_optimizer.cpython-312.pyc
    - └─ trainer\_pt\_utils.cpython-312.pyc
    - └─ trainer\_seq2seq.cpython-312.pyc
    - └─ trainer\_utils.cpython-312.pyc
    - └─ training\_args.cpython-312.pyc
    - └─ training\_args\_seq2seq.cpython-312.pyc
    - └─ video\_processing\_utils.cpython-312.pyc
    - └─ video\_utils.cpython-312.pyc
  - ─ cli/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-312.pyc
      - └─ add\_new\_model\_like.cpython-312.pyc
      - └─ chat.cpython-312.pyc
      - └─ download.cpython-312.pyc
      - └─ serve.cpython-312.pyc
      - └─ system.cpython-312.pyc
      - └─ transformers.cpython-312.pyc
    - ─ serving/

- \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - chat\_completion.cpython-312.pyc
    - completion.cpython-312.pyc
    - model\_manager.cpython-312.pyc
    - response.cpython-312.pyc
    - server.cpython-312.pyc
    - transcription.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py
  - chat\_completion.py
  - completion.py
  - model\_manager.py
  - response.py
  - server.py
  - transcription.py
  - utils.py
- \_\_init\_\_.py
- add\_new\_model\_like.py
- chat.py
- download.py
- serve.py
- system.py
- transformers.py
- data/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - data\_collator.cpython-312.pyc
  - datasets/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - glue.cpython-312.pyc
      - squad.cpython-312.pyc
    - \_\_init\_\_.py
    - glue.py
    - squad.py
  - metrics/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - squad\_metrics.cpython-312.pyc
    - \_\_init\_\_.py
    - squad\_metrics.py
  - processors/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - glue.cpython-312.pyc
      - squad.cpython-312.pyc
      - utils.cpython-312.pyc
      - xnli.cpython-312.pyc
    - \_\_init\_\_.py
    - glue.py
    - squad.py
    - utils.py
    - xnli.py
  - \_\_init\_\_.py
  - data\_collator.py
- distributed/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_utils.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_utils.py
- generation/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - candidate\_generator.cpython-312.pyc
    - configuration\_utils.cpython-312.pyc
    - logits\_process.cpython-312.pyc
    - stopping\_criteria.cpython-312.pyc
    - streamers.cpython-312.pyc
    - utils.cpython-312.pyc
    - watermarking.cpython-312.pyc
- continuous\_batching/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - cache.cpython-312.pyc
    - cache\_manager.cpython-312.pyc
    - cb\_logits\_processors.cpython-312.pyc
    - continuous\_api.cpython-312.pyc
    - input\_outputs.cpython-312.pyc
    - offloading\_manager.cpython-312.pyc
    - requests.cpython-312.pyc
    - scheduler.cpython-312.pyc
    - utils.cpython-312.pyc
  - \_\_init\_\_.py

- cache.py
- cache\_manager.py
- cb\_logits\_processors.py
- continuous\_api.py
- input\_outputs.py
- offloading\_manager.py
- requests.py
- scheduler.py
- utils.py
- \_\_init\_\_.py
- candidate\_generator.py
- configuration\_utils.py
- logits\_process.py
- stopping\_criteria.py
- streamers.py
- utils.py
- watermarking.py
- integrations/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - accelerate.cpython-312.pyc
    - aqlm.cpython-312.pyc
    - awq.cpython-312.pyc
    - bitnet.cpython-312.pyc
    - bitsandbytes.cpython-312.pyc
    - deepspeed.cpython-312.pyc
    - eager\_paged.cpython-312.pyc
    - eetq.cpython-312.pyc
    - executorch.cpython-312.pyc
    - fbgemm\_fp8.cpython-312.pyc
    - finegrained\_fp8.cpython-312.pyc
    - flash\_attention.cpython-312.pyc
    - flash\_paged.cpython-312.pyc
    - flex\_attention.cpython-312.pyc
    - fourversix.cpython-312.pyc
    - fp\_quant.cpython-312.pyc
    - fsdp.cpython-312.pyc
    - ggml.cpython-312.pyc
    - higgs.cpython-312.pyc
    - hqq.cpython-312.pyc
    - hub\_kernels.cpython-312.pyc
    - integration\_utils.cpython-312.pyc
    - liger.cpython-312.pyc
    - metal\_quantization.cpython-312.pyc
    - mistral.cpython-312.pyc
    - moe.cpython-312.pyc
    - mxfp4.cpython-312.pyc
    - neftune.cpython-312.pyc
    - npu\_flash\_attention.cpython-312.pyc
    - peft.cpython-312.pyc
    - quanto.cpython-312.pyc
    - quark.cpython-312.pyc
    - sdpa\_attention.cpython-312.pyc
    - sdpa\_paged.cpython-312.pyc
    - sinq.cpython-312.pyc
    - sonicmoe.cpython-312.pyc
    - spqr.cpython-312.pyc
    - tensor\_parallel.cpython-312.pyc
    - tiktoken.cpython-312.pyc
    - torchao.cpython-312.pyc
    - tpu.cpython-312.pyc
    - vptq.cpython-312.pyc
  - \_\_init\_\_.py
  - accelerate.py
  - aqlm.py
  - awq.py
  - bitnet.py
  - bitsandbytes.py
  - deepspeed.py
  - eager\_paged.py
  - eetq.py
  - executorch.py
  - fbgemm\_fp8.py
  - finegrained\_fp8.py
  - flash\_attention.py
  - flash\_paged.py
  - flex\_attention.py
  - fourversix.py
  - fp\_quant.py
  - fsdp.py
  - ggml.py
  - higgs.py
  - hqq.py
  - hub\_kernels.py
  - integration\_utils.py

- liger.py
- metal\_quantization.py
- mistral.py
- moe.py
- mxfp4.py
- neftune.py
- npu\_flash\_attention.py
- peft.py
- quanto.py
- quark.py
- sdpa\_attention.py
- sdpa\_paged.py
- sinq.py
- sonicmoe.py
- spqr.py
- tensor\_parallel.py
- tiktoken.py
- torchao.py
- tpu.py
- vptq.py
- loss/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - loss\_d\_fine.cpython-312.pyc
    - loss\_deformable\_detr.cpython-312.pyc
    - loss\_deimv2.cpython-312.pyc
    - loss\_for\_object\_detection.cpython-312.pyc
    - loss\_grounding\_dino.cpython-312.pyc
    - loss\_lw\_detr.cpython-312.pyc
    - loss\_rt\_detr.cpython-312.pyc
    - loss\_utils.cpython-312.pyc
  - \_\_init\_\_.py
  - loss\_d\_fine.py
  - loss\_deformable\_detr.py
  - loss\_deimv2.py
  - loss\_for\_object\_detection.py
  - loss\_grounding\_dino.py
  - loss\_lw\_detr.py
  - loss\_rt\_detr.py
  - loss\_utils.py
- models/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - afmoe/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_afmoe.cpython-312.pyc
      - modeling\_afmoe.cpython-312.pyc
      - modular\_afmoe.cpython-312.pyc
    - \_\_init\_\_.py
    - configuration\_afmoe.py
    - modeling\_afmoe.py
    - modular\_afmoe.py
  - aimv2/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_aimv2.cpython-312.pyc
      - modeling\_aimv2.cpython-312.pyc
      - modular\_aimv2.cpython-312.pyc
    - \_\_init\_\_.py
    - configuration\_aimv2.py
    - modeling\_aimv2.py
    - modular\_aimv2.py
  - albert/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_albert.cpython-312.pyc
      - modeling\_albert.cpython-312.pyc
      - tokenization\_albert.cpython-312.pyc
    - \_\_init\_\_.py
    - configuration\_albert.py
    - modeling\_albert.py
    - tokenization\_albert.py
  - align/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_align.cpython-312.pyc
      - modeling\_align.cpython-312.pyc
      - processing\_align.cpython-312.pyc
    - \_\_init\_\_.py
    - configuration\_align.py
    - modeling\_align.py
    - processing\_align.py
  - altclip/
    - \_\_pycache\_\_/

- `__init__.cpython-312.pyc`
  - `configuration_altclip.cpython-312.pyc`
  - `modeling_altclip.cpython-312.pyc`
  - `modular_altclip.cpython-312.pyc`
  - `processing_altclip.cpython-312.pyc`
- `__init__.py`
- `configuration_altclip.py`
- `modeling_altclip.py`
- `modular_altclip.py`
- `processing_altclip.py`
- `apertus/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_apertus.cpython-312.pyc`
    - `modeling_apertus.cpython-312.pyc`
    - `modular_apertus.cpython-312.pyc`
  - `__init__.py`
  - `configuration_apertus.py`
  - `modeling_apertus.py`
  - `modular_apertus.py`
- `arcee/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_arcee.cpython-312.pyc`
    - `modeling_arcee.cpython-312.pyc`
    - `modular_arcee.cpython-312.pyc`
  - `__init__.py`
  - `configuration_arcee.py`
  - `modeling_arcee.py`
  - `modular_arcee.py`
- `aria/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_aria.cpython-312.pyc`
    - `image_processing_aria.cpython-312.pyc`
    - `image_processing_pil_aria.cpython-312.pyc`
    - `modeling_aria.cpython-312.pyc`
    - `modular_aria.cpython-312.pyc`
    - `processing_aria.cpython-312.pyc`
  - `__init__.py`
  - `configuration_aria.py`
  - `image_processing_aria.py`
  - `image_processing_pil_aria.py`
  - `modeling_aria.py`
  - `modular_aria.py`
  - `processing_aria.py`
- `audio_spectrogram_transformer/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_audio_spectrogram_transformer.cpython-312.pyc`
    - `feature_extraction_audio_spectrogram_transformer.cpython-312.pyc`
    - `modeling_audio_spectrogram_transformer.cpython-312.pyc`
  - `__init__.py`
  - `configuration_audio_spectrogram_transformer.py`
  - `feature_extraction_audio_spectrogram_transformer.py`
  - `modeling_audio_spectrogram_transformer.py`
- `audioflamingo3/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_audioflamingo3.cpython-312.pyc`
    - `modeling_audioflamingo3.cpython-312.pyc`
    - `modular_audioflamingo3.cpython-312.pyc`
    - `processing_audioflamingo3.cpython-312.pyc`
  - `__init__.py`
  - `configuration_audioflamingo3.py`
  - `modeling_audioflamingo3.py`
  - `modular_audioflamingo3.py`
  - `processing_audioflamingo3.py`
- `auto/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `auto_factory.cpython-312.pyc`
    - `auto_mappings.cpython-312.pyc`
    - `configuration_auto.cpython-312.pyc`
    - `feature_extraction_auto.cpython-312.pyc`
    - `image_processing_auto.cpython-312.pyc`
    - `modeling_auto.cpython-312.pyc`
    - `processing_auto.cpython-312.pyc`
    - `tokenization_auto.cpython-312.pyc`
    - `video_processing_auto.cpython-312.pyc`
  - `__init__.py`
  - `auto_factory.py`
  - `auto_mappings.py`
  - `configuration_auto.py`
  - `feature_extraction_auto.py`



- image\_processing\_auto.py
- modeling\_auto.py
- processing\_auto.py
- tokenization\_auto.py
- video\_processing\_auto.py
- autoformer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_autoformer.cpython-312.pyc
    - modeling\_autoformer.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_autoformer.py
  - modeling\_autoformer.py
- aya\_vision/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_aya\_vision.cpython-312.pyc
    - modeling\_aya\_vision.cpython-312.pyc
    - modular\_aya\_vision.cpython-312.pyc
    - processing\_aya\_vision.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_aya\_vision.py
  - modeling\_aya\_vision.py
  - modular\_aya\_vision.py
  - processing\_aya\_vision.py
- bamba/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_bamba.cpython-312.pyc
    - modeling\_bamba.cpython-312.pyc
    - modular\_bamba.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_bamba.py
  - modeling\_bamba.py
  - modular\_bamba.py
- bark/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_bark.cpython-312.pyc
    - generation\_configuration\_bark.cpython-312.pyc
    - modeling\_bark.cpython-312.pyc
    - processing\_bark.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_bark.py
  - generation\_configuration\_bark.py
  - modeling\_bark.py
  - processing\_bark.py
- bart/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_bart.cpython-312.pyc
    - modeling\_bart.cpython-312.pyc
    - tokenization\_bart.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_bart.py
  - modeling\_bart.py
  - tokenization\_bart.py
- barthez/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_barthez.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_barthez.py
- bartpho/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_bartpho.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_bartpho.py
- beit/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_beit.cpython-312.pyc
    - image\_processing\_beit.cpython-312.pyc
    - image\_processing\_pil\_beit.cpython-312.pyc
    - modeling\_beit.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_beit.py
  - image\_processing\_beit.py
  - image\_processing\_pil\_beit.py
  - modeling\_beit.py
- bert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_bert.cpython-312.pyc

- modeling\_bert.cpython-312.pyc
  - tokenization\_bert.cpython-312.pyc
  - tokenization\_bert\_legacy.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_bert.py
- modeling\_bert.py
- tokenization\_bert.py
- tokenization\_bert\_legacy.py
- bert\_generation/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_bert\_generation.cpython-312.pyc
    - modeling\_bert\_generation.cpython-312.pyc
    - tokenization\_bert\_generation.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_bert\_generation.py
  - modeling\_bert\_generation.py
  - tokenization\_bert\_generation.py
- bert\_japanese/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_bert\_japanese.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_bert\_japanese.py
- bertweet/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_bertweet.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_bertweet.py
- big\_bird/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_big\_bird.cpython-312.pyc
    - modeling\_big\_bird.cpython-312.pyc
    - tokenization\_big\_bird.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_big\_bird.py
  - modeling\_big\_bird.py
  - tokenization\_big\_bird.py
- bigbird\_pegasus/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_bigbird\_pegasus.cpython-312.pyc
    - modeling\_bigbird\_pegasus.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_bigbird\_pegasus.py
  - modeling\_bigbird\_pegasus.py
- biogpt/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_biogpt.cpython-312.pyc
    - modeling\_biogpt.cpython-312.pyc
    - modular\_biogpt.cpython-312.pyc
    - tokenization\_biogpt.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_biogpt.py
  - modeling\_biogpt.py
  - modular\_biogpt.py
  - tokenization\_biogpt.py
- bit/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_bit.cpython-312.pyc
    - image\_processing\_bit.cpython-312.pyc
    - image\_processing\_pil\_bit.cpython-312.pyc
    - modeling\_bit.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_bit.py
  - image\_processing\_bit.py
  - image\_processing\_pil\_bit.py
  - modeling\_bit.py
- bitnet/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_bitnet.cpython-312.pyc
    - modeling\_bitnet.cpython-312.pyc
    - modular\_bitnet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_bitnet.py
  - modeling\_bitnet.py
  - modular\_bitnet.py
- blenderbot/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc

- configuration\_blenderbot.cpython-312.pyc
  - modeling\_blenderbot.cpython-312.pyc
  - tokenization\_blenderbot.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_blenderbot.py
- modeling\_blenderbot.py
- tokenization\_blenderbot.py
- blenderbot\_small/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_blenderbot\_small.cpython-312.pyc
    - modeling\_blenderbot\_small.cpython-312.pyc
    - tokenization\_blenderbot\_small.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_blenderbot\_small.py
  - modeling\_blenderbot\_small.py
  - tokenization\_blenderbot\_small.py
- blip/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_blip.cpython-312.pyc
    - image\_processing\_blip.cpython-312.pyc
    - image\_processing\_pil\_blip.cpython-312.pyc
    - modeling\_blip.cpython-312.pyc
    - modeling\_blip\_text.cpython-312.pyc
    - processing\_blip.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_blip.py
  - image\_processing\_blip.py
  - image\_processing\_pil\_blip.py
  - modeling\_blip.py
  - modeling\_blip\_text.py
  - processing\_blip.py
- blip\_2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_blip\_2.cpython-312.pyc
    - modeling\_blip\_2.cpython-312.pyc
    - processing\_blip\_2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_blip\_2.py
  - modeling\_blip\_2.py
  - processing\_blip\_2.py
- bloom/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_bloom.cpython-312.pyc
    - modeling\_bloom.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_bloom.py
  - modeling\_bloom.py
- blt/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_blt.cpython-312.pyc
    - modeling\_blt.cpython-312.pyc
    - modular\_blt.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_blt.py
  - modeling\_blt.py
  - modular\_blt.py
- bridgetower/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_bridgetower.cpython-312.pyc
    - image\_processing\_bridgetower.cpython-312.pyc
    - image\_processing\_pil\_bridgetower.cpython-312.pyc
    - modeling\_bridgetower.cpython-312.pyc
    - processing\_bridgetower.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_bridgetower.py
  - image\_processing\_bridgetower.py
  - image\_processing\_pil\_bridgetower.py
  - modeling\_bridgetower.py
  - processing\_bridgetower.py
- bros/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_bros.cpython-312.pyc
    - modeling\_bros.cpython-312.pyc
    - processing\_bros.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_bros.py
  - modeling\_bros.py
  - processing\_bros.py

- byt5/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_byt5.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_byt5.py
- camembert/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_camembert.cpython-312.pyc
    - modeling\_camembert.cpython-312.pyc
    - modular\_camembert.cpython-312.pyc
    - tokenization\_camembert.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_camembert.py
  - modeling\_camembert.py
  - modular\_camembert.py
  - tokenization\_camembert.py
- canine/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_canine.cpython-312.pyc
    - modeling\_canine.cpython-312.pyc
    - tokenization\_canine.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_canine.py
  - modeling\_canine.py
  - tokenization\_canine.py
- chameleon/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_chameleon.cpython-312.pyc
    - image\_processing\_chameleon.cpython-312.pyc
    - image\_processing\_pil\_chameleon.cpython-312.pyc
    - modeling\_chameleon.cpython-312.pyc
    - processing\_chameleon.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_chameleon.py
  - image\_processing\_chameleon.py
  - image\_processing\_pil\_chameleon.py
  - modeling\_chameleon.py
  - processing\_chameleon.py
- chinese\_clip/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_chinese\_clip.cpython-312.pyc
    - image\_processing\_chinese\_clip.cpython-312.pyc
    - image\_processing\_pil\_chinese\_clip.cpython-312.pyc
    - modeling\_chinese\_clip.cpython-312.pyc
    - modular\_chinese\_clip.cpython-312.pyc
    - processing\_chinese\_clip.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_chinese\_clip.py
  - image\_processing\_chinese\_clip.py
  - image\_processing\_pil\_chinese\_clip.py
  - modeling\_chinese\_clip.py
  - modular\_chinese\_clip.py
  - processing\_chinese\_clip.py
- chmv2/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_chmv2.cpython-312.pyc
    - image\_processing\_chmv2.cpython-312.pyc
    - modeling\_chmv2.cpython-312.pyc
    - modular\_chmv2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_chmv2.py
  - image\_processing\_chmv2.py
  - modeling\_chmv2.py
  - modular\_chmv2.py
- clap/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_clap.cpython-312.pyc
    - feature\_extraction\_clap.cpython-312.pyc
    - modeling\_clap.cpython-312.pyc
    - processing\_clap.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_clap.py
  - feature\_extraction\_clap.py
  - modeling\_clap.py
  - processing\_clap.py
- clip/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc

- configuration\_clip.cpython-312.pyc
  - image\_processing\_clip.cpython-312.pyc
  - image\_processing\_pil\_clip.cpython-312.pyc
  - modeling\_clip.cpython-312.pyc
  - processing\_clip.cpython-312.pyc
  - tokenization\_clip.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_clip.py
- image\_processing\_clip.py
- image\_processing\_pil\_clip.py
- modeling\_clip.py
- processing\_clip.py
- tokenization\_clip.py
- clipseg/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_clipseg.cpython-312.pyc
    - modeling\_clipseg.cpython-312.pyc
    - modular\_clipseg.cpython-312.pyc
    - processing\_clipseg.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_clipseg.py
  - modeling\_clipseg.py
  - modular\_clipseg.py
  - processing\_clipseg.py
- clvp/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_clvp.cpython-312.pyc
    - feature\_extraction\_clvp.cpython-312.pyc
    - modeling\_clvp.cpython-312.pyc
    - number\_normalizer.cpython-312.pyc
    - processing\_clvp.cpython-312.pyc
    - tokenization\_clvp.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_clvp.py
  - feature\_extraction\_clvp.py
  - modeling\_clvp.py
  - number\_normalizer.py
  - processing\_clvp.py
  - tokenization\_clvp.py
- code\_llama/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_code\_llama.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_code\_llama.py
- codegen/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_codegen.cpython-312.pyc
    - modeling\_codegen.cpython-312.pyc
    - tokenization\_codegen.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_codegen.py
  - modeling\_codegen.py
  - tokenization\_codegen.py
- cohere/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_cohere.cpython-312.pyc
    - modeling\_cohere.cpython-312.pyc
    - modular\_cohere.cpython-312.pyc
    - tokenization\_cohere.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_cohere.py
  - modeling\_cohere.py
  - modular\_cohere.py
  - tokenization\_cohere.py
- cohere2/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_cohere2.cpython-312.pyc
    - modeling\_cohere2.cpython-312.pyc
    - modular\_cohere2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_cohere2.py
  - modeling\_cohere2.py
  - modular\_cohere2.py
- cohere2\_vision/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_cohere2\_vision.cpython-312.pyc
    - image\_processing\_cohere2\_vision.cpython-312.pyc
    - modeling\_cohere2\_vision.cpython-312.pyc

- modular\_cohere2\_vision.cpython-312.pyc
    - processing\_cohere2\_vision.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_cohere2\_vision.py
  - image\_processing\_cohere2\_vision.py
  - modeling\_cohere2\_vision.py
  - modular\_cohere2\_vision.py
  - processing\_cohere2\_vision.py
- cohere\_asr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_cohere\_asr.cpython-312.pyc
    - feature\_extraction\_cohere\_asr.cpython-312.pyc
    - modeling\_cohere\_asr.cpython-312.pyc
    - modular\_cohere\_asr.cpython-312.pyc
    - processing\_cohere\_asr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_cohere\_asr.py
  - feature\_extraction\_cohere\_asr.py
  - modeling\_cohere\_asr.py
  - modular\_cohere\_asr.py
  - processing\_cohere\_asr.py
- colmodernvbert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_colmodernvbert.cpython-312.pyc
    - modeling\_colmodernvbert.cpython-312.pyc
    - modular\_colmodernvbert.cpython-312.pyc
    - processing\_colmodernvbert.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_colmodernvbert.py
  - modeling\_colmodernvbert.py
  - modular\_colmodernvbert.py
  - processing\_colmodernvbert.py
- colpali/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_colpali.cpython-312.pyc
    - modeling\_colpali.cpython-312.pyc
    - modular\_colpali.cpython-312.pyc
    - processing\_colpali.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_colpali.py
  - modeling\_colpali.py
  - modular\_colpali.py
  - processing\_colpali.py
- colqwen2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_colqwen2.cpython-312.pyc
    - modeling\_colqwen2.cpython-312.pyc
    - modular\_colqwen2.cpython-312.pyc
    - processing\_colqwen2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_colqwen2.py
  - modeling\_colqwen2.py
  - modular\_colqwen2.py
  - processing\_colqwen2.py
- conditional\_detr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_conditional\_detr.cpython-312.pyc
    - image\_processing\_conditional\_detr.cpython-312.pyc
    - image\_processing\_pil\_conditional\_detr.cpython-312.pyc
    - modeling\_conditional\_detr.cpython-312.pyc
    - modular\_conditional\_detr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_conditional\_detr.py
  - image\_processing\_conditional\_detr.py
  - image\_processing\_pil\_conditional\_detr.py
  - modeling\_conditional\_detr.py
  - modular\_conditional\_detr.py
- convbert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_convbert.cpython-312.pyc
    - modeling\_convbert.cpython-312.pyc
    - tokenization\_convbert.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_convbert.py
  - modeling\_convbert.py
  - tokenization\_convbert.py
- convnext/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc

- configuration\_convnext.cpython-312.pyc
  - image\_processing\_convnext.cpython-312.pyc
  - image\_processing\_pil\_convnext.cpython-312.pyc
  - modeling\_convnext.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_convnext.py
- image\_processing\_convnext.py
- image\_processing\_pil\_convnext.py
- modeling\_convnext.py
- convnextv2/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_convnextv2.cpython-312.pyc
    - modeling\_convnextv2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_convnextv2.py
  - modeling\_convnextv2.py
- cpm/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_cpm.cpython-312.pyc
    - tokenization\_cpm\_fast.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_cpm.py
  - tokenization\_cpm\_fast.py
- cpmant/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_cpmant.cpython-312.pyc
    - modeling\_cpmant.cpython-312.pyc
    - tokenization\_cpmant.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_cpmant.py
  - modeling\_cpmant.py
  - tokenization\_cpmant.py
- csm/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_csm.cpython-312.pyc
    - generation\_csm.cpython-312.pyc
    - modeling\_csm.cpython-312.pyc
    - modular\_csm.cpython-312.pyc
    - processing\_csm.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_csm.py
  - generation\_csm.py
  - modeling\_csm.py
  - modular\_csm.py
  - processing\_csm.py
- ctrl/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_ctrl.cpython-312.pyc
    - modeling\_ctrl.cpython-312.pyc
    - tokenization\_ctrl.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_ctrl.py
  - modeling\_ctrl.py
  - tokenization\_ctrl.py
- cvt/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_cvt.cpython-312.pyc
    - modeling\_cvt.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_cvt.py
  - modeling\_cvt.py
- cwm/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_cwm.cpython-312.pyc
    - modeling\_cwm.cpython-312.pyc
    - modular\_cwm.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_cwm.py
  - modeling\_cwm.py
  - modular\_cwm.py
- d\_fine/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_d\_fine.cpython-312.pyc
    - modeling\_d\_fine.cpython-312.pyc
    - modular\_d\_fine.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_d\_fine.py

- modeling\_d\_fine.py
- modular\_d\_fine.py
- dab\_detr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_dab\_detr.cpython-312.pyc
    - modeling\_dab\_detr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_dab\_detr.py
  - modeling\_dab\_detr.py
- dac/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_dac.cpython-312.pyc
    - feature\_extraction\_dac.cpython-312.pyc
    - modeling\_dac.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_dac.py
  - feature\_extraction\_dac.py
  - modeling\_dac.py
- data2vec/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_data2vec\_audio.cpython-312.pyc
    - configuration\_data2vec\_text.cpython-312.pyc
    - configuration\_data2vec\_vision.cpython-312.pyc
    - modeling\_data2vec\_audio.cpython-312.pyc
    - modeling\_data2vec\_text.cpython-312.pyc
    - modeling\_data2vec\_vision.cpython-312.pyc
    - modular\_data2vec\_audio.cpython-312.pyc
    - modular\_data2vec\_text.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_data2vec\_audio.py
  - configuration\_data2vec\_text.py
  - configuration\_data2vec\_vision.py
  - modeling\_data2vec\_audio.py
  - modeling\_data2vec\_text.py
  - modeling\_data2vec\_vision.py
  - modular\_data2vec\_audio.py
  - modular\_data2vec\_text.py
- dbrx/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_dbrx.cpython-312.pyc
    - modeling\_dbrx.cpython-312.pyc
    - modular\_dbrx.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_dbrx.py
  - modeling\_dbrx.py
  - modular\_dbrx.py
- deberta/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_deberta.cpython-312.pyc
    - modeling\_deberta.cpython-312.pyc
    - tokenization\_deberta.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_deberta.py
  - modeling\_deberta.py
  - tokenization\_deberta.py
- deberta\_v2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_deberta\_v2.cpython-312.pyc
    - modeling\_deberta\_v2.cpython-312.pyc
    - tokenization\_deberta\_v2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_deberta\_v2.py
  - modeling\_deberta\_v2.py
  - tokenization\_deberta\_v2.py
- decision\_transformer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_decision\_transformer.cpython-312.pyc
    - modeling\_decision\_transformer.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_decision\_transformer.py
  - modeling\_decision\_transformer.py
- deepseek\_v2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_deepseek\_v2.cpython-312.pyc
    - modeling\_deepseek\_v2.cpython-312.pyc
    - modular\_deepseek\_v2.cpython-312.pyc
  - \_\_init\_\_.py



- configuration\_deepseek\_v2.py
- modeling\_deepseek\_v2.py
- modular\_deepseek\_v2.py
- deepseek\_v3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_deepseek\_v3.cpython-312.pyc
    - modeling\_deepseek\_v3.cpython-312.pyc
    - modular\_deepseek\_v3.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_deepseek\_v3.py
  - modeling\_deepseek\_v3.py
  - modular\_deepseek\_v3.py
- deepseek\_v4/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_deepseek\_v4.cpython-312.pyc
    - modeling\_deepseek\_v4.cpython-312.pyc
    - modular\_deepseek\_v4.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_deepseek\_v4.py
  - modeling\_deepseek\_v4.py
  - modular\_deepseek\_v4.py
- deepseek\_v1/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_deepseek\_v1.cpython-312.pyc
    - image\_processing\_deepseek\_v1.cpython-312.pyc
    - image\_processing\_pil\_deepseek\_v1.cpython-312.pyc
    - modeling\_deepseek\_v1.cpython-312.pyc
    - modular\_deepseek\_v1.cpython-312.pyc
    - processing\_deepseek\_v1.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_deepseek\_v1.py
  - image\_processing\_deepseek\_v1.py
  - image\_processing\_pil\_deepseek\_v1.py
  - modeling\_deepseek\_v1.py
  - modular\_deepseek\_v1.py
  - processing\_deepseek\_v1.py
- deepseek\_v1\_hybrid/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_deepseek\_v1\_hybrid.cpython-312.pyc
    - image\_processing\_deepseek\_v1\_hybrid.cpython-312.pyc
    - image\_processing\_pil\_deepseek\_v1\_hybrid.cpython-312.pyc
    - modeling\_deepseek\_v1\_hybrid.cpython-312.pyc
    - modular\_deepseek\_v1\_hybrid.cpython-312.pyc
    - processing\_deepseek\_v1\_hybrid.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_deepseek\_v1\_hybrid.py
  - image\_processing\_deepseek\_v1\_hybrid.py
  - image\_processing\_pil\_deepseek\_v1\_hybrid.py
  - modeling\_deepseek\_v1\_hybrid.py
  - modular\_deepseek\_v1\_hybrid.py
  - processing\_deepseek\_v1\_hybrid.py
- deformable\_detr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_deformable\_detr.cpython-312.pyc
    - image\_processing\_deformable\_detr.cpython-312.pyc
    - image\_processing\_pil\_deformable\_detr.cpython-312.pyc
    - modeling\_deformable\_detr.cpython-312.pyc
    - modular\_deformable\_detr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_deformable\_detr.py
  - image\_processing\_deformable\_detr.py
  - image\_processing\_pil\_deformable\_detr.py
  - modeling\_deformable\_detr.py
  - modular\_deformable\_detr.py
- deimv2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_deimv2.cpython-312.pyc
    - modeling\_deimv2.cpython-312.pyc
    - modular\_deimv2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_deimv2.py
  - modeling\_deimv2.py
  - modular\_deimv2.py
- deit/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_deit.cpython-312.pyc
    - image\_processing\_deit.cpython-312.pyc
    - image\_processing\_pil\_deit.cpython-312.pyc

- └─ modeling\_deit.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_deit.py
  - └─ image\_processing\_deit.py
  - └─ image\_processing\_pil\_deit.py
  - └─ modeling\_deit.py
- └─ deprecated/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
  - └─ \_\_init\_\_.py
- └─ depth\_anything/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_depth\_anything.cpython-312.pyc
    - └─ modeling\_depth\_anything.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_depth\_anything.py
  - └─ modeling\_depth\_anything.py
- └─ depth\_pro/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_depth\_pro.cpython-312.pyc
    - └─ image\_processing\_depth\_pro.cpython-312.pyc
    - └─ modeling\_depth\_pro.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_depth\_pro.py
  - └─ image\_processing\_depth\_pro.py
  - └─ modeling\_depth\_pro.py
- └─ detr/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_detr.cpython-312.pyc
    - └─ image\_processing\_detr.cpython-312.pyc
    - └─ image\_processing\_pil\_detr.cpython-312.pyc
    - └─ modeling\_detr.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_detr.py
  - └─ image\_processing\_detr.py
  - └─ image\_processing\_pil\_detr.py
  - └─ modeling\_detr.py
- └─ dia/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_dia.cpython-312.pyc
    - └─ feature\_extraction\_dia.cpython-312.pyc
    - └─ generation\_dia.cpython-312.pyc
    - └─ modeling\_dia.cpython-312.pyc
    - └─ modular\_dia.cpython-312.pyc
    - └─ processing\_dia.cpython-312.pyc
    - └─ tokenization\_dia.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_dia.py
  - └─ feature\_extraction\_dia.py
  - └─ generation\_dia.py
  - └─ modeling\_dia.py
  - └─ modular\_dia.py
  - └─ processing\_dia.py
  - └─ tokenization\_dia.py
- └─ dialogpt/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
  - └─ \_\_init\_\_.py
- └─ diffllama/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_diffllama.cpython-312.pyc
    - └─ modeling\_diffllama.cpython-312.pyc
    - └─ modular\_diffllama.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_diffllama.py
  - └─ modeling\_diffllama.py
  - └─ modular\_diffllama.py
- └─ dinat/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_dinat.cpython-312.pyc
    - └─ modeling\_dinat.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_dinat.py
  - └─ modeling\_dinat.py
- └─ dinov2/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_dinov2.cpython-312.pyc
    - └─ modeling\_dinov2.cpython-312.pyc

- `__init__.py`
  - `configuration_dinov2.py`
  - `modeling_dinov2.py`
- `dinov2_with_registers/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_dinov2_with_registers.cpython-312.pyc`
    - `modeling_dinov2_with_registers.cpython-312.pyc`
    - `modular_dinov2_with_registers.cpython-312.pyc`
  - `__init__.py`
  - `configuration_dinov2_with_registers.py`
  - `modeling_dinov2_with_registers.py`
  - `modular_dinov2_with_registers.py`
- `dinov3_convnext/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_dinov3_convnext.cpython-312.pyc`
    - `modeling_dinov3_convnext.cpython-312.pyc`
  - `__init__.py`
  - `configuration_dinov3_convnext.py`
  - `modeling_dinov3_convnext.py`
- `dinov3_vit/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_dinov3_vit.cpython-312.pyc`
    - `image_processing_dinov3_vit.cpython-312.pyc`
    - `modeling_dinov3_vit.cpython-312.pyc`
    - `modular_dinov3_vit.cpython-312.pyc`
  - `__init__.py`
  - `configuration_dinov3_vit.py`
  - `image_processing_dinov3_vit.py`
  - `modeling_dinov3_vit.py`
  - `modular_dinov3_vit.py`
- `distilbert/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_distilbert.cpython-312.pyc`
    - `modeling_distilbert.cpython-312.pyc`
    - `tokenization_distilbert.cpython-312.pyc`
  - `__init__.py`
  - `configuration_distilbert.py`
  - `modeling_distilbert.py`
  - `tokenization_distilbert.py`
- `dit/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
  - `__init__.py`
- `doge/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_doge.cpython-312.pyc`
    - `modeling_doge.cpython-312.pyc`
    - `modular_doge.cpython-312.pyc`
  - `__init__.py`
  - `configuration_doge.py`
  - `modeling_doge.py`
  - `modular_doge.py`
- `donut/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_donut_swin.cpython-312.pyc`
    - `image_processing_donut.cpython-312.pyc`
    - `image_processing_pil_donut.cpython-312.pyc`
    - `modeling_donut_swin.cpython-312.pyc`
    - `processing_donut.cpython-312.pyc`
  - `__init__.py`
  - `configuration_donut_swin.py`
  - `image_processing_donut.py`
  - `image_processing_pil_donut.py`
  - `modeling_donut_swin.py`
  - `processing_donut.py`
- `dots1/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_dots1.cpython-312.pyc`
    - `modeling_dots1.cpython-312.pyc`
    - `modular_dots1.cpython-312.pyc`
  - `__init__.py`
  - `configuration_dots1.py`
  - `modeling_dots1.py`
  - `modular_dots1.py`
- `dpr/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_dpr.cpython-312.pyc`

- modeling\_dpr.cpython-312.pyc
  - tokenization\_dpr.cpython-312.pyc
  - tokenization\_dpr\_fast.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_dpr.py
- modeling\_dpr.py
- tokenization\_dpr.py
- tokenization\_dpr\_fast.py
- dpt/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_dpt.cpython-312.pyc
    - image\_processing\_dpt.cpython-312.pyc
    - image\_processing\_pil\_dpt.cpython-312.pyc
    - modeling\_dpt.cpython-312.pyc
    - modular\_dpt.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_dpt.py
  - image\_processing\_dpt.py
  - image\_processing\_pil\_dpt.py
  - modeling\_dpt.py
  - modular\_dpt.py
- edgetam/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_edgetam.cpython-312.pyc
    - modeling\_edgetam.cpython-312.pyc
    - modular\_edgetam.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_edgetam.py
  - modeling\_edgetam.py
  - modular\_edgetam.py
- edgetam\_video/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_edgetam\_video.cpython-312.pyc
    - modeling\_edgetam\_video.cpython-312.pyc
    - modular\_edgetam\_video.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_edgetam\_video.py
  - modeling\_edgetam\_video.py
  - modular\_edgetam\_video.py
- efficientloftr/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_efficientloftr.cpython-312.pyc
    - image\_processing\_efficientloftr.cpython-312.pyc
    - image\_processing\_pil\_efficientloftr.cpython-312.pyc
    - modeling\_efficientloftr.cpython-312.pyc
    - modular\_efficientloftr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_efficientloftr.py
  - image\_processing\_efficientloftr.py
  - image\_processing\_pil\_efficientloftr.py
  - modeling\_efficientloftr.py
  - modular\_efficientloftr.py
- efficientnet/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_efficientnet.cpython-312.pyc
    - image\_processing\_efficientnet.cpython-312.pyc
    - image\_processing\_pil\_efficientnet.cpython-312.pyc
    - modeling\_efficientnet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_efficientnet.py
  - image\_processing\_efficientnet.py
  - image\_processing\_pil\_efficientnet.py
  - modeling\_efficientnet.py
- electra/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_electra.cpython-312.pyc
    - modeling\_electra.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_electra.py
  - modeling\_electra.py
- emu3/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_emu3.cpython-312.pyc
    - image\_processing\_emu3.cpython-312.pyc
    - modeling\_emu3.cpython-312.pyc
    - modular\_emu3.cpython-312.pyc
    - processing\_emu3.cpython-312.pyc
  - \_\_init\_\_.py

- configuration\_emu3.py
- image\_processing\_emu3.py
- modeling\_emu3.py
- modular\_emu3.py
- processing\_emu3.py
- encodec/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_encodec.cpython-312.pyc
    - feature\_extraction\_encodec.cpython-312.pyc
    - modeling\_encodec.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_encodec.py
  - feature\_extraction\_encodec.py
  - modeling\_encodec.py
- encoder\_decoder/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_encoder\_decoder.cpython-312.pyc
    - modeling\_encoder\_decoder.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_encoder\_decoder.py
  - modeling\_encoder\_decoder.py
- eomt/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_eomt.cpython-312.pyc
    - image\_processing\_eomt.cpython-312.pyc
    - image\_processing\_pil\_eomt.cpython-312.pyc
    - modeling\_eomt.cpython-312.pyc
    - modular\_eomt.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_eomt.py
  - image\_processing\_eomt.py
  - image\_processing\_pil\_eomt.py
  - modeling\_eomt.py
  - modular\_eomt.py
- eomt\_dinov3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_eomt\_dinov3.cpython-312.pyc
    - modeling\_eomt\_dinov3.cpython-312.pyc
    - modular\_eomt\_dinov3.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_eomt\_dinov3.py
  - modeling\_eomt\_dinov3.py
  - modular\_eomt\_dinov3.py
- ernie/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_ernie.cpython-312.pyc
    - modeling\_ernie.cpython-312.pyc
    - modular\_ernie.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_ernie.py
  - modeling\_ernie.py
  - modular\_ernie.py
- ernie4\_5/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_ernie4\_5.cpython-312.pyc
    - modeling\_ernie4\_5.cpython-312.pyc
    - modular\_ernie4\_5.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_ernie4\_5.py
  - modeling\_ernie4\_5.py
  - modular\_ernie4\_5.py
- ernie4\_5\_moe/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_ernie4\_5\_moe.cpython-312.pyc
    - modeling\_ernie4\_5\_moe.cpython-312.pyc
    - modular\_ernie4\_5\_moe.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_ernie4\_5\_moe.py
  - modeling\_ernie4\_5\_moe.py
  - modular\_ernie4\_5\_moe.py
- ernie4\_5\_vl\_moe/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_ernie4\_5\_vl\_moe.cpython-312.pyc
    - image\_processing\_ernie4\_5\_vl\_moe.cpython-312.pyc
    - image\_processing\_pil\_ernie4\_5\_vl\_moe.cpython-312.pyc
    - modeling\_ernie4\_5\_vl\_moe.cpython-312.pyc
    - modular\_ernie4\_5\_vl\_moe.cpython-312.pyc

- processing\_ernie4\_5\_v1\_moe.cpython-312.pyc
  - video\_processing\_ernie4\_5\_v1\_moe.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_ernie4\_5\_v1\_moe.py
- image\_processing\_ernie4\_5\_v1\_moe.py
- image\_processing\_pil\_ernie4\_5\_v1\_moe.py
- modeling\_ernie4\_5\_v1\_moe.py
- modular\_ernie4\_5\_v1\_moe.py
- processing\_ernie4\_5\_v1\_moe.py
- video\_processing\_ernie4\_5\_v1\_moe.py
- esm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_esm.cpython-312.pyc
    - modeling\_esm.cpython-312.pyc
    - modeling\_esmfold.cpython-312.pyc
    - tokenization\_esm.cpython-312.pyc
  - openfold\_utils/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - chunk\_utils.cpython-312.pyc
      - data\_transforms.cpython-312.pyc
      - feats.cpython-312.pyc
      - loss.cpython-312.pyc
      - protein.cpython-312.pyc
      - residue\_constants.cpython-312.pyc
      - rigid\_utils.cpython-312.pyc
      - tensor\_utils.cpython-312.pyc
    - \_\_init\_\_.py
    - chunk\_utils.py
    - data\_transforms.py
    - feats.py
    - loss.py
    - protein.py
    - residue\_constants.py
    - rigid\_utils.py
    - tensor\_utils.py
  - \_\_init\_\_.py
  - configuration\_esm.py
  - modeling\_esm.py
  - modeling\_esmfold.py
  - tokenization\_esm.py
- eurobert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_eurobert.cpython-312.pyc
    - modeling\_eurobert.cpython-312.pyc
    - modular\_eurobert.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_eurobert.py
  - modeling\_eurobert.py
  - modular\_eurobert.py
- evolla/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_evolla.cpython-312.pyc
    - modeling\_evolla.cpython-312.pyc
    - modular\_evolla.cpython-312.pyc
    - processing\_evolla.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_evolla.py
  - modeling\_evolla.py
  - modular\_evolla.py
  - processing\_evolla.py
- exaone4/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_exaone4.cpython-312.pyc
    - modeling\_exaone4.cpython-312.pyc
    - modular\_exaone4.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_exaone4.py
  - modeling\_exaone4.py
  - modular\_exaone4.py
- exaone4\_5/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_exaone4\_5.cpython-312.pyc
    - modeling\_exaone4\_5.cpython-312.pyc
    - modular\_exaone4\_5.cpython-312.pyc
    - processing\_exaone4\_5.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_exaone4\_5.py
  - modeling\_exaone4\_5.py
  - modular\_exaone4\_5.py

- └─ processing\_exaone4\_5.py
- ─ exaone\_moe/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_exaone\_moe.cpython-312.pyc
    - └─ modeling\_exaone\_moe.cpython-312.pyc
    - └─ modular\_exaone\_moe.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_exaone\_moe.py
  - └─ modeling\_exaone\_moe.py
  - └─ modular\_exaone\_moe.py
- ─ falcon/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_falcon.cpython-312.pyc
    - └─ modeling\_falcon.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_falcon.py
  - └─ modeling\_falcon.py
- ─ falcon\_h1/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_falcon\_h1.cpython-312.pyc
    - └─ modeling\_falcon\_h1.cpython-312.pyc
    - └─ modular\_falcon\_h1.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_falcon\_h1.py
  - └─ modeling\_falcon\_h1.py
  - └─ modular\_falcon\_h1.py
- ─ falcon\_mamba/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_falcon\_mamba.cpython-312.pyc
    - └─ modeling\_falcon\_mamba.cpython-312.pyc
    - └─ modular\_falcon\_mamba.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_falcon\_mamba.py
  - └─ modeling\_falcon\_mamba.py
  - └─ modular\_falcon\_mamba.py
- ─ fast\_vlm/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_fast\_vlm.cpython-312.pyc
    - └─ modeling\_fast\_vlm.cpython-312.pyc
    - └─ modular\_fast\_vlm.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_fast\_vlm.py
  - └─ modeling\_fast\_vlm.py
  - └─ modular\_fast\_vlm.py
- ─ fastspeech2\_conformer/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_fastspeech2\_conformer.cpython-312.pyc
    - └─ modeling\_fastspeech2\_conformer.cpython-312.pyc
    - └─ tokenization\_fastspeech2\_conformer.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_fastspeech2\_conformer.py
  - └─ modeling\_fastspeech2\_conformer.py
  - └─ tokenization\_fastspeech2\_conformer.py
- ─ flaubert/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_flaubert.cpython-312.pyc
    - └─ modeling\_flaubert.cpython-312.pyc
    - └─ tokenization\_flaubert.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_flaubert.py
  - └─ modeling\_flaubert.py
  - └─ tokenization\_flaubert.py
- ─ flava/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_flava.cpython-312.pyc
    - └─ image\_processing\_flava.cpython-312.pyc
    - └─ image\_processing\_pil\_flava.cpython-312.pyc
    - └─ modeling\_flava.cpython-312.pyc
    - └─ processing\_flava.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_flava.py
  - └─ image\_processing\_flava.py
  - └─ image\_processing\_pil\_flava.py
  - └─ modeling\_flava.py
  - └─ processing\_flava.py
- ─ flex\_olmo/
  - └─ \_\_pycache\_\_/

- `__init__.cpython-312.pyc`
  - `configuration_flex_olmo.cpython-312.pyc`
  - `modeling_flex_olmo.cpython-312.pyc`
  - `modular_flex_olmo.cpython-312.pyc`
- `__init__.py`
- `configuration_flex_olmo.py`
- `modeling_flex_olmo.py`
- `modular_flex_olmo.py`
- `florence2/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_florence2.cpython-312.pyc`
    - `modeling_florence2.cpython-312.pyc`
    - `modular_florence2.cpython-312.pyc`
    - `processing_florence2.cpython-312.pyc`
  - `__init__.py`
  - `configuration_florence2.py`
  - `modeling_florence2.py`
  - `modular_florence2.py`
  - `processing_florence2.py`
- `fnet/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_fnet.cpython-312.pyc`
    - `modeling_fnet.cpython-312.pyc`
    - `tokenization_fnet.cpython-312.pyc`
  - `__init__.py`
  - `configuration_fnet.py`
  - `modeling_fnet.py`
  - `tokenization_fnet.py`
- `focalnet/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_focalnet.cpython-312.pyc`
    - `modeling_focalnet.cpython-312.pyc`
  - `__init__.py`
  - `configuration_focalnet.py`
  - `modeling_focalnet.py`
- `fsmt/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_fsmt.cpython-312.pyc`
    - `modeling_fsmt.cpython-312.pyc`
    - `tokenization_fsmt.cpython-312.pyc`
  - `__init__.py`
  - `configuration_fsmt.py`
  - `modeling_fsmt.py`
  - `tokenization_fsmt.py`
- `funnel/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_funnel.cpython-312.pyc`
    - `modeling_funnel.cpython-312.pyc`
    - `tokenization_funnel.cpython-312.pyc`
  - `__init__.py`
  - `configuration_funnel.py`
  - `modeling_funnel.py`
  - `tokenization_funnel.py`
- `fuyu/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_fuyu.cpython-312.pyc`
    - `image_processing_fuyu.cpython-312.pyc`
    - `image_processing_pil_fuyu.cpython-312.pyc`
    - `modeling_fuyu.cpython-312.pyc`
    - `processing_fuyu.cpython-312.pyc`
  - `__init__.py`
  - `configuration_fuyu.py`
  - `image_processing_fuyu.py`
  - `image_processing_pil_fuyu.py`
  - `modeling_fuyu.py`
  - `processing_fuyu.py`
- `gemma/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_gemma.cpython-312.pyc`
    - `modeling_gemma.cpython-312.pyc`
    - `modular_gemma.cpython-312.pyc`
    - `tokenization_gemma.cpython-312.pyc`
  - `__init__.py`
  - `configuration_gemma.py`
  - `modeling_gemma.py`
  - `modular_gemma.py`
  - `tokenization_gemma.py`
- `gemma2/`



- \_pycache\_\_/
  - \_\_init\_\_.cpython-312.pyc
  - configuration\_gemma2.cpython-312.pyc
  - modeling\_gemma2.cpython-312.pyc
  - modular\_gemma2.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_gemma2.py
- modeling\_gemma2.py
- modular\_gemma2.py
- gemma3/
  - \_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_gemma3.cpython-312.pyc
    - image\_processing\_gemma3.cpython-312.pyc
    - image\_processing\_pil\_gemma3.cpython-312.pyc
    - modeling\_gemma3.cpython-312.pyc
    - modular\_gemma3.cpython-312.pyc
    - processing\_gemma3.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_gemma3.py
  - image\_processing\_gemma3.py
  - image\_processing\_pil\_gemma3.py
  - modeling\_gemma3.py
  - modular\_gemma3.py
  - processing\_gemma3.py
- gemma3n/
  - \_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_gemma3n.cpython-312.pyc
    - feature\_extraction\_gemma3n.cpython-312.pyc
    - modeling\_gemma3n.cpython-312.pyc
    - modular\_gemma3n.cpython-312.pyc
    - processing\_gemma3n.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_gemma3n.py
  - feature\_extraction\_gemma3n.py
  - modeling\_gemma3n.py
  - modular\_gemma3n.py
  - processing\_gemma3n.py
- gemma4/
  - \_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_gemma4.cpython-312.pyc
    - feature\_extraction\_gemma4.cpython-312.pyc
    - image\_processing\_gemma4.cpython-312.pyc
    - image\_processing\_pil\_gemma4.cpython-312.pyc
    - modeling\_gemma4.cpython-312.pyc
    - modular\_gemma4.cpython-312.pyc
    - processing\_gemma4.cpython-312.pyc
    - video\_processing\_gemma4.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_gemma4.py
  - feature\_extraction\_gemma4.py
  - image\_processing\_gemma4.py
  - image\_processing\_pil\_gemma4.py
  - modeling\_gemma4.py
  - modular\_gemma4.py
  - processing\_gemma4.py
  - video\_processing\_gemma4.py
- gemma4\_assistant/
  - \_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_gemma4\_assistant.cpython-312.pyc
    - modeling\_gemma4\_assistant.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_gemma4\_assistant.py
  - modeling\_gemma4\_assistant.py
- git/
  - \_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_git.cpython-312.pyc
    - modeling\_git.cpython-312.pyc
    - processing\_git.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_git.py
  - modeling\_git.py
  - processing\_git.py
- glm/
  - \_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glm.cpython-312.pyc
    - modeling\_glm.cpython-312.pyc
    - modular\_glm.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glm.py

- modeling\_glm.py
- modular\_glm.py
- glm4/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glm4.cpython-312.pyc
    - modeling\_glm4.cpython-312.pyc
    - modular\_glm4.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glm4.py
  - modeling\_glm4.py
  - modular\_glm4.py
- glm46v/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glm46v.cpython-312.pyc
    - image\_processing\_glm46v.cpython-312.pyc
    - image\_processing\_pil\_glm46v.cpython-312.pyc
    - modeling\_glm46v.cpython-312.pyc
    - modular\_glm46v.cpython-312.pyc
    - processing\_glm46v.cpython-312.pyc
    - video\_processing\_glm46v.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glm46v.py
  - image\_processing\_glm46v.py
  - image\_processing\_pil\_glm46v.py
  - modeling\_glm46v.py
  - modular\_glm46v.py
  - processing\_glm46v.py
  - video\_processing\_glm46v.py
- glm4\_moe/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glm4\_moe.cpython-312.pyc
    - modeling\_glm4\_moe.cpython-312.pyc
    - modular\_glm4\_moe.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glm4\_moe.py
  - modeling\_glm4\_moe.py
  - modular\_glm4\_moe.py
- glm4\_moe\_lite/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glm4\_moe\_lite.cpython-312.pyc
    - modeling\_glm4\_moe\_lite.cpython-312.pyc
    - modular\_glm4\_moe\_lite.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glm4\_moe\_lite.py
  - modeling\_glm4\_moe\_lite.py
  - modular\_glm4\_moe\_lite.py
- glm4v/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glm4v.cpython-312.pyc
    - image\_processing\_glm4v.cpython-312.pyc
    - image\_processing\_pil\_glm4v.cpython-312.pyc
    - modeling\_glm4v.cpython-312.pyc
    - modular\_glm4v.cpython-312.pyc
    - processing\_glm4v.cpython-312.pyc
    - video\_processing\_glm4v.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glm4v.py
  - image\_processing\_glm4v.py
  - image\_processing\_pil\_glm4v.py
  - modeling\_glm4v.py
  - modular\_glm4v.py
  - processing\_glm4v.py
  - video\_processing\_glm4v.py
- glm4v\_moe/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glm4v\_moe.cpython-312.pyc
    - modeling\_glm4v\_moe.cpython-312.pyc
    - modular\_glm4v\_moe.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glm4v\_moe.py
  - modeling\_glm4v\_moe.py
  - modular\_glm4v\_moe.py
- glm\_image/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glm\_image.cpython-312.pyc
    - image\_processing\_glm\_image.cpython-312.pyc
    - image\_processing\_pil\_glm\_image.cpython-312.pyc
    - modeling\_glm\_image.cpython-312.pyc

- modular\_glm\_image.cpython-312.pyc
    - processing\_glm\_image.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glm\_image.py
  - image\_processing\_glm\_image.py
  - image\_processing\_pil\_glm\_image.py
  - modeling\_glm\_image.py
  - modular\_glm\_image.py
  - processing\_glm\_image.py
- glm\_moe\_dsa/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glm\_moe\_dsa.cpython-312.pyc
    - modeling\_glm\_moe\_dsa.cpython-312.pyc
    - modular\_glm\_moe\_dsa.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glm\_moe\_dsa.py
  - modeling\_glm\_moe\_dsa.py
  - modular\_glm\_moe\_dsa.py
- glm\_ocr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glm\_ocr.cpython-312.pyc
    - modeling\_glm\_ocr.cpython-312.pyc
    - modular\_glm\_ocr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glm\_ocr.py
  - modeling\_glm\_ocr.py
  - modular\_glm\_ocr.py
- glmasr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glmasr.cpython-312.pyc
    - modeling\_glmasr.cpython-312.pyc
    - modular\_glmasr.cpython-312.pyc
    - processing\_glmasr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glmasr.py
  - modeling\_glmasr.py
  - modular\_glmasr.py
  - processing\_glmasr.py
- glpn/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_glpn.cpython-312.pyc
    - image\_processing\_glpn.cpython-312.pyc
    - image\_processing\_pil\_glpn.cpython-312.pyc
    - modeling\_glpn.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_glpn.py
  - image\_processing\_glpn.py
  - image\_processing\_pil\_glpn.py
  - modeling\_glpn.py
- got\_ocr2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_got\_ocr2.cpython-312.pyc
    - image\_processing\_got\_ocr2.cpython-312.pyc
    - image\_processing\_pil\_got\_ocr2.cpython-312.pyc
    - modeling\_got\_ocr2.cpython-312.pyc
    - modular\_got\_ocr2.cpython-312.pyc
    - processing\_got\_ocr2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_got\_ocr2.py
  - image\_processing\_got\_ocr2.py
  - image\_processing\_pil\_got\_ocr2.py
  - modeling\_got\_ocr2.py
  - modular\_got\_ocr2.py
  - processing\_got\_ocr2.py
- gpt2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_gpt2.cpython-312.pyc
    - modeling\_gpt2.cpython-312.pyc
    - tokenization\_gpt2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_gpt2.py
  - modeling\_gpt2.py
  - tokenization\_gpt2.py
- gpt\_bigcode/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_gpt\_bigcode.cpython-312.pyc
    - modeling\_gpt\_bigcode.cpython-312.pyc
  - \_\_init\_\_.py

- configuration\_gpt\_bigcode.py
- modeling\_gpt\_bigcode.py
- gpt\_neo/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_gpt\_neo.cpython-312.pyc
    - modeling\_gpt\_neo.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_gpt\_neo.py
  - modeling\_gpt\_neo.py
- gpt\_neox/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_gpt\_neox.cpython-312.pyc
    - modeling\_gpt\_neox.cpython-312.pyc
    - modular\_gpt\_neox.cpython-312.pyc
    - tokenization\_gpt\_neox.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_gpt\_neox.py
  - modeling\_gpt\_neox.py
  - modular\_gpt\_neox.py
  - tokenization\_gpt\_neox.py
- gpt\_neox\_japanese/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_gpt\_neox\_japanese.cpython-312.pyc
    - modeling\_gpt\_neox\_japanese.cpython-312.pyc
    - tokenization\_gpt\_neox\_japanese.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_gpt\_neox\_japanese.py
  - modeling\_gpt\_neox\_japanese.py
  - tokenization\_gpt\_neox\_japanese.py
- gpt\_oss/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_gpt\_oss.cpython-312.pyc
    - modeling\_gpt\_oss.cpython-312.pyc
    - modular\_gpt\_oss.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_gpt\_oss.py
  - modeling\_gpt\_oss.py
  - modular\_gpt\_oss.py
- gpt\_sw3/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_gpt\_sw3.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_gpt\_sw3.py
- gptj/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_gptj.cpython-312.pyc
    - modeling\_gptj.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_gptj.py
  - modeling\_gptj.py
- granite/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_granite.cpython-312.pyc
    - modeling\_granite.cpython-312.pyc
    - modular\_granite.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_granite.py
  - modeling\_granite.py
  - modular\_granite.py
- granite4\_vision/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_granite4\_vision.cpython-312.pyc
    - modeling\_granite4\_vision.cpython-312.pyc
    - modular\_granite4\_vision.cpython-312.pyc
    - processing\_granite4\_vision.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_granite4\_vision.py
  - modeling\_granite4\_vision.py
  - modular\_granite4\_vision.py
  - processing\_granite4\_vision.py
- granite\_speech/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_granite\_speech.cpython-312.pyc
    - feature\_extraction\_granite\_speech.cpython-312.pyc
    - modeling\_granite\_speech.cpython-312.pyc
    - processing\_granite\_speech.cpython-312.pyc

- `__init__.py`
- `configuration_granite_speech.py`
- `feature_extraction_granite_speech.py`
- `modeling_granite_speech.py`
- `processing_granite_speech.py`
- `granite_speech_plus/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_granite_speech_plus.cpython-312.pyc`
    - `modeling_granite_speech_plus.cpython-312.pyc`
    - `modular_granite_speech_plus.cpython-312.pyc`
  - `__init__.py`
  - `configuration_granite_speech_plus.py`
  - `modeling_granite_speech_plus.py`
  - `modular_granite_speech_plus.py`
- `granitemoe/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_granitemoe.cpython-312.pyc`
    - `modeling_granitemoe.cpython-312.pyc`
    - `modular_granitemoe.cpython-312.pyc`
  - `__init__.py`
  - `configuration_granitemoe.py`
  - `modeling_granitemoe.py`
  - `modular_granitemoe.py`
- `granitemoehybrid/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_granitemoehybrid.cpython-312.pyc`
    - `modeling_granitemoehybrid.cpython-312.pyc`
    - `modular_granitemoehybrid.cpython-312.pyc`
  - `__init__.py`
  - `configuration_granitemoehybrid.py`
  - `modeling_granitemoehybrid.py`
  - `modular_granitemoehybrid.py`
- `granitemoeshared/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_granitemoeshared.cpython-312.pyc`
    - `modeling_granitemoeshared.cpython-312.pyc`
    - `modular_granitemoeshared.cpython-312.pyc`
  - `__init__.py`
  - `configuration_granitemoeshared.py`
  - `modeling_granitemoeshared.py`
  - `modular_granitemoeshared.py`
- `grounding_dino/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_grounding_dino.cpython-312.pyc`
    - `image_processing_grounding_dino.cpython-312.pyc`
    - `image_processing_pil_grounding_dino.cpython-312.pyc`
    - `modeling_grounding_dino.cpython-312.pyc`
    - `modular_grounding_dino.cpython-312.pyc`
    - `processing_grounding_dino.cpython-312.pyc`
  - `__init__.py`
  - `configuration_grounding_dino.py`
  - `image_processing_grounding_dino.py`
  - `image_processing_pil_grounding_dino.py`
  - `modeling_grounding_dino.py`
  - `modular_grounding_dino.py`
  - `processing_grounding_dino.py`
- `groupvit/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_groupvit.cpython-312.pyc`
    - `modeling_groupvit.cpython-312.pyc`
  - `__init__.py`
  - `configuration_groupvit.py`
  - `modeling_groupvit.py`
- `helium/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_helium.cpython-312.pyc`
    - `modeling_helium.cpython-312.pyc`
    - `modular_helium.cpython-312.pyc`
  - `__init__.py`
  - `configuration_helium.py`
  - `modeling_helium.py`
  - `modular_helium.py`
- `herbert/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `tokenization_herbert.cpython-312.pyc`
  - `__init__.py`
  - `tokenization_herbert.py`

- hgnet\_v2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_hgnet\_v2.cpython-312.pyc
    - modeling\_hgnet\_v2.cpython-312.pyc
    - modular\_hgnet\_v2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_hgnet\_v2.py
  - modeling\_hgnet\_v2.py
  - modular\_hgnet\_v2.py
- hiera/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_hiera.cpython-312.pyc
    - modeling\_hiera.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_hiera.py
  - modeling\_hiera.py
- higgs\_audio\_v2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_higgs\_audio\_v2.cpython-312.pyc
    - generation\_higgs\_audio\_v2.cpython-312.pyc
    - modeling\_higgs\_audio\_v2.cpython-312.pyc
    - modular\_higgs\_audio\_v2.cpython-312.pyc
    - processing\_higgs\_audio\_v2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_higgs\_audio\_v2.py
  - generation\_higgs\_audio\_v2.py
  - modeling\_higgs\_audio\_v2.py
  - modular\_higgs\_audio\_v2.py
  - processing\_higgs\_audio\_v2.py
- higgs\_audio\_v2\_tokenizer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_higgs\_audio\_v2\_tokenizer.cpython-312.pyc
    - modeling\_higgs\_audio\_v2\_tokenizer.cpython-312.pyc
    - modular\_higgs\_audio\_v2\_tokenizer.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_higgs\_audio\_v2\_tokenizer.py
  - modeling\_higgs\_audio\_v2\_tokenizer.py
  - modular\_higgs\_audio\_v2\_tokenizer.py
- hubert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_hubert.cpython-312.pyc
    - modeling\_hubert.cpython-312.pyc
    - modular\_hubert.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_hubert.py
  - modeling\_hubert.py
  - modular\_hubert.py
- hunyuan\_v1\_dense/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_hunyuan\_v1\_dense.cpython-312.pyc
    - modeling\_hunyuan\_v1\_dense.cpython-312.pyc
    - modular\_hunyuan\_v1\_dense.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_hunyuan\_v1\_dense.py
  - modeling\_hunyuan\_v1\_dense.py
  - modular\_hunyuan\_v1\_dense.py
- hunyuan\_v1\_moe/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_hunyuan\_v1\_moe.cpython-312.pyc
    - modeling\_hunyuan\_v1\_moe.cpython-312.pyc
    - modular\_hunyuan\_v1\_moe.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_hunyuan\_v1\_moe.py
  - modeling\_hunyuan\_v1\_moe.py
  - modular\_hunyuan\_v1\_moe.py
- hy\_v3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_hy\_v3.cpython-312.pyc
    - modeling\_hy\_v3.cpython-312.pyc
    - modular\_hy\_v3.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_hy\_v3.py
  - modeling\_hy\_v3.py
  - modular\_hy\_v3.py
- ibert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc

- configuration\_ibert.cpython-312.pyc
  - modeling\_ibert.cpython-312.pyc
  - quant\_modules.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_ibert.py
- modeling\_ibert.py
- quant\_modules.py
- idefics/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_idefics.cpython-312.pyc
    - image\_processing\_idefics.cpython-312.pyc
    - image\_processing\_pil\_idefics.cpython-312.pyc
    - modeling\_idefics.cpython-312.pyc
    - perceiver.cpython-312.pyc
    - processing\_idefics.cpython-312.pyc
    - vision.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_idefics.py
  - image\_processing\_idefics.py
  - image\_processing\_pil\_idefics.py
  - modeling\_idefics.py
  - perceiver.py
  - processing\_idefics.py
  - vision.py
- idefics2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_idefics2.cpython-312.pyc
    - image\_processing\_idefics2.cpython-312.pyc
    - image\_processing\_pil\_idefics2.cpython-312.pyc
    - modeling\_idefics2.cpython-312.pyc
    - processing\_idefics2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_idefics2.py
  - image\_processing\_idefics2.py
  - image\_processing\_pil\_idefics2.py
  - modeling\_idefics2.py
  - processing\_idefics2.py
- idefics3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_idefics3.cpython-312.pyc
    - image\_processing\_idefics3.cpython-312.pyc
    - image\_processing\_pil\_idefics3.cpython-312.pyc
    - modeling\_idefics3.cpython-312.pyc
    - processing\_idefics3.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_idefics3.py
  - image\_processing\_idefics3.py
  - image\_processing\_pil\_idefics3.py
  - modeling\_idefics3.py
  - processing\_idefics3.py
- ijepa/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_ijepa.cpython-312.pyc
    - modeling\_ijepa.cpython-312.pyc
    - modular\_ijepa.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_ijepa.py
  - modeling\_ijepa.py
  - modular\_ijepa.py
- imagegpt/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_imagegpt.cpython-312.pyc
    - image\_processing\_imagegpt.cpython-312.pyc
    - image\_processing\_pil\_imagegpt.cpython-312.pyc
    - modeling\_imagegpt.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_imagegpt.py
  - image\_processing\_imagegpt.py
  - image\_processing\_pil\_imagegpt.py
  - modeling\_imagegpt.py
- informer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_informer.cpython-312.pyc
    - modeling\_informer.cpython-312.pyc
    - modular\_informer.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_informer.py
  - modeling\_informer.py
  - modular\_informer.py

```
├── instructblip/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_instructblip.cpython-312.pyc
│   │   ├── modeling_instructblip.cpython-312.pyc
│   │   └── processing_instructblip.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_instructblip.py
│   ├── modeling_instructblip.py
│   └── processing_instructblip.py
├── instructblipvideo/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_instructblipvideo.cpython-312.pyc
│   │   ├── modeling_instructblipvideo.cpython-312.pyc
│   │   ├── modular_instructblipvideo.cpython-312.pyc
│   │   ├── processing_instructblipvideo.cpython-312.pyc
│   │   └── video_processing_instructblipvideo.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_instructblipvideo.py
│   ├── modeling_instructblipvideo.py
│   ├── modular_instructblipvideo.py
│   ├── processing_instructblipvideo.py
│   └── video_processing_instructblipvideo.py
├── internvl/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_internvl.cpython-312.pyc
│   │   ├── modeling_internvl.cpython-312.pyc
│   │   ├── modular_internvl.cpython-312.pyc
│   │   ├── processing_internvl.cpython-312.pyc
│   │   └── video_processing_internvl.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_internvl.py
│   ├── modeling_internvl.py
│   ├── modular_internvl.py
│   ├── processing_internvl.py
│   └── video_processing_internvl.py
├── jais2/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_jais2.cpython-312.pyc
│   │   ├── modeling_jais2.cpython-312.pyc
│   │   └── modular_jais2.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_jais2.py
│   ├── modeling_jais2.py
│   └── modular_jais2.py
├── jamba/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_jamba.cpython-312.pyc
│   │   ├── modeling_jamba.cpython-312.pyc
│   │   └── modular_jamba.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_jamba.py
│   ├── modeling_jamba.py
│   └── modular_jamba.py
├── janus/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_janus.cpython-312.pyc
│   │   ├── image_processing_janus.cpython-312.pyc
│   │   ├── image_processing_pil_janus.cpython-312.pyc
│   │   ├── modeling_janus.cpython-312.pyc
│   │   ├── modular_janus.cpython-312.pyc
│   │   └── processing_janus.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_janus.py
│   ├── image_processing_janus.py
│   ├── image_processing_pil_janus.py
│   ├── modeling_janus.py
│   ├── modular_janus.py
│   └── processing_janus.py
├── jetmoe/
│   ├── __pycache__/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_jetmoe.cpython-312.pyc
│   │   ├── modeling_jetmoe.cpython-312.pyc
│   │   └── modular_jetmoe.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_jetmoe.py
│   ├── modeling_jetmoe.py
│   └── modular_jetmoe.py
└── jina_embeddings_v3/
```



- \_pycache\_/
  - \_\_init\_\_.cpython-312.pyc
  - configuration\_jina\_embeddings\_v3.cpython-312.pyc
  - modeling\_jina\_embeddings\_v3.cpython-312.pyc
  - modular\_jina\_embeddings\_v3.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_jina\_embeddings\_v3.py
- modeling\_jina\_embeddings\_v3.py
- modular\_jina\_embeddings\_v3.py
- kosmos2/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_kosmos2.cpython-312.pyc
    - modeling\_kosmos2.cpython-312.pyc
    - processing\_kosmos2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_kosmos2.py
  - modeling\_kosmos2.py
  - processing\_kosmos2.py
- kosmos2\_5/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_kosmos2\_5.cpython-312.pyc
    - image\_processing\_kosmos2\_5.cpython-312.pyc
    - image\_processing\_pil\_kosmos2\_5.cpython-312.pyc
    - modeling\_kosmos2\_5.cpython-312.pyc
    - processing\_kosmos2\_5.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_kosmos2\_5.py
  - image\_processing\_kosmos2\_5.py
  - image\_processing\_pil\_kosmos2\_5.py
  - modeling\_kosmos2\_5.py
  - processing\_kosmos2\_5.py
- kyutai\_speech\_to\_text/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_kyutai\_speech\_to\_text.cpython-312.pyc
    - feature\_extraction\_kyutai\_speech\_to\_text.cpython-312.pyc
    - modeling\_kyutai\_speech\_to\_text.cpython-312.pyc
    - modular\_kyutai\_speech\_to\_text.cpython-312.pyc
    - processing\_kyutai\_speech\_to\_text.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_kyutai\_speech\_to\_text.py
  - feature\_extraction\_kyutai\_speech\_to\_text.py
  - modeling\_kyutai\_speech\_to\_text.py
  - modular\_kyutai\_speech\_to\_text.py
  - processing\_kyutai\_speech\_to\_text.py
- laguna/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_laguna.cpython-312.pyc
    - modeling\_laguna.cpython-312.pyc
    - modular\_laguna.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_laguna.py
  - modeling\_laguna.py
  - modular\_laguna.py
- lasr/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_lasr.cpython-312.pyc
    - feature\_extraction\_lasr.cpython-312.pyc
    - modeling\_lasr.cpython-312.pyc
    - modular\_lasr.cpython-312.pyc
    - processing\_lasr.cpython-312.pyc
    - tokenization\_lasr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_lasr.py
  - feature\_extraction\_lasr.py
  - modeling\_lasr.py
  - modular\_lasr.py
  - processing\_lasr.py
  - tokenization\_lasr.py
- layoutlm/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_layoutlm.cpython-312.pyc
    - modeling\_layoutlm.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_layoutlm.py
  - modeling\_layoutlm.py
- layoutlmv2/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_layoutlmv2.cpython-312.pyc

- image\_processing\_layoutlmv2.cpython-312.pyc
  - image\_processing\_pil\_layoutlmv2.cpython-312.pyc
  - modeling\_layoutlmv2.cpython-312.pyc
  - processing\_layoutlmv2.cpython-312.pyc
  - tokenization\_layoutlmv2.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_layoutlmv2.py
- image\_processing\_layoutlmv2.py
- image\_processing\_pil\_layoutlmv2.py
- modeling\_layoutlmv2.py
- processing\_layoutlmv2.py
- tokenization\_layoutlmv2.py
- layoutlmv3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_layoutlmv3.cpython-312.pyc
    - image\_processing\_layoutlmv3.cpython-312.pyc
    - image\_processing\_pil\_layoutlmv3.cpython-312.pyc
    - modeling\_layoutlmv3.cpython-312.pyc
    - processing\_layoutlmv3.cpython-312.pyc
    - tokenization\_layoutlmv3.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_layoutlmv3.py
- image\_processing\_layoutlmv3.py
- image\_processing\_pil\_layoutlmv3.py
- modeling\_layoutlmv3.py
- processing\_layoutlmv3.py
- tokenization\_layoutlmv3.py
- layoutxlm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_layoutxlm.cpython-312.pyc
    - modular\_layoutxlm.cpython-312.pyc
    - processing\_layoutxlm.cpython-312.pyc
    - tokenization\_layoutxlm.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_layoutxlm.py
- modular\_layoutxlm.py
- processing\_layoutxlm.py
- tokenization\_layoutxlm.py
- led/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_led.cpython-312.pyc
    - modeling\_led.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_led.py
- modeling\_led.py
- levit/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_levit.cpython-312.pyc
    - image\_processing\_levit.cpython-312.pyc
    - image\_processing\_pil\_levit.cpython-312.pyc
    - modeling\_levit.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_levit.py
- image\_processing\_levit.py
- image\_processing\_pil\_levit.py
- modeling\_levit.py
- lfm2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_lfm2.cpython-312.pyc
    - modeling\_lfm2.cpython-312.pyc
    - modular\_lfm2.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_lfm2.py
- modeling\_lfm2.py
- modular\_lfm2.py
- lfm2\_moe/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_lfm2\_moe.cpython-312.pyc
    - modeling\_lfm2\_moe.cpython-312.pyc
    - modular\_lfm2\_moe.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_lfm2\_moe.py
- modeling\_lfm2\_moe.py
- modular\_lfm2\_moe.py
- lfm2\_v1/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_lfm2\_v1.cpython-312.pyc
    - image\_processing\_lfm2\_v1.cpython-312.pyc

- modeling\_lfm2\_v1.cpython-312.pyc
  - modular\_lfm2\_v1.cpython-312.pyc
  - processing\_lfm2\_v1.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_lfm2\_v1.py
- image\_processing\_lfm2\_v1.py
- modeling\_lfm2\_v1.py
- modular\_lfm2\_v1.py
- processing\_lfm2\_v1.py
- lightglue/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_lightglue.cpython-312.pyc
    - image\_processing\_lightglue.cpython-312.pyc
    - image\_processing\_pil\_lightglue.cpython-312.pyc
    - modeling\_lightglue.cpython-312.pyc
    - modular\_lightglue.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_lightglue.py
  - image\_processing\_lightglue.py
  - image\_processing\_pil\_lightglue.py
  - modeling\_lightglue.py
  - modular\_lightglue.py
- lighton\_ocr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_lighton\_ocr.cpython-312.pyc
    - modeling\_lighton\_ocr.cpython-312.pyc
    - modular\_lighton\_ocr.cpython-312.pyc
    - processing\_lighton\_ocr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_lighton\_ocr.py
  - modeling\_lighton\_ocr.py
  - modular\_lighton\_ocr.py
  - processing\_lighton\_ocr.py
- lilt/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_lilt.cpython-312.pyc
    - modeling\_lilt.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_lilt.py
  - modeling\_lilt.py
- llama/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_llama.cpython-312.pyc
    - modeling\_llama.cpython-312.pyc
    - tokenization\_llama.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_llama.py
  - modeling\_llama.py
  - tokenization\_llama.py
- llama4/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_llama4.cpython-312.pyc
    - image\_processing\_llama4.cpython-312.pyc
    - modeling\_llama4.cpython-312.pyc
    - processing\_llama4.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_llama4.py
  - image\_processing\_llama4.py
  - modeling\_llama4.py
  - processing\_llama4.py
- llava/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_llava.cpython-312.pyc
    - image\_processing\_llava.cpython-312.pyc
    - image\_processing\_pil\_llava.cpython-312.pyc
    - modeling\_llava.cpython-312.pyc
    - processing\_llava.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_llava.py
  - image\_processing\_llava.py
  - image\_processing\_pil\_llava.py
  - modeling\_llava.py
  - processing\_llava.py
- llava\_next/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_llava\_next.cpython-312.pyc
    - image\_processing\_llava\_next.cpython-312.pyc
    - image\_processing\_pil\_llava\_next.cpython-312.pyc

- modeling\_llava\_next.cpython-312.pyc
  - processing\_llava\_next.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_llava\_next.py
- image\_processing\_llava\_next.py
- image\_processing\_pil\_llava\_next.py
- modeling\_llava\_next.py
- processing\_llava\_next.py
- llava\_next\_video/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_llava\_next\_video.cpython-312.pyc
    - modeling\_llava\_next\_video.cpython-312.pyc
    - modular\_llava\_next\_video.cpython-312.pyc
    - processing\_llava\_next\_video.cpython-312.pyc
    - video\_processing\_llava\_next\_video.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_llava\_next\_video.py
  - modeling\_llava\_next\_video.py
  - modular\_llava\_next\_video.py
  - processing\_llava\_next\_video.py
  - video\_processing\_llava\_next\_video.py
- llava\_onevision/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_llava\_onevision.cpython-312.pyc
    - image\_processing\_llava\_onevision.cpython-312.pyc
    - image\_processing\_pil\_llava\_onevision.cpython-312.pyc
    - modeling\_llava\_onevision.cpython-312.pyc
    - modular\_llava\_onevision.cpython-312.pyc
    - processing\_llava\_onevision.cpython-312.pyc
    - video\_processing\_llava\_onevision.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_llava\_onevision.py
  - image\_processing\_llava\_onevision.py
  - image\_processing\_pil\_llava\_onevision.py
  - modeling\_llava\_onevision.py
  - modular\_llava\_onevision.py
  - processing\_llava\_onevision.py
  - video\_processing\_llava\_onevision.py
- longcat\_flash/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_longcat\_flash.cpython-312.pyc
    - modeling\_longcat\_flash.cpython-312.pyc
    - modular\_longcat\_flash.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_longcat\_flash.py
  - modeling\_longcat\_flash.py
  - modular\_longcat\_flash.py
- longformer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_longformer.cpython-312.pyc
    - modeling\_longformer.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_longformer.py
  - modeling\_longformer.py
- longt5/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_longt5.cpython-312.pyc
    - modeling\_longt5.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_longt5.py
  - modeling\_longt5.py
- luke/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_luke.cpython-312.pyc
    - modeling\_luke.cpython-312.pyc
    - tokenization\_luke.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_luke.py
  - modeling\_luke.py
  - tokenization\_luke.py
- lw\_detr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_lw\_detr.cpython-312.pyc
    - modeling\_lw\_detr.cpython-312.pyc
    - modular\_lw\_detr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_lw\_detr.py
  - modeling\_lw\_detr.py

- └─ modular\_lw\_detr.py
- ─ lxmert/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_lxmert.cpython-312.pyc
    - └─ modeling\_lxmert.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_lxmert.py
  - └─ modeling\_lxmert.py
- ─ m2m\_100/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_m2m\_100.cpython-312.pyc
    - └─ modeling\_m2m\_100.cpython-312.pyc
    - └─ tokenization\_m2m\_100.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_m2m\_100.py
  - └─ modeling\_m2m\_100.py
  - └─ tokenization\_m2m\_100.py
- ─ mamba/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_mamba.cpython-312.pyc
    - └─ modeling\_mamba.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_mamba.py
  - └─ modeling\_mamba.py
- ─ mamba2/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_mamba2.cpython-312.pyc
    - └─ modeling\_mamba2.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_mamba2.py
  - └─ modeling\_mamba2.py
- ─ marian/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_marian.cpython-312.pyc
    - └─ modeling\_marian.cpython-312.pyc
    - └─ tokenization\_marian.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_marian.py
  - └─ modeling\_marian.py
  - └─ tokenization\_marian.py
- ─ markuplm/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_markuplm.cpython-312.pyc
    - └─ feature\_extraction\_markuplm.cpython-312.pyc
    - └─ modeling\_markuplm.cpython-312.pyc
    - └─ processing\_markuplm.cpython-312.pyc
    - └─ tokenization\_markuplm.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_markuplm.py
  - └─ feature\_extraction\_markuplm.py
  - └─ modeling\_markuplm.py
  - └─ processing\_markuplm.py
  - └─ tokenization\_markuplm.py
- ─ mask2former/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_mask2former.cpython-312.pyc
    - └─ image\_processing\_mask2former.cpython-312.pyc
    - └─ image\_processing\_pil\_mask2former.cpython-312.pyc
    - └─ modeling\_mask2former.cpython-312.pyc
    - └─ modular\_mask2former.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_mask2former.py
  - └─ image\_processing\_mask2former.py
  - └─ image\_processing\_pil\_mask2former.py
  - └─ modeling\_mask2former.py
  - └─ modular\_mask2former.py
- ─ maskformer/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_maskformer.cpython-312.pyc
    - └─ configuration\_maskformer\_swin.cpython-312.pyc
    - └─ image\_processing\_maskformer.cpython-312.pyc
    - └─ image\_processing\_pil\_maskformer.cpython-312.pyc
    - └─ modeling\_maskformer.cpython-312.pyc
    - └─ modeling\_maskformer\_swin.cpython-312.pyc
    - └─ modular\_maskformer.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_maskformer.py

- configuration\_maskformer\_swin.py
- image\_processing\_maskformer.py
- image\_processing\_pil\_maskformer.py
- modeling\_maskformer.py
- modeling\_maskformer\_swin.py
- modular\_maskformer.py
- mbart/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_mbart.cpython-312.pyc
    - modeling\_mbart.cpython-312.pyc
    - tokenization\_mbart.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_mbart.py
  - modeling\_mbart.py
  - tokenization\_mbart.py
- mbart50/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_mbart50.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_mbart50.py
- megatron\_bert/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_megatron\_bert.cpython-312.pyc
    - modeling\_megatron\_bert.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_megatron\_bert.py
  - modeling\_megatron\_bert.py
- megatron\_gpt2/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - checkpoint\_resaping\_and\_interoperability.cpython-312.pyc
  - \_\_init\_\_.py
  - checkpoint\_resaping\_and\_interoperability.py
- metacclip\_2/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_metacclip\_2.cpython-312.pyc
    - modeling\_metacclip\_2.cpython-312.pyc
    - modular\_metacclip\_2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_metacclip\_2.py
  - modeling\_metacclip\_2.py
  - modular\_metacclip\_2.py
- mgp\_str/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_mgp\_str.cpython-312.pyc
    - modeling\_mgp\_str.cpython-312.pyc
    - processing\_mgp\_str.cpython-312.pyc
    - tokenization\_mgp\_str.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_mgp\_str.py
  - modeling\_mgp\_str.py
  - processing\_mgp\_str.py
  - tokenization\_mgp\_str.py
- mimi/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_mimi.cpython-312.pyc
    - modeling\_mimi.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_mimi.py
  - modeling\_mimi.py
- minicpmv4\_6/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_minicpmv4\_6.cpython-312.pyc
    - image\_processing\_minicpmv4\_6.cpython-312.pyc
    - image\_processing\_pil\_minicpmv4\_6.cpython-312.pyc
    - modeling\_minicpmv4\_6.cpython-312.pyc
    - modular\_minicpmv4\_6.cpython-312.pyc
    - processing\_minicpmv4\_6.cpython-312.pyc
    - video\_processing\_minicpmv4\_6.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_minicpmv4\_6.py
  - image\_processing\_minicpmv4\_6.py
  - image\_processing\_pil\_minicpmv4\_6.py
  - modeling\_minicpmv4\_6.py
  - modular\_minicpmv4\_6.py
  - processing\_minicpmv4\_6.py
  - video\_processing\_minicpmv4\_6.py
- minimax/

```
├── _pycache_/
│   ├── __init__.cpython-312.pyc
│   ├── configuration_minimax.cpython-312.pyc
│   ├── modeling_minimax.cpython-312.pyc
│   └── modular_minimax.cpython-312.pyc
├── __init__.py
├── configuration_minimax.py
├── modeling_minimax.py
├── modular_minimax.py
├── minimax_m2/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_minimax_m2.cpython-312.pyc
│   │   ├── modeling_minimax_m2.cpython-312.pyc
│   │   └── modular_minimax_m2.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_minimax_m2.py
│   ├── modeling_minimax_m2.py
│   └── modular_minimax_m2.py
├── ministral/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_ministral.cpython-312.pyc
│   │   ├── modeling_ministral.cpython-312.pyc
│   │   └── modular_ministral.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_ministral.py
│   ├── modeling_ministral.py
│   └── modular_ministral.py
├── ministral3/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_ministral3.cpython-312.pyc
│   │   ├── modeling_ministral3.cpython-312.pyc
│   │   └── modular_ministral3.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_ministral3.py
│   ├── modeling_ministral3.py
│   └── modular_ministral3.py
├── mistral/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_mistral.cpython-312.pyc
│   │   ├── modeling_mistral.cpython-312.pyc
│   │   └── modular_mistral.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_mistral.py
│   ├── modeling_mistral.py
│   └── modular_mistral.py
├── mistral3/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_mistral3.cpython-312.pyc
│   │   ├── modeling_mistral3.cpython-312.pyc
│   │   └── modular_mistral3.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_mistral3.py
│   ├── modeling_mistral3.py
│   └── modular_mistral3.py
├── mistral4/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_mistral4.cpython-312.pyc
│   │   ├── modeling_mistral4.cpython-312.pyc
│   │   └── modular_mistral4.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_mistral4.py
│   ├── modeling_mistral4.py
│   └── modular_mistral4.py
├── mixtral/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_mixtral.cpython-312.pyc
│   │   ├── modeling_mixtral.cpython-312.pyc
│   │   └── modular_mixtral.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_mixtral.py
│   ├── modeling_mixtral.py
│   └── modular_mixtral.py
├── mlcd/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_mlcd.cpython-312.pyc
│   │   ├── modeling_mlcd.cpython-312.pyc
│   │   └── modular_mlcd.cpython-312.pyc
```

- `__init__.py`
- `configuration_mlcd.py`
- `modeling_mlcd.py`
- `modular_mlcd.py`
- `mllama/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_mllama.cpython-312.pyc`
    - `image_processing_mllama.cpython-312.pyc`
    - `image_processing_pil_mllama.cpython-312.pyc`
    - `modeling_mllama.cpython-312.pyc`
    - `processing_mllama.cpython-312.pyc`
  - `__init__.py`
  - `configuration_mllama.py`
  - `image_processing_mllama.py`
  - `image_processing_pil_mllama.py`
  - `modeling_mllama.py`
  - `processing_mllama.py`
- `mluke/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `tokenization_mluke.cpython-312.pyc`
  - `__init__.py`
  - `tokenization_mluke.py`
- `mm_grounding_dino/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_mm_grounding_dino.cpython-312.pyc`
    - `modeling_mm_grounding_dino.cpython-312.pyc`
    - `modular_mm_grounding_dino.cpython-312.pyc`
  - `__init__.py`
  - `configuration_mm_grounding_dino.py`
  - `modeling_mm_grounding_dino.py`
  - `modular_mm_grounding_dino.py`
- `mobilebert/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_mobilebert.cpython-312.pyc`
    - `modeling_mobilebert.cpython-312.pyc`
    - `tokenization_mobilebert.cpython-312.pyc`
  - `__init__.py`
  - `configuration_mobilebert.py`
  - `modeling_mobilebert.py`
  - `tokenization_mobilebert.py`
- `mobilenet_v1/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_mobilenet_v1.cpython-312.pyc`
    - `image_processing_mobilenet_v1.cpython-312.pyc`
    - `image_processing_pil_mobilenet_v1.cpython-312.pyc`
    - `modeling_mobilenet_v1.cpython-312.pyc`
  - `__init__.py`
  - `configuration_mobilenet_v1.py`
  - `image_processing_mobilenet_v1.py`
  - `image_processing_pil_mobilenet_v1.py`
  - `modeling_mobilenet_v1.py`
- `mobilenet_v2/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_mobilenet_v2.cpython-312.pyc`
    - `image_processing_mobilenet_v2.cpython-312.pyc`
    - `image_processing_pil_mobilenet_v2.cpython-312.pyc`
    - `modeling_mobilenet_v2.cpython-312.pyc`
  - `__init__.py`
  - `configuration_mobilenet_v2.py`
  - `image_processing_mobilenet_v2.py`
  - `image_processing_pil_mobilenet_v2.py`
  - `modeling_mobilenet_v2.py`
- `mobilevit/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_mobilevit.cpython-312.pyc`
    - `image_processing_mobilevit.cpython-312.pyc`
    - `image_processing_pil_mobilevit.cpython-312.pyc`
    - `modeling_mobilevit.cpython-312.pyc`
  - `__init__.py`
  - `configuration_mobilevit.py`
  - `image_processing_mobilevit.py`
  - `image_processing_pil_mobilevit.py`
  - `modeling_mobilevit.py`
- `mobilevitv2/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_mobilevitv2.cpython-312.pyc`
    - `modeling_mobilevitv2.cpython-312.pyc`



- `__init__.py`
  - `configuration_mobilevitv2.py`
  - `modeling_mobilevitv2.py`
- `modernbert/`
  - `pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_modernbert.cpython-312.pyc`
    - `modeling_modernbert.cpython-312.pyc`
    - `modular_modernbert.cpython-312.pyc`
  - `__init__.py`
  - `configuration_modernbert.py`
  - `modeling_modernbert.py`
  - `modular_modernbert.py`
- `modernbert_decoder/`
  - `pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_modernbert_decoder.cpython-312.pyc`
    - `modeling_modernbert_decoder.cpython-312.pyc`
    - `modular_modernbert_decoder.cpython-312.pyc`
  - `__init__.py`
  - `configuration_modernbert_decoder.py`
  - `modeling_modernbert_decoder.py`
  - `modular_modernbert_decoder.py`
- `modernvbert/`
  - `pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_modernvbert.cpython-312.pyc`
    - `modeling_modernvbert.cpython-312.pyc`
    - `modular_modernvbert.cpython-312.pyc`
  - `__init__.py`
  - `configuration_modernvbert.py`
  - `modeling_modernvbert.py`
  - `modular_modernvbert.py`
- `moonshine/`
  - `pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_moonshine.cpython-312.pyc`
    - `modeling_moonshine.cpython-312.pyc`
    - `modular_moonshine.cpython-312.pyc`
  - `__init__.py`
  - `configuration_moonshine.py`
  - `modeling_moonshine.py`
  - `modular_moonshine.py`
- `moonshine_streaming/`
  - `pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_moonshine_streaming.cpython-312.pyc`
    - `modeling_moonshine_streaming.cpython-312.pyc`
    - `modular_moonshine_streaming.cpython-312.pyc`
    - `processing_moonshine_streaming.cpython-312.pyc`
  - `__init__.py`
  - `configuration_moonshine_streaming.py`
  - `modeling_moonshine_streaming.py`
  - `modular_moonshine_streaming.py`
  - `processing_moonshine_streaming.py`
- `moshi/`
  - `pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_moshi.cpython-312.pyc`
    - `modeling_moshi.cpython-312.pyc`
  - `__init__.py`
  - `configuration_moshi.py`
  - `modeling_moshi.py`
- `mpnet/`
  - `pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_mpnet.cpython-312.pyc`
    - `modeling_mpnet.cpython-312.pyc`
    - `tokenization_mpnet.cpython-312.pyc`
  - `__init__.py`
  - `configuration_mpnet.py`
  - `modeling_mpnet.py`
  - `tokenization_mpnet.py`
- `mpt/`
  - `pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_mpt.cpython-312.pyc`
    - `modeling_mpt.cpython-312.pyc`
  - `__init__.py`
  - `configuration_mpt.py`
  - `modeling_mpt.py`
- `mra/`
  - `pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_mra.cpython-312.pyc`

- └─ modeling\_mra.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_mra.py
  - └─ modeling\_mra.py
- mt5/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_mt5.cpython-312.pyc
    - └─ modeling\_mt5.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_mt5.py
  - └─ modeling\_mt5.py
- musicflamingo/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_musicflamingo.cpython-312.pyc
    - └─ modeling\_musicflamingo.cpython-312.pyc
    - └─ modular\_musicflamingo.cpython-312.pyc
    - └─ processing\_musicflamingo.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_musicflamingo.py
  - └─ modeling\_musicflamingo.py
  - └─ modular\_musicflamingo.py
  - └─ processing\_musicflamingo.py
- musicgen/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_musicgen.cpython-312.pyc
    - └─ modeling\_musicgen.cpython-312.pyc
    - └─ processing\_musicgen.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_musicgen.py
  - └─ modeling\_musicgen.py
  - └─ processing\_musicgen.py
- musicgen\_melody/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_musicgen\_melody.cpython-312.pyc
    - └─ feature\_extraction\_musicgen\_melody.cpython-312.pyc
    - └─ modeling\_musicgen\_melody.cpython-312.pyc
    - └─ processing\_musicgen\_melody.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_musicgen\_melody.py
  - └─ feature\_extraction\_musicgen\_melody.py
  - └─ modeling\_musicgen\_melody.py
  - └─ processing\_musicgen\_melody.py
- mvp/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_mvp.cpython-312.pyc
    - └─ modeling\_mvp.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_mvp.py
  - └─ modeling\_mvp.py
- myt5/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ tokenization\_myt5.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ tokenization\_myt5.py
- nanochat/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_nanochat.cpython-312.pyc
    - └─ modeling\_nanochat.cpython-312.pyc
    - └─ modular\_nanochat.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_nanochat.py
  - └─ modeling\_nanochat.py
  - └─ modular\_nanochat.py
- nemotron/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_nemotron.cpython-312.pyc
    - └─ modeling\_nemotron.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_nemotron.py
  - └─ modeling\_nemotron.py
- nemotron\_h/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_nemotron\_h.cpython-312.pyc
    - └─ modeling\_nemotron\_h.cpython-312.pyc
    - └─ modular\_nemotron\_h.cpython-312.pyc
  - └─ \_\_init\_\_.py

- configuration\_nemotron\_h.py
- modeling\_nemotron\_h.py
- modular\_nemotron\_h.py
- nllb/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_nllb.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_nllb.py
- nllb\_moe/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_nllb\_moe.cpython-312.pyc
    - modeling\_nllb\_moe.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_nllb\_moe.py
  - modeling\_nllb\_moe.py
- nomic\_bert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_nomic\_bert.cpython-312.pyc
    - modeling\_nomic\_bert.cpython-312.pyc
    - modular\_nomic\_bert.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_nomic\_bert.py
  - modeling\_nomic\_bert.py
  - modular\_nomic\_bert.py
- nougat/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_nougat.cpython-312.pyc
    - image\_processing\_nougat.cpython-312.pyc
    - image\_processing\_pil\_nougat.cpython-312.pyc
    - processing\_nougat.cpython-312.pyc
    - tokenization\_nougat.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_nougat.py
  - image\_processing\_nougat.py
  - image\_processing\_pil\_nougat.py
  - processing\_nougat.py
  - tokenization\_nougat.py
- nystromformer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_nystromformer.cpython-312.pyc
    - modeling\_nystromformer.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_nystromformer.py
  - modeling\_nystromformer.py
- olmo/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_olmo.cpython-312.pyc
    - modeling\_olmo.cpython-312.pyc
    - modular\_olmo.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_olmo.py
  - modeling\_olmo.py
  - modular\_olmo.py
- olmo2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_olmo2.cpython-312.pyc
    - modeling\_olmo2.cpython-312.pyc
    - modular\_olmo2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_olmo2.py
  - modeling\_olmo2.py
  - modular\_olmo2.py
- olmo3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_olmo3.cpython-312.pyc
    - modeling\_olmo3.cpython-312.pyc
    - modular\_olmo3.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_olmo3.py
  - modeling\_olmo3.py
  - modular\_olmo3.py
- olmo\_hybrid/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_olmo\_hybrid.cpython-312.pyc
    - modeling\_olmo\_hybrid.cpython-312.pyc
    - modular\_olmo\_hybrid.cpython-312.pyc

- `__init__.py`
- `configuration_olmo_hybrid.py`
- `modeling_olmo_hybrid.py`
- `modular_olmo_hybrid.py`
- `olmoe/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_olmoe.cpython-312.pyc`
    - `modeling_olmoe.cpython-312.pyc`
    - `modular_olmoe.cpython-312.pyc`
  - `__init__.py`
  - `configuration_olmoe.py`
  - `modeling_olmoe.py`
  - `modular_olmoe.py`
- `omdet_turbo/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_omdet_turbo.cpython-312.pyc`
    - `modeling_omdet_turbo.cpython-312.pyc`
    - `processing_omdet_turbo.cpython-312.pyc`
  - `__init__.py`
  - `configuration_omdet_turbo.py`
  - `modeling_omdet_turbo.py`
  - `processing_omdet_turbo.py`
- `oneformer/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_oneformer.cpython-312.pyc`
    - `image_processing_oneformer.cpython-312.pyc`
    - `image_processing_pil_oneformer.cpython-312.pyc`
    - `modeling_oneformer.cpython-312.pyc`
    - `processing_oneformer.cpython-312.pyc`
  - `__init__.py`
  - `configuration_oneformer.py`
  - `image_processing_oneformer.py`
  - `image_processing_pil_oneformer.py`
  - `modeling_oneformer.py`
  - `processing_oneformer.py`
- `openai/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_openai.cpython-312.pyc`
    - `modeling_openai.cpython-312.pyc`
    - `tokenization_openai.cpython-312.pyc`
  - `__init__.py`
  - `configuration_openai.py`
  - `modeling_openai.py`
  - `tokenization_openai.py`
- `openai_privacy_filter/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_openai_privacy_filter.cpython-312.pyc`
    - `modeling_openai_privacy_filter.cpython-312.pyc`
    - `modular_openai_privacy_filter.cpython-312.pyc`
  - `__init__.py`
  - `configuration_openai_privacy_filter.py`
  - `modeling_openai_privacy_filter.py`
  - `modular_openai_privacy_filter.py`
- `opt/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_opt.cpython-312.pyc`
    - `modeling_opt.cpython-312.pyc`
  - `__init__.py`
  - `configuration_opt.py`
  - `modeling_opt.py`
- `ovis2/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_ovis2.cpython-312.pyc`
    - `image_processing_ovis2.cpython-312.pyc`
    - `image_processing_pil_ovis2.cpython-312.pyc`
    - `modeling_ovis2.cpython-312.pyc`
    - `modular_ovis2.cpython-312.pyc`
    - `processing_ovis2.cpython-312.pyc`
  - `__init__.py`
  - `configuration_ovis2.py`
  - `image_processing_ovis2.py`
  - `image_processing_pil_ovis2.py`
  - `modeling_ovis2.py`
  - `modular_ovis2.py`
  - `processing_ovis2.py`
- `owlv2/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`

- configuration\_owlv2.cpython-312.pyc
- image\_processing\_owlv2.cpython-312.pyc
- image\_processing\_pil\_owlv2.cpython-312.pyc
- modeling\_owlv2.cpython-312.pyc
- modular\_owlv2.cpython-312.pyc
- processing\_owlv2.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_owlv2.py
- image\_processing\_owlv2.py
- image\_processing\_pil\_owlv2.py
- modeling\_owlv2.py
- modular\_owlv2.py
- processing\_owlv2.py
- owlvit/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_owlvit.cpython-312.pyc
    - image\_processing\_owlvit.cpython-312.pyc
    - image\_processing\_pil\_owlvit.cpython-312.pyc
    - modeling\_owlvit.cpython-312.pyc
    - processing\_owlvit.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_owlvit.py
  - image\_processing\_owlvit.py
  - image\_processing\_pil\_owlvit.py
  - modeling\_owlvit.py
  - processing\_owlvit.py
- paddleocr\_v1/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_paddleocr\_v1.cpython-312.pyc
    - image\_processing\_paddleocr\_v1.cpython-312.pyc
    - image\_processing\_pil\_paddleocr\_v1.cpython-312.pyc
    - modeling\_paddleocr\_v1.cpython-312.pyc
    - modular\_paddleocr\_v1.cpython-312.pyc
    - processing\_paddleocr\_v1.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_paddleocr\_v1.py
  - image\_processing\_paddleocr\_v1.py
  - image\_processing\_pil\_paddleocr\_v1.py
  - modeling\_paddleocr\_v1.py
  - modular\_paddleocr\_v1.py
  - processing\_paddleocr\_v1.py
- paligemma/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_paligemma.cpython-312.pyc
    - modeling\_paligemma.cpython-312.pyc
    - processing\_paligemma.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_paligemma.py
  - modeling\_paligemma.py
  - processing\_paligemma.py
- parakeet/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_parakeet.cpython-312.pyc
    - feature\_extraction\_parakeet.cpython-312.pyc
    - modeling\_parakeet.cpython-312.pyc
    - modular\_parakeet.cpython-312.pyc
    - processing\_parakeet.cpython-312.pyc
    - tokenization\_parakeet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_parakeet.py
  - feature\_extraction\_parakeet.py
  - modeling\_parakeet.py
  - modular\_parakeet.py
  - processing\_parakeet.py
  - tokenization\_parakeet.py
- patchtsmixer/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_patchtsmixer.cpython-312.pyc
    - modeling\_patchtsmixer.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_patchtsmixer.py
  - modeling\_patchtsmixer.py
- patchtst/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_patchtst.cpython-312.pyc
    - modeling\_patchtst.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_patchtst.py
  - modeling\_patchtst.py

- pe\_audio/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pe\_audio.cpython-312.pyc
    - feature\_extraction\_pe\_audio.cpython-312.pyc
    - modeling\_pe\_audio.cpython-312.pyc
    - modular\_pe\_audio.cpython-312.pyc
    - processing\_pe\_audio.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pe\_audio.py
  - feature\_extraction\_pe\_audio.py
  - modeling\_pe\_audio.py
  - modular\_pe\_audio.py
  - processing\_pe\_audio.py
- pe\_audio\_video/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pe\_audio\_video.cpython-312.pyc
    - modeling\_pe\_audio\_video.cpython-312.pyc
    - modular\_pe\_audio\_video.cpython-312.pyc
    - processing\_pe\_audio\_video.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pe\_audio\_video.py
  - modeling\_pe\_audio\_video.py
  - modular\_pe\_audio\_video.py
  - processing\_pe\_audio\_video.py
- pe\_video/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pe\_video.cpython-312.pyc
    - modeling\_pe\_video.cpython-312.pyc
    - modular\_pe\_video.cpython-312.pyc
    - processing\_pe\_video.cpython-312.pyc
    - video\_processing\_pe\_video.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pe\_video.py
  - modeling\_pe\_video.py
  - modular\_pe\_video.py
  - processing\_pe\_video.py
  - video\_processing\_pe\_video.py
- pegasus/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pegasus.cpython-312.pyc
    - modeling\_pegasus.cpython-312.pyc
    - tokenization\_pegasus.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pegasus.py
  - modeling\_pegasus.py
  - tokenization\_pegasus.py
- pegasus\_x/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pegasus\_x.cpython-312.pyc
    - modeling\_pegasus\_x.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pegasus\_x.py
  - modeling\_pegasus\_x.py
- perceiver/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_perceiver.cpython-312.pyc
    - image\_processing\_perceiver.cpython-312.pyc
    - image\_processing\_pil\_perceiver.cpython-312.pyc
    - modeling\_perceiver.cpython-312.pyc
    - tokenization\_perceiver.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_perceiver.py
  - image\_processing\_perceiver.py
  - image\_processing\_pil\_perceiver.py
  - modeling\_perceiver.py
  - tokenization\_perceiver.py
- perception\_lm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_perception\_lm.cpython-312.pyc
    - image\_processing\_perception\_lm.cpython-312.pyc
    - modeling\_perception\_lm.cpython-312.pyc
    - modular\_perception\_lm.cpython-312.pyc
    - processing\_perception\_lm.cpython-312.pyc
    - video\_processing\_perception\_lm.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_perception\_lm.py
  - image\_processing\_perception\_lm.py
  - modeling\_perception\_lm.py

- modular\_perception\_lm.py
- processing\_perception\_lm.py
- video\_processing\_perception\_lm.py
- persimmon/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_persimmon.cpython-312.pyc
    - modeling\_persimmon.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_persimmon.py
  - modeling\_persimmon.py
- phi/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_phi.cpython-312.pyc
    - modeling\_phi.cpython-312.pyc
    - modular\_phi.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_phi.py
  - modeling\_phi.py
  - modular\_phi.py
- phi3/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_phi3.cpython-312.pyc
    - modeling\_phi3.cpython-312.pyc
    - modular\_phi3.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_phi3.py
  - modeling\_phi3.py
  - modular\_phi3.py
- phi4\_multimodal/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_phi4\_multimodal.cpython-312.pyc
    - feature\_extraction\_phi4\_multimodal.cpython-312.pyc
    - image\_processing\_phi4\_multimodal.cpython-312.pyc
    - modeling\_phi4\_multimodal.cpython-312.pyc
    - modular\_phi4\_multimodal.cpython-312.pyc
    - processing\_phi4\_multimodal.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_phi4\_multimodal.py
  - feature\_extraction\_phi4\_multimodal.py
  - image\_processing\_phi4\_multimodal.py
  - modeling\_phi4\_multimodal.py
  - modular\_phi4\_multimodal.py
  - processing\_phi4\_multimodal.py
- phimoe/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_phimoe.cpython-312.pyc
    - modeling\_phimoe.cpython-312.pyc
    - modular\_phimoe.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_phimoe.py
  - modeling\_phimoe.py
  - modular\_phimoe.py
- phobert/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_phobert.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_phobert.py
- pi0/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pi0.cpython-312.pyc
    - image\_processing\_pi0.cpython-312.pyc
    - modeling\_pi0.cpython-312.pyc
    - modular\_pi0.cpython-312.pyc
    - processing\_pi0.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pi0.py
  - image\_processing\_pi0.py
  - modeling\_pi0.py
  - modular\_pi0.py
  - processing\_pi0.py
- pix2struct/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pix2struct.cpython-312.pyc
    - image\_processing\_pil\_pix2struct.cpython-312.pyc
    - image\_processing\_pix2struct.cpython-312.pyc
    - modeling\_pix2struct.cpython-312.pyc
    - processing\_pix2struct.cpython-312.pyc

- `__init__.py`
- `configuration_pix2struct.py`
- `image_processing_pil_pix2struct.py`
- `image_processing_pix2struct.py`
- `modeling_pix2struct.py`
- `processing_pix2struct.py`
- `pixio/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_pixio.cpython-312.pyc`
    - `modeling_pixio.cpython-312.pyc`
    - `modular_pixio.cpython-312.pyc`
  - `__init__.py`
  - `configuration_pixio.py`
  - `modeling_pixio.py`
  - `modular_pixio.py`
- `pixtral/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_pixtral.cpython-312.pyc`
    - `image_processing_pil_pixtral.cpython-312.pyc`
    - `image_processing_pixtral.cpython-312.pyc`
    - `modeling_pixtral.cpython-312.pyc`
    - `processing_pixtral.cpython-312.pyc`
  - `__init__.py`
  - `configuration_pixtral.py`
  - `image_processing_pil_pixtral.py`
  - `image_processing_pixtral.py`
  - `modeling_pixtral.py`
  - `processing_pixtral.py`
- `plbart/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_plbart.cpython-312.pyc`
    - `modeling_plbart.cpython-312.pyc`
    - `modular_plbart.cpython-312.pyc`
    - `tokenization_plbart.cpython-312.pyc`
  - `__init__.py`
  - `configuration_plbart.py`
  - `modeling_plbart.py`
  - `modular_plbart.py`
  - `tokenization_plbart.py`
- `poolformer/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_poolformer.cpython-312.pyc`
    - `image_processing_pil_poolformer.cpython-312.pyc`
    - `image_processing_poolformer.cpython-312.pyc`
    - `modeling_poolformer.cpython-312.pyc`
  - `__init__.py`
  - `configuration_poolformer.py`
  - `image_processing_pil_poolformer.py`
  - `image_processing_poolformer.py`
  - `modeling_poolformer.py`
- `pop2piano/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_pop2piano.cpython-312.pyc`
    - `feature_extraction_pop2piano.cpython-312.pyc`
    - `modeling_pop2piano.cpython-312.pyc`
    - `processing_pop2piano.cpython-312.pyc`
    - `tokenization_pop2piano.cpython-312.pyc`
  - `__init__.py`
  - `configuration_pop2piano.py`
  - `feature_extraction_pop2piano.py`
  - `modeling_pop2piano.py`
  - `processing_pop2piano.py`
  - `tokenization_pop2piano.py`
- `pp_chart2table/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_pp_chart2table.cpython-312.pyc`
    - `image_processing_pil_pp_chart2table.cpython-312.pyc`
    - `image_processing_pp_chart2table.cpython-312.pyc`
    - `modular_pp_chart2table.cpython-312.pyc`
    - `processing_pp_chart2table.cpython-312.pyc`
  - `__init__.py`
  - `configuration_pp_chart2table.py`
  - `image_processing_pil_pp_chart2table.py`
  - `image_processing_pp_chart2table.py`
  - `modular_pp_chart2table.py`
  - `processing_pp_chart2table.py`
- `pp_doclayout_v2/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`



- configuration\_pp\_doclayout\_v2.cpython-312.pyc
  - image\_processing\_pp\_doclayout\_v2.cpython-312.pyc
  - modeling\_pp\_doclayout\_v2.cpython-312.pyc
  - modular\_pp\_doclayout\_v2.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_pp\_doclayout\_v2.py
- image\_processing\_pp\_doclayout\_v2.py
- modeling\_pp\_doclayout\_v2.py
- modular\_pp\_doclayout\_v2.py
- pp\_doclayout\_v3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pp\_doclayout\_v3.cpython-312.pyc
    - image\_processing\_pp\_doclayout\_v3.cpython-312.pyc
    - modeling\_pp\_doclayout\_v3.cpython-312.pyc
    - modular\_pp\_doclayout\_v3.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_doclayout\_v3.py
  - image\_processing\_pp\_doclayout\_v3.py
  - modeling\_pp\_doclayout\_v3.py
  - modular\_pp\_doclayout\_v3.py
- pp\_formulanet/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pp\_formulanet.cpython-312.pyc
    - image\_processing\_pp\_formulanet.cpython-312.pyc
    - modeling\_pp\_formulanet.cpython-312.pyc
    - modular\_pp\_formulanet.cpython-312.pyc
    - processing\_pp\_formulanet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_formulanet.py
  - image\_processing\_pp\_formulanet.py
  - modeling\_pp\_formulanet.py
  - modular\_pp\_formulanet.py
  - processing\_pp\_formulanet.py
- pp\_lcnet/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pp\_lcnet.cpython-312.pyc
    - image\_processing\_pp\_lcnet.cpython-312.pyc
    - modeling\_pp\_lcnet.cpython-312.pyc
    - modular\_pp\_lcnet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_lcnet.py
  - image\_processing\_pp\_lcnet.py
  - modeling\_pp\_lcnet.py
  - modular\_pp\_lcnet.py
- pp\_lcnet\_v3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pp\_lcnet\_v3.cpython-312.pyc
    - modeling\_pp\_lcnet\_v3.cpython-312.pyc
    - modular\_pp\_lcnet\_v3.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_lcnet\_v3.py
  - modeling\_pp\_lcnet\_v3.py
  - modular\_pp\_lcnet\_v3.py
- pp\_ocrv5\_mobile\_det/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pp\_ocrv5\_mobile\_det.cpython-312.pyc
    - modeling\_pp\_ocrv5\_mobile\_det.cpython-312.pyc
    - modular\_pp\_ocrv5\_mobile\_det.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_ocrv5\_mobile\_det.py
  - modeling\_pp\_ocrv5\_mobile\_det.py
  - modular\_pp\_ocrv5\_mobile\_det.py
- pp\_ocrv5\_mobile\_rec/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pp\_ocrv5\_mobile\_rec.cpython-312.pyc
    - modeling\_pp\_ocrv5\_mobile\_rec.cpython-312.pyc
    - modular\_pp\_ocrv5\_mobile\_rec.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_ocrv5\_mobile\_rec.py
  - modeling\_pp\_ocrv5\_mobile\_rec.py
  - modular\_pp\_ocrv5\_mobile\_rec.py
- pp\_ocrv5\_server\_det/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pp\_ocrv5\_server\_det.cpython-312.pyc
    - image\_processing\_pp\_ocrv5\_server\_det.cpython-312.pyc
    - modeling\_pp\_ocrv5\_server\_det.cpython-312.pyc
    - modular\_pp\_ocrv5\_server\_det.cpython-312.pyc
  - \_\_init\_\_.py

- configuration\_pp\_ocrv5\_server\_det.py
- image\_processing\_pp\_ocrv5\_server\_det.py
- modeling\_pp\_ocrv5\_server\_det.py
- modular\_pp\_ocrv5\_server\_det.py
- pp\_ocrv5\_server\_rec/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pp\_ocrv5\_server\_rec.cpython-312.pyc
    - image\_processing\_pp\_ocrv5\_server\_rec.cpython-312.pyc
    - modeling\_pp\_ocrv5\_server\_rec.cpython-312.pyc
    - modular\_pp\_ocrv5\_server\_rec.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_ocrv5\_server\_rec.py
  - image\_processing\_pp\_ocrv5\_server\_rec.py
  - modeling\_pp\_ocrv5\_server\_rec.py
  - modular\_pp\_ocrv5\_server\_rec.py
- prompt\_depth\_anything/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_prompt\_depth\_anything.cpython-312.pyc
    - image\_processing\_pil\_prompt\_depth\_anything.cpython-312.pyc
    - image\_processing\_prompt\_depth\_anything.cpython-312.pyc
    - modeling\_prompt\_depth\_anything.cpython-312.pyc
    - modular\_prompt\_depth\_anything.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_prompt\_depth\_anything.py
  - image\_processing\_pil\_prompt\_depth\_anything.py
  - image\_processing\_prompt\_depth\_anything.py
  - modeling\_prompt\_depth\_anything.py
  - modular\_prompt\_depth\_anything.py
- prophetnet/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_prophetnet.cpython-312.pyc
    - modeling\_prophetnet.cpython-312.pyc
    - tokenization\_prophetnet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_prophetnet.py
  - modeling\_prophetnet.py
  - tokenization\_prophetnet.py
- pvt/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pvt.cpython-312.pyc
    - image\_processing\_pil\_pvt.cpython-312.pyc
    - image\_processing\_pvt.cpython-312.pyc
    - modeling\_pvt.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pvt.py
  - image\_processing\_pil\_pvt.py
  - image\_processing\_pvt.py
  - modeling\_pvt.py
- pvt\_v2/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_pvt\_v2.cpython-312.pyc
    - modeling\_pvt\_v2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_pvt\_v2.py
  - modeling\_pvt\_v2.py
- qianfan\_ocr/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_qianfan\_ocr.cpython-312.pyc
    - modeling\_qianfan\_ocr.cpython-312.pyc
    - modular\_qianfan\_ocr.cpython-312.pyc
    - processing\_qianfan\_ocr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_qianfan\_ocr.py
  - modeling\_qianfan\_ocr.py
  - modular\_qianfan\_ocr.py
  - processing\_qianfan\_ocr.py
- qwen2/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_qwen2.cpython-312.pyc
    - modeling\_qwen2.cpython-312.pyc
    - modular\_qwen2.cpython-312.pyc
    - tokenization\_qwen2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_qwen2.py
  - modeling\_qwen2.py
  - modular\_qwen2.py
  - tokenization\_qwen2.py
- qwen2\_5\_omni/

```
├── _pycache_/
│   ├── __init__.cpython-312.pyc
│   ├── configuration_qwen2_5_omni.cpython-312.pyc
│   ├── modeling_qwen2_5_omni.cpython-312.pyc
│   ├── modular_qwen2_5_omni.cpython-312.pyc
│   └── processing_qwen2_5_omni.cpython-312.pyc
├── __init__.py
├── configuration_qwen2_5_omni.py
├── modeling_qwen2_5_omni.py
├── modular_qwen2_5_omni.py
├── processing_qwen2_5_omni.py
├── qwen2_5_v1/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_qwen2_5_v1.cpython-312.pyc
│   │   ├── modeling_qwen2_5_v1.cpython-312.pyc
│   │   ├── modular_qwen2_5_v1.cpython-312.pyc
│   │   └── processing_qwen2_5_v1.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_qwen2_5_v1.py
│   ├── modeling_qwen2_5_v1.py
│   ├── modular_qwen2_5_v1.py
│   └── processing_qwen2_5_v1.py
├── qwen2_audio/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_qwen2_audio.cpython-312.pyc
│   │   ├── modeling_qwen2_audio.cpython-312.pyc
│   │   └── processing_qwen2_audio.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_qwen2_audio.py
│   ├── modeling_qwen2_audio.py
│   └── processing_qwen2_audio.py
├── qwen2_moe/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_qwen2_moe.cpython-312.pyc
│   │   ├── modeling_qwen2_moe.cpython-312.pyc
│   │   └── modular_qwen2_moe.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_qwen2_moe.py
│   ├── modeling_qwen2_moe.py
│   └── modular_qwen2_moe.py
├── qwen2_v1/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_qwen2_v1.cpython-312.pyc
│   │   ├── image_processing_pil_qwen2_v1.cpython-312.pyc
│   │   ├── image_processing_qwen2_v1.cpython-312.pyc
│   │   ├── modeling_qwen2_v1.cpython-312.pyc
│   │   ├── processing_qwen2_v1.cpython-312.pyc
│   │   └── video_processing_qwen2_v1.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_qwen2_v1.py
│   ├── image_processing_pil_qwen2_v1.py
│   ├── image_processing_qwen2_v1.py
│   ├── modeling_qwen2_v1.py
│   ├── processing_qwen2_v1.py
│   └── video_processing_qwen2_v1.py
├── qwen3/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_qwen3.cpython-312.pyc
│   │   ├── modeling_qwen3.cpython-312.pyc
│   │   └── modular_qwen3.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_qwen3.py
│   ├── modeling_qwen3.py
│   └── modular_qwen3.py
├── qwen3_5/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   ├── configuration_qwen3_5.cpython-312.pyc
│   │   ├── modeling_qwen3_5.cpython-312.pyc
│   │   ├── modular_qwen3_5.cpython-312.pyc
│   │   └── tokenization_qwen3_5.cpython-312.pyc
│   ├── __init__.py
│   ├── configuration_qwen3_5.py
│   ├── modeling_qwen3_5.py
│   ├── modular_qwen3_5.py
│   └── tokenization_qwen3_5.py
├── qwen3_5_moe/
│   ├── _pycache_/
│   │   ├── __init__.cpython-312.pyc
│   │   └── configuration_qwen3_5_moe.cpython-312.pyc
```

- modeling\_qwen3\_5\_moe.cpython-312.pyc
  - modular\_qwen3\_5\_moe.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_qwen3\_5\_moe.py
- modeling\_qwen3\_5\_moe.py
- modular\_qwen3\_5\_moe.py
- qwen3\_moe/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_qwen3\_moe.cpython-312.pyc
    - modeling\_qwen3\_moe.cpython-312.pyc
    - modular\_qwen3\_moe.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_qwen3\_moe.py
  - modeling\_qwen3\_moe.py
  - modular\_qwen3\_moe.py
- qwen3\_next/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_qwen3\_next.cpython-312.pyc
    - modeling\_qwen3\_next.cpython-312.pyc
    - modular\_qwen3\_next.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_qwen3\_next.py
  - modeling\_qwen3\_next.py
  - modular\_qwen3\_next.py
- qwen3\_omni\_moe/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_qwen3\_omni\_moe.cpython-312.pyc
    - modeling\_qwen3\_omni\_moe.cpython-312.pyc
    - modular\_qwen3\_omni\_moe.cpython-312.pyc
    - processing\_qwen3\_omni\_moe.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_qwen3\_omni\_moe.py
  - modeling\_qwen3\_omni\_moe.py
  - modular\_qwen3\_omni\_moe.py
  - processing\_qwen3\_omni\_moe.py
- qwen3\_vl/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_qwen3\_vl.cpython-312.pyc
    - modeling\_qwen3\_vl.cpython-312.pyc
    - modular\_qwen3\_vl.cpython-312.pyc
    - processing\_qwen3\_vl.cpython-312.pyc
    - video\_processing\_qwen3\_vl.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_qwen3\_vl.py
  - modeling\_qwen3\_vl.py
  - modular\_qwen3\_vl.py
  - processing\_qwen3\_vl.py
  - video\_processing\_qwen3\_vl.py
- qwen3\_vl\_moe/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_qwen3\_vl\_moe.cpython-312.pyc
    - modeling\_qwen3\_vl\_moe.cpython-312.pyc
    - modular\_qwen3\_vl\_moe.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_qwen3\_vl\_moe.py
  - modeling\_qwen3\_vl\_moe.py
  - modular\_qwen3\_vl\_moe.py
- rag/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_rag.cpython-312.pyc
    - modeling\_rag.cpython-312.pyc
    - retrieval\_rag.cpython-312.pyc
    - tokenization\_rag.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_rag.py
  - modeling\_rag.py
  - retrieval\_rag.py
  - tokenization\_rag.py
- recurrent\_gemma/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_recurrent\_gemma.cpython-312.pyc
    - modeling\_recurrent\_gemma.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_recurrent\_gemma.py
  - modeling\_recurrent\_gemma.py
- reformer/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc

- configuration\_reformer.cpython-312.pyc
  - modeling\_reformer.cpython-312.pyc
  - tokenization\_reformer.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_reformer.py
- modeling\_reformer.py
- tokenization\_reformer.py
- regnet/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_regnet.cpython-312.pyc
    - modeling\_regnet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_regnet.py
  - modeling\_regnet.py
- rembert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_rembert.cpython-312.pyc
    - modeling\_rembert.cpython-312.pyc
    - tokenization\_rembert.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_rembert.py
  - modeling\_rembert.py
  - tokenization\_rembert.py
- resnet/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_resnet.cpython-312.pyc
    - modeling\_resnet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_resnet.py
  - modeling\_resnet.py
- roberta/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_roberta.cpython-312.pyc
    - modeling\_roberta.cpython-312.pyc
    - modular\_roberta.cpython-312.pyc
    - tokenization\_roberta.cpython-312.pyc
    - tokenization\_roberta\_old.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_roberta.py
  - modeling\_roberta.py
  - modular\_roberta.py
  - tokenization\_roberta.py
  - tokenization\_roberta\_old.py
- roberta\_prelayernorm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_roberta\_prelayernorm.cpython-312.pyc
    - modeling\_roberta\_prelayernorm.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_roberta\_prelayernorm.py
  - modeling\_roberta\_prelayernorm.py
- roc\_bert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_roc\_bert.cpython-312.pyc
    - modeling\_roc\_bert.cpython-312.pyc
    - tokenization\_roc\_bert.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_roc\_bert.py
  - modeling\_roc\_bert.py
  - tokenization\_roc\_bert.py
- roformer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_roformer.cpython-312.pyc
    - modeling\_roformer.cpython-312.pyc
    - tokenization\_roformer.cpython-312.pyc
    - tokenization\_utils.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_roformer.py
  - modeling\_roformer.py
  - tokenization\_roformer.py
  - tokenization\_utils.py
- rt\_detr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_rt\_detr.cpython-312.pyc
    - configuration\_rt\_detr\_resnet.cpython-312.pyc
    - image\_processing\_pil\_rt\_detr.cpython-312.pyc
    - image\_processing\_rt\_detr.cpython-312.pyc
    - modeling\_rt\_detr.cpython-312.pyc

- modeling\_rt\_detr\_resnet.cpython-312.pyc
    - modular\_rt\_detr.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_rt\_detr.py
  - configuration\_rt\_detr\_resnet.py
  - image\_processing\_pil\_rt\_detr.py
  - image\_processing\_rt\_detr.py
  - modeling\_rt\_detr.py
  - modeling\_rt\_detr\_resnet.py
  - modular\_rt\_detr.py
- rt\_detr\_v2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_rt\_detr\_v2.cpython-312.pyc
    - modeling\_rt\_detr\_v2.cpython-312.pyc
    - modular\_rt\_detr\_v2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_rt\_detr\_v2.py
  - modeling\_rt\_detr\_v2.py
  - modular\_rt\_detr\_v2.py
- rwkv/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_rwkv.cpython-312.pyc
    - modeling\_rwkv.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_rwkv.py
  - modeling\_rwkv.py
- sam/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_sam.cpython-312.pyc
    - image\_processing\_pil\_sam.cpython-312.pyc
    - image\_processing\_sam.cpython-312.pyc
    - modeling\_sam.cpython-312.pyc
    - processing\_sam.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_sam.py
  - image\_processing\_pil\_sam.py
  - image\_processing\_sam.py
  - modeling\_sam.py
  - processing\_sam.py
- sam2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_sam2.cpython-312.pyc
    - image\_processing\_sam2.cpython-312.pyc
    - modeling\_sam2.cpython-312.pyc
    - modular\_sam2.cpython-312.pyc
    - processing\_sam2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_sam2.py
  - image\_processing\_sam2.py
  - modeling\_sam2.py
  - modular\_sam2.py
  - processing\_sam2.py
- sam2\_video/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_sam2\_video.cpython-312.pyc
    - modeling\_sam2\_video.cpython-312.pyc
    - modular\_sam2\_video.cpython-312.pyc
    - processing\_sam2\_video.cpython-312.pyc
    - video\_processing\_sam2\_video.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_sam2\_video.py
  - modeling\_sam2\_video.py
  - modular\_sam2\_video.py
  - processing\_sam2\_video.py
  - video\_processing\_sam2\_video.py
- sam3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_sam3.cpython-312.pyc
    - image\_processing\_sam3.cpython-312.pyc
    - modeling\_sam3.cpython-312.pyc
    - modular\_sam3.cpython-312.pyc
    - processing\_sam3.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_sam3.py
  - image\_processing\_sam3.py
  - modeling\_sam3.py
  - modular\_sam3.py
  - processing\_sam3.py
- sam3\_lite\_text/

- pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_sam3\_lite\_text.cpython-312.pyc
    - modeling\_sam3\_lite\_text.cpython-312.pyc
    - modular\_sam3\_lite\_text.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_sam3\_lite\_text.py
  - modeling\_sam3\_lite\_text.py
  - modular\_sam3\_lite\_text.py
- sam3\_tracker/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_sam3\_tracker.cpython-312.pyc
    - modeling\_sam3\_tracker.cpython-312.pyc
    - modular\_sam3\_tracker.cpython-312.pyc
    - processing\_sam3\_tracker.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_sam3\_tracker.py
  - modeling\_sam3\_tracker.py
  - modular\_sam3\_tracker.py
  - processing\_sam3\_tracker.py
- sam3\_tracker\_video/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_sam3\_tracker\_video.cpython-312.pyc
    - modeling\_sam3\_tracker\_video.cpython-312.pyc
    - modular\_sam3\_tracker\_video.cpython-312.pyc
    - processing\_sam3\_tracker\_video.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_sam3\_tracker\_video.py
  - modeling\_sam3\_tracker\_video.py
  - modular\_sam3\_tracker\_video.py
  - processing\_sam3\_tracker\_video.py
- sam3\_video/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_sam3\_video.cpython-312.pyc
    - modeling\_sam3\_video.cpython-312.pyc
    - processing\_sam3\_video.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_sam3\_video.py
  - modeling\_sam3\_video.py
  - processing\_sam3\_video.py
- sam\_hq/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_sam\_hq.cpython-312.pyc
    - modeling\_sam\_hq.cpython-312.pyc
    - modular\_sam\_hq.cpython-312.pyc
    - processing\_sam\_hq.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_sam\_hq.py
  - modeling\_sam\_hq.py
  - modular\_sam\_hq.py
  - processing\_sam\_hq.py
- seamless\_m4t/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_seamless\_m4t.cpython-312.pyc
    - feature\_extraction\_seamless\_m4t.cpython-312.pyc
    - modeling\_seamless\_m4t.cpython-312.pyc
    - processing\_seamless\_m4t.cpython-312.pyc
    - tokenization\_seamless\_m4t.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_seamless\_m4t.py
  - feature\_extraction\_seamless\_m4t.py
  - modeling\_seamless\_m4t.py
  - processing\_seamless\_m4t.py
  - tokenization\_seamless\_m4t.py
- seamless\_m4t\_v2/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_seamless\_m4t\_v2.cpython-312.pyc
    - modeling\_seamless\_m4t\_v2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_seamless\_m4t\_v2.py
  - modeling\_seamless\_m4t\_v2.py
- seed\_oss/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_seed\_oss.cpython-312.pyc
    - modeling\_seed\_oss.cpython-312.pyc
    - modular\_seed\_oss.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_seed\_oss.py

- modeling\_seed\_oss.py
- modular\_seed\_oss.py
- segformer/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_segformer.cpython-312.pyc
    - image\_processing\_pil\_segformer.cpython-312.pyc
    - image\_processing\_segformer.cpython-312.pyc
    - modeling\_segformer.cpython-312.pyc
    - modular\_segformer.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_segformer.py
  - image\_processing\_pil\_segformer.py
  - image\_processing\_segformer.py
  - modeling\_segformer.py
  - modular\_segformer.py
- seggpt/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_seggpt.cpython-312.pyc
    - image\_processing\_pil\_seggpt.cpython-312.pyc
    - image\_processing\_seggpt.cpython-312.pyc
    - modeling\_seggpt.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_seggpt.py
  - image\_processing\_pil\_seggpt.py
  - image\_processing\_seggpt.py
  - modeling\_seggpt.py
- sew/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_sew.cpython-312.pyc
    - modeling\_sew.cpython-312.pyc
    - modular\_sew.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_sew.py
  - modeling\_sew.py
  - modular\_sew.py
- sew\_d/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_sew\_d.cpython-312.pyc
    - modeling\_sew\_d.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_sew\_d.py
  - modeling\_sew\_d.py
- shieldgemma2/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_shieldgemma2.cpython-312.pyc
    - modeling\_shieldgemma2.cpython-312.pyc
    - processing\_shieldgemma2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_shieldgemma2.py
  - modeling\_shieldgemma2.py
  - processing\_shieldgemma2.py
- siglip/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_siglip.cpython-312.pyc
    - image\_processing\_pil\_siglip.cpython-312.pyc
    - image\_processing\_siglip.cpython-312.pyc
    - modeling\_siglip.cpython-312.pyc
    - processing\_siglip.cpython-312.pyc
    - tokenization\_siglip.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_siglip.py
  - image\_processing\_pil\_siglip.py
  - image\_processing\_siglip.py
  - modeling\_siglip.py
  - processing\_siglip.py
  - tokenization\_siglip.py
- siglip2/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_siglip2.cpython-312.pyc
    - image\_processing\_pil\_siglip2.cpython-312.pyc
    - image\_processing\_siglip2.cpython-312.pyc
    - modeling\_siglip2.cpython-312.pyc
    - modular\_siglip2.cpython-312.pyc
    - processing\_siglip2.cpython-312.pyc
    - tokenization\_siglip2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_siglip2.py
  - image\_processing\_pil\_siglip2.py



- image\_processing\_siglip2.py
- modeling\_siglip2.py
- modular\_siglip2.py
- processing\_siglip2.py
- tokenization\_siglip2.py
- slanet/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_slanet.cpython-312.pyc
    - modeling\_slanet.cpython-312.pyc
    - modular\_slanet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_slanet.py
  - modeling\_slanet.py
  - modular\_slanet.py
- slanext/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_slanext.cpython-312.pyc
    - image\_processing\_slanext.cpython-312.pyc
    - modeling\_slanext.cpython-312.pyc
    - modular\_slanext.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_slanext.py
  - image\_processing\_slanext.py
  - modeling\_slanext.py
  - modular\_slanext.py
- smollm3/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_smollm3.cpython-312.pyc
    - modeling\_smollm3.cpython-312.pyc
    - modular\_smollm3.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_smollm3.py
  - modeling\_smollm3.py
  - modular\_smollm3.py
- smolvlm/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_smolvlm.cpython-312.pyc
    - image\_processing\_pil\_smolvlm.cpython-312.pyc
    - image\_processing\_smolvlm.cpython-312.pyc
    - modeling\_smolvlm.cpython-312.pyc
    - modular\_smolvlm.cpython-312.pyc
    - processing\_smolvlm.cpython-312.pyc
    - video\_processing\_smolvlm.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_smolvlm.py
  - image\_processing\_pil\_smolvlm.py
  - image\_processing\_smolvlm.py
  - modeling\_smolvlm.py
  - modular\_smolvlm.py
  - processing\_smolvlm.py
  - video\_processing\_smolvlm.py
- solar\_open/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_solar\_open.cpython-312.pyc
    - modeling\_solar\_open.cpython-312.pyc
    - modular\_solar\_open.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_solar\_open.py
  - modeling\_solar\_open.py
  - modular\_solar\_open.py
- speech\_encoder\_decoder/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_speech\_encoder\_decoder.cpython-312.pyc
    - modeling\_speech\_encoder\_decoder.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_speech\_encoder\_decoder.py
  - modeling\_speech\_encoder\_decoder.py
- speech\_to\_text/
  - pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_speech\_to\_text.cpython-312.pyc
    - feature\_extraction\_speech\_to\_text.cpython-312.pyc
    - modeling\_speech\_to\_text.cpython-312.pyc
    - processing\_speech\_to\_text.cpython-312.pyc
    - tokenization\_speech\_to\_text.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_speech\_to\_text.py
  - feature\_extraction\_speech\_to\_text.py
  - modeling\_speech\_to\_text.py

- processing\_speech\_to\_text.py
  - tokenization\_speech\_to\_text.py
- speecht5/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_speecht5.cpython-312.pyc
      - feature\_extraction\_speecht5.cpython-312.pyc
      - modeling\_speecht5.cpython-312.pyc
      - number\_normalizer.cpython-312.pyc
      - processing\_speecht5.cpython-312.pyc
      - tokenization\_speecht5.cpython-312.pyc
    - \_\_init\_\_.py
    - configuration\_speecht5.py
    - feature\_extraction\_speecht5.py
    - modeling\_speecht5.py
    - number\_normalizer.py
    - processing\_speecht5.py
    - tokenization\_speecht5.py
- splinter/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_splinter.cpython-312.pyc
      - modeling\_splinter.cpython-312.pyc
      - tokenization\_splinter.cpython-312.pyc
    - \_\_init\_\_.py
    - configuration\_splinter.py
    - modeling\_splinter.py
    - tokenization\_splinter.py
- squeezebert/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_squeezebert.cpython-312.pyc
      - modeling\_squeezebert.cpython-312.pyc
      - tokenization\_squeezebert.cpython-312.pyc
    - \_\_init\_\_.py
    - configuration\_squeezebert.py
    - modeling\_squeezebert.py
    - tokenization\_squeezebert.py
- stablelm/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_stablelm.cpython-312.pyc
      - modeling\_stablelm.cpython-312.pyc
    - \_\_init\_\_.py
    - configuration\_stablelm.py
    - modeling\_stablelm.py
- starcoder2/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_starcoder2.cpython-312.pyc
      - modeling\_starcoder2.cpython-312.pyc
      - modular\_starcoder2.cpython-312.pyc
    - \_\_init\_\_.py
    - configuration\_starcoder2.py
    - modeling\_starcoder2.py
    - modular\_starcoder2.py
- superglue/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_superglue.cpython-312.pyc
      - image\_processing\_pil\_superglue.cpython-312.pyc
      - image\_processing\_superglue.cpython-312.pyc
      - modeling\_superglue.cpython-312.pyc
    - \_\_init\_\_.py
    - configuration\_superglue.py
    - image\_processing\_pil\_superglue.py
    - image\_processing\_superglue.py
    - modeling\_superglue.py
- superpoint/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_superpoint.cpython-312.pyc
      - image\_processing\_pil\_superpoint.cpython-312.pyc
      - image\_processing\_superpoint.cpython-312.pyc
      - modeling\_superpoint.cpython-312.pyc
    - \_\_init\_\_.py
    - configuration\_superpoint.py
    - image\_processing\_pil\_superpoint.py
    - image\_processing\_superpoint.py
    - modeling\_superpoint.py
- swiftformer/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-312.pyc
      - configuration\_swiftformer.cpython-312.pyc
      - modeling\_swiftformer.cpython-312.pyc

- `__init__.py`
- `configuration_swiftformer.py`
- `modeling_swiftformer.py`
- `swin/`
  - `pycache/`
    - `__init__.cpython-312.pyc`
    - `configuration_swin.cpython-312.pyc`
    - `modeling_swin.cpython-312.pyc`
  - `__init__.py`
  - `configuration_swin.py`
  - `modeling_swin.py`
- `swin2sr/`
  - `pycache/`
    - `__init__.cpython-312.pyc`
    - `configuration_swin2sr.cpython-312.pyc`
    - `image_processing_pil_swin2sr.cpython-312.pyc`
    - `image_processing_swin2sr.cpython-312.pyc`
    - `modeling_swin2sr.cpython-312.pyc`
  - `__init__.py`
  - `configuration_swin2sr.py`
  - `image_processing_pil_swin2sr.py`
  - `image_processing_swin2sr.py`
  - `modeling_swin2sr.py`
- `swinv2/`
  - `pycache/`
    - `__init__.cpython-312.pyc`
    - `configuration_swinv2.cpython-312.pyc`
    - `modeling_swinv2.cpython-312.pyc`
  - `__init__.py`
  - `configuration_swinv2.py`
  - `modeling_swinv2.py`
- `switch_transformers/`
  - `pycache/`
    - `__init__.cpython-312.pyc`
    - `configuration_switch_transformers.cpython-312.pyc`
    - `modeling_switch_transformers.cpython-312.pyc`
    - `modular_switch_transformers.cpython-312.pyc`
  - `__init__.py`
  - `configuration_switch_transformers.py`
  - `modeling_switch_transformers.py`
  - `modular_switch_transformers.py`
- `t5/`
  - `pycache/`
    - `__init__.cpython-312.pyc`
    - `configuration_t5.cpython-312.pyc`
    - `modeling_t5.cpython-312.pyc`
    - `tokenization_t5.cpython-312.pyc`
  - `__init__.py`
  - `configuration_t5.py`
  - `modeling_t5.py`
  - `tokenization_t5.py`
- `t5gemma/`
  - `pycache/`
    - `__init__.cpython-312.pyc`
    - `configuration_t5gemma.cpython-312.pyc`
    - `modeling_t5gemma.cpython-312.pyc`
    - `modular_t5gemma.cpython-312.pyc`
  - `__init__.py`
  - `configuration_t5gemma.py`
  - `modeling_t5gemma.py`
  - `modular_t5gemma.py`
- `t5gemma2/`
  - `pycache/`
    - `__init__.cpython-312.pyc`
    - `configuration_t5gemma2.cpython-312.pyc`
    - `modeling_t5gemma2.cpython-312.pyc`
    - `modular_t5gemma2.cpython-312.pyc`
  - `__init__.py`
  - `configuration_t5gemma2.py`
  - `modeling_t5gemma2.py`
  - `modular_t5gemma2.py`
- `table_transformer/`
  - `pycache/`
    - `__init__.cpython-312.pyc`
    - `configuration_table_transformer.cpython-312.pyc`
    - `modeling_table_transformer.cpython-312.pyc`
  - `__init__.py`
  - `configuration_table_transformer.py`
  - `modeling_table_transformer.py`
- `tapas/`
  - `pycache/`
    - `__init__.cpython-312.pyc`
    - `configuration_tapas.cpython-312.pyc`
    - `modeling_tapas.cpython-312.pyc`
    - `tokenization_tapas.cpython-312.pyc`

- `__init__.py`
- `configuration_tapas.py`
- `modeling_tapas.py`
- `tokenization_tapas.py`
- `textnet/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_textnet.cpython-312.pyc`
    - `image_processing_pil_textnet.cpython-312.pyc`
    - `image_processing_textnet.cpython-312.pyc`
    - `modeling_textnet.cpython-312.pyc`
  - `__init__.py`
  - `configuration_textnet.py`
  - `image_processing_pil_textnet.py`
  - `image_processing_textnet.py`
  - `modeling_textnet.py`
- `time_series_transformer/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_time_series_transformer.cpython-312.pyc`
    - `modeling_time_series_transformer.cpython-312.pyc`
  - `__init__.py`
  - `configuration_time_series_transformer.py`
  - `modeling_time_series_transformer.py`
- `timesfm/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_timesfm.cpython-312.pyc`
    - `modeling_timesfm.cpython-312.pyc`
    - `modular_timesfm.cpython-312.pyc`
  - `__init__.py`
  - `configuration_timesfm.py`
  - `modeling_timesfm.py`
  - `modular_timesfm.py`
- `timesfm2_5/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_timesfm2_5.cpython-312.pyc`
    - `modeling_timesfm2_5.cpython-312.pyc`
    - `modular_timesfm2_5.cpython-312.pyc`
  - `__init__.py`
  - `configuration_timesfm2_5.py`
  - `modeling_timesfm2_5.py`
  - `modular_timesfm2_5.py`
- `timesformer/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_timesformer.cpython-312.pyc`
    - `modeling_timesformer.cpython-312.pyc`
  - `__init__.py`
  - `configuration_timesformer.py`
  - `modeling_timesformer.py`
- `timm_backbone/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_timm_backbone.cpython-312.pyc`
    - `modeling_timm_backbone.cpython-312.pyc`
  - `__init__.py`
  - `configuration_timm_backbone.py`
  - `modeling_timm_backbone.py`
- `timm_wrapper/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_timm_wrapper.cpython-312.pyc`
    - `image_processing_timm_wrapper.cpython-312.pyc`
    - `modeling_timm_wrapper.cpython-312.pyc`
  - `__init__.py`
  - `configuration_timm_wrapper.py`
  - `image_processing_timm_wrapper.py`
  - `modeling_timm_wrapper.py`
- `trocr/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_trocr.cpython-312.pyc`
    - `modeling_trocr.cpython-312.pyc`
    - `processing_trocr.cpython-312.pyc`
  - `__init__.py`
  - `configuration_trocr.py`
  - `modeling_trocr.py`
  - `processing_trocr.py`
- `tvdp/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_tvp.cpython-312.pyc`
    - `image_processing_pil_tvp.cpython-312.pyc`

- image\_processing\_tvp.cpython-312.pyc
  - modeling\_tvp.cpython-312.pyc
  - processing\_tvp.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_tvp.py
- image\_processing\_pil\_tvp.py
- image\_processing\_tvp.py
- modeling\_tvp.py
- processing\_tvp.py
- udop/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_udop.cpython-312.pyc
    - modeling\_udop.cpython-312.pyc
    - processing\_udop.cpython-312.pyc
    - tokenization\_udop.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_udop.py
  - modeling\_udop.py
  - processing\_udop.py
  - tokenization\_udop.py
- umt5/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_umt5.cpython-312.pyc
    - modeling\_umt5.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_umt5.py
  - modeling\_umt5.py
- unispeech/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_unispeech.cpython-312.pyc
    - modeling\_unispeech.cpython-312.pyc
    - modular\_unispeech.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_unispeech.py
  - modeling\_unispeech.py
  - modular\_unispeech.py
- unispeech\_sat/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_unispeech\_sat.cpython-312.pyc
    - modeling\_unispeech\_sat.cpython-312.pyc
    - modular\_unispeech\_sat.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_unispeech\_sat.py
  - modeling\_unispeech\_sat.py
  - modular\_unispeech\_sat.py
- univnet/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_univnet.cpython-312.pyc
    - feature\_extraction\_univnet.cpython-312.pyc
    - modeling\_univnet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_univnet.py
  - feature\_extraction\_univnet.py
  - modeling\_univnet.py
- upernet/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_upernet.cpython-312.pyc
    - modeling\_upernet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_upernet.py
  - modeling\_upernet.py
- uvdoc/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_uvdoc.cpython-312.pyc
    - image\_processing\_uvdoc.cpython-312.pyc
    - modeling\_uvdoc.cpython-312.pyc
    - modular\_uvdoc.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_uvdoc.py
  - image\_processing\_uvdoc.py
  - modeling\_uvdoc.py
  - modular\_uvdoc.py
- vaultgemma/
  - pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_vaultgemma.cpython-312.pyc
    - modeling\_vaultgemma.cpython-312.pyc
    - modular\_vaultgemma.cpython-312.pyc

- `__init__.py`
- `configuration_vaultgemma.py`
- `modeling_vaultgemma.py`
- `modular_vaultgemma.py`
- `vibevoice_acoustic_tokenizer/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_vibevoice_acoustic_tokenizer.cpython-312.pyc`
    - `feature_extraction_vibevoice_acoustic_tokenizer.cpython-312.pyc`
    - `modeling_vibevoice_acoustic_tokenizer.cpython-312.pyc`
    - `modular_vibevoice_acoustic_tokenizer.cpython-312.pyc`
  - `__init__.py`
  - `configuration_vibevoice_acoustic_tokenizer.py`
  - `feature_extraction_vibevoice_acoustic_tokenizer.py`
  - `modeling_vibevoice_acoustic_tokenizer.py`
  - `modular_vibevoice_acoustic_tokenizer.py`
- `vibevoice_asr/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_vibevoice_asr.cpython-312.pyc`
    - `modeling_vibevoice_asr.cpython-312.pyc`
    - `modular_vibevoice_asr.cpython-312.pyc`
    - `processing_vibevoice_asr.cpython-312.pyc`
  - `__init__.py`
  - `configuration_vibevoice_asr.py`
  - `modeling_vibevoice_asr.py`
  - `modular_vibevoice_asr.py`
  - `processing_vibevoice_asr.py`
- `video_llama_3/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_video_llama_3.cpython-312.pyc`
    - `image_processing_pil_video_llama_3.cpython-312.pyc`
    - `image_processing_video_llama_3.cpython-312.pyc`
    - `modeling_video_llama_3.cpython-312.pyc`
    - `modular_video_llama_3.cpython-312.pyc`
    - `processing_video_llama_3.cpython-312.pyc`
    - `video_processing_video_llama_3.cpython-312.pyc`
  - `__init__.py`
  - `configuration_video_llama_3.py`
  - `image_processing_pil_video_llama_3.py`
  - `image_processing_video_llama_3.py`
  - `modeling_video_llama_3.py`
  - `modular_video_llama_3.py`
  - `processing_video_llama_3.py`
  - `video_processing_video_llama_3.py`
- `video_llava/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_video_llava.cpython-312.pyc`
    - `image_processing_video_llava.cpython-312.pyc`
    - `modeling_video_llava.cpython-312.pyc`
    - `processing_video_llava.cpython-312.pyc`
    - `video_processing_video_llava.cpython-312.pyc`
  - `__init__.py`
  - `configuration_video_llava.py`
  - `image_processing_video_llava.py`
  - `modeling_video_llava.py`
  - `processing_video_llava.py`
  - `video_processing_video_llava.py`
- `videomae/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_videomae.cpython-312.pyc`
    - `image_processing_pil_videomae.cpython-312.pyc`
    - `image_processing_videomae.cpython-312.pyc`
    - `modeling_videomae.cpython-312.pyc`
    - `video_processing_videomae.cpython-312.pyc`
  - `__init__.py`
  - `configuration_videomae.py`
  - `image_processing_pil_videomae.py`
  - `image_processing_videomae.py`
  - `modeling_videomae.py`
  - `video_processing_videomae.py`
- `videomt/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `configuration_videomt.cpython-312.pyc`
    - `modeling_videomt.cpython-312.pyc`
    - `modular_videomt.cpython-312.pyc`
    - `video_processing_videomt.cpython-312.pyc`
  - `__init__.py`
  - `configuration_videomt.py`
  - `modeling_videomt.py`
  - `modular_videomt.py`

- └─ video\_processing\_videomt.py
- ─ vilt/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_vilt.cpython-312.pyc
    - └─ image\_processing\_pil\_vilt.cpython-312.pyc
    - └─ image\_processing\_vilt.cpython-312.pyc
    - └─ modeling\_vilt.cpython-312.pyc
    - └─ processing\_vilt.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_vilt.py
  - └─ image\_processing\_pil\_vilt.py
  - └─ image\_processing\_vilt.py
  - └─ modeling\_vilt.py
  - └─ processing\_vilt.py
- ─ vipllava/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_vipllava.cpython-312.pyc
    - └─ modeling\_vipllava.cpython-312.pyc
    - └─ modular\_vipllava.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_vipllava.py
  - └─ modeling\_vipllava.py
  - └─ modular\_vipllava.py
- ─ vision\_encoder\_decoder/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_vision\_encoder\_decoder.cpython-312.pyc
    - └─ modeling\_vision\_encoder\_decoder.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_vision\_encoder\_decoder.py
  - └─ modeling\_vision\_encoder\_decoder.py
- ─ vision\_text\_dual\_encoder/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_vision\_text\_dual\_encoder.cpython-312.pyc
    - └─ modeling\_vision\_text\_dual\_encoder.cpython-312.pyc
    - └─ processing\_vision\_text\_dual\_encoder.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_vision\_text\_dual\_encoder.py
  - └─ modeling\_vision\_text\_dual\_encoder.py
  - └─ processing\_vision\_text\_dual\_encoder.py
- ─ visual\_bert/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_visual\_bert.cpython-312.pyc
    - └─ modeling\_visual\_bert.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_visual\_bert.py
  - └─ modeling\_visual\_bert.py
- ─ vit/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_vit.cpython-312.pyc
    - └─ image\_processing\_pil\_vit.cpython-312.pyc
    - └─ image\_processing\_vit.cpython-312.pyc
    - └─ modeling\_vit.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_vit.py
  - └─ image\_processing\_pil\_vit.py
  - └─ image\_processing\_vit.py
  - └─ modeling\_vit.py
- ─ vit\_mae/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_vit\_mae.cpython-312.pyc
    - └─ modeling\_vit\_mae.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_vit\_mae.py
  - └─ modeling\_vit\_mae.py
- ─ vit\_msn/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_vit\_msn.cpython-312.pyc
    - └─ modeling\_vit\_msn.cpython-312.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_vit\_msn.py
  - └─ modeling\_vit\_msn.py
- ─ vitdet/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ configuration\_vitdet.cpython-312.pyc
    - └─ modeling\_vitdet.cpython-312.pyc
  - └─ \_\_init\_\_.py

- configuration\_vitdet.py
- modeling\_vitdet.py
- vitmatte/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_vitmatte.cpython-312.pyc
    - image\_processing\_pil\_vitmatte.cpython-312.pyc
    - image\_processing\_vitmatte.cpython-312.pyc
    - modeling\_vitmatte.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_vitmatte.py
  - image\_processing\_pil\_vitmatte.py
  - image\_processing\_vitmatte.py
  - modeling\_vitmatte.py
- vitpose/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_vitpose.cpython-312.pyc
    - image\_processing\_pil\_vitpose.cpython-312.pyc
    - image\_processing\_vitpose.cpython-312.pyc
    - modeling\_vitpose.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_vitpose.py
  - image\_processing\_pil\_vitpose.py
  - image\_processing\_vitpose.py
  - modeling\_vitpose.py
- vitpose\_backbone/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_vitpose\_backbone.cpython-312.pyc
    - modeling\_vitpose\_backbone.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_vitpose\_backbone.py
  - modeling\_vitpose\_backbone.py
- vits/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_vits.cpython-312.pyc
    - modeling\_vits.cpython-312.pyc
    - tokenization\_vits.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_vits.py
  - modeling\_vits.py
  - tokenization\_vits.py
- vivit/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_vivit.cpython-312.pyc
    - image\_processing\_vivit.cpython-312.pyc
    - modeling\_vivit.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_vivit.py
  - image\_processing\_vivit.py
  - modeling\_vivit.py
- vjepa2/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_vjepa2.cpython-312.pyc
    - modeling\_vjepa2.cpython-312.pyc
    - video\_processing\_vjepa2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_vjepa2.py
  - modeling\_vjepa2.py
  - video\_processing\_vjepa2.py
- voxtral/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_voxtral.cpython-312.pyc
    - modeling\_voxtral.cpython-312.pyc
    - modular\_voxtral.cpython-312.pyc
    - processing\_voxtral.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_voxtral.py
  - modeling\_voxtral.py
  - modular\_voxtral.py
  - processing\_voxtral.py
- voxtral\_realtime/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_voxtral\_realtime.cpython-312.pyc
    - feature\_extraction\_voxtral\_realtime.cpython-312.pyc
    - modeling\_voxtral\_realtime.cpython-312.pyc
    - modular\_voxtral\_realtime.cpython-312.pyc
    - processing\_voxtral\_realtime.cpython-312.pyc
  - \_\_init\_\_.py



- configuration\_voxtral\_realtime.py
- feature\_extraction\_voxtral\_realtime.py
- modeling\_voxtral\_realtime.py
- modular\_voxtral\_realtime.py
- processing\_voxtral\_realtime.py
- wav2vec2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_wav2vec2.cpython-312.pyc
    - feature\_extraction\_wav2vec2.cpython-312.pyc
    - modeling\_wav2vec2.cpython-312.pyc
    - processing\_wav2vec2.cpython-312.pyc
    - tokenization\_wav2vec2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_wav2vec2.py
  - feature\_extraction\_wav2vec2.py
  - modeling\_wav2vec2.py
  - processing\_wav2vec2.py
  - tokenization\_wav2vec2.py
- wav2vec2\_bert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_wav2vec2\_bert.cpython-312.pyc
    - modeling\_wav2vec2\_bert.cpython-312.pyc
    - modular\_wav2vec2\_bert.cpython-312.pyc
    - processing\_wav2vec2\_bert.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_wav2vec2\_bert.py
  - modeling\_wav2vec2\_bert.py
  - modular\_wav2vec2\_bert.py
  - processing\_wav2vec2\_bert.py
- wav2vec2\_conformer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_wav2vec2\_conformer.cpython-312.pyc
    - modeling\_wav2vec2\_conformer.cpython-312.pyc
    - modular\_wav2vec2\_conformer.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_wav2vec2\_conformer.py
  - modeling\_wav2vec2\_conformer.py
  - modular\_wav2vec2\_conformer.py
- wav2vec2\_phoneme/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - tokenization\_wav2vec2\_phoneme.cpython-312.pyc
  - \_\_init\_\_.py
  - tokenization\_wav2vec2\_phoneme.py
- wav2vec2\_with\_lm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - processing\_wav2vec2\_with\_lm.cpython-312.pyc
  - \_\_init\_\_.py
  - processing\_wav2vec2\_with\_lm.py
- wavlm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_wavlm.cpython-312.pyc
    - modeling\_wavlm.cpython-312.pyc
    - modular\_wavlm.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_wavlm.py
  - modeling\_wavlm.py
  - modular\_wavlm.py
- whisper/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_whisper.cpython-312.pyc
    - english\_normalizer.cpython-312.pyc
    - feature\_extraction\_whisper.cpython-312.pyc
    - generation\_whisper.cpython-312.pyc
    - modeling\_whisper.cpython-312.pyc
    - processing\_whisper.cpython-312.pyc
    - tokenization\_whisper.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_whisper.py
  - english\_normalizer.py
  - feature\_extraction\_whisper.py
  - generation\_whisper.py
  - modeling\_whisper.py
  - processing\_whisper.py
  - tokenization\_whisper.py
- x\_clip/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_x\_clip.cpython-312.pyc

- modeling\_x\_clip.cpython-312.pyc
  - modular\_x\_clip.cpython-312.pyc
  - processing\_x\_clip.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_x\_clip.py
- modeling\_x\_clip.py
- modular\_x\_clip.py
- processing\_x\_clip.py
- xcodec/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_xcodec.cpython-312.pyc
    - modeling\_xcodec.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_xcodec.py
  - modeling\_xcodec.py
- xglm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_xglm.cpython-312.pyc
    - modeling\_xglm.cpython-312.pyc
    - tokenization\_xglm.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_xglm.py
  - modeling\_xglm.py
  - tokenization\_xglm.py
- xlm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_xlm.cpython-312.pyc
    - modeling\_xlm.cpython-312.pyc
    - tokenization\_xlm.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_xlm.py
  - modeling\_xlm.py
  - tokenization\_xlm.py
- xlm\_roberta/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_xlm\_roberta.cpython-312.pyc
    - modeling\_xlm\_roberta.cpython-312.pyc
    - modular\_xlm\_roberta.cpython-312.pyc
    - tokenization\_xlm\_roberta.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_xlm\_roberta.py
  - modeling\_xlm\_roberta.py
  - modular\_xlm\_roberta.py
  - tokenization\_xlm\_roberta.py
- xlm\_roberta\_xl/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_xlm\_roberta\_xl.cpython-312.pyc
    - modeling\_xlm\_roberta\_xl.cpython-312.pyc
    - modular\_xlm\_roberta\_xl.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_xlm\_roberta\_xl.py
  - modeling\_xlm\_roberta\_xl.py
  - modular\_xlm\_roberta\_xl.py
- xlnet/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_xlnet.cpython-312.pyc
    - modeling\_xlnet.cpython-312.pyc
    - tokenization\_xlnet.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_xlnet.py
  - modeling\_xlnet.py
  - tokenization\_xlnet.py
- xlstm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_xlstm.cpython-312.pyc
    - modeling\_xlstm.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_xlstm.py
  - modeling\_xlstm.py
- xmod/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_xmod.cpython-312.pyc
    - modeling\_xmod.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_xmod.py
  - modeling\_xmod.py
- yolos/

- \_pycache\_/
  - \_\_init\_\_.cpython-312.pyc
  - configuration\_yolos.cpython-312.pyc
  - image\_processing\_pil\_yolos.cpython-312.pyc
  - image\_processing\_yolos.cpython-312.pyc
  - modeling\_yolos.cpython-312.pyc
  - modular\_yolos.cpython-312.pyc
- \_\_init\_\_.py
- configuration\_yolos.py
- image\_processing\_pil\_yolos.py
- image\_processing\_yolos.py
- modeling\_yolos.py
- modular\_yolos.py
- yoso/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_yoso.cpython-312.pyc
    - modeling\_yoso.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_yoso.py
  - modeling\_yoso.py
- youtu/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_youtu.cpython-312.pyc
    - modeling\_youtu.cpython-312.pyc
    - modular\_youtu.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_youtu.py
  - modeling\_youtu.py
  - modular\_youtu.py
- zamba/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_zamba.cpython-312.pyc
    - modeling\_zamba.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_zamba.py
  - modeling\_zamba.py
- zamba2/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_zamba2.cpython-312.pyc
    - modeling\_zamba2.cpython-312.pyc
    - modular\_zamba2.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_zamba2.py
  - modeling\_zamba2.py
  - modular\_zamba2.py
- zoedepth/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - configuration\_zoedepth.cpython-312.pyc
    - image\_processing\_pil\_zoedepth.cpython-312.pyc
    - image\_processing\_zoedepth.cpython-312.pyc
    - modeling\_zoedepth.cpython-312.pyc
  - \_\_init\_\_.py
  - configuration\_zoedepth.py
  - image\_processing\_pil\_zoedepth.py
  - image\_processing\_zoedepth.py
  - modeling\_zoedepth.py
- \_\_init\_\_.py
- pipelines/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - any\_to\_any.cpython-312.pyc
    - audio\_classification.cpython-312.pyc
    - audio\_utils.cpython-312.pyc
    - automatic\_speech\_recognition.cpython-312.pyc
    - base.cpython-312.pyc
    - depth\_estimation.cpython-312.pyc
    - document\_question\_answering.cpython-312.pyc
    - feature\_extraction.cpython-312.pyc
    - fill\_mask.cpython-312.pyc
    - image\_classification.cpython-312.pyc
    - image\_feature\_extraction.cpython-312.pyc
    - image\_segmentation.cpython-312.pyc
    - image\_text\_to\_text.cpython-312.pyc
    - keypoint\_matching.cpython-312.pyc
    - mask\_generation.cpython-312.pyc
    - object\_detection.cpython-312.pyc
    - pt\_utils.cpython-312.pyc
    - table\_question\_answering.cpython-312.pyc
    - text\_classification.cpython-312.pyc
    - text\_generation.cpython-312.pyc

- text\_to\_audio.cpython-312.pyc
- token\_classification.cpython-312.pyc
- video\_classification.cpython-312.pyc
- zero\_shot\_audio\_classification.cpython-312.pyc
- zero\_shot\_classification.cpython-312.pyc
- zero\_shot\_image\_classification.cpython-312.pyc
- zero\_shot\_object\_detection.cpython-312.pyc
- \_\_init\_\_.py
- any\_to\_any.py
- audio\_classification.py
- audio\_utils.py
- automatic\_speech\_recognition.py
- base.py
- depth\_estimation.py
- document\_question\_answering.py
- feature\_extraction.py
- fill\_mask.py
- image\_classification.py
- image\_feature\_extraction.py
- image\_segmentation.py
- image\_text\_to\_text.py
- keypoint\_matching.py
- mask\_generation.py
- object\_detection.py
- pt\_utils.py
- table\_question\_answering.py
- text\_classification.py
- text\_generation.py
- text\_to\_audio.py
- token\_classification.py
- video\_classification.py
- zero\_shot\_audio\_classification.py
- zero\_shot\_classification.py
- zero\_shot\_image\_classification.py
- zero\_shot\_object\_detection.py
- quantizers/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - auto.cpython-312.pyc
    - base.cpython-312.pyc
    - quantizer\_aqlm.cpython-312.pyc
    - quantizer\_auto\_round.cpython-312.pyc
    - quantizer\_awq.cpython-312.pyc
    - quantizer\_bitnet.cpython-312.pyc
    - quantizer\_bnb\_4bit.cpython-312.pyc
    - quantizer\_bnb\_8bit.cpython-312.pyc
    - quantizer\_compressed\_tensors.cpython-312.pyc
    - quantizer\_eetq.cpython-312.pyc
    - quantizer\_fbgemm\_fp8.cpython-312.pyc
    - quantizer\_finegrained\_fp8.cpython-312.pyc
    - quantizer\_fourversix.cpython-312.pyc
    - quantizer\_fp\_quant.cpython-312.pyc
    - quantizer\_gptq.cpython-312.pyc
    - quantizer\_higgs.cpython-312.pyc
    - quantizer\_hqq.cpython-312.pyc
    - quantizer\_metal.cpython-312.pyc
    - quantizer\_mxfp4.cpython-312.pyc
    - quantizer\_quanto.cpython-312.pyc
    - quantizer\_quark.cpython-312.pyc
    - quantizer\_sinq.cpython-312.pyc
    - quantizer\_spr.cpython-312.pyc
    - quantizer\_torchao.cpython-312.pyc
    - quantizer\_vptq.cpython-312.pyc
    - quantizers\_utils.cpython-312.pyc
  - \_\_init\_\_.py
  - auto.py
  - base.py
  - quantizer\_aqlm.py
  - quantizer\_auto\_round.py
  - quantizer\_awq.py
  - quantizer\_bitnet.py
  - quantizer\_bnb\_4bit.py
  - quantizer\_bnb\_8bit.py
  - quantizer\_compressed\_tensors.py
  - quantizer\_eetq.py
  - quantizer\_fbgemm\_fp8.py
  - quantizer\_finegrained\_fp8.py
  - quantizer\_fourversix.py
  - quantizer\_fp\_quant.py
  - quantizer\_gptq.py
  - quantizer\_higgs.py
  - quantizer\_hqq.py
  - quantizer\_metal.py
  - quantizer\_mxfp4.py
  - quantizer\_quanto.py

- quantizer\_quark.py
- quantizer\_sinq.py
- quantizer\_sqr.py
- quantizer\_torchao.py
- quantizer\_vptq.py
- quantizers\_utils.py
- utils/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
    - attention\_visualizer.cpython-312.pyc
    - auto\_docstring.cpython-312.pyc
    - backbone\_utils.cpython-312.pyc
    - chat\_parsing\_utils.cpython-312.pyc
    - chat\_template\_utils.cpython-312.pyc
    - constants.cpython-312.pyc
    - deprecation.cpython-312.pyc
    - doc.cpython-312.pyc
    - dummy\_detectron2\_objects.cpython-312.pyc
    - dummy\_essentia\_and\_librosa\_and\_pretty\_midi\_and\_scipy\_and\_torch\_objects.cpython-312.pyc
    - dummy\_mistral\_common\_objects.cpython-312.pyc
    - dummy\_music\_objects.cpython-312.pyc
    - dummy\_pt\_objects.cpython-312.pyc
    - dummy\_sentencepiece\_and\_tokenizers\_objects.cpython-312.pyc
    - dummy\_speech\_objects.cpython-312.pyc
    - dummy\_timm\_and\_torchvision\_objects.cpython-312.pyc
    - dummy\_tokenizers\_objects.cpython-312.pyc
    - dummy\_torchaudio\_objects.cpython-312.pyc
    - dummy\_torchvision\_objects.cpython-312.pyc
    - dummy\_vision\_objects.cpython-312.pyc
    - generic.cpython-312.pyc
    - hp\_naming.cpython-312.pyc
    - hub.cpython-312.pyc
    - import\_utils.cpython-312.pyc
    - kernel\_config.cpython-312.pyc
    - loading\_report.cpython-312.pyc
    - logging.cpython-312.pyc
    - metrics.cpython-312.pyc
    - network\_logging.cpython-312.pyc
    - notebook.cpython-312.pyc
    - output\_capturing.cpython-312.pyc
    - peft\_utils.cpython-312.pyc
    - pytest\_helpers.cpython-312.pyc
    - quantization\_config.cpython-312.pyc
    - sentencepiece\_model\_pb2.cpython-312.pyc
    - sentencepiece\_model\_pb2\_new.cpython-312.pyc
    - type\_validators.cpython-312.pyc
    - versions.cpython-312.pyc
  - \_\_init\_\_.py
  - attention\_visualizer.py
  - auto\_docstring.py
  - backbone\_utils.py
  - chat\_parsing\_utils.py
  - chat\_template\_utils.py
  - constants.py
  - deprecation.py
  - doc.py
  - dummy\_detectron2\_objects.py
  - dummy\_essentia\_and\_librosa\_and\_pretty\_midi\_and\_scipy\_and\_torch\_objects.py
  - dummy\_mistral\_common\_objects.py
  - dummy\_music\_objects.py
  - dummy\_pt\_objects.py
  - dummy\_sentencepiece\_and\_tokenizers\_objects.py
  - dummy\_speech\_objects.py
  - dummy\_timm\_and\_torchvision\_objects.py
  - dummy\_tokenizers\_objects.py
  - dummy\_torchaudio\_objects.py
  - dummy\_torchvision\_objects.py
  - dummy\_vision\_objects.py
  - generic.py
  - hp\_naming.py
  - hub.py
  - import\_utils.py
  - kernel\_config.py
  - loading\_report.py
  - logging.py
  - metrics.py
  - network\_logging.py
  - notebook.py
  - output\_capturing.py
  - peft\_utils.py
  - pytest\_helpers.py
  - quantization\_config.py
  - sentencepiece\_model\_pb2.py
  - sentencepiece\_model\_pb2\_new.py
  - type\_validators.py

- └─ versions.py
- └─ \_\_init\_\_.py
- └─ \_typing.py
- └─ activations.py
- └─ audio\_utils.py
- └─ backbone\_utils.py
- └─ cache\_utils.py
- └─ configuration\_utils.py
- └─ conversion\_mapping.py
- └─ convert\_slow\_tokenizer.py
- └─ convert\_slow\_tokenizers\_checkpoints\_to\_fast.py
- └─ core\_model\_loading.py
- └─ debug\_utils.py
- └─ dependency\_versions\_check.py
- └─ dependency\_versions\_table.py
- └─ dynamic\_module\_utils.py
- └─ feature\_extraction\_sequence\_utils.py
- └─ feature\_extraction\_utils.py
- └─ file\_utils.py
- └─ fusion\_mapping.py
- └─ hf\_argparser.py
- └─ hyperparameter\_search.py
- └─ image\_processing\_backends.py
- └─ image\_processing\_base.py
- └─ image\_processing\_utils.py
- └─ image\_transforms.py
- └─ image\_utils.py
- └─ initialization.py
- └─ masking\_utils.py
- └─ model\_debugging\_utils.py
- └─ modelcard.py
- └─ modeling\_attn\_mask\_utils.py
- └─ modeling\_flash\_attention\_utils.py
- └─ modeling\_gguf\_pytorch\_utils.py
- └─ modeling\_layers.py
- └─ modeling\_outputs.py
- └─ modeling\_rope\_utils.py
- └─ modeling\_utils.py
- └─ monkey\_patching.py
- └─ optimization.py
- └─ processing\_utils.py
- └─ py.typed
- └─ pytorch\_utils.py
- └─ safetensors\_conversion.py
- └─ testing\_utils.py
- └─ time\_series\_utils.py
- └─ tokenization\_mistral\_common.py
- └─ tokenization\_python.py
- └─ tokenization\_utils\_base.py
- └─ tokenization\_utils\_sentencepiece.py
- └─ tokenization\_utils\_tokenizers.py
- └─ trainer.py
- └─ trainer\_callback.py
- └─ trainer\_jit\_checkpoint.py
- └─ trainer\_optimizer.py
- └─ trainer\_pt\_utils.py
- └─ trainer\_seq2seq.py
- └─ trainer\_utils.py
- └─ training\_args.py
- └─ training\_args\_seq2seq.py
- └─ video\_processing\_utils.py
- └─ video\_utils.py
- └─ transformers-5.8.1.dist-info/
  - └─ licenses/
    - └─ LICENSE
  - └─ entry\_points.txt
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ REQUESTED
  - └─ top\_level.txt
  - └─ WHEEL
- └─ typer/
  - └─ .agents/
    - └─ skills/
      - └─ typer/
        - └─ SKILL.md
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-312.pyc
    - └─ \_\_main\_\_.cpython-312.pyc
    - └─ \_completion\_classes.cpython-312.pyc
    - └─ \_completion\_shared.cpython-312.pyc
    - └─ \_types.cpython-312.pyc
    - └─ \_typing.cpython-312.pyc
    - └─ cli.cpython-312.pyc

```
├── colors.cpython-312.pyc
├── completion.cpython-312.pyc
├── core.cpython-312.pyc
├── main.cpython-312.pyc
├── models.cpython-312.pyc
├── params.cpython-312.pyc
├── rich_utils.cpython-312.pyc
├── testing.cpython-312.pyc
├── utils.cpython-312.pyc
├── __init__.py
├── __main__.py
├── _completion_classes.py
├── _completion_shared.py
├── _types.py
├── _typing.py
├── cli.py
├── colors.py
├── completion.py
├── core.py
├── main.py
├── models.py
├── params.py
├── py.typed
├── rich_utils.py
├── testing.py
├── utils.py
├── typer-0.25.1.dist-info/
│   ├── licenses/
│   │   └── LICENSE
│   ├── entry_points.txt
│   ├── INSTALLER
│   ├── METADATA
│   ├── RECORD
│   └── WHEEL
├── typing_extensions-4.15.0.dist-info/
│   ├── licenses/
│   │   └── LICENSE
│   ├── INSTALLER
│   ├── METADATA
│   ├── RECORD
│   └── WHEEL
├── tzdata/
│   ├── pycache_/
│   │   └── __init__.cpython-312.pyc
│   ├── zoneinfo/
│   │   ├── pycache_/
│   │   │   └── __init__.cpython-312.pyc
│   │   └── Africa/
│   │       ├── pycache_/
│   │       │   └── __init__.cpython-312.pyc
│   │       ├── __init__.py
│   │       ├── Abidjan
│   │       ├── Accra
│   │       ├── Addis_Ababa
│   │       ├── Algiers
│   │       ├── Asmara
│   │       ├── Asmera
│   │       ├── Bamako
│   │       ├── Bangui
│   │       ├── Banjul
│   │       ├── Bissau
│   │       ├── Blantyre
│   │       ├── Brazzaville
│   │       ├── Bujumbura
│   │       ├── Cairo
│   │       ├── Casablanca
│   │       ├── Ceuta
│   │       ├── Conakry
│   │       ├── Dakar
│   │       ├── Dar_es_Salaam
│   │       ├── Djibouti
│   │       ├── Douala
│   │       ├── El_Aaiun
│   │       ├── Freetown
│   │       ├── Gaborone
│   │       ├── Harare
│   │       ├── Johannesburg
│   │       ├── Juba
│   │       ├── Kampala
│   │       ├── Khartoum
│   │       ├── Kigali
│   │       ├── Kinshasa
│   │       ├── Lagos
│   │       ├── Libreville
│   │       └── Lome
```

- Luanda
- Lubumbashi
- Lusaka
- Malabo
- Maputo
- Maseru
- Mbabane
- Mogadishu
- Monrovia
- Nairobi
- Ndjamena
- Niamey
- Nouakchott
- Ouagadougou
- Porto-Novo
- Sao\_Tome
- Timbuktu
- Tripoli
- Tunis
- Windhoek
- America/
  - \_pycache\_/
    - \_\_init\_\_.cpython-312.pyc
  - Argentina/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
    - Buenos\_Aires
    - Catamarca
    - ComodRivadavia
    - Cordoba
    - Jujuy
    - La\_Rioja
    - Mendoza
    - Rio\_Gallegos
    - Salta
    - San\_Juan
    - San\_Luis
    - Tucuman
    - Ushuaia
  - Indiana/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
    - Indianapolis
    - Knox
    - Marengo
    - Petersburg
    - Tell\_City
    - Vevay
    - Vincennes
    - Winamac
  - Kentucky/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
    - Louisville
    - Monticello
  - North\_Dakota/
    - \_pycache\_/
      - \_\_init\_\_.cpython-312.pyc
    - \_\_init\_\_.py
    - Beulah
    - Center
    - New\_Salem
- \_\_init\_\_.py
- Adak
- Anchorage
- Anguilla
- Antigua
- Araguaina
- Aruba
- Asuncion
- Atikokan
- Atka
- Bahia
- Bahia\_Banderas
- Barbados
- Belem
- Belize
- Blanc-Sablon
- Boa\_Vista
- Bogota
- Boise
- Buenos\_Aires



|  |                |
|--|----------------|
|  | Cambridge_Bay  |
|  | Campo_Grande   |
|  | Cancun         |
|  | Caracas        |
|  | Catamarca      |
|  | Cayenne        |
|  | Cayman         |
|  | Chicago        |
|  | Chihuahua      |
|  | Ciudad_Juarez  |
|  | Coral_Harbour  |
|  | Cordoba        |
|  | Costa_Rica     |
|  | Coyhaique      |
|  | Creston        |
|  | Cuiaba         |
|  | Curacao        |
|  | Danmarkshavn   |
|  | Dawson         |
|  | Dawson_Creek   |
|  | Denver         |
|  | Detroit        |
|  | Dominica       |
|  | Edmonton       |
|  | Eirunepe       |
|  | El_Salvador    |
|  | Ensenada       |
|  | Fort_Nelson    |
|  | Fort_Wayne     |
|  | Fortaleza      |
|  | Glace_Bay      |
|  | Godthab        |
|  | Goose_Bay      |
|  | Grand_Turk     |
|  | Grenada        |
|  | Guadeloupe     |
|  | Guatemala      |
|  | Guayaquil      |
|  | Guyana         |
|  | Halifax        |
|  | Havana         |
|  | Hermosillo     |
|  | Indianapolis   |
|  | Inuvik         |
|  | Iqaluit        |
|  | Jamaica        |
|  | Jujuy          |
|  | Juneau         |
|  | Knox_IN        |
|  | Kralendijk     |
|  | La_Paz         |
|  | Lima           |
|  | Los_Angeles    |
|  | Louisville     |
|  | Lower_Princes  |
|  | Maceio         |
|  | Managua        |
|  | Manaus         |
|  | Marigot        |
|  | Martinique     |
|  | Matamoros      |
|  | Mazatlan       |
|  | Mendoza        |
|  | Menominee      |
|  | Merida         |
|  | Metlakatla     |
|  | Mexico_City    |
|  | Miquelon       |
|  | Moncton        |
|  | Monterrey      |
|  | Montevideo     |
|  | Montreal       |
|  | Montserrat     |
|  | Nassau         |
|  | New_York       |
|  | Nipigon        |
|  | Nome           |
|  | Noronha        |
|  | Nuuk           |
|  | Ojinaga        |
|  | Panama         |
|  | Pangnirtung    |
|  | Paramaribo     |
|  | Phoenix        |
|  | Port-au-Prince |

- Port\_of\_Spain
- Porto\_Acre
- Porto\_Velho
- Puerto\_Rico
- Punta\_Arenas
- Rainy\_River
- Rankin\_Inlet
- Recife
- Regina
- Resolute
- Rio\_Branco
- Rosario
- Santa\_Isabel
- Santarem
- Santiago
- Santo\_Domingo
- Sao\_Paulo
- Scoresbysund
- Shiprock
- Sitka
- St\_Barthelemy
- St\_Johns
- St\_Kitts
- St\_Lucia
- St\_Thomas
- St\_Vincent
- Swift\_Current
- Tegucigalpa
- Thule
- Thunder\_Bay
- Tijuana
- Toronto
- Tortola
- Vancouver
- Virgin
- Whitehorse
- Winnipeg
- Yakutat
- Yellowknife
- Antarctica/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - Casey
  - Davis
  - DumontDURville
  - Macquarie
  - Mawson
  - McMurdo
  - Palmer
  - Rothera
  - South\_Pole
  - Syowa
  - Troll
  - Vostok
- Arctic/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - Longyearbyen
- Asia/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - Aden
  - Almaty
  - Amman
  - Anadyr
  - Aqtau
  - Aqtobe
  - Ashgabat
  - Ashkhabad
  - Atyrau
  - Baghdad
  - Bahrain
  - Baku
  - Bangkok
  - Barnaul
  - Beirut
  - Bishkek
  - Brunei
  - Calcutta
  - Chita
  - Choibalsan
  - Chongqing

|   |           |                          |
|---|-----------|--------------------------|
|   | —         | Chungking                |
|   | —         | Colombo                  |
|   | —         | Dacca                    |
|   | —         | Damascus                 |
|   | —         | Dhaka                    |
|   | —         | Dili                     |
|   | —         | Dubai                    |
|   | —         | Dushanbe                 |
|   | —         | Famagusta                |
|   | —         | Gaza                     |
|   | —         | Harbin                   |
|   | —         | Hebron                   |
|   | —         | Ho_Chi_Minh              |
|   | —         | Hong_Kong                |
|   | —         | Hovd                     |
|   | —         | Irkutsk                  |
|   | —         | Istanbul                 |
|   | —         | Jakarta                  |
|   | —         | Jayapura                 |
|   | —         | Jerusalem                |
|   | —         | Kabul                    |
|   | —         | Kamchatka                |
|   | —         | Karachi                  |
|   | —         | Kashgar                  |
|   | —         | Kathmandu                |
|   | —         | Katmandu                 |
|   | —         | Khandyga                 |
|   | —         | Kolkata                  |
|   | —         | Krasnoyarsk              |
|   | —         | Kuala_Lumpur             |
|   | —         | Kuching                  |
|   | —         | Kuwait                   |
|   | —         | Macao                    |
|   | —         | Macau                    |
|   | —         | Magadan                  |
|   | —         | Makassar                 |
|   | —         | Manila                   |
|   | —         | Muscat                   |
|   | —         | Nicosia                  |
|   | —         | Novokuznetsk             |
|   | —         | Novosibirsk              |
|   | —         | Omsk                     |
|   | —         | Oral                     |
|   | —         | Phnom_Penh               |
|   | —         | Pontianak                |
|   | —         | Pyongyang                |
|   | —         | Qatar                    |
|   | —         | Qostanay                 |
|   | —         | Qyzylorda                |
|   | —         | Rangoon                  |
|   | —         | Riyadh                   |
|   | —         | Saigon                   |
|   | —         | Sakhalin                 |
|   | —         | Samarkand                |
|   | —         | Seoul                    |
|   | —         | Shanghai                 |
|   | —         | Singapore                |
|   | —         | Srednekolymsk            |
|   | —         | Taipei                   |
|   | —         | Tashkent                 |
|   | —         | Tbilisi                  |
|   | —         | Tehran                   |
|   | —         | Tel_Aviv                 |
|   | —         | Thimbu                   |
|   | —         | Thimphu                  |
|   | —         | Tokyo                    |
|   | —         | Tomsk                    |
|   | —         | Ujung_Pandang            |
|   | —         | Ulaanbaatar              |
|   | —         | Ulan_Bator               |
|   | —         | Urumqi                   |
|   | —         | Ust-Nera                 |
|   | —         | Vientiane                |
|   | —         | Vladivostok              |
|   | —         | Yakutsk                  |
|   | —         | Yangon                   |
|   | —         | Yekaterinburg            |
|   | —         | Yerevan                  |
| — | Atlantic/ |                          |
|   | —         | __pycache__/             |
|   | —         | __init__.cpython-312.pyc |
|   | —         | __init__.py              |
|   | —         | Azores                   |
|   | —         | Bermuda                  |
|   | —         | Canary                   |

- Cape\_Verde
- Faeroe
- Faroe
- Jan\_Mayen
- Madeira
- Reykjavik
- South\_Georgia
- St\_Helena
- Stanley
- Australia/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - ACT
  - Adelaide
  - Brisbane
  - Broken\_Hill
  - Canberra
  - Currie
  - Darwin
  - Eucla
  - Hobart
  - LHI
  - Lindeman
  - Lord\_Howe
  - Melbourne
  - North
  - NSW
  - Perth
  - Queensland
  - South
  - Sydney
  - Tasmania
  - Victoria
  - West
  - Yancowinna
- Brazil/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - Acre
  - DeNoronha
  - East
  - West
- Canada/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - Atlantic
  - Central
  - Eastern
  - Mountain
  - Newfoundland
  - Pacific
  - Saskatchewan
  - Yukon
- Chile/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - Continental
  - EasterIsland
- Etc/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
  - \_\_init\_\_.py
  - GMT
  - GMT+0
  - GMT+1
  - GMT+10
  - GMT+11
  - GMT+12
  - GMT+2
  - GMT+3
  - GMT+4
  - GMT+5
  - GMT+6
  - GMT+7
  - GMT+8
  - GMT+9
  - GMT-0
  - GMT-1
  - GMT-10
  - GMT-11
  - GMT-12

- GMT-13
- GMT-14
- GMT-2
- GMT-3
- GMT-4
- GMT-5
- GMT-6
- GMT-7
- GMT-8
- GMT-9
- GMT0
- Greenwich
- UCT
- Universal
- UTC
- Zulu
- Europe/
  - `__pycache__/  
__init__.cpython-312.pyc`
  - `__init__.py`
  - Amsterdam
  - Andorra
  - Astrakhan
  - Athens
  - Belfast
  - Belgrade
  - Berlin
  - Bratislava
  - Brussels
  - Bucharest
  - Budapest
  - Busingen
  - Chisinau
  - Copenhagen
  - Dublin
  - Gibraltar
  - Guernsey
  - Helsinki
  - Isle\_of\_Man
  - Istanbul
  - Jersey
  - Kaliningrad
  - Kiev
  - Kirov
  - Kyiv
  - Lisbon
  - Ljubljana
  - London
  - Luxembourg
  - Madrid
  - Malta
  - Mariehamn
  - Minsk
  - Monaco
  - Moscow
  - Nicosia
  - Oslo
  - Paris
  - Podgorica
  - Prague
  - Riga
  - Rome
  - Samara
  - San\_Marino
  - Sarajevo
  - Saratov
  - Simferopol
  - Skopje
  - Sofia
  - Stockholm
  - Tallinn
  - Tirane
  - Tiraspol
  - Ulyanovsk
  - Uzhgorod
  - Vaduz
  - Vatican
  - Vienna
  - Vilnius
  - Volgograd
  - Warsaw
  - Zagreb
  - Zaporozhye
  - Zurich
- Indian/

- `__pycache__/`
  - `__init__.cpython-312.pyc`
- `__init__.py`
- Antananarivo
- Chagos
- Christmas
- Cocos
- Comoro
- Kerguelen
- Mahe
- Maldives
- Mauritius
- Mayotte
- Reunion
- Mexico/
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
  - `__init__.py`
  - BajaNorte
  - BajaSur
  - General
- Pacific/
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
  - `__init__.py`
  - Apia
  - Auckland
  - Bougainville
  - Chatham
  - Chuuk
  - Easter
  - Efate
  - Enderbury
  - Fakaofo
  - Fiji
  - Funafuti
  - Galapagos
  - Gambier
  - Guadalcanal
  - Guam
  - Honolulu
  - Johnston
  - Kanton
  - Kiritimati
  - Kosrae
  - Kwajalein
  - Majuro
  - Marquesas
  - Midway
  - Nauru
  - Niue
  - Norfolk
  - Noumea
  - Pago\_Pago
  - Palau
  - Pitcairn
  - Pohnpei
  - Ponape
  - Port\_Moresby
  - Rarotonga
  - Saipan
  - Samoa
  - Tahiti
  - Tarawa
  - Tongatapu
  - Truk
  - Wake
  - Wallis
  - Yap
- US/
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
  - `__init__.py`
  - Alaska
  - Aleutian
  - Arizona
  - Central
  - East-Indiana
  - Eastern
  - Hawaii
  - Indiana-Starke
  - Michigan
  - Mountain
  - Pacific
  - Samoa

- `__init__.py`
- `CET`
- `CST6CDT`
- `Cuba`
- `EET`
- `Egypt`
- `Eire`
- `EST`
- `EST5EDT`
- `Factory`
- `GB`
- `GB-Eire`
- `GMT`
- `GMT+0`
- `GMT-0`
- `GMT0`
- `Greenwich`
- `Hongkong`
- `HST`
- `Iceland`
- `Iran`
- `iso3166.tab`
- `Israel`
- `Jamaica`
- `Japan`
- `Kwajalein`
- `leapseconds`
- `Libya`
- `MET`
- `MST`
- `MST7MDT`
- `Navajo`
- `NZ`
- `NZ-CHAT`
- `Poland`
- `Portugal`
- `PRC`
- `PST8PDT`
- `ROC`
- `ROK`
- `Singapore`
- `Turkey`
- `tzdata.zi`
- `UCT`
- `Universal`
- `UTC`
- `W-SU`
- `WET`
- `zone.tab`
- `zone1970.tab`
- `zonenow.tab`
- `Zulu`
- `__init__.py`
- `zones`
- `tzdata-2026.2.dist-info/`
  - `licenses/`
    - `licenses/`
      - `LICENSE_APACHE`
    - `LICENSE`
  - `INSTALLER`
  - `METADATA`
  - `RECORD`
  - `top_level.txt`
  - `WHEEL`
- `urllib3/`
  - `__pycache__/`
    - `__init__.cpython-312.pyc`
    - `_base_connection.cpython-312.pyc`
    - `_collections.cpython-312.pyc`
    - `_request_methods.cpython-312.pyc`
    - `_version.cpython-312.pyc`
    - `connection.cpython-312.pyc`
    - `connectionpool.cpython-312.pyc`
    - `exceptions.cpython-312.pyc`
    - `fields.cpython-312.pyc`
    - `filepost.cpython-312.pyc`
    - `poolmanager.cpython-312.pyc`
    - `response.cpython-312.pyc`
  - `contrib/`
    - `__pycache__/`
      - `__init__.cpython-312.pyc`
      - `pyopenssl.cpython-312.pyc`
      - `socks.cpython-312.pyc`
    - `emscripten/`
      - `__pycache__/`

- \_\_init\_\_.cpython-312.pyc
    - connection.cpython-312.pyc
    - fetch.cpython-312.pyc
    - request.cpython-312.pyc
    - response.cpython-312.pyc
  - \_\_init\_\_.py
  - connection.py
  - emscripten\_fetch\_worker.js
  - fetch.py
  - request.py
  - response.py
- \_\_init\_\_.py
- pyopenssl.py
- socks.py
- http2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - connection.cpython-312.pyc
    - probe.cpython-312.pyc
  - \_\_init\_\_.py
  - connection.py
  - probe.py
- util/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - connection.cpython-312.pyc
    - proxy.cpython-312.pyc
    - request.cpython-312.pyc
    - response.cpython-312.pyc
    - retry.cpython-312.pyc
    - ssl\_.cpython-312.pyc
    - ssl\_match\_hostname.cpython-312.pyc
    - ssltransport.cpython-312.pyc
    - timeout.cpython-312.pyc
    - url.cpython-312.pyc
    - util.cpython-312.pyc
    - wait.cpython-312.pyc
  - \_\_init\_\_.py
  - connection.py
  - proxy.py
  - request.py
  - response.py
  - retry.py
  - ssl\_.py
  - ssl\_match\_hostname.py
  - ssltransport.py
  - timeout.py
  - url.py
  - util.py
  - wait.py
- \_\_init\_\_.py
- \_base\_connection.py
- \_collections.py
- \_request\_methods.py
- \_version.py
- connection.py
- connectionpool.py
- exceptions.py
- fields.py
- filepost.py
- poolmanager.py
- py.typed
- response.py
- urllib3-2.7.0.dist-info/
  - licenses/
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- yaml/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-312.pyc
    - composer.cpython-312.pyc
    - constructor.cpython-312.pyc
    - cyaml.cpython-312.pyc
    - dumper.cpython-312.pyc
    - emitter.cpython-312.pyc
    - error.cpython-312.pyc
    - events.cpython-312.pyc
    - loader.cpython-312.pyc
    - nodes.cpython-312.pyc
    - parser.cpython-312.pyc
    - reader.cpython-312.pyc
    - representer.cpython-312.pyc



- resolver.cpython-312.pyc
- scanner.cpython-312.pyc
- serializer.cpython-312.pyc
- tokens.cpython-312.pyc
- \_\_init\_\_.py
- \_yaml.cp312-win\_amd64.pyd
- composer.py
- constructor.py
- cyaml.py
- dumper.py
- emitter.py
- error.py
- events.py
- loader.py
- nodes.py
- parser.py
- reader.py
- representer.py
- resolver.py
- scanner.py
- serializer.py
- tokens.py
- 81d243bd2c585b0f4821\_\_mypyc.cp312-win\_amd64.pyd
- \_cffi\_backend.cp312-win\_amd64.pyd
- \_soundfile.py
- distutils-precedence.pth
- isympy.py
- pylab.py
- scipy-1.17.1-cp312-cp312-win\_amd64.whl
- six.py
- soundfile.py
- threadpoolctl.py
- typing\_extensions.py

#### Scripts/

- activate
- activate.bat
- Activate.ps1
- deactivate.bat
- f2py.exe
- fonttools.exe
- hf.exe
- httpx.exe
- huggingface-cli.exe
- isympy.exe
- markdown-it.exe
- normalizer.exe
- numba
- numpy-config.exe
- pip.exe
- pip3.12.exe
- pip3.exe
- pyftmerge.exe
- pyftsubset.exe
- pygmentize.exe
- python.exe
- pythonw.exe
- tabulate.exe
- tiny-agents.exe
- torchfrtrace.exe
- torchrun.exe
- tqdm.exe
- transformers.exe
- ttx.exe
- typer.exe

#### share/

- man/
  - man1/
    - isympy.1
    - ttx.1

— pyenv.cfg

#### baseline\_outputs\_for\_tomas/

- baseline\_summary.md
- classification\_results\_xlsr\_readtext\_layer0.csv
- classification\_results\_xlsr\_readtext\_layer11.csv
- classification\_results\_xlsr\_readtext\_layer4.csv
- classification\_results\_xlsr\_readtext\_layer8.csv
- model\_layer\_comparison.csv
- pca\_xlsr\_readtext\_layer0\_by\_group.png
- pca\_xlsr\_readtext\_layer0\_by\_label.png
- pca\_xlsr\_readtext\_layer0\_by\_language.png
- pca\_xlsr\_readtext\_layer11\_by\_group.png
- pca\_xlsr\_readtext\_layer11\_by\_label.png
- pca\_xlsr\_readtext\_layer11\_by\_language.png
- pca\_xlsr\_readtext\_layer4\_by\_group.png
- pca\_xlsr\_readtext\_layer4\_by\_label.png

- └─ pca\_xlsr\_readtext\_layer4\_by\_language.png
- └─ pca\_xlsr\_readtext\_layer8\_by\_group.png
- └─ pca\_xlsr\_readtext\_layer8\_by\_label.png
- └─ pca\_xlsr\_readtext\_layer8\_by\_language.png
- └─ README.md
- └─ tsne\_xlsr\_readtext\_layer0\_by\_group.png
- └─ tsne\_xlsr\_readtext\_layer0\_by\_label.png
- └─ tsne\_xlsr\_readtext\_layer0\_by\_language.png
- └─ tsne\_xlsr\_readtext\_layer11\_by\_group.png
- └─ tsne\_xlsr\_readtext\_layer11\_by\_label.png
- └─ tsne\_xlsr\_readtext\_layer11\_by\_language.png
- └─ tsne\_xlsr\_readtext\_layer4\_by\_group.png
- └─ tsne\_xlsr\_readtext\_layer4\_by\_label.png
- └─ tsne\_xlsr\_readtext\_layer4\_by\_language.png
- └─ tsne\_xlsr\_readtext\_layer8\_by\_group.png
- └─ tsne\_xlsr\_readtext\_layer8\_by\_label.png
- └─ tsne\_xlsr\_readtext\_layer8\_by\_language.png
- └─ configs/
  - └─ baseline\_config.yaml
- └─ features/
  - └─ wav2vec2/
    - └─ wav2vec2\_readtext\_layer0.csv
    - └─ wav2vec2\_readtext\_layer11.csv
    - └─ wav2vec2\_readtext\_layer4.csv
    - └─ wav2vec2\_readtext\_layer8.csv
  - └─ wavlm/
    - └─ wavlm\_readtext\_layer0.csv
    - └─ wavlm\_readtext\_layer11.csv
    - └─ wavlm\_readtext\_layer4.csv
    - └─ wavlm\_readtext\_layer8.csv
  - └─ xlsr/
    - └─ xlsr\_readtext\_layer0.csv
    - └─ xlsr\_readtext\_layer11.csv
    - └─ xlsr\_readtext\_layer4.csv
    - └─ xlsr\_readtext\_layer8.csv
- └─ full\_baseline\_outputs\_for\_tomas/
  - └─ outputs/
    - └─ figures/
      - └─ pca\_wav2vec2\_readtext\_layer0\_by\_group.png
      - └─ pca\_wav2vec2\_readtext\_layer0\_by\_label.png
      - └─ pca\_wav2vec2\_readtext\_layer0\_by\_language.png
      - └─ pca\_wav2vec2\_readtext\_layer11\_by\_group.png
      - └─ pca\_wav2vec2\_readtext\_layer11\_by\_label.png
      - └─ pca\_wav2vec2\_readtext\_layer11\_by\_language.png
      - └─ pca\_wav2vec2\_readtext\_layer4\_by\_group.png
      - └─ pca\_wav2vec2\_readtext\_layer4\_by\_label.png
      - └─ pca\_wav2vec2\_readtext\_layer4\_by\_language.png
      - └─ pca\_wav2vec2\_readtext\_layer8\_by\_group.png
      - └─ pca\_wav2vec2\_readtext\_layer8\_by\_label.png
      - └─ pca\_wav2vec2\_readtext\_layer8\_by\_language.png
      - └─ pca\_wavlm\_readtext\_layer0\_by\_group.png
      - └─ pca\_wavlm\_readtext\_layer0\_by\_label.png
      - └─ pca\_wavlm\_readtext\_layer0\_by\_language.png
      - └─ pca\_wavlm\_readtext\_layer11\_by\_group.png
      - └─ pca\_wavlm\_readtext\_layer11\_by\_label.png
      - └─ pca\_wavlm\_readtext\_layer11\_by\_language.png
      - └─ pca\_wavlm\_readtext\_layer4\_by\_group.png
      - └─ pca\_wavlm\_readtext\_layer4\_by\_label.png
      - └─ pca\_wavlm\_readtext\_layer4\_by\_language.png
      - └─ pca\_wavlm\_readtext\_layer8\_by\_group.png
      - └─ pca\_wavlm\_readtext\_layer8\_by\_label.png
      - └─ pca\_wavlm\_readtext\_layer8\_by\_language.png
      - └─ pca\_xlsr\_readtext\_layer0\_by\_group.png
      - └─ pca\_xlsr\_readtext\_layer0\_by\_label.png
      - └─ pca\_xlsr\_readtext\_layer0\_by\_language.png
      - └─ pca\_xlsr\_readtext\_layer11\_by\_group.png
      - └─ pca\_xlsr\_readtext\_layer11\_by\_label.png
      - └─ pca\_xlsr\_readtext\_layer11\_by\_language.png
      - └─ pca\_xlsr\_readtext\_layer4\_by\_group.png
      - └─ pca\_xlsr\_readtext\_layer4\_by\_label.png
      - └─ pca\_xlsr\_readtext\_layer4\_by\_language.png
      - └─ pca\_xlsr\_readtext\_layer8\_by\_group.png
      - └─ pca\_xlsr\_readtext\_layer8\_by\_label.png
      - └─ pca\_xlsr\_readtext\_layer8\_by\_language.png
      - └─ tsne\_wav2vec2\_readtext\_layer0\_by\_group.png
      - └─ tsne\_wav2vec2\_readtext\_layer0\_by\_label.png
      - └─ tsne\_wav2vec2\_readtext\_layer0\_by\_language.png
      - └─ tsne\_wav2vec2\_readtext\_layer11\_by\_group.png
      - └─ tsne\_wav2vec2\_readtext\_layer11\_by\_label.png
      - └─ tsne\_wav2vec2\_readtext\_layer11\_by\_language.png
      - └─ tsne\_wav2vec2\_readtext\_layer4\_by\_group.png
      - └─ tsne\_wav2vec2\_readtext\_layer4\_by\_label.png
      - └─ tsne\_wav2vec2\_readtext\_layer4\_by\_language.png
      - └─ tsne\_wav2vec2\_readtext\_layer8\_by\_group.png
      - └─ tsne\_wav2vec2\_readtext\_layer8\_by\_label.png

- tsne\_wav2vec2\_readtext\_layer8\_by\_language.png
- tsne\_wavlm\_readtext\_layer0\_by\_group.png
- tsne\_wavlm\_readtext\_layer0\_by\_label.png
- tsne\_wavlm\_readtext\_layer0\_by\_language.png
- tsne\_wavlm\_readtext\_layer11\_by\_group.png
- tsne\_wavlm\_readtext\_layer11\_by\_label.png
- tsne\_wavlm\_readtext\_layer11\_by\_language.png
- tsne\_wavlm\_readtext\_layer4\_by\_group.png
- tsne\_wavlm\_readtext\_layer4\_by\_label.png
- tsne\_wavlm\_readtext\_layer4\_by\_language.png
- tsne\_wavlm\_readtext\_layer8\_by\_group.png
- tsne\_wavlm\_readtext\_layer8\_by\_label.png
- tsne\_wavlm\_readtext\_layer8\_by\_language.png
- tsne\_xlsr\_readtext\_layer0\_by\_group.png
- tsne\_xlsr\_readtext\_layer0\_by\_label.png
- tsne\_xlsr\_readtext\_layer0\_by\_language.png
- tsne\_xlsr\_readtext\_layer11\_by\_group.png
- tsne\_xlsr\_readtext\_layer11\_by\_label.png
- tsne\_xlsr\_readtext\_layer11\_by\_language.png
- tsne\_xlsr\_readtext\_layer4\_by\_group.png
- tsne\_xlsr\_readtext\_layer4\_by\_label.png
- tsne\_xlsr\_readtext\_layer4\_by\_language.png
- tsne\_xlsr\_readtext\_layer8\_by\_group.png
- tsne\_xlsr\_readtext\_layer8\_by\_label.png
- tsne\_xlsr\_readtext\_layer8\_by\_language.png
- reports/
  - baseline\_summary.md
  - baseline\_summary\_wav2vec2.md
  - baseline\_summary\_wavlm.md
  - full\_baseline\_model\_comparison\_summary.md
- tables/
  - classification\_results\_wav2vec2\_readtext\_layer0.csv
  - classification\_results\_wav2vec2\_readtext\_layer11.csv
  - classification\_results\_wav2vec2\_readtext\_layer4.csv
  - classification\_results\_wav2vec2\_readtext\_layer8.csv
  - classification\_results\_wavlm\_readtext\_layer0.csv
  - classification\_results\_wavlm\_readtext\_layer11.csv
  - classification\_results\_wavlm\_readtext\_layer4.csv
  - classification\_results\_wavlm\_readtext\_layer8.csv
  - classification\_results\_xlsr\_readtext\_layer0.csv
  - classification\_results\_xlsr\_readtext\_layer11.csv
  - classification\_results\_xlsr\_readtext\_layer4.csv
  - classification\_results\_xlsr\_readtext\_layer8.csv
  - full\_model\_comparison.csv

README.md

input/

German/

Parkinson\_German\_Sabine\_Skoda/

MACOSX/

Parkinson\_German/

.\_.DS\_Store

.\_Description-Deutsch-TobiasSubSet.xlsx

.\_info.txt

.\_IS2013.pdf

.\_Protokoll\_Sprechanalyse.pdf

.\_~\$Description-Deutsch-TobiasSubSet.xlsx

Parkinson\_German/

Recordings/

full/

control/

001/

u1/

001.u1.01.pk

001.u1.01.wav

001.u1.02.wav

001.u1.03.wav

001.u1.04.pk

001.u1.04.wav

001.u1.05.pk

001.u1.05.wav

001.u1.11.pk

001.u1.11.wav

001.u1.33a.wav

001.u1.33b.wav

001.u1.33c.wav

001.u1.33d.wav

001.u1.44a.wav

001.u1.44b.wav

001.u1.55a.wav

001.u1.55b.wav

001.u1.55c.wav

001.u1.55d.wav

001.u1.66a.wav

001.u1.66b.wav

001.u1.66c.wav

- 001.u1.66d.wav
- 001.u1.77a.wav
- 001.u1.77b.wav
- 001.u1.77c.wav
- 001.u1.88a.wav
- 001.u1.88b.wav
- 001.u1.88c.wav

003/

└─ u1/

- 003.u1.01.wav
- 003.u1.02.wav
- 003.u1.03.wav
- 003.u1.04.pk
- 003.u1.04.wav
- 003.u1.05.pk
- 003.u1.05.wav
- 003.u1.11.wav
- 003.u1.22.wav
- 003.u1.44a.wav
- 003.u1.44b.wav
- 003.u1.55a.wav
- 003.u1.55b.wav
- 003.u1.66a.wav
- 003.u1.66b.wav
- 003.u1.77a.wav
- 003.u1.77b.wav
- 003.u1.77c.wav
- 003.u1.88a.wav
- 003.u1.88b.wav
- 003.u1.88c.wav

005/

└─ u1/

- 005.u1.01.wav
- 005.u1.02.wav
- 005.u1.03.wav
- 005.u1.04.pk
- 005.u1.04.wav
- 005.u1.05.pk
- 005.u1.05.wav
- 005.u1.11.wav
- 005.u1.33a.wav
- 005.u1.33b.wav
- 005.u1.33c.wav
- 005.u1.33d.wav
- 005.u1.44a.wav
- 005.u1.44b.wav
- 005.u1.55a.wav
- 005.u1.55b.wav
- 005.u1.55c.wav
- 005.u1.55d.wav
- 005.u1.66a.wav
- 005.u1.66b.wav
- 005.u1.66c.wav
- 005.u1.66d.wav
- 005.u1.77a.wav
- 005.u1.77b.wav
- 005.u1.77c.wav
- 005.u1.88a.wav
- 005.u1.88b.wav
- 005.u1.88c.wav

006/

└─ u1/

- 006.u1.01.wav
- 006.u1.02.wav
- 006.u1.03.wav
- 006.u1.04.pk
- 006.u1.04.wav
- 006.u1.05.wav
- 006.u1.11.wav
- 006.u1.22.wav
- 006.u1.44a.wav
- 006.u1.44b.wav
- 006.u1.55a.wav
- 006.u1.55b.wav
- 006.u1.66a.wav
- 006.u1.66b.wav
- 006.u1.77a.wav
- 006.u1.77b.wav
- 006.u1.77c.wav
- 006.u1.88a.wav
- 006.u1.88b.wav
- 006.u1.88c.wav

008/

└─ u1/

- 008.u1.01.wav

- 008.u1.02.wav
- 008.u1.03.wav
- 008.u1.04.pk
- 008.u1.04.wav
- 008.u1.05.wav
- 008.u1.11.wav
- 008.u1.22.wav
- 008.u1.44a.wav
- 008.u1.44b.wav
- 008.u1.55a.wav
- 008.u1.55b.wav
- 008.u1.66a.wav
- 008.u1.66b.wav
- 008.u1.77a.wav
- 008.u1.77b.wav
- 008.u1.77c.wav
- 008.u1.88a.wav
- 008.u1.88b.wav
- 008.u1.88c.wav

— 009/

└─ u1/

- 009.u1.01.wav
- 009.u1.02.wav
- 009.u1.03.wav
- 009.u1.04.pk
- 009.u1.04.wav
- 009.u1.05.wav
- 009.u1.11.wav
- 009.u1.22.wav
- 009.u1.33a.wav
- 009.u1.33b.wav
- 009.u1.44a.wav
- 009.u1.44b.wav
- 009.u1.55a.wav
- 009.u1.55b.wav
- 009.u1.66a.wav
- 009.u1.66b.wav
- 009.u1.77a.wav
- 009.u1.77b.wav
- 009.u1.77c.wav
- 009.u1.88a.wav
- 009.u1.88b.wav
- 009.u1.88c.wav

— 010/

└─ u1/

- 010.u1.01.wav
- 010.u1.02.wav
- 010.u1.03.wav
- 010.u1.04.pk
- 010.u1.04.wav
- 010.u1.05.pk
- 010.u1.05.wav
- 010.u1.11.wav
- 010.u1.33a.wav
- 010.u1.33b.wav
- 010.u1.33c.wav
- 010.u1.33d.wav
- 010.u1.44a.wav
- 010.u1.44b.wav
- 010.u1.55a.wav
- 010.u1.55b.wav
- 010.u1.55c.wav
- 010.u1.55d.wav
- 010.u1.66a.wav
- 010.u1.66b.wav
- 010.u1.66c.wav
- 010.u1.66d.wav
- 010.u1.77a.wav
- 010.u1.77b.wav
- 010.u1.77c.wav
- 010.u1.88a.wav
- 010.u1.88b.wav
- 010.u1.88c.wav

— 011/

└─ u1/

- 011.u1.01.wav
- 011.u1.02.wav
- 011.u1.03.wav
- 011.u1.04.pk
- 011.u1.04.wav
- 011.u1.05.pk
- 011.u1.05.wav
- 011.u1.11.wav
- 011.u1.22.wav
- 011.u1.44a.wav

- 011.u1.44b.wav
- 011.u1.55a.wav
- 011.u1.55b.wav
- 011.u1.66a.wav
- 011.u1.66b.wav
- 011.u1.77a.wav
- 011.u1.77b.wav
- 011.u1.77c.wav
- 011.u1.88a.wav
- 011.u1.88b.wav
- 011.u1.88c.wav

— 012/

└─ u1/

- 012.u1.01.wav
- 012.u1.02.wav
- 012.u1.03.wav
- 012.u1.04.pk
- 012.u1.04.wav
- 012.u1.05.wav
- 012.u1.11.wav
- 012.u1.22.wav
- 012.u1.33a.wav
- 012.u1.33b.wav
- 012.u1.44a.wav
- 012.u1.44b.wav
- 012.u1.55a.wav
- 012.u1.55b.wav
- 012.u1.66a.wav
- 012.u1.66b.wav
- 012.u1.77a.wav
- 012.u1.77b.wav
- 012.u1.77c.wav
- 012.u1.88a.wav
- 012.u1.88b.wav
- 012.u1.88c.wav

— 013/

└─ u1/

- 013.u1.01.wav
- 013.u1.02.wav
- 013.u1.03.wav
- 013.u1.04.pk
- 013.u1.04.wav
- 013.u1.05.wav
- 013.u1.11.wav
- 013.u1.33a.wav
- 013.u1.33b.wav
- 013.u1.33c.wav
- 013.u1.33d.wav
- 013.u1.44a.wav
- 013.u1.44b.wav
- 013.u1.55a.wav
- 013.u1.55b.wav
- 013.u1.55c.wav
- 013.u1.55d.wav
- 013.u1.66a.wav
- 013.u1.66b.wav
- 013.u1.66c.wav
- 013.u1.66d.wav
- 013.u1.77a.wav
- 013.u1.77b.wav
- 013.u1.77c.wav
- 013.u1.88a.wav
- 013.u1.88b.wav
- 013.u1.88c.wav

— 014/

└─ u1/

- 014.u1.01.wav
- 014.u1.02.wav
- 014.u1.03.wav
- 014.u1.04.pk
- 014.u1.04.wav
- 014.u1.05.wav
- 014.u1.11.wav
- 014.u1.33a.wav
- 014.u1.33b.wav
- 014.u1.33c.wav
- 014.u1.33d.wav
- 014.u1.44a.wav
- 014.u1.44b.wav
- 014.u1.55a.wav
- 014.u1.55b.wav
- 014.u1.55c.wav
- 014.u1.55d.wav
- 014.u1.66a.wav
- 014.u1.66b.wav

- 014.u1.66c.wav
- 014.u1.66d.wav
- 014.u1.77a.wav
- 014.u1.77b.wav
- 014.u1.77c.wav
- 014.u1.88a.wav
- 014.u1.88b.wav
- 014.u1.88c.wav

015/

└─ u1/

- 015.u1.01.wav
- 015.u1.02.wav
- 015.u1.03.wav
- 015.u1.04.pk
- 015.u1.04.wav
- 015.u1.05.wav
- 015.u1.11.wav
- 015.u1.33a.wav
- 015.u1.33c.wav
- 015.u1.33d.wav
- 015.u1.35b.wav
- 015.u1.44a.wav
- 015.u1.44b.wav
- 015.u1.55a.wav
- 015.u1.55b.wav
- 015.u1.55c.wav
- 015.u1.55d.wav
- 015.u1.66a.wav
- 015.u1.66b.wav
- 015.u1.66c.wav
- 015.u1.66d.wav
- 015.u1.77a.wav
- 015.u1.77b.wav
- 015.u1.77c.wav
- 015.u1.88a.wav
- 015.u1.88b.wav
- 015.u1.88c.wav

016/

└─ u1/

- 016.u1.01.wav
- 016.u1.02.wav
- 016.u1.03.wav
- 016.u1.04.pk
- 016.u1.04.wav
- 016.u1.05.wav
- 016.u1.11.wav
- 016.u1.22.wav
- 016.u1.44a.wav
- 016.u1.44b.wav
- 016.u1.55a.wav
- 016.u1.55b.wav
- 016.u1.66a.wav
- 016.u1.66b.wav
- 016.u1.77a.wav
- 016.u1.77b.wav
- 016.u1.77c.wav
- 016.u1.88a.wav
- 016.u1.88b.wav
- 016.u1.88c.wav

017/

└─ u1/

- 017.u1.01.wav
- 017.u1.02.wav
- 017.u1.03.wav
- 017.u1.04.pk
- 017.u1.04.wav
- 017.u1.05.wav
- 017.u1.11.wav
- 017.u1.22.wav
- 017.u1.44a.wav
- 017.u1.44b.wav
- 017.u1.55a.wav
- 017.u1.55b.wav
- 017.u1.66a.wav
- 017.u1.66b.wav
- 017.u1.77a.wav
- 017.u1.77b.wav
- 017.u1.77c.wav
- 017.u1.88a.wav
- 017.u1.88b.wav
- 017.u1.88c.wav

018/

└─ u1/

- 018.u1.01.wav
- 018.u1.02.wav

— 018.u1.03.wav  
— 018.u1.04.pk  
— 018.u1.04.wav  
— 018.u1.05.wav  
— 018.u1.11.wav  
— 018.u1.22.wav  
— 018.u1.44a.wav  
— 018.u1.44b.wav  
— 018.u1.55a.wav  
— 018.u1.55b.wav  
— 018.u1.66a.wav  
— 018.u1.66b.wav  
— 018.u1.77a.wav  
— 018.u1.77b.wav  
— 018.u1.77c.wav  
— 018.u1.88a.wav  
— 018.u1.88b.wav  
— 018.u1.88c.wav

— 019/

└─ u1/

— 019.u1.01.wav  
— 019.u1.02.wav  
— 019.u1.03.wav  
— 019.u1.04.pk  
— 019.u1.04.wav  
— 019.u1.05.wav  
— 019.u1.11.wav  
— 019.u1.22.wav  
— 019.u1.44a.wav  
— 019.u1.44b.wav  
— 019.u1.55a.wav  
— 019.u1.55b.wav  
— 019.u1.66a.wav  
— 019.u1.66b.wav  
— 019.u1.77a.wav  
— 019.u1.77b.wav  
— 019.u1.77c.wav  
— 019.u1.88a.wav  
— 019.u1.88b.wav  
— 019.u1.88c.wav

— 020/

└─ u1/

— 020.u1.01.wav  
— 020.u1.02.wav  
— 020.u1.03.wav  
— 020.u1.04.pk  
— 020.u1.04.wav  
— 020.u1.05.wav  
— 020.u1.11.wav  
— 020.u1.33a.wav  
— 020.u1.33b.wav  
— 020.u1.33c.wav  
— 020.u1.33d.wav  
— 020.u1.44a.wav  
— 020.u1.44b.wav  
— 020.u1.55a.wav  
— 020.u1.55b.wav  
— 020.u1.55c.wav  
— 020.u1.55d.wav  
— 020.u1.66a.wav  
— 020.u1.66b.wav  
— 020.u1.66c.wav  
— 020.u1.66d.wav  
— 020.u1.77a.wav  
— 020.u1.77b.wav  
— 020.u1.77c.wav  
— 020.u1.88a.wav  
— 020.u1.88b.wav  
— 020.u1.88c.wav

— 022/

└─ u1/

— 022.u1.01.wav  
— 022.u1.02.wav  
— 022.u1.03.wav  
— 022.u1.04.pk  
— 022.u1.04.wav  
— 022.u1.05.wav  
— 022.u1.11.wav  
— 022.u1.33a.wav  
— 022.u1.33b.wav  
— 022.u1.33c.wav  
— 022.u1.33d.wav  
— 022.u1.44a.wav  
— 022.u1.44b.wav  
— 022.u1.55a.wav



— 022.u1.55b.wav  
— 022.u1.55c.wav  
— 022.u1.55d.wav  
— 022.u1.66a.wav  
— 022.u1.66b.wav  
— 022.u1.66c.wav  
— 022.u1.66d.wav  
— 022.u1.77a.wav  
— 022.u1.77b.wav  
— 022.u1.77c.wav  
— 022.u1.88a.wav  
— 022.u1.88b.wav  
— 022.u1.88c.wav

— 023/

└─ u1/

— 023.u1.01.wav  
— 023.u1.02.wav  
— 023.u1.03.wav  
— 023.u1.04.pk  
— 023.u1.04.wav  
— 023.u1.05.wav  
— 023.u1.11.wav  
— 023.u1.33a.wav  
— 023.u1.33b.wav  
— 023.u1.33c.wav  
— 023.u1.33d.wav  
— 023.u1.44a.wav  
— 023.u1.44b.wav  
— 023.u1.55a.wav  
— 023.u1.55b.wav  
— 023.u1.55c.wav  
— 023.u1.55d.wav  
— 023.u1.66a.wav  
— 023.u1.66b.wav  
— 023.u1.66c.wav  
— 023.u1.66d.wav  
— 023.u1.77a.wav  
— 023.u1.77b.wav  
— 023.u1.77c.wav  
— 023.u1.88a.wav  
— 023.u1.88b.wav  
— 023.u1.88c.wav

— 024/

└─ u1/

— 024.u1.01.wav  
— 024.u1.02.wav  
— 024.u1.03.wav  
— 024.u1.04.pk  
— 024.u1.04.wav  
— 024.u1.05.wav  
— 024.u1.11.wav  
— 024.u1.33a.wav  
— 024.u1.33b.wav  
— 024.u1.33c.wav  
— 024.u1.33d.wav  
— 024.u1.44a.wav  
— 024.u1.44b.wav  
— 024.u1.55a.wav  
— 024.u1.55b.wav  
— 024.u1.55c.wav  
— 024.u1.55d.wav  
— 024.u1.66a.wav  
— 024.u1.66b.wav  
— 024.u1.66c.wav  
— 024.u1.66d.wav  
— 024.u1.77a.wav  
— 024.u1.77b.wav  
— 024.u1.77c.wav  
— 024.u1.88a.wav  
— 024.u1.88b.wav  
— 024.u1.88c.wav

— 025/

└─ u1/

— 025.u1.01.wav  
— 025.u1.02.wav  
— 025.u1.03.wav  
— 025.u1.04.pk  
— 025.u1.04.wav  
— 025.u1.05.wav  
— 025.u1.11.wav  
— 025.u1.22.wav  
— 025.u1.44a.wav  
— 025.u1.44b.wav  
— 025.u1.55a.wav  
— 025.u1.55b.wav

— 025.u1.66a.wav  
— 025.u1.66b.wav  
— 025.u1.77a.wav  
— 025.u1.77b.wav  
— 025.u1.77c.wav  
— 025.u1.88a.wav  
— 025.u1.88b.wav  
— 025.u1.88c.wav

— 026/

└─ u1/

— 026.u1.01.wav  
— 026.u1.02.wav  
— 026.u1.03.wav  
— 026.u1.03a.wav  
— 026.u1.04.pk  
— 026.u1.04.wav  
— 026.u1.05.wav  
— 026.u1.11.wav  
— 026.u1.22.wav  
— 026.u1.44a.wav  
— 026.u1.44b.wav  
— 026.u1.55a.wav  
— 026.u1.55b.wav  
— 026.u1.66a.wav  
— 026.u1.66b.wav  
— 026.u1.77a.wav  
— 026.u1.77b.wav  
— 026.u1.77c.wav  
— 026.u1.88a.wav  
— 026.u1.88b.wav  
— 026.u1.88c.wav

— 027/

└─ u1/

— 027.u1.01.wav  
— 027.u1.02.wav  
— 027.u1.03.wav  
— 027.u1.04.pk  
— 027.u1.04.wav  
— 027.u1.05.wav  
— 027.u1.11.wav  
— 027.u1.22.wav  
— 027.u1.44a.wav  
— 027.u1.44b.wav  
— 027.u1.55a.wav  
— 027.u1.55b.wav  
— 027.u1.66a.wav  
— 027.u1.66b.wav  
— 027.u1.77a.wav  
— 027.u1.77b.wav  
— 027.u1.77c.wav  
— 027.u1.88a.wav  
— 027.u1.88b.wav  
— 027.u1.88c.wav

— 029/

└─ u1/

— 029.u1.01.wav  
— 029.u1.02.wav  
— 029.u1.03.wav  
— 029.u1.04.pk  
— 029.u1.04.wav  
— 029.u1.05.wav  
— 029.u1.11.wav  
— 029.u1.22.wav  
— 029.u1.44a.wav  
— 029.u1.44b.wav  
— 029.u1.55a.wav  
— 029.u1.55b.wav  
— 029.u1.66a.wav  
— 029.u1.66b.wav  
— 029.u1.77a.wav  
— 029.u1.77b.wav  
— 029.u1.77c.wav  
— 029.u1.88a.wav  
— 029.u1.88b.wav  
— 029.u1.88c.wav

— 030/

└─ u1/

— 030.u1.01.wav  
— 030.u1.02.wav  
— 030.u1.03.wav  
— 030.u1.04.pk  
— 030.u1.04.wav  
— 030.u1.05.wav  
— 030.u1.11.wav  
— 030.u1.22.wav

- 030.u1.33a.wav
- 030.u1.33b.wav
- 030.u1.44a.wav
- 030.u1.44b.wav
- 030.u1.55a.wav
- 030.u1.55b.wav
- 030.u1.66a.wav
- 030.u1.66b.wav
- 030.u1.77a.wav
- 030.u1.77b.wav
- 030.u1.77c.wav
- 030.u1.88a.wav
- 030.u1.88b.wav
- 030.u1.88c.wav

— 031/

└─ u1/

- 031.u1.01.wav
- 031.u1.02.wav
- 031.u1.03.wav
- 031.u1.04.pk
- 031.u1.04.wav
- 031.u1.05.pk
- 031.u1.05.wav
- 031.u1.11.wav
- 031.u1.22.wav
- 031.u1.33a.wav
- 031.u1.33b.wav
- 031.u1.44a.wav
- 031.u1.44b.wav
- 031.u1.55a.wav
- 031.u1.55b.wav
- 031.u1.66a.wav
- 031.u1.66b.wav
- 031.u1.77a.wav
- 031.u1.77b.wav
- 031.u1.77c.wav
- 031.u1.88a.wav
- 031.u1.88b.wav
- 031.u1.88c.wav

— 032/

└─ u1/

- 032.u1.01.wav
- 032.u1.02.wav
- 032.u1.03.wav
- 032.u1.04.pk
- 032.u1.04.wav
- 032.u1.05.wav
- 032.u1.11.wav
- 032.u1.22.wav
- 032.u1.44a.wav
- 032.u1.44b.wav
- 032.u1.55a.wav
- 032.u1.55b.wav
- 032.u1.66a.wav
- 032.u1.66b.wav
- 032.u1.77a.wav
- 032.u1.77b.wav
- 032.u1.77c.wav
- 032.u1.88a.wav
- 032.u1.88b.wav
- 032.u1.88c.wav

— 033/

└─ u1/

- 033.u1.01.wav
- 033.u1.02.wav
- 033.u1.03.wav
- 033.u1.04.pk
- 033.u1.04.wav
- 033.u1.05.wav
- 033.u1.11.wav
- 033.u1.22.wav
- 033.u1.33a.wav
- 033.u1.33b.wav
- 033.u1.44a.wav
- 033.u1.44b.wav
- 033.u1.55a.wav
- 033.u1.55b.wav
- 033.u1.66a.wav
- 033.u1.66b.wav
- 033.u1.77a.wav
- 033.u1.77b.wav
- 033.u1.77c.wav
- 033.u1.88a.wav
- 033.u1.88b.wav
- 033.u1.88c.wav

034/

└─ u1/

- 034.u1.01.wav
- 034.u1.02.wav
- 034.u1.03.wav
- 034.u1.04.pk
- 034.u1.04.wav
- 034.u1.05.wav
- 034.u1.11.wav
- 034.u1.33a.wav
- 034.u1.33b.wav
- 034.u1.33c.wav
- 034.u1.33d.wav
- 034.u1.44a.wav
- 034.u1.44b.wav
- 034.u1.55a.wav
- 034.u1.55b.wav
- 034.u1.55c.wav
- 034.u1.55d.wav
- 034.u1.66a.wav
- 034.u1.66b.wav
- 034.u1.66c.wav
- 034.u1.66d.wav
- 034.u1.77a.wav
- 034.u1.77b.wav
- 034.u1.77c.wav
- 034.u1.88a.wav
- 034.u1.88b.wav
- 034.u1.88c.wav

035/

└─ u1/

- 035.u1.01.wav
- 035.u1.02.wav
- 035.u1.03.wav
- 035.u1.04.pk
- 035.u1.04.wav
- 035.u1.05.wav
- 035.u1.11.wav
- 035.u1.33a.wav
- 035.u1.33b.wav
- 035.u1.33c.wav
- 035.u1.33d.wav
- 035.u1.44a.wav
- 035.u1.44b.wav
- 035.u1.55a.wav
- 035.u1.55b.wav
- 035.u1.55c.wav
- 035.u1.55d.wav
- 035.u1.66a.wav
- 035.u1.66b.wav
- 035.u1.66c.wav
- 035.u1.66d.wav
- 035.u1.77a.wav
- 035.u1.77b.wav
- 035.u1.77c.wav
- 035.u1.88a.wav
- 035.u1.88b.wav
- 035.u1.88c.wav

038/

└─ u1/

- 038.u1.01.wav
- 038.u1.02.wav
- 038.u1.03.wav
- 038.u1.04.pk
- 038.u1.04.wav
- 038.u1.05.wav
- 038.u1.11.wav
- 038.u1.22.wav
- 038.u1.44a.wav
- 038.u1.44b.wav
- 038.u1.55a.wav
- 038.u1.55b.wav
- 038.u1.66a.wav
- 038.u1.66b.wav
- 038.u1.77a.wav
- 038.u1.77b.wav
- 038.u1.77c.wav
- 038.u1.88a.wav
- 038.u1.88b.wav
- 038.u1.88c.wav

039/

└─ u1/

- 039.u1.01.wav
- 039.u1.02.wav
- 039.u1.03.wav

— 039.u1.04.pk  
— 039.u1.04.wav  
— 039.u1.05.wav  
— 039.u1.11.wav  
— 039.u1.22.wav  
— 039.u1.33a.wav  
— 039.u1.33b.wav  
— 039.u1.44a.wav  
— 039.u1.44b.wav  
— 039.u1.55a.wav  
— 039.u1.55b.wav  
— 039.u1.66a.wav  
— 039.u1.66b.wav  
— 039.u1.77a.wav  
— 039.u1.77b.wav  
— 039.u1.77c.wav  
— 039.u1.88a.wav  
— 039.u1.88b.wav  
— 039.u1.88c.wav

— 040/

— u1/

— 040.u1.01.wav  
— 040.u1.02.wav  
— 040.u1.03.wav  
— 040.u1.04.pk  
— 040.u1.04.wav  
— 040.u1.05.wav  
— 040.u1.11.wav  
— 040.u1.33a.wav  
— 040.u1.33b.wav  
— 040.u1.33c.wav  
— 040.u1.33d.wav  
— 040.u1.44a.wav  
— 040.u1.44b.wav  
— 040.u1.55a.wav  
— 040.u1.55b.wav  
— 040.u1.55c.wav  
— 040.u1.55d.wav  
— 040.u1.66a.wav  
— 040.u1.66b.wav  
— 040.u1.66c.wav  
— 040.u1.66d.wav  
— 040.u1.77a.wav  
— 040.u1.77b.wav  
— 040.u1.77c.wav  
— 040.u1.88a.wav  
— 040.u1.88b.wav  
— 040.u1.88c.wav

— 041/

— u1/

— 041.u1.01.wav  
— 041.u1.02.wav  
— 041.u1.03.wav  
— 041.u1.04.pk  
— 041.u1.04.wav  
— 041.u1.05.wav  
— 041.u1.11.wav  
— 041.u1.33a.wav  
— 041.u1.33b.wav  
— 041.u1.33c.wav  
— 041.u1.33d.wav  
— 041.u1.44a.wav  
— 041.u1.44b.wav  
— 041.u1.55a.wav  
— 041.u1.55b.wav  
— 041.u1.55c.wav  
— 041.u1.55d.wav  
— 041.u1.66a.wav  
— 041.u1.66b.wav  
— 041.u1.66c.wav  
— 041.u1.66d.wav  
— 041.u1.77a.wav  
— 041.u1.77b.wav  
— 041.u1.77c.wav  
— 041.u1.88a.wav  
— 041.u1.88b.wav  
— 041.u1.88c.wav

— 042/

— u1/

— 042.u1.01.wav  
— 042.u1.02.wav  
— 042.u1.03.wav  
— 042.u1.04.pk  
— 042.u1.04.wav  
— 042.u1.05.wav

— 042.u1.11.wav  
— 042.u1.22.wav  
— 042.u1.44a.wav  
— 042.u1.44b.wav  
— 042.u1.55a.wav  
— 042.u1.55b.wav  
— 042.u1.66a.wav  
— 042.u1.66b.wav  
— 042.u1.77a.wav  
— 042.u1.77b.wav  
— 042.u1.77c.wav  
— 042.u1.88a.wav  
— 042.u1.88b.wav  
— 042.u1.88c.wav

— 043/

└─ u1/

— 043.u1.01.wav  
— 043.u1.02.wav  
— 043.u1.03.wav  
— 043.u1.04.pk  
— 043.u1.04.wav  
— 043.u1.05.wav  
— 043.u1.11.wav  
— 043.u1.22.wav  
— 043.u1.33a.wav  
— 043.u1.33b.wav  
— 043.u1.44a.wav  
— 043.u1.44b.wav  
— 043.u1.55a.wav  
— 043.u1.55b.wav  
— 043.u1.66a.wav  
— 043.u1.66b.wav  
— 043.u1.77a.wav  
— 043.u1.77b.wav  
— 043.u1.77c.wav  
— 043.u1.88a.wav  
— 043.u1.88b.wav  
— 043.u1.88c.wav

— 044/

└─ u1/

— 044.u1.01.wav  
— 044.u1.02.wav  
— 044.u1.03.wav  
— 044.u1.04.pk  
— 044.u1.04.wav  
— 044.u1.05.wav  
— 044.u1.11.wav  
— 044.u1.22.wav  
— 044.u1.33a.wav  
— 044.u1.33b.wav  
— 044.u1.44a.wav  
— 044.u1.44b.wav  
— 044.u1.55a.wav  
— 044.u1.55b.wav  
— 044.u1.66a.wav  
— 044.u1.66b.wav  
— 044.u1.77a.wav  
— 044.u1.77b.wav  
— 044.u1.77c.wav  
— 044.u1.88a.wav  
— 044.u1.88b.wav  
— 044.u1.88c.wav

— 046/

└─ u1/

— 046.u1.01.wav  
— 046.u1.02.wav  
— 046.u1.03.wav  
— 046.u1.04.pk  
— 046.u1.04.wav  
— 046.u1.05.wav  
— 046.u1.11.wav  
— 046.u1.22.wav  
— 046.u1.33a.wav  
— 046.u1.33b.wav  
— 046.u1.44a.wav  
— 046.u1.44b.wav  
— 046.u1.55a.wav  
— 046.u1.55b.wav  
— 046.u1.66a.wav  
— 046.u1.66b.wav  
— 046.u1.77a.wav  
— 046.u1.77b.wav  
— 046.u1.77c.wav  
— 046.u1.88a.wav  
— 046.u1.88b.wav

└─ 046.u1.88c.wav  
└─ 047/  
└─ u1/  
└─ 047.u1.01.wav  
└─ 047.u1.02.wav  
└─ 047.u1.03.wav  
└─ 047.u1.04.pk  
└─ 047.u1.04.wav  
└─ 047.u1.05.wav  
└─ 047.u1.11.wav  
└─ 047.u1.33a.wav  
└─ 047.u1.33b.wav  
└─ 047.u1.33c.wav  
└─ 047.u1.33d.wav  
└─ 047.u1.44a.pk  
└─ 047.u1.44a.wav  
└─ 047.u1.44b.wav  
└─ 047.u1.55a.wav  
└─ 047.u1.55b.wav  
└─ 047.u1.55c.wav  
└─ 047.u1.55d.wav  
└─ 047.u1.66a.wav  
└─ 047.u1.66b.wav  
└─ 047.u1.66c.wav  
└─ 047.u1.66d.wav  
└─ 047.u1.77a.wav  
└─ 047.u1.77b.wav  
└─ 047.u1.77c.wav  
└─ 047.u1.88a.wav  
└─ 047.u1.88b.wav  
└─ 047.u1.88c.wav

└─ 048/  
└─ u1/  
└─ 048.u1.01.wav  
└─ 048.u1.02.wav  
└─ 048.u1.03.wav  
└─ 048.u1.04.pk  
└─ 048.u1.04.wav  
└─ 048.u1.05.wav  
└─ 048.u1.11.wav  
└─ 048.u1.33a.wav  
└─ 048.u1.33b.wav  
└─ 048.u1.33c.wav  
└─ 048.u1.33d.wav  
└─ 048.u1.44a.wav  
└─ 048.u1.44b.wav  
└─ 048.u1.55a.wav  
└─ 048.u1.55b.wav  
└─ 048.u1.55c.wav  
└─ 048.u1.55d.wav  
└─ 048.u1.66a.wav  
└─ 048.u1.66b.wav  
└─ 048.u1.66c.wav  
└─ 048.u1.66d.wav  
└─ 048.u1.77a.wav  
└─ 048.u1.77b.wav  
└─ 048.u1.77c.wav  
└─ 048.u1.88a.wav  
└─ 048.u1.88b.wav  
└─ 048.u1.88c.wav

└─ 049/  
└─ u1/  
└─ 049.u1.01.wav  
└─ 049.u1.02.wav  
└─ 049.u1.03.wav  
└─ 049.u1.04.pk  
└─ 049.u1.04.wav  
└─ 049.u1.05.wav  
└─ 049.u1.11.wav  
└─ 049.u1.33a.wav  
└─ 049.u1.33b.wav  
└─ 049.u1.33c.wav  
└─ 049.u1.33d.wav  
└─ 049.u1.44a.wav  
└─ 049.u1.44b.wav  
└─ 049.u1.55a.wav  
└─ 049.u1.55b.wav  
└─ 049.u1.55c.wav  
└─ 049.u1.55d.wav  
└─ 049.u1.66a.wav  
└─ 049.u1.66b.wav  
└─ 049.u1.66c.wav  
└─ 049.u1.66d.wav  
└─ 049.u1.77a.wav  
└─ 049.u1.77b.wav

— 049.u1.77c.wav  
— 049.u1.88a.wav  
— 049.u1.88b.wav  
— 049.u1.88c.wav

— 050/

└─ u1/

— 050.u1.01.wav  
— 050.u1.02.wav  
— 050.u1.03.wav  
— 050.u1.04.pk  
— 050.u1.04.wav  
— 050.u1.05.wav  
— 050.u1.11.wav  
— 050.u1.33a.wav  
— 050.u1.33b.wav  
— 050.u1.33c.wav  
— 050.u1.33d.wav  
— 050.u1.44a.wav  
— 050.u1.44b.wav  
— 050.u1.55a.wav  
— 050.u1.55b.wav  
— 050.u1.55c.wav  
— 050.u1.55d.wav  
— 050.u1.66a.wav  
— 050.u1.66b.wav  
— 050.u1.66c.wav  
— 050.u1.66d.wav  
— 050.u1.77a.wav  
— 050.u1.77b.wav  
— 050.u1.77c.wav  
— 050.u1.88a.wav  
— 050.u1.88b.wav  
— 050.u1.88c.wav

— 051/

└─ u1/

— 051.u1.01.wav  
— 051.u1.02.wav  
— 051.u1.03.wav  
— 051.u1.04.pk  
— 051.u1.04.wav  
— 051.u1.05.wav  
— 051.u1.11.wav  
— 051.u1.22.wav  
— 051.u1.44a.wav  
— 051.u1.44b.wav  
— 051.u1.55a.wav  
— 051.u1.55b.wav  
— 051.u1.66a.wav  
— 051.u1.66b.wav  
— 051.u1.77a.wav  
— 051.u1.77b.wav  
— 051.u1.77c.wav  
— 051.u1.88a.wav  
— 051.u1.88b.wav  
— 051.u1.88c.wav

— 052/

└─ u1/

— 052.u1.01.wav  
— 052.u1.02.wav  
— 052.u1.03.wav  
— 052.u1.04.pk  
— 052.u1.04.wav  
— 052.u1.05.wav  
— 052.u1.11.wav  
— 052.u1.33a.wav  
— 052.u1.33b.wav  
— 052.u1.33c.wav  
— 052.u1.33d.wav  
— 052.u1.44a.wav  
— 052.u1.44b.wav  
— 052.u1.55a.wav  
— 052.u1.55b.wav  
— 052.u1.55c.wav  
— 052.u1.55d.wav  
— 052.u1.66a.wav  
— 052.u1.66b.wav  
— 052.u1.66c.wav  
— 052.u1.66d.wav  
— 052.u1.77a.wav  
— 052.u1.77b.wav  
— 052.u1.77c.wav  
— 052.u1.88a.wav  
— 052.u1.88b.wav  
— 052.u1.88c.wav

— 053/



└─ u1/  
├─ 053.u1.01.wav  
├─ 053.u1.02.wav  
├─ 053.u1.03.wav  
├─ 053.u1.04.pk  
├─ 053.u1.04.wav  
├─ 053.u1.05.wav  
├─ 053.u1.11.wav  
├─ 053.u1.22.wav  
├─ 053.u1.33a.wav  
├─ 053.u1.33b.wav  
├─ 053.u1.44a.wav  
├─ 053.u1.44b.wav  
├─ 053.u1.55a.wav  
├─ 053.u1.55b.wav  
├─ 053.u1.66a.wav  
├─ 053.u1.66b.wav  
├─ 053.u1.77a.wav  
├─ 053.u1.77b.wav  
├─ 053.u1.77c.wav  
├─ 053.u1.88a.wav  
├─ 053.u1.88b.wav  
└─ 053.u1.88c.wav

─ 054/  
└─ u1/  
├─ 054.u1.01.wav  
├─ 054.u1.02.wav  
├─ 054.u1.03.wav  
├─ 054.u1.04.pk  
├─ 054.u1.04.wav  
├─ 054.u1.05.wav  
├─ 054.u1.11.wav  
├─ 054.u1.33a.wav  
├─ 054.u1.33b.wav  
├─ 054.u1.33c.wav  
├─ 054.u1.33d.wav  
├─ 054.u1.44a.wav  
├─ 054.u1.44b.wav  
├─ 054.u1.55a.wav  
├─ 054.u1.55b.wav  
├─ 054.u1.55c.wav  
├─ 054.u1.55d.wav  
├─ 054.u1.66a.wav  
├─ 054.u1.66b.wav  
├─ 054.u1.66c.wav  
├─ 054.u1.66d.wav  
├─ 054.u1.77a.wav  
├─ 054.u1.77b.wav  
├─ 054.u1.77c.wav  
├─ 054.u1.88a.wav  
├─ 054.u1.88b.wav  
└─ 054.u1.88c.wav

─ 055/  
└─ u1/  
├─ 055.u1.01.wav  
├─ 055.u1.02.wav  
├─ 055.u1.03.wav  
├─ 055.u1.04.pk  
├─ 055.u1.04.wav  
├─ 055.u1.05.wav  
├─ 055.u1.11.wav  
├─ 055.u1.22.wav  
├─ 055.u1.33a.wav  
├─ 055.u1.33b.wav  
├─ 055.u1.44a.wav  
├─ 055.u1.44b.wav  
├─ 055.u1.55a.wav  
├─ 055.u1.55b.wav  
├─ 055.u1.66a.wav  
├─ 055.u1.66b.wav  
├─ 055.u1.77a.wav  
├─ 055.u1.77b.wav  
├─ 055.u1.77c.wav  
├─ 055.u1.88a.wav  
├─ 055.u1.88b.wav  
└─ 055.u1.88c.wav

─ 057/  
└─ u1/  
├─ 057.u1.01.wav  
├─ 057.u1.02.wav  
├─ 057.u1.03.wav  
├─ 057.u1.04.pk  
├─ 057.u1.04.wav  
├─ 057.u1.05.wav  
└─ 057.u1.11.wav

- 057.u1.22.wav
- 057.u1.33a.wav
- 057.u1.33b.wav
- 057.u1.44a.wav
- 057.u1.44b.wav
- 057.u1.55a.wav
- 057.u1.55b.wav
- 057.u1.66a.wav
- 057.u1.66b.wav
- 057.u1.77a.wav
- 057.u1.77b.wav
- 057.u1.77c.wav
- 057.u1.88a.wav
- 057.u1.88b.wav
- 057.u1.88c.wav

058/

└─ u1/

- 058.u1.01.wav
- 058.u1.02.wav
- 058.u1.03.wav
- 058.u1.04.pk
- 058.u1.04.wav
- 058.u1.05.wav
- 058.u1.11.wav
- 058.u1.22.wav
- 058.u1.44a.wav
- 058.u1.44b.wav
- 058.u1.55a.wav
- 058.u1.55b.wav
- 058.u1.66a.wav
- 058.u1.66b.wav
- 058.u1.77a.wav
- 058.u1.77b.wav
- 058.u1.77c.wav
- 058.u1.88a.wav
- 058.u1.88b.wav
- 058.u1.88c.wav

059/

└─ u1/

- 059.u1.01.wav
- 059.u1.02.wav
- 059.u1.03.wav
- 059.u1.04.pk
- 059.u1.04.wav
- 059.u1.05.wav
- 059.u1.11.wav
- 059.u1.22.wav
- 059.u1.33a.wav
- 059.u1.33b.wav
- 059.u1.44a.wav
- 059.u1.44b.wav
- 059.u1.55a.wav
- 059.u1.55b.wav
- 059.u1.66a.wav
- 059.u1.66b.wav
- 059.u1.77a.wav
- 059.u1.77b.wav
- 059.u1.77c.wav
- 059.u1.88a.wav
- 059.u1.88b.wav
- 059.u1.88c.wav

060/

└─ u1/

- 060.u1.01.wav
- 060.u1.02.wav
- 060.u1.03.wav
- 060.u1.04.pk
- 060.u1.04.wav
- 060.u1.05.wav
- 060.u1.11.wav
- 060.u1.33a.wav
- 060.u1.33b.wav
- 060.u1.33c.wav
- 060.u1.33d.wav
- 060.u1.44a.wav
- 060.u1.44b.wav
- 060.u1.55a.wav
- 060.u1.55b.wav
- 060.u1.55c.wav
- 060.u1.55d.wav
- 060.u1.66a.wav
- 060.u1.66b.wav
- 060.u1.66c.wav
- 060.u1.66d.wav
- 060.u1.77a.wav

- 060.u1.77b.wav
- 060.u1.77c.wav
- 060.u1.88a.wav
- 060.u1.88b.wav
- 060.u1.88c.wav

061/

u1/

- 061.u1.01.wav
- 061.u1.02.wav
- 061.u1.03.wav
- 061.u1.04.pk
- 061.u1.04.wav
- 061.u1.05.wav
- 061.u1.11.wav
- 061.u1.22.wav
- 061.u1.44a.wav
- 061.u1.44b.wav
- 061.u1.55a.wav
- 061.u1.55b.wav
- 061.u1.66a.wav
- 061.u1.66b.wav
- 061.u1.77a.wav
- 061.u1.77b.wav
- 061.u1.77c.wav
- 061.u1.88a.wav
- 061.u1.88b.wav
- 061.u1.88c.wav

062/

u1/

- 062.u1.01.wav
- 062.u1.02.wav
- 062.u1.03.wav
- 062.u1.04.pk
- 062.u1.04.wav
- 062.u1.05.wav
- 062.u1.11.wav
- 062.u1.33a.wav
- 062.u1.33b.wav
- 062.u1.33c.wav
- 062.u1.33d.wav
- 062.u1.44a.wav
- 062.u1.44b.wav
- 062.u1.55a.wav
- 062.u1.55b.wav
- 062.u1.55c.wav
- 062.u1.55d.wav
- 062.u1.66a.wav
- 062.u1.66b.wav
- 062.u1.66c.wav
- 062.u1.66d.wav
- 062.u1.77a.wav
- 062.u1.77b.wav
- 062.u1.77c.wav
- 062.u1.88a.wav
- 062.u1.88b.wav
- 062.u1.88c.wav

063/

u1/

- 063.u1.01.wav
- 063.u1.02.wav
- 063.u1.03.wav
- 063.u1.04.pk
- 063.u1.04.wav
- 063.u1.05.pk
- 063.u1.05.wav
- 063.u1.11.wav
- 063.u1.33a.wav
- 063.u1.33b.wav
- 063.u1.33c.wav
- 063.u1.33d.wav
- 063.u1.44a.wav
- 063.u1.44b.wav
- 063.u1.55a.wav
- 063.u1.55b.wav
- 063.u1.55c.wav
- 063.u1.55d.wav
- 063.u1.66a.wav
- 063.u1.66b.wav
- 063.u1.66c.wav
- 063.u1.66d.wav
- 063.u1.77a.wav
- 063.u1.77b.wav
- 063.u1.77c.wav
- 063.u1.88a.wav
- 063.u1.88b.wav

└─ 063.u1.88c.wav  
└─ 064/  
└─ u1/  
└─ 064.u1.01.wav  
└─ 064.u1.02.wav  
└─ 064.u1.03.wav  
└─ 064.u1.04.pk  
└─ 064.u1.04.wav  
└─ 064.u1.05.wav  
└─ 064.u1.11.wav  
└─ 064.u1.22.wav  
└─ 064.u1.44a.wav  
└─ 064.u1.44b.wav  
└─ 064.u1.55a.wav  
└─ 064.u1.55b.wav  
└─ 064.u1.66a.wav  
└─ 064.u1.66b.wav  
└─ 064.u1.77a.wav  
└─ 064.u1.77b.wav  
└─ 064.u1.77c.wav  
└─ 064.u1.88a.wav  
└─ 064.u1.88b.wav  
└─ 064.u1.88c.wav

└─ 065/  
└─ u1/  
└─ 065.u1.01.wav  
└─ 065.u1.02.wav  
└─ 065.u1.03.wav  
└─ 065.u1.04.pk  
└─ 065.u1.04.wav  
└─ 065.u1.05.wav  
└─ 065.u1.11.wav  
└─ 065.u1.22.wav  
└─ 065.u1.33a.wav  
└─ 065.u1.33b.wav  
└─ 065.u1.44a.wav  
└─ 065.u1.44b.wav  
└─ 065.u1.55a.wav  
└─ 065.u1.55b.wav  
└─ 065.u1.66a.wav  
└─ 065.u1.66b.wav  
└─ 065.u1.77a.wav  
└─ 065.u1.77b.wav  
└─ 065.u1.77c.wav  
└─ 065.u1.88a.wav  
└─ 065.u1.88b.wav  
└─ 065.u1.88c.wav

└─ 068/  
└─ u1/  
└─ 068.u1.01.wav  
└─ 068.u1.02.wav  
└─ 068.u1.03.wav  
└─ 068.u1.04.pk  
└─ 068.u1.04.wav  
└─ 068.u1.05.wav  
└─ 068.u1.11.wav  
└─ 068.u1.33a.wav  
└─ 068.u1.33b.wav  
└─ 068.u1.33c.wav  
└─ 068.u1.33d.wav  
└─ 068.u1.44a.wav  
└─ 068.u1.44b.wav  
└─ 068.u1.55a.wav  
└─ 068.u1.55b.wav  
└─ 068.u1.55c.wav  
└─ 068.u1.55d.wav  
└─ 068.u1.66a.wav  
└─ 068.u1.66b.wav  
└─ 068.u1.66c.wav  
└─ 068.u1.66d.wav  
└─ 068.u1.77a.wav  
└─ 068.u1.77b.wav  
└─ 068.u1.77c.wav  
└─ 068.u1.88a.wav  
└─ 068.u1.88b.wav  
└─ 068.u1.88c.wav

└─ 069/  
└─ u1/  
└─ 069.u1.01.wav  
└─ 069.u1.02.wav  
└─ 069.u1.03.wav  
└─ 069.u1.04.pk  
└─ 069.u1.04.wav  
└─ 069.u1.05.wav  
└─ 069.u1.11.wav

— 069.u1.22.wav  
— 069.u1.44a.wav  
— 069.u1.44b.wav  
— 069.u1.55a.wav  
— 069.u1.55b.wav  
— 069.u1.66a.wav  
— 069.u1.66b.wav  
— 069.u1.77a.wav  
— 069.u1.77b.wav  
— 069.u1.77c.wav  
— 069.u1.88a.wav  
— 069.u1.88b.wav  
— 069.u1.88c.wav

— 070/

└─ u1/

— 070.u1.01.wav  
— 070.u1.02.wav  
— 070.u1.03.wav  
— 070.u1.04.pk  
— 070.u1.04.wav  
— 070.u1.05.wav  
— 070.u1.11.wav  
— 070.u1.22.wav  
— 070.u1.33a.wav  
— 070.u1.33b.wav  
— 070.u1.44a.wav  
— 070.u1.44b.wav  
— 070.u1.55a.wav  
— 070.u1.55b.wav  
— 070.u1.66a.wav  
— 070.u1.66b.wav  
— 070.u1.77a.wav  
— 070.u1.77b.wav  
— 070.u1.77c.wav  
— 070.u1.88a.wav  
— 070.u1.88b.wav  
— 070.u1.88c.wav

— 071/

└─ u1/

— 071.u1.01.wav  
— 071.u1.02.wav  
— 071.u1.03.wav  
— 071.u1.04.pk  
— 071.u1.04.wav  
— 071.u1.05.wav  
— 071.u1.11.wav  
— 071.u1.33a.wav  
— 071.u1.33b.wav  
— 071.u1.33c.wav  
— 071.u1.33d.wav  
— 071.u1.44a.wav  
— 071.u1.44b.wav  
— 071.u1.55a.wav  
— 071.u1.55b.wav  
— 071.u1.55c.wav  
— 071.u1.55d.wav  
— 071.u1.66a.wav  
— 071.u1.66b.wav  
— 071.u1.66c.wav  
— 071.u1.66d.wav  
— 071.u1.77a.wav  
— 071.u1.77b.wav  
— 071.u1.77c.wav  
— 071.u1.88a.wav  
— 071.u1.88b.wav  
— 071.u1.88c.wav

— 073/

└─ u1/

— 073.u1.01.wav  
— 073.u1.02.wav  
— 073.u1.03.wav  
— 073.u1.04.pk  
— 073.u1.04.wav  
— 073.u1.05.wav  
— 073.u1.11.wav  
— 073.u1.22.wav  
— 073.u1.33a.wav  
— 073.u1.33b.wav  
— 073.u1.44a.wav  
— 073.u1.44b.wav  
— 073.u1.55a.wav  
— 073.u1.55b.wav  
— 073.u1.66a.wav  
— 073.u1.66b.wav  
— 073.u1.77a.wav

- 073.u1.77b.wav
- 073.u1.77c.wav
- 073.u1.88a.wav
- 073.u1.88b.wav
- 073.u1.88c.wav

— 074/

└─ u1/

- 074.u1.01.wav
- 074.u1.02.wav
- 074.u1.03.wav
- 074.u1.04.pk
- 074.u1.04.wav
- 074.u1.05.wav
- 074.u1.11.wav
- 074.u1.22.wav
- 074.u1.44a.wav
- 074.u1.44b.wav
- 074.u1.55a.wav
- 074.u1.55b.wav
- 074.u1.66a.wav
- 074.u1.66b.wav
- 074.u1.77a.wav
- 074.u1.77b.wav
- 074.u1.77c.wav
- 074.u1.88a.wav
- 074.u1.88b.wav
- 074.u1.88c.wav

— 076/

└─ u1/

- 076.u1.01.wav
- 076.u1.02.wav
- 076.u1.03.wav
- 076.u1.04.pk
- 076.u1.04.wav
- 076.u1.05.wav
- 076.u1.11.wav
- 076.u1.33a.wav
- 076.u1.33b.wav
- 076.u1.33c.wav
- 076.u1.33d.wav
- 076.u1.44a.wav
- 076.u1.44b.wav
- 076.u1.55a.wav
- 076.u1.55b.wav
- 076.u1.55c.wav
- 076.u1.55d.wav
- 076.u1.66a.wav
- 076.u1.66b.wav
- 076.u1.66c.wav
- 076.u1.66d.wav
- 076.u1.77a.wav
- 076.u1.77b.wav
- 076.u1.77c.wav
- 076.u1.88a.wav
- 076.u1.88b.wav
- 076.u1.88c.wav

— 077/

└─ u1/

- 077.u1.01.pk
- 077.u1.01.wav
- 077.u1.02.wav
- 077.u1.03.wav
- 077.u1.04.pk
- 077.u1.04.wav
- 077.u1.05.wav
- 077.u1.11.wav
- 077.u1.33a.wav
- 077.u1.33b.wav
- 077.u1.33c.wav
- 077.u1.33d.wav
- 077.u1.44a.wav
- 077.u1.44b.wav
- 077.u1.55a.wav
- 077.u1.55b.wav
- 077.u1.55c.wav
- 077.u1.55d.wav
- 077.u1.66a.wav
- 077.u1.66b.wav
- 077.u1.66c.wav
- 077.u1.66d.wav
- 077.u1.77a.wav
- 077.u1.77b.wav
- 077.u1.77c.wav
- 077.u1.88a.wav
- 077.u1.88b.wav

└─ 077.u1.88c.wav

└─ 078/

└─ u1/

└─ 078.u1.01.wav  
└─ 078.u1.02.wav  
└─ 078.u1.03.wav  
└─ 078.u1.04.pk  
└─ 078.u1.04.wav  
└─ 078.u1.05.wav  
└─ 078.u1.11.wav  
└─ 078.u1.22.wav  
└─ 078.u1.44a.wav  
└─ 078.u1.44b.wav  
└─ 078.u1.55a.wav  
└─ 078.u1.55b.wav  
└─ 078.u1.66a.wav  
└─ 078.u1.66b.wav  
└─ 078.u1.77a.wav  
└─ 078.u1.77b.wav  
└─ 078.u1.77c.wav  
└─ 078.u1.88a.wav  
└─ 078.u1.88b.wav  
└─ 078.u1.88c.wav

└─ 079/

└─ u1/

└─ 079.u1.01.wav  
└─ 079.u1.02.wav  
└─ 079.u1.03.wav  
└─ 079.u1.04.pk  
└─ 079.u1.04.wav  
└─ 079.u1.05.wav  
└─ 079.u1.11.wav  
└─ 079.u1.33a.wav  
└─ 079.u1.33b.wav  
└─ 079.u1.33c.wav  
└─ 079.u1.33d.wav  
└─ 079.u1.44a.wav  
└─ 079.u1.44x.wav  
└─ 079.u1.55a.wav  
└─ 079.u1.55b.wav  
└─ 079.u1.55c.wav  
└─ 079.u1.55d.wav  
└─ 079.u1.66a.wav  
└─ 079.u1.66b.wav  
└─ 079.u1.66c.wav  
└─ 079.u1.66d.wav  
└─ 079.u1.77a.wav  
└─ 079.u1.77b.wav  
└─ 079.u1.77c.wav  
└─ 079.u1.88a.wav  
└─ 079.u1.88b.wav  
└─ 079.u1.88c.wav

└─ 080/

└─ u1/

└─ 080.u1.01.wav  
└─ 080.u1.02.wav  
└─ 080.u1.03.wav  
└─ 080.u1.04.pk  
└─ 080.u1.04.wav  
└─ 080.u1.05.wav  
└─ 080.u1.11.wav  
└─ 080.u1.22.wav  
└─ 080.u1.33a.wav  
└─ 080.u1.33b.wav  
└─ 080.u1.44a.wav  
└─ 080.u1.44b.wav  
└─ 080.u1.55a.wav  
└─ 080.u1.55b.wav  
└─ 080.u1.66a.wav  
└─ 080.u1.66b.wav  
└─ 080.u1.77a.wav  
└─ 080.u1.77b.wav  
└─ 080.u1.77c.wav  
└─ 080.u1.88a.wav  
└─ 080.u1.88b.wav  
└─ 080.u1.88c.wav

└─ 081/

└─ u1/

└─ 081.u1.01.wav  
└─ 081.u1.02.wav  
└─ 081.u1.03.wav  
└─ 081.u1.04.pk  
└─ 081.u1.04.wav  
└─ 081.u1.05.wav  
└─ 081.u1.11.wav

- 081.u1.22.wav
- 081.u1.44a.wav
- 081.u1.44b.wav
- 081.u1.55a.wav
- 081.u1.55b.wav
- 081.u1.66a.wav
- 081.u1.66b.wav
- 081.u1.77a.wav
- 081.u1.77b.wav
- 081.u1.77c.wav
- 081.u1.88a.wav
- 081.u1.88b.wav
- 081.u1.88c.wav

— 082/

└─ u1/

- 082.u1.01.wav
- 082.u1.02.wav
- 082.u1.03.wav
- 082.u1.04.pk
- 082.u1.04.wav
- 082.u1.05.wav
- 082.u1.11.wav
- 082.u1.22.wav
- 082.u1.44a.wav
- 082.u1.44b.wav
- 082.u1.55a.wav
- 082.u1.55b.wav
- 082.u1.66a.wav
- 082.u1.66b.wav
- 082.u1.77a.wav
- 082.u1.77b.wav
- 082.u1.77c.wav
- 082.u1.88a.wav
- 082.u1.88b.wav
- 082.u1.88c.wav

— 083/

└─ u1/

- 083.u1.01.wav
- 083.u1.02.wav
- 083.u1.03.wav
- 083.u1.04.pk
- 083.u1.04.wav
- 083.u1.05.wav
- 083.u1.11.wav
- 083.u1.33a.wav
- 083.u1.33b.wav
- 083.u1.33c.wav
- 083.u1.33d.wav
- 083.u1.44a.wav
- 083.u1.44b.wav
- 083.u1.55a.wav
- 083.u1.55b.wav
- 083.u1.55c.wav
- 083.u1.55d.wav
- 083.u1.66a.wav
- 083.u1.66b.wav
- 083.u1.66c.wav
- 083.u1.66d.wav
- 083.u1.77a.wav
- 083.u1.77b.wav
- 083.u1.77c.wav
- 083.u1.88a.wav
- 083.u1.88b.wav
- 083.u1.88c.wav

— 084/

└─ u1/

- 084.u1.01.wav
- 084.u1.02.wav
- 084.u1.03.wav
- 084.u1.04.pk
- 084.u1.04.wav
- 084.u1.05.wav
- 084.u1.11.wav
- 084.u1.33a.wav
- 084.u1.33b.wav
- 084.u1.33c.wav
- 084.u1.33d.wav
- 084.u1.44a.wav
- 084.u1.44b.wav
- 084.u1.55a.wav
- 084.u1.55b.wav
- 084.u1.55c.wav
- 084.u1.55d.wav
- 084.u1.66a.wav
- 084.u1.66b.wav



- 084.u1.66c.wav
- 084.u1.66d.wav
- 084.u1.77a.wav
- 084.u1.77b.wav
- 084.u1.77c.wav
- 084.u1.88a.wav
- 084.u1.88b.wav
- 084.u1.88c.wav

— 085/

└─ u1/

- 085.u1.01.wav
- 085.u1.02.wav
- 085.u1.03.wav
- 085.u1.04.pk
- 085.u1.04.wav
- 085.u1.05.wav
- 085.u1.11.wav
- 085.u1.33a.wav
- 085.u1.33b.wav
- 085.u1.33c.wav
- 085.u1.33d.wav
- 085.u1.44a.wav
- 085.u1.44b.wav
- 085.u1.55a.wav
- 085.u1.55b.wav
- 085.u1.55c.wav
- 085.u1.55d.wav
- 085.u1.66a.wav
- 085.u1.66b.wav
- 085.u1.66c.wav
- 085.u1.66d.wav
- 085.u1.77a.wav
- 085.u1.77b.wav
- 085.u1.77c.wav
- 085.u1.88a.wav
- 085.u1.88b.wav
- 085.u1.88c.wav

— 086/

└─ u1/

- 086.u1.01.wav
- 086.u1.02.wav
- 086.u1.03.wav
- 086.u1.04.pk
- 086.u1.04.wav
- 086.u1.05.wav
- 086.u1.11.wav
- 086.u1.22.wav
- 086.u1.33a.wav
- 086.u1.33b.wav
- 086.u1.44a.wav
- 086.u1.44b.wav
- 086.u1.55a.wav
- 086.u1.55b.wav
- 086.u1.66a.wav
- 086.u1.66b.wav
- 086.u1.77a.wav
- 086.u1.77b.wav
- 086.u1.77c.wav
- 086.u1.88a.wav
- 086.u1.88b.wav
- 086.u1.88c.wav

— 087/

└─ u1/

- 087.u1.01.wav
- 087.u1.02.wav
- 087.u1.03.wav
- 087.u1.04.pk
- 087.u1.04.wav
- 087.u1.05.wav
- 087.u1.11.wav
- 087.u1.33a.wav
- 087.u1.33b.wav
- 087.u1.33c.wav
- 087.u1.33d.wav
- 087.u1.44a.wav
- 087.u1.44b.wav
- 087.u1.55a.wav
- 087.u1.55b.wav
- 087.u1.55c.wav
- 087.u1.55d.wav
- 087.u1.66a.wav
- 087.u1.66b.wav
- 087.u1.66c.wav
- 087.u1.66d.wav
- 087.u1.77a.wav

- 087.u1.77b.wav
- 087.u1.77c.wav
- 087.u1.88a.wav
- 087.u1.88b.wav
- 087.u1.88c.wav

088/

u1/

- 088.u1.01.wav
- 088.u1.02.wav
- 088.u1.03.wav
- 088.u1.04.pk
- 088.u1.04.wav
- 088.u1.05.wav
- 088.u1.11.wav
- 088.u1.22.wav
- 088.u1.44a.wav
- 088.u1.44b.wav
- 088.u1.55a.wav
- 088.u1.55b.wav
- 088.u1.66a.wav
- 088.u1.66b.wav
- 088.u1.77a.wav
- 088.u1.77b.wav
- 088.u1.77c.wav
- 088.u1.88a.wav
- 088.u1.88b.wav
- 088.u1.88c.wav

089/

u1/

- 089.u1.01.wav
- 089.u1.02.wav
- 089.u1.03.wav
- 089.u1.04.pk
- 089.u1.04.wav
- 089.u1.05.wav
- 089.u1.11.wav
- 089.u1.33a.wav
- 089.u1.33b.wav
- 089.u1.33c.wav
- 089.u1.33d.wav
- 089.u1.44a.wav
- 089.u1.44b.wav
- 089.u1.55a.wav
- 089.u1.55b.wav
- 089.u1.55c.wav
- 089.u1.55d.wav
- 089.u1.66a.wav
- 089.u1.66b.wav
- 089.u1.66c.wav
- 089.u1.66d.wav
- 089.u1.77a.wav
- 089.u1.77b.wav
- 089.u1.77c.wav
- 089.u1.88a.wav
- 089.u1.88b.wav
- 089.u1.88c.wav

090/

u1/

- 090.u1.01.wav
- 090.u1.02.wav
- 090.u1.03.wav
- 090.u1.04.pk
- 090.u1.04.wav
- 090.u1.05.wav
- 090.u1.11.wav
- 090.u1.33a.wav
- 090.u1.33b.wav
- 090.u1.33c.wav
- 090.u1.33d.wav
- 090.u1.44a.wav
- 090.u1.44b.wav
- 090.u1.55a.wav
- 090.u1.55b.wav
- 090.u1.55c.wav
- 090.u1.55d.wav
- 090.u1.66a.wav
- 090.u1.66b.wav
- 090.u1.66c.wav
- 090.u1.66d.wav
- 090.u1.77a.wav
- 090.u1.77b.wav
- 090.u1.77c.wav
- 090.u1.88a.wav
- 090.u1.88b.wav
- 090.u1.88c.wav

091/  
└─ u1/  
├─ 091.u1.01.wav  
├─ 091.u1.02.wav  
├─ 091.u1.03.wav  
├─ 091.u1.04.pk  
├─ 091.u1.04.wav  
├─ 091.u1.05.wav  
├─ 091.u1.11.wav  
├─ 091.u1.22.wav  
├─ 091.u1.44a.wav  
├─ 091.u1.44b.wav  
├─ 091.u1.55a.wav  
├─ 091.u1.55b.wav  
├─ 091.u1.66a.wav  
├─ 091.u1.66b.wav  
├─ 091.u1.77a.wav  
├─ 091.u1.77b.wav  
├─ 091.u1.77c.wav  
├─ 091.u1.88a.wav  
├─ 091.u1.88b.wav  
└─ 091.u1.88c.wav

092/  
└─ u1/  
├─ 092.u1.01.wav  
├─ 092.u1.02.wav  
├─ 092.u1.03.wav  
├─ 092.u1.04.pk  
├─ 092.u1.04.wav  
├─ 092.u1.05.wav  
├─ 092.u1.11.wav  
├─ 092.u1.22.wav  
├─ 092.u1.44a.wav  
├─ 092.u1.44b.wav  
├─ 092.u1.55a.wav  
├─ 092.u1.55b.wav  
├─ 092.u1.66a.wav  
├─ 092.u1.66b.wav  
├─ 092.u1.77a.wav  
├─ 092.u1.77b.wav  
├─ 092.u1.77c.wav  
├─ 092.u1.88a.wav  
├─ 092.u1.88b.wav  
└─ 092.u1.88c.wav

093/  
└─ u1/  
├─ 093.u1.01.wav  
├─ 093.u1.02.wav  
├─ 093.u1.03.wav  
├─ 093.u1.04.pk  
├─ 093.u1.04.wav  
├─ 093.u1.05.pk  
├─ 093.u1.05.wav  
├─ 093.u1.11.wav  
├─ 093.u1.22.wav  
├─ 093.u1.33a.wav  
├─ 093.u1.33b.wav  
├─ 093.u1.44a.wav  
├─ 093.u1.44b.wav  
├─ 093.u1.55a.wav  
├─ 093.u1.55b.wav  
├─ 093.u1.66a.wav  
├─ 093.u1.66b.wav  
├─ 093.u1.77a.wav  
├─ 093.u1.77b.wav  
├─ 093.u1.77c.wav  
├─ 093.u1.88a.wav  
├─ 093.u1.88b.wav  
└─ 093.u1.88c.wav

094/  
└─ u1/  
├─ 094.u1.01.wav  
├─ 094.u1.02.wav  
├─ 094.u1.03.wav  
├─ 094.u1.04.pk  
├─ 094.u1.04.wav  
├─ 094.u1.05.wav  
├─ 094.u1.11.wav  
├─ 094.u1.11a.wav  
├─ 094.u1.22.wav  
├─ 094.u1.44a.wav  
├─ 094.u1.44b.wav  
├─ 094.u1.55a.wav  
├─ 094.u1.55b.wav  
└─ 094.u1.66a.wav

- 094.u1.66b.wav
- 094.u1.77a.wav
- 094.u1.77b.wav
- 094.u1.77c.wav
- 094.u1.88a.wav
- 094.u1.88b.wav
- 094.u1.88c.wav

— 095/

└─ u1/

- 095.u1.01.wav
- 095.u1.02.wav
- 095.u1.03.wav
- 095.u1.04.pk
- 095.u1.04.wav
- 095.u1.05.wav
- 095.u1.11.wav
- 095.u1.22.wav
- 095.u1.33a.wav
- 095.u1.33b.wav
- 095.u1.44a.wav
- 095.u1.44b.wav
- 095.u1.55a.wav
- 095.u1.55b.wav
- 095.u1.66a.wav
- 095.u1.66b.wav
- 095.u1.77a.wav
- 095.u1.77b.wav
- 095.u1.77c.wav
- 095.u1.88a.wav
- 095.u1.88b.wav
- 095.u1.88c.wav

— 096/

└─ u1/

- 096.u1.01.wav
- 096.u1.02.wav
- 096.u1.03.wav
- 096.u1.04.pk
- 096.u1.04.wav
- 096.u1.05.wav
- 096.u1.11.wav
- 096.u1.33a.wav
- 096.u1.33b.wav
- 096.u1.33c.wav
- 096.u1.33d.wav
- 096.u1.44a.wav
- 096.u1.44b.wav
- 096.u1.55a.wav
- 096.u1.55b.wav
- 096.u1.55c.wav
- 096.u1.55d.wav
- 096.u1.66a.wav
- 096.u1.66b.wav
- 096.u1.66c.wav
- 096.u1.66d.wav
- 096.u1.77a.wav
- 096.u1.77b.wav
- 096.u1.77c.wav
- 096.u1.88a.wav
- 096.u1.88b.wav
- 096.u1.88c.wav

— 097/

└─ u1/

- 097.u1.01.wav
- 097.u1.02.wav
- 097.u1.03.wav
- 097.u1.04.pk
- 097.u1.04.wav
- 097.u1.05.wav
- 097.u1.11.wav
- 097.u1.22.wav
- 097.u1.33a.wav
- 097.u1.33b.wav
- 097.u1.44a.wav
- 097.u1.44b.wav
- 097.u1.55a.wav
- 097.u1.55b.wav
- 097.u1.66a.wav
- 097.u1.66b.wav
- 097.u1.77a.wav
- 097.u1.77b.wav
- 097.u1.77c.wav
- 097.u1.88a.wav
- 097.u1.88b.wav
- 097.u1.88c.wav

— 098/

└─ u1/  
├─ 098.u1.01.wav  
├─ 098.u1.02.wav  
├─ 098.u1.03.wav  
├─ 098.u1.04.pk  
├─ 098.u1.04.wav  
├─ 098.u1.05.wav  
├─ 098.u1.11.wav  
├─ 098.u1.22.wav  
├─ 098.u1.33a.wav  
├─ 098.u1.33b.wav  
├─ 098.u1.44a.wav  
├─ 098.u1.44b.wav  
├─ 098.u1.55a.wav  
├─ 098.u1.55b.wav  
├─ 098.u1.66a.wav  
├─ 098.u1.66b.wav  
├─ 098.u1.77a.wav  
├─ 098.u1.77b.wav  
├─ 098.u1.77c.wav  
├─ 098.u1.88a.wav  
├─ 098.u1.88b.wav  
└─ 098.u1.88c.wav

─ 099/  
└─ u1/  
├─ 099.u1.01.wav  
├─ 099.u1.02.wav  
├─ 099.u1.03.wav  
├─ 099.u1.04.pk  
├─ 099.u1.04.wav  
├─ 099.u1.05.wav  
├─ 099.u1.11.wav  
├─ 099.u1.22.wav  
├─ 099.u1.33a.wav  
├─ 099.u1.33b.wav  
├─ 099.u1.44a.wav  
├─ 099.u1.44b.wav  
├─ 099.u1.55a.wav  
├─ 099.u1.55b.wav  
├─ 099.u1.66a.wav  
├─ 099.u1.66b.wav  
├─ 099.u1.77a.wav  
├─ 099.u1.77b.wav  
├─ 099.u1.77c.wav  
├─ 099.u1.88a.wav  
├─ 099.u1.88b.wav  
└─ 099.u1.88c.wav

─ 100/  
└─ u1/  
├─ 100.u1.01.wav  
├─ 100.u1.02.wav  
├─ 100.u1.03.wav  
├─ 100.u1.04.pk  
├─ 100.u1.04.wav  
├─ 100.u1.05.wav  
├─ 100.u1.11.wav  
├─ 100.u1.22.wav  
├─ 100.u1.44a.wav  
├─ 100.u1.44b.wav  
├─ 100.u1.55a.wav  
├─ 100.u1.55b.wav  
├─ 100.u1.66a.wav  
├─ 100.u1.66b.wav  
├─ 100.u1.77a.wav  
├─ 100.u1.77b.wav  
├─ 100.u1.77c.wav  
├─ 100.u1.88a.wav  
├─ 100.u1.88b.wav  
└─ 100.u1.88c.wav

─ 101/  
└─ u1/  
├─ 101.u1.01.wav  
├─ 101.u1.02.wav  
├─ 101.u1.03.wav  
├─ 101.u1.04.pk  
├─ 101.u1.04.wav  
├─ 101.u1.05.wav  
├─ 101.u1.11.wav  
├─ 101.u1.33a.wav  
├─ 101.u1.33b.wav  
├─ 101.u1.33c.wav  
├─ 101.u1.33d.wav  
├─ 101.u1.44a.wav  
├─ 101.u1.44b.wav  
└─ 101.u1.55a.wav

- 101.u1.55b.wav
- 101.u1.55c.wav
- 101.u1.55d.wav
- 101.u1.66a.wav
- 101.u1.66b.wav
- 101.u1.66c.wav
- 101.u1.66d.wav
- 101.u1.77a.wav
- 101.u1.77b.wav
- 101.u1.77c.wav
- 101.u1.88a.wav
- 101.u1.88b.wav
- 101.u1.88c.wav

- ips/

- 002/

- u1/

- 002.u1.01.f0
      - 002.u1.01.frm
      - 002.u1.01.wav
      - 002.u1.02.f0
      - 002.u1.02.frm
      - 002.u1.02.wav
      - 002.u1.03.f0
      - 002.u1.03.frm
      - 002.u1.03.wav
      - 002.u1.04.f0
      - 002.u1.04.frm
      - 002.u1.04.pk
      - 002.u1.04.wav
      - 002.u1.05.f0
      - 002.u1.05.frm
      - 002.u1.05.wav
      - 002.u1.11.f0
      - 002.u1.11.frm
      - 002.u1.11.wav
      - 002.u1.22.f0
      - 002.u1.22.frm
      - 002.u1.22.wav
      - 002.u1.33a.f0
      - 002.u1.33a.frm
      - 002.u1.33a.wav
      - 002.u1.33b.f0
      - 002.u1.33b.frm
      - 002.u1.33b.wav
      - 002.u1.44a.f0
      - 002.u1.44a.frm
      - 002.u1.44a.wav
      - 002.u1.44b.f0
      - 002.u1.44b.frm
      - 002.u1.44b.wav
      - 002.u1.55a.f0
      - 002.u1.55a.frm
      - 002.u1.55a.wav
      - 002.u1.55b.f0
      - 002.u1.55b.frm
      - 002.u1.55b.wav
      - 002.u1.66a.f0
      - 002.u1.66a.frm
      - 002.u1.66a.wav
      - 002.u1.66b.f0
      - 002.u1.66b.frm
      - 002.u1.66b.wav
      - 002.u1.77a.f0
      - 002.u1.77a.frm
      - 002.u1.77a.wav
      - 002.u1.77b.f0
      - 002.u1.77b.frm
      - 002.u1.77b.wav
      - 002.u1.77c.f0
      - 002.u1.77c.frm
      - 002.u1.77c.wav
      - 002.u1.88a.f0
      - 002.u1.88a.frm
      - 002.u1.88a.wav
      - 002.u1.88b.f0
      - 002.u1.88b.frm
      - 002.u1.88b.wav
      - 002.u1.88c.f0
      - 002.u1.88c.frm
      - 002.u1.88c.wav

- 003/

- u1/

- 003.u1.01.f0
      - 003.u1.01.frm
      - 003.u1.01.wav

- 003.u1.02.f0
- 003.u1.02.frm
- 003.u1.02.wav
- 003.u1.03.f0
- 003.u1.03.frm
- 003.u1.03.wav
- 003.u1.04.f0
- 003.u1.04.frm
- 003.u1.04.pk
- 003.u1.04.wav
- 003.u1.05.f0
- 003.u1.05.frm
- 003.u1.05.wav
- 003.u1.11.f0
- 003.u1.11.frm
- 003.u1.11.wav
- 003.u1.22.f0
- 003.u1.22.frm
- 003.u1.22.wav
- 003.u1.33a.f0
- 003.u1.33a.frm
- 003.u1.33a.wav
- 003.u1.33b.f0
- 003.u1.33b.frm
- 003.u1.33b.wav
- 003.u1.44a.f0
- 003.u1.44a.frm
- 003.u1.44a.wav
- 003.u1.44b.f0
- 003.u1.44b.frm
- 003.u1.44b.wav
- 003.u1.55a.f0
- 003.u1.55a.frm
- 003.u1.55a.wav
- 003.u1.55b.f0
- 003.u1.55b.frm
- 003.u1.55b.wav
- 003.u1.66a.f0
- 003.u1.66a.frm
- 003.u1.66a.wav
- 003.u1.66b.f0
- 003.u1.66b.frm
- 003.u1.66b.wav
- 003.u1.77a.f0
- 003.u1.77a.frm
- 003.u1.77a.wav
- 003.u1.77b.f0
- 003.u1.77b.frm
- 003.u1.77b.wav
- 003.u1.77c.f0
- 003.u1.77c.frm
- 003.u1.77c.wav
- 003.u1.88a.f0
- 003.u1.88a.frm
- 003.u1.88a.wav
- 003.u1.88b.f0
- 003.u1.88b.frm
- 003.u1.88b.wav
- 003.u1.88c.f0
- 003.u1.88c.frm
- 003.u1.88c.wav

- 007/

- u1/

- 007.u1.01.f0
    - 007.u1.01.frm
    - 007.u1.01.wav
    - 007.u1.02.f0
    - 007.u1.02.frm
    - 007.u1.02.wav
    - 007.u1.03.f0
    - 007.u1.03.frm
    - 007.u1.03.wav
    - 007.u1.04.f0
    - 007.u1.04.frm
    - 007.u1.04.pk
    - 007.u1.04.wav
    - 007.u1.05.f0
    - 007.u1.05.frm
    - 007.u1.05.wav
    - 007.u1.11.f0
    - 007.u1.11.frm
    - 007.u1.11.wav
    - 007.u1.22.f0
    - 007.u1.22.frm
    - 007.u1.22.wav

— 007.u1.44a.f0  
— 007.u1.44a.frm  
— 007.u1.44a.wav  
— 007.u1.44b.f0  
— 007.u1.44b.frm  
— 007.u1.44b.wav  
— 007.u1.55a.f0  
— 007.u1.55a.frm  
— 007.u1.55a.wav  
— 007.u1.55b.f0  
— 007.u1.55b.frm  
— 007.u1.55b.wav  
— 007.u1.66a.f0  
— 007.u1.66a.frm  
— 007.u1.66a.wav  
— 007.u1.66b.f0  
— 007.u1.66b.frm  
— 007.u1.66b.wav  
— 007.u1.77a.f0  
— 007.u1.77a.frm  
— 007.u1.77a.wav  
— 007.u1.77b.f0  
— 007.u1.77b.frm  
— 007.u1.77b.wav  
— 007.u1.77c.f0  
— 007.u1.77c.frm  
— 007.u1.77c.wav  
— 007.u1.88a.f0  
— 007.u1.88a.frm  
— 007.u1.88a.wav  
— 007.u1.88b.f0  
— 007.u1.88b.frm  
— 007.u1.88b.wav  
— 007.u1.88c.f0  
— 007.u1.88c.frm  
— 007.u1.88c.wav

— u2/

— 007.u2.01.wav  
— 007.u2.02.wav  
— 007.u2.03.wav  
— 007.u2.04.pk  
— 007.u2.04.wav  
— 007.u2.05.wav  
— 007.u2.11.wav  
— 007.u2.22.wav  
— 007.u2.33a.wav  
— 007.u2.33b.wav  
— 007.u2.44a.wav  
— 007.u2.44b.wav  
— 007.u2.55a.wav  
— 007.u2.55b.wav  
— 007.u2.66a.wav  
— 007.u2.66b.wav  
— 007.u2.77a.wav  
— 007.u2.77b.wav  
— 007.u2.77c.wav  
— 007.u2.88a.wav  
— 007.u2.88b.wav  
— 007.u2.88c.wav

— u3/

— 007.u3.01.wav  
— 007.u3.02.wav  
— 007.u3.03.wav  
— 007.u3.04.pk  
— 007.u3.04.wav  
— 007.u3.05.wav  
— 007.u3.11.wav  
— 007.u3.33a.wav  
— 007.u3.33b.wav  
— 007.u3.33c.wav  
— 007.u3.33d.wav  
— 007.u3.44a.wav  
— 007.u3.44b.wav  
— 007.u3.55a.wav  
— 007.u3.55b.wav  
— 007.u3.55c.wav  
— 007.u3.55d.wav  
— 007.u3.66a.wav  
— 007.u3.66b.wav  
— 007.u3.66c.wav  
— 007.u3.66d.wav  
— 007.u3.77a.wav  
— 007.u3.77b.wav  
— 007.u3.77c.wav  
— 007.u3.88a.wav



- 007.u3.88b.wav
  - 007.u3.88c.wav
- 013/
  - u1/
    - 013.u1.01.f0
    - 013.u1.01.frm
    - 013.u1.01.wav
    - 013.u1.02.f0
    - 013.u1.02.frm
    - 013.u1.02.wav
    - 013.u1.03.f0
    - 013.u1.03.frm
    - 013.u1.03.wav
    - 013.u1.04.f0
    - 013.u1.04.frm
    - 013.u1.04.wav
    - 013.u1.05.f0
    - 013.u1.05.frm
    - 013.u1.05.wav
    - 013.u1.11.f0
    - 013.u1.11.frm
    - 013.u1.11.wav
    - 013.u1.22.f0
    - 013.u1.22.frm
    - 013.u1.22.wav
    - 013.u1.44a.f0
    - 013.u1.44a.frm
    - 013.u1.44a.wav
    - 013.u1.44b.f0
    - 013.u1.44b.frm
    - 013.u1.44b.wav
    - 013.u1.55a.f0
    - 013.u1.55a.frm
    - 013.u1.55a.wav
    - 013.u1.55b.f0
    - 013.u1.55b.frm
    - 013.u1.55b.wav
    - 013.u1.66a.f0
    - 013.u1.66a.frm
    - 013.u1.66a.wav
    - 013.u1.66b.f0
    - 013.u1.66b.frm
    - 013.u1.66b.wav
    - 013.u1.77a.f0
    - 013.u1.77a.frm
    - 013.u1.77a.wav
    - 013.u1.77b.f0
    - 013.u1.77b.frm
    - 013.u1.77b.wav
    - 013.u1.77c.f0
    - 013.u1.77c.frm
    - 013.u1.77c.wav
    - 013.u1.88a.f0
    - 013.u1.88a.frm
    - 013.u1.88a.wav
    - 013.u1.88b.f0
    - 013.u1.88b.frm
    - 013.u1.88b.wav
    - 013.u1.88c.f0
    - 013.u1.88c.frm
    - 013.u1.88c.wav
  - u2/
    - 013.u2.01.wav
    - 013.u2.02.wav
    - 013.u2.03.wav
    - 013.u2.04.pk
    - 013.u2.04.wav
    - 013.u2.05.wav
    - 013.u2.11.wav
    - 013.u2.22.wav
    - 013.u2.33a.wav
    - 013.u2.33b.wav
    - 013.u2.44a.wav
    - 013.u2.44b.wav
    - 013.u2.55a.wav
    - 013.u2.55b.wav
    - 013.u2.66a.wav
    - 013.u2.66b.wav
    - 013.u2.77a.wav
    - 013.u2.77b.wav
    - 013.u2.77c.wav
    - 013.u2.88a.wav
    - 013.u2.88b.wav
    - 013.u2.88c.wav
  - u3/

- 013.u3.01.wav
- 013.u3.02.wav
- 013.u3.03.wav
- 013.u3.04.wav
- 013.u3.05.wav
- 013.u3.11.wav
- 013.u3.33a.wav
- 013.u3.33b.wav
- 013.u3.33c.wav
- 013.u3.33d.wav
- 013.u3.44a.wav
- 013.u3.44b.wav
- 013.u3.55a.wav
- 013.u3.55b.wav
- 013.u3.55c.wav
- 013.u3.55d.wav
- 013.u3.66a.wav
- 013.u3.66b.wav
- 013.u3.66c.wav
- 013.u3.66d.wav
- 013.u3.77a.wav
- 013.u3.77b.wav
- 013.u3.77c.wav
- 013.u3.88a.wav
- 013.u3.88b.wav
- 013.u3.88c.wav

— 014/

— u1/

- 014.u1.01.f0
- 014.u1.01.frm
- 014.u1.01.wav
- 014.u1.02.f0
- 014.u1.02.frm
- 014.u1.02.wav
- 014.u1.03.f0
- 014.u1.03.frm
- 014.u1.03.wav
- 014.u1.04.f0
- 014.u1.04.frm
- 014.u1.04.pk
- 014.u1.04.wav
- 014.u1.05.f0
- 014.u1.05.frm
- 014.u1.05.pk
- 014.u1.05.wav
- 014.u1.11.f0
- 014.u1.11.frm
- 014.u1.11.wav
- 014.u1.22.f0
- 014.u1.22.frm
- 014.u1.22.wav
- 014.u1.33a.f0
- 014.u1.33a.frm
- 014.u1.33a.wav
- 014.u1.33b.f0
- 014.u1.33b.frm
- 014.u1.33b.wav
- 014.u1.44a.f0
- 014.u1.44a.frm
- 014.u1.44a.wav
- 014.u1.44b.f0
- 014.u1.44b.frm
- 014.u1.44b.wav
- 014.u1.55a.f0
- 014.u1.55a.frm
- 014.u1.55a.wav
- 014.u1.55b.f0
- 014.u1.55b.frm
- 014.u1.55b.wav
- 014.u1.66a.f0
- 014.u1.66a.frm
- 014.u1.66a.wav
- 014.u1.66b.f0
- 014.u1.66b.frm
- 014.u1.66b.wav
- 014.u1.77a.f0
- 014.u1.77a.frm
- 014.u1.77a.wav
- 014.u1.77b.f0
- 014.u1.77b.frm
- 014.u1.77b.wav
- 014.u1.77c.f0
- 014.u1.77c.frm
- 014.u1.77c.wav
- 014.u1.88a.f0

- 014.u1.88a.frm
- 014.u1.88a.wav
- 014.u1.88b.f0
- 014.u1.88b.frm
- 014.u1.88b.wav
- 014.u1.88c.f0
- 014.u1.88c.frm
- 014.u1.88c.wav

— 016/

— u1/

- 016.u1.01.f0
- 016.u1.01.frm
- 016.u1.01.wav
- 016.u1.02.f0
- 016.u1.02.frm
- 016.u1.02.wav
- 016.u1.03.f0
- 016.u1.03.frm
- 016.u1.03.wav
- 016.u1.04.f0
- 016.u1.04.frm
- 016.u1.04.pk
- 016.u1.04.wav
- 016.u1.05.f0
- 016.u1.05.frm
- 016.u1.05.wav
- 016.u1.11.f0
- 016.u1.11.frm
- 016.u1.11.wav
- 016.u1.22.f0
- 016.u1.22.frm
- 016.u1.22.wav
- 016.u1.33a.f0
- 016.u1.33a.frm
- 016.u1.33a.wav
- 016.u1.33b.f0
- 016.u1.33b.frm
- 016.u1.33b.wav
- 016.u1.33c.f0
- 016.u1.33c.frm
- 016.u1.33c.wav
- 016.u1.33d.f0
- 016.u1.33d.frm
- 016.u1.33d.wav
- 016.u1.44a.f0
- 016.u1.44a.frm
- 016.u1.44a.wav
- 016.u1.44b.f0
- 016.u1.44b.frm
- 016.u1.44b.wav
- 016.u1.55a.f0
- 016.u1.55a.frm
- 016.u1.55a.wav
- 016.u1.55b.f0
- 016.u1.55b.frm
- 016.u1.55b.wav
- 016.u1.55c.f0
- 016.u1.55c.frm
- 016.u1.55c.wav
- 016.u1.55d.f0
- 016.u1.55d.frm
- 016.u1.55d.wav
- 016.u1.66a.f0
- 016.u1.66a.frm
- 016.u1.66a.wav
- 016.u1.66b.f0
- 016.u1.66b.frm
- 016.u1.66b.wav
- 016.u1.66c.f0
- 016.u1.66c.frm
- 016.u1.66c.wav
- 016.u1.66d.f0
- 016.u1.66d.frm
- 016.u1.66d.wav
- 016.u1.77a.f0
- 016.u1.77a.frm
- 016.u1.77a.wav
- 016.u1.77b.f0
- 016.u1.77b.frm
- 016.u1.77b.wav
- 016.u1.77c.f0
- 016.u1.77c.frm
- 016.u1.77c.wav
- 016.u1.88a.f0
- 016.u1.88a.frm

- 016.u1.88a.wav
- 016.u1.88b.f0
- 016.u1.88b.frm
- 016.u1.88b.wav
- 016.u1.88c.f0
- 016.u1.88c.frm
- 016.u1.88c.wav

— 019/

— u1/

- 019.u1.01.f0
- 019.u1.01.frm
- 019.u1.01.wav
- 019.u1.02.f0
- 019.u1.02.frm
- 019.u1.02.wav
- 019.u1.03.f0
- 019.u1.03.frm
- 019.u1.03.wav
- 019.u1.04.f0
- 019.u1.04.frm
- 019.u1.04.wav
- 019.u1.05.f0
- 019.u1.05.frm
- 019.u1.05.wav
- 019.u1.11.f0
- 019.u1.11.frm
- 019.u1.11.wav
- 019.u1.22.f0
- 019.u1.22.frm
- 019.u1.22.wav
- 019.u1.33a.f0
- 019.u1.33a.frm
- 019.u1.33a.wav
- 019.u1.33b.f0
- 019.u1.33b.frm
- 019.u1.33b.wav
- 019.u1.44a.f0
- 019.u1.44a.frm
- 019.u1.44a.wav
- 019.u1.44b.f0
- 019.u1.44b.frm
- 019.u1.44b.wav
- 019.u1.55a.f0
- 019.u1.55a.frm
- 019.u1.55a.wav
- 019.u1.55b.f0
- 019.u1.55b.frm
- 019.u1.55b.wav
- 019.u1.66a.f0
- 019.u1.66a.frm
- 019.u1.66a.wav
- 019.u1.66b.f0
- 019.u1.66b.frm
- 019.u1.66b.wav
- 019.u1.77a.f0
- 019.u1.77a.frm
- 019.u1.77a.wav
- 019.u1.77b.f0
- 019.u1.77b.frm
- 019.u1.77b.wav
- 019.u1.77c.f0
- 019.u1.77c.frm
- 019.u1.77c.wav
- 019.u1.88a.f0
- 019.u1.88a.frm
- 019.u1.88a.wav
- 019.u1.88b.f0
- 019.u1.88b.frm
- 019.u1.88b.wav
- 019.u1.88c.f0
- 019.u1.88c.frm
- 019.u1.88c.wav

— u2/

- 019.u2.01.wav
- 019.u2.02.wav
- 019.u2.03.wav
- 019.u2.04.pk
- 019.u2.04.wav
- 019.u2.05.wav
- 019.u2.11.wav
- 019.u2.22.wav
- 019.u2.33a.wav
- 019.u2.33b.wav
- 019.u2.44a.wav
- 019.u2.44b.wav

- 019.u2.55a.wav
- 019.u2.55b.wav
- 019.u2.66a.wav
- 019.u2.66b.wav
- 019.u2.77a.wav
- 019.u2.77b.wav
- 019.u2.77c.wav
- 019.u2.88a.wav
- 019.u2.88b.wav
- 019.u2.88c.wav

— 023/

— u1/

- 023.u1.01.f0
- 023.u1.01.frm
- 023.u1.01.wav
- 023.u1.02.f0
- 023.u1.02.frm
- 023.u1.02.wav
- 023.u1.03.f0
- 023.u1.03.frm
- 023.u1.03.wav
- 023.u1.04.f0
- 023.u1.04.frm
- 023.u1.04.wav
- 023.u1.05.f0
- 023.u1.05.frm
- 023.u1.05.wav
- 023.u1.11.f0
- 023.u1.11.frm
- 023.u1.11.wav
- 023.u1.22.f0
- 023.u1.22.frm
- 023.u1.22.wav
- 023.u1.33a.f0
- 023.u1.33a.frm
- 023.u1.33a.wav
- 023.u1.33b.f0
- 023.u1.33b.frm
- 023.u1.33b.wav
- 023.u1.44a.f0
- 023.u1.44a.frm
- 023.u1.44a.wav
- 023.u1.44b.f0
- 023.u1.44b.frm
- 023.u1.44b.wav
- 023.u1.55a.f0
- 023.u1.55a.frm
- 023.u1.55a.wav
- 023.u1.55b.f0
- 023.u1.55b.frm
- 023.u1.55b.wav
- 023.u1.66a.f0
- 023.u1.66a.frm
- 023.u1.66a.wav
- 023.u1.66b.f0
- 023.u1.66b.frm
- 023.u1.66b.wav
- 023.u1.77a.f0
- 023.u1.77a.frm
- 023.u1.77a.wav
- 023.u1.77b.f0
- 023.u1.77b.frm
- 023.u1.77b.wav
- 023.u1.77c.f0
- 023.u1.77c.frm
- 023.u1.77c.wav
- 023.u1.88a.f0
- 023.u1.88a.frm
- 023.u1.88a.wav
- 023.u1.88b.f0
- 023.u1.88b.frm
- 023.u1.88b.wav
- 023.u1.88c.f0
- 023.u1.88c.frm
- 023.u1.88c.wav

— u2/

- 023.u2.01.wav
- 023.u2.02.wav
- 023.u2.03.wav
- 023.u2.04.pk
- 023.u2.04.wav
- 023.u2.05.wav
- 023.u2.11.wav
- 023.u2.33a.wav
- 023.u2.33b.wav

- 023.u2.33c.wav
- 023.u2.33d.wav
- 023.u2.44a.wav
- 023.u2.44b.wav
- 023.u2.77a.wav
- 023.u2.77b.wav
- 023.u2.77c.wav
- 023.u2.88a.wav
- 023.u2.88b.wav
- 023.u2.88c.wav

— 024/

└─ u1/

- 024.u1.01.f0
- 024.u1.01.frm
- 024.u1.01.wav
- 024.u1.02.f0
- 024.u1.02.frm
- 024.u1.02.wav
- 024.u1.03.f0
- 024.u1.03.frm
- 024.u1.03.wav
- 024.u1.04.f0
- 024.u1.04.frm
- 024.u1.04.pk
- 024.u1.04.wav
- 024.u1.05.f0
- 024.u1.05.frm
- 024.u1.05.wav
- 024.u1.11.f0
- 024.u1.11.frm
- 024.u1.11.wav
- 024.u1.22.f0
- 024.u1.22.frm
- 024.u1.22.wav
- 024.u1.33a.f0
- 024.u1.33a.frm
- 024.u1.33a.wav
- 024.u1.33b.f0
- 024.u1.33b.frm
- 024.u1.33b.wav
- 024.u1.44a.f0
- 024.u1.44a.frm
- 024.u1.44a.wav
- 024.u1.44b.f0
- 024.u1.44b.frm
- 024.u1.44b.wav
- 024.u1.55a.f0
- 024.u1.55a.frm
- 024.u1.55a.wav
- 024.u1.55b.f0
- 024.u1.55b.frm
- 024.u1.55b.wav
- 024.u1.66a.f0
- 024.u1.66a.frm
- 024.u1.66a.wav
- 024.u1.66b.f0
- 024.u1.66b.frm
- 024.u1.66b.wav
- 024.u1.77a.f0
- 024.u1.77a.frm
- 024.u1.77a.wav
- 024.u1.77b.f0
- 024.u1.77b.frm
- 024.u1.77b.wav
- 024.u1.77c.f0
- 024.u1.77c.frm
- 024.u1.77c.wav
- 024.u1.88a.f0
- 024.u1.88a.frm
- 024.u1.88a.wav
- 024.u1.88b.f0
- 024.u1.88b.frm
- 024.u1.88b.wav
- 024.u1.88c.f0
- 024.u1.88c.frm
- 024.u1.88c.wav

— 025/

└─ u1/

- 025.u1.01.f0
- 025.u1.01.frm
- 025.u1.01.wav
- 025.u1.02.f0
- 025.u1.02.frm
- 025.u1.02.wav
- 025.u1.03.f0

— 025.u1.03.frm  
— 025.u1.03.wav  
— 025.u1.04.f0  
— 025.u1.04.frm  
— 025.u1.04.pk  
— 025.u1.04.wav  
— 025.u1.05.f0  
— 025.u1.05.frm  
— 025.u1.05.wav  
— 025.u1.11.f0  
— 025.u1.11.frm  
— 025.u1.11.wav  
— 025.u1.22.f0  
— 025.u1.22.frm  
— 025.u1.22.wav  
— 025.u1.33a.f0  
— 025.u1.33a.frm  
— 025.u1.33a.wav  
— 025.u1.33b.f0  
— 025.u1.33b.frm  
— 025.u1.33b.wav  
— 025.u1.44a.f0  
— 025.u1.44a.frm  
— 025.u1.44a.wav  
— 025.u1.44b.f0  
— 025.u1.44b.frm  
— 025.u1.44b.wav  
— 025.u1.55a.f0  
— 025.u1.55a.frm  
— 025.u1.55a.wav  
— 025.u1.55b.f0  
— 025.u1.55b.frm  
— 025.u1.55b.wav  
— 025.u1.66a.f0  
— 025.u1.66a.frm  
— 025.u1.66a.wav  
— 025.u1.66b.f0  
— 025.u1.66b.frm  
— 025.u1.66b.wav  
— 025.u1.77a.f0  
— 025.u1.77a.frm  
— 025.u1.77a.wav  
— 025.u1.77b.f0  
— 025.u1.77b.frm  
— 025.u1.77b.wav  
— 025.u1.77c.f0  
— 025.u1.77c.frm  
— 025.u1.77c.wav  
— 025.u1.88a.f0  
— 025.u1.88a.frm  
— 025.u1.88a.wav  
— 025.u1.88b.f0  
— 025.u1.88b.frm  
— 025.u1.88b.wav  
— 025.u1.88c.f0  
— 025.u1.88c.frm  
— 025.u1.88c.wav

— 028/

— u1/

— 028.u1.01.f0  
— 028.u1.01.frm  
— 028.u1.01.wav  
— 028.u1.02.f0  
— 028.u1.02.frm  
— 028.u1.02.wav  
— 028.u1.03.f0  
— 028.u1.03.frm  
— 028.u1.03.wav  
— 028.u1.04.f0  
— 028.u1.04.frm  
— 028.u1.04.wav  
— 028.u1.05.f0  
— 028.u1.05.frm  
— 028.u1.05.wav  
— 028.u1.11.f0  
— 028.u1.11.frm  
— 028.u1.11.wav  
— 028.u1.22.f0  
— 028.u1.22.frm  
— 028.u1.22.wav  
— 028.u1.33a.f0  
— 028.u1.33a.frm  
— 028.u1.33a.wav  
— 028.u1.33b.f0  
— 028.u1.33b.frm

- 028.u1.33b.wav
- 028.u1.44a.f0
- 028.u1.44a.frm
- 028.u1.44a.wav
- 028.u1.44b.f0
- 028.u1.44b.frm
- 028.u1.44b.wav
- 028.u1.55a.f0
- 028.u1.55a.frm
- 028.u1.55a.wav
- 028.u1.55b.f0
- 028.u1.55b.frm
- 028.u1.55b.wav
- 028.u1.66a.f0
- 028.u1.66a.frm
- 028.u1.66a.wav
- 028.u1.66b.f0
- 028.u1.66b.frm
- 028.u1.66b.wav
- 028.u1.77a.f0
- 028.u1.77a.frm
- 028.u1.77a.wav
- 028.u1.77b.f0
- 028.u1.77b.frm
- 028.u1.77b.wav
- 028.u1.77c.f0
- 028.u1.77c.frm
- 028.u1.77c.wav
- 028.u1.88a.f0
- 028.u1.88a.frm
- 028.u1.88a.wav
- 028.u1.88b.f0
- 028.u1.88b.frm
- 028.u1.88b.wav
- 028.u1.88c.f0
- 028.u1.88c.frm
- 028.u1.88c.wav

u2/

- 028.u2.01.wav
- 028.u2.02.wav
- 028.u2.03.wav
- 028.u2.04.pk
- 028.u2.04.wav
- 028.u2.05.wav
- 028.u2.11.wav
- 028.u2.22.wav
- 028.u2.33a.wav
- 028.u2.33b.wav
- 028.u2.44a.wav
- 028.u2.44b.wav
- 028.u2.55a.wav
- 028.u2.55b.wav
- 028.u2.66a.wav
- 028.u2.66b.wav
- 028.u2.77a.wav
- 028.u2.77b.wav
- 028.u2.77c.wav
- 028.u2.88a.wav
- 028.u2.88b.wav
- 028.u2.88c.wav

u3/

- 028.u3.01.wav
- 028.u3.02.wav
- 028.u3.03.wav
- 028.u3.04.wav
- 028.u3.05.wav
- 028.u3.11.wav
- 028.u3.33a.wav
- 028.u3.33b.wav
- 028.u3.33c.wav
- 028.u3.33d.wav
- 028.u3.44a.wav
- 028.u3.44b.wav
- 028.u3.77a.wav
- 028.u3.77b.wav
- 028.u3.77c.wav
- 028.u3.88a.wav
- 028.u3.88b.wav
- 028.u3.88c.wav

029/

u1/

- 029.u1.01.f0
- 029.u1.01.frm
- 029.u1.01.wav
- 029.u1.02.f0



— 029.u1.02.frm  
— 029.u1.02.wav  
— 029.u1.03.f0  
— 029.u1.03.frm  
— 029.u1.03.wav  
— 029.u1.04.f0  
— 029.u1.04.frm  
— 029.u1.04.pk  
— 029.u1.04.wav  
— 029.u1.05.f0  
— 029.u1.05.frm  
— 029.u1.05.wav  
— 029.u1.11.f0  
— 029.u1.11.frm  
— 029.u1.11.wav  
— 029.u1.22.f0  
— 029.u1.22.frm  
— 029.u1.22.wav  
— 029.u1.44a.f0  
— 029.u1.44a.frm  
— 029.u1.44a.wav  
— 029.u1.44b.f0  
— 029.u1.44b.frm  
— 029.u1.44b.wav  
— 029.u1.55a.f0  
— 029.u1.55a.frm  
— 029.u1.55a.wav  
— 029.u1.55b.f0  
— 029.u1.55b.frm  
— 029.u1.55b.wav  
— 029.u1.66a.f0  
— 029.u1.66a.frm  
— 029.u1.66a.wav  
— 029.u1.66b.f0  
— 029.u1.66b.frm  
— 029.u1.66b.wav  
— 029.u1.77a.f0  
— 029.u1.77a.frm  
— 029.u1.77a.wav  
— 029.u1.77b.f0  
— 029.u1.77b.frm  
— 029.u1.77b.wav  
— 029.u1.77c.f0  
— 029.u1.77c.frm  
— 029.u1.77c.wav  
— 029.u1.88a.f0  
— 029.u1.88a.frm  
— 029.u1.88a.wav  
— 029.u1.88b.f0  
— 029.u1.88b.frm  
— 029.u1.88b.wav  
— 029.u1.88c.f0  
— 029.u1.88c.frm  
— 029.u1.88c.wav

— 032/

— u1/

— 032.u1.01.f0  
— 032.u1.01.frm  
— 032.u1.01.wav  
— 032.u1.02.f0  
— 032.u1.02.frm  
— 032.u1.02.wav  
— 032.u1.03.f0  
— 032.u1.03.frm  
— 032.u1.03.wav  
— 032.u1.04.f0  
— 032.u1.04.frm  
— 032.u1.04.pk  
— 032.u1.04.wav  
— 032.u1.05.f0  
— 032.u1.05.frm  
— 032.u1.05.wav  
— 032.u1.11.f0  
— 032.u1.11.frm  
— 032.u1.11.wav  
— 032.u1.22.f0  
— 032.u1.22.frm  
— 032.u1.22.wav  
— 032.u1.33a.f0  
— 032.u1.33a.frm  
— 032.u1.33a.wav  
— 032.u1.33b.f0  
— 032.u1.33b.frm  
— 032.u1.33b.wav  
— 032.u1.44a.f0

- 032.u1.44a.frm
- 032.u1.44a.wav
- 032.u1.44b.f0
- 032.u1.44b.frm
- 032.u1.44b.wav
- 032.u1.55a.f0
- 032.u1.55a.frm
- 032.u1.55a.wav
- 032.u1.55b.f0
- 032.u1.55b.frm
- 032.u1.55b.wav
- 032.u1.66a.f0
- 032.u1.66a.frm
- 032.u1.66a.wav
- 032.u1.66b.f0
- 032.u1.66b.frm
- 032.u1.66b.wav
- 032.u1.77a.f0
- 032.u1.77a.frm
- 032.u1.77a.wav
- 032.u1.77b.f0
- 032.u1.77b.frm
- 032.u1.77b.wav
- 032.u1.77c.f0
- 032.u1.77c.frm
- 032.u1.77c.wav
- 032.u1.88a.f0
- 032.u1.88a.frm
- 032.u1.88a.wav
- 032.u1.88b.f0
- 032.u1.88b.frm
- 032.u1.88b.wav
- 032.u1.88c.f0
- 032.u1.88c.frm
- 032.u1.88c.wav

— 039/

— u1/

- 039.u1.01.f0
- 039.u1.01.frm
- 039.u1.01.wav
- 039.u1.02.f0
- 039.u1.02.frm
- 039.u1.02.wav
- 039.u1.03.f0
- 039.u1.03.frm
- 039.u1.03.wav
- 039.u1.04.f0
- 039.u1.04.frm
- 039.u1.04.pk
- 039.u1.04.wav
- 039.u1.05.f0
- 039.u1.05.frm
- 039.u1.05.wav
- 039.u1.11.f0
- 039.u1.11.frm
- 039.u1.11.wav
- 039.u1.22.f0
- 039.u1.22.frm
- 039.u1.22.wav
- 039.u1.44a.f0
- 039.u1.44a.frm
- 039.u1.44a.wav
- 039.u1.44b.f0
- 039.u1.44b.frm
- 039.u1.44b.wav
- 039.u1.55a.f0
- 039.u1.55a.frm
- 039.u1.55a.wav
- 039.u1.55b.f0
- 039.u1.55b.frm
- 039.u1.55b.wav
- 039.u1.66a.f0
- 039.u1.66a.frm
- 039.u1.66a.wav
- 039.u1.66b.f0
- 039.u1.66b.frm
- 039.u1.66b.wav
- 039.u1.77a.f0
- 039.u1.77a.frm
- 039.u1.77a.wav
- 039.u1.77b.f0
- 039.u1.77b.frm
- 039.u1.77b.wav
- 039.u1.77c.f0
- 039.u1.77c.frm

— 039.u1.77c.wav  
— 039.u1.88a.f0  
— 039.u1.88a.frm  
— 039.u1.88a.wav  
— 039.u1.88b.f0  
— 039.u1.88b.frm  
— 039.u1.88b.wav  
— 039.u1.88c.f0  
— 039.u1.88c.frm  
— 039.u1.88c.wav

— 042/

└─ u1/

— 042.u1.01.f0  
— 042.u1.01.frm  
— 042.u1.01.wav  
— 042.u1.02.f0  
— 042.u1.02.frm  
— 042.u1.02.wav  
— 042.u1.03.f0  
— 042.u1.03.frm  
— 042.u1.03.wav  
— 042.u1.04.f0  
— 042.u1.04.frm  
— 042.u1.04.pk  
— 042.u1.04.wav  
— 042.u1.05.f0  
— 042.u1.05.frm  
— 042.u1.05.wav  
— 042.u1.11.f0  
— 042.u1.11.frm  
— 042.u1.11.wav  
— 042.u1.22.f0  
— 042.u1.22.frm  
— 042.u1.22.wav  
— 042.u1.44a.f0  
— 042.u1.44a.frm  
— 042.u1.44a.wav  
— 042.u1.44b.f0  
— 042.u1.44b.frm  
— 042.u1.44b.wav  
— 042.u1.55a.f0  
— 042.u1.55a.frm  
— 042.u1.55a.wav  
— 042.u1.55b.f0  
— 042.u1.55b.frm  
— 042.u1.55b.wav  
— 042.u1.66a.f0  
— 042.u1.66a.frm  
— 042.u1.66a.wav  
— 042.u1.66b.f0  
— 042.u1.66b.frm  
— 042.u1.66b.wav  
— 042.u1.77a.f0  
— 042.u1.77a.frm  
— 042.u1.77a.wav  
— 042.u1.77b.f0  
— 042.u1.77b.frm  
— 042.u1.77b.wav  
— 042.u1.77c.f0  
— 042.u1.77c.frm  
— 042.u1.77c.wav  
— 042.u1.88a.f0  
— 042.u1.88a.frm  
— 042.u1.88a.wav  
— 042.u1.88b.f0  
— 042.u1.88b.frm  
— 042.u1.88b.wav  
— 042.u1.88c.f0  
— 042.u1.88c.frm  
— 042.u1.88c.wav

— 043/

└─ u1/

— 043.u1.01.f0  
— 043.u1.01.frm  
— 043.u1.01.wav  
— 043.u1.02.f0  
— 043.u1.02.frm  
— 043.u1.02.wav  
— 043.u1.03.f0  
— 043.u1.03.frm  
— 043.u1.03.wav  
— 043.u1.04.f0  
— 043.u1.04.frm  
— 043.u1.04.pk  
— 043.u1.04.wav

— 043.u1.05.f0  
— 043.u1.05.frm  
— 043.u1.05.wav  
— 043.u1.11.f0  
— 043.u1.11.frm  
— 043.u1.11.wav  
— 043.u1.22.f0  
— 043.u1.22.frm  
— 043.u1.22.wav  
— 043.u1.33a.f0  
— 043.u1.33a.frm  
— 043.u1.33a.wav  
— 043.u1.33b.f0  
— 043.u1.33b.frm  
— 043.u1.33b.wav  
— 043.u1.44a.f0  
— 043.u1.44a.frm  
— 043.u1.44a.wav  
— 043.u1.44b.f0  
— 043.u1.44b.frm  
— 043.u1.44b.wav  
— 043.u1.55a.f0  
— 043.u1.55a.frm  
— 043.u1.55a.wav  
— 043.u1.55b.f0  
— 043.u1.55b.frm  
— 043.u1.55b.wav  
— 043.u1.66a.f0  
— 043.u1.66a.frm  
— 043.u1.66a.wav  
— 043.u1.66b.f0  
— 043.u1.66b.frm  
— 043.u1.66b.wav  
— 043.u1.77a.f0  
— 043.u1.77a.frm  
— 043.u1.77a.wav  
— 043.u1.77b.f0  
— 043.u1.77b.frm  
— 043.u1.77b.wav  
— 043.u1.77c.f0  
— 043.u1.77c.frm  
— 043.u1.77c.wav  
— 043.u1.88a.f0  
— 043.u1.88a.frm  
— 043.u1.88a.wav  
— 043.u1.88b.f0  
— 043.u1.88b.frm  
— 043.u1.88b.wav  
— 043.u1.88c.f0  
— 043.u1.88c.frm  
— 043.u1.88c.wav

— 044/

— u1/

— 044.u1.01.f0  
— 044.u1.01.frm  
— 044.u1.01.wav  
— 044.u1.02.f0  
— 044.u1.02.frm  
— 044.u1.02.wav  
— 044.u1.03.f0  
— 044.u1.03.frm  
— 044.u1.03.wav  
— 044.u1.04.f0  
— 044.u1.04.frm  
— 044.u1.04.pk  
— 044.u1.04.wav  
— 044.u1.05.f0  
— 044.u1.05.frm  
— 044.u1.05.wav  
— 044.u1.11.f0  
— 044.u1.11.frm  
— 044.u1.11.wav  
— 044.u1.22.f0  
— 044.u1.22.frm  
— 044.u1.22.wav  
— 044.u1.33a.f0  
— 044.u1.33a.frm  
— 044.u1.33a.wav  
— 044.u1.33b.f0  
— 044.u1.33b.frm  
— 044.u1.33b.wav  
— 044.u1.44a.f0  
— 044.u1.44a.frm  
— 044.u1.44a.wav  
— 044.u1.44b.f0

— 044.u1.44b.frm  
— 044.u1.44b.wav  
— 044.u1.55a.f0  
— 044.u1.55a.frm  
— 044.u1.55a.wav  
— 044.u1.55b.f0  
— 044.u1.55b.frm  
— 044.u1.55b.wav  
— 044.u1.66a.f0  
— 044.u1.66a.frm  
— 044.u1.66a.wav  
— 044.u1.66b.f0  
— 044.u1.66b.frm  
— 044.u1.66b.wav  
— 044.u1.77a.f0  
— 044.u1.77a.frm  
— 044.u1.77a.wav  
— 044.u1.77b.f0  
— 044.u1.77b.frm  
— 044.u1.77b.wav  
— 044.u1.77c.f0  
— 044.u1.77c.frm  
— 044.u1.77c.wav  
— 044.u1.88a.f0  
— 044.u1.88a.frm  
— 044.u1.88a.wav  
— 044.u1.88b.f0  
— 044.u1.88b.frm  
— 044.u1.88b.wav  
— 044.u1.88c.f0  
— 044.u1.88c.frm  
— 044.u1.88c.wav

— 046/

— u1/

— 046.u1.01.f0  
— 046.u1.01.frm  
— 046.u1.01.wav  
— 046.u1.02.f0  
— 046.u1.02.frm  
— 046.u1.02.wav  
— 046.u1.03.f0  
— 046.u1.03.frm  
— 046.u1.03.wav  
— 046.u1.04.f0  
— 046.u1.04.frm  
— 046.u1.04.wav  
— 046.u1.05.f0  
— 046.u1.05.frm  
— 046.u1.05.wav  
— 046.u1.11.f0  
— 046.u1.11.frm  
— 046.u1.11.wav  
— 046.u1.22.f0  
— 046.u1.22.frm  
— 046.u1.22.wav  
— 046.u1.33a.f0  
— 046.u1.33a.frm  
— 046.u1.33a.wav  
— 046.u1.33b.f0  
— 046.u1.33b.frm  
— 046.u1.33b.wav  
— 046.u1.44a.f0  
— 046.u1.44a.frm  
— 046.u1.44a.wav  
— 046.u1.44b.f0  
— 046.u1.44b.frm  
— 046.u1.44b.wav  
— 046.u1.55a.f0  
— 046.u1.55a.frm  
— 046.u1.55a.wav  
— 046.u1.55b.f0  
— 046.u1.55b.frm  
— 046.u1.55b.wav  
— 046.u1.66a.f0  
— 046.u1.66a.frm  
— 046.u1.66a.wav  
— 046.u1.66b.f0  
— 046.u1.66b.frm  
— 046.u1.66b.wav  
— 046.u1.77a.f0  
— 046.u1.77a.frm  
— 046.u1.77a.wav  
— 046.u1.77b.f0  
— 046.u1.77b.frm  
— 046.u1.77b.wav

— 046.u1.77c.f0  
— 046.u1.77c.frm  
— 046.u1.77c.wav  
— 046.u1.88a.f0  
— 046.u1.88a.frm  
— 046.u1.88a.wav  
— 046.u1.88b.f0  
— 046.u1.88b.frm  
— 046.u1.88b.wav  
— 046.u1.88c.f0  
— 046.u1.88c.frm  
— 046.u1.88c.wav

u2/

— 046.u2.01.wav  
— 046.u2.02.wav  
— 046.u2.03.wav  
— 046.u2.04.pk  
— 046.u2.04.wav  
— 046.u2.05.wav  
— 046.u2.11.wav  
— 046.u2.33a.wav  
— 046.u2.33b.wav  
— 046.u2.33c.wav  
— 046.u2.33d.wav  
— 046.u2.44a.wav  
— 046.u2.44b.wav  
— 046.u2.55a.wav  
— 046.u2.55b.wav  
— 046.u2.55c.wav  
— 046.u2.55d.wav  
— 046.u2.66a.wav  
— 046.u2.66b.wav  
— 046.u2.66c.wav  
— 046.u2.66d.wav  
— 046.u2.77a.wav  
— 046.u2.77b.wav  
— 046.u2.77c.wav  
— 046.u2.88a.wav  
— 046.u2.88b.wav  
— 046.u2.88c.wav

050/

u1/

— 050.u1.01.f0  
— 050.u1.01.frm  
— 050.u1.01.wav  
— 050.u1.02.f0  
— 050.u1.02.frm  
— 050.u1.02.wav  
— 050.u1.03.f0  
— 050.u1.03.frm  
— 050.u1.03.wav  
— 050.u1.04.f0  
— 050.u1.04.frm  
— 050.u1.04.pk  
— 050.u1.04.wav  
— 050.u1.05.f0  
— 050.u1.05.frm  
— 050.u1.05.wav  
— 050.u1.11.f0  
— 050.u1.11.frm  
— 050.u1.11.wav  
— 050.u1.22.f0  
— 050.u1.22.frm  
— 050.u1.22.wav  
— 050.u1.44a.f0  
— 050.u1.44a.frm  
— 050.u1.44a.wav  
— 050.u1.44b.f0  
— 050.u1.44b.frm  
— 050.u1.44b.wav  
— 050.u1.55a.f0  
— 050.u1.55a.frm  
— 050.u1.55a.wav  
— 050.u1.55b.f0  
— 050.u1.55b.frm  
— 050.u1.55b.wav  
— 050.u1.66a.f0  
— 050.u1.66a.frm  
— 050.u1.66a.wav  
— 050.u1.66b.f0  
— 050.u1.66b.frm  
— 050.u1.66b.wav  
— 050.u1.77a.f0  
— 050.u1.77a.frm  
— 050.u1.77a.wav

- 050.u1.77b.f0
- 050.u1.77b.frm
- 050.u1.77b.wav
- 050.u1.77c.f0
- 050.u1.77c.frm
- 050.u1.77c.wav
- 050.u1.88a.f0
- 050.u1.88a.frm
- 050.u1.88a.wav
- 050.u1.88b.f0
- 050.u1.88b.frm
- 050.u1.88b.wav
- 050.u1.88c.f0
- 050.u1.88c.frm
- 050.u1.88c.wav

053/

└─ u1/

- 053.u1.01.f0
- 053.u1.01.frm
- 053.u1.01.wav
- 053.u1.02.f0
- 053.u1.02.frm
- 053.u1.02.wav
- 053.u1.03.f0
- 053.u1.03.frm
- 053.u1.03.wav
- 053.u1.04.f0
- 053.u1.04.frm
- 053.u1.04.pk
- 053.u1.04.wav
- 053.u1.05.f0
- 053.u1.05.frm
- 053.u1.05.wav
- 053.u1.11.f0
- 053.u1.11.frm
- 053.u1.11.wav
- 053.u1.22.f0
- 053.u1.22.frm
- 053.u1.22.wav
- 053.u1.44a.f0
- 053.u1.44a.frm
- 053.u1.44a.wav
- 053.u1.44b.f0
- 053.u1.44b.frm
- 053.u1.44b.wav
- 053.u1.55a.f0
- 053.u1.55a.frm
- 053.u1.55a.wav
- 053.u1.55b.f0
- 053.u1.55b.frm
- 053.u1.55b.wav
- 053.u1.66a.f0
- 053.u1.66a.frm
- 053.u1.66a.wav
- 053.u1.66b.f0
- 053.u1.66b.frm
- 053.u1.66b.wav
- 053.u1.77a.f0
- 053.u1.77a.frm
- 053.u1.77a.wav
- 053.u1.77b.f0
- 053.u1.77b.frm
- 053.u1.77b.wav
- 053.u1.77c.f0
- 053.u1.77c.frm
- 053.u1.77c.wav
- 053.u1.88a.f0
- 053.u1.88a.frm
- 053.u1.88a.wav
- 053.u1.88b.f0
- 053.u1.88b.frm
- 053.u1.88b.wav
- 053.u1.88c.f0
- 053.u1.88c.frm
- 053.u1.88c.wav

054/

└─ u1/

- 054.u1.01.f0
- 054.u1.01.frm
- 054.u1.01.wav
- 054.u1.02.f0
- 054.u1.02.frm
- 054.u1.02.wav
- 054.u1.03.f0
- 054.u1.03.frm

— 054.u1.03.wav  
— 054.u1.04.f0  
— 054.u1.04.frm  
— 054.u1.04.pk  
— 054.u1.04.wav  
— 054.u1.05.f0  
— 054.u1.05.frm  
— 054.u1.05.wav  
— 054.u1.11.f0  
— 054.u1.11.frm  
— 054.u1.11.wav  
— 054.u1.22.f0  
— 054.u1.22.frm  
— 054.u1.22.wav  
— 054.u1.44a.f0  
— 054.u1.44a.frm  
— 054.u1.44a.wav  
— 054.u1.44b.f0  
— 054.u1.44b.frm  
— 054.u1.44b.wav  
— 054.u1.55a.f0  
— 054.u1.55a.frm  
— 054.u1.55a.wav  
— 054.u1.55b.f0  
— 054.u1.55b.frm  
— 054.u1.55b.wav  
— 054.u1.66a.f0  
— 054.u1.66a.frm  
— 054.u1.66a.wav  
— 054.u1.66b.f0  
— 054.u1.66b.frm  
— 054.u1.66b.wav  
— 054.u1.77a.f0  
— 054.u1.77a.frm  
— 054.u1.77a.wav  
— 054.u1.77b.f0  
— 054.u1.77b.frm  
— 054.u1.77b.wav  
— 054.u1.77c.f0  
— 054.u1.77c.frm  
— 054.u1.77c.wav  
— 054.u1.88a.f0  
— 054.u1.88a.frm  
— 054.u1.88a.wav  
— 054.u1.88b.f0  
— 054.u1.88b.frm  
— 054.u1.88b.wav  
— 054.u1.88c.f0  
— 054.u1.88c.frm  
— 054.u1.88c.wav

— 056/

— u1/

— 056.u1.01.f0  
— 056.u1.01.frm  
— 056.u1.01.wav  
— 056.u1.02.f0  
— 056.u1.02.frm  
— 056.u1.02.wav  
— 056.u1.03.f0  
— 056.u1.03.frm  
— 056.u1.03.wav  
— 056.u1.04.f0  
— 056.u1.04.frm  
— 056.u1.04.wav  
— 056.u1.05.f0  
— 056.u1.05.frm  
— 056.u1.05.wav  
— 056.u1.11.f0  
— 056.u1.11.frm  
— 056.u1.11.wav  
— 056.u1.22.f0  
— 056.u1.22.frm  
— 056.u1.22.wav  
— 056.u1.33a.f0  
— 056.u1.33a.frm  
— 056.u1.33a.wav  
— 056.u1.33b.f0  
— 056.u1.33b.frm  
— 056.u1.33b.wav  
— 056.u1.44a.f0  
— 056.u1.44a.frm  
— 056.u1.44a.wav  
— 056.u1.44b.f0  
— 056.u1.44b.frm  
— 056.u1.44b.wav



— 056.u1.55a.f0  
— 056.u1.55a.frm  
— 056.u1.55a.wav  
— 056.u1.55b.f0  
— 056.u1.55b.frm  
— 056.u1.55b.wav  
— 056.u1.66a.f0  
— 056.u1.66a.frm  
— 056.u1.66a.wav  
— 056.u1.66b.f0  
— 056.u1.66b.frm  
— 056.u1.66b.wav  
— 056.u1.77a.f0  
— 056.u1.77a.frm  
— 056.u1.77a.wav  
— 056.u1.77b.f0  
— 056.u1.77b.frm  
— 056.u1.77b.wav  
— 056.u1.77c.f0  
— 056.u1.77c.frm  
— 056.u1.77c.wav  
— 056.u1.88a.f0  
— 056.u1.88a.frm  
— 056.u1.88a.wav  
— 056.u1.88b.f0  
— 056.u1.88b.frm  
— 056.u1.88b.wav  
— 056.u1.88c.f0  
— 056.u1.88c.frm  
— 056.u1.88c.wav

u2/

— 056.u2.01.wav  
— 056.u2.02.wav  
— 056.u2.03.wav  
— 056.u2.04.pk  
— 056.u2.04.wav  
— 056.u2.05.wav  
— 056.u2.11.wav  
— 056.u2.22.wav  
— 056.u2.33a.wav  
— 056.u2.33b.wav  
— 056.u2.44a.wav  
— 056.u2.44b.wav  
— 056.u2.55a.wav  
— 056.u2.55b.wav  
— 056.u2.66a.wav  
— 056.u2.66b.wav  
— 056.u2.77a.wav  
— 056.u2.77b.wav  
— 056.u2.77c.wav  
— 056.u2.88a.wav  
— 056.u2.88b.wav  
— 056.u2.88c.wav

058/

u1/

— 058.u1.01.f0  
— 058.u1.01.frm  
— 058.u1.01.wav  
— 058.u1.02.f0  
— 058.u1.02.frm  
— 058.u1.02.wav  
— 058.u1.03.f0  
— 058.u1.03.frm  
— 058.u1.03.wav  
— 058.u1.04.f0  
— 058.u1.04.frm  
— 058.u1.04.pk  
— 058.u1.04.wav  
— 058.u1.05.f0  
— 058.u1.05.frm  
— 058.u1.05.wav  
— 058.u1.11.f0  
— 058.u1.11.frm  
— 058.u1.11.wav  
— 058.u1.22.f0  
— 058.u1.22.frm  
— 058.u1.22.wav  
— 058.u1.33a.f0  
— 058.u1.33a.frm  
— 058.u1.33a.wav  
— 058.u1.33b.f0  
— 058.u1.33b.frm  
— 058.u1.33b.wav  
— 058.u1.44a.f0  
— 058.u1.44a.frm

- 058.u1.44a.wav
- 058.u1.44b.f0
- 058.u1.44b.frm
- 058.u1.44b.wav
- 058.u1.55a.f0
- 058.u1.55a.frm
- 058.u1.55a.wav
- 058.u1.55b.f0
- 058.u1.55b.frm
- 058.u1.55b.wav
- 058.u1.66a.f0
- 058.u1.66a.frm
- 058.u1.66a.wav
- 058.u1.66b.f0
- 058.u1.66b.frm
- 058.u1.66b.wav
- 058.u1.77a.f0
- 058.u1.77a.frm
- 058.u1.77a.wav
- 058.u1.77b.f0
- 058.u1.77b.frm
- 058.u1.77b.wav
- 058.u1.77c.f0
- 058.u1.77c.frm
- 058.u1.77c.wav
- 058.u1.88a.f0
- 058.u1.88a.frm
- 058.u1.88a.wav
- 058.u1.88b.f0
- 058.u1.88b.frm
- 058.u1.88b.wav
- 058.u1.88c.f0
- 058.u1.88c.frm
- 058.u1.88c.wav

— 059/

— u1/

- 059.u1.01.f0
- 059.u1.01.frm
- 059.u1.01.wav
- 059.u1.02.f0
- 059.u1.02.frm
- 059.u1.02.wav
- 059.u1.03.f0
- 059.u1.03.frm
- 059.u1.03.wav
- 059.u1.04.f0
- 059.u1.04.frm
- 059.u1.04.pk
- 059.u1.04.wav
- 059.u1.05.f0
- 059.u1.05.frm
- 059.u1.05.wav
- 059.u1.11.f0
- 059.u1.11.frm
- 059.u1.11.wav
- 059.u1.22.f0
- 059.u1.22.frm
- 059.u1.22.wav
- 059.u1.33a.f0
- 059.u1.33a.frm
- 059.u1.33a.wav
- 059.u1.33b.f0
- 059.u1.33b.frm
- 059.u1.33b.wav
- 059.u1.44a.f0
- 059.u1.44a.frm
- 059.u1.44a.wav
- 059.u1.44b.f0
- 059.u1.44b.frm
- 059.u1.44b.wav
- 059.u1.55a.f0
- 059.u1.55a.frm
- 059.u1.55a.wav
- 059.u1.55b.f0
- 059.u1.55b.frm
- 059.u1.55b.wav
- 059.u1.66a.f0
- 059.u1.66a.frm
- 059.u1.66a.wav
- 059.u1.66b.f0
- 059.u1.66b.frm
- 059.u1.66b.wav
- 059.u1.77a.f0
- 059.u1.77a.frm
- 059.u1.77a.wav

- 059.u1.77b.f0
- 059.u1.77b.frm
- 059.u1.77b.wav
- 059.u1.77c.f0
- 059.u1.77c.frm
- 059.u1.77c.wav
- 059.u1.88a.f0
- 059.u1.88a.frm
- 059.u1.88a.wav
- 059.u1.88b.f0
- 059.u1.88b.frm
- 059.u1.88b.wav
- 059.u1.88c.f0
- 059.u1.88c.frm
- 059.u1.88c.wav

u2/

- 059.u2.01.wav
- 059.u2.02.wav
- 059.u2.03.wav
- 059.u2.04.pk
- 059.u2.04.wav
- 059.u2.05.wav
- 059.u2.11.wav
- 059.u2.33a.wav
- 059.u2.33b.wav
- 059.u2.33c.wav
- 059.u2.33d.wav
- 059.u2.44a.wav
- 059.u2.44b.wav
- 059.u2.55a.wav
- 059.u2.55b.wav
- 059.u2.55c.wav
- 059.u2.55d.wav
- 059.u2.66a.wav
- 059.u2.66b.wav
- 059.u2.66c.wav
- 059.u2.66d.wav
- 059.u2.77a.wav
- 059.u2.77b.wav
- 059.u2.77c.wav
- 059.u2.88a.wav
- 059.u2.88b.wav
- 059.u2.88c.wav

063/

u1/

- 063.u1.01.f0
- 063.u1.01.frm
- 063.u1.01.wav
- 063.u1.02.f0
- 063.u1.02.frm
- 063.u1.02.wav
- 063.u1.03.f0
- 063.u1.03.frm
- 063.u1.03.wav
- 063.u1.04.f0
- 063.u1.04.frm
- 063.u1.04.pk
- 063.u1.04.wav
- 063.u1.05.f0
- 063.u1.05.frm
- 063.u1.05.wav
- 063.u1.11.f0
- 063.u1.11.frm
- 063.u1.11.wav
- 063.u1.22.f0
- 063.u1.22.frm
- 063.u1.22.wav
- 063.u1.33a.f0
- 063.u1.33a.frm
- 063.u1.33a.wav
- 063.u1.33b.f0
- 063.u1.33b.frm
- 063.u1.33b.wav
- 063.u1.44a.f0
- 063.u1.44a.frm
- 063.u1.44a.wav
- 063.u1.44b.f0
- 063.u1.44b.frm
- 063.u1.44b.wav
- 063.u1.55a.f0
- 063.u1.55a.frm
- 063.u1.55a.wav
- 063.u1.55b.f0
- 063.u1.55b.frm
- 063.u1.55b.wav

- 063.u1.66a.f0
- 063.u1.66a.frm
- 063.u1.66a.wav
- 063.u1.66b.f0
- 063.u1.66b.frm
- 063.u1.66b.wav
- 063.u1.77a.f0
- 063.u1.77a.frm
- 063.u1.77a.wav
- 063.u1.77b.f0
- 063.u1.77b.frm
- 063.u1.77b.wav
- 063.u1.77c.f0
- 063.u1.77c.frm
- 063.u1.77c.wav
- 063.u1.88a.f0
- 063.u1.88a.frm
- 063.u1.88a.wav
- 063.u1.88b.f0
- 063.u1.88b.frm
- 063.u1.88b.wav
- 063.u1.88c.f0
- 063.u1.88c.frm
- 063.u1.88c.wav

— 064/

— u1/

- 064.u1.01.f0
- 064.u1.01.frm
- 064.u1.01.wav
- 064.u1.02.f0
- 064.u1.02.frm
- 064.u1.02.wav
- 064.u1.03.f0
- 064.u1.03.frm
- 064.u1.03.wav
- 064.u1.04.f0
- 064.u1.04.frm
- 064.u1.04.wav
- 064.u1.05.f0
- 064.u1.05.frm
- 064.u1.05.wav
- 064.u1.11.f0
- 064.u1.11.frm
- 064.u1.11.wav
- 064.u1.22.f0
- 064.u1.22.frm
- 064.u1.22.wav
- 064.u1.33a.f0
- 064.u1.33a.frm
- 064.u1.33a.wav
- 064.u1.33b.f0
- 064.u1.33b.frm
- 064.u1.33b.wav
- 064.u1.44a.f0
- 064.u1.44a.frm
- 064.u1.44a.wav
- 064.u1.44b.f0
- 064.u1.44b.frm
- 064.u1.44b.wav
- 064.u1.55a.f0
- 064.u1.55a.frm
- 064.u1.55a.wav
- 064.u1.55b.f0
- 064.u1.55b.frm
- 064.u1.55b.wav
- 064.u1.66a.f0
- 064.u1.66a.frm
- 064.u1.66a.wav
- 064.u1.66b.f0
- 064.u1.66b.frm
- 064.u1.66b.wav
- 064.u1.77a.f0
- 064.u1.77a.frm
- 064.u1.77a.wav
- 064.u1.77b.f0
- 064.u1.77b.frm
- 064.u1.77b.wav
- 064.u1.77c.f0
- 064.u1.77c.frm
- 064.u1.77c.wav
- 064.u1.88a.f0
- 064.u1.88a.frm
- 064.u1.88a.wav
- 064.u1.88b.f0
- 064.u1.88b.frm

— 064.u1.88b.wav  
— 064.u1.88c.f0  
— 064.u1.88c.frm  
— 064.u1.88c.wav

— u2/

— 064.u2.01.wav  
— 064.u2.02.wav  
— 064.u2.03.wav  
— 064.u2.04.pk  
— 064.u2.04.wav  
— 064.u2.05.wav  
— 064.u2.11.wav  
— 064.u2.22.wav  
— 064.u2.33a.wav  
— 064.u2.33b.wav  
— 064.u2.44a.wav  
— 064.u2.44b.wav  
— 064.u2.55a.wav  
— 064.u2.55b.wav  
— 064.u2.66a.wav  
— 064.u2.66b.wav  
— 064.u2.77a.wav  
— 064.u2.77b.wav  
— 064.u2.77c.wav  
— 064.u2.88a.wav  
— 064.u2.88b.wav  
— 064.u2.88c.wav

— u3/

— 064.u3.01.wav  
— 064.u3.02.wav  
— 064.u3.03.wav  
— 064.u3.04.wav  
— 064.u3.05.wav  
— 064.u3.11.wav  
— 064.u3.22.wav  
— 064.u3.33a.wav  
— 064.u3.33b.wav  
— 064.u3.44a.wav  
— 064.u3.44b.wav  
— 064.u3.55a.wav  
— 064.u3.55b.wav  
— 064.u3.66a.wav  
— 064.u3.66b.wav  
— 064.u3.77a.wav  
— 064.u3.77b.wav  
— 064.u3.77c.wav  
— 064.u3.88a.wav  
— 064.u3.88b.wav  
— 064.u3.88c.wav

— u4/

— 064.u4.01.wav  
— 064.u4.02.wav  
— 064.u4.03.wav  
— 064.u4.04.wav  
— 064.u4.05.wav  
— 064.u4.11.wav  
— 064.u4.33a.wav  
— 064.u4.33b.wav  
— 064.u4.33c.wav  
— 064.u4.33d.wav  
— 064.u4.44a.wav  
— 064.u4.44b.wav  
— 064.u4.55a.wav  
— 064.u4.55b.wav  
— 064.u4.55c.wav  
— 064.u4.55d.wav  
— 064.u4.66a.wav  
— 064.u4.66b.wav  
— 064.u4.66c.wav  
— 064.u4.66d.wav  
— 064.u4.77a.wav  
— 064.u4.77b.wav  
— 064.u4.77c.wav  
— 064.u4.88a.wav  
— 064.u4.88b.wav  
— 064.u4.88c.wav

— 067/

— u1/

— 067.u1.01.f0  
— 067.u1.01.frm  
— 067.u1.01.wav  
— 067.u1.02.f0  
— 067.u1.02.frm  
— 067.u1.02.wav  
— 067.u1.03.f0

- 067.u1.03.frm
- 067.u1.03.wav
- 067.u1.04.f0
- 067.u1.04.frm
- 067.u1.04.pk
- 067.u1.04.wav
- 067.u1.05.f0
- 067.u1.05.frm
- 067.u1.05.wav
- 067.u1.11.f0
- 067.u1.11.frm
- 067.u1.11.wav
- 067.u1.22.f0
- 067.u1.22.frm
- 067.u1.22.wav
- 067.u1.44a.f0
- 067.u1.44a.frm
- 067.u1.44a.wav
- 067.u1.44b.f0
- 067.u1.44b.frm
- 067.u1.44b.wav
- 067.u1.55a.f0
- 067.u1.55a.frm
- 067.u1.55a.wav
- 067.u1.55b.f0
- 067.u1.55b.frm
- 067.u1.55b.wav
- 067.u1.66a.f0
- 067.u1.66a.frm
- 067.u1.66a.wav
- 067.u1.66b.f0
- 067.u1.66b.frm
- 067.u1.66b.wav
- 067.u1.77a.f0
- 067.u1.77a.frm
- 067.u1.77a.wav
- 067.u1.77b.f0
- 067.u1.77b.frm
- 067.u1.77b.wav
- 067.u1.77c.f0
- 067.u1.77c.frm
- 067.u1.77c.wav
- 067.u1.88a.f0
- 067.u1.88a.frm
- 067.u1.88a.wav
- 067.u1.88b.f0
- 067.u1.88b.frm
- 067.u1.88b.wav
- 067.u1.88c.f0
- 067.u1.88c.frm
- 067.u1.88c.wav

— 071/

— u1/

- 071.u1.01.f0
- 071.u1.01.frm
- 071.u1.01.wav
- 071.u1.02.f0
- 071.u1.02.frm
- 071.u1.02.wav
- 071.u1.03.f0
- 071.u1.03.frm
- 071.u1.03.wav
- 071.u1.04.f0
- 071.u1.04.frm
- 071.u1.04.wav
- 071.u1.05.f0
- 071.u1.05.frm
- 071.u1.05.wav
- 071.u1.11.f0
- 071.u1.11.frm
- 071.u1.11.wav
- 071.u1.22.f0
- 071.u1.22.frm
- 071.u1.22.wav
- 071.u1.44a.f0
- 071.u1.44a.frm
- 071.u1.44a.wav
- 071.u1.44b.f0
- 071.u1.44b.frm
- 071.u1.44b.wav
- 071.u1.55a.f0
- 071.u1.55a.frm
- 071.u1.55a.wav
- 071.u1.55b.f0
- 071.u1.55b.frm

- 071.u1.55b.wav
- 071.u1.66a.f0
- 071.u1.66a.frm
- 071.u1.66a.wav
- 071.u1.66b.f0
- 071.u1.66b.frm
- 071.u1.66b.wav
- 071.u1.77a.f0
- 071.u1.77a.frm
- 071.u1.77a.wav
- 071.u1.77b.f0
- 071.u1.77b.frm
- 071.u1.77b.wav
- 071.u1.77c.f0
- 071.u1.77c.frm
- 071.u1.77c.wav
- 071.u1.88a.f0
- 071.u1.88a.frm
- 071.u1.88a.wav
- 071.u1.88b.f0
- 071.u1.88b.frm
- 071.u1.88b.wav
- 071.u1.88c.f0
- 071.u1.88c.frm
- 071.u1.88c.wav

u2/

- 071.u2.01.wav
- 071.u2.02.wav
- 071.u2.03.wav
- 071.u2.04.pk
- 071.u2.04.wav
- 071.u2.05.wav
- 071.u2.11.wav
- 071.u2.33a.wav
- 071.u2.33b.wav
- 071.u2.33c.wav
- 071.u2.33d.wav
- 071.u2.44a.wav
- 071.u2.44b.wav
- 071.u2.55a.wav
- 071.u2.55b.wav
- 071.u2.55c.wav
- 071.u2.55d.wav
- 071.u2.66a.wav
- 071.u2.66b.wav
- 071.u2.66c.wav
- 071.u2.66d.wav
- 071.u2.77a.wav
- 071.u2.77b.wav
- 071.u2.77c.wav
- 071.u2.88a.wav
- 071.u2.88b.wav
- 071.u2.88c.wav

075/

u1/

- 075.u1.01.f0
- 075.u1.01.frm
- 075.u1.01.wav
- 075.u1.02.f0
- 075.u1.02.frm
- 075.u1.02.wav
- 075.u1.03.f0
- 075.u1.03.frm
- 075.u1.03.wav
- 075.u1.04.f0
- 075.u1.04.frm
- 075.u1.04.pk
- 075.u1.04.wav
- 075.u1.05.f0
- 075.u1.05.frm
- 075.u1.05.wav
- 075.u1.11.f0
- 075.u1.11.frm
- 075.u1.11.wav
- 075.u1.22.f0
- 075.u1.22.frm
- 075.u1.22.wav
- 075.u1.33a.f0
- 075.u1.33a.frm
- 075.u1.33a.wav
- 075.u1.33b.f0
- 075.u1.33b.frm
- 075.u1.33b.wav
- 075.u1.44a.f0
- 075.u1.44a.frm

- 075.u1.44a.wav
- 075.u1.44b.f0
- 075.u1.44b.frm
- 075.u1.44b.wav
- 075.u1.55a.f0
- 075.u1.55a.frm
- 075.u1.55a.wav
- 075.u1.55b.f0
- 075.u1.55b.frm
- 075.u1.55b.wav
- 075.u1.66a.f0
- 075.u1.66a.frm
- 075.u1.66a.wav
- 075.u1.66b.f0
- 075.u1.66b.frm
- 075.u1.66b.wav
- 075.u1.77a.f0
- 075.u1.77a.frm
- 075.u1.77a.wav
- 075.u1.77b.f0
- 075.u1.77b.frm
- 075.u1.77b.wav
- 075.u1.77c.f0
- 075.u1.77c.frm
- 075.u1.77c.wav
- 075.u1.88a.f0
- 075.u1.88a.frm
- 075.u1.88a.wav
- 075.u1.88b.f0
- 075.u1.88b.frm
- 075.u1.88b.wav
- 075.u1.88c.f0
- 075.u1.88c.frm
- 075.u1.88c.wav

— 077/

— u1/

- 077.u1.01.f0
- 077.u1.01.frm
- 077.u1.01.wav
- 077.u1.02.f0
- 077.u1.02.frm
- 077.u1.02.wav
- 077.u1.03.f0
- 077.u1.03.frm
- 077.u1.03.wav
- 077.u1.04.f0
- 077.u1.04.frm
- 077.u1.04.pk
- 077.u1.04.wav
- 077.u1.05.f0
- 077.u1.05.frm
- 077.u1.05.wav
- 077.u1.11.f0
- 077.u1.11.frm
- 077.u1.11.wav
- 077.u1.22.f0
- 077.u1.22.frm
- 077.u1.22.wav
- 077.u1.44a.f0
- 077.u1.44a.frm
- 077.u1.44a.wav
- 077.u1.44b.f0
- 077.u1.44b.frm
- 077.u1.44b.wav
- 077.u1.55a.f0
- 077.u1.55a.frm
- 077.u1.55a.wav
- 077.u1.55b.f0
- 077.u1.55b.frm
- 077.u1.55b.wav
- 077.u1.66a.f0
- 077.u1.66a.frm
- 077.u1.66a.wav
- 077.u1.66b.f0
- 077.u1.66b.frm
- 077.u1.66b.wav
- 077.u1.77a.f0
- 077.u1.77a.frm
- 077.u1.77a.wav
- 077.u1.77b.f0
- 077.u1.77b.frm
- 077.u1.77b.wav
- 077.u1.77c.f0
- 077.u1.77c.frm
- 077.u1.77c.wav



- 077.u1.88a.f0
- 077.u1.88a.frm
- 077.u1.88a.wav
- 077.u1.88b.f0
- 077.u1.88b.frm
- 077.u1.88b.wav
- 077.u1.88c.f0
- 077.u1.88c.frm
- 077.u1.88c.wav

u2/

- 077.u2.01.wav
- 077.u2.02.wav
- 077.u2.03.wav
- 077.u2.04.pk
- 077.u2.04.wav
- 077.u2.05.wav
- 077.u2.11.wav
- 077.u2.22.wav
- 077.u2.44a.wav
- 077.u2.44b.wav
- 077.u2.55a.wav
- 077.u2.55b.wav
- 077.u2.66a.wav
- 077.u2.66b.wav
- 077.u2.77a.wav
- 077.u2.77b.wav
- 077.u2.77c.wav
- 077.u2.88a.wav
- 077.u2.88b.wav
- 077.u2.88c.wav

078/

u1/

- 078.u1.01.f0
- 078.u1.01.frm
- 078.u1.01.wav
- 078.u1.02.f0
- 078.u1.02.frm
- 078.u1.02.wav
- 078.u1.03.f0
- 078.u1.03.frm
- 078.u1.03.wav
- 078.u1.04.f0
- 078.u1.04.frm
- 078.u1.04.pk
- 078.u1.04.wav
- 078.u1.05.f0
- 078.u1.05.frm
- 078.u1.05.wav
- 078.u1.11.f0
- 078.u1.11.frm
- 078.u1.11.wav
- 078.u1.22.f0
- 078.u1.22.frm
- 078.u1.22.wav
- 078.u1.33a.f0
- 078.u1.33a.frm
- 078.u1.33a.wav
- 078.u1.33b.f0
- 078.u1.33b.frm
- 078.u1.33b.wav
- 078.u1.44a.f0
- 078.u1.44a.frm
- 078.u1.44a.wav
- 078.u1.44b.f0
- 078.u1.44b.frm
- 078.u1.44b.wav
- 078.u1.55a.f0
- 078.u1.55a.frm
- 078.u1.55a.wav
- 078.u1.55b.f0
- 078.u1.55b.frm
- 078.u1.55b.wav
- 078.u1.66a.f0
- 078.u1.66a.frm
- 078.u1.66a.wav
- 078.u1.66b.f0
- 078.u1.66b.frm
- 078.u1.66b.wav
- 078.u1.77a.f0
- 078.u1.77a.frm
- 078.u1.77a.wav
- 078.u1.77b.f0
- 078.u1.77b.frm
- 078.u1.77b.wav
- 078.u1.77c.f0

- 078.u1.77c.frm
- 078.u1.77c.wav
- 078.u1.88a.f0
- 078.u1.88a.frm
- 078.u1.88a.wav
- 078.u1.88b.f0
- 078.u1.88b.frm
- 078.u1.88b.wav
- 078.u1.88c.f0
- 078.u1.88c.frm
- 078.u1.88c.wav

080/

u1/

- 080.u1.01.f0
- 080.u1.01.frm
- 080.u1.01.wav
- 080.u1.02.f0
- 080.u1.02.frm
- 080.u1.02.wav
- 080.u1.03.f0
- 080.u1.03.frm
- 080.u1.03.wav
- 080.u1.04.f0
- 080.u1.04.frm
- 080.u1.04.pk
- 080.u1.04.wav
- 080.u1.05.f0
- 080.u1.05.frm
- 080.u1.05.wav
- 080.u1.11.f0
- 080.u1.11.frm
- 080.u1.11.wav
- 080.u1.22.f0
- 080.u1.22.frm
- 080.u1.22.wav
- 080.u1.44a.f0
- 080.u1.44a.frm
- 080.u1.44a.wav
- 080.u1.44b.f0
- 080.u1.44b.frm
- 080.u1.44b.wav
- 080.u1.55a.f0
- 080.u1.55a.frm
- 080.u1.55a.wav
- 080.u1.55b.f0
- 080.u1.55b.frm
- 080.u1.55b.wav
- 080.u1.66a.f0
- 080.u1.66a.frm
- 080.u1.66a.wav
- 080.u1.66b.f0
- 080.u1.66b.frm
- 080.u1.66b.wav
- 080.u1.77a.f0
- 080.u1.77a.frm
- 080.u1.77a.wav
- 080.u1.77b.f0
- 080.u1.77b.frm
- 080.u1.77b.wav
- 080.u1.77c.f0
- 080.u1.77c.frm
- 080.u1.77c.wav
- 080.u1.88a.f0
- 080.u1.88a.frm
- 080.u1.88a.wav
- 080.u1.88b.f0
- 080.u1.88b.frm
- 080.u1.88b.wav
- 080.u1.88c.f0
- 080.u1.88c.frm
- 080.u1.88c.wav

082/

u1/

- 082.u1.01.f0
- 082.u1.01.frm
- 082.u1.01.wav
- 082.u1.02.f0
- 082.u1.02.frm
- 082.u1.02.wav
- 082.u1.03.f0
- 082.u1.03.frm
- 082.u1.03.wav
- 082.u1.04.f0
- 082.u1.04.frm
- 082.u1.04.pk

— 082.u1.04.wav  
— 082.u1.05.f0  
— 082.u1.05.frm  
— 082.u1.05.pk  
— 082.u1.05.wav  
— 082.u1.11.f0  
— 082.u1.11.frm  
— 082.u1.11.wav  
— 082.u1.22.f0  
— 082.u1.22.frm  
— 082.u1.22.wav  
— 082.u1.33a.f0  
— 082.u1.33a.frm  
— 082.u1.33a.wav  
— 082.u1.33b.f0  
— 082.u1.33b.frm  
— 082.u1.33b.wav  
— 082.u1.44a.f0  
— 082.u1.44a.frm  
— 082.u1.44a.wav  
— 082.u1.44b.f0  
— 082.u1.44b.frm  
— 082.u1.44b.wav  
— 082.u1.77a.f0  
— 082.u1.77a.frm  
— 082.u1.77a.wav  
— 082.u1.77b.f0  
— 082.u1.77b.frm  
— 082.u1.77b.wav  
— 082.u1.77c.f0  
— 082.u1.77c.frm  
— 082.u1.77c.wav  
— 082.u1.88a.f0  
— 082.u1.88a.frm  
— 082.u1.88a.wav  
— 082.u1.88b.f0  
— 082.u1.88b.frm  
— 082.u1.88b.wav  
— 082.u1.88c.f0  
— 082.u1.88c.frm  
— 082.u1.88c.wav

— u2/

— 082.u2.01.wav  
— 082.u2.02.wav  
— 082.u2.03.wav  
— 082.u2.04.pk  
— 082.u2.04.wav  
— 082.u2.05.pk  
— 082.u2.05.wav  
— 082.u2.11.wav  
— 082.u2.22.wav  
— 082.u2.33a.wav  
— 082.u2.33b.wav  
— 082.u2.44a.wav  
— 082.u2.44b.wav  
— 082.u2.77a.wav  
— 082.u2.77b.wav  
— 082.u2.77c.wav  
— 082.u2.88a.wav  
— 082.u2.88b.wav  
— 082.u2.88c.wav

— 085/

— u1/

— 085.u1.01.f0  
— 085.u1.01.frm  
— 085.u1.01.wav  
— 085.u1.02.f0  
— 085.u1.02.frm  
— 085.u1.02.wav  
— 085.u1.03.f0  
— 085.u1.03.frm  
— 085.u1.03.wav  
— 085.u1.04.f0  
— 085.u1.04.frm  
— 085.u1.04.pk  
— 085.u1.04.wav  
— 085.u1.05.f0  
— 085.u1.05.frm  
— 085.u1.05.wav  
— 085.u1.11.f0  
— 085.u1.11.frm  
— 085.u1.11.wav  
— 085.u1.22.f0  
— 085.u1.22.frm  
— 085.u1.22.wav

- 085.u1.44a.f0
- 085.u1.44a.frm
- 085.u1.44a.wav
- 085.u1.44b.f0
- 085.u1.44b.frm
- 085.u1.44b.wav
- 085.u1.55a.f0
- 085.u1.55a.frm
- 085.u1.55a.wav
- 085.u1.55b.f0
- 085.u1.55b.frm
- 085.u1.55b.wav
- 085.u1.66a.f0
- 085.u1.66a.frm
- 085.u1.66a.wav
- 085.u1.66b.f0
- 085.u1.66b.frm
- 085.u1.66b.wav
- 085.u1.77a.f0
- 085.u1.77a.frm
- 085.u1.77a.wav
- 085.u1.77b.f0
- 085.u1.77b.frm
- 085.u1.77b.wav
- 085.u1.77c.f0
- 085.u1.77c.frm
- 085.u1.77c.wav
- 085.u1.88a.f0
- 085.u1.88a.frm
- 085.u1.88a.wav
- 085.u1.88b.f0
- 085.u1.88b.frm
- 085.u1.88b.wav
- 085.u1.88c.f0
- 085.u1.88c.frm
- 085.u1.88c.wav

086/

└─ u1/

- 086.u1.01.f0
- 086.u1.01.frm
- 086.u1.01.wav
- 086.u1.02.f0
- 086.u1.02.frm
- 086.u1.02.wav
- 086.u1.03.f0
- 086.u1.03.frm
- 086.u1.03.wav
- 086.u1.04.f0
- 086.u1.04.frm
- 086.u1.04.pk
- 086.u1.04.wav
- 086.u1.05.f0
- 086.u1.05.frm
- 086.u1.05.wav
- 086.u1.11.f0
- 086.u1.11.frm
- 086.u1.11.wav
- 086.u1.22.f0
- 086.u1.22.frm
- 086.u1.22.wav
- 086.u1.33a.f0
- 086.u1.33a.frm
- 086.u1.33a.wav
- 086.u1.33b.f0
- 086.u1.33b.frm
- 086.u1.33b.wav
- 086.u1.44a.f0
- 086.u1.44a.frm
- 086.u1.44a.wav
- 086.u1.44b.f0
- 086.u1.44b.frm
- 086.u1.44b.wav
- 086.u1.55a.f0
- 086.u1.55a.frm
- 086.u1.55a.wav
- 086.u1.55b.f0
- 086.u1.55b.frm
- 086.u1.55b.wav
- 086.u1.66a.f0
- 086.u1.66a.frm
- 086.u1.66a.wav
- 086.u1.66b.f0
- 086.u1.66b.frm
- 086.u1.66b.wav
- 086.u1.77a.f0

- 086.u1.77a.frm
- 086.u1.77a.wav
- 086.u1.77b.f0
- 086.u1.77b.frm
- 086.u1.77b.wav
- 086.u1.77c.f0
- 086.u1.77c.frm
- 086.u1.77c.wav
- 086.u1.88a.f0
- 086.u1.88a.frm
- 086.u1.88a.wav
- 086.u1.88b.f0
- 086.u1.88b.frm
- 086.u1.88b.wav
- 086.u1.88c.f0
- 086.u1.88c.frm
- 086.u1.88c.wav

— 088/

└─ u1/

- 088.u1.01.f0
- 088.u1.01.frm
- 088.u1.01.wav
- 088.u1.02.f0
- 088.u1.02.frm
- 088.u1.02.wav
- 088.u1.03.f0
- 088.u1.03.frm
- 088.u1.03.wav
- 088.u1.04.f0
- 088.u1.04.frm
- 088.u1.04.pk
- 088.u1.04.wav
- 088.u1.05.f0
- 088.u1.05.frm
- 088.u1.05.wav
- 088.u1.11.f0
- 088.u1.11.frm
- 088.u1.11.wav
- 088.u1.22.f0
- 088.u1.22.frm
- 088.u1.22.wav
- 088.u1.44a.f0
- 088.u1.44a.frm
- 088.u1.44a.wav
- 088.u1.44b.f0
- 088.u1.44b.frm
- 088.u1.44b.wav
- 088.u1.55a.f0
- 088.u1.55a.frm
- 088.u1.55a.wav
- 088.u1.55b.f0
- 088.u1.55b.frm
- 088.u1.55b.wav
- 088.u1.66a.f0
- 088.u1.66a.frm
- 088.u1.66a.wav
- 088.u1.66b.f0
- 088.u1.66b.frm
- 088.u1.66b.wav
- 088.u1.77a.f0
- 088.u1.77a.frm
- 088.u1.77a.wav
- 088.u1.77b.f0
- 088.u1.77b.frm
- 088.u1.77b.wav
- 088.u1.77c.f0
- 088.u1.77c.frm
- 088.u1.77c.wav
- 088.u1.88a.f0
- 088.u1.88a.frm
- 088.u1.88a.wav
- 088.u1.88b.f0
- 088.u1.88b.frm
- 088.u1.88b.wav
- 088.u1.88c.f0
- 088.u1.88c.frm
- 088.u1.88c.wav

— 089/

└─ u1/

- 089.u1.01.f0
- 089.u1.01.frm
- 089.u1.01.wav
- 089.u1.02.f0
- 089.u1.02.frm
- 089.u1.02.wav

— 089.u1.03.f0  
— 089.u1.03.frm  
— 089.u1.03.wav  
— 089.u1.04.f0  
— 089.u1.04.frm  
— 089.u1.04.pk  
— 089.u1.04.wav  
— 089.u1.05.f0  
— 089.u1.05.frm  
— 089.u1.05.wav  
— 089.u1.11.f0  
— 089.u1.11.frm  
— 089.u1.11.wav  
— 089.u1.22.f0  
— 089.u1.22.frm  
— 089.u1.22.wav  
— 089.u1.44a.f0  
— 089.u1.44a.frm  
— 089.u1.44a.wav  
— 089.u1.44b.f0  
— 089.u1.44b.frm  
— 089.u1.44b.wav  
— 089.u1.55a.f0  
— 089.u1.55a.frm  
— 089.u1.55a.wav  
— 089.u1.55b.f0  
— 089.u1.55b.frm  
— 089.u1.55b.wav  
— 089.u1.66a.f0  
— 089.u1.66a.frm  
— 089.u1.66a.wav  
— 089.u1.66b.f0  
— 089.u1.66b.frm  
— 089.u1.66b.wav  
— 089.u1.77a.f0  
— 089.u1.77a.frm  
— 089.u1.77a.wav  
— 089.u1.77b.f0  
— 089.u1.77b.frm  
— 089.u1.77b.wav  
— 089.u1.77c.f0  
— 089.u1.77c.frm  
— 089.u1.77c.wav  
— 089.u1.88a.f0  
— 089.u1.88a.frm  
— 089.u1.88a.wav  
— 089.u1.88b.f0  
— 089.u1.88b.frm  
— 089.u1.88b.wav  
— 089.u1.88c.f0  
— 089.u1.88c.frm  
— 089.u1.88c.wav

— 090/

— u1/  
— 090.u1.01.f0  
— 090.u1.01.frm  
— 090.u1.01.wav  
— 090.u1.02.f0  
— 090.u1.02.frm  
— 090.u1.02.wav  
— 090.u1.03.f0  
— 090.u1.03.frm  
— 090.u1.03.wav  
— 090.u1.04.f0  
— 090.u1.04.frm  
— 090.u1.04.pk  
— 090.u1.04.wav  
— 090.u1.05.f0  
— 090.u1.05.frm  
— 090.u1.05.wav  
— 090.u1.11.f0  
— 090.u1.11.frm  
— 090.u1.11.wav  
— 090.u1.22.f0  
— 090.u1.22.frm  
— 090.u1.22.wav  
— 090.u1.44a.f0  
— 090.u1.44a.frm  
— 090.u1.44a.wav  
— 090.u1.44b.f0  
— 090.u1.44b.frm  
— 090.u1.44b.wav  
— 090.u1.55a.f0  
— 090.u1.55a.frm  
— 090.u1.55a.wav

- 090.u1.55b.f0
- 090.u1.55b.frm
- 090.u1.55b.wav
- 090.u1.66a.f0
- 090.u1.66a.frm
- 090.u1.66a.wav
- 090.u1.66b.f0
- 090.u1.66b.frm
- 090.u1.66b.wav
- 090.u1.77a.f0
- 090.u1.77a.frm
- 090.u1.77a.wav
- 090.u1.77b.f0
- 090.u1.77b.frm
- 090.u1.77b.wav
- 090.u1.77c.f0
- 090.u1.77c.frm
- 090.u1.77c.wav
- 090.u1.88a.f0
- 090.u1.88a.frm
- 090.u1.88a.wav
- 090.u1.88b.f0
- 090.u1.88b.frm
- 090.u1.88b.wav
- 090.u1.88c.f0
- 090.u1.88c.frm
- 090.u1.88c.wav

u2/

- 090.u2.01.wav
- 090.u2.02.wav
- 090.u2.03.wav
- 090.u2.04.pk
- 090.u2.04.wav
- 090.u2.05.wav
- 090.u2.11a.wav
- 090.u2.11b.wav
- 090.u2.33a.wav
- 090.u2.33b.wav
- 090.u2.33c.wav
- 090.u2.33d.wav
- 090.u2.44a.wav
- 090.u2.44b.wav
- 090.u2.55a.wav
- 090.u2.55b.wav
- 090.u2.55c.wav
- 090.u2.55d.wav
- 090.u2.66a.wav
- 090.u2.66b.wav
- 090.u2.66c.wav
- 090.u2.66d.wav
- 090.u2.77a.wav
- 090.u2.77b.wav
- 090.u2.77c.wav
- 090.u2.88a.wav
- 090.u2.88b.wav
- 090.u2.88c.wav

092/

u1/

- 092.u1.01.f0
- 092.u1.01.frm
- 092.u1.01.wav
- 092.u1.02.f0
- 092.u1.02.frm
- 092.u1.02.wav
- 092.u1.03.f0
- 092.u1.03.frm
- 092.u1.03.wav
- 092.u1.04.f0
- 092.u1.04.frm
- 092.u1.04.pk
- 092.u1.04.wav
- 092.u1.05.f0
- 092.u1.05.frm
- 092.u1.05.wav
- 092.u1.11.f0
- 092.u1.11.frm
- 092.u1.11.wav
- 092.u1.22.f0
- 092.u1.22.frm
- 092.u1.22.wav
- 092.u1.33a.f0
- 092.u1.33a.frm
- 092.u1.33a.wav
- 092.u1.33b.f0
- 092.u1.33b.frm

- 092.u1.33b.wav
- 092.u1.44a.f0
- 092.u1.44a.frm
- 092.u1.44a.wav
- 092.u1.44b.f0
- 092.u1.44b.frm
- 092.u1.44b.wav
- 092.u1.55a.f0
- 092.u1.55a.frm
- 092.u1.55a.wav
- 092.u1.55b.f0
- 092.u1.55b.frm
- 092.u1.55b.wav
- 092.u1.66a.f0
- 092.u1.66a.frm
- 092.u1.66a.wav
- 092.u1.66b.f0
- 092.u1.66b.frm
- 092.u1.66b.wav
- 092.u1.77a.f0
- 092.u1.77a.frm
- 092.u1.77a.wav
- 092.u1.77b.f0
- 092.u1.77b.frm
- 092.u1.77b.wav
- 092.u1.77c.f0
- 092.u1.77c.frm
- 092.u1.77c.wav
- 092.u1.88a.f0
- 092.u1.88a.frm
- 092.u1.88a.wav
- 092.u1.88b.f0
- 092.u1.88b.frm
- 092.u1.88b.wav
- 092.u1.88c.f0
- 092.u1.88c.frm
- 092.u1.88c.wav

— 093/

— u1/

- 093.u1.01.f0
- 093.u1.01.frm
- 093.u1.01.wav
- 093.u1.02.f0
- 093.u1.02.frm
- 093.u1.02.wav
- 093.u1.03.f0
- 093.u1.03.frm
- 093.u1.03.wav
- 093.u1.04.f0
- 093.u1.04.frm
- 093.u1.04.wav
- 093.u1.05.f0
- 093.u1.05.frm
- 093.u1.05.wav
- 093.u1.11.f0
- 093.u1.11.frm
- 093.u1.11.wav
- 093.u1.22.f0
- 093.u1.22.frm
- 093.u1.22.wav
- 093.u1.33a.f0
- 093.u1.33a.frm
- 093.u1.33a.wav
- 093.u1.33b.f0
- 093.u1.33b.frm
- 093.u1.33b.wav
- 093.u1.44a.f0
- 093.u1.44a.frm
- 093.u1.44a.wav
- 093.u1.44b.f0
- 093.u1.44b.frm
- 093.u1.44b.wav
- 093.u1.55a.f0
- 093.u1.55a.frm
- 093.u1.55a.wav
- 093.u1.55b.f0
- 093.u1.55b.frm
- 093.u1.55b.wav
- 093.u1.66a.f0
- 093.u1.66a.frm
- 093.u1.66a.wav
- 093.u1.66b.f0
- 093.u1.66b.frm
- 093.u1.66b.wav
- 093.u1.77a.f0



- 093.u1.77a.frm
- 093.u1.77a.wav
- 093.u1.77b.f0
- 093.u1.77b.frm
- 093.u1.77b.wav
- 093.u1.77c.f0
- 093.u1.77c.frm
- 093.u1.77c.wav
- 093.u1.88a.f0
- 093.u1.88a.frm
- 093.u1.88a.wav
- 093.u1.88b.f0
- 093.u1.88b.frm
- 093.u1.88b.wav
- 093.u1.88c.f0
- 093.u1.88c.frm
- 093.u1.88c.wav

u2/

- 093.u2.01.wav
- 093.u2.02.wav
- 093.u2.03.wav
- 093.u2.04.pk
- 093.u2.04.wav
- 093.u2.05.wav
- 093.u2.11.wav
- 093.u2.33a.wav
- 093.u2.33b.wav
- 093.u2.33c.wav
- 093.u2.33d.wav
- 093.u2.44a.wav
- 093.u2.44b.wav
- 093.u2.55a.wav
- 093.u2.55b.wav
- 093.u2.55c.wav
- 093.u2.55d.wav
- 093.u2.66a.wav
- 093.u2.66b.wav
- 093.u2.66c.wav
- 093.u2.66d.wav
- 093.u2.77a.wav
- 093.u2.77b.wav
- 093.u2.77c.wav
- 093.u2.88a.wav
- 093.u2.88b.wav
- 093.u2.88c.wav

u3/

- 093.u3.01.wav
- 093.u3.02.wav
- 093.u3.03.wav
- 093.u3.04.wav
- 093.u3.05.wav
- 093.u3.11.wav
- 093.u3.33a.wav
- 093.u3.33b.wav
- 093.u3.33c.wav
- 093.u3.33d.wav
- 093.u3.44a.wav
- 093.u3.44b.wav
- 093.u3.55a.wav
- 093.u3.55b.wav
- 093.u3.55c.wav
- 093.u3.55d.wav
- 093.u3.66a.wav
- 093.u3.66b.wav
- 093.u3.66c.wav
- 093.u3.66d.wav
- 093.u3.77a.wav
- 093.u3.77b.wav
- 093.u3.77c.wav
- 093.u3.88a.wav
- 093.u3.88b.wav
- 093.u3.88c.wav

u4/

- 093.u4.01.wav
- 093.u4.02.wav
- 093.u4.03.wav
- 093.u4.04.wav
- 093.u4.05.wav
- 093.u4.11.wav
- 093.u4.33a.wav
- 093.u4.33b.wav
- 093.u4.33c.wav
- 093.u4.33d.wav
- 093.u4.44a.wav
- 093.u4.44b.wav

- 093.u4.77a.wav
- 093.u4.77b.wav
- 093.u4.77c.wav
- 093.u4.88a.wav
- 093.u4.88b.wav
- 093.u4.88c.wav

— 095/

— u1/

- 095.u1.01.f0
- 095.u1.01.frm
- 095.u1.01.wav
- 095.u1.02.f0
- 095.u1.02.frm
- 095.u1.02.wav
- 095.u1.03.f0
- 095.u1.03.frm
- 095.u1.03.wav
- 095.u1.04.f0
- 095.u1.04.frm
- 095.u1.04.wav
- 095.u1.05.f0
- 095.u1.05.frm
- 095.u1.05.wav
- 095.u1.11.f0
- 095.u1.11.frm
- 095.u1.11.wav
- 095.u1.22.f0
- 095.u1.22.frm
- 095.u1.22.wav
- 095.u1.33a.f0
- 095.u1.33a.frm
- 095.u1.33a.wav
- 095.u1.33b.f0
- 095.u1.33b.frm
- 095.u1.33b.wav
- 095.u1.44a.f0
- 095.u1.44a.frm
- 095.u1.44a.wav
- 095.u1.44b.f0
- 095.u1.44b.frm
- 095.u1.44b.wav
- 095.u1.55a.f0
- 095.u1.55a.frm
- 095.u1.55a.wav
- 095.u1.55b.f0
- 095.u1.55b.frm
- 095.u1.55b.wav
- 095.u1.66a.f0
- 095.u1.66a.frm
- 095.u1.66a.wav
- 095.u1.66b.f0
- 095.u1.66b.frm
- 095.u1.66b.wav
- 095.u1.77a.f0
- 095.u1.77a.frm
- 095.u1.77a.wav
- 095.u1.77b.f0
- 095.u1.77b.frm
- 095.u1.77b.wav
- 095.u1.77c.f0
- 095.u1.77c.frm
- 095.u1.77c.wav
- 095.u1.88a.f0
- 095.u1.88a.frm
- 095.u1.88a.wav
- 095.u1.88b.f0
- 095.u1.88b.frm
- 095.u1.88b.wav
- 095.u1.88c.f0
- 095.u1.88c.frm
- 095.u1.88c.wav

— u2/

- 095.u2.01.wav
- 095.u2.02.wav
- 095.u2.03.wav
- 095.u2.04.pk
- 095.u2.04.wav
- 095.u2.05.wav
- 095.u2.11.wav
- 095.u2.22.wav
- 095.u2.33a.wav
- 095.u2.33b.wav
- 095.u2.44a.wav
- 095.u2.44b.wav
- 095.u2.55a.wav

- 095.u2.55b.wav
- 095.u2.66a.wav
- 095.u2.66b.wav
- 095.u2.77a.wav
- 095.u2.77b.wav
- 095.u2.77c.wav
- 095.u2.88a.wav
- 095.u2.88b.wav
- 095.u2.88c.wav

— 097/

— u1/

- 097.u1.01.f0
- 097.u1.01.frm
- 097.u1.01.wav
- 097.u1.02.f0
- 097.u1.02.frm
- 097.u1.02.wav
- 097.u1.03.f0
- 097.u1.03.frm
- 097.u1.03.wav
- 097.u1.04.f0
- 097.u1.04.frm
- 097.u1.04.pk
- 097.u1.04.wav
- 097.u1.05.f0
- 097.u1.05.frm
- 097.u1.05.wav
- 097.u1.11.f0
- 097.u1.11.frm
- 097.u1.11.wav
- 097.u1.22.f0
- 097.u1.22.frm
- 097.u1.22.wav
- 097.u1.33a.f0
- 097.u1.33a.frm
- 097.u1.33a.wav
- 097.u1.33b.f0
- 097.u1.33b.frm
- 097.u1.33b.wav
- 097.u1.44.f0
- 097.u1.44.frm
- 097.u1.44.wav
- 097.u1.44a.f0
- 097.u1.44a.frm
- 097.u1.44a.wav
- 097.u1.44b.f0
- 097.u1.44b.frm
- 097.u1.44b.wav
- 097.u1.55a.f0
- 097.u1.55a.frm
- 097.u1.55a.wav
- 097.u1.55b.f0
- 097.u1.55b.frm
- 097.u1.55b.wav
- 097.u1.66a.f0
- 097.u1.66a.frm
- 097.u1.66a.wav
- 097.u1.66b.f0
- 097.u1.66b.frm
- 097.u1.66b.wav
- 097.u1.77a.f0
- 097.u1.77a.frm
- 097.u1.77a.wav
- 097.u1.77b.f0
- 097.u1.77b.frm
- 097.u1.77b.wav
- 097.u1.77c.f0
- 097.u1.77c.frm
- 097.u1.77c.wav
- 097.u1.88a.f0
- 097.u1.88a.frm
- 097.u1.88a.wav
- 097.u1.88b.f0
- 097.u1.88b.frm
- 097.u1.88b.wav
- 097.u1.88c.f0
- 097.u1.88c.frm
- 097.u1.88c.wav

— u2/

- 097.u2.01.wav
- 097.u2.02.wav
- 097.u2.03.wav
- 097.u2.04.pk
- 097.u2.04.wav
- 097.u2.05.wav

- 097.u2.11.wav
- 097.u2.22.wav
- 097.u2.33a.wav
- 097.u2.33b.wav
- 097.u2.33c.wav
- 097.u2.33d.wav
- 097.u2.44a.wav
- 097.u2.44b.wav
- 097.u2.44c.wav
- 097.u2.44d.wav
- 097.u2.55a.wav
- 097.u2.55b.wav
- 097.u2.55c.wav
- 097.u2.55d.wav
- 097.u2.77a.wav
- 097.u2.77b.wav
- 097.u2.77c.wav
- 097.u2.88a.wav
- 097.u2.88b.wav
- 097.u2.88c.wav

u3/

- 097.u3.01.wav
- 097.u3.02.wav
- 097.u3.03.wav
- 097.u3.04.pk
- 097.u3.04.wav
- 097.u3.05.wav
- 097.u3.11.wav
- 097.u3.33a.wav
- 097.u3.33b.wav
- 097.u3.33c.wav
- 097.u3.33d.wav
- 097.u3.44a.wav
- 097.u3.44b.wav
- 097.u3.77a.wav
- 097.u3.77b.wav
- 097.u3.77c.wav
- 097.u3.88a.wav
- 097.u3.88b.wav
- 097.u3.88c.wav

098/

u1/

- 098.u1.01.f0
- 098.u1.01.frm
- 098.u1.01.wav
- 098.u1.02.f0
- 098.u1.02.frm
- 098.u1.02.wav
- 098.u1.03.f0
- 098.u1.03.frm
- 098.u1.03.wav
- 098.u1.04.f0
- 098.u1.04.frm
- 098.u1.04.pk
- 098.u1.04.wav
- 098.u1.05.f0
- 098.u1.05.frm
- 098.u1.05.wav
- 098.u1.11.f0
- 098.u1.11.frm
- 098.u1.11.wav
- 098.u1.22.f0
- 098.u1.22.frm
- 098.u1.22.wav
- 098.u1.33a.f0
- 098.u1.33a.frm
- 098.u1.33a.wav
- 098.u1.33b.f0
- 098.u1.33b.frm
- 098.u1.33b.wav
- 098.u1.44a.f0
- 098.u1.44a.frm
- 098.u1.44a.wav
- 098.u1.44b.f0
- 098.u1.44b.frm
- 098.u1.44b.wav
- 098.u1.55a.f0
- 098.u1.55a.frm
- 098.u1.55a.wav
- 098.u1.55b.f0
- 098.u1.55b.frm
- 098.u1.55b.wav
- 098.u1.66a.f0
- 098.u1.66a.frm
- 098.u1.66a.wav

- 098.u1.66b.f0
- 098.u1.66b.frm
- 098.u1.66b.wav
- 098.u1.77a.f0
- 098.u1.77a.frm
- 098.u1.77a.wav
- 098.u1.77b.f0
- 098.u1.77b.frm
- 098.u1.77b.wav
- 098.u1.77c.f0
- 098.u1.77c.frm
- 098.u1.77c.wav
- 098.u1.88a.f0
- 098.u1.88a.frm
- 098.u1.88a.wav
- 098.u1.88b.f0
- 098.u1.88b.frm
- 098.u1.88b.wav
- 098.u1.88c.f0
- 098.u1.88c.frm
- 098.u1.88c.wav

— 100/

└─ u1/

- 100.u1.01.f0
- 100.u1.01.frm
- 100.u1.01.wav
- 100.u1.02.f0
- 100.u1.02.frm
- 100.u1.02.wav
- 100.u1.03.f0
- 100.u1.03.frm
- 100.u1.03.wav
- 100.u1.04.f0
- 100.u1.04.frm
- 100.u1.04.pk
- 100.u1.04.wav
- 100.u1.05.f0
- 100.u1.05.frm
- 100.u1.05.wav
- 100.u1.11.f0
- 100.u1.11.frm
- 100.u1.11.wav
- 100.u1.22.f0
- 100.u1.22.frm
- 100.u1.22.wav
- 100.u1.33a.f0
- 100.u1.33a.frm
- 100.u1.33a.wav
- 100.u1.33b.f0
- 100.u1.33b.frm
- 100.u1.33b.wav
- 100.u1.44a.f0
- 100.u1.44a.frm
- 100.u1.44a.wav
- 100.u1.44b.f0
- 100.u1.44b.frm
- 100.u1.44b.wav
- 100.u1.55a.f0
- 100.u1.55a.frm
- 100.u1.55a.wav
- 100.u1.55b.f0
- 100.u1.55b.frm
- 100.u1.55b.wav
- 100.u1.66a.f0
- 100.u1.66a.frm
- 100.u1.66a.wav
- 100.u1.66b.f0
- 100.u1.66b.frm
- 100.u1.66b.wav
- 100.u1.77a.f0
- 100.u1.77a.frm
- 100.u1.77a.wav
- 100.u1.77b.f0
- 100.u1.77b.frm
- 100.u1.77b.wav
- 100.u1.77c.f0
- 100.u1.77c.frm
- 100.u1.77c.wav
- 100.u1.88a.f0
- 100.u1.88a.frm
- 100.u1.88a.wav
- 100.u1.88b.f0
- 100.u1.88b.frm
- 100.u1.88b.wav
- 100.u1.88c.f0

```
└─ 100.u1.88c.frm
└─ 100.u1.88c.wav
106/
└─ u1/
└─ 106.u1.01.f0
└─ 106.u1.01.frm
└─ 106.u1.01.wav
└─ 106.u1.02.f0
└─ 106.u1.02.frm
└─ 106.u1.02.wav
└─ 106.u1.03.f0
└─ 106.u1.03.frm
└─ 106.u1.03.wav
└─ 106.u1.04.f0
└─ 106.u1.04.frm
└─ 106.u1.04.wav
└─ 106.u1.05.f0
└─ 106.u1.05.frm
└─ 106.u1.05.wav
└─ 106.u1.11.f0
└─ 106.u1.11.frm
└─ 106.u1.11.wav
└─ 106.u1.22.f0
└─ 106.u1.22.frm
└─ 106.u1.22.wav
└─ 106.u1.33a.f0
└─ 106.u1.33a.frm
└─ 106.u1.33a.wav
└─ 106.u1.33b.f0
└─ 106.u1.33b.frm
└─ 106.u1.33b.wav
└─ 106.u1.44a.f0
└─ 106.u1.44a.frm
└─ 106.u1.44a.wav
└─ 106.u1.44b.f0
└─ 106.u1.44b.frm
└─ 106.u1.44b.wav
└─ 106.u1.55a.f0
└─ 106.u1.55a.frm
└─ 106.u1.55a.wav
└─ 106.u1.55b.f0
└─ 106.u1.55b.frm
└─ 106.u1.55b.wav
└─ 106.u1.66a.f0
└─ 106.u1.66a.frm
└─ 106.u1.66a.wav
└─ 106.u1.66b.f0
└─ 106.u1.66b.frm
└─ 106.u1.66b.wav
└─ 106.u1.77a.f0
└─ 106.u1.77a.frm
└─ 106.u1.77a.wav
└─ 106.u1.77b.f0
└─ 106.u1.77b.frm
└─ 106.u1.77b.wav
└─ 106.u1.77c.f0
└─ 106.u1.77c.frm
└─ 106.u1.77c.wav
└─ 106.u1.88a.f0
└─ 106.u1.88a.frm
└─ 106.u1.88a.wav
└─ 106.u1.88b.f0
└─ 106.u1.88b.frm
└─ 106.u1.88b.wav
└─ 106.u1.88c.f0
└─ 106.u1.88c.frm
└─ 106.u1.88c.wav
└─ u2/
└─ 106.u2.01.wav
└─ 106.u2.02.wav
└─ 106.u2.03.wav
└─ 106.u2.04.pk
└─ 106.u2.04.wav
└─ 106.u2.05.wav
└─ 106.u2.11.wav
└─ 106.u2.22.wav
└─ 106.u2.33a.wav
└─ 106.u2.33b.wav
└─ 106.u2.44a.wav
└─ 106.u2.44b.wav
└─ 106.u2.55a.wav
└─ 106.u2.55b.wav
└─ 106.u2.66a.wav
└─ 106.u2.66b.wav
└─ 106.u2.77a.wav
```

- 106.u2.77b.wav
- 106.u2.77c.wav
- 106.u2.88a.wav
- 106.u2.88b.wav
- 106.u2.88c.wav

- 107/

- u1/

- 107.u1.01.f0
    - 107.u1.01.frm
    - 107.u1.01.wav
    - 107.u1.02.f0
    - 107.u1.02.frm
    - 107.u1.02.wav
    - 107.u1.03.f0
    - 107.u1.03.frm
    - 107.u1.03.wav
    - 107.u1.04.f0
    - 107.u1.04.frm
    - 107.u1.04.wav
    - 107.u1.05.f0
    - 107.u1.05.frm
    - 107.u1.05.wav
    - 107.u1.11.f0
    - 107.u1.11.frm
    - 107.u1.11.wav
    - 107.u1.22.f0
    - 107.u1.22.frm
    - 107.u1.22.wav
    - 107.u1.33a.f0
    - 107.u1.33a.frm
    - 107.u1.33a.wav
    - 107.u1.33b.f0
    - 107.u1.33b.frm
    - 107.u1.33b.wav
    - 107.u1.44a.f0
    - 107.u1.44a.frm
    - 107.u1.44a.wav
    - 107.u1.44b.f0
    - 107.u1.44b.frm
    - 107.u1.44b.wav
    - 107.u1.55a.f0
    - 107.u1.55a.frm
    - 107.u1.55a.wav
    - 107.u1.55b.f0
    - 107.u1.55b.frm
    - 107.u1.55b.wav
    - 107.u1.66a.f0
    - 107.u1.66a.frm
    - 107.u1.66a.wav
    - 107.u1.66b.f0
    - 107.u1.66b.frm
    - 107.u1.66b.wav
    - 107.u1.77a.f0
    - 107.u1.77a.frm
    - 107.u1.77a.wav
    - 107.u1.77b.f0
    - 107.u1.77b.frm
    - 107.u1.77b.wav
    - 107.u1.77c.f0
    - 107.u1.77c.frm
    - 107.u1.77c.wav
    - 107.u1.88a.f0
    - 107.u1.88a.frm
    - 107.u1.88a.wav
    - 107.u1.88b.f0
    - 107.u1.88b.frm
    - 107.u1.88b.wav
    - 107.u1.88c.f0
    - 107.u1.88c.frm
    - 107.u1.88c.wav

- u2/

- 107.u2.01.wav
      - 107.u2.02.wav
      - 107.u2.03.wav
      - 107.u2.04.pk
      - 107.u2.04.wav
      - 107.u2.05.wav
      - 107.u2.11.wav
      - 107.u2.22.wav
      - 107.u2.33.wav
      - 107.u2.33a.wav
      - 107.u2.44a.wav
      - 107.u2.44b.wav
      - 107.u2.55a.wav
      - 107.u2.55b.wav

- 107.u2.66a.wav
- 107.u2.66b.wav
- 107.u2.77a.wav
- 107.u2.77b.wav
- 107.u2.77c.wav
- 107.u2.88a.wav
- 107.u2.88b.wav
- 107.u2.88c.wav

— 109/

— u1/

- 109.u1.01.f0
- 109.u1.01.frm
- 109.u1.01.wav
- 109.u1.02.f0
- 109.u1.02.frm
- 109.u1.02.wav
- 109.u1.03.f0
- 109.u1.03.frm
- 109.u1.03.wav
- 109.u1.04.f0
- 109.u1.04.frm
- 109.u1.04.pk
- 109.u1.04.wav
- 109.u1.05.f0
- 109.u1.05.frm
- 109.u1.05.wav
- 109.u1.11.f0
- 109.u1.11.frm
- 109.u1.11.wav
- 109.u1.22.f0
- 109.u1.22.frm
- 109.u1.22.wav
- 109.u1.33a.f0
- 109.u1.33a.frm
- 109.u1.33a.wav
- 109.u1.33b.f0
- 109.u1.33b.frm
- 109.u1.33b.wav
- 109.u1.44a.f0
- 109.u1.44a.frm
- 109.u1.44a.wav
- 109.u1.44b.f0
- 109.u1.44b.frm
- 109.u1.44b.wav
- 109.u1.55a.f0
- 109.u1.55a.frm
- 109.u1.55a.wav
- 109.u1.55b.f0
- 109.u1.55b.frm
- 109.u1.55b.wav
- 109.u1.66a.f0
- 109.u1.66a.frm
- 109.u1.66a.wav
- 109.u1.66b.f0
- 109.u1.66b.frm
- 109.u1.66b.wav
- 109.u1.77a.f0
- 109.u1.77a.frm
- 109.u1.77a.wav
- 109.u1.77b.f0
- 109.u1.77b.frm
- 109.u1.77b.wav
- 109.u1.77c.f0
- 109.u1.77c.frm
- 109.u1.77c.wav
- 109.u1.88a.f0
- 109.u1.88a.frm
- 109.u1.88a.wav
- 109.u1.88b.f0
- 109.u1.88b.frm
- 109.u1.88b.wav
- 109.u1.88c.f0
- 109.u1.88c.frm
- 109.u1.88c.wav

— 110/

— u1/

- 110.u1.01.f0
- 110.u1.01.frm
- 110.u1.01.wav
- 110.u1.02.f0
- 110.u1.02.frm
- 110.u1.02.wav
- 110.u1.03.f0
- 110.u1.03.frm
- 110.u1.03.wav



— 110.u1.04.f0  
— 110.u1.04.frm  
— 110.u1.04.wav  
— 110.u1.05.f0  
— 110.u1.05.frm  
— 110.u1.05.wav  
— 110.u1.11.f0  
— 110.u1.11.frm  
— 110.u1.11.wav  
— 110.u1.22.f0  
— 110.u1.22.frm  
— 110.u1.22.wav  
— 110.u1.44a.f0  
— 110.u1.44a.frm  
— 110.u1.44a.wav  
— 110.u1.44b.f0  
— 110.u1.44b.frm  
— 110.u1.44b.wav  
— 110.u1.55a.f0  
— 110.u1.55a.frm  
— 110.u1.55a.wav  
— 110.u1.55b.f0  
— 110.u1.55b.frm  
— 110.u1.55b.wav  
— 110.u1.66a.f0  
— 110.u1.66a.frm  
— 110.u1.66a.wav  
— 110.u1.66b.f0  
— 110.u1.66b.frm  
— 110.u1.66b.wav  
— 110.u1.77a.f0  
— 110.u1.77a.frm  
— 110.u1.77a.wav  
— 110.u1.77b.f0  
— 110.u1.77b.frm  
— 110.u1.77b.wav  
— 110.u1.77c.f0  
— 110.u1.77c.frm  
— 110.u1.77c.wav  
— 110.u1.88a.f0  
— 110.u1.88a.frm  
— 110.u1.88a.wav  
— 110.u1.88b.f0  
— 110.u1.88b.frm  
— 110.u1.88b.wav  
— 110.u1.88c.f0  
— 110.u1.88c.frm  
— 110.u1.88c.wav

— u2/

— 110.u2.01.wav  
— 110.u2.02.wav  
— 110.u2.03.wav  
— 110.u2.04.pk  
— 110.u2.04.wav  
— 110.u2.05.wav  
— 110.u2.11.wav  
— 110.u2.22.wav  
— 110.u2.33a.wav  
— 110.u2.33b.wav  
— 110.u2.44a.wav  
— 110.u2.44b.wav  
— 110.u2.55a.wav  
— 110.u2.55b.wav  
— 110.u2.66a.wav  
— 110.u2.66b.wav  
— 110.u2.77a.wav  
— 110.u2.77b.wav  
— 110.u2.77c.wav  
— 110.u2.88a.wav  
— 110.u2.88b.wav  
— 110.u2.88c.wav

— u3/

— 110.u3.01.wav  
— 110.u3.02.wav  
— 110.u3.03.wav  
— 110.u3.04.wav  
— 110.u3.05.wav  
— 110.u3.11.wav  
— 110.u3.33a.wav  
— 110.u3.33b.wav  
— 110.u3.33c.wav  
— 110.u3.33d.wav  
— 110.u3.44a.wav  
— 110.u3.44b.wav  
— 110.u3.55a.wav

- 110.u3.55b.wav
- 110.u3.55c.wav
- 110.u3.55d.wav
- 110.u3.66a.wav
- 110.u3.66b.wav
- 110.u3.66c.wav
- 110.u3.66d.wav
- 110.u3.77a.wav
- 110.u3.77b.wav
- 110.u3.77c.wav
- 110.u3.88a.wav
- 110.u3.88b.wav
- 110.u3.88c.wav

- 111/

- u1/

- 111.u1.01.f0
    - 111.u1.01.frm
    - 111.u1.01.wav
    - 111.u1.02.f0
    - 111.u1.02.frm
    - 111.u1.02.wav
    - 111.u1.03.f0
    - 111.u1.03.frm
    - 111.u1.03.wav
    - 111.u1.04.f0
    - 111.u1.04.frm
    - 111.u1.04.pk
    - 111.u1.04.wav
    - 111.u1.05.f0
    - 111.u1.05.frm
    - 111.u1.05.wav
    - 111.u1.11.f0
    - 111.u1.11.frm
    - 111.u1.11.wav
    - 111.u1.22.f0
    - 111.u1.22.frm
    - 111.u1.22.wav
    - 111.u1.44a.f0
    - 111.u1.44a.frm
    - 111.u1.44a.wav
    - 111.u1.44b.f0
    - 111.u1.44b.frm
    - 111.u1.44b.wav
    - 111.u1.55a.f0
    - 111.u1.55a.frm
    - 111.u1.55a.wav
    - 111.u1.55b.f0
    - 111.u1.55b.frm
    - 111.u1.55b.wav
    - 111.u1.66a.f0
    - 111.u1.66a.frm
    - 111.u1.66a.wav
    - 111.u1.66b.f0
    - 111.u1.66b.frm
    - 111.u1.66b.wav
    - 111.u1.77a.f0
    - 111.u1.77a.frm
    - 111.u1.77a.wav
    - 111.u1.77b.f0
    - 111.u1.77b.frm
    - 111.u1.77b.wav
    - 111.u1.77c.f0
    - 111.u1.77c.frm
    - 111.u1.77c.wav
    - 111.u1.88a.f0
    - 111.u1.88a.frm
    - 111.u1.88a.wav
    - 111.u1.88b.f0
    - 111.u1.88b.frm
    - 111.u1.88b.wav
    - 111.u1.88c.f0
    - 111.u1.88c.frm
    - 111.u1.88c.wav

- u2/

- 111.u2.01.wav
      - 111.u2.02.wav
      - 111.u2.03.wav
      - 111.u2.04.pk
      - 111.u2.04.wav
      - 111.u2.05.wav
      - 111.u2.11.wav
      - 111.u2.33a.wav
      - 111.u2.33b.wav
      - 111.u2.33c.wav
      - 111.u2.33d.wav

- 111.u2.44a.wav
- 111.u2.44b.wav
- 111.u2.55a.wav
- 111.u2.55b.wav
- 111.u2.55c.wav
- 111.u2.55d.wav
- 111.u2.66a.wav
- 111.u2.66b.wav
- 111.u2.66c.wav
- 111.u2.66d.wav
- 111.u2.77a.wav
- 111.u2.77b.wav
- 111.u2.77c.wav
- 111.u2.88a.wav
- 111.u2.88b.wav
- 111.u2.88c.wav

- u3/

- 111.u3.01.wav
- 111.u3.02.wav
- 111.u3.03.pk
- 111.u3.03.wav
- 111.u3.04.pk
- 111.u3.04.wav
- 111.u3.05.wav
- 111.u3.11.wav
- 111.u3.33a.wav
- 111.u3.33b.wav
- 111.u3.33c.wav
- 111.u3.33d.wav
- 111.u3.44a.wav
- 111.u3.44b.wav
- 111.u3.55a.wav
- 111.u3.55b.wav
- 111.u3.55c.wav
- 111.u3.55d.wav
- 111.u3.66a.wav
- 111.u3.66b.wav
- 111.u3.66c.wav
- 111.u3.66d.wav
- 111.u3.77a.wav
- 111.u3.77b.wav
- 111.u3.77c.wav
- 111.u3.88a.wav
- 111.u3.88b.wav
- 111.u3.88c.wav

- u4/

- 111.u4.01.wav
- 111.u4.02.wav
- 111.u4.03.wav
- 111.u4.04.pk
- 111.u4.04.wav
- 111.u4.05.wav
- 111.u4.11.wav
- 111.u4.33a.wav
- 111.u4.33b.wav
- 111.u4.33c.wav
- 111.u4.33d.wav
- 111.u4.44a.wav
- 111.u4.44b.wav
- 111.u4.77a.wav
- 111.u4.77b.wav
- 111.u4.77c.wav
- 111.u4.88a.wav
- 111.u4.88b.wav
- 111.u4.88c.wav

- 115/

- u1/

- 115.u1.01.f0
- 115.u1.01.frm
- 115.u1.01.wav
- 115.u1.02.f0
- 115.u1.02.frm
- 115.u1.02.wav
- 115.u1.03.f0
- 115.u1.03.frm
- 115.u1.03.wav
- 115.u1.04.f0
- 115.u1.04.frm
- 115.u1.04.pk
- 115.u1.04.wav
- 115.u1.05.f0
- 115.u1.05.frm
- 115.u1.05.wav
- 115.u1.11.f0
- 115.u1.11.frm

- 115.u1.11.wav
- 115.u1.22.f0
- 115.u1.22.frm
- 115.u1.22.wav
- 115.u1.33a.f0
- 115.u1.33a.frm
- 115.u1.33a.wav
- 115.u1.33b.f0
- 115.u1.33b.frm
- 115.u1.33b.wav
- 115.u1.44a.f0
- 115.u1.44a.frm
- 115.u1.44a.wav
- 115.u1.44b.f0
- 115.u1.44b.frm
- 115.u1.44b.wav
- 115.u1.77a.f0
- 115.u1.77a.frm
- 115.u1.77a.wav
- 115.u1.77b.f0
- 115.u1.77b.frm
- 115.u1.77b.wav
- 115.u1.77c.f0
- 115.u1.77c.frm
- 115.u1.77c.wav
- 115.u1.88a.f0
- 115.u1.88a.frm
- 115.u1.88a.wav
- 115.u1.88b.f0
- 115.u1.88b.frm
- 115.u1.88b.wav
- 115.u1.88c.f0
- 115.u1.88c.frm
- 115.u1.88c.wav

118/

u1/

- 118.u1.01.f0
- 118.u1.01.frm
- 118.u1.01.wav
- 118.u1.02.f0
- 118.u1.02.frm
- 118.u1.02.wav
- 118.u1.03.f0
- 118.u1.03.frm
- 118.u1.03.wav
- 118.u1.04.f0
- 118.u1.04.frm
- 118.u1.04.pk
- 118.u1.04.wav
- 118.u1.05.f0
- 118.u1.05.frm
- 118.u1.05.wav
- 118.u1.11.f0
- 118.u1.11.frm
- 118.u1.11.wav
- 118.u1.22.f0
- 118.u1.22.frm
- 118.u1.22.wav
- 118.u1.33a.f0
- 118.u1.33a.frm
- 118.u1.33a.wav
- 118.u1.33b.f0
- 118.u1.33b.frm
- 118.u1.33b.wav
- 118.u1.44a.f0
- 118.u1.44a.frm
- 118.u1.44a.wav
- 118.u1.44b.f0
- 118.u1.44b.frm
- 118.u1.44b.wav
- 118.u1.55a.f0
- 118.u1.55a.frm
- 118.u1.55a.wav
- 118.u1.55b.f0
- 118.u1.55b.frm
- 118.u1.55b.wav
- 118.u1.66a.f0
- 118.u1.66a.frm
- 118.u1.66a.wav
- 118.u1.66b.f0
- 118.u1.66b.frm
- 118.u1.66b.wav
- 118.u1.77a.f0
- 118.u1.77a.frm
- 118.u1.77a.wav

- 118.u1.77b.f0
- 118.u1.77b.frm
- 118.u1.77b.wav
- 118.u1.77c.f0
- 118.u1.77c.frm
- 118.u1.77c.wav
- 118.u1.88a.f0
- 118.u1.88a.frm
- 118.u1.88a.wav
- 118.u1.88b.f0
- 118.u1.88b.frm
- 118.u1.88b.wav
- 118.u1.88c.f0
- 118.u1.88c.frm
- 118.u1.88c.wav

u2/

- 118.u2.01.wav
- 118.u2.02.wav
- 118.u2.03.wav
- 118.u2.04.pk
- 118.u2.04.wav
- 118.u2.05.wav
- 118.u2.11.wav
- 118.u2.33a.wav
- 118.u2.33b.wav
- 118.u2.33c.wav
- 118.u2.33d.wav
- 118.u2.44a.wav
- 118.u2.44b.wav
- 118.u2.77a.wav
- 118.u2.77b.wav
- 118.u2.77c.wav
- 118.u2.88a.wav
- 118.u2.88b.wav
- 118.u2.88c.wav

119/

u1/

- 119.u1.01.f0
- 119.u1.01.frm
- 119.u1.01.wav
- 119.u1.02.f0
- 119.u1.02.frm
- 119.u1.02.wav
- 119.u1.03.f0
- 119.u1.03.frm
- 119.u1.03.wav
- 119.u1.04.f0
- 119.u1.04.frm
- 119.u1.04.wav
- 119.u1.05.f0
- 119.u1.05.frm
- 119.u1.05.wav
- 119.u1.11.f0
- 119.u1.11.frm
- 119.u1.11.wav
- 119.u1.22.f0
- 119.u1.22.frm
- 119.u1.22.wav
- 119.u1.44a.f0
- 119.u1.44a.frm
- 119.u1.44a.wav
- 119.u1.44b.f0
- 119.u1.44b.frm
- 119.u1.44b.wav
- 119.u1.55a.f0
- 119.u1.55a.frm
- 119.u1.55a.wav
- 119.u1.55b.f0
- 119.u1.55b.frm
- 119.u1.55b.wav
- 119.u1.66a.f0
- 119.u1.66a.frm
- 119.u1.66a.wav
- 119.u1.66b.f0
- 119.u1.66b.frm
- 119.u1.66b.wav
- 119.u1.77a.f0
- 119.u1.77a.frm
- 119.u1.77a.wav
- 119.u1.77b.f0
- 119.u1.77b.frm
- 119.u1.77b.wav
- 119.u1.77c.f0
- 119.u1.77c.frm
- 119.u1.77c.wav

- 119.u1.88a.f0
- 119.u1.88a.frm
- 119.u1.88a.wav
- 119.u1.88b.f0
- 119.u1.88b.frm
- 119.u1.88b.wav
- 119.u1.88c.f0
- 119.u1.88c.frm
- 119.u1.88c.wav

u2/

- 119.u2.01.wav
- 119.u2.02.wav
- 119.u2.03.wav
- 119.u2.04.pk
- 119.u2.04.wav
- 119.u2.05.wav
- 119.u2.11.wav
- 119.u2.22.wav
- 119.u2.44a.wav
- 119.u2.44b.wav
- 119.u2.55a.wav
- 119.u2.55b.wav
- 119.u2.66a.wav
- 119.u2.66b.wav
- 119.u2.77a.wav
- 119.u2.77b.wav
- 119.u2.77c.wav
- 119.u2.88a.wav
- 119.u2.88b.wav
- 119.u2.88c.wav

123/

u1/

- 123.u1.01.f0
- 123.u1.01.frm
- 123.u1.01.wav
- 123.u1.02.f0
- 123.u1.02.frm
- 123.u1.02.wav
- 123.u1.03.f0
- 123.u1.03.frm
- 123.u1.03.wav
- 123.u1.04.f0
- 123.u1.04.frm
- 123.u1.04.wav
- 123.u1.05.f0
- 123.u1.05.frm
- 123.u1.05.wav
- 123.u1.11.f0
- 123.u1.11.frm
- 123.u1.11.wav
- 123.u1.22.f0
- 123.u1.22.frm
- 123.u1.22.wav
- 123.u1.44a.f0
- 123.u1.44a.frm
- 123.u1.44a.wav
- 123.u1.44b.f0
- 123.u1.44b.frm
- 123.u1.44b.wav
- 123.u1.55a.f0
- 123.u1.55a.frm
- 123.u1.55a.wav
- 123.u1.55b.f0
- 123.u1.55b.frm
- 123.u1.55b.wav
- 123.u1.66a.f0
- 123.u1.66a.frm
- 123.u1.66a.wav
- 123.u1.66b.f0
- 123.u1.66b.frm
- 123.u1.66b.wav
- 123.u1.77a.f0
- 123.u1.77a.frm
- 123.u1.77a.wav
- 123.u1.77b.f0
- 123.u1.77b.frm
- 123.u1.77b.wav
- 123.u1.77c.f0
- 123.u1.77c.frm
- 123.u1.77c.wav
- 123.u1.88a.f0
- 123.u1.88a.frm
- 123.u1.88a.wav
- 123.u1.88b.f0
- 123.u1.88b.frm

- 123.u1.88b.wav
- 123.u1.88c.f0
- 123.u1.88c.frm
- 123.u1.88c.wav

- u2/

- 123.u2.01.wav
- 123.u2.02.wav
- 123.u2.03.wav
- 123.u2.04.pk
- 123.u2.04.wav
- 123.u2.05.wav
- 123.u2.11.wav
- 123.u2.22.wav
- 123.u2.33a.wav
- 123.u2.33b.wav
- 123.u2.44a.wav
- 123.u2.44b.wav
- 123.u2.55a.wav
- 123.u2.55b.wav
- 123.u2.66a.wav
- 123.u2.66b.wav
- 123.u2.77a.wav
- 123.u2.77b.wav
- 123.u2.77c.wav
- 123.u2.88a.wav
- 123.u2.88b.wav
- 123.u2.88c.wav

- u3/

- 123.u3.01.wav
- 123.u3.02.wav
- 123.u3.03.wav
- 123.u3.04.wav
- 123.u3.05.wav
- 123.u3.11.wav
- 123.u3.33a.wav
- 123.u3.33b.wav
- 123.u3.33c.wav
- 123.u3.33d.wav
- 123.u3.44a.wav
- 123.u3.44b.wav
- 123.u3.55a.wav
- 123.u3.55b.wav
- 123.u3.55c.wav
- 123.u3.55d.wav
- 123.u3.66a.wav
- 123.u3.66b.wav
- 123.u3.66c.wav
- 123.u3.66d.wav
- 123.u3.77a.wav
- 123.u3.77b.wav
- 123.u3.77c.wav
- 123.u3.88a.wav
- 123.u3.88b.wav
- 123.u3.88c.wav

- 124/

- u1/

- 124.u1.01.f0
- 124.u1.01.frm
- 124.u1.01.wav
- 124.u1.02.f0
- 124.u1.02.frm
- 124.u1.02.wav
- 124.u1.03.f0
- 124.u1.03.frm
- 124.u1.03.wav
- 124.u1.04.f0
- 124.u1.04.frm
- 124.u1.04.wav
- 124.u1.05.f0
- 124.u1.05.frm
- 124.u1.05.wav
- 124.u1.11.f0
- 124.u1.11.frm
- 124.u1.11.wav
- 124.u1.22.f0
- 124.u1.22.frm
- 124.u1.22.wav
- 124.u1.33a.f0
- 124.u1.33a.frm
- 124.u1.33a.wav
- 124.u1.33b.f0
- 124.u1.33b.frm
- 124.u1.33b.wav
- 124.u1.44a.f0
- 124.u1.44a.frm

- 124.u1.44a.wav
- 124.u1.44b.f0
- 124.u1.44b.frm
- 124.u1.44b.wav
- 124.u1.55a.f0
- 124.u1.55a.frm
- 124.u1.55a.wav
- 124.u1.55b.f0
- 124.u1.55b.frm
- 124.u1.55b.wav
- 124.u1.66a.f0
- 124.u1.66a.frm
- 124.u1.66a.wav
- 124.u1.66b.f0
- 124.u1.66b.frm
- 124.u1.66b.wav
- 124.u1.77a.f0
- 124.u1.77a.frm
- 124.u1.77a.wav
- 124.u1.77b.f0
- 124.u1.77b.frm
- 124.u1.77b.wav
- 124.u1.77c.f0
- 124.u1.77c.frm
- 124.u1.77c.wav
- 124.u1.88a.f0
- 124.u1.88a.frm
- 124.u1.88a.wav
- 124.u1.88b.f0
- 124.u1.88b.frm
- 124.u1.88b.wav
- 124.u1.88c.f0
- 124.u1.88c.frm
- 124.u1.88c.wav

u2/

- 124.u2.01.wav
- 124.u2.02.wav
- 124.u2.03.wav
- 124.u2.04.pk
- 124.u2.04.wav
- 124.u2.05.wav
- 124.u2.11.wav
- 124.u2.33a.wav
- 124.u2.33b.wav
- 124.u2.33c.wav
- 124.u2.33d.wav
- 124.u2.44a.wav
- 124.u2.44b.wav
- 124.u2.55a.wav
- 124.u2.55b.wav
- 124.u2.55c.wav
- 124.u2.55d.wav
- 124.u2.66a.wav
- 124.u2.66b.wav
- 124.u2.66c.wav
- 124.u2.66d.wav
- 124.u2.77a.wav
- 124.u2.77b.wav
- 124.u2.77c.wav
- 124.u2.88a.wav
- 124.u2.88b.wav
- 124.u2.88c.wav

127/

u1/

- 127.u1.01.f0
- 127.u1.01.frm
- 127.u1.01.wav
- 127.u1.02.f0
- 127.u1.02.frm
- 127.u1.02.wav
- 127.u1.03.f0
- 127.u1.03.frm
- 127.u1.03.wav
- 127.u1.04.f0
- 127.u1.04.frm
- 127.u1.04.pk
- 127.u1.04.wav
- 127.u1.05.f0
- 127.u1.05.frm
- 127.u1.05.wav
- 127.u1.11.f0
- 127.u1.11.frm
- 127.u1.11.wav
- 127.u1.22.f0
- 127.u1.22.frm



- 127.u1.22.wav
- 127.u1.33a.f0
- 127.u1.33a.frm
- 127.u1.33a.wav
- 127.u1.33b.f0
- 127.u1.33b.frm
- 127.u1.33b.wav
- 127.u1.44a.f0
- 127.u1.44a.frm
- 127.u1.44a.wav
- 127.u1.44b.f0
- 127.u1.44b.frm
- 127.u1.44b.wav
- 127.u1.55a.f0
- 127.u1.55a.frm
- 127.u1.55a.wav
- 127.u1.55b.f0
- 127.u1.55b.frm
- 127.u1.55b.wav
- 127.u1.66a.f0
- 127.u1.66a.frm
- 127.u1.66a.wav
- 127.u1.66b.f0
- 127.u1.66b.frm
- 127.u1.66b.wav
- 127.u1.77a.f0
- 127.u1.77a.frm
- 127.u1.77a.wav
- 127.u1.77b.f0
- 127.u1.77b.frm
- 127.u1.77b.wav
- 127.u1.77c.f0
- 127.u1.77c.frm
- 127.u1.77c.wav
- 127.u1.88a.f0
- 127.u1.88a.frm
- 127.u1.88a.wav
- 127.u1.88b.f0
- 127.u1.88b.frm
- 127.u1.88b.wav
- 127.u1.88c.f0
- 127.u1.88c.frm
- 127.u1.88c.wav

— 132/

└─ u1/

- 132.u1.01.f0
- 132.u1.01.frm
- 132.u1.01.wav
- 132.u1.02.f0
- 132.u1.02.frm
- 132.u1.02.wav
- 132.u1.03.f0
- 132.u1.03.frm
- 132.u1.03.wav
- 132.u1.04.f0
- 132.u1.04.frm
- 132.u1.04.pk
- 132.u1.04.wav
- 132.u1.05.f0
- 132.u1.05.frm
- 132.u1.05.wav
- 132.u1.08.f0
- 132.u1.08.frm
- 132.u1.08.wav
- 132.u1.11.f0
- 132.u1.11.frm
- 132.u1.11.wav
- 132.u1.22.f0
- 132.u1.22.frm
- 132.u1.22.wav
- 132.u1.44a.f0
- 132.u1.44a.frm
- 132.u1.44a.wav
- 132.u1.44b.f0
- 132.u1.44b.frm
- 132.u1.44b.wav
- 132.u1.55a.f0
- 132.u1.55a.frm
- 132.u1.55a.wav
- 132.u1.55b.f0
- 132.u1.55b.frm
- 132.u1.55b.wav
- 132.u1.66a.f0
- 132.u1.66a.frm
- 132.u1.66a.wav

- 132.u1.66b.f0
- 132.u1.66b.frm
- 132.u1.66b.wav
- 132.u1.77a.f0
- 132.u1.77a.frm
- 132.u1.77a.wav
- 132.u1.77b.f0
- 132.u1.77b.frm
- 132.u1.77b.wav
- 132.u1.77c.f0
- 132.u1.77c.frm
- 132.u1.77c.wav
- 132.u1.88a.f0
- 132.u1.88a.frm
- 132.u1.88a.wav
- 132.u1.88b.f0
- 132.u1.88b.frm
- 132.u1.88b.wav
- 132.u1.88c.f0
- 132.u1.88c.frm
- 132.u1.88c.wav

- 133/
  - u1/

- 133.u1.01.f0
- 133.u1.01.frm
- 133.u1.01.wav
- 133.u1.02.f0
- 133.u1.02.frm
- 133.u1.02.wav
- 133.u1.03.f0
- 133.u1.03.frm
- 133.u1.03.wav
- 133.u1.04.f0
- 133.u1.04.frm
- 133.u1.04.pk
- 133.u1.04.wav
- 133.u1.05.f0
- 133.u1.05.frm
- 133.u1.05.wav
- 133.u1.11.f0
- 133.u1.11.frm
- 133.u1.11.wav
- 133.u1.22.f0
- 133.u1.22.frm
- 133.u1.22.wav
- 133.u1.33a.f0
- 133.u1.33a.frm
- 133.u1.33a.wav
- 133.u1.33b.f0
- 133.u1.33b.frm
- 133.u1.33b.wav
- 133.u1.44a.f0
- 133.u1.44a.frm
- 133.u1.44a.wav
- 133.u1.44b.f0
- 133.u1.44b.frm
- 133.u1.44b.wav
- 133.u1.55a.f0
- 133.u1.55a.frm
- 133.u1.55a.wav
- 133.u1.55b.f0
- 133.u1.55b.frm
- 133.u1.55b.wav
- 133.u1.66a.f0
- 133.u1.66a.frm
- 133.u1.66a.wav
- 133.u1.66b.f0
- 133.u1.66b.frm
- 133.u1.66b.wav
- 133.u1.77a.f0
- 133.u1.77a.frm
- 133.u1.77a.wav
- 133.u1.77b.f0
- 133.u1.77b.frm
- 133.u1.77b.wav
- 133.u1.77c.f0
- 133.u1.77c.frm
- 133.u1.77c.wav
- 133.u1.88a.f0
- 133.u1.88a.frm
- 133.u1.88a.wav
- 133.u1.88b.f0
- 133.u1.88b.frm
- 133.u1.88b.wav
- 133.u1.88c.f0

- 133.u1.88c.frm
  - 133.u1.88c.wav
- 134/
  - u1/
    - 134.u1.01.f0
    - 134.u1.01.frm
    - 134.u1.01.wav
    - 134.u1.02.f0
    - 134.u1.02.frm
    - 134.u1.02.wav
    - 134.u1.03.f0
    - 134.u1.03.frm
    - 134.u1.03.wav
    - 134.u1.04.f0
    - 134.u1.04.frm
    - 134.u1.04.wav
    - 134.u1.05.f0
    - 134.u1.05.frm
    - 134.u1.05.wav
    - 134.u1.11.f0
    - 134.u1.11.frm
    - 134.u1.11.wav
    - 134.u1.22.f0
    - 134.u1.22.frm
    - 134.u1.22.wav
    - 134.u1.33a.f0
    - 134.u1.33a.frm
    - 134.u1.33a.wav
    - 134.u1.33b.f0
    - 134.u1.33b.frm
    - 134.u1.33b.wav
    - 134.u1.44a.f0
    - 134.u1.44a.frm
    - 134.u1.44a.wav
    - 134.u1.44b.f0
    - 134.u1.44b.frm
    - 134.u1.44b.wav
    - 134.u1.77a.f0
    - 134.u1.77a.frm
    - 134.u1.77a.wav
    - 134.u1.77b.f0
    - 134.u1.77b.frm
    - 134.u1.77b.wav
    - 134.u1.77c.f0
    - 134.u1.77c.frm
    - 134.u1.77c.wav
    - 134.u1.88a.f0
    - 134.u1.88a.frm
    - 134.u1.88a.wav
    - 134.u1.88b.f0
    - 134.u1.88b.frm
    - 134.u1.88b.wav
    - 134.u1.88c.f0
    - 134.u1.88c.frm
    - 134.u1.88c.wav
  - u2/
    - 134.u2.01.wav
    - 134.u2.02.wav
    - 134.u2.03.wav
    - 134.u2.04.pk
    - 134.u2.04.wav
    - 134.u2.05.wav
    - 134.u2.11.wav
    - 134.u2.33a.wav
    - 134.u2.33b.wav
    - 134.u2.44a.wav
    - 134.u2.44b.wav
    - 134.u2.77a.wav
    - 134.u2.77b.wav
    - 134.u2.77c.wav
    - 134.u2.88a.wav
    - 134.u2.88b.wav
    - 134.u2.88c.wav
- 136/
  - u1/
    - 136.u1.01.f0
    - 136.u1.01.frm
    - 136.u1.01.wav
    - 136.u1.02.f0
    - 136.u1.02.frm
    - 136.u1.02.wav
    - 136.u1.03.f0
    - 136.u1.03.frm
    - 136.u1.03.wav
    - 136.u1.04.f0

- 136.u1.04.frm
- 136.u1.04.pk
- 136.u1.04.wav
- 136.u1.05.f0
- 136.u1.05.frm
- 136.u1.05.wav
- 136.u1.11.f0
- 136.u1.11.frm
- 136.u1.11.wav
- 136.u1.22.f0
- 136.u1.22.frm
- 136.u1.22.wav
- 136.u1.33a.f0
- 136.u1.33a.frm
- 136.u1.33a.wav
- 136.u1.33b.f0
- 136.u1.33b.frm
- 136.u1.33b.wav
- 136.u1.44a.f0
- 136.u1.44a.frm
- 136.u1.44a.wav
- 136.u1.44b.f0
- 136.u1.44b.frm
- 136.u1.44b.wav
- 136.u1.55a.f0
- 136.u1.55a.frm
- 136.u1.55a.wav
- 136.u1.55b.f0
- 136.u1.55b.frm
- 136.u1.55b.wav
- 136.u1.77a.f0
- 136.u1.77a.frm
- 136.u1.77a.wav
- 136.u1.77b.f0
- 136.u1.77b.frm
- 136.u1.77b.wav
- 136.u1.77c.f0
- 136.u1.77c.frm
- 136.u1.77c.wav
- 136.u1.88a.f0
- 136.u1.88a.frm
- 136.u1.88a.wav
- 136.u1.88b.f0
- 136.u1.88b.frm
- 136.u1.88b.wav
- 136.u1.88c.f0
- 136.u1.88c.frm
- 136.u1.88c.wav

u2/

- 136.u2.01.wav
- 136.u2.02.wav

138/

u1/

- 138.u1.01.f0
- 138.u1.01.frm
- 138.u1.01.wav
- 138.u1.02.f0
- 138.u1.02.frm
- 138.u1.02.wav
- 138.u1.03.f0
- 138.u1.03.frm
- 138.u1.03.wav
- 138.u1.04.f0
- 138.u1.04.frm
- 138.u1.04.wav
- 138.u1.05.f0
- 138.u1.05.frm
- 138.u1.05.wav
- 138.u1.11.f0
- 138.u1.11.frm
- 138.u1.11.wav
- 138.u1.22.f0
- 138.u1.22.frm
- 138.u1.22.wav
- 138.u1.33a.f0
- 138.u1.33a.frm
- 138.u1.33a.wav
- 138.u1.33b.f0
- 138.u1.33b.frm
- 138.u1.33b.wav
- 138.u1.33c.f0
- 138.u1.33c.frm
- 138.u1.33c.wav
- 138.u1.33d.f0
- 138.u1.33d.frm

- 138.u1.33d.wav
- 138.u1.44a.f0
- 138.u1.44a.frm
- 138.u1.44a.wav
- 138.u1.44b.f0
- 138.u1.44b.frm
- 138.u1.44b.wav
- 138.u1.77a.f0
- 138.u1.77a.frm
- 138.u1.77a.wav
- 138.u1.77b.f0
- 138.u1.77b.frm
- 138.u1.77b.wav
- 138.u1.77c.f0
- 138.u1.77c.frm
- 138.u1.77c.wav
- 138.u1.88a.f0
- 138.u1.88a.frm
- 138.u1.88a.wav
- 138.u1.88b.f0
- 138.u1.88b.frm
- 138.u1.88b.wav
- 138.u1.88c.f0
- 138.u1.88c.frm
- 138.u1.88c.wav

u2/

- 138.u2.01.wav
- 138.u2.02.wav
- 138.u2.03.wav
- 138.u2.04.pk
- 138.u2.04.wav
- 138.u2.05.wav
- 138.u2.11.wav
- 138.u2.22.wav
- 138.u2.33a.wav
- 138.u2.33b.wav
- 138.u2.33c.wav
- 138.u2.33d.wav
- 138.u2.44a.wav
- 138.u2.44b.wav
- 138.u2.77a.wav
- 138.u2.77b.wav
- 138.u2.77c.wav
- 138.u2.88a.wav
- 138.u2.88b.wav
- 138.u2.88c.wav

139/

u1/

- 139.u1.01.f0
- 139.u1.01.frm
- 139.u1.01.wav
- 139.u1.02.f0
- 139.u1.02.frm
- 139.u1.02.wav
- 139.u1.03.f0
- 139.u1.03.frm
- 139.u1.03.wav
- 139.u1.04.f0
- 139.u1.04.frm
- 139.u1.04.wav
- 139.u1.05.f0
- 139.u1.05.frm
- 139.u1.05.wav
- 139.u1.11.f0
- 139.u1.11.frm
- 139.u1.11.wav
- 139.u1.22.f0
- 139.u1.22.frm
- 139.u1.22.wav
- 139.u1.44a.f0
- 139.u1.44a.frm
- 139.u1.44a.wav
- 139.u1.44b.f0
- 139.u1.44b.frm
- 139.u1.44b.wav
- 139.u1.55a.f0
- 139.u1.55a.frm
- 139.u1.55a.wav
- 139.u1.55b.f0
- 139.u1.55b.frm
- 139.u1.55b.wav
- 139.u1.66a.f0
- 139.u1.66a.frm
- 139.u1.66a.wav
- 139.u1.66b.f0

- 139.u1.66b.frm
- 139.u1.66b.wav
- 139.u1.77a.f0
- 139.u1.77a.frm
- 139.u1.77a.wav
- 139.u1.77b.f0
- 139.u1.77b.frm
- 139.u1.77b.wav
- 139.u1.77c.f0
- 139.u1.77c.frm
- 139.u1.77c.wav
- 139.u1.88a.f0
- 139.u1.88a.frm
- 139.u1.88a.wav
- 139.u1.88b.f0
- 139.u1.88b.frm
- 139.u1.88b.wav
- 139.u1.88c.f0
- 139.u1.88c.frm
- 139.u1.88c.wav

u2/

- 139.u2.01.wav
- 139.u2.02.wav
- 139.u2.03.wav
- 139.u2.04.pk
- 139.u2.04.wav
- 139.u2.05.wav
- 139.u2.11.wav
- 139.u2.22.wav
- 139.u2.33a.wav
- 139.u2.33b.wav
- 139.u2.44a.wav
- 139.u2.44b.wav
- 139.u2.55a.wav
- 139.u2.55b.wav
- 139.u2.66a.wav
- 139.u2.66b.wav
- 139.u2.77a.wav
- 139.u2.77b.wav
- 139.u2.77c.wav
- 139.u2.88a.wav
- 139.u2.88b.wav
- 139.u2.88c.wav

u3/

- 139.u3.01.wav
- 139.u3.02.wav
- 139.u3.03.wav
- 139.u3.04.wav
- 139.u3.05.wav
- 139.u3.11.wav
- 139.u3.22.wav
- 139.u3.33a.wav
- 139.u3.33b.wav
- 139.u3.44a.wav
- 139.u3.44b.wav
- 139.u3.55a.wav
- 139.u3.55b.wav
- 139.u3.66a.wav
- 139.u3.66b.wav
- 139.u3.77a.wav
- 139.u3.77b.wav
- 139.u3.77c.wav
- 139.u3.88a.wav
- 139.u3.88b.wav
- 139.u3.88c.wav

140/

u1/

- 140.u1.01.f0
- 140.u1.01.frm
- 140.u1.01.wav
- 140.u1.02.f0
- 140.u1.02.frm
- 140.u1.02.wav
- 140.u1.03.f0
- 140.u1.03.frm
- 140.u1.03.wav
- 140.u1.04.f0
- 140.u1.04.frm
- 140.u1.04.wav
- 140.u1.05.f0
- 140.u1.05.frm
- 140.u1.05.wav
- 140.u1.11.f0
- 140.u1.11.frm
- 140.u1.11.wav

— 140.u1.22.f0  
— 140.u1.22.frm  
— 140.u1.22.wav  
— 140.u1.44a.f0  
— 140.u1.44a.frm  
— 140.u1.44a.wav  
— 140.u1.44b.f0  
— 140.u1.44b.frm  
— 140.u1.44b.wav  
— 140.u1.55a.f0  
— 140.u1.55a.frm  
— 140.u1.55a.wav  
— 140.u1.55b.f0  
— 140.u1.55b.frm  
— 140.u1.55b.wav  
— 140.u1.66a.f0  
— 140.u1.66a.frm  
— 140.u1.66a.wav  
— 140.u1.66b.f0  
— 140.u1.66b.frm  
— 140.u1.66b.wav  
— 140.u1.77a.f0  
— 140.u1.77a.frm  
— 140.u1.77a.wav  
— 140.u1.77b.f0  
— 140.u1.77b.frm  
— 140.u1.77b.wav  
— 140.u1.77c.f0  
— 140.u1.77c.frm  
— 140.u1.77c.wav  
— 140.u1.88a.f0  
— 140.u1.88a.frm  
— 140.u1.88a.wav  
— 140.u1.88b.f0  
— 140.u1.88b.frm  
— 140.u1.88b.wav  
— 140.u1.88c.f0  
— 140.u1.88c.frm  
— 140.u1.88c.wav

u2/

— 140.u2.01.wav  
— 140.u2.02.wav  
— 140.u2.03.wav  
— 140.u2.04.pk  
— 140.u2.04.wav  
— 140.u2.05.wav  
— 140.u2.11.wav  
— 140.u2.22.wav  
— 140.u2.44a.wav  
— 140.u2.44b.wav  
— 140.u2.55a.wav  
— 140.u2.55b.wav  
— 140.u2.66a.wav  
— 140.u2.66b.wav  
— 140.u2.77a.wav  
— 140.u2.77b.wav  
— 140.u2.77c.wav  
— 140.u2.88a.wav  
— 140.u2.88b.wav  
— 140.u2.88c.wav

141/

u1/

— 141.u1.01.f0  
— 141.u1.01.frm  
— 141.u1.01.wav  
— 141.u1.02.f0  
— 141.u1.02.frm  
— 141.u1.02.wav  
— 141.u1.03.f0  
— 141.u1.03.frm  
— 141.u1.03.wav  
— 141.u1.04.f0  
— 141.u1.04.frm  
— 141.u1.04.pk  
— 141.u1.04.wav  
— 141.u1.05.f0  
— 141.u1.05.frm  
— 141.u1.05.wav  
— 141.u1.11.f0  
— 141.u1.11.frm  
— 141.u1.11.wav  
— 141.u1.22.f0  
— 141.u1.22.frm  
— 141.u1.22.wav  
— 141.u1.33a.f0

— 141.u1.33a.frm  
— 141.u1.33a.wav  
— 141.u1.33b.f0  
— 141.u1.33b.frm  
— 141.u1.33b.wav  
— 141.u1.44a.f0  
— 141.u1.44a.frm  
— 141.u1.44a.wav  
— 141.u1.44b.f0  
— 141.u1.44b.frm  
— 141.u1.44b.wav  
— 141.u1.55a.f0  
— 141.u1.55a.frm  
— 141.u1.55a.wav  
— 141.u1.55b.f0  
— 141.u1.55b.frm  
— 141.u1.55b.wav  
— 141.u1.66a.f0  
— 141.u1.66a.frm  
— 141.u1.66a.wav  
— 141.u1.66b.f0  
— 141.u1.66b.frm  
— 141.u1.66b.wav  
— 141.u1.77a.f0  
— 141.u1.77a.frm  
— 141.u1.77a.wav  
— 141.u1.77b.f0  
— 141.u1.77b.frm  
— 141.u1.77b.wav  
— 141.u1.77c.f0  
— 141.u1.77c.frm  
— 141.u1.77c.wav  
— 141.u1.88a.f0  
— 141.u1.88a.frm  
— 141.u1.88a.wav  
— 141.u1.88b.f0  
— 141.u1.88b.frm  
— 141.u1.88b.wav  
— 141.u1.88c.f0  
— 141.u1.88c.frm  
— 141.u1.88c.wav

— 142/

└─ u1/

— 142.u1.01.f0  
— 142.u1.01.frm  
— 142.u1.01.wav  
— 142.u1.02.f0  
— 142.u1.02.frm  
— 142.u1.02.wav  
— 142.u1.03.f0  
— 142.u1.03.frm  
— 142.u1.03.wav  
— 142.u1.04.f0  
— 142.u1.04.frm  
— 142.u1.04.pk  
— 142.u1.04.wav  
— 142.u1.05.f0  
— 142.u1.05.frm  
— 142.u1.05.wav  
— 142.u1.11.f0  
— 142.u1.11.frm  
— 142.u1.11.wav  
— 142.u1.22.f0  
— 142.u1.22.frm  
— 142.u1.22.wav  
— 142.u1.33a.f0  
— 142.u1.33a.frm  
— 142.u1.33a.wav  
— 142.u1.33b.f0  
— 142.u1.33b.frm  
— 142.u1.33b.wav  
— 142.u1.44a.f0  
— 142.u1.44a.frm  
— 142.u1.44a.wav  
— 142.u1.44b.f0  
— 142.u1.44b.frm  
— 142.u1.44b.wav  
— 142.u1.55a.f0  
— 142.u1.55a.frm  
— 142.u1.55a.wav  
— 142.u1.55b.f0  
— 142.u1.55b.frm  
— 142.u1.55b.wav  
— 142.u1.66a.f0  
— 142.u1.66a.frm



- 142.u1.66a.wav
- 142.u1.66b.f0
- 142.u1.66b.frm
- 142.u1.66b.wav
- 142.u1.77a.f0
- 142.u1.77a.frm
- 142.u1.77a.wav
- 142.u1.77b.f0
- 142.u1.77b.frm
- 142.u1.77b.wav
- 142.u1.77c.f0
- 142.u1.77c.frm
- 142.u1.77c.wav
- 142.u1.88a.f0
- 142.u1.88a.frm
- 142.u1.88a.wav
- 142.u1.88b.f0
- 142.u1.88b.frm
- 142.u1.88b.wav
- 142.u1.88c.f0
- 142.u1.88c.frm
- 142.u1.88c.wav

— 144/

— u1/

- 144.u1.01.f0
- 144.u1.01.frm
- 144.u1.01.wav
- 144.u1.02.f0
- 144.u1.02.frm
- 144.u1.02.wav
- 144.u1.03.f0
- 144.u1.03.frm
- 144.u1.03.wav
- 144.u1.04.f0
- 144.u1.04.frm
- 144.u1.04.pk
- 144.u1.04.wav
- 144.u1.05.f0
- 144.u1.05.frm
- 144.u1.05.wav
- 144.u1.11.f0
- 144.u1.11.frm
- 144.u1.11.wav
- 144.u1.22.f0
- 144.u1.22.frm
- 144.u1.22.wav
- 144.u1.44a.f0
- 144.u1.44a.frm
- 144.u1.44a.wav
- 144.u1.44b.f0
- 144.u1.44b.frm
- 144.u1.44b.wav
- 144.u1.55a.f0
- 144.u1.55a.frm
- 144.u1.55a.wav
- 144.u1.55b.f0
- 144.u1.55b.frm
- 144.u1.55b.wav
- 144.u1.66a.f0
- 144.u1.66a.frm
- 144.u1.66a.wav
- 144.u1.66b.f0
- 144.u1.66b.frm
- 144.u1.66b.wav
- 144.u1.77a.f0
- 144.u1.77a.frm
- 144.u1.77a.wav
- 144.u1.77b.f0
- 144.u1.77b.frm
- 144.u1.77b.wav
- 144.u1.77c.f0
- 144.u1.77c.frm
- 144.u1.77c.wav
- 144.u1.88a.f0
- 144.u1.88a.frm
- 144.u1.88a.wav
- 144.u1.88b.f0
- 144.u1.88b.frm
- 144.u1.88b.wav
- 144.u1.88c.f0
- 144.u1.88c.frm
- 144.u1.88c.wav

— 146/

— u1/

- 146.u1.01.f0

— 146.u1.01.frm  
— 146.u1.01.wav  
— 146.u1.02.f0  
— 146.u1.02.frm  
— 146.u1.02.wav  
— 146.u1.03.f0  
— 146.u1.03.frm  
— 146.u1.03.wav  
— 146.u1.04.f0  
— 146.u1.04.frm  
— 146.u1.04.wav  
— 146.u1.05.f0  
— 146.u1.05.frm  
— 146.u1.05.wav  
— 146.u1.11.f0  
— 146.u1.11.frm  
— 146.u1.11.wav  
— 146.u1.22.f0  
— 146.u1.22.frm  
— 146.u1.22.wav  
— 146.u1.44a.f0  
— 146.u1.44a.frm  
— 146.u1.44a.wav  
— 146.u1.44b.f0  
— 146.u1.44b.frm  
— 146.u1.44b.wav  
— 146.u1.55a.f0  
— 146.u1.55a.frm  
— 146.u1.55a.wav  
— 146.u1.55b.f0  
— 146.u1.55b.frm  
— 146.u1.55b.wav  
— 146.u1.66a.f0  
— 146.u1.66a.frm  
— 146.u1.66a.wav  
— 146.u1.66b.f0  
— 146.u1.66b.frm  
— 146.u1.66b.wav  
— 146.u1.77a.f0  
— 146.u1.77a.frm  
— 146.u1.77a.wav  
— 146.u1.77b.f0  
— 146.u1.77b.frm  
— 146.u1.77b.wav  
— 146.u1.77c.f0  
— 146.u1.77c.frm  
— 146.u1.77c.wav  
— 146.u1.88a.f0  
— 146.u1.88a.frm  
— 146.u1.88a.wav  
— 146.u1.88b.f0  
— 146.u1.88b.frm  
— 146.u1.88b.wav  
— 146.u1.88c.f0  
— 146.u1.88c.frm  
— 146.u1.88c.wav

u2/

— 146.u2.01.wav  
— 146.u2.02.wav  
— 146.u2.03.wav  
— 146.u2.04.pk  
— 146.u2.04.wav  
— 146.u2.05.wav  
— 146.u2.11.wav  
— 146.u2.22.wav  
— 146.u2.33a.wav  
— 146.u2.33b.wav  
— 146.u2.44a.wav  
— 146.u2.44b.wav  
— 146.u2.55a.wav  
— 146.u2.55b.wav  
— 146.u2.66a.wav  
— 146.u2.66b.wav  
— 146.u2.77a.wav  
— 146.u2.77b.wav  
— 146.u2.77c.wav  
— 146.u2.88a.wav  
— 146.u2.88b.wav  
— 146.u2.88c.wav

u3/

— 146.u3.01.wav  
— 146.u3.02.wav  
— 146.u3.03.wav  
— 146.u3.04.wav  
— 146.u3.05.wav

- 146.u3.11.wav
- 146.u3.33a.wav
- 146.u3.33b.wav
- 146.u3.33c.wav
- 146.u3.33d.wav
- 146.u3.44a.wav
- 146.u3.44b.wav
- 146.u3.55a.wav
- 146.u3.55b.wav
- 146.u3.55c.wav
- 146.u3.55d.wav
- 146.u3.66a.wav
- 146.u3.66b.wav
- 146.u3.66c.wav
- 146.u3.66d.wav
- 146.u3.77a.wav
- 146.u3.77b.wav
- 146.u3.77c.wav
- 146.u3.88a.wav
- 146.u3.88b.wav
- 146.u3.88c.wav

— 147/

└─ u1/

- 147.u1.01.f0
- 147.u1.01.frm
- 147.u1.01.wav
- 147.u1.02.f0
- 147.u1.02.frm
- 147.u1.02.wav
- 147.u1.03.f0
- 147.u1.03.frm
- 147.u1.03.wav
- 147.u1.04.f0
- 147.u1.04.frm
- 147.u1.04.pk
- 147.u1.04.wav
- 147.u1.05.f0
- 147.u1.05.frm
- 147.u1.05.wav
- 147.u1.11.f0
- 147.u1.11.frm
- 147.u1.11.wav
- 147.u1.22.f0
- 147.u1.22.frm
- 147.u1.22.wav
- 147.u1.33a.f0
- 147.u1.33a.frm
- 147.u1.33a.wav
- 147.u1.33b.f0
- 147.u1.33b.frm
- 147.u1.33b.wav
- 147.u1.44a.f0
- 147.u1.44a.frm
- 147.u1.44a.wav
- 147.u1.44b.f0
- 147.u1.44b.frm
- 147.u1.44b.wav
- 147.u1.55a.f0
- 147.u1.55a.frm
- 147.u1.55a.wav
- 147.u1.55b.f0
- 147.u1.55b.frm
- 147.u1.55b.wav
- 147.u1.66a.f0
- 147.u1.66a.frm
- 147.u1.66a.wav
- 147.u1.66b.f0
- 147.u1.66b.frm
- 147.u1.66b.wav
- 147.u1.77a.f0
- 147.u1.77a.frm
- 147.u1.77a.wav
- 147.u1.77b.f0
- 147.u1.77b.frm
- 147.u1.77b.wav
- 147.u1.77c.f0
- 147.u1.77c.frm
- 147.u1.77c.wav
- 147.u1.88a.f0
- 147.u1.88a.frm
- 147.u1.88a.wav
- 147.u1.88b.f0
- 147.u1.88b.frm
- 147.u1.88b.wav
- 147.u1.88c.f0

- 147.u1.88c.frm
  - 147.u1.88c.wav
- 148/
  - u1/
    - 148.u1.01.f0
    - 148.u1.01.frm
    - 148.u1.01.wav
    - 148.u1.02.f0
    - 148.u1.02.frm
    - 148.u1.02.wav
    - 148.u1.03.f0
    - 148.u1.03.frm
    - 148.u1.03.wav
    - 148.u1.04.f0
    - 148.u1.04.frm
    - 148.u1.04.pk
    - 148.u1.04.wav
    - 148.u1.05.f0
    - 148.u1.05.frm
    - 148.u1.05.wav
    - 148.u1.11.f0
    - 148.u1.11.frm
    - 148.u1.11.wav
    - 148.u1.22.f0
    - 148.u1.22.frm
    - 148.u1.22.wav
    - 148.u1.33a.f0
    - 148.u1.33a.frm
    - 148.u1.33a.wav
    - 148.u1.33b.f0
    - 148.u1.33b.frm
    - 148.u1.33b.wav
    - 148.u1.44a.f0
    - 148.u1.44a.frm
    - 148.u1.44a.wav
    - 148.u1.44b.f0
    - 148.u1.44b.frm
    - 148.u1.44b.wav
    - 148.u1.77a.f0
    - 148.u1.77a.frm
    - 148.u1.77a.wav
    - 148.u1.77b.f0
    - 148.u1.77b.frm
    - 148.u1.77b.wav
    - 148.u1.77c.f0
    - 148.u1.77c.frm
    - 148.u1.77c.wav
    - 148.u1.88a.f0
    - 148.u1.88a.frm
    - 148.u1.88a.wav
    - 148.u1.88b.f0
    - 148.u1.88b.frm
    - 148.u1.88b.wav
    - 148.u1.88c.f0
    - 148.u1.88c.frm
    - 148.u1.88c.wav
  - u2/
    - 148.u2.01.wav
    - 148.u2.02.wav
    - 148.u2.03.wav
    - 148.u2.04.pk
    - 148.u2.04.wav
    - 148.u2.05.wav
    - 148.u2.11.wav
    - 148.u2.22.wav
    - 148.u2.33a.wav
    - 148.u2.33b.wav
    - 148.u2.44a.wav
    - 148.u2.44b.wav
    - 148.u2.77a.wav
    - 148.u2.77b.wav
    - 148.u2.77c.wav
    - 148.u2.88a.wav
    - 148.u2.88b.wav
    - 148.u2.88c.wav
  - u3/
    - 148.u3.01.wav
    - 148.u3.02.wav
    - 148.u3.03.wav
    - 148.u3.04.pk
    - 148.u3.04.wav
    - 148.u3.05.wav
    - 148.u3.11.wav
    - 148.u3.33a.wav
    - 148.u3.33b.wav

- 148.u3.33c.wav
- 148.u3.33d.wav
- 148.u3.44a.wav
- 148.u3.44b.wav
- 148.u3.77a.wav
- 148.u3.77b.wav
- 148.u3.77c.wav
- 148.u3.88a.wav
- 148.u3.88b.wav
- 148.u3.88c.wav

— 152/

— u1/

- 152.u1.01.f0
- 152.u1.01.frm
- 152.u1.01.wav
- 152.u1.02.f0
- 152.u1.02.frm
- 152.u1.02.wav
- 152.u1.03.f0
- 152.u1.03.frm
- 152.u1.03.wav
- 152.u1.04.f0
- 152.u1.04.frm
- 152.u1.04.pk
- 152.u1.04.wav
- 152.u1.05.f0
- 152.u1.05.frm
- 152.u1.05.wav
- 152.u1.11.f0
- 152.u1.11.frm
- 152.u1.11.wav
- 152.u1.22.f0
- 152.u1.22.frm
- 152.u1.22.wav
- 152.u1.44a.f0
- 152.u1.44a.frm
- 152.u1.44a.wav
- 152.u1.44b.f0
- 152.u1.44b.frm
- 152.u1.44b.wav
- 152.u1.55a.f0
- 152.u1.55a.frm
- 152.u1.55a.wav
- 152.u1.55b.f0
- 152.u1.55b.frm
- 152.u1.55b.wav
- 152.u1.66a.f0
- 152.u1.66a.frm
- 152.u1.66a.wav
- 152.u1.66b.f0
- 152.u1.66b.frm
- 152.u1.66b.wav
- 152.u1.77a.f0
- 152.u1.77a.frm
- 152.u1.77a.wav
- 152.u1.77b.f0
- 152.u1.77b.frm
- 152.u1.77b.wav
- 152.u1.77c.f0
- 152.u1.77c.frm
- 152.u1.77c.wav
- 152.u1.88a.f0
- 152.u1.88a.frm
- 152.u1.88a.wav
- 152.u1.88b.f0
- 152.u1.88b.frm
- 152.u1.88b.wav
- 152.u1.88c.f0
- 152.u1.88c.frm
- 152.u1.88c.wav

— u2/

- 152.u2.01.wav
- 152.u2.02.wav
- 152.u2.03.wav
- 152.u2.04.pk
- 152.u2.04.wav
- 152.u2.05.wav
- 152.u2.11.wav
- 152.u2.33a.wav
- 152.u2.33b.wav
- 152.u2.33c.wav
- 152.u2.33d.wav
- 152.u2.44a.wav
- 152.u2.44b.wav
- 152.u2.55a.wav

- 152.u2.55b.wav
- 152.u2.55c.wav
- 152.u2.55d.wav
- 152.u2.66a.wav
- 152.u2.66b.wav
- 152.u2.66c.wav
- 152.u2.66d.wav
- 152.u2.77a.wav
- 152.u2.77b.wav
- 152.u2.77c.wav
- 152.u2.88a.wav
- 152.u2.88b.wav
- 152.u2.88c.wav

— 156/

└─ u1/

- 156.u1.01.f0
- 156.u1.01.frm
- 156.u1.01.wav
- 156.u1.02.f0
- 156.u1.02.frm
- 156.u1.02.wav
- 156.u1.03.f0
- 156.u1.03.frm
- 156.u1.03.wav
- 156.u1.04.f0
- 156.u1.04.frm
- 156.u1.04.pk
- 156.u1.04.wav
- 156.u1.05.f0
- 156.u1.05.frm
- 156.u1.05.wav
- 156.u1.11.f0
- 156.u1.11.frm
- 156.u1.11.wav
- 156.u1.22.f0
- 156.u1.22.frm
- 156.u1.22.wav
- 156.u1.44a.f0
- 156.u1.44a.frm
- 156.u1.44a.wav
- 156.u1.44b.f0
- 156.u1.44b.frm
- 156.u1.44b.wav
- 156.u1.55a.f0
- 156.u1.55a.frm
- 156.u1.55a.wav
- 156.u1.55b.f0
- 156.u1.55b.frm
- 156.u1.55b.wav
- 156.u1.66a.f0
- 156.u1.66a.frm
- 156.u1.66a.wav
- 156.u1.66b.f0
- 156.u1.66b.frm
- 156.u1.66b.wav
- 156.u1.77a.f0
- 156.u1.77a.frm
- 156.u1.77a.wav
- 156.u1.77b.f0
- 156.u1.77b.frm
- 156.u1.77b.wav
- 156.u1.77c.f0
- 156.u1.77c.frm
- 156.u1.77c.wav
- 156.u1.88a.f0
- 156.u1.88a.frm
- 156.u1.88a.wav
- 156.u1.88b.f0
- 156.u1.88b.frm
- 156.u1.88b.wav
- 156.u1.88c.f0
- 156.u1.88c.frm
- 156.u1.88c.wav

— 157/

└─ u1/

- 157.u1.01.f0
- 157.u1.01.frm
- 157.u1.01.wav
- 157.u1.02.f0
- 157.u1.02.frm
- 157.u1.02.wav
- 157.u1.03.f0
- 157.u1.03.frm
- 157.u1.03.wav
- 157.u1.04.f0

— 157.u1.04.frm  
— 157.u1.04.pk  
— 157.u1.04.wav  
— 157.u1.05.f0  
— 157.u1.05.frm  
— 157.u1.05.wav  
— 157.u1.11.f0  
— 157.u1.11.frm  
— 157.u1.11.wav  
— 157.u1.22.f0  
— 157.u1.22.frm  
— 157.u1.22.wav  
— 157.u1.33a.f0  
— 157.u1.33a.frm  
— 157.u1.33a.wav  
— 157.u1.33b.f0  
— 157.u1.33b.frm  
— 157.u1.33b.wav  
— 157.u1.44a.f0  
— 157.u1.44a.frm  
— 157.u1.44a.wav  
— 157.u1.44b.f0  
— 157.u1.44b.frm  
— 157.u1.44b.wav  
— 157.u1.55a.f0  
— 157.u1.55a.frm  
— 157.u1.55a.wav  
— 157.u1.55b.f0  
— 157.u1.55b.frm  
— 157.u1.55b.wav  
— 157.u1.66a.f0  
— 157.u1.66a.frm  
— 157.u1.66a.wav  
— 157.u1.66b.f0  
— 157.u1.66b.frm  
— 157.u1.66b.wav  
— 157.u1.77a.f0  
— 157.u1.77a.frm  
— 157.u1.77a.wav  
— 157.u1.77b.f0  
— 157.u1.77b.frm  
— 157.u1.77b.wav  
— 157.u1.77c.f0  
— 157.u1.77c.frm  
— 157.u1.77c.wav  
— 157.u1.88a.f0  
— 157.u1.88a.frm  
— 157.u1.88a.wav  
— 157.u1.88b.f0  
— 157.u1.88b.frm  
— 157.u1.88b.wav  
— 157.u1.88c.f0  
— 157.u1.88c.frm  
— 157.u1.88c.wav

— 160/

— u1/

— 160.u1.01.f0  
— 160.u1.01.frm  
— 160.u1.01.wav  
— 160.u1.02.f0  
— 160.u1.02.frm  
— 160.u1.02.wav  
— 160.u1.03.f0  
— 160.u1.03.frm  
— 160.u1.03.wav  
— 160.u1.04.f0  
— 160.u1.04.frm  
— 160.u1.04.wav  
— 160.u1.05.f0  
— 160.u1.05.frm  
— 160.u1.05.wav  
— 160.u1.11.f0  
— 160.u1.11.frm  
— 160.u1.11.wav  
— 160.u1.22.f0  
— 160.u1.22.frm  
— 160.u1.22.wav  
— 160.u1.33a.f0  
— 160.u1.33a.frm  
— 160.u1.33a.wav  
— 160.u1.33b.f0  
— 160.u1.33b.frm  
— 160.u1.33b.wav  
— 160.u1.44a.f0  
— 160.u1.44a.frm

— 160.u1.44a.wav  
— 160.u1.44b.f0  
— 160.u1.44b.frm  
— 160.u1.44b.wav  
— 160.u1.55a.f0  
— 160.u1.55a.frm  
— 160.u1.55a.wav  
— 160.u1.55b.f0  
— 160.u1.55b.frm  
— 160.u1.55b.wav  
— 160.u1.66a.f0  
— 160.u1.66a.frm  
— 160.u1.66a.wav  
— 160.u1.66b.f0  
— 160.u1.66b.frm  
— 160.u1.66b.wav  
— 160.u1.77a.f0  
— 160.u1.77a.frm  
— 160.u1.77a.wav  
— 160.u1.77b.f0  
— 160.u1.77b.frm  
— 160.u1.77b.wav  
— 160.u1.77c.f0  
— 160.u1.77c.frm  
— 160.u1.77c.wav  
— 160.u1.88a.f0  
— 160.u1.88a.frm  
— 160.u1.88a.wav  
— 160.u1.88b.f0  
— 160.u1.88b.frm  
— 160.u1.88b.wav  
— 160.u1.88c.f0  
— 160.u1.88c.frm  
— 160.u1.88c.wav

— u2/

— 160.u2.01.wav  
— 160.u2.02.wav  
— 160.u2.03.wav  
— 160.u2.04.pk  
— 160.u2.04.wav  
— 160.u2.05.wav  
— 160.u2.11.wav  
— 160.u2.22.wav  
— 160.u2.33a.wav  
— 160.u2.33b.wav  
— 160.u2.44a.wav  
— 160.u2.44b.wav  
— 160.u2.55a.wav  
— 160.u2.55b.wav  
— 160.u2.66a.wav  
— 160.u2.66b.wav  
— 160.u2.77a.wav  
— 160.u2.77b.wav  
— 160.u2.77c.wav  
— 160.u2.88a.wav  
— 160.u2.88b.wav  
— 160.u2.88c.wav

— u3/

— 160.u3.01.wav  
— 160.u3.02.wav  
— 160.u3.03.wav  
— 160.u3.04.wav  
— 160.u3.05.wav  
— 160.u3.11.wav  
— 160.u3.33a.wav  
— 160.u3.33b.wav  
— 160.u3.33c.wav  
— 160.u3.33d.wav  
— 160.u3.44a.wav  
— 160.u3.44b.wav  
— 160.u3.55a.wav  
— 160.u3.55b.wav  
— 160.u3.55c.wav  
— 160.u3.55d.wav  
— 160.u3.66a.wav  
— 160.u3.66b.wav  
— 160.u3.66c.wav  
— 160.u3.66d.wav  
— 160.u3.77a.wav  
— 160.u3.77b.wav  
— 160.u3.77c.wav  
— 160.u3.88a.wav  
— 160.u3.88b.wav  
— 160.u3.88c.wav



└─ u1/  
├─ 164.u1.01.f0  
├─ 164.u1.01.frm  
├─ 164.u1.01.wav  
├─ 164.u1.02.f0  
├─ 164.u1.02.frm  
├─ 164.u1.02.wav  
├─ 164.u1.03.f0  
├─ 164.u1.03.frm  
├─ 164.u1.03.wav  
├─ 164.u1.04.f0  
├─ 164.u1.04.frm  
├─ 164.u1.04.pk  
├─ 164.u1.04.wav  
├─ 164.u1.05.f0  
├─ 164.u1.05.frm  
├─ 164.u1.05.wav  
├─ 164.u1.11.f0  
├─ 164.u1.11.frm  
├─ 164.u1.11.wav  
├─ 164.u1.22.f0  
├─ 164.u1.22.frm  
├─ 164.u1.22.wav  
├─ 164.u1.44a.f0  
├─ 164.u1.44a.frm  
├─ 164.u1.44a.wav  
├─ 164.u1.44b.f0  
├─ 164.u1.44b.frm  
├─ 164.u1.44b.wav  
├─ 164.u1.55a.f0  
├─ 164.u1.55a.frm  
├─ 164.u1.55a.wav  
├─ 164.u1.55b.f0  
├─ 164.u1.55b.frm  
├─ 164.u1.55b.wav  
├─ 164.u1.66a.f0  
├─ 164.u1.66a.frm  
├─ 164.u1.66a.wav  
├─ 164.u1.66b.f0  
├─ 164.u1.66b.frm  
├─ 164.u1.66b.wav  
├─ 164.u1.77a.f0  
├─ 164.u1.77a.frm  
├─ 164.u1.77a.wav  
├─ 164.u1.77b.f0  
├─ 164.u1.77b.frm  
├─ 164.u1.77b.wav  
├─ 164.u1.77c.f0  
├─ 164.u1.77c.frm  
├─ 164.u1.77c.wav  
├─ 164.u1.88a.f0  
├─ 164.u1.88a.frm  
├─ 164.u1.88a.wav  
├─ 164.u1.88b.f0  
├─ 164.u1.88b.frm  
├─ 164.u1.88b.wav  
├─ 164.u1.88c.f0  
├─ 164.u1.88c.frm  
└─ 164.u1.88c.wav

└─ 165/  
└─ u1/  
├─ 165.u1.01.f0  
├─ 165.u1.01.frm  
├─ 165.u1.01.wav  
├─ 165.u1.02.f0  
├─ 165.u1.02.frm  
├─ 165.u1.02.wav  
├─ 165.u1.03.f0  
├─ 165.u1.03.frm  
├─ 165.u1.03.wav  
├─ 165.u1.04.f0  
├─ 165.u1.04.frm  
├─ 165.u1.04.pk  
├─ 165.u1.04.wav  
├─ 165.u1.05.f0  
├─ 165.u1.05.frm  
├─ 165.u1.05.wav  
├─ 165.u1.11.f0  
├─ 165.u1.11.frm  
├─ 165.u1.11.wav  
├─ 165.u1.22.f0  
├─ 165.u1.22.frm  
├─ 165.u1.22.wav  
├─ 165.u1.33a.f0  
└─ 165.u1.33a.frm

— 165.u1.33a.wav  
— 165.u1.33b.f0  
— 165.u1.33b.frm  
— 165.u1.33b.wav  
— 165.u1.44a.f0  
— 165.u1.44a.frm  
— 165.u1.44a.wav  
— 165.u1.44b.f0  
— 165.u1.44b.frm  
— 165.u1.44b.wav  
— 165.u1.55a.f0  
— 165.u1.55a.frm  
— 165.u1.55a.wav  
— 165.u1.55b.f0  
— 165.u1.55b.frm  
— 165.u1.55b.wav  
— 165.u1.66a.f0  
— 165.u1.66a.frm  
— 165.u1.66a.wav  
— 165.u1.66b.f0  
— 165.u1.66b.frm  
— 165.u1.66b.wav  
— 165.u1.77a.f0  
— 165.u1.77a.frm  
— 165.u1.77a.wav  
— 165.u1.77b.f0  
— 165.u1.77b.frm  
— 165.u1.77b.wav  
— 165.u1.77c.f0  
— 165.u1.77c.frm  
— 165.u1.77c.wav  
— 165.u1.88a.f0  
— 165.u1.88a.frm  
— 165.u1.88a.wav  
— 165.u1.88b.f0  
— 165.u1.88b.frm  
— 165.u1.88b.wav  
— 165.u1.88c.f0  
— 165.u1.88c.frm  
— 165.u1.88c.wav

— 167/

— u1/

— 167.u1.01.f0  
— 167.u1.01.frm  
— 167.u1.01.wav  
— 167.u1.02.f0  
— 167.u1.02.frm  
— 167.u1.02.wav  
— 167.u1.03.f0  
— 167.u1.03.frm  
— 167.u1.03.wav  
— 167.u1.04.f0  
— 167.u1.04.frm  
— 167.u1.04.pk  
— 167.u1.04.wav  
— 167.u1.05.f0  
— 167.u1.05.frm  
— 167.u1.05.wav  
— 167.u1.11.f0  
— 167.u1.11.frm  
— 167.u1.11.wav  
— 167.u1.22.f0  
— 167.u1.22.frm  
— 167.u1.22.wav  
— 167.u1.33a.f0  
— 167.u1.33a.frm  
— 167.u1.33a.wav  
— 167.u1.33b.f0  
— 167.u1.33b.frm  
— 167.u1.33b.wav  
— 167.u1.44a.f0  
— 167.u1.44a.frm  
— 167.u1.44a.wav  
— 167.u1.44b.f0  
— 167.u1.44b.frm  
— 167.u1.44b.wav  
— 167.u1.55a.f0  
— 167.u1.55a.frm  
— 167.u1.55a.wav  
— 167.u1.55b.f0  
— 167.u1.55b.frm  
— 167.u1.55b.wav  
— 167.u1.66a.f0  
— 167.u1.66a.frm  
— 167.u1.66a.wav

- 167.u1.66b.f0
- 167.u1.66b.frm
- 167.u1.66b.wav
- 167.u1.77a.f0
- 167.u1.77a.frm
- 167.u1.77a.wav
- 167.u1.77b.f0
- 167.u1.77b.frm
- 167.u1.77b.wav
- 167.u1.77c.f0
- 167.u1.77c.frm
- 167.u1.77c.wav
- 167.u1.88a.f0
- 167.u1.88a.frm
- 167.u1.88a.wav
- 167.u1.88b.f0
- 167.u1.88b.frm
- 167.u1.88b.wav
- 167.u1.88c.f0
- 167.u1.88c.frm
- 167.u1.88c.wav

u2/

- 167.u2.01.wav
- 167.u2.02.wav
- 167.u2.03.wav
- 167.u2.04.wav
- 167.u2.05.wav
- 167.u2.11.wav
- 167.u2.33a.wav
- 167.u2.33b.wav
- 167.u2.33c.wav
- 167.u2.33d.wav
- 167.u2.44a.wav
- 167.u2.44b.wav
- 167.u2.55a.wav
- 167.u2.55b.wav
- 167.u2.55c.wav
- 167.u2.55d.wav
- 167.u2.66a.wav
- 167.u2.66b.wav
- 167.u2.66c.wav
- 167.u2.66d.wav
- 167.u2.77a.wav
- 167.u2.77b.wav
- 167.u2.77c.wav
- 167.u2.88a.wav
- 167.u2.88b.wav
- 167.u2.88c.wav

171/

u1/

- 171.u1.01.f0
- 171.u1.01.frm
- 171.u1.01.wav
- 171.u1.02.f0
- 171.u1.02.frm
- 171.u1.02.wav
- 171.u1.03.f0
- 171.u1.03.frm
- 171.u1.03.wav
- 171.u1.04.f0
- 171.u1.04.frm
- 171.u1.04.wav
- 171.u1.05.f0
- 171.u1.05.frm
- 171.u1.05.wav
- 171.u1.11.f0
- 171.u1.11.frm
- 171.u1.11.wav
- 171.u1.22.f0
- 171.u1.22.frm
- 171.u1.22.wav
- 171.u1.44a.f0
- 171.u1.44a.frm
- 171.u1.44a.wav
- 171.u1.44b.f0
- 171.u1.44b.frm
- 171.u1.44b.wav
- 171.u1.55a.f0
- 171.u1.55a.frm
- 171.u1.55a.wav
- 171.u1.55b.f0
- 171.u1.55b.frm
- 171.u1.55b.wav
- 171.u1.66a.f0
- 171.u1.66a.frm

- 171.u1.66a.wav
- 171.u1.66b.f0
- 171.u1.66b.frm
- 171.u1.66b.wav
- 171.u1.77a.f0
- 171.u1.77a.frm
- 171.u1.77a.wav
- 171.u1.77b.f0
- 171.u1.77b.frm
- 171.u1.77b.wav
- 171.u1.77c.f0
- 171.u1.77c.frm
- 171.u1.77c.wav
- 171.u1.88a.f0
- 171.u1.88a.frm
- 171.u1.88a.wav
- 171.u1.88b.f0
- 171.u1.88b.frm
- 171.u1.88b.wav
- 171.u1.88c.f0
- 171.u1.88c.frm
- 171.u1.88c.wav

u2/

- 171.u2.01.wav
- 171.u2.02.wav
- 171.u2.03.wav
- 171.u2.04.pk
- 171.u2.04.wav
- 171.u2.05.wav
- 171.u2.11.wav
- 171.u2.22.wav
- 171.u2.33a.wav
- 171.u2.33b.wav
- 171.u2.44a.wav
- 171.u2.44b.wav
- 171.u2.55a.wav
- 171.u2.55b.wav
- 171.u2.66a.wav
- 171.u2.66b.wav
- 171.u2.77a.wav
- 171.u2.77b.wav
- 171.u2.77c.wav
- 171.u2.88a.wav
- 171.u2.88b.wav
- 171.u2.88c.wav

u3/

- 171.u3.01.wav
- 171.u3.02.wav
- 171.u3.03.wav
- 171.u3.04.wav
- 171.u3.05.wav
- 171.u3.11.wav
- 171.u3.33b.wav
- 171.u3.33c.wav
- 171.u3.33d.wav
- 171.u3.44a.wav
- 171.u3.44b.wav
- 171.u3.555c.wav
- 171.u3.55a.wav
- 171.u3.55b.wav
- 171.u3.55c.wav
- 171.u3.55d.wav
- 171.u3.66a.wav
- 171.u3.66b.wav
- 171.u3.66c.wav
- 171.u3.66d.wav
- 171.u3.77a.wav
- 171.u3.77b.wav
- 171.u3.77c.wav
- 171.u3.88a.wav
- 171.u3.88b.wav
- 171.u3.88c.wav

173/

u1/

- 173.u1.01.f0
- 173.u1.01.frm
- 173.u1.01.wav
- 173.u1.02.f0
- 173.u1.02.frm
- 173.u1.02.wav
- 173.u1.03.f0
- 173.u1.03.frm
- 173.u1.03.wav
- 173.u1.04.f0
- 173.u1.04.frm

— 173.u1.04.pk  
— 173.u1.04.wav  
— 173.u1.05.f0  
— 173.u1.05.frm  
— 173.u1.05.wav  
— 173.u1.11.f0  
— 173.u1.11.frm  
— 173.u1.11.wav  
— 173.u1.22.f0  
— 173.u1.22.frm  
— 173.u1.22.wav  
— 173.u1.33a.f0  
— 173.u1.33a.frm  
— 173.u1.33a.wav  
— 173.u1.33b.f0  
— 173.u1.33b.frm  
— 173.u1.33b.wav  
— 173.u1.44a.f0  
— 173.u1.44a.frm  
— 173.u1.44a.wav  
— 173.u1.44b.f0  
— 173.u1.44b.frm  
— 173.u1.44b.wav  
— 173.u1.55a.f0  
— 173.u1.55a.frm  
— 173.u1.55a.wav  
— 173.u1.55b.f0  
— 173.u1.55b.frm  
— 173.u1.55b.wav  
— 173.u1.66a.f0  
— 173.u1.66a.frm  
— 173.u1.66a.wav  
— 173.u1.66b.f0  
— 173.u1.66b.frm  
— 173.u1.66b.wav  
— 173.u1.77a.f0  
— 173.u1.77a.frm  
— 173.u1.77a.wav  
— 173.u1.77b.f0  
— 173.u1.77b.frm  
— 173.u1.77b.wav  
— 173.u1.77c.f0  
— 173.u1.77c.frm  
— 173.u1.77c.wav  
— 173.u1.88a.f0  
— 173.u1.88a.frm  
— 173.u1.88a.wav  
— 173.u1.88b.f0  
— 173.u1.88b.frm  
— 173.u1.88b.wav  
— 173.u1.88c.f0  
— 173.u1.88c.frm  
— 173.u1.88c.wav

— 177/

— u1/

— 177.u1.01.f0  
— 177.u1.01.frm  
— 177.u1.01.wav  
— 177.u1.02.f0  
— 177.u1.02.frm  
— 177.u1.02.wav  
— 177.u1.03.f0  
— 177.u1.03.frm  
— 177.u1.03.wav  
— 177.u1.04.f0  
— 177.u1.04.frm  
— 177.u1.04.wav  
— 177.u1.05.f0  
— 177.u1.05.frm  
— 177.u1.05.wav  
— 177.u1.11.f0  
— 177.u1.11.frm  
— 177.u1.11.wav  
— 177.u1.22.f0  
— 177.u1.22.frm  
— 177.u1.22.wav  
— 177.u1.33a.f0  
— 177.u1.33a.frm  
— 177.u1.33a.wav  
— 177.u1.33b.f0  
— 177.u1.33b.frm  
— 177.u1.33b.wav  
— 177.u1.44a.f0  
— 177.u1.44a.frm  
— 177.u1.44a.wav

— 177.u1.44b.f0  
— 177.u1.44b.frm  
— 177.u1.44b.wav  
— 177.u1.55a.f0  
— 177.u1.55a.frm  
— 177.u1.55a.wav  
— 177.u1.55b.f0  
— 177.u1.55b.frm  
— 177.u1.55b.wav  
— 177.u1.66a.f0  
— 177.u1.66a.frm  
— 177.u1.66a.wav  
— 177.u1.66b.f0  
— 177.u1.66b.frm  
— 177.u1.66b.wav  
— 177.u1.77a.f0  
— 177.u1.77a.frm  
— 177.u1.77a.wav  
— 177.u1.77b.f0  
— 177.u1.77b.frm  
— 177.u1.77b.wav  
— 177.u1.77c.f0  
— 177.u1.77c.frm  
— 177.u1.77c.wav  
— 177.u1.88a.f0  
— 177.u1.88a.frm  
— 177.u1.88a.wav  
— 177.u1.88b.f0  
— 177.u1.88b.frm  
— 177.u1.88b.wav  
— 177.u1.88c.f0  
— 177.u1.88c.frm  
— 177.u1.88c.wav

— u2/

— 177.u2.01.wav  
— 177.u2.02.wav  
— 177.u2.03.wav  
— 177.u2.04.pk  
— 177.u2.04.wav  
— 177.u2.05.wav  
— 177.u2.11.wav  
— 177.u2.22.wav  
— 177.u2.33a.wav  
— 177.u2.33b.wav  
— 177.u2.44a.wav  
— 177.u2.44b.wav  
— 177.u2.55a.wav  
— 177.u2.55b.wav  
— 177.u2.66a.wav  
— 177.u2.66b.wav  
— 177.u2.77a.wav  
— 177.u2.77b.wav  
— 177.u2.77c.wav  
— 177.u2.88a.wav  
— 177.u2.88b.wav  
— 177.u2.88c.wav

— u3/

— 177.u3.01.wav  
— 177.u3.02.wav  
— 177.u3.03.wav  
— 177.u3.04.wav  
— 177.u3.05.wav  
— 177.u3.11.wav  
— 177.u3.33a.wav  
— 177.u3.33b.wav  
— 177.u3.33c.wav  
— 177.u3.33d.wav  
— 177.u3.44a.wav  
— 177.u3.44b.wav  
— 177.u3.55a.wav  
— 177.u3.55b.wav  
— 177.u3.55c.wav  
— 177.u3.55d.wav  
— 177.u3.66a.wav  
— 177.u3.66b.wav  
— 177.u3.66c.wav  
— 177.u3.66d.wav  
— 177.u3.77a.wav  
— 177.u3.77b.wav  
— 177.u3.77c.wav  
— 177.u3.88a.wav  
— 177.u3.88b.wav  
— 177.u3.88c.wav

— 182/

— u1/

— 182.u1.01.f0  
— 182.u1.01.frm  
— 182.u1.01.wav  
— 182.u1.02.f0  
— 182.u1.02.frm  
— 182.u1.02.wav  
— 182.u1.03.f0  
— 182.u1.03.frm  
— 182.u1.03.wav  
— 182.u1.04.f0  
— 182.u1.04.frm  
— 182.u1.04.pk  
— 182.u1.04.wav  
— 182.u1.05.f0  
— 182.u1.05.frm  
— 182.u1.05.wav  
— 182.u1.11.f0  
— 182.u1.11.frm  
— 182.u1.11.wav  
— 182.u1.22.f0  
— 182.u1.22.frm  
— 182.u1.22.wav  
— 182.u1.44a.f0  
— 182.u1.44a.frm  
— 182.u1.44a.wav  
— 182.u1.44b.f0  
— 182.u1.44b.frm  
— 182.u1.44b.wav  
— 182.u1.55a.f0  
— 182.u1.55a.frm  
— 182.u1.55a.wav  
— 182.u1.55b.f0  
— 182.u1.55b.frm  
— 182.u1.55b.wav  
— 182.u1.66a.f0  
— 182.u1.66a.frm  
— 182.u1.66a.wav  
— 182.u1.66b.f0  
— 182.u1.66b.frm  
— 182.u1.66b.wav  
— 182.u1.77a.f0  
— 182.u1.77a.frm  
— 182.u1.77a.wav  
— 182.u1.77b.f0  
— 182.u1.77b.frm  
— 182.u1.77b.wav  
— 182.u1.77c.f0  
— 182.u1.77c.frm  
— 182.u1.77c.wav  
— 182.u1.88a.f0  
— 182.u1.88a.frm  
— 182.u1.88a.wav  
— 182.u1.88b.f0  
— 182.u1.88b.frm  
— 182.u1.88b.wav  
— 182.u1.88c.f0  
— 182.u1.88c.frm  
— 182.u1.88c.wav

— 183/

└─ u1/

— 183.u1.01.f0  
— 183.u1.01.frm  
— 183.u1.01.wav  
— 183.u1.02.f0  
— 183.u1.02.frm  
— 183.u1.02.wav  
— 183.u1.03.f0  
— 183.u1.03.frm  
— 183.u1.03.wav  
— 183.u1.04.f0  
— 183.u1.04.frm  
— 183.u1.04.pk  
— 183.u1.04.wav  
— 183.u1.05.f0  
— 183.u1.05.frm  
— 183.u1.05.wav  
— 183.u1.11.f0  
— 183.u1.11.frm  
— 183.u1.11.wav  
— 183.u1.22.f0  
— 183.u1.22.frm  
— 183.u1.22.wav  
— 183.u1.33a.f0  
— 183.u1.33a.frm  
— 183.u1.33a.wav

- 183.u1.33b.f0
- 183.u1.33b.frm
- 183.u1.33b.wav
- 183.u1.44a.f0
- 183.u1.44a.frm
- 183.u1.44a.wav
- 183.u1.44b.f0
- 183.u1.44b.frm
- 183.u1.44b.wav
- 183.u1.55a.f0
- 183.u1.55a.frm
- 183.u1.55a.wav
- 183.u1.55b.f0
- 183.u1.55b.frm
- 183.u1.55b.wav
- 183.u1.66a.f0
- 183.u1.66a.frm
- 183.u1.66a.wav
- 183.u1.66b.f0
- 183.u1.66b.frm
- 183.u1.66b.wav
- 183.u1.77a.f0
- 183.u1.77a.frm
- 183.u1.77a.wav
- 183.u1.77b.f0
- 183.u1.77b.frm
- 183.u1.77b.wav
- 183.u1.77c.f0
- 183.u1.77c.frm
- 183.u1.77c.wav
- 183.u1.77cc.wav
- 183.u1.88a.f0
- 183.u1.88a.frm
- 183.u1.88a.wav
- 183.u1.88b.f0
- 183.u1.88b.frm
- 183.u1.88b.wav
- 183.u1.88c.f0
- 183.u1.88c.frm
- 183.u1.88c.wav

— 184/

— u1/

- 184.u1.01.f0
- 184.u1.01.frm
- 184.u1.01.wav
- 184.u1.02.f0
- 184.u1.02.frm
- 184.u1.02.wav
- 184.u1.03.f0
- 184.u1.03.frm
- 184.u1.03.wav
- 184.u1.04.f0
- 184.u1.04.frm
- 184.u1.04.pk
- 184.u1.04.wav
- 184.u1.05.f0
- 184.u1.05.frm
- 184.u1.05.wav
- 184.u1.11.f0
- 184.u1.11.frm
- 184.u1.11.wav
- 184.u1.22.f0
- 184.u1.22.frm
- 184.u1.22.wav
- 184.u1.33a.f0
- 184.u1.33a.frm
- 184.u1.33a.wav
- 184.u1.33b.f0
- 184.u1.33b.frm
- 184.u1.33b.wav
- 184.u1.44a.f0
- 184.u1.44a.frm
- 184.u1.44a.wav
- 184.u1.44b.f0
- 184.u1.44b.frm
- 184.u1.44b.wav
- 184.u1.55a.f0
- 184.u1.55a.frm
- 184.u1.55a.wav
- 184.u1.55b.f0
- 184.u1.55b.frm
- 184.u1.55b.wav
- 184.u1.66a.f0
- 184.u1.66a.frm
- 184.u1.66a.wav



- 184.u1.66b.f0
- 184.u1.66b.frm
- 184.u1.66b.wav
- 184.u1.77a.f0
- 184.u1.77a.frm
- 184.u1.77a.wav
- 184.u1.77b.f0
- 184.u1.77b.frm
- 184.u1.77b.wav
- 184.u1.77c.f0
- 184.u1.77c.frm
- 184.u1.77c.wav
- 184.u1.88a.f0
- 184.u1.88a.frm
- 184.u1.88a.wav
- 184.u1.88b.f0
- 184.u1.88b.frm
- 184.u1.88b.wav
- 184.u1.88c.f0
- 184.u1.88c.frm
- 184.u1.88c.wav

u2/

- 184.u2.01.wav
- 184.u2.02.wav
- 184.u2.03.wav
- 184.u2.04.pk
- 184.u2.04.wav
- 184.u2.05.wav
- 184.u2.11.wav
- 184.u2.33c.wav
- 184.u2.33d.wav
- 184.u2.44a.wav
- 184.u2.44b.wav
- 184.u2.55a.wav
- 184.u2.55b.wav
- 184.u2.55c.wav
- 184.u2.55d.wav
- 184.u2.66a.wav
- 184.u2.66b.wav
- 184.u2.66c.wav
- 184.u2.66d.wav
- 184.u2.77a.wav
- 184.u2.77b.wav
- 184.u2.77c.wav
- 184.u2.88a.wav
- 184.u2.88b.wav
- 184.u2.88c.wav
- 184.u2.xxb.wav

185/

u1/

- 185.u1.01.f0
- 185.u1.01.frm
- 185.u1.01.wav
- 185.u1.02.f0
- 185.u1.02.frm
- 185.u1.02.wav
- 185.u1.03.f0
- 185.u1.03.frm
- 185.u1.03.wav
- 185.u1.04.f0
- 185.u1.04.frm
- 185.u1.04.pk
- 185.u1.04.wav
- 185.u1.05.f0
- 185.u1.05.frm
- 185.u1.05.wav
- 185.u1.11.f0
- 185.u1.11.frm
- 185.u1.11.wav
- 185.u1.22.f0
- 185.u1.22.frm
- 185.u1.22.wav
- 185.u1.44a.f0
- 185.u1.44a.frm
- 185.u1.44a.wav
- 185.u1.44b.f0
- 185.u1.44b.frm
- 185.u1.44b.wav
- 185.u1.55a.f0
- 185.u1.55a.frm
- 185.u1.55a.wav
- 185.u1.55b.f0
- 185.u1.55b.frm
- 185.u1.55b.wav
- 185.u1.66a.f0

— 185.u1.66a.frm  
— 185.u1.66a.wav  
— 185.u1.66b.f0  
— 185.u1.66b.frm  
— 185.u1.66b.wav  
— 185.u1.77a.f0  
— 185.u1.77a.frm  
— 185.u1.77a.wav  
— 185.u1.77b.f0  
— 185.u1.77b.frm  
— 185.u1.77b.wav  
— 185.u1.77c.f0  
— 185.u1.77c.frm  
— 185.u1.77c.wav  
— 185.u1.88a.f0  
— 185.u1.88a.frm  
— 185.u1.88a.wav  
— 185.u1.88b.f0  
— 185.u1.88b.frm  
— 185.u1.88b.wav  
— 185.u1.88c.f0  
— 185.u1.88c.frm  
— 185.u1.88c.wav

— u2/

— 185.u2.01.wav  
— 185.u2.02.pk  
— 185.u2.02.wav  
— 185.u2.03.wav  
— 185.u2.04.pk  
— 185.u2.04.wav  
— 185.u2.05.wav  
— 185.u2.11.wav  
— 185.u2.22.wav  
— 185.u2.44a.wav  
— 185.u2.44b.wav  
— 185.u2.55a.wav  
— 185.u2.55b.wav  
— 185.u2.66a.wav  
— 185.u2.66b.wav  
— 185.u2.77a.wav  
— 185.u2.77b.wav  
— 185.u2.77c.wav  
— 185.u2.88a.wav  
— 185.u2.88b.wav  
— 185.u2.88c.wav

— u3/

— 185.u3.01.wav  
— 185.u3.02.wav  
— 185.u3.03.wav  
— 185.u3.04.pk  
— 185.u3.04.wav  
— 185.u3.05.wav  
— 185.u3.11.wav  
— 185.u3.22.wav  
— 185.u3.33a.wav  
— 185.u3.33b.wav  
— 185.u3.44a.wav  
— 185.u3.44b.wav  
— 185.u3.55a.wav  
— 185.u3.55b.wav  
— 185.u3.66a.wav  
— 185.u3.66b.wav  
— 185.u3.77a.wav  
— 185.u3.77b.wav  
— 185.u3.77c.wav  
— 185.u3.88a.wav  
— 185.u3.88b.wav  
— 185.u3.88c.wav

— u4/

— 185.u4.01.wav  
— 185.u4.02.wav  
— 185.u4.03.wav  
— 185.u4.04.wav  
— 185.u4.05.wav  
— 185.u4.11.wav  
— 185.u4.33a.wav  
— 185.u4.33b.wav  
— 185.u4.33c.wav  
— 185.u4.33d.wav  
— 185.u4.44a.wav  
— 185.u4.44b.wav  
— 185.u4.55a.wav  
— 185.u4.55b.wav  
— 185.u4.55c.wav  
— 185.u4.55d.wav

- 185.u4.66a.wav
- 185.u4.66b.wav
- 185.u4.66c.wav
- 185.u4.66d.wav
- 185.u4.77a.wav
- 185.u4.77b.wav
- 185.u4.77c.wav
- 185.u4.88a.wav
- 185.u4.88b.wav
- 185.u4.88c.wav

— 186/

— u1/

- 186.u1.01.f0
- 186.u1.01.frm
- 186.u1.01.wav
- 186.u1.02.f0
- 186.u1.02.frm
- 186.u1.02.wav
- 186.u1.03.f0
- 186.u1.03.frm
- 186.u1.03.wav
- 186.u1.04.f0
- 186.u1.04.frm
- 186.u1.04.pk
- 186.u1.04.wav
- 186.u1.05.f0
- 186.u1.05.frm
- 186.u1.05.wav
- 186.u1.11.f0
- 186.u1.11.frm
- 186.u1.11.wav
- 186.u1.22.f0
- 186.u1.22.frm
- 186.u1.22.wav
- 186.u1.44a.f0
- 186.u1.44a.frm
- 186.u1.44a.wav
- 186.u1.44b.f0
- 186.u1.44b.frm
- 186.u1.44b.wav
- 186.u1.55a.f0
- 186.u1.55a.frm
- 186.u1.55a.wav
- 186.u1.55b.f0
- 186.u1.55b.frm
- 186.u1.55b.wav
- 186.u1.66a.f0
- 186.u1.66a.frm
- 186.u1.66a.wav
- 186.u1.66b.f0
- 186.u1.66b.frm
- 186.u1.66b.wav
- 186.u1.77a.f0
- 186.u1.77a.frm
- 186.u1.77a.wav
- 186.u1.77b.f0
- 186.u1.77b.frm
- 186.u1.77b.wav
- 186.u1.77c.f0
- 186.u1.77c.frm
- 186.u1.77c.wav
- 186.u1.88a.f0
- 186.u1.88a.frm
- 186.u1.88a.wav
- 186.u1.88b.f0
- 186.u1.88b.frm
- 186.u1.88b.wav
- 186.u1.88c.f0
- 186.u1.88c.frm
- 186.u1.88c.wav

— u2/

- 186.u2.01.wav
- 186.u2.02.wav
- 186.u2.03.wav
- 186.u2.04.wav
- 186.u2.05.wav
- 186.u2.11.wav
- 186.u2.22.wav
- 186.u2.44a.wav
- 186.u2.44b.wav
- 186.u2.55a.wav
- 186.u2.55b.wav
- 186.u2.66a.wav
- 186.u2.66b.wav
- 186.u2.77a.wav

- 186.u2.77b.wav
- 186.u2.77c.wav
- 186.u2.88a.wav
- 186.u2.88b.wav
- 186.u2.88c.wav

— 187/

— u1/

- 187.u1.01.f0
- 187.u1.01.frm
- 187.u1.01.wav
- 187.u1.02.f0
- 187.u1.02.frm
- 187.u1.02.wav
- 187.u1.03.f0
- 187.u1.03.frm
- 187.u1.03.wav
- 187.u1.04.f0
- 187.u1.04.frm
- 187.u1.04.pk
- 187.u1.04.wav
- 187.u1.05.f0
- 187.u1.05.frm
- 187.u1.05.wav
- 187.u1.11.f0
- 187.u1.11.frm
- 187.u1.11.wav
- 187.u1.22.f0
- 187.u1.22.frm
- 187.u1.22.wav
- 187.u1.33a.f0
- 187.u1.33a.frm
- 187.u1.33a.wav
- 187.u1.33b.f0
- 187.u1.33b.frm
- 187.u1.33b.wav
- 187.u1.44a.f0
- 187.u1.44a.frm
- 187.u1.44a.wav
- 187.u1.44b.f0
- 187.u1.44b.frm
- 187.u1.44b.wav
- 187.u1.55a.f0
- 187.u1.55a.frm
- 187.u1.55a.wav
- 187.u1.55b.f0
- 187.u1.55b.frm
- 187.u1.55b.wav
- 187.u1.66a.f0
- 187.u1.66a.frm
- 187.u1.66a.wav
- 187.u1.66b.f0
- 187.u1.66b.frm
- 187.u1.66b.wav
- 187.u1.77a.f0
- 187.u1.77a.frm
- 187.u1.77a.wav
- 187.u1.77b.f0
- 187.u1.77b.frm
- 187.u1.77b.wav
- 187.u1.77c.f0
- 187.u1.77c.frm
- 187.u1.77c.wav
- 187.u1.88a.f0
- 187.u1.88a.frm
- 187.u1.88a.wav
- 187.u1.88b.f0
- 187.u1.88b.frm
- 187.u1.88b.wav
- 187.u1.88c.f0
- 187.u1.88c.frm
- 187.u1.88c.wav

— u2/

- 187.u2.01.wav
- 187.u2.02.wav
- 187.u2.03.wav
- 187.u2.11.wav
- 187.u2.33a.wav
- 187.u2.33b.wav
- 187.u2.33c.wav
- 187.u2.33d.wav
- 187.u2.44a.wav
- 187.u2.44b.wav
- 187.u2.55a.wav
- 187.u2.55b.wav
- 187.u2.55c.wav

- 187.u2.55d.wav
- 187.u2.66a.wav
- 187.u2.66b.wav
- 187.u2.66c.wav
- 187.u2.66d.wav
- 187.u2.77a.wav
- 187.u2.77b.wav
- 187.u2.77c.wav
- 187.u2.88a.wav
- 187.u2.88b.wav
- 187.u2.88c.wav

190/

u1/

- 190.u1.01.f0
- 190.u1.01.frm
- 190.u1.01.wav
- 190.u1.02.f0
- 190.u1.02.frm
- 190.u1.02.wav
- 190.u1.03.f0
- 190.u1.03.frm
- 190.u1.03.wav
- 190.u1.04.f0
- 190.u1.04.frm
- 190.u1.04.pk
- 190.u1.04.wav
- 190.u1.05.f0
- 190.u1.05.frm
- 190.u1.05.wav
- 190.u1.11.f0
- 190.u1.11.frm
- 190.u1.11.wav
- 190.u1.22.f0
- 190.u1.22.frm
- 190.u1.22.wav
- 190.u1.33a.f0
- 190.u1.33a.frm
- 190.u1.33a.wav
- 190.u1.33b.f0
- 190.u1.33b.frm
- 190.u1.33b.wav
- 190.u1.44a.f0
- 190.u1.44a.frm
- 190.u1.44a.wav
- 190.u1.44b.f0
- 190.u1.44b.frm
- 190.u1.44b.wav
- 190.u1.55a.f0
- 190.u1.55a.frm
- 190.u1.55a.wav
- 190.u1.55b.f0
- 190.u1.55b.frm
- 190.u1.55b.wav
- 190.u1.66a.f0
- 190.u1.66a.frm
- 190.u1.66a.wav
- 190.u1.66b.f0
- 190.u1.66b.frm
- 190.u1.66b.wav
- 190.u1.77a.f0
- 190.u1.77a.frm
- 190.u1.77a.wav
- 190.u1.77b.f0
- 190.u1.77b.frm
- 190.u1.77b.wav
- 190.u1.77c.f0
- 190.u1.77c.frm
- 190.u1.77c.wav
- 190.u1.88a.f0
- 190.u1.88a.frm
- 190.u1.88a.wav
- 190.u1.88b.f0
- 190.u1.88b.frm
- 190.u1.88b.wav
- 190.u1.88c.f0
- 190.u1.88c.frm
- 190.u1.88c.wav

u2/

- 190.u2.01.wav
- 190.u2.02.wav
- 190.u2.03.wav
- 190.u2.04.wav
- 190.u2.05.wav
- 190.u2.11.wav
- 190.u2.33a.wav

- 190.u2.33b.wav
- 190.u2.33c.wav
- 190.u2.33d.wav
- 190.u2.44a.wav
- 190.u2.44b.wav
- 190.u2.55a.wav
- 190.u2.55b.wav
- 190.u2.55c.wav
- 190.u2.55d.wav
- 190.u2.66a.wav
- 190.u2.66b.wav
- 190.u2.66c.wav
- 190.u2.66d.wav
- 190.u2.77a.wav
- 190.u2.77b.wav
- 190.u2.77c.wav
- 190.u2.88a.wav
- 190.u2.88b.wav
- 190.u2.88c.wav

— 191/

— u1/

- 191.u1.01.f0
- 191.u1.01.frm
- 191.u1.01.wav
- 191.u1.02.f0
- 191.u1.02.frm
- 191.u1.02.wav
- 191.u1.03.f0
- 191.u1.03.frm
- 191.u1.03.wav
- 191.u1.04.f0
- 191.u1.04.frm
- 191.u1.04.pk
- 191.u1.04.wav
- 191.u1.05.f0
- 191.u1.05.frm
- 191.u1.05.wav
- 191.u1.11.f0
- 191.u1.11.frm
- 191.u1.11.wav
- 191.u1.22.f0
- 191.u1.22.frm
- 191.u1.22.wav
- 191.u1.44a.f0
- 191.u1.44a.frm
- 191.u1.44a.wav
- 191.u1.44b.f0
- 191.u1.44b.frm
- 191.u1.44b.wav
- 191.u1.55a.f0
- 191.u1.55a.frm
- 191.u1.55a.wav
- 191.u1.55b.f0
- 191.u1.55b.frm
- 191.u1.55b.wav
- 191.u1.66a.f0
- 191.u1.66a.frm
- 191.u1.66a.wav
- 191.u1.66b.f0
- 191.u1.66b.frm
- 191.u1.66b.wav
- 191.u1.77a.f0
- 191.u1.77a.frm
- 191.u1.77a.wav
- 191.u1.77b.f0
- 191.u1.77b.frm
- 191.u1.77b.wav
- 191.u1.77c.f0
- 191.u1.77c.frm
- 191.u1.77c.wav
- 191.u1.88a.f0
- 191.u1.88a.frm
- 191.u1.88a.wav
- 191.u1.88b.f0
- 191.u1.88b.frm
- 191.u1.88b.wav
- 191.u1.88c.f0
- 191.u1.88c.frm
- 191.u1.88c.wav

— 192/

— u1/

- 192.u1.01.f0
- 192.u1.01.frm
- 192.u1.01.wav
- 192.u1.02.f0

— 192.u1.02.frm  
— 192.u1.02.wav  
— 192.u1.03.f0  
— 192.u1.03.frm  
— 192.u1.03.wav  
— 192.u1.04.f0  
— 192.u1.04.frm  
— 192.u1.04.pk  
— 192.u1.04.wav  
— 192.u1.05.f0  
— 192.u1.05.frm  
— 192.u1.05.wav  
— 192.u1.11.f0  
— 192.u1.11.frm  
— 192.u1.11.wav  
— 192.u1.22.f0  
— 192.u1.22.frm  
— 192.u1.22.wav  
— 192.u1.33a.f0  
— 192.u1.33a.frm  
— 192.u1.33a.wav  
— 192.u1.33b.f0  
— 192.u1.33b.frm  
— 192.u1.33b.wav  
— 192.u1.44a.f0  
— 192.u1.44a.frm  
— 192.u1.44a.wav  
— 192.u1.44b.f0  
— 192.u1.44b.frm  
— 192.u1.44b.wav  
— 192.u1.55a.f0  
— 192.u1.55a.frm  
— 192.u1.55a.wav  
— 192.u1.55b.f0  
— 192.u1.55b.frm  
— 192.u1.55b.wav  
— 192.u1.66a.f0  
— 192.u1.66a.frm  
— 192.u1.66a.wav  
— 192.u1.66b.f0  
— 192.u1.66b.frm  
— 192.u1.66b.wav  
— 192.u1.77a.f0  
— 192.u1.77a.frm  
— 192.u1.77a.wav  
— 192.u1.77b.f0  
— 192.u1.77b.frm  
— 192.u1.77b.wav  
— 192.u1.77c.f0  
— 192.u1.77c.frm  
— 192.u1.77c.wav  
— 192.u1.88a.f0  
— 192.u1.88a.frm  
— 192.u1.88a.wav  
— 192.u1.88b.f0  
— 192.u1.88b.frm  
— 192.u1.88b.wav  
— 192.u1.88c.f0  
— 192.u1.88c.frm  
— 192.u1.88c.wav

u2/

— 192.u2.01.wav  
— 192.u2.02.wav  
— 192.u2.03.wav  
— 192.u2.04.wav  
— 192.u2.05.wav  
— 192.u2.11.wav  
— 192.u2.33a.wav  
— 192.u2.33b.wav  
— 192.u2.33c.wav  
— 192.u2.33d.wav  
— 192.u2.44a.wav  
— 192.u2.44b.wav  
— 192.u2.55a.wav  
— 192.u2.55b.wav  
— 192.u2.55c.wav  
— 192.u2.55d.wav  
— 192.u2.66a.wav  
— 192.u2.66b.wav  
— 192.u2.66c.wav  
— 192.u2.66d.wav  
— 192.u2.77a.wav  
— 192.u2.77b.wav  
— 192.u2.77c.wav  
— 192.u2.88a.wav

192.u2.88b.wav  
192.u2.88c.wav  
193/  
u1/  
193.u1.01.f0  
193.u1.01.frm  
193.u1.01.wav  
193.u1.02.f0  
193.u1.02.frm  
193.u1.02.wav  
193.u1.03.f0  
193.u1.03.frm  
193.u1.03.wav  
193.u1.04.f0  
193.u1.04.frm  
193.u1.04.pk  
193.u1.04.wav  
193.u1.05.f0  
193.u1.05.frm  
193.u1.05.wav  
193.u1.11.f0  
193.u1.11.frm  
193.u1.11.wav  
193.u1.22.f0  
193.u1.22.frm  
193.u1.22.wav  
193.u1.33a.f0  
193.u1.33a.frm  
193.u1.33a.wav  
193.u1.33b.f0  
193.u1.33b.frm  
193.u1.33b.wav  
193.u1.44a.f0  
193.u1.44a.frm  
193.u1.44a.wav  
193.u1.44b.f0  
193.u1.44b.frm  
193.u1.44b.wav  
193.u1.55a.f0  
193.u1.55a.frm  
193.u1.55a.wav  
193.u1.55b.f0  
193.u1.55b.frm  
193.u1.55b.wav  
193.u1.66a.f0  
193.u1.66a.frm  
193.u1.66a.wav  
193.u1.66b.f0  
193.u1.66b.frm  
193.u1.66b.wav  
193.u1.77a.f0  
193.u1.77a.frm  
193.u1.77a.wav  
193.u1.77b.f0  
193.u1.77b.frm  
193.u1.77b.wav  
193.u1.77c.f0  
193.u1.77c.frm  
193.u1.77c.wav  
193.u1.88a.f0  
193.u1.88a.frm  
193.u1.88a.wav  
193.u1.88b.f0  
193.u1.88b.frm  
193.u1.88b.wav  
193.u1.88c.f0  
193.u1.88c.frm  
193.u1.88c.wav  
u2/  
193.u2.01.wav  
193.u2.02.wav  
193.u2.03.wav  
193.u2.04.pk  
193.u2.04.wav  
193.u2.05.wav  
193.u2.11.wav  
193.u2.22.wav  
193.u2.33a.wav  
193.u2.33b.wav  
193.u2.44a.wav  
193.u2.44b.wav  
193.u2.55a.wav  
193.u2.55b.wav  
193.u2.66a.wav  
193.u2.66b.wav



- 193.u2.77a.wav
- 193.u2.77b.wav
- 193.u2.77c.wav
- 193.u2.88a.wav
- 193.u2.88b.wav
- 193.u2.88c.wav

- pataka/

- hc/

- 001.u1.77a.wav
    - 003.u1.77a.wav
    - 005.u1.77a.wav
    - 006.u1.77a.wav
    - 008.u1.77a.wav
    - 009.u1.77a.wav
    - 010.u1.77a.wav
    - 011.u1.77a.wav
    - 012.u1.77a.wav
    - 013.u1.77a.wav
    - 014.u1.77a.wav
    - 015.u1.77a.wav
    - 016.u1.77a.wav
    - 017.u1.77a.wav
    - 018.u1.77a.wav
    - 019.u1.77a.wav
    - 020.u1.77a.wav
    - 022.u1.77a.wav
    - 023.u1.77a.wav
    - 024.u1.77a.wav
    - 025.u1.77a.wav
    - 026.u1.77a.wav
    - 027.u1.77a.wav
    - 029.u1.77a.wav
    - 030.u1.77a.wav
    - 031.u1.77a.wav
    - 032.u1.77a.wav
    - 033.u1.77a.wav
    - 034.u1.77a.wav
    - 035.u1.77a.wav
    - 038.u1.77a.wav
    - 039.u1.77a.wav
    - 040.u1.77a.wav
    - 041.u1.77a.wav
    - 042.u1.77a.wav
    - 043.u1.77a.wav
    - 044.u1.77a.wav
    - 046.u1.77a.wav
    - 047.u1.77a.wav
    - 048.u1.77a.wav
    - 049.u1.77a.wav
    - 050.u1.77a.wav
    - 051.u1.77a.wav
    - 052.u1.77a.wav
    - 053.u1.77a.wav
    - 054.u1.77a.wav
    - 055.u1.77a.wav
    - 057.u1.77a.wav
    - 058.u1.77a.wav
    - 059.u1.77a.wav
    - 060.u1.77a.wav
    - 061.u1.77a.wav
    - 062.u1.77a.wav
    - 063.u1.77a.wav
    - 064.u1.77a.wav
    - 065.u1.77a.wav
    - 068.u1.77a.wav
    - 069.u1.77a.wav
    - 070.u1.77a.wav
    - 071.u1.77a.wav
    - 073.u1.77a.wav
    - 074.u1.77a.wav
    - 076.u1.77a.wav
    - 077.u1.77a.wav
    - 078.u1.77a.wav
    - 079.u1.77a.wav
    - 080.u1.77a.wav
    - 081.u1.77a.wav
    - 082.u1.77a.wav
    - 083.u1.77a.wav
    - 084.u1.77a.wav
    - 085.u1.77a.wav
    - 086.u1.77a.wav
    - 087.u1.77a.wav
    - 088.u1.77a.wav
    - 089.u1.77a.wav
    - 090.u1.77a.wav

091.u1.77a.wav  
092.u1.77a.wav  
093.u1.77a.wav  
094.u1.77a.wav  
095.u1.77a.wav  
096.u1.77a.wav  
097.u1.77a.wav  
098.u1.77a.wav  
099.u1.77a.wav  
100.u1.77a.wav  
101.u1.77a.wav

pd/

002.u1.77a.wav  
003.u1.77a.wav  
007.u1.77a.wav  
007.u2.77a.wav  
007.u3.77a.wav  
013.u1.77a.wav  
013.u2.77a.wav  
013.u3.77a.wav  
014.u1.77a.wav  
016.u1.77a.wav  
019.u1.77a.wav  
019.u2.77a.wav  
023.u1.77a.wav  
023.u2.77a.wav  
024.u1.77a.wav  
025.u1.77a.wav  
028.u1.77a.wav  
028.u2.77a.wav  
028.u3.77a.wav  
029.u1.77a.wav  
032.u1.77a.wav  
039.u1.77a.wav  
042.u1.77a.wav  
043.u1.77a.wav  
044.u1.77a.wav  
046.u1.77a.wav  
046.u2.77a.wav  
050.u1.77a.wav  
053.u1.77a.wav  
054.u1.77a.wav  
056.u1.77a.wav  
056.u2.77a.wav  
058.u1.77a.wav  
059.u1.77a.wav  
059.u2.77a.wav  
063.u1.77a.wav  
064.u1.77a.wav  
064.u2.77a.wav  
064.u3.77a.wav  
064.u4.77a.wav  
067.u1.77a.wav  
071.u1.77a.wav  
071.u2.77a.wav  
075.u1.77a.wav  
077.u1.77a.wav  
077.u2.77a.wav  
078.u1.77a.wav  
080.u1.77a.wav  
082.u1.77a.wav  
082.u2.77a.wav  
085.u1.77a.wav  
086.u1.77a.wav  
088.u1.77a.wav  
089.u1.77a.wav  
090.u1.77a.wav  
090.u2.77a.wav  
092.u1.77a.wav  
093.u1.77a.wav  
093.u2.77a.wav  
093.u3.77a.wav  
093.u4.77a.wav  
095.u1.77a.wav  
095.u2.77a.wav  
097.u1.77a.wav  
097.u2.77a.wav  
097.u3.77a.wav  
098.u1.77a.wav  
100.u1.77a.wav  
106.u1.77a.wav  
106.u2.77a.wav  
107.u1.77a.wav  
107.u2.77a.wav  
109.u1.77a.wav

- 110.u1.77a.wav
- 110.u2.77a.wav
- 110.u3.77a.wav
- 111.u1.77a.wav
- 111.u2.77a.wav
- 111.u3.77a.wav
- 111.u4.77a.wav
- 115.u1.77a.wav
- 118.u1.77a.wav
- 118.u2.77a.wav
- 119.u1.77a.wav
- 119.u2.77a.wav
- 123.u1.77a.wav
- 123.u2.77a.wav
- 123.u3.77a.wav
- 124.u1.77a.wav
- 124.u2.77a.wav
- 127.u1.77a.wav
- 132.u1.77a.wav
- 133.u1.77a.wav
- 134.u1.77a.wav
- 134.u2.77a.wav
- 136.u1.77a.wav
- 138.u1.77a.wav
- 138.u2.77a.wav
- 139.u1.77a.wav
- 139.u2.77a.wav
- 139.u3.77a.wav
- 140.u1.77a.wav
- 140.u2.77a.wav
- 141.u1.77a.wav
- 142.u1.77a.wav
- 144.u1.77a.wav
- 146.u1.77a.wav
- 146.u2.77a.wav
- 146.u3.77a.wav
- 147.u1.77a.wav
- 148.u1.77a.wav
- 148.u2.77a.wav
- 148.u3.77a.wav
- 152.u1.77a.wav
- 152.u2.77a.wav
- 156.u1.77a.wav
- 157.u1.77a.wav
- 160.u1.77a.wav
- 160.u2.77a.wav
- 160.u3.77a.wav
- 164.u1.77a.wav
- 165.u1.77a.wav
- 167.u1.77a.wav
- 167.u2.77a.wav
- 171.u1.77a.wav
- 171.u2.77a.wav
- 171.u3.77a.wav
- 173.u1.77a.wav
- 177.u1.77a.wav
- 177.u2.77a.wav
- 177.u3.77a.wav
- 182.u1.77a.wav
- 183.u1.77a.wav
- 184.u1.77a.wav
- 184.u2.77a.wav
- 185.u1.77a.wav
- 185.u2.77a.wav
- 185.u3.77a.wav
- 185.u4.77a.wav
- 186.u1.77a.wav
- 186.u2.77a.wav
- 187.u1.77a.wav
- 187.u2.77a.wav
- 190.u1.77a.wav
- 190.u2.77a.wav
- 191.u1.77a.wav
- 192.u1.77a.wav
- 192.u2.77a.wav
- 193.u1.77a.wav
- 193.u2.77a.wav

- readtext/
  - withoutnormalization/
    - hc/
      - 001.u1.02.wav
      - 003.u1.02.wav
      - 005.u1.02.wav
      - 006.u1.02.wav
      - 008.u1.02.wav

— 009.u1.02.wav  
— 010.u1.02.wav  
— 011.u1.02.wav  
— 012.u1.02.wav  
— 013.u1.02.wav  
— 014.u1.02.wav  
— 015.u1.02.wav  
— 016.u1.02.wav  
— 017.u1.02.wav  
— 018.u1.02.wav  
— 019.u1.02.wav  
— 020.u1.02.wav  
— 022.u1.02.wav  
— 023.u1.02.wav  
— 024.u1.02.wav  
— 025.u1.02.wav  
— 026.u1.02.wav  
— 027.u1.02.wav  
— 029.u1.02.wav  
— 030.u1.02.wav  
— 031.u1.02.wav  
— 032.u1.02.wav  
— 033.u1.02.wav  
— 034.u1.02.wav  
— 035.u1.02.wav  
— 038.u1.02.wav  
— 039.u1.02.wav  
— 040.u1.02.wav  
— 041.u1.02.wav  
— 042.u1.02.wav  
— 043.u1.02.wav  
— 044.u1.02.wav  
— 046.u1.02.wav  
— 047.u1.02.wav  
— 048.u1.02.wav  
— 049.u1.02.wav  
— 050.u1.02.wav  
— 051.u1.02.wav  
— 052.u1.02.wav  
— 053.u1.02.wav  
— 054.u1.02.wav  
— 055.u1.02.wav  
— 057.u1.02.wav  
— 058.u1.02.wav  
— 059.u1.02.wav  
— 060.u1.02.wav  
— 061.u1.02.wav  
— 062.u1.02.wav  
— 063.u1.02.wav  
— 064.u1.02.wav  
— 065.u1.02.wav  
— 068.u1.02.wav  
— 069.u1.02.wav  
— 070.u1.02.wav  
— 071.u1.02.wav  
— 073.u1.02.wav  
— 074.u1.02.wav  
— 076.u1.02.wav  
— 077.u1.02.wav  
— 078.u1.02.wav  
— 079.u1.02.wav  
— 080.u1.02.wav  
— 081.u1.02.wav  
— 082.u1.02.wav  
— 083.u1.02.wav  
— 084.u1.02.wav  
— 085.u1.02.wav  
— 086.u1.02.wav  
— 087.u1.02.wav  
— 088.u1.02.wav  
— 089.u1.02.wav  
— 090.u1.02.wav  
— 091.u1.02.wav  
— 092.u1.02.wav  
— 093.u1.02.wav  
— 094.u1.02.wav  
— 095.u1.02.wav  
— 096.u1.02.wav  
— 097.u1.02.wav  
— 098.u1.02.wav  
— 099.u1.02.wav  
— 100.u1.02.wav  
— 101.u1.02.wav  
— pd/  
— 002.u1.02.wav

— 003.u1.02.wav  
— 007.u2.02.wav  
— 013.u1.02.wav  
— 014.u1.02.wav  
— 016.u1.02.wav  
— 019.u1.02.wav  
— 023.u2.02.wav  
— 024.u1.02.wav  
— 025.u1.02.wav  
— 028.u2.02.wav  
— 029.u1.02.wav  
— 032.u1.02.wav  
— 039.u1.02.wav  
— 042.u1.02.wav  
— 043.u1.02.wav  
— 044.u1.02.wav  
— 046.u1.02.wav  
— 050.u1.02.wav  
— 053.u1.02.wav  
— 054.u1.02.wav  
— 056.u2.02.wav  
— 058.u1.02.wav  
— 059.u2.02.wav  
— 063.u1.02.wav  
— 064.u4.02.wav  
— 067.u1.02.wav  
— 071.u1.02.wav  
— 075.u1.02.wav  
— 077.u1.02.wav  
— 078.u1.02.wav  
— 080.u1.02.wav  
— 082.u2.02.wav  
— 085.u1.02.wav  
— 086.u1.02.wav  
— 088.u1.02.wav  
— 089.u1.02.wav  
— 090.u1.02.wav  
— 092.u1.02.wav  
— 093.u4.02.wav  
— 095.u2.02.wav  
— 097.u3.02.wav  
— 098.u1.02.wav  
— 100.u1.02.wav  
— 106.u2.02.wav  
— 107.u2.02.wav  
— 109.u1.02.wav  
— 110.u2.02.wav  
— 111.u1.02.wav  
— 115.u1.02.wav  
— 118.u1.02.wav  
— 119.u1.02.wav  
— 123.u1.02.wav  
— 124.u1.02.wav  
— 127.u1.02.wav  
— 132.u1.02.wav  
— 133.u1.02.wav  
— 134.u1.02.wav  
— 136.u2.02.wav  
— 138.u1.02.wav  
— 139.u2.02.wav  
— 140.u1.02.wav  
— 141.u1.02.wav  
— 142.u1.02.wav  
— 144.u1.02.wav  
— 146.u1.02.wav  
— 147.u1.02.wav  
— 148.u3.02.wav  
— 152.u1.02.wav  
— 156.u1.02.wav  
— 157.u1.02.wav  
— 160.u3.02.wav  
— 164.u1.02.wav  
— 165.u1.02.wav  
— 167.u1.02.wav  
— 171.u2.02.wav  
— 173.u1.02.wav  
— 177.u2.02.wav  
— 182.u1.02.wav  
— 183.u1.02.wav  
— 184.u2.02.wav  
— 185.u1.02.wav  
— 186.u1.02.wav  
— 187.u2.02.wav  
— 190.u1.02.wav  
— 191.u1.02.wav

```
└─ 192.u1.02.wav
└─ 193.u2.02.wav
└─ sentences/
└─ Normalized/
└─ control/
└─ sentence1/
└─ 001.u1.04_s1.wav
└─ 003.u1.04_s1.wav
└─ 005.u1.04_s1.wav
└─ 006.u1.04_s1.wav
└─ 008.u1.04_s1.wav
└─ 009.u1.04_s1.wav
└─ 010.u1.04_s1.wav
└─ 011.u1.04_s1.wav
└─ 012.u1.04_s1.wav
└─ 013.u1.04_s1.wav
└─ 014.u1.04_s1.wav
└─ 015.u1.04_s1.wav
└─ 016.u1.04_s1.wav
└─ 017.u1.04_s1.wav
└─ 018.u1.04_s1.wav
└─ 019.u1.04_s1.wav
└─ 020.u1.04_s1.wav
└─ 022.u1.04_s1.wav
└─ 023.u1.04_s1.wav
└─ 024.u1.04_s1.wav
└─ 025.u1.04_s1.wav
└─ 026.u1.04_s1.wav
└─ 027.u1.04_s1.wav
└─ 029.u1.04_s1.wav
└─ 030.u1.04_s1.wav
└─ 031.u1.04_s1.wav
└─ 032.u1.04_s1.wav
└─ 033.u1.04_s1.wav
└─ 034.u1.04_s1.wav
└─ 035.u1.04_s1.wav
└─ 038.u1.04_s1.wav
└─ 039.u1.04_s1.wav
└─ 040.u1.04_s1.wav
└─ 041.u1.04_s1.wav
└─ 042.u1.04_s1.wav
└─ 043.u1.04_s1.wav
└─ 044.u1.04_s1.wav
└─ 046.u1.04_s1.wav
└─ 047.u1.04_s1.wav
└─ 048.u1.04_s1.wav
└─ 049.u1.04_s1.wav
└─ 050.u1.04_s1.wav
└─ 051.u1.04_s1.wav
└─ 052.u1.04_s1.wav
└─ 053.u1.04_s1.wav
└─ 054.u1.04_s1.wav
└─ 055.u1.04_s1.wav
└─ 057.u1.04_s1.wav
└─ 058.u1.04_s1.wav
└─ 059.u1.04_s1.wav
└─ 060.u1.04_s1.wav
└─ 061.u1.04_s1.wav
└─ 062.u1.04_s1.wav
└─ 063.u1.04_s1.wav
└─ 064.u1.04_s1.wav
└─ 065.u1.04_s1.wav
└─ 068.u1.04_s1.wav
└─ 069.u1.04_s1.wav
└─ 070.u1.04_s1.wav
└─ 071.u1.04_s1.wav
└─ 073.u1.04_s1.wav
└─ 074.u1.04_s1.wav
└─ 076.u1.04_s1.wav
└─ 077.u1.04_s1.wav
└─ 078.u1.04_s1.wav
└─ 079.u1.04_s1.wav
└─ 080.u1.04_s1.wav
└─ 081.u1.04_s1.wav
└─ 082.u1.04_s1.wav
└─ 083.u1.04_s1.wav
└─ 084.u1.04_s1.wav
└─ 085.u1.04_s1.wav
└─ 086.u1.04_s1.wav
└─ 087.u1.04_s1.wav
└─ 088.u1.04_s1.wav
└─ 089.u1.04_s1.wav
└─ 090.u1.04_s1.wav
└─ 091.u1.04_s1.wav
└─ 092.u1.04_s1.wav
```

— 093.u1.04\_s1.wav  
— 094.u1.04\_s1.wav  
— 095.u1.04\_s1.wav  
— 096.u1.04\_s1.wav  
— 097.u1.04\_s1.wav  
— 098.u1.04\_s1.wav  
— 099.u1.04\_s1.wav  
— 100.u1.04\_s1.wav  
— 101.u1.04\_s1.wav

— sentence2/

— 001.u1.04\_s2.wav  
— 003.u1.04\_s2.wav  
— 005.u1.04\_s2.wav  
— 006.u1.04\_s2.wav  
— 008.u1.04\_s2.wav  
— 009.u1.04\_s2.wav  
— 010.u1.04\_s2.wav  
— 011.u1.04\_s2.wav  
— 012.u1.04\_s2.wav  
— 013.u1.04\_s2.wav  
— 014.u1.04\_s2.wav  
— 015.u1.04\_s2.wav  
— 016.u1.04\_s2.wav  
— 017.u1.04\_s2.wav  
— 018.u1.04\_s2.wav  
— 019.u1.04\_s2.wav  
— 020.u1.04\_s2.wav  
— 022.u1.04\_s2.wav  
— 023.u1.04\_s2.wav  
— 024.u1.04\_s2.wav  
— 025.u1.04\_s2.wav  
— 026.u1.04\_s2.wav  
— 027.u1.04\_s2.wav  
— 029.u1.04\_s2.wav  
— 030.u1.04\_s2.wav  
— 031.u1.04\_s2.wav  
— 032.u1.04\_s2.wav  
— 033.u1.04\_s2.wav  
— 034.u1.04\_s2.wav  
— 035.u1.04\_s2.wav  
— 038.u1.04\_s2.wav  
— 039.u1.04\_s2.wav  
— 040.u1.04\_s2.wav  
— 041.u1.04\_s2.wav  
— 042.u1.04\_s2.wav  
— 043.u1.04\_s2.wav  
— 044.u1.04\_s2.wav  
— 046.u1.04\_s2.wav  
— 047.u1.04\_s2.wav  
— 048.u1.04\_s2.wav  
— 049.u1.04\_s2.wav  
— 050.u1.04\_s2.wav  
— 051.u1.04\_s2.wav  
— 052.u1.04\_s2.wav  
— 053.u1.04\_s2.wav  
— 054.u1.04\_s2.wav  
— 055.u1.04\_s2.wav  
— 057.u1.04\_s2.wav  
— 058.u1.04\_s2.wav  
— 059.u1.04\_s2.wav  
— 060.u1.04\_s2.wav  
— 061.u1.04\_s2.wav  
— 062.u1.04\_s2.wav  
— 063.u1.04\_s2.wav  
— 064.u1.04\_s2.wav  
— 065.u1.04\_s2.wav  
— 068.u1.04\_s2.wav  
— 069.u1.04\_s2.wav  
— 070.u1.04\_s2.wav  
— 071.u1.04\_s2.wav  
— 073.u1.04\_s2.wav  
— 074.u1.04\_s2.wav  
— 076.u1.04\_s2.wav  
— 077.u1.04\_s2.wav  
— 078.u1.04\_s2.wav  
— 079.u1.04\_s2.wav  
— 080.u1.04\_s2.wav  
— 081.u1.04\_s2.wav  
— 082.u1.04\_s2.wav  
— 083.u1.04\_s2.wav  
— 084.u1.04\_s2.wav  
— 085.u1.04\_s2.wav  
— 086.u1.04\_s2.wav  
— 087.u1.04\_s2.wav  
— 088.u1.04\_s2.wav

— 089.u1.04\_s2.wav  
— 090.u1.04\_s2.wav  
— 091.u1.04\_s2.wav  
— 092.u1.04\_s2.wav  
— 093.u1.04\_s2.wav  
— 094.u1.04\_s2.wav  
— 095.u1.04\_s2.wav  
— 096.u1.04\_s2.wav  
— 097.u1.04\_s2.wav  
— 098.u1.04\_s2.wav  
— 099.u1.04\_s2.wav  
— 100.u1.04\_s2.wav  
— 101.u1.04\_s2.wav

— sentence3/

— 001.u1.04\_s3.wav  
— 003.u1.04\_s3.wav  
— 005.u1.04\_s3.wav  
— 006.u1.04\_s3.wav  
— 008.u1.04\_s3.wav  
— 009.u1.04\_s3.wav  
— 010.u1.04\_s3.wav  
— 011.u1.04\_s3.wav  
— 012.u1.04\_s3.wav  
— 013.u1.04\_s3.wav  
— 014.u1.04\_s3.wav  
— 015.u1.04\_s3.wav  
— 016.u1.04\_s3.wav  
— 017.u1.04\_s3.wav  
— 018.u1.04\_s3.wav  
— 019.u1.04\_s3.wav  
— 020.u1.04\_s3.wav  
— 022.u1.04\_s3.wav  
— 023.u1.04\_s3.wav  
— 024.u1.04\_s3.wav  
— 025.u1.04\_s3.wav  
— 026.u1.04\_s3.wav  
— 027.u1.04\_s3.wav  
— 029.u1.04\_s3.wav  
— 030.u1.04\_s3.wav  
— 031.u1.04\_s3.wav  
— 032.u1.04\_s3.wav  
— 033.u1.04\_s3.wav  
— 034.u1.04\_s3.wav  
— 035.u1.04\_s3.wav  
— 038.u1.04\_s3.wav  
— 039.u1.04\_s3.wav  
— 040.u1.04\_s3.wav  
— 041.u1.04\_s3.wav  
— 042.u1.04\_s3.wav  
— 043.u1.04\_s3.wav  
— 044.u1.04\_s3.wav  
— 046.u1.04\_s3.wav  
— 047.u1.04\_s3.wav  
— 048.u1.04\_s3.wav  
— 049.u1.04\_s3.wav  
— 050.u1.04\_s3.wav  
— 051.u1.04\_s3.wav  
— 052.u1.04\_s3.wav  
— 053.u1.04\_s3.wav  
— 054.u1.04\_s3.wav  
— 055.u1.04\_s3.wav  
— 057.u1.04\_s3.wav  
— 058.u1.04\_s3.wav  
— 059.u1.04\_s3.wav  
— 060.u1.04\_s3.wav  
— 061.u1.04\_s3.wav  
— 062.u1.04\_s3.wav  
— 063.u1.04\_s3.wav  
— 064.u1.04\_s3.wav  
— 065.u1.04\_s3.wav  
— 068.u1.04\_s3.wav  
— 069.u1.04\_s3.wav  
— 070.u1.04\_s3.wav  
— 071.u1.04\_s3.wav  
— 073.u1.04\_s3.wav  
— 074.u1.04\_s3.wav  
— 076.u1.04\_s3.wav  
— 077.u1.04\_s3.wav  
— 078.u1.04\_s3.wav  
— 079.u1.04\_s3.wav  
— 080.u1.04\_s3.wav  
— 081.u1.04\_s3.wav  
— 082.u1.04\_s3.wav  
— 083.u1.04\_s3.wav  
— 084.u1.04\_s3.wav



— 085.u1.04\_s3.wav  
— 086.u1.04\_s3.wav  
— 087.u1.04\_s3.wav  
— 088.u1.04\_s3.wav  
— 089.u1.04\_s3.wav  
— 090.u1.04\_s3.wav  
— 091.u1.04\_s3.wav  
— 092.u1.04\_s3.wav  
— 093.u1.04\_s3.wav  
— 094.u1.04\_s3.wav  
— 095.u1.04\_s3.wav  
— 096.u1.04\_s3.wav  
— 097.u1.04\_s3.wav  
— 098.u1.04\_s3.wav  
— 099.u1.04\_s3.wav  
— 100.u1.04\_s3.wav  
— 101.u1.04\_s3.wav

— sentence4/

— 001.u1.04\_s4.wav  
— 003.u1.04\_s4.wav  
— 005.u1.04\_s4.wav  
— 006.u1.04\_s4.wav  
— 008.u1.04\_s4.wav  
— 009.u1.04\_s4.wav  
— 010.u1.04\_s4.wav  
— 011.u1.04\_s4.wav  
— 012.u1.04\_s4.wav  
— 013.u1.04\_s4.wav  
— 014.u1.04\_s4.wav  
— 015.u1.04\_s4.wav  
— 016.u1.04\_s4.wav  
— 017.u1.04\_s4.wav  
— 018.u1.04\_s4.wav  
— 019.u1.04\_s4.wav  
— 020.u1.04\_s4.wav  
— 022.u1.04\_s4.wav  
— 023.u1.04\_s4.wav  
— 024.u1.04\_s4.wav  
— 025.u1.04\_s4.wav  
— 026.u1.04\_s4.wav  
— 027.u1.04\_s4.wav  
— 029.u1.04\_s4.wav  
— 030.u1.04\_s4.wav  
— 031.u1.04\_s4.wav  
— 032.u1.04\_s4.wav  
— 033.u1.04\_s4.wav  
— 034.u1.04\_s4.wav  
— 035.u1.04\_s4.wav  
— 038.u1.04\_s4.wav  
— 039.u1.04\_s4.wav  
— 040.u1.04\_s4.wav  
— 041.u1.04\_s4.wav  
— 042.u1.04\_s4.wav  
— 043.u1.04\_s4.wav  
— 044.u1.04\_s4.wav  
— 046.u1.04\_s4.wav  
— 047.u1.04\_s4.wav  
— 048.u1.04\_s4.wav  
— 049.u1.04\_s4.wav  
— 050.u1.04\_s4.wav  
— 051.u1.04\_s4.wav  
— 052.u1.04\_s4.wav  
— 053.u1.04\_s4.wav  
— 054.u1.04\_s4.wav  
— 055.u1.04\_s4.wav  
— 057.u1.04\_s4.wav  
— 058.u1.04\_s4.wav  
— 059.u1.04\_s4.wav  
— 060.u1.04\_s4.wav  
— 061.u1.04\_s4.wav  
— 062.u1.04\_s4.wav  
— 063.u1.04\_s4.wav  
— 064.u1.04\_s4.wav  
— 065.u1.04\_s4.wav  
— 068.u1.04\_s4.wav  
— 069.u1.04\_s4.wav  
— 070.u1.04\_s4.wav  
— 071.u1.04\_s4.wav  
— 073.u1.04\_s4.wav  
— 074.u1.04\_s4.wav  
— 076.u1.04\_s4.wav  
— 077.u1.04\_s4.wav  
— 078.u1.04\_s4.wav  
— 079.u1.04\_s4.wav  
— 080.u1.04\_s4.wav

— 081.u1.04\_s4.wav  
— 082.u1.04\_s4.wav  
— 083.u1.04\_s4.wav  
— 084.u1.04\_s4.wav  
— 085.u1.04\_s4.wav  
— 086.u1.04\_s4.wav  
— 087.u1.04\_s4.wav  
— 088.u1.04\_s4.wav  
— 089.u1.04\_s4.wav  
— 090.u1.04\_s4.wav  
— 091.u1.04\_s4.wav  
— 092.u1.04\_s4.wav  
— 093.u1.04\_s4.wav  
— 094.u1.04\_s4.wav  
— 095.u1.04\_s4.wav  
— 096.u1.04\_s4.wav  
— 097.u1.04\_s4.wav  
— 098.u1.04\_s4.wav  
— 099.u1.04\_s4.wav  
— 100.u1.04\_s4.wav  
— 101.u1.04\_s4.wav

— sentence5/

— 001.u1.04\_s5.wav  
— 003.u1.04\_s5.wav  
— 005.u1.04\_s5.wav  
— 006.u1.04\_s5.wav  
— 008.u1.04\_s5.wav  
— 009.u1.04\_s5.wav  
— 010.u1.04\_s5.wav  
— 011.u1.04\_s5.wav  
— 012.u1.04\_s5.wav  
— 013.u1.04\_s5.wav  
— 014.u1.04\_s5.wav  
— 015.u1.04\_s5.wav  
— 016.u1.04\_s5.wav  
— 017.u1.04\_s5.wav  
— 018.u1.04\_s5.wav  
— 019.u1.04\_s5.wav  
— 020.u1.04\_s5.wav  
— 022.u1.04\_s5.wav  
— 023.u1.04\_s5.wav  
— 024.u1.04\_s5.wav  
— 025.u1.04\_s5.wav  
— 026.u1.04\_s5.wav  
— 027.u1.04\_s5.wav  
— 029.u1.04\_s5.wav  
— 030.u1.04\_s5.wav  
— 031.u1.04\_s5.wav  
— 032.u1.04\_s5.wav  
— 033.u1.04\_s5.wav  
— 034.u1.04\_s5.wav  
— 035.u1.04\_s5.wav  
— 038.u1.04\_s5.wav  
— 039.u1.04\_s5.wav  
— 040.u1.04\_s5.wav  
— 041.u1.04\_s5.wav  
— 042.u1.04\_s5.wav  
— 043.u1.04\_s5.wav  
— 044.u1.04\_s5.wav  
— 046.u1.04\_s5.wav  
— 047.u1.04\_s5.wav  
— 048.u1.04\_s5.wav  
— 049.u1.04\_s5.wav  
— 050.u1.04\_s5.wav  
— 051.u1.04\_s5.wav  
— 052.u1.04\_s5.wav  
— 053.u1.04\_s5.wav  
— 054.u1.04\_s5.wav  
— 055.u1.04\_s5.wav  
— 057.u1.04\_s5.wav  
— 058.u1.04\_s5.wav  
— 059.u1.04\_s5.wav  
— 060.u1.04\_s5.wav  
— 061.u1.04\_s5.wav  
— 062.u1.04\_s5.wav  
— 063.u1.04\_s5.wav  
— 064.u1.04\_s5.wav  
— 065.u1.04\_s5.wav  
— 068.u1.04\_s5.wav  
— 069.u1.04\_s5.wav  
— 070.u1.04\_s5.wav  
— 071.u1.04\_s5.wav  
— 073.u1.04\_s5.wav  
— 074.u1.04\_s5.wav  
— 076.u1.04\_s5.wav

— 077.u1.04\_s5.wav  
— 078.u1.04\_s5.wav  
— 079.u1.04\_s5.wav  
— 080.u1.04\_s5.wav  
— 081.u1.04\_s5.wav  
— 082.u1.04\_s5.wav  
— 083.u1.04\_s5.wav  
— 084.u1.04\_s5.wav  
— 085.u1.04\_s5.wav  
— 086.u1.04\_s5.wav  
— 087.u1.04\_s5.wav  
— 088.u1.04\_s5.wav  
— 089.u1.04\_s5.wav  
— 090.u1.04\_s5.wav  
— 091.u1.04\_s5.wav  
— 092.u1.04\_s5.wav  
— 093.u1.04\_s5.wav  
— 094.u1.04\_s5.wav  
— 095.u1.04\_s5.wav  
— 096.u1.04\_s5.wav  
— 097.u1.04\_s5.wav  
— 098.u1.04\_s5.wav  
— 099.u1.04\_s5.wav  
— 100.u1.04\_s5.wav  
— 101.u1.04\_s5.wav

pd/

— sentence1/

— 002.u1.04\_s1.wav  
— 003.u1.04\_s1.wav  
— 007.u2.04\_s1.wav  
— 013.u2.04\_s1.wav  
— 014.u1.04\_s1.wav  
— 016.u1.04\_s1.wav  
— 019.u2.04\_s1.wav  
— 023.u2.04\_s1.wav  
— 024.u1.04\_s1.wav  
— 025.u1.04\_s1.wav  
— 028.u2.04\_s1.wav  
— 029.u1.04\_s1.wav  
— 032.u1.04\_s1.wav  
— 039.u1.04\_s1.wav  
— 042.u1.04\_s1.wav  
— 043.u1.04\_s1.wav  
— 044.u1.04\_s1.wav  
— 046.u2.04\_s1.wav  
— 050.u1.04\_s1.wav  
— 053.u1.04\_s1.wav  
— 054.u1.04\_s1.wav  
— 056.u2.04\_s1.wav  
— 058.u1.04\_s1.wav  
— 059.u2.04\_s1.wav  
— 063.u1.04\_s1.wav  
— 064.u2.04\_s1.wav  
— 067.u1.04\_s1.wav  
— 071.u2.04\_s1.wav  
— 075.u1.04\_s1.wav  
— 077.u1.04\_s1.wav  
— 078.u1.04\_s1.wav  
— 080.u1.04\_s1.wav  
— 082.u1.04\_s1.wav  
— 085.u1.04\_s1.wav  
— 086.u1.04\_s1.wav  
— 088.u1.04\_s1.wav  
— 089.u1.04\_s1.wav  
— 090.u1.04\_s1.wav  
— 092.u1.04\_s1.wav  
— 093.u2.04\_s1.wav  
— 095.u2.04\_s1.wav  
— 097.u1.04\_s1.wav  
— 098.u1.04\_s1.wav  
— 100.u1.04\_s1.wav  
— 106.u2.04\_s1.wav  
— 107.u2.04\_s1.wav  
— 109.u1.04\_s1.wav  
— 110.u2.04\_s1.wav  
— 111.u1.04\_s1.wav  
— 115.u1.04\_s1.wav  
— 118.u1.04\_s1.wav  
— 119.u2.04\_s1.wav  
— 123.u2.04\_s1.wav  
— 124.u2.04\_s1.wav  
— 127.u1.04\_s1.wav  
— 132.u1.04\_s1.wav  
— 133.u1.04\_s1.wav  
— 134.u2.04\_s1.wav

— 136.u1.04\_s1.wav  
— 138.u2.04\_s1.wav  
— 139.u2.04\_s1.wav  
— 140.u2.04\_s1.wav  
— 141.u1.04\_s1.wav  
— 142.u1.04\_s1.wav  
— 144.u1.04\_s1.wav  
— 146.u2.04\_s1.wav  
— 147.u1.04\_s1.wav  
— 148.u3.04\_s1.wav  
— 152.u1.04\_s1.wav  
— 156.u1.04\_s1.wav  
— 157.u1.04\_s1.wav  
— 160.u2.04\_s1.wav  
— 164.u1.04\_s1.wav  
— 165.u1.04\_s1.wav  
— 167.u1.04\_s1.wav  
— 171.u2.04\_s1.wav  
— 173.u1.04\_s1.wav  
— 177.u2.04\_s1.wav  
— 182.u1.04\_s1.wav  
— 183.u1.04\_s1.wav  
— 184.u1.04\_s1.wav  
— 185.u1.04\_s1.wav  
— 186.u1.04\_s1.wav  
— 187.u1.04\_s1.wav  
— 190.u1.04\_s1.wav  
— 191.u1.04\_s1.wav  
— 192.u1.04\_s1.wav  
— 193.u1.04\_s1.wav

— sentence2/

— 002.u1.04\_s2.wav  
— 003.u1.04\_s2.wav  
— 007.u2.04\_s2.wav  
— 013.u2.04\_s2.wav  
— 014.u1.04\_s2.wav  
— 016.u1.04\_s2.wav  
— 019.u2.04\_s2.wav  
— 023.u2.04\_s2.wav  
— 024.u1.04\_s2.wav  
— 025.u1.04\_s2.wav  
— 028.u2.04\_s2.wav  
— 029.u1.04\_s2.wav  
— 032.u1.04\_s2.wav  
— 039.u1.04\_s2.wav  
— 042.u1.04\_s2.wav  
— 043.u1.04\_s2.wav  
— 044.u1.04\_s2.wav  
— 046.u2.04\_s2.wav  
— 050.u1.04\_s2.wav  
— 053.u1.04\_s2.wav  
— 054.u1.04\_s2.wav  
— 056.u2.04\_s2.wav  
— 058.u1.04\_s2.wav  
— 059.u2.04\_s2.wav  
— 063.u1.04\_s2.wav  
— 064.u2.04\_s2.wav  
— 067.u1.04\_s2.wav  
— 071.u2.04\_s2.wav  
— 075.u1.04\_s2.wav  
— 077.u2.04\_s2.wav  
— 078.u1.04\_s2.wav  
— 080.u1.04\_s2.wav  
— 082.u1.04\_s2.wav  
— 085.u1.04\_s2.wav  
— 086.u1.04\_s2.wav  
— 088.u1.04\_s2.wav  
— 089.u1.04\_s2.wav  
— 090.u1.04\_s2.wav  
— 092.u1.04\_s2.wav  
— 093.u2.04\_s2.wav  
— 095.u2.04\_s2.wav  
— 097.u1.04\_s2.wav  
— 098.u1.04\_s2.wav  
— 100.u1.04\_s2.wav  
— 106.u2.04\_s2.wav  
— 107.u2.04\_s2.wav  
— 109.u1.04\_s2.wav  
— 110.u2.04\_s2.wav  
— 111.u1.04\_s2.wav  
— 115.u1.04\_s2.wav  
— 118.u1.04\_s2.wav  
— 119.u2.04\_s2.wav  
— 123.u2.04\_s2.wav  
— 124.u2.04\_s2.wav

— 127.u1.04\_s2.wav  
— 132.u1.04\_s2.wav  
— 133.u1.04\_s2.wav  
— 134.u2.04\_s2.wav  
— 136.u1.04\_s2.wav  
— 138.u2.04\_s2.wav  
— 139.u2.04\_s2.wav  
— 140.u2.04\_s2.wav  
— 141.u1.04\_s2.wav  
— 142.u1.04\_s2.wav  
— 144.u1.04\_s2.wav  
— 146.u2.04\_s2.wav  
— 147.u1.04\_s2.wav  
— 148.u3.04\_s2.wav  
— 152.u1.04\_s2.wav  
— 156.u1.04\_s2.wav  
— 157.u1.04\_s2.wav  
— 160.u2.04\_s2.wav  
— 164.u1.04\_s2.wav  
— 165.u1.04\_s2.wav  
— 167.u1.04\_s2.wav  
— 171.u2.04\_s2.wav  
— 173.u1.04\_s2.wav  
— 177.u2.04\_s2.wav  
— 182.u1.04\_s2.wav  
— 183.u1.04\_s2.wav  
— 184.u1.04\_s2.wav  
— 185.u1.04\_s2.wav  
— 186.u1.04\_s2.wav  
— 187.u1.04\_s2.wav  
— 190.u1.04\_s2.wav  
— 191.u1.04\_s2.wav  
— 192.u1.04\_s2.wav  
— 193.u1.04\_s2.wav

— sentence3/

— 002.u1.04\_s3.wav  
— 003.u1.04\_s3.wav  
— 007.u2.04\_s3.wav  
— 013.u2.04\_s3.wav  
— 014.u1.04\_s3.wav  
— 016.u1.04\_s3.wav  
— 019.u2.04\_s3.wav  
— 023.u2.04\_s3.wav  
— 024.u1.04\_s3.wav  
— 025.u1.04\_s3.wav  
— 028.u2.04\_s3.wav  
— 029.u1.04\_s3.wav  
— 032.u1.04\_s3.wav  
— 039.u1.04\_s3.wav  
— 042.u1.04\_s3.wav  
— 043.u1.04\_s3.wav  
— 044.u1.04\_s3.wav  
— 046.u2.04\_s3.wav  
— 050.u1.04\_s3.wav  
— 053.u1.04\_s3.wav  
— 054.u1.04\_s3.wav  
— 056.u2.04\_s3.wav  
— 058.u1.04\_s3.wav  
— 059.u2.04\_s3.wav  
— 063.u1.04\_s3.wav  
— 064.u2.04\_s3.wav  
— 067.u1.04\_s3.wav  
— 071.u2.04\_s3.wav  
— 075.u1.04\_s3.wav  
— 077.u2.04\_s3.wav  
— 078.u1.04\_s3.wav  
— 080.u1.04\_s3.wav  
— 082.u1.04\_s3.wav  
— 085.u1.04\_s3.wav  
— 086.u1.04\_s3.wav  
— 088.u1.04\_s3.wav  
— 089.u1.04\_s3.wav  
— 090.u1.04\_s3.wav  
— 092.u1.04\_s3.wav  
— 093.u2.04\_s3.wav  
— 095.u2.04\_s3.wav  
— 097.u1.04\_s3.wav  
— 098.u1.04\_s3.wav  
— 100.u1.04\_s3.wav  
— 106.u2.04\_s3.wav  
— 107.u2.04\_s3.wav  
— 109.u1.04\_s3.wav  
— 110.u2.04\_s3.wav  
— 111.u1.04\_s3.wav  
— 115.u1.04\_s3.wav

— 118.u1.04\_s3.wav  
— 119.u2.04\_s3.wav  
— 123.u2.04\_s3.wav  
— 124.u2.04\_s3.wav  
— 127.u1.04\_s3.wav  
— 132.u1.04\_s3.wav  
— 133.u1.04\_s3.wav  
— 134.u2.04\_s3.wav  
— 136.u1.04\_s3.wav  
— 138.u2.04\_s3.wav  
— 139.u2.04\_s3.wav  
— 140.u2.04\_s3.wav  
— 141.u1.04\_s3.wav  
— 142.u1.04\_s3.wav  
— 144.u1.04\_s3.wav  
— 146.u2.04\_s3.wav  
— 147.u1.04\_s3.wav  
— 148.u3.04\_s3.wav  
— 152.u1.04\_s3.wav  
— 156.u1.04\_s3.wav  
— 157.u1.04\_s3.wav  
— 160.u2.04\_s3.wav  
— 164.u1.04\_s3.wav  
— 165.u1.04\_s3.wav  
— 167.u1.04\_s3.wav  
— 171.u2.04\_s3.wav  
— 173.u1.04\_s3.wav  
— 177.u2.04\_s3.wav  
— 182.u1.04\_s3.wav  
— 183.u1.04\_s3.wav  
— 184.u1.04\_s3.wav  
— 185.u1.04\_s3.wav  
— 186.u1.04\_s3.wav  
— 187.u1.04\_s3.wav  
— 190.u1.04\_s3.wav  
— 191.u1.04\_s3.wav  
— 192.u1.04\_s3.wav  
— 193.u1.04\_s3.wav

— sentence4/

— 002.u1.04\_s4.wav  
— 003.u1.04\_s4.wav  
— 007.u2.04\_s4.wav  
— 013.u2.04\_s4.wav  
— 014.u1.04\_s4.wav  
— 016.u1.04\_s4.wav  
— 019.u2.04\_s4.wav  
— 023.u2.04\_s4.wav  
— 024.u1.04\_s4.wav  
— 025.u1.04\_s4.wav  
— 028.u2.04\_s4.wav  
— 029.u1.04\_s4.wav  
— 032.u1.04\_s4.wav  
— 039.u1.04\_s4.wav  
— 042.u1.04\_s4.wav  
— 043.u1.04\_s4.wav  
— 044.u1.04\_s4.wav  
— 046.u2.04\_s4.wav  
— 050.u1.04\_s4.wav  
— 053.u1.04\_s4.wav  
— 054.u1.04\_s4.wav  
— 056.u2.04\_s4.wav  
— 058.u1.04\_s4.wav  
— 059.u2.04\_s4.wav  
— 063.u1.04\_s4.wav  
— 064.u2.04\_s4.wav  
— 067.u1.04\_s4.wav  
— 071.u2.04\_s4.wav  
— 075.u1.04\_s4.wav  
— 077.u2.04\_s4.wav  
— 078.u1.04\_s4.wav  
— 080.u1.04\_s4.wav  
— 082.u1.04\_s4.wav  
— 085.u1.04\_s4.wav  
— 086.u1.04\_s4.wav  
— 088.u1.04\_s4.wav  
— 089.u1.04\_s4.wav  
— 090.u1.04\_s4.wav  
— 092.u1.04\_s4.wav  
— 093.u2.04\_s4.wav  
— 095.u2.04\_s4.wav  
— 097.u1.04\_s4.wav  
— 098.u1.04\_s4.wav  
— 100.u1.04\_s4.wav  
— 106.u2.04\_s4.wav  
— 107.u2.04\_s4.wav

— 109.u1.04\_s4.wav  
— 110.u2.04\_s4.wav  
— 111.u1.04\_s4.wav  
— 115.u1.04\_s4.wav  
— 118.u1.04\_s4.wav  
— 119.u2.04\_s4.wav  
— 123.u2.04\_s4.wav  
— 124.u2.04\_s4.wav  
— 127.u1.04\_s4.wav  
— 132.u1.04\_s4.wav  
— 133.u1.04\_s4.wav  
— 134.u2.04\_s4.wav  
— 136.u1.04\_s4.wav  
— 138.u2.04\_s4.wav  
— 139.u2.04\_s4.wav  
— 140.u2.04\_s4.wav  
— 141.u1.04\_s4.wav  
— 142.u1.04\_s4.wav  
— 144.u1.04\_s4.wav  
— 146.u2.04\_s4.wav  
— 147.u1.04\_s4.wav  
— 148.u3.04\_s4.wav  
— 152.u1.04\_s4.wav  
— 156.u1.04\_s4.wav  
— 157.u1.04\_s4.wav  
— 160.u2.04\_s4.wav  
— 164.u1.04\_s4.wav  
— 165.u1.04\_s4.wav  
— 167.u1.04\_s4.wav  
— 171.u2.04\_s4.wav  
— 173.u1.04\_s4.wav  
— 177.u2.04\_s4.wav  
— 182.u1.04\_s4.wav  
— 183.u1.04\_s4.wav  
— 184.u1.04\_s4.wav  
— 185.u1.04\_s4.wav  
— 186.u1.04\_s4.wav  
— 187.u1.04\_s4.wav  
— 190.u1.04\_s4.wav  
— 191.u1.04\_s4.wav  
— 192.u1.04\_s4.wav  
— 193.u1.04\_s4.wav

— sentence5/

— 002.u1.04\_s5.wav  
— 003.u1.04\_s5.wav  
— 007.u2.04\_s5.wav  
— 013.u2.04\_s5.wav  
— 014.u1.04\_s5.wav  
— 016.u1.04\_s5.wav  
— 019.u2.04\_s5.wav  
— 023.u2.04\_s5.wav  
— 024.u1.04\_s5.wav  
— 025.u1.04\_s5.wav  
— 028.u2.04\_s5.wav  
— 029.u1.04\_s5.wav  
— 032.u1.04\_s5.wav  
— 039.u1.04\_s5.wav  
— 042.u1.04\_s5.wav  
— 043.u1.04\_s5.wav  
— 044.u1.04\_s5.wav  
— 046.u2.04\_s5.wav  
— 050.u1.04\_s5.wav  
— 053.u1.04\_s5.wav  
— 054.u1.04\_s5.wav  
— 056.u2.04\_s5.wav  
— 058.u1.04\_s5.wav  
— 059.u2.04\_s5.wav  
— 063.u1.04\_s5.wav  
— 064.u2.04\_s5.wav  
— 067.u1.04\_s5.wav  
— 071.u2.04\_s5.wav  
— 075.u1.04\_s5.wav  
— 077.u2.04\_s5.wav  
— 078.u1.04\_s5.wav  
— 080.u1.04\_s5.wav  
— 082.u1.04\_s5.wav  
— 085.u1.04\_s5.wav  
— 086.u1.04\_s5.wav  
— 088.u1.04\_s5.wav  
— 089.u1.04\_s5.wav  
— 090.u1.04\_s5.wav  
— 092.u1.04\_s5.wav  
— 093.u2.04\_s5.wav  
— 095.u2.04\_s5.wav  
— 097.u1.04\_s5.wav

- 098.u1.04\_s5.wav
- 100.u1.04\_s5.wav
- 106.u2.04\_s5.wav
- 107.u2.04\_s5.wav
- 109.u1.04\_s5.wav
- 110.u2.04\_s5.wav
- 111.u1.04\_s5.wav
- 115.u1.04\_s5.wav
- 118.u1.04\_s5.wav
- 119.u2.04\_s5.wav
- 123.u2.04\_s5.wav
- 124.u2.04\_s5.wav
- 127.u1.04\_s5.wav
- 132.u1.04\_s5.wav
- 133.u1.04\_s5.wav
- 134.u2.04\_s5.wav
- 136.u1.04\_s5.wav
- 138.u2.04\_s5.wav
- 139.u2.04\_s5.wav
- 140.u2.04\_s5.wav
- 141.u1.04\_s5.wav
- 142.u1.04\_s5.wav
- 144.u1.04\_s5.wav
- 146.u2.04\_s5.wav
- 147.u1.04\_s5.wav
- 148.u3.04\_s5.wav
- 152.u1.04\_s5.wav
- 156.u1.04\_s5.wav
- 157.u1.04\_s5.wav
- 160.u2.04\_s5.wav
- 164.u1.04\_s5.wav
- 165.u1.04\_s5.wav
- 167.u1.04\_s5.wav
- 171.u2.04\_s5.wav
- 173.u1.04\_s5.wav
- 177.u2.04\_s5.wav
- 182.u1.04\_s5.wav
- 183.u1.04\_s5.wav
- 184.u1.04\_s5.wav
- 185.u1.04\_s5.wav
- 186.u1.04\_s5.wav
- 187.u1.04\_s5.wav
- 190.u1.04\_s5.wav
- 191.u1.04\_s5.wav
- 192.u1.04\_s5.wav
- 193.u1.04\_s5.wav

- withoutNormalization/

- control/

- sentence1/

- 001.u1.04\_s1.wav
      - 003.u1.04\_s1.wav
      - 005.u1.04\_s1.wav
      - 006.u1.04\_s1.wav
      - 008.u1.04\_s1.wav
      - 009.u1.04\_s1.wav
      - 010.u1.04\_s1.wav
      - 011.u1.04\_s1.wav
      - 012.u1.04\_s1.wav
      - 013.u1.04\_s1.wav
      - 014.u1.04\_s1.wav
      - 015.u1.04\_s1.wav
      - 016.u1.04\_s1.wav
      - 017.u1.04\_s1.wav
      - 018.u1.04\_s1.wav
      - 019.u1.04\_s1.wav
      - 020.u1.04\_s1.wav
      - 022.u1.04\_s1.wav
      - 023.u1.04\_s1.wav
      - 024.u1.04\_s1.wav
      - 025.u1.04\_s1.wav
      - 026.u1.04\_s1.wav
      - 027.u1.04\_s1.wav
      - 029.u1.04\_s1.wav
      - 030.u1.04\_s1.wav
      - 031.u1.04\_s1.wav
      - 032.u1.04\_s1.wav
      - 033.u1.04\_s1.wav
      - 034.u1.04\_s1.wav
      - 035.u1.04\_s1.wav
      - 038.u1.04\_s1.wav
      - 039.u1.04\_s1.wav
      - 040.u1.04\_s1.wav
      - 041.u1.04\_s1.wav
      - 042.u1.04\_s1.wav
      - 043.u1.04\_s1.wav



— 044.u1.04\_s1.wav  
— 046.u1.04\_s1.wav  
— 047.u1.04\_s1.wav  
— 048.u1.04\_s1.wav  
— 049.u1.04\_s1.wav  
— 050.u1.04\_s1.wav  
— 051.u1.04\_s1.wav  
— 052.u1.04\_s1.wav  
— 053.u1.04\_s1.wav  
— 054.u1.04\_s1.wav  
— 055.u1.04\_s1.wav  
— 057.u1.04\_s1.wav  
— 058.u1.04\_s1.wav  
— 059.u1.04\_s1.wav  
— 060.u1.04\_s1.wav  
— 061.u1.04\_s1.wav  
— 062.u1.04\_s1.wav  
— 063.u1.04\_s1.wav  
— 064.u1.04\_s1.wav  
— 065.u1.04\_s1.wav  
— 068.u1.04\_s1.wav  
— 069.u1.04\_s1.wav  
— 070.u1.04\_s1.wav  
— 071.u1.04\_s1.wav  
— 073.u1.04\_s1.wav  
— 074.u1.04\_s1.wav  
— 076.u1.04\_s1.wav  
— 077.u1.04\_s1.wav  
— 078.u1.04\_s1.wav  
— 079.u1.04\_s1.wav  
— 080.u1.04\_s1.wav  
— 081.u1.04\_s1.wav  
— 082.u1.04\_s1.wav  
— 083.u1.04\_s1.wav  
— 084.u1.04\_s1.wav  
— 085.u1.04\_s1.wav  
— 086.u1.04\_s1.wav  
— 087.u1.04\_s1.wav  
— 088.u1.04\_s1.wav  
— 089.u1.04\_s1.wav  
— 090.u1.04\_s1.wav  
— 091.u1.04\_s1.wav  
— 092.u1.04\_s1.wav  
— 093.u1.04\_s1.wav  
— 094.u1.04\_s1.wav  
— 095.u1.04\_s1.wav  
— 096.u1.04\_s1.wav  
— 097.u1.04\_s1.wav  
— 098.u1.04\_s1.wav  
— 099.u1.04\_s1.wav  
— 100.u1.04\_s1.wav  
— 101.u1.04\_s1.wav

— sentence2/

— 001.u1.04\_s2.wav  
— 003.u1.04\_s2.wav  
— 005.u1.04\_s2.wav  
— 006.u1.04\_s2.wav  
— 008.u1.04\_s2.wav  
— 009.u1.04\_s2.wav  
— 010.u1.04\_s2.wav  
— 011.u1.04\_s2.wav  
— 012.u1.04\_s2.wav  
— 013.u1.04\_s2.wav  
— 014.u1.04\_s2.wav  
— 015.u1.04\_s2.wav  
— 016.u1.04\_s2.wav  
— 017.u1.04\_s2.wav  
— 018.u1.04\_s2.wav  
— 019.u1.04\_s2.wav  
— 020.u1.04\_s2.wav  
— 022.u1.04\_s2.wav  
— 023.u1.04\_s2.wav  
— 024.u1.04\_s2.wav  
— 025.u1.04\_s2.wav  
— 026.u1.04\_s2.wav  
— 027.u1.04\_s2.wav  
— 029.u1.04\_s2.wav  
— 030.u1.04\_s2.wav  
— 031.u1.04\_s2.wav  
— 032.u1.04\_s2.wav  
— 033.u1.04\_s2.wav  
— 034.u1.04\_s2.wav  
— 035.u1.04\_s2.wav  
— 038.u1.04\_s2.wav  
— 039.u1.04\_s2.wav

— 040.u1.04\_s2.wav  
— 041.u1.04\_s2.wav  
— 042.u1.04\_s2.wav  
— 043.u1.04\_s2.wav  
— 044.u1.04\_s2.wav  
— 046.u1.04\_s2.wav  
— 047.u1.04\_s2.wav  
— 048.u1.04\_s2.wav  
— 049.u1.04\_s2.wav  
— 050.u1.04\_s2.wav  
— 051.u1.04\_s2.wav  
— 052.u1.04\_s2.wav  
— 053.u1.04\_s2.wav  
— 054.u1.04\_s2.wav  
— 055.u1.04\_s2.wav  
— 057.u1.04\_s2.wav  
— 058.u1.04\_s2.wav  
— 059.u1.04\_s2.wav  
— 060.u1.04\_s2.wav  
— 061.u1.04\_s2.wav  
— 062.u1.04\_s2.wav  
— 063.u1.04\_s2.wav  
— 064.u1.04\_s2.wav  
— 065.u1.04\_s2.wav  
— 068.u1.04\_s2.wav  
— 069.u1.04\_s2.wav  
— 070.u1.04\_s2.wav  
— 071.u1.04\_s2.wav  
— 073.u1.04\_s2.wav  
— 074.u1.04\_s2.wav  
— 076.u1.04\_s2.wav  
— 077.u1.04\_s2.wav  
— 078.u1.04\_s2.wav  
— 079.u1.04\_s2.wav  
— 080.u1.04\_s2.wav  
— 081.u1.04\_s2.wav  
— 082.u1.04\_s2.wav  
— 083.u1.04\_s2.wav  
— 084.u1.04\_s2.wav  
— 085.u1.04\_s2.wav  
— 086.u1.04\_s2.wav  
— 087.u1.04\_s2.wav  
— 088.u1.04\_s2.wav  
— 089.u1.04\_s2.wav  
— 090.u1.04\_s2.wav  
— 091.u1.04\_s2.wav  
— 092.u1.04\_s2.wav  
— 093.u1.04\_s2.wav  
— 094.u1.04\_s2.wav  
— 095.u1.04\_s2.wav  
— 096.u1.04\_s2.wav  
— 097.u1.04\_s2.wav  
— 098.u1.04\_s2.wav  
— 099.u1.04\_s2.wav  
— 100.u1.04\_s2.wav  
— 101.u1.04\_s2.wav

— sentence3/

— 001.u1.04\_s3.wav  
— 003.u1.04\_s3.wav  
— 005.u1.04\_s3.wav  
— 006.u1.04\_s3.wav  
— 008.u1.04\_s3.wav  
— 009.u1.04\_s3.wav  
— 010.u1.04\_s3.wav  
— 011.u1.04\_s3.wav  
— 012.u1.04\_s3.wav  
— 013.u1.04\_s3.wav  
— 014.u1.04\_s3.wav  
— 015.u1.04\_s3.wav  
— 016.u1.04\_s3.wav  
— 017.u1.04\_s3.wav  
— 018.u1.04\_s3.wav  
— 019.u1.04\_s3.wav  
— 020.u1.04\_s3.wav  
— 022.u1.04\_s3.wav  
— 023.u1.04\_s3.wav  
— 024.u1.04\_s3.wav  
— 025.u1.04\_s3.wav  
— 026.u1.04\_s3.wav  
— 027.u1.04\_s3.wav  
— 029.u1.04\_s3.wav  
— 030.u1.04\_s3.wav  
— 031.u1.04\_s3.wav  
— 032.u1.04\_s3.wav  
— 033.u1.04\_s3.wav

— 034.u1.04\_s3.wav  
— 035.u1.04\_s3.wav  
— 038.u1.04\_s3.wav  
— 039.u1.04\_s3.wav  
— 040.u1.04\_s3.wav  
— 041.u1.04\_s3.wav  
— 042.u1.04\_s3.wav  
— 043.u1.04\_s3.wav  
— 044.u1.04\_s3.wav  
— 046.u1.04\_s3.wav  
— 047.u1.04\_s3.wav  
— 048.u1.04\_s3.wav  
— 049.u1.04\_s3.wav  
— 050.u1.04\_s3.wav  
— 051.u1.04\_s3.wav  
— 052.u1.04\_s3.wav  
— 053.u1.04\_s3.wav  
— 054.u1.04\_s3.wav  
— 055.u1.04\_s3.wav  
— 057.u1.04\_s3.wav  
— 058.u1.04\_s3.wav  
— 059.u1.04\_s3.wav  
— 060.u1.04\_s3.wav  
— 061.u1.04\_s3.wav  
— 062.u1.04\_s3.wav  
— 063.u1.04\_s3.wav  
— 064.u1.04\_s3.wav  
— 065.u1.04\_s3.wav  
— 068.u1.04\_s3.wav  
— 069.u1.04\_s3.wav  
— 070.u1.04\_s3.wav  
— 071.u1.04\_s3.wav  
— 073.u1.04\_s3.wav  
— 074.u1.04\_s3.wav  
— 076.u1.04\_s3.wav  
— 077.u1.04\_s3.wav  
— 078.u1.04\_s3.wav  
— 079.u1.04\_s3.wav  
— 080.u1.04\_s3.wav  
— 081.u1.04\_s3.wav  
— 082.u1.04\_s3.wav  
— 083.u1.04\_s3.wav  
— 084.u1.04\_s3.wav  
— 085.u1.04\_s3.wav  
— 086.u1.04\_s3.wav  
— 087.u1.04\_s3.wav  
— 088.u1.04\_s3.wav  
— 089.u1.04\_s3.wav  
— 090.u1.04\_s3.wav  
— 091.u1.04\_s3.wav  
— 092.u1.04\_s3.wav  
— 093.u1.04\_s3.wav  
— 094.u1.04\_s3.wav  
— 095.u1.04\_s3.wav  
— 096.u1.04\_s3.wav  
— 097.u1.04\_s3.wav  
— 098.u1.04\_s3.wav  
— 099.u1.04\_s3.wav  
— 100.u1.04\_s3.wav  
— 101.u1.04\_s3.wav

— sentence4/

— 001.u1.04\_s4.wav  
— 003.u1.04\_s4.wav  
— 005.u1.04\_s4.wav  
— 006.u1.04\_s4.wav  
— 008.u1.04\_s4.wav  
— 009.u1.04\_s4.wav  
— 010.u1.04\_s4.wav  
— 011.u1.04\_s4.wav  
— 012.u1.04\_s4.wav  
— 013.u1.04\_s4.wav  
— 014.u1.04\_s4.wav  
— 015.u1.04\_s4.wav  
— 016.u1.04\_s4.wav  
— 017.u1.04\_s4.wav  
— 018.u1.04\_s4.wav  
— 019.u1.04\_s4.wav  
— 020.u1.04\_s4.wav  
— 022.u1.04\_s4.wav  
— 023.u1.04\_s4.wav  
— 024.u1.04\_s4.wav  
— 025.u1.04\_s4.wav  
— 026.u1.04\_s4.wav  
— 027.u1.04\_s4.wav  
— 029.u1.04\_s4.wav

— 030.u1.04\_s4.wav  
— 031.u1.04\_s4.wav  
— 032.u1.04\_s4.wav  
— 033.u1.04\_s4.wav  
— 034.u1.04\_s4.wav  
— 035.u1.04\_s4.wav  
— 038.u1.04\_s4.wav  
— 039.u1.04\_s4.wav  
— 040.u1.04\_s4.wav  
— 041.u1.04\_s4.wav  
— 042.u1.04\_s4.wav  
— 043.u1.04\_s4.wav  
— 044.u1.04\_s4.wav  
— 046.u1.04\_s4.wav  
— 047.u1.04\_s4.wav  
— 048.u1.04\_s4.wav  
— 049.u1.04\_s4.wav  
— 050.u1.04\_s4.wav  
— 051.u1.04\_s4.wav  
— 052.u1.04\_s4.wav  
— 053.u1.04\_s4.wav  
— 054.u1.04\_s4.wav  
— 055.u1.04\_s4.wav  
— 057.u1.04\_s4.wav  
— 058.u1.04\_s4.wav  
— 059.u1.04\_s4.wav  
— 060.u1.04\_s4.wav  
— 061.u1.04\_s4.wav  
— 062.u1.04\_s4.wav  
— 063.u1.04\_s4.wav  
— 064.u1.04\_s4.wav  
— 065.u1.04\_s4.wav  
— 068.u1.04\_s4.wav  
— 069.u1.04\_s4.wav  
— 070.u1.04\_s4.wav  
— 071.u1.04\_s4.wav  
— 073.u1.04\_s4.wav  
— 074.u1.04\_s4.wav  
— 076.u1.04\_s4.wav  
— 077.u1.04\_s4.wav  
— 078.u1.04\_s4.wav  
— 079.u1.04\_s4.wav  
— 080.u1.04\_s4.wav  
— 081.u1.04\_s4.wav  
— 082.u1.04\_s4.wav  
— 083.u1.04\_s4.wav  
— 084.u1.04\_s4.wav  
— 085.u1.04\_s4.wav  
— 086.u1.04\_s4.wav  
— 087.u1.04\_s4.wav  
— 088.u1.04\_s4.wav  
— 089.u1.04\_s4.wav  
— 090.u1.04\_s4.wav  
— 091.u1.04\_s4.wav  
— 092.u1.04\_s4.wav  
— 093.u1.04\_s4.wav  
— 094.u1.04\_s4.wav  
— 095.u1.04\_s4.wav  
— 096.u1.04\_s4.wav  
— 097.u1.04\_s4.wav  
— 098.u1.04\_s4.wav  
— 099.u1.04\_s4.wav  
— 100.u1.04\_s4.wav  
— 101.u1.04\_s4.wav

— sentence5/

— 001.u1.04\_s5.wav  
— 003.u1.04\_s5.wav  
— 005.u1.04\_s5.wav  
— 006.u1.04\_s5.wav  
— 008.u1.04\_s5.wav  
— 009.u1.04\_s5.wav  
— 010.u1.04\_s5.wav  
— 011.u1.04\_s5.wav  
— 012.u1.04\_s5.wav  
— 013.u1.04\_s5.wav  
— 014.u1.04\_s5.wav  
— 015.u1.04\_s5.wav  
— 016.u1.04\_s5.wav  
— 017.u1.04\_s5.wav  
— 018.u1.04\_s5.wav  
— 019.u1.04\_s5.wav  
— 020.u1.04\_s5.wav  
— 022.u1.04\_s5.wav  
— 023.u1.04\_s5.wav  
— 024.u1.04\_s5.wav

— 025.u1.04\_s5.wav  
— 026.u1.04\_s5.wav  
— 027.u1.04\_s5.wav  
— 029.u1.04\_s5.wav  
— 030.u1.04\_s5.wav  
— 031.u1.04\_s5.wav  
— 032.u1.04\_s5.wav  
— 033.u1.04\_s5.wav  
— 034.u1.04\_s5.wav  
— 035.u1.04\_s5.wav  
— 038.u1.04\_s5.wav  
— 039.u1.04\_s5.wav  
— 040.u1.04\_s5.wav  
— 041.u1.04\_s5.wav  
— 042.u1.04\_s5.wav  
— 043.u1.04\_s5.wav  
— 044.u1.04\_s5.wav  
— 046.u1.04\_s5.wav  
— 047.u1.04\_s5.wav  
— 048.u1.04\_s5.wav  
— 049.u1.04\_s5.wav  
— 050.u1.04\_s5.wav  
— 051.u1.04\_s5.wav  
— 052.u1.04\_s5.wav  
— 053.u1.04\_s5.wav  
— 054.u1.04\_s5.wav  
— 055.u1.04\_s5.wav  
— 057.u1.04\_s5.wav  
— 058.u1.04\_s5.wav  
— 059.u1.04\_s5.wav  
— 060.u1.04\_s5.wav  
— 061.u1.04\_s5.wav  
— 062.u1.04\_s5.wav  
— 063.u1.04\_s5.wav  
— 064.u1.04\_s5.wav  
— 065.u1.04\_s5.wav  
— 068.u1.04\_s5.wav  
— 069.u1.04\_s5.wav  
— 070.u1.04\_s5.wav  
— 071.u1.04\_s5.wav  
— 073.u1.04\_s5.wav  
— 074.u1.04\_s5.wav  
— 076.u1.04\_s5.wav  
— 077.u1.04\_s5.wav  
— 078.u1.04\_s5.wav  
— 079.u1.04\_s5.wav  
— 080.u1.04\_s5.wav  
— 081.u1.04\_s5.wav  
— 082.u1.04\_s5.wav  
— 083.u1.04\_s5.wav  
— 084.u1.04\_s5.wav  
— 085.u1.04\_s5.wav  
— 086.u1.04\_s5.wav  
— 087.u1.04\_s5.wav  
— 088.u1.04\_s5.wav  
— 089.u1.04\_s5.wav  
— 090.u1.04\_s5.wav  
— 091.u1.04\_s5.wav  
— 092.u1.04\_s5.wav  
— 093.u1.04\_s5.wav  
— 094.u1.04\_s5.wav  
— 095.u1.04\_s5.wav  
— 096.u1.04\_s5.wav  
— 097.u1.04\_s5.wav  
— 098.u1.04\_s5.wav  
— 099.u1.04\_s5.wav  
— 100.u1.04\_s5.wav  
— 101.u1.04\_s5.wav

pd/

— sentence1/

— 002.u1.04\_s1.wav  
— 003.u1.04\_s1.wav  
— 007.u2.04\_s1.wav  
— 013.u2.04\_s1.wav  
— 014.u1.04\_s1.wav  
— 016.u1.04\_s1.wav  
— 019.u2.04\_s1.wav  
— 023.u2.04\_s1.wav  
— 024.u1.04\_s1.wav  
— 025.u1.04\_s1.wav  
— 028.u2.04\_s1.wav  
— 029.u1.04\_s1.wav  
— 032.u1.04\_s1.wav  
— 039.u1.04\_s1.wav  
— 042.u1.04\_s1.wav

— 043.u1.04\_s1.wav  
— 044.u1.04\_s1.wav  
— 046.u2.04\_s1.wav  
— 050.u1.04\_s1.wav  
— 053.u1.04\_s1.wav  
— 054.u1.04\_s1.wav  
— 056.u2.04\_s1.wav  
— 058.u1.04\_s1.wav  
— 059.u2.04\_s1.wav  
— 063.u1.04\_s1.wav  
— 064.u2.04\_s1.wav  
— 067.u1.04\_s1.wav  
— 071.u2.04\_s1.wav  
— 075.u1.04\_s1.wav  
— 077.u1.04\_s1.wav  
— 078.u1.04\_s1.wav  
— 080.u1.04\_s1.wav  
— 082.u1.04\_s1.wav  
— 085.u1.04\_s1.wav  
— 086.u1.04\_s1.wav  
— 088.u1.04\_s1.wav  
— 089.u1.04\_s1.wav  
— 090.u1.04\_s1.wav  
— 092.u1.04\_s1.wav  
— 093.u2.04\_s1.wav  
— 095.u2.04\_s1.wav  
— 097.u1.04\_s1.wav  
— 098.u1.04\_s1.wav  
— 100.u1.04\_s1.wav  
— 106.u2.04\_s1.wav  
— 107.u2.04\_s1.wav  
— 109.u1.04\_s1.wav  
— 110.u2.04\_s1.wav  
— 111.u1.04\_s1.wav  
— 115.u1.04\_s1.wav  
— 118.u1.04\_s1.wav  
— 119.u2.04\_s1.wav  
— 123.u2.04\_s1.wav  
— 124.u2.04\_s1.wav  
— 127.u1.04\_s1.wav  
— 132.u1.04\_s1.wav  
— 133.u1.04\_s1.wav  
— 134.u2.04\_s1.wav  
— 136.u1.04\_s1.wav  
— 138.u2.04\_s1.wav  
— 139.u2.04\_s1.wav  
— 140.u2.04\_s1.wav  
— 141.u1.04\_s1.wav  
— 142.u1.04\_s1.wav  
— 144.u1.04\_s1.wav  
— 146.u2.04\_s1.wav  
— 147.u1.04\_s1.wav  
— 148.u3.04\_s1.wav  
— 152.u1.04\_s1.wav  
— 156.u1.04\_s1.wav  
— 157.u1.04\_s1.wav  
— 160.u2.04\_s1.wav  
— 164.u1.04\_s1.wav  
— 165.u1.04\_s1.wav  
— 167.u1.04\_s1.wav  
— 171.u2.04\_s1.wav  
— 173.u1.04\_s1.wav  
— 177.u2.04\_s1.wav  
— 182.u1.04\_s1.wav  
— 183.u1.04\_s1.wav  
— 184.u1.04\_s1.wav  
— 185.u1.04\_s1.wav  
— 186.u1.04\_s1.wav  
— 187.u1.04\_s1.wav  
— 190.u1.04\_s1.wav  
— 191.u1.04\_s1.wav  
— 192.u1.04\_s1.wav  
— 193.u1.04\_s1.wav  
— sentence2/  
— 002.u1.04\_s2.wav  
— 003.u1.04\_s2.wav  
— 007.u2.04\_s2.wav  
— 013.u2.04\_s2.wav  
— 014.u1.04\_s2.wav  
— 016.u1.04\_s2.wav  
— 019.u2.04\_s2.wav  
— 023.u2.04\_s2.wav  
— 024.u1.04\_s2.wav  
— 025.u1.04\_s2.wav  
— 028.u2.04\_s2.wav

— 029.u1.04\_s2.wav  
— 032.u1.04\_s2.wav  
— 039.u1.04\_s2.wav  
— 042.u1.04\_s2.wav  
— 043.u1.04\_s2.wav  
— 044.u1.04\_s2.wav  
— 046.u2.04\_s2.wav  
— 050.u1.04\_s2.wav  
— 053.u1.04\_s2.wav  
— 054.u1.04\_s2.wav  
— 056.u2.04\_s2.wav  
— 058.u1.04\_s2.wav  
— 059.u2.04\_s2.wav  
— 063.u1.04\_s2.wav  
— 064.u2.04\_s2.wav  
— 067.u1.04\_s2.wav  
— 071.u2.04\_s2.wav  
— 075.u1.04\_s2.wav  
— 077.u2.04\_s2.wav  
— 078.u1.04\_s2.wav  
— 080.u1.04\_s2.wav  
— 082.u1.04\_s2.wav  
— 085.u1.04\_s2.wav  
— 086.u1.04\_s2.wav  
— 088.u1.04\_s2.wav  
— 089.u1.04\_s2.wav  
— 090.u1.04\_s2.wav  
— 092.u1.04\_s2.wav  
— 093.u2.04\_s2.wav  
— 095.u2.04\_s2.wav  
— 097.u1.04\_s2.wav  
— 098.u1.04\_s2.wav  
— 100.u1.04\_s2.wav  
— 106.u2.04\_s2.wav  
— 107.u2.04\_s2.wav  
— 109.u1.04\_s2.wav  
— 110.u2.04\_s2.wav  
— 111.u1.04\_s2.wav  
— 115.u1.04\_s2.wav  
— 118.u1.04\_s2.wav  
— 119.u2.04\_s2.wav  
— 123.u2.04\_s2.wav  
— 124.u2.04\_s2.wav  
— 127.u1.04\_s2.wav  
— 132.u1.04\_s2.wav  
— 133.u1.04\_s2.wav  
— 134.u2.04\_s2.wav  
— 136.u1.04\_s2.wav  
— 138.u2.04\_s2.wav  
— 139.u2.04\_s2.wav  
— 140.u2.04\_s2.wav  
— 141.u1.04\_s2.wav  
— 142.u1.04\_s2.wav  
— 144.u1.04\_s2.wav  
— 146.u2.04\_s2.wav  
— 147.u1.04\_s2.wav  
— 148.u3.04\_s2.wav  
— 152.u1.04\_s2.wav  
— 156.u1.04\_s2.wav  
— 157.u1.04\_s2.wav  
— 160.u2.04\_s2.wav  
— 164.u1.04\_s2.wav  
— 165.u1.04\_s2.wav  
— 167.u1.04\_s2.wav  
— 171.u2.04\_s2.wav  
— 173.u1.04\_s2.wav  
— 177.u2.04\_s2.wav  
— 182.u1.04\_s2.wav  
— 183.u1.04\_s2.wav  
— 184.u1.04\_s2.wav  
— 185.u1.04\_s2.wav  
— 186.u1.04\_s2.wav  
— 187.u1.04\_s2.wav  
— 190.u1.04\_s2.wav  
— 191.u1.04\_s2.wav  
— 192.u1.04\_s2.wav  
— 193.u1.04\_s2.wav  
— sentence3/  
— 002.u1.04\_s3.wav  
— 003.u1.04\_s3.wav  
— 007.u2.04\_s3.wav  
— 013.u2.04\_s3.wav  
— 014.u1.04\_s3.wav  
— 016.u1.04\_s3.wav  
— 019.u2.04\_s3.wav

— 023.u2.04\_s3.wav  
— 024.u1.04\_s3.wav  
— 025.u1.04\_s3.wav  
— 028.u2.04\_s3.wav  
— 029.u1.04\_s3.wav  
— 032.u1.04\_s3.wav  
— 039.u1.04\_s3.wav  
— 042.u1.04\_s3.wav  
— 043.u1.04\_s3.wav  
— 044.u1.04\_s3.wav  
— 046.u2.04\_s3.wav  
— 050.u1.04\_s3.wav  
— 053.u1.04\_s3.wav  
— 054.u1.04\_s3.wav  
— 056.u2.04\_s3.wav  
— 058.u1.04\_s3.wav  
— 059.u2.04\_s3.wav  
— 063.u1.04\_s3.wav  
— 064.u2.04\_s3.wav  
— 067.u1.04\_s3.wav  
— 071.u2.04\_s3.wav  
— 075.u1.04\_s3.wav  
— 077.u2.04\_s3.wav  
— 078.u1.04\_s3.wav  
— 080.u1.04\_s3.wav  
— 082.u1.04\_s3.wav  
— 085.u1.04\_s3.wav  
— 086.u1.04\_s3.wav  
— 088.u1.04\_s3.wav  
— 089.u1.04\_s3.wav  
— 090.u1.04\_s3.wav  
— 092.u1.04\_s3.wav  
— 093.u2.04\_s3.wav  
— 095.u2.04\_s3.wav  
— 097.u1.04\_s3.wav  
— 098.u1.04\_s3.wav  
— 100.u1.04\_s3.wav  
— 106.u2.04\_s3.wav  
— 107.u2.04\_s3.wav  
— 109.u1.04\_s3.wav  
— 110.u2.04\_s3.wav  
— 111.u1.04\_s3.wav  
— 115.u1.04\_s3.wav  
— 118.u1.04\_s3.wav  
— 119.u2.04\_s3.wav  
— 123.u2.04\_s3.wav  
— 124.u2.04\_s3.wav  
— 127.u1.04\_s3.wav  
— 132.u1.04\_s3.wav  
— 133.u1.04\_s3.wav  
— 134.u2.04\_s3.wav  
— 136.u1.04\_s3.wav  
— 138.u2.04\_s3.wav  
— 139.u2.04\_s3.wav  
— 140.u2.04\_s3.wav  
— 141.u1.04\_s3.wav  
— 142.u1.04\_s3.wav  
— 144.u1.04\_s3.wav  
— 146.u2.04\_s3.wav  
— 147.u1.04\_s3.wav  
— 148.u3.04\_s3.wav  
— 152.u1.04\_s3.wav  
— 156.u1.04\_s3.wav  
— 157.u1.04\_s3.wav  
— 160.u2.04\_s3.wav  
— 164.u1.04\_s3.wav  
— 165.u1.04\_s3.wav  
— 167.u1.04\_s3.wav  
— 171.u2.04\_s3.wav  
— 173.u1.04\_s3.wav  
— 177.u2.04\_s3.wav  
— 182.u1.04\_s3.wav  
— 183.u1.04\_s3.wav  
— 184.u1.04\_s3.wav  
— 185.u1.04\_s3.wav  
— 186.u1.04\_s3.wav  
— 187.u1.04\_s3.wav  
— 190.u1.04\_s3.wav  
— 191.u1.04\_s3.wav  
— 192.u1.04\_s3.wav  
— 193.u1.04\_s3.wav  
— sentence4/  
— 002.u1.04\_s4.wav  
— 003.u1.04\_s4.wav  
— 007.u2.04\_s4.wav



— 013.u2.04\_s4.wav  
— 014.u1.04\_s4.wav  
— 016.u1.04\_s4.wav  
— 019.u2.04\_s4.wav  
— 023.u2.04\_s4.wav  
— 024.u1.04\_s4.wav  
— 025.u1.04\_s4.wav  
— 028.u2.04\_s4.wav  
— 029.u1.04\_s4.wav  
— 032.u1.04\_s4.wav  
— 039.u1.04\_s4.wav  
— 042.u1.04\_s4.wav  
— 043.u1.04\_s4.wav  
— 044.u1.04\_s4.wav  
— 046.u2.04\_s4.wav  
— 050.u1.04\_s4.wav  
— 053.u1.04\_s4.wav  
— 054.u1.04\_s4.wav  
— 056.u2.04\_s4.wav  
— 058.u1.04\_s4.wav  
— 059.u2.04\_s4.wav  
— 063.u1.04\_s4.wav  
— 064.u2.04\_s4.wav  
— 067.u1.04\_s4.wav  
— 071.u2.04\_s4.wav  
— 075.u1.04\_s4.wav  
— 077.u2.04\_s4.wav  
— 078.u1.04\_s4.wav  
— 080.u1.04\_s4.wav  
— 082.u1.04\_s4.wav  
— 085.u1.04\_s4.wav  
— 086.u1.04\_s4.wav  
— 088.u1.04\_s4.wav  
— 089.u1.04\_s4.wav  
— 090.u1.04\_s4.wav  
— 092.u1.04\_s4.wav  
— 093.u2.04\_s4.wav  
— 095.u2.04\_s4.wav  
— 097.u1.04\_s4.wav  
— 098.u1.04\_s4.wav  
— 100.u1.04\_s4.wav  
— 106.u2.04\_s4.wav  
— 107.u2.04\_s4.wav  
— 109.u1.04\_s4.wav  
— 110.u2.04\_s4.wav  
— 111.u1.04\_s4.wav  
— 115.u1.04\_s4.wav  
— 118.u1.04\_s4.wav  
— 119.u2.04\_s4.wav  
— 123.u2.04\_s4.wav  
— 124.u2.04\_s4.wav  
— 127.u1.04\_s4.wav  
— 132.u1.04\_s4.wav  
— 133.u1.04\_s4.wav  
— 134.u2.04\_s4.wav  
— 136.u1.04\_s4.wav  
— 138.u2.04\_s4.wav  
— 139.u2.04\_s4.wav  
— 140.u2.04\_s4.wav  
— 141.u1.04\_s4.wav  
— 142.u1.04\_s4.wav  
— 144.u1.04\_s4.wav  
— 146.u2.04\_s4.wav  
— 147.u1.04\_s4.wav  
— 148.u3.04\_s4.wav  
— 152.u1.04\_s4.wav  
— 156.u1.04\_s4.wav  
— 157.u1.04\_s4.wav  
— 160.u2.04\_s4.wav  
— 164.u1.04\_s4.wav  
— 165.u1.04\_s4.wav  
— 167.u1.04\_s4.wav  
— 171.u2.04\_s4.wav  
— 173.u1.04\_s4.wav  
— 177.u2.04\_s4.wav  
— 182.u1.04\_s4.wav  
— 183.u1.04\_s4.wav  
— 184.u1.04\_s4.wav  
— 185.u1.04\_s4.wav  
— 186.u1.04\_s4.wav  
— 187.u1.04\_s4.wav  
— 190.u1.04\_s4.wav  
— 191.u1.04\_s4.wav  
— 192.u1.04\_s4.wav  
— 193.u1.04\_s4.wav

└─ sentence5/  
├─ 002.u1.04\_s5.wav  
├─ 003.u1.04\_s5.wav  
├─ 007.u2.04\_s5.wav  
├─ 013.u2.04\_s5.wav  
├─ 014.u1.04\_s5.wav  
├─ 016.u1.04\_s5.wav  
├─ 019.u2.04\_s5.wav  
├─ 023.u2.04\_s5.wav  
├─ 024.u1.04\_s5.wav  
├─ 025.u1.04\_s5.wav  
├─ 028.u2.04\_s5.wav  
├─ 029.u1.04\_s5.wav  
├─ 032.u1.04\_s5.wav  
├─ 039.u1.04\_s5.wav  
├─ 042.u1.04\_s5.wav  
├─ 043.u1.04\_s5.wav  
├─ 044.u1.04\_s5.wav  
├─ 046.u2.04\_s5.wav  
├─ 050.u1.04\_s5.wav  
├─ 053.u1.04\_s5.wav  
├─ 054.u1.04\_s5.wav  
├─ 056.u2.04\_s5.wav  
├─ 058.u1.04\_s5.wav  
├─ 059.u2.04\_s5.wav  
├─ 063.u1.04\_s5.wav  
├─ 064.u2.04\_s5.wav  
├─ 067.u1.04\_s5.wav  
├─ 071.u2.04\_s5.wav  
├─ 075.u1.04\_s5.wav  
├─ 077.u2.04\_s5.wav  
├─ 078.u1.04\_s5.wav  
├─ 080.u1.04\_s5.wav  
├─ 082.u1.04\_s5.wav  
├─ 085.u1.04\_s5.wav  
├─ 086.u1.04\_s5.wav  
├─ 088.u1.04\_s5.wav  
├─ 089.u1.04\_s5.wav  
├─ 090.u1.04\_s5.wav  
├─ 092.u1.04\_s5.wav  
├─ 093.u2.04\_s5.wav  
├─ 095.u2.04\_s5.wav  
├─ 097.u1.04\_s5.wav  
├─ 098.u1.04\_s5.wav  
├─ 100.u1.04\_s5.wav  
├─ 106.u2.04\_s5.wav  
├─ 107.u2.04\_s5.wav  
├─ 109.u1.04\_s5.wav  
├─ 110.u2.04\_s5.wav  
├─ 111.u1.04\_s5.wav  
├─ 115.u1.04\_s5.wav  
├─ 118.u1.04\_s5.wav  
├─ 119.u2.04\_s5.wav  
├─ 123.u2.04\_s5.wav  
├─ 124.u2.04\_s5.wav  
├─ 127.u1.04\_s5.wav  
├─ 132.u1.04\_s5.wav  
├─ 133.u1.04\_s5.wav  
├─ 134.u2.04\_s5.wav  
├─ 136.u1.04\_s5.wav  
├─ 138.u2.04\_s5.wav  
├─ 139.u2.04\_s5.wav  
├─ 140.u2.04\_s5.wav  
├─ 141.u1.04\_s5.wav  
├─ 142.u1.04\_s5.wav  
├─ 144.u1.04\_s5.wav  
├─ 146.u2.04\_s5.wav  
├─ 147.u1.04\_s5.wav  
├─ 148.u3.04\_s5.wav  
├─ 152.u1.04\_s5.wav  
├─ 156.u1.04\_s5.wav  
├─ 157.u1.04\_s5.wav  
├─ 160.u2.04\_s5.wav  
├─ 164.u1.04\_s5.wav  
├─ 165.u1.04\_s5.wav  
├─ 167.u1.04\_s5.wav  
├─ 171.u2.04\_s5.wav  
├─ 173.u1.04\_s5.wav  
├─ 177.u2.04\_s5.wav  
├─ 182.u1.04\_s5.wav  
├─ 183.u1.04\_s5.wav  
├─ 184.u1.04\_s5.wav  
├─ 185.u1.04\_s5.wav  
├─ 186.u1.04\_s5.wav  
├─ 187.u1.04\_s5.wav

- 190.u1.04\_s5.wav
  - 191.u1.04\_s5.wav
  - 192.u1.04\_s5.wav
  - 193.u1.04\_s5.wav
- normalizacion.m
- vowel/
  - Ah/
    - control/
      - 001.u1.11.wav
      - 003.u1.11.wav
      - 005.u1.11.wav
      - 006.u1.11.wav
      - 008.u1.11.wav
      - 009.u1.11.wav
      - 010.u1.11.wav
      - 011.u1.11.wav
      - 012.u1.11.wav
      - 013.u1.11.wav
      - 014.u1.11.wav
      - 015.u1.11.wav
      - 016.u1.11.wav
      - 017.u1.11.wav
      - 018.u1.11.wav
      - 019.u1.11.wav
      - 020.u1.11.wav
      - 022.u1.11.wav
      - 023.u1.11.wav
      - 024.u1.11.wav
      - 025.u1.11.wav
      - 026.u1.11.wav
      - 027.u1.11.wav
      - 029.u1.11.wav
      - 030.u1.11.wav
      - 031.u1.11.wav
      - 032.u1.11.wav
      - 033.u1.11.wav
      - 034.u1.11.wav
      - 035.u1.11.wav
      - 038.u1.11.wav
      - 039.u1.11.wav
      - 040.u1.11.wav
      - 041.u1.11.wav
      - 042.u1.11.wav
      - 043.u1.11.wav
      - 044.u1.11.wav
      - 046.u1.11.wav
      - 047.u1.11.pk
      - 047.u1.11.wav
      - 048.u1.11.wav
      - 049.u1.11.wav
      - 050.u1.11.wav
      - 051.u1.11.wav
      - 052.u1.11.wav
      - 053.u1.11.wav
      - 054.u1.11.wav
      - 055.u1.11.wav
      - 057.u1.11.wav
      - 058.u1.11.wav
      - 059.u1.11.wav
      - 060.u1.11.wav
      - 061.u1.11.wav
      - 062.u1.11.wav
      - 063.u1.11.wav
      - 064.u1.11.wav
      - 065.u1.11.wav
      - 068.u1.11.wav
      - 069.u1.11.wav
      - 070.u1.11.wav
      - 071.u1.11.wav
      - 073.u1.11.wav
      - 074.u1.11.wav
      - 076.u1.11.wav
      - 077.u1.11.wav
      - 078.u1.11.wav
      - 079.u1.11.wav
      - 080.u1.11.wav
      - 081.u1.11.wav
      - 082.u1.11.wav
      - 083.u1.11.wav
      - 084.u1.11.wav
      - 085.u1.11.wav
      - 086.u1.11.wav
      - 087.u1.11.wav
      - 088.u1.11.wav
      - 089.u1.11.wav

— 090.u1.11.wav  
— 091.u1.11.wav  
— 092.u1.11.wav  
— 093.u1.11.wav  
— 094.u1.11.wav  
— 095.u1.11.wav  
— 096.u1.11.wav  
— 097.u1.11.wav  
— 098.u1.11.wav  
— 099.u1.11.wav  
— 100.u1.11.wav  
— 101.u1.11.wav

ips/

— 002.u1.11.wav  
— 003.u1.11.wav  
— 007.u1.11.wav  
— 013.u1.11.wav  
— 014.u1.11.wav  
— 016.u1.11.wav  
— 019.u1.11.wav  
— 023.u1.11.wav  
— 024.u1.11.wav  
— 025.u1.11.wav  
— 028.u1.11.wav  
— 029.u1.11.wav  
— 032.u1.11.wav  
— 039.u1.11.wav  
— 042.u1.11.wav  
— 043.u1.11.wav  
— 044.u1.11.wav  
— 046.u1.11.wav  
— 050.u1.11.wav  
— 053.u1.11.wav  
— 054.u1.11.wav  
— 056.u1.11.wav  
— 058.u1.11.wav  
— 059.u1.11.wav  
— 063.u1.11.wav  
— 064.u1.11.wav  
— 067.u1.11.wav  
— 071.u1.11.wav  
— 075.u1.11.wav  
— 077.u1.11.wav  
— 078.u1.11.wav  
— 080.u1.11.wav  
— 082.u1.11.wav  
— 085.u1.11.wav  
— 086.u1.11.wav  
— 088.u1.11.wav  
— 089.u1.11.wav  
— 090.u1.11.wav  
— 092.u1.11.wav  
— 093.u1.11.wav  
— 095.u1.11.wav  
— 097.u1.11.wav  
— 098.u1.11.wav  
— 100.u1.11.wav  
— 106.u1.11.wav  
— 107.u1.11.wav  
— 109.u1.11.wav  
— 110.u1.11.wav  
— 111.u1.11.wav  
— 115.u1.11.wav  
— 118.u1.11.wav  
— 119.u1.11.wav  
— 123.u1.11.wav  
— 124.u1.11.wav  
— 127.u1.11.wav  
— 132.u1.11.wav  
— 133.u1.11.wav  
— 134.u1.11.wav  
— 136.u1.11.wav  
— 138.u1.11.wav  
— 139.u1.11.wav  
— 140.u1.11.wav  
— 141.u1.11.wav  
— 142.u1.11.wav  
— 144.u1.11.wav  
— 146.u1.11.wav  
— 147.u1.11.wav  
— 148.u1.11.wav  
— 152.u1.11.wav  
— 156.u1.11.wav  
— 157.u1.11.wav  
— 160.u1.11.wav

- 164.u1.11.wav
- 165.u1.11.wav
- 167.u1.11.wav
- 171.u1.11.wav
- 173.u1.11.wav
- 177.u1.11.wav
- 182.u1.11.wav
- 183.u1.11.wav
- 184.u1.11.wav
- 185.u1.11.wav
- 186.u1.11.wav
- 187.u1.11.wav
- 190.u1.11.wav
- 191.u1.11.wav
- 192.u1.11.wav
- 193.u1.11.wav
- Ah - Segmented/
  - segmentadas/
    - control/
      - 001.u1.11.wav
      - 003.u1.11.wav
      - 005.u1.11.wav
      - 006.u1.11.wav
      - 008.u1.11.wav
      - 009.u1.11.wav
      - 010.u1.11.wav
      - 011.u1.11.wav
      - 012.u1.11.wav
      - 013.u1.11.wav
      - 014.u1.11.wav
      - 015.u1.11.wav
      - 016.u1.11.wav
      - 017.u1.11.wav
      - 018.u1.11.wav
      - 019.u1.11.wav
      - 020.u1.11.wav
      - 022.u1.11.wav
      - 023.u1.11.wav
      - 024.u1.11.wav
      - 025.u1.11.wav
      - 026.u1.11.wav
      - 027.u1.11.wav
      - 029.u1.11.wav
      - 030.u1.11.wav
      - 031.u1.11.wav
      - 032.u1.11.wav
      - 033.u1.11.wav
      - 034.u1.11.wav
      - 035.u1.11.wav
      - 038.u1.11.wav
      - 039.u1.11.wav
      - 040.u1.11.wav
      - 041.u1.11.wav
      - 042.u1.11.wav
      - 043.u1.11.wav
      - 044.u1.11.wav
      - 046.u1.11.wav
      - 047.u1.11.wav
      - 048.u1.11.wav
      - 049.u1.wav
      - 050.u1.11.wav
      - 051.u1.11.wav
      - 052.u1.11.wav
      - 053.u1.11.wav
      - 054.u1.11.wav
      - 055.u1.11.wav
      - 057.u1.11.wav
      - 058.u1.11.wav
      - 059.u1.11.wav
      - 060.u1.11.wav
      - 061.u1.11.wav
      - 062.u1.11.wav
      - 063.u1.11.wav
      - 064.u1.11.wav
      - 065.u1.11.wav
      - 068.u1.11.wav
      - 069.u1.11.wav
      - 070.u1.11.wav
      - 071.u1.11.wav
      - 073.u1.11.wav
      - 074.u1.11.wav
      - 076.u1.11.wav
      - 077.u1.11.wav
      - 078.u1.11.wav
      - 079.u1.11.wav

— 080.u1.11.wav  
— 081.u1.11.wav  
— 082.u1.11.wav  
— 083.u1.11.wav  
— 084.u1.11.wav  
— 085.u1.11.wav  
— 086.u1.11.wav  
— 087.u1.11.wav  
— 088.u1.11.wav  
— 089.u1.11.wav  
— 090.u1.11.wav  
— 091.u1.11.wav  
— 092.u1.11.wav  
— 093.u1.11.wav  
— 094.u1.11.wav  
— 095.u1.11.wav  
— 096.u1.11.wav  
— 097.u1.11.wav  
— 098.u1.11.wav  
— 099.u1.11.wav  
— 100.u1.11.wav  
— 101.u1.11.wav

— patologicas/

— 002.u1.11.wav  
— 003.u1.11.wav  
— 007.u1.11.wav  
— 013.u1.11.wav  
— 014.u1.11.wav  
— 016.u1.11.wav  
— 019.u1.11.wav  
— 023.u1.11.wav  
— 024.u1.11.wav  
— 025.u1.11.wav  
— 028.u1.11.wav  
— 029.u1.11.wav  
— 032.u1.11.wav  
— 039.u1.11.wav  
— 042.u1.11.wav  
— 043.u1.11.wav  
— 044.u1.11.wav  
— 046.u1.11.wav  
— 050.u1.11.wav  
— 053.u1.11.wav  
— 054.u1.11.wav  
— 056.u1.11.wav  
— 058.u1.11.wav  
— 059.u1.11.wav  
— 063.u1.11.wav  
— 064.u1.11.wav  
— 067.u1.11.wav  
— 071.u1.11.wav  
— 075.u1.11.wav  
— 077.u1.11.wav  
— 078.u1.11.wav  
— 080.u1.11.wav  
— 082.u1.11.wav  
— 085.u1.11.wav  
— 086.u1.11.wav  
— 088.u1.11.wav  
— 089.u1.11.wav  
— 090.u1.11.wav  
— 092.u1.11.wav  
— 093.u1.11.wav  
— 095.u1.11.wav  
— 097.u1.11.wav  
— 098.u1.11.wav  
— 100.u1.11.wav  
— 106.u1.11.wav  
— 107.u1.11.wav  
— 109.u1.11.wav  
— 110.u1.11.wav  
— 111.u1.11.wav  
— 115.u1.11.wav  
— 118.u1.11.wav  
— 119.u1.11.wav  
— 123.u1.11.wav  
— 124.u1.11.wav  
— 127.u1.11.wav  
— 132.u1.11.wav  
— 133.u1.11.wav  
— 134.u1.11.wav  
— 136.u1.11.wav  
— 138.u1.11.wav  
— 139.u1.11.wav  
— 140.u1.11.wav

- 141.u1.11.wav
- 142.u1.11.wav
- 144.u1.11.wav
- 146.u1.11.wav
- 147.u1.11.wav
- 148.u1.11.wav
- 152.u1.11.wav
- 156.u1.11.wav
- 157.u1.11.wav
- 160.u1.11.wav
- 164.u1.11.wav
- 165.u1.11.wav
- 167.u1.11.wav
- 171.u1.11.wav
- 173.u1.11.wav
- 177.u1.11.wav
- 182.u1.11.wav
- 183.u1.11.wav
- 184.u1.11.wav
- 185.u1.11.wav
- 186.u1.11.wav
- 187.u1.11.wav
- 190.u1.11.wav
- 191.u1.11.wav
- 192.u1.11.wav
- 193.u1.11.wav

- words/

- with normalization/

- control/

- word1/

- 001.u1.05w1.wav
        - 003.u1.05w1.wav
        - 005.u1.05w1.wav
        - 006.u1.05w1.wav
        - 008.u1.05w1.wav
        - 009.u1.05w1.wav
        - 010.u1.05w1.wav
        - 011.u1.05w1.wav
        - 012.u1.05w1.wav
        - 013.u1.05w1.wav
        - 014.u1.05w1.wav
        - 015.u1.05w1.wav
        - 016.u1.05w1.wav
        - 017.u1.05w1.wav
        - 018.u1.05w1.wav
        - 019.u1.05w1.wav
        - 020.u1.05w1.wav
        - 022.u1.05w1.wav
        - 024.u1.05w1.wav
        - 025.u1.05w1.wav
        - 026.u1.05w1.wav
        - 027.u1.05w1.wav
        - 029.u1.05w1.wav
        - 030.u1.05w1.wav
        - 031.u1.05w1.wav
        - 032.u1.05w1.wav
        - 033.u1.05w1.wav
        - 034.u1.05w1.wav
        - 035.u1.05w1.wav
        - 038.u1.05w1.wav
        - 039.u1.05w1.wav
        - 040.u1.05w1.wav
        - 041.u1.05w1.wav
        - 042.u1.05w1.wav
        - 043.u1.05w1.wav
        - 044.u1.05w1.wav
        - 046.u1.05w1.wav
        - 047.u1.05w1.wav
        - 048.u1.05w1.wav
        - 049.u1.05w1.wav
        - 050.u1.05w1.wav
        - 051.u1.05w1.wav
        - 052.u1.05w1.wav
        - 053.u1.05w1.wav
        - 054.u1.05w1.wav
        - 055.u1.05w1.wav
        - 057.u1.05w1.wav
        - 058.u1.05w1.wav
        - 059.u1.05w1.wav
        - 060.u1.05w1.wav
        - 061.u1.05w1.wav
        - 062.u1.05w1.wav
        - 063.u1.05w1.wav
        - 064.u1.05w1.wav
        - 065.u1.05w1.wav

— 068.u1.05w1.wav  
— 069.u1.05w1.wav  
— 070.u1.05w1.wav  
— 071.u1.05w1.wav  
— 073.u1.05w1.wav  
— 074.u1.05w1.wav  
— 076.u1.05w1.wav  
— 077.u1.05w1.wav  
— 078.u1.05w1.wav  
— 079.u1.05w1.wav  
— 080.u1.05w1.wav  
— 081.u1.05w1.wav  
— 082.u1.05w1.wav  
— 083.u1.05w1.wav  
— 084.u1.05w1.wav  
— 085.u1.05w1.wav  
— 086.u1.05w1.wav  
— 087.u1.05w1.wav  
— 088.u1.05w1.wav  
— 089.u1.05w1.wav  
— 090.u1.05w1.wav  
— 091.u1.05w1.wav  
— 092.u1.05w1.wav  
— 093.u1.05w1.wav  
— 094.u1.05w1.wav  
— 095.u1.05w1.wav  
— 096.u1.05w1.wav  
— 097.u1.05w1.wav  
— 098.u1.05w1.wav  
— 099.u1.05w1.wav  
— 100.u1.05w1.wav  
— 101.u1.05w1.wav

— word2/

— 001.u1.05w2.wav  
— 003.u1.05w2.wav  
— 005.u1.05w2.wav  
— 006.u1.05w2.wav  
— 008.u1.05w2.wav  
— 009.u1.05w2.wav  
— 010.u1.05w2.wav  
— 011.u1.05w2.wav  
— 012.u1.05w2.wav  
— 013.u1.05w2.wav  
— 014.u1.05w2.wav  
— 015.u1.05w2.wav  
— 016.u1.05w2.wav  
— 017.u1.05w2.wav  
— 018.u1.05w2.wav  
— 019.u1.05w2.wav  
— 020.u1.05w2.wav  
— 022.u1.05w2.wav  
— 023.u1.05w2.wav  
— 024.u1.05w2.wav  
— 025.u1.05w2.wav  
— 026.u1.05w2.wav  
— 027.u1.05w2.wav  
— 029.u1.05w2.wav  
— 030.u1.05w2.wav  
— 031.u1.05w2.wav  
— 032.u1.05w2.wav  
— 033.u1.05w2.wav  
— 034.u1.05w2.wav  
— 035.u1.05w2.wav  
— 038.u1.05w2.wav  
— 039.u1.05w2.wav  
— 040.u1.05w2.wav  
— 041.u1.05w2.wav  
— 042.u1.05w2.wav  
— 043.u1.05w2.wav  
— 044.u1.05w2.wav  
— 046.u1.05w2.wav  
— 047.u1.05w2.wav  
— 048.u1.05w2.wav  
— 049.u1.05w2.wav  
— 050.u1.05w2.wav  
— 051.u1.05w2.wav  
— 052.u1.05w2.wav  
— 053.u1.05w2.wav  
— 054.u1.05w2.wav  
— 055.u1.05w2.wav  
— 057.u1.05w2.wav  
— 058.u1.05w2.wav  
— 059.u1.05w2.wav  
— 060.u1.05w2.wav  
— 061.u1.05w2.wav



— 062.u1.05w2.wav  
— 063.u1.05w2.wav  
— 064.u1.05w2.wav  
— 065.u1.05w2.wav  
— 068.u1.05w2.wav  
— 069.u1.05w2.wav  
— 070.u1.05w2.wav  
— 071.u1.05w2.wav  
— 073.u1.05w2.wav  
— 074.u1.05w2.wav  
— 076.u1.05w2.wav  
— 077.u1.05w2.wav  
— 078.u1.05w2.wav  
— 079.u1.05w2.wav  
— 080.u1.05w2.wav  
— 081.u1.05w2.wav  
— 082.u1.05w2.wav  
— 083.u1.05w2.wav  
— 084.u1.05w2.wav  
— 085.u1.05w2.wav  
— 086.u1.05w2.wav  
— 087.u1.05w2.wav  
— 088.u1.05w2.wav  
— 089.u1.05w2.wav  
— 090.u1.05w2.wav  
— 091.u1.05w2.wav  
— 092.u1.05w2.wav  
— 093.u1.05w2.wav  
— 094.u1.05w2.wav  
— 095.u1.05w2.wav  
— 096.u1.05w2.wav  
— 097.u1.05w2.wav  
— 098.u1.05w2.wav  
— 099.u1.05w2.wav  
— 100.u1.05w2.wav  
— 101.u1.05w2.wav

— word3/

— 001.u1.05w3.wav  
— 003.u1.05w3.wav  
— 005.u1.05w3.wav  
— 006.u1.05w3.wav  
— 008.u1.05w3.wav  
— 009.u1.05w3.wav  
— 010.u1.05w3.wav  
— 011.u1.05w3.wav  
— 012.u1.05w3.wav  
— 013.u1.05w3.wav  
— 014.u1.05w3.wav  
— 015.u1.05w3.wav  
— 016.u1.05w3.wav  
— 017.u1.05w3.wav  
— 018.u1.05w3.wav  
— 019.u1.05w3.wav  
— 020.u1.05w3.wav  
— 022.u1.05w3.wav  
— 023.u1.05w3.wav  
— 024.u1.05w3.wav  
— 025.u1.05w3.wav  
— 026.u1.05w3.wav  
— 027.u1.05w3.wav  
— 029.u1.05w3.wav  
— 030.u1.05w3.wav  
— 031.u1.05w3.wav  
— 032.u1.05w3.wav  
— 033.u1.05w3.wav  
— 034.u1.05w3.wav  
— 035.u1.05w3.wav  
— 038.u1.05w3.wav  
— 039.u1.05w3.wav  
— 040.u1.05w3.wav  
— 041.u1.05w3.wav  
— 042.u1.05w3.wav  
— 043.u1.05w3.wav  
— 044.u1.05w3.wav  
— 046.u1.05w3.wav  
— 047.u1.05w3.wav  
— 048.u1.05w3.wav  
— 049.u1.05w3.wav  
— 050.u1.05w3.wav  
— 051.u1.05w3.wav  
— 052.u1.05w3.wav  
— 053.u1.05w3.wav  
— 054.u1.05w3.wav  
— 055.u1.05w3.wav  
— 057.u1.05w3.wav

— 058.u1.05w3.wav  
— 059.u1.05w3.wav  
— 060.u1.05w3.wav  
— 061.u1.05w3.wav  
— 062.u1.05w3.wav  
— 063.u1.05w3.wav  
— 064.u1.05w3.wav  
— 065.u1.05w3.wav  
— 068.u1.05w3.wav  
— 069.u1.05w3.wav  
— 070.u1.05w3.wav  
— 071.u1.05w3.wav  
— 073.u1.05w3.wav  
— 074.u1.05w3.wav  
— 076.u1.05w3.wav  
— 077.u1.05w3.wav  
— 078.u1.05w3.wav  
— 079.u1.05w3.wav  
— 080.u1.05w3.wav  
— 081.u1.05w3.wav  
— 082.u1.05w3.wav  
— 083.u1.05w3.wav  
— 084.u1.05w4.wav  
— 085.u1.05w3.wav  
— 086.u1.05w3.wav  
— 087.u1.05w3.wav  
— 088.u1.05w3.wav  
— 089.u1.05w3.wav  
— 090.u1.05w3.wav  
— 091.u1.05w3.wav  
— 092.u1.05w3.wav  
— 093.u1.05w3.wav  
— 094.u1.05w3.wav  
— 095.u1.05w3.wav  
— 096.u1.05w3.wav  
— 097.u1.05w3.wav  
— 098.u1.05w3.wav  
— 099.u1.05w3.wav  
— 100.u1.05w3.wav  
— 101.u1.05w3.wav

— word4/

— 001.u1.05w4.wav  
— 003.u1.05w4.wav  
— 005.u1.05w4.wav  
— 006.u1.05w4.wav  
— 008.u1.05w4.wav  
— 009.u1.05w4.wav  
— 010.u1.05w4.wav  
— 011.u1.05w4.wav  
— 012.u1.05w4.wav  
— 013.u1.05w4.wav  
— 014.u1.05w4.wav  
— 015.u1.05w4.wav  
— 016.u1.05w4.wav  
— 017.u1.05w4.wav  
— 018.u1.05w4.wav  
— 019.u1.05w4.wav  
— 020.u1.05w4.wav  
— 022.u1.05w4.wav  
— 023.u1.05w4.wav  
— 024.u1.05w4.wav  
— 025.u1.05w4.wav  
— 026.u1.05w4.wav  
— 027.u1.05w4.wav  
— 029.u1.05w4.wav  
— 030.u1.05w4.wav  
— 031.u1.05w4.wav  
— 032.u1.05w4.wav  
— 033.u1.05w4.wav  
— 034.u1.05w4.wav  
— 035.u1.05w4.wav  
— 038.u1.05w4.wav  
— 039.u1.05w4.wav  
— 040.u1.05w4.wav  
— 041.u1.05w4.wav  
— 042.u1.05w4.wav  
— 043.u1.05w4.wav  
— 044.u1.05w4.wav  
— 046.u1.05w4.wav  
— 047.u1.05w4.wav  
— 048.u1.05w4.wav  
— 049.u1.05w4.wav  
— 050.u1.05w4.wav  
— 051.u1.05w4.wav  
— 052.u1.05w4.wav

— 053.u1.05w4.wav  
— 054.u1.05w4.wav  
— 055.u1.05w4.wav  
— 057.u1.05w4.wav  
— 058.u1.05w4.wav  
— 059.u1.05w4.wav  
— 060.u1.05w4.wav  
— 061.u1.05w4.wav  
— 062.u1.05w4.wav  
— 063.u1.05w4.wav  
— 064.u1.05w4.wav  
— 065.u1.05w4.wav  
— 068.u1.05w4.wav  
— 069.u1.05w4.wav  
— 070.u1.05w4.wav  
— 071.u1.05w4.wav  
— 073.u1.05w4.wav  
— 074.u1.05w4.wav  
— 076.u1.05w4.wav  
— 077.u1.05w4.wav  
— 078.u1.05w4.wav  
— 079.u1.05w4.wav  
— 080.u1.05w4.wav  
— 081.u1.05w4.wav  
— 082.u1.05w4.wav  
— 083.u1.05w4.wav  
— 084.u1.05w4.wav  
— 085.u1.05w4.wav  
— 086.u1.05w4.wav  
— 087.u1.05w4.wav  
— 088.u1.05w4.wav  
— 089.u1.05w4.wav  
— 090.u1.05w4.wav  
— 091.u1.05w4.wav  
— 092.u1.05w4.wav  
— 093.u1.05w4.wav  
— 094.u1.05w4.wav  
— 095.u1.05w4.wav  
— 096.u1.05w4.wav  
— 097.u1.05w4.wav  
— 098.u1.05w4.wav  
— 099.u1.05w4.wav  
— 100.u1.05w4.wav  
— 101.u1.05w4.wav

— word5/

— 001.u1.05w5.wav  
— 003.u1.05w5.wav  
— 005.u1.05w5.wav  
— 006.u1.05w5.wav  
— 008.u1.05w5.wav  
— 009.u1.05w5.wav  
— 010.u1.05w5.wav  
— 011.u1.05w5.wav  
— 012.u1.05w5.wav  
— 013.u1.05w5.wav  
— 014.u1.05w5.wav  
— 015.u1.05w5.wav  
— 016.u1.05w5.wav  
— 017.u1.05w5.wav  
— 018.u1.05w5.wav  
— 019.u1.05w5.wav  
— 020.u1.05w5.wav  
— 022.u1.05w5.wav  
— 023.u1.05w5.wav  
— 024.u1.05w5.wav  
— 025.u1.05w5.wav  
— 026.u1.05w5.wav  
— 027.u1.05w5.wav  
— 029.u1.05w5.wav  
— 030.u1.05w5.wav  
— 031.u1.05w5.wav  
— 032.u1.05w5.wav  
— 033.u1.05w5.wav  
— 034.u1.05w5.wav  
— 035.u1.05w5.wav  
— 038.u1.05w5.wav  
— 039.u1.05w5.wav  
— 040.u1.05w5.wav  
— 041.u1.05w5.wav  
— 042.u1.05w5.wav  
— 043.u1.05w5.wav  
— 044.u1.05w5.wav  
— 046.u1.05w5.wav  
— 047.u1.05w5.wav  
— 048.u1.05w5.wav

— 049.u1.05w5.wav  
— 050.u1.05w5.wav  
— 051.u1.05w5.wav  
— 052.u1.05w5.wav  
— 053.u1.05w5.wav  
— 054.u1.05w5.wav  
— 055.u1.05w5.wav  
— 057.u1.05w5.wav  
— 058.u1.05w5.wav  
— 059.u1.05w5.wav  
— 060.u1.05w5.wav  
— 061.u1.05w5.wav  
— 062.u1.05w5.wav  
— 063.u1.05w5.wav  
— 064.u1.05w5.wav  
— 065.u1.05w5.wav  
— 068.u1.05w5.wav  
— 069.u1.05w5.wav  
— 070.u1.05w5.wav  
— 071.u1.05w5.wav  
— 073.u1.05w5.wav  
— 074.u1.05w5.wav  
— 076.u1.05w5.wav  
— 077.u1.05w5.wav  
— 078.u1.05w5.wav  
— 079.u1.05w5.wav  
— 080.u1.05w5.wav  
— 081.u1.05w5.wav  
— 082.u1.05w5.wav  
— 083.u1.05w5.wav  
— 084.u1.05w5.wav  
— 085.u1.05w5.wav  
— 086.u1.05w5.wav  
— 087.u1.05w5.wav  
— 088.u1.05w5.wav  
— 089.u1.05w5.wav  
— 090.u1.05w5.wav  
— 091.u1.05w5.wav  
— 092.u1.05w5.wav  
— 093.u1.05w5.wav  
— 094.u1.05w5.wav  
— 095.u1.05w5.wav  
— 096.u1.05w5.wav  
— 097.u1.05w5.wav  
— 098.u1.05w5.wav  
— 099.u1.05w5.wav  
— 100.u1.05w5.wav  
— 101.u1.05w5.wav

— word6/

— 001.u1.05w6.wav  
— 003.u1.05w6.wav  
— 005.u1.05w6.wav  
— 006.u1.05w6.wav  
— 008.u1.05w6.wav  
— 009.u1.05w6.wav  
— 010.u1.05w6.wav  
— 011.u1.05w6.wav  
— 012.u1.05w6.wav  
— 013.u1.05w6.wav  
— 014.u1.05w6.wav  
— 015.u1.05w6.wav  
— 016.u1.05w6.wav  
— 017.u1.05w6.wav  
— 018.u1.05w6.wav  
— 019.u1.05w6.wav  
— 020.u1.05w6.wav  
— 022.u1.05w6.wav  
— 023.u1.05w6.wav  
— 024.u1.05w6.wav  
— 025.u1.05w6.wav  
— 026.u1.05w6.wav  
— 027.u1.05w6.wav  
— 029.u1.05w6.wav  
— 030.u1.05w6.wav  
— 031.u1.05w6.wav  
— 032.u1.05w6.wav  
— 033.u1.05w6.wav  
— 034.u1.05w6.wav  
— 035.u1.05w6.wav  
— 038.u1.05w6.wav  
— 039.u1.05w6.wav  
— 040.u1.05w6.wav  
— 041.u1.05w6.wav  
— 042.u1.05w6.wav  
— 043.u1.05w6.wav

— 044.u1.05w6.wav  
— 046.u1.05w6.wav  
— 047.u1.05w6.wav  
— 048.u1.05w6.wav  
— 049.u1.05w6.wav  
— 050.u1.05w6.wav  
— 051.u1.05w6.wav  
— 052.u1.05w6.wav  
— 053.u1.05w6.wav  
— 054.u1.05w6.wav  
— 055.u1.05w6.wav  
— 057.u1.05w6.wav  
— 058.u1.05w6.wav  
— 059.u1.05w6.wav  
— 060.u1.05w6.wav  
— 061.u1.05w6.wav  
— 062.u1.05w6.wav  
— 063.u1.05w6.wav  
— 064.u1.05w6.wav  
— 065.u1.05w6.wav  
— 068.u1.05w6.wav  
— 069.u1.05w6.wav  
— 070.u1.05w6.wav  
— 071.u1.05w6.wav  
— 073.u1.05w6.wav  
— 074.u1.05w6.wav  
— 076.u1.05w6.wav  
— 077.u1.05w6.wav  
— 078.u1.05w6.wav  
— 079.u1.05w6.wav  
— 080.u1.05w6.wav  
— 081.u1.05w6.wav  
— 082.u1.05w6.wav  
— 083.u1.05w6.wav  
— 084.u1.05w6.wav  
— 085.u1.05w6.wav  
— 086.u1.05w6.wav  
— 087.u1.05w6.wav  
— 088.u1.05w6.wav  
— 089.u1.05w6.wav  
— 090.u1.05w6.wav  
— 091.u1.05w6.wav  
— 092.u1.05w6.wav  
— 093.u1.05w6.wav  
— 094.u1.05w6.wav  
— 095.u1.05w6.wav  
— 096.u1.05w6.wav  
— 097.u1.05w6.wav  
— 098.u1.05w6.wav  
— 099.u1.05w6.wav  
— 100.u1.05w6.wav  
— 101.u1.05w6.wav

word7/

— 001.u1.05w7.wav  
— 003.u1.05w7.wav  
— 005.u1.05w7.wav  
— 006.u1.05w7.wav  
— 008.u1.05w7.wav  
— 009.u1.05w7.wav  
— 010.u1.05w7.wav  
— 011.u1.05w7.wav  
— 012.u1.05w7.wav  
— 013.u1.05w7.wav  
— 014.u1.05w7.wav  
— 015.u1.05w7.wav  
— 016.u1.05w7.wav  
— 017.u1.05w7.wav  
— 018.u1.05w7.wav  
— 019.u1.05w7.wav  
— 020.u1.05w7.wav  
— 022.u1.05w7.wav  
— 023.u1.05w7.wav  
— 024.u1.05w7.wav  
— 025.u1.05w7.wav  
— 026.u1.05w7.wav  
— 027.u1.05w7.wav  
— 029.u1.05w7.wav  
— 030.u1.05w7.wav  
— 031.u1.05w7.wav  
— 032.u1.05w7.wav  
— 033.u1.05w7.wav  
— 034.u1.05w7.wav  
— 035.u1.05w7.wav  
— 038.u1.05w7.wav  
— 039.u1.05w7.wav

— 040.u1.05w7.wav  
— 041.u1.05w7.wav  
— 042.u1.05w7.wav  
— 043.u1.05w7.wav  
— 044.u1.05w7.wav  
— 046.u1.05w7.wav  
— 047.u1.05w7.wav  
— 048.u1.05w7.wav  
— 049.u1.05w7.wav  
— 050.u1.05w7.wav  
— 051.u1.05w7.wav  
— 052.u1.05w7.wav  
— 053.u1.05w7.wav  
— 054.u1.05w7.wav  
— 055.u1.05w7.wav  
— 057.u1.05w7.wav  
— 058.u1.05w7.wav  
— 059.u1.05w7.wav  
— 060.u1.05w7.wav  
— 061.u1.05w7.wav  
— 062.u1.05w7.wav  
— 063.u1.05w7.wav  
— 064.u1.05w7.wav  
— 065.u1.05w7.wav  
— 068.u1.05w7.wav  
— 069.u1.05w7.wav  
— 070.u1.05w7.wav  
— 071.u1.05w7.wav  
— 073.u1.05w7.wav  
— 074.u1.05w7.wav  
— 076.u1.05w7.wav  
— 077.u1.05w7.wav  
— 078.u1.05w7.wav  
— 079.u1.05w7.wav  
— 080.u1.05w7.wav  
— 081.u1.05w7.wav  
— 082.u1.05w7.wav  
— 083.u1.05w7.wav  
— 084.u1.05w7.wav  
— 085.u1.05w7.wav  
— 086.u1.05w7.wav  
— 087.u1.05w7.wav  
— 088.u1.05w7.wav  
— 089.u1.05w7.wav  
— 090.u1.05w7.wav  
— 091.u1.05w7.wav  
— 092.u1.05w7.wav  
— 093.u1.05w7.wav  
— 094.u1.05w7.wav  
— 095.u1.05w7.wav  
— 096.u1.05w7.wav  
— 097.u1.05w7.wav  
— 098.u1.05w7.wav  
— 099.u1.05w7.wav  
— 100.u1.05w7.wav  
— 101.u1.05w7.wav

— pd/

— word1/

— 002.u1.05w1.wav  
— 003.u1.05w1.wav  
— 007.u1.05w1.wav  
— 013.u1.05w1.wav  
— 014.u1.05w1.wav  
— 016.u1.05w1.wav  
— 019.u1.05w1.wav  
— 023.u1.05w1.wav  
— 024.u1.05w1.wav  
— 025.u1.05w1.wav  
— 028.u1.05w1.wav  
— 029.u1.05w1.wav  
— 032.u1.05w1.wav  
— 039.u1.05w1.wav  
— 042.u1.05w1.wav  
— 043.u1.05w1.wav  
— 044.u1.05w1.wav  
— 046.u1.05w1.wav  
— 050.u1.05w1.wav  
— 053.u1.05w1.wav  
— 054.u1.05w1.wav  
— 056.u1.05w1.wav  
— 058.u1.05w1.wav  
— 059.u1.05w1.wav  
— 063.u1.05w1.wav  
— 064.u1.05w1.wav  
— 067.u1.05w1.wav

— 071.u1.05w1.wav  
— 075.u1.05w1.wav  
— 078.u1.05w1.wav  
— 080.u1.05w1.wav  
— 082.u1.05w1.wav  
— 085.u1.05w1.wav  
— 085.u1.05w2.wav  
— 086.u1.05w1.wav  
— 088.u1.05w1.wav  
— 089.u1.05w1.wav  
— 090.u1.05w1.wav  
— 092.u1.05w1.wav  
— 093.u1.05w1.wav  
— 095.u1.05w1.wav  
— 097.u1.05w1.wav  
— 098.u1.05w1.wav  
— 100.u1.05w1.wav  
— 106.u1.05w1.wav  
— 107.u1.05w1.wav  
— 109.u1.05w1.wav  
— 110.u1.05w1.wav  
— 111.u1.05w1.wav  
— 115.u1.05w1.wav  
— 118.u1.05w1.wav  
— 119.u1.05w1.wav  
— 123.u1.05w1.wav  
— 124.u1.05w1.wav  
— 127.u1.05w1.wav  
— 134.u1.05w1.wav  
— 136.u1.05w1.wav  
— 138.u1.05w1.wav  
— 139.u1.05w1.wav  
— 140.u1.05w1.wav  
— 141.u1.05w1.wav  
— 142.u1.05w1.wav  
— 144.u1.05w1.wav  
— 146.u1.05w1.wav  
— 147.u1.05w1.wav  
— 148.u1.05w1.wav  
— 152.u1.05w1.wav  
— 156.u1.05w1.wav  
— 157.u1.05w1.wav  
— 160.u1.05w1.wav  
— 164.u1.05w1.wav  
— 165.u1.05w1.wav  
— 167.u1.05w1.wav  
— 171.u1.05w1.wav  
— 173.u1.05w1.wav  
— 177.u1.05w1.wav  
— 182.u1.05w1.wav  
— 183.u1.05w1.wav  
— 184.u1.05w1.wav  
— 185.u1.05w1.wav  
— 186.u1.05w1.wav  
— 187.u1.05w1.wav  
— 190.u1.05w1.wav  
— 191.u1.05w1.wav  
— 192.u1.05w1.wav  
— 193.u1.05w1.wav

— word2/

— 002.u1.05w2.wav  
— 003.u1.05w2.wav  
— 007.u1.05w2.wav  
— 013.u1.05w2.wav  
— 014.u1.05w2.wav  
— 016.u1.05w2.wav  
— 019.u1.05w2.wav  
— 023.u1.05w2.wav  
— 024.u1.05w2.wav  
— 025.u1.05w2.wav  
— 028.u1.05w2.wav  
— 029.u1.05w2.wav  
— 032.u1.05w2.wav  
— 039.u1.05w2.wav  
— 042.u1.05w2.wav  
— 043.u1.05w2.wav  
— 044.u1.05w2.wav  
— 046.u1.05w2.wav  
— 050.u1.05w2.wav  
— 053.u1.05w2.wav  
— 054.u1.05w2.wav  
— 056.u1.05w2.wav  
— 058.u1.05w2.wav  
— 059.u1.05w2.wav  
— 063.u1.05w2.wav

— 064.u1.05w2.wav  
— 067.u1.05w2.wav  
— 071.u1.05w2.wav  
— 075.u1.05w2.wav  
— 077.u1.05w2.wav  
— 078.u1.05w2.wav  
— 080.u1.05w2.wav  
— 082.u1.05w2.wav  
— 085.u1.05w2.wav  
— 086.u1.05w2.wav  
— 088.u1.05w2.wav  
— 089.u1.05w2.wav  
— 090.u1.05w2.wav  
— 092.u1.05w2.wav  
— 093.u1.05w2.wav  
— 095.u1.05w2.wav  
— 097.u1.05w2.wav  
— 098.u1.05w2.wav  
— 100.u1.05w2.wav  
— 106.u1.05w2.wav  
— 107.u1.05w2.wav  
— 109.u1.05w2.wav  
— 110.u1.05w2.wav  
— 111.u1.05w2.wav  
— 115.u1.05w2.wav  
— 118.u1.05w2.wav  
— 119.u1.05w2.wav  
— 123.u1.05w2.wav  
— 124.u1.05w2.wav  
— 127.u1.05w2.wav  
— 132.u1.05w2.wav  
— 133.u1.05w2.wav  
— 134.u1.05w2.wav  
— 136.u1.05w2.wav  
— 138.u1.05w2.wav  
— 139.u1.05w2.wav  
— 140.u1.05w2.wav  
— 141.u1.05w2.wav  
— 142.u1.05w2.wav  
— 144.u1.05w2.wav  
— 146.u1.05w2.wav  
— 147.u1.05w2.wav  
— 148.u1.05w2.wav  
— 152.u1.05w2.wav  
— 156.u1.05w2.wav  
— 157.u1.05w2.wav  
— 160.u1.05w2.wav  
— 164.u1.05w2.wav  
— 165.u1.05w2.wav  
— 167.u1.05w2.wav  
— 171.u1.05w2.wav  
— 173.u1.05w2.wav  
— 177.u1.05w2.wav  
— 182.u1.05w2.wav  
— 183.u1.05w2.wav  
— 184.u1.05w2.wav  
— 185.u1.05w2.wav  
— 186.u1.05w2.wav  
— 187.u1.05w2.wav  
— 190.u1.05w2.wav  
— 191.u1.05w2.wav  
— 192.u1.05w2.wav  
— 193.u1.05w2.wav

— word3/

— 002.u1.05w3.wav  
— 003.u1.05w3.wav  
— 007.u1.05w3.wav  
— 013.u1.05w3.wav  
— 014.u1.05w3.wav  
— 016.u1.05w3.wav  
— 019.u1.05w3.wav  
— 023.u1.05w3.wav  
— 024.u1.05w3.wav  
— 025.u1.05w3.wav  
— 028.u1.05w3.wav  
— 029.u1.05w3.wav  
— 032.u1.05w3.wav  
— 039.u1.05w3.wav  
— 042.u1.05w3.wav  
— 043.u1.05w3.wav  
— 044.u1.05w3.wav  
— 046.u1.05w3.wav  
— 050.u1.05w3.wav  
— 053.u1.05w3.wav  
— 054.u1.05w3.wav



— 056.u1.05w3.wav  
— 058.u1.05w3.wav  
— 059.u1.05w3.wav  
— 063.u1.05w3.wav  
— 064.u1.05w3.wav  
— 067.u1.05w3.wav  
— 071.u1.05w3.wav  
— 075.u1.05w3.wav  
— 077.u1.05w3.wav  
— 078.u1.05w3.wav  
— 080.u1.05w3.wav  
— 082.u1.05w3.wav  
— 085.u1.05w3.wav  
— 086.u1.05w3.wav  
— 088.u1.05w3.wav  
— 089.u1.05w3.wav  
— 090.u1.05w3.wav  
— 092.u1.05w3.wav  
— 093.u1.05w3.wav  
— 095.u1.05w3.wav  
— 097.u1.05w3.wav  
— 098.u1.05w3.wav  
— 100.u1.05w3.wav  
— 106.u1.05w3.wav  
— 107.u1.05w3.wav  
— 109.u1.05w3.wav  
— 110.u1.05w3.wav  
— 111.u1.05w3.wav  
— 115.u1.05w3.wav  
— 118.u1.05w3.wav  
— 119.u1.05w3.wav  
— 123.u1.05w3.wav  
— 124.u1.05w3.wav  
— 127.u1.05w3.wav  
— 132.u1.05w3.wav  
— 133.u1.05w3.wav  
— 134.u1.05w3.wav  
— 136.u1.05w3.wav  
— 138.u1.05w3.wav  
— 139.u1.05w3.wav  
— 140.u1.05w3.wav  
— 141.u1.05w3.wav  
— 142.u1.05w3.wav  
— 144.u1.05w3.wav  
— 146.u1.05w3.wav  
— 147.u1.05w3.wav  
— 148.u1.05w3.wav  
— 152.u1.05w3.wav  
— 156.u1.05w3.wav  
— 157.u1.05w3.wav  
— 160.u1.05w3.wav  
— 164.u1.05w3.wav  
— 165.u1.05w3.wav  
— 167.u1.05w3.wav  
— 171.u1.05w3.wav  
— 173.u1.05w3.wav  
— 177.u1.05w3.wav  
— 182.u1.05w3.wav  
— 183.u1.05w3.wav  
— 184.u1.05w3.wav  
— 185.u1.05w3.wav  
— 186.u1.05w3.wav  
— 187.u1.05w3.wav  
— 190.u1.05w3.wav  
— 191.u1.05w3.wav  
— 192.u1.05w3.wav  
— 193.u1.05w3.wav

— word4/

— 002.u1.05w4.wav  
— 003.u1.05w4.wav  
— 007.u1.05w4.wav  
— 013.u1.05w4.wav  
— 014.u1.05w4.wav  
— 016.u1.05w4.wav  
— 019.u1.05w4.wav  
— 023.u1.05w4.wav  
— 024.u1.05w4.wav  
— 025.u1.05w4.wav  
— 028.u1.05w4.wav  
— 029.u1.05w4.wav  
— 032.u1.05w4.wav  
— 039.u1.05w4.wav  
— 042.u1.05w4.wav  
— 043.u1.05w4.wav  
— 044.u1.05w4.wav

— 046.u1.05w4.wav  
— 050.u1.05w4.wav  
— 053.u1.05w4.wav  
— 054.u1.05w4.wav  
— 056.u1.05w4.wav  
— 058.u1.05w4.wav  
— 059.u1.05w4.wav  
— 063.u1.05w4.wav  
— 064.u1.05w4.wav  
— 067.u1.05w4.wav  
— 071.u1.05w4.wav  
— 075.u1.05w4.wav  
— 077.u1.05w4.wav  
— 078.u1.05w4.wav  
— 080.u1.05w4.wav  
— 082.u1.05w4.wav  
— 085.u1.05w4.wav  
— 086.u1.05w4.wav  
— 088.u1.05w4.wav  
— 089.u1.05w4.wav  
— 090.u1.05w4.wav  
— 092.u1.05w4.wav  
— 093.u1.05w4.wav  
— 095.u1.05w4.wav  
— 097.u1.05w4.wav  
— 098.u1.05w4.wav  
— 100.u1.05w4.wav  
— 106.u1.05w4.wav  
— 107.u1.05w4.wav  
— 109.u1.05w4.wav  
— 110.u1.05w4.wav  
— 111.u1.05w4.wav  
— 115.u1.05w4.wav  
— 118.u1.05w4.wav  
— 119.u1.05w4.wav  
— 123.u1.05w4.wav  
— 124.u1.05w4.wav  
— 127.u1.05w4.wav  
— 132.u1.05w4.wav  
— 133.u1.05w4.wav  
— 134.u1.05w4.wav  
— 136.u1.05w4.wav  
— 138.u1.05w4.wav  
— 139.u1.05w4.wav  
— 140.u1.05w4.wav  
— 141.u1.05w4.wav  
— 142.u1.05w4.wav  
— 144.u1.05w4.wav  
— 146.u1.05w4.wav  
— 147.u1.05w4.wav  
— 148.u1.05w4.wav  
— 152.u1.05w4.wav  
— 156.u1.05w4.wav  
— 157.u1.05w4.wav  
— 160.u1.05w4.wav  
— 164.u1.05w4.wav  
— 165.u1.05w4.wav  
— 167.u1.05w4.wav  
— 171.u1.05w4.wav  
— 173.u1.05w4.wav  
— 177.u1.05w4.wav  
— 182.u1.05w4.wav  
— 183.u1.05w4.wav  
— 184.u1.05w4.wav  
— 185.u1.05w4.wav  
— 186.u1.05w4.wav  
— 187.u1.05w4.wav  
— 190.u1.05w4.wav  
— 191.u1.05w4.wav  
— 192.u1.05w4.wav  
— 193.u1.05w4.wav

— word5/

— 002.u1.05w5.wav  
— 003.u1.05w5.wav  
— 007.u1.05w5.wav  
— 013.u1.05w5.wav  
— 014.u1.05w5.wav  
— 016.u1.05w5.wav  
— 019.u1.05w5.wav  
— 023.u1.05w5.wav  
— 024.u1.05w5.wav  
— 025.u1.05w5.wav  
— 028.u1.05w5.wav  
— 029.u1.05w5.wav  
— 032.u1.05w5.wav

— 039.u1.05w5.wav  
— 042.u1.05w5.wav  
— 043.u1.05w5.wav  
— 044.u1.05w5.wav  
— 046.u1.05w5.wav  
— 050.u1.05w5.wav  
— 053.u1.05w5.wav  
— 054.u1.05w5.wav  
— 056.u1.05w5.wav  
— 058.u1.05w5.wav  
— 059.u1.05w5.wav  
— 063.u1.05w5.wav  
— 064.u1.05w5.wav  
— 067.u1.05w5.wav  
— 071.u1.05w5.wav  
— 075.u1.05w5.wav  
— 077.u1.05w5.wav  
— 078.u1.05w5.wav  
— 080.u1.05w5.wav  
— 082.u1.05w5.wav  
— 085.u1.05w5.wav  
— 086.u1.05w5.wav  
— 088.u1.05w5.wav  
— 089.u1.05w5.wav  
— 090.u1.05w5.wav  
— 092.u1.05w5.wav  
— 093.u1.05w5.wav  
— 095.u1.05w5.wav  
— 097.u1.05w5.wav  
— 098.u1.05w5.wav  
— 100.u1.05w5.wav  
— 106.u1.05w5.wav  
— 107.u1.05w5.wav  
— 109.u1.05w5.wav  
— 110.u1.05w5.wav  
— 111.u1.05w5.wav  
— 115.u1.05w5.wav  
— 118.u1.05w5.wav  
— 119.u1.05w5.wav  
— 123.u1.05w5.wav  
— 124.u1.05w5.wav  
— 127.u1.05w5.wav  
— 132.u1.05w5.wav  
— 133.u1.05w5.wav  
— 134.u1.05w5.wav  
— 136.u1.05w5.wav  
— 138.u1.05w5.wav  
— 139.u1.05w5.wav  
— 140.u1.05w5.wav  
— 141.u1.05w5.wav  
— 142.u1.05w5.wav  
— 144.u1.05w5.wav  
— 146.u1.05w5.wav  
— 147.u1.05w5.wav  
— 148.u1.05w5.wav  
— 152.u1.05w5.wav  
— 156.u1.05w5.wav  
— 157.u1.05w5.wav  
— 160.u1.05w5.wav  
— 164.u1.05w5.wav  
— 165.u1.05w5.wav  
— 167.u1.05w5.wav  
— 171.u1.05w5.wav  
— 173.u1.05w5.wav  
— 177.u1.05w5.wav  
— 182.u1.05w5.wav  
— 183.u1.05w5.wav  
— 184.u1.05w5.wav  
— 185.u1.05w5.wav  
— 186.u1.05w5.wav  
— 187.u1.05w5.wav  
— 190.u1.05w5.wav  
— 191.u1.05w5.wav  
— 192.u1.05w5.wav  
— 193.u1.05w5.wav

— word6/

— 002.u1.05w6.wav  
— 003.u1.05w6.wav  
— 007.u1.05w6.wav  
— 013.u1.05w6.wav  
— 014.u1.05w6.wav  
— 016.u1.05w6.wav  
— 019.u1.05w6.wav  
— 023.u1.05w6.wav  
— 024.u1.05w6.wav

— 025.u1.05w6.wav  
— 028.u1.05w6.wav  
— 029.u1.05w6.wav  
— 032.u1.05w6.wav  
— 039.u1.05w6.wav  
— 042.u1.05w6.wav  
— 043.u1.05w6.wav  
— 044.u1.05w6.wav  
— 046.u1.05w6.wav  
— 050.u1.05w6.wav  
— 053.u1.05w6.wav  
— 054.u1.05w6.wav  
— 056.u1.05w6.wav  
— 058.u1.05w6.wav  
— 059.u1.05w6.wav  
— 063.u1.05w6.wav  
— 064.u1.05w6.wav  
— 067.u1.05w6.wav  
— 071.u1.05w6.wav  
— 075.u1.05w6.wav  
— 077.u1.05w6.wav  
— 078.u1.05w6.wav  
— 080.u1.05w6.wav  
— 082.u1.05w6.wav  
— 085.u1.05w6.wav  
— 086.u1.05w6.wav  
— 088.u1.05w6.wav  
— 089.u1.05w6.wav  
— 090.u1.05w6.wav  
— 092.u1.05w6.wav  
— 093.u1.05w6.wav  
— 095.u1.05w6.wav  
— 097.u1.05w6.wav  
— 098.u1.05w6.wav  
— 100.u1.05w6.wav  
— 106.u1.05w6.wav  
— 107.u1.05w6.wav  
— 109.u1.05w6.wav  
— 110.u1.05w6.wav  
— 111.u1.05w6.wav  
— 115.u1.05w6.wav  
— 118.u1.05w6.wav  
— 119.u1.05w6.wav  
— 123.u1.05w6.wav  
— 124.u1.05w6.wav  
— 127.u1.05w6.wav  
— 132.u1.05w6.wav  
— 133.u1.05w6.wav  
— 134.u1.05w6.wav  
— 136.u1.05w6.wav  
— 138.u1.05w6.wav  
— 139.u1.05w6.wav  
— 140.u1.05w6.wav  
— 141.u1.05w6.wav  
— 142.u1.05w6.wav  
— 144.u1.05w6.wav  
— 146.u1.05w6.wav  
— 147.u1.05w6.wav  
— 148.u1.05w6.wav  
— 152.u1.05w6.wav  
— 156.u1.05w6.wav  
— 157.u1.05w6.wav  
— 160.u1.05w6.wav  
— 164.u1.05w6.wav  
— 165.u1.05w6.wav  
— 167.u1.05w6.wav  
— 171.u1.05w6.wav  
— 173.u1.05w6.wav  
— 177.u1.05w6.wav  
— 182.u1.05w6.wav  
— 183.u1.05w6.wav  
— 184.u1.05w6.wav  
— 185.u1.05w6.wav  
— 186.u1.05w6.wav  
— 187.u1.05w6.wav  
— 190.u1.05w6.wav  
— 191.u1.05w6.wav  
— 192.u1.05w6.wav  
— 193.u1.05w6.wav

word7/

— 002.u1.05w7.wav  
— 003.u1.05w7.wav  
— 007.u1.05w7.wav  
— 013.u1.05w7.wav  
— 014.u1.05w7.wav

— 016.u1.05w7.wav  
— 019.u1.05w7.wav  
— 023.u1.05w7.wav  
— 024.u1.05w7.wav  
— 025.u1.05w7.wav  
— 028.u1.05w7.wav  
— 029.u1.05w7.wav  
— 032.u1.05w7.wav  
— 039.u1.05w7.wav  
— 042.u1.05w7.wav  
— 043.u1.05w7.wav  
— 044.u1.05w7.wav  
— 046.u1.05w7.wav  
— 050.u1.05w7.wav  
— 053.u1.05w7.wav  
— 054.u1.05w7.wav  
— 056.u1.05w7.wav  
— 058.u1.05w7.wav  
— 059.u1.05w7.wav  
— 063.u1.05w7.wav  
— 064.u1.05w7.wav  
— 067.u1.05w7.wav  
— 071.u1.05w7.wav  
— 075.u1.05w7.wav  
— 077.u1.05w7.wav  
— 078.u1.05w7.wav  
— 080.u1.05w7.wav  
— 082.u1.05w7.wav  
— 085.u1.05w7.wav  
— 086.u1.05w7.wav  
— 088.u1.05w7.wav  
— 089.u1.05w7.wav  
— 090.u1.05w7.wav  
— 092.u1.05w7.wav  
— 093.u1.05w7.wav  
— 095.u1.05w7.wav  
— 097.u1.05w7.wav  
— 098.u1.05w7.wav  
— 100.u1.05w7.wav  
— 106.u1.05w7.wav  
— 107.u1.05w7.wav  
— 109.u1.05w7.wav  
— 110.u1.05w7.wav  
— 111.u1.05w7.wav  
— 115.u1.05w7.wav  
— 118.u1.05w7.wav  
— 119.u1.05w7.wav  
— 123.u1.05w7.wav  
— 124.u1.05w7.wav  
— 127.u1.05w7.wav  
— 132.u1.05w7.wav  
— 133.u1.05w7.wav  
— 134.u1.05w7.wav  
— 136.u1.05w7.wav  
— 138.u1.05w7.wav  
— 139.u1.05w7.wav  
— 140.u1.05w7.wav  
— 141.u1.05w7.wav  
— 142.u1.05w7.wav  
— 144.u1.05w7.wav  
— 146.u1.05w7.wav  
— 147.u1.05w7.wav  
— 148.u1.05w7.wav  
— 152.u1.05w7.wav  
— 156.u1.05w7.wav  
— 157.u1.05w7.wav  
— 160.u1.05w7.wav  
— 164.u1.05w7.wav  
— 165.u1.05w7.wav  
— 167.u1.05w7.wav  
— 171.u1.05w7.wav  
— 173.u1.05w7.wav  
— 177.u1.05w7.wav  
— 182.u1.05w7.wav  
— 183.u1.05w7.wav  
— 184.u1.05w7.wav  
— 185.u1.05w7.wav  
— 186.u1.05w7.wav  
— 187.u1.05w7.wav  
— 190.u1.05w7.wav  
— 191.u1.05w7.wav  
— 192.u1.05w7.wav  
— 193.u1.05w7.wav

— normalizacion.m  
— words.xlsx

— without normalization/

— control/

— word1/

— 001.u1.05w1.wav  
— 003.u1.05w1.wav  
— 005.u1.05w1.wav  
— 006.u1.05w1.wav  
— 008.u1.05w1.wav  
— 009.u1.05w1.wav  
— 010.u1.05w1.wav  
— 011.u1.05w1.wav  
— 012.u1.05w1.wav  
— 013.u1.05w1.wav  
— 014.u1.05w1.wav  
— 015.u1.05w1.wav  
— 016.u1.05w1.wav  
— 017.u1.05w1.wav  
— 018.u1.05w1.wav  
— 019.u1.05w1.wav  
— 020.u1.05w1.wav  
— 022.u1.05w1.wav  
— 024.u1.05w1.wav  
— 025.u1.05w1.wav  
— 026.u1.05w1.wav  
— 027.u1.05w1.wav  
— 029.u1.05w1.wav  
— 030.u1.05w1.wav  
— 031.u1.05w1.wav  
— 032.u1.05w1.wav  
— 033.u1.05w1.wav  
— 034.u1.05w1.wav  
— 035.u1.05w1.wav  
— 038.u1.05w1.wav  
— 039.u1.05w1.wav  
— 040.u1.05w1.wav  
— 041.u1.05w1.wav  
— 042.u1.05w1.wav  
— 043.u1.05w1.wav  
— 044.u1.05w1.wav  
— 046.u1.05w1.wav  
— 047.u1.05w1.wav  
— 048.u1.05w1.wav  
— 049.u1.05w1.wav  
— 050.u1.05w1.wav  
— 051.u1.05w1.wav  
— 052.u1.05w1.wav  
— 053.u1.05w1.wav  
— 054.u1.05w1.wav  
— 055.u1.05w1.wav  
— 057.u1.05w1.wav  
— 058.u1.05w1.wav  
— 059.u1.05w1.wav  
— 060.u1.05w1.wav  
— 061.u1.05w1.wav  
— 062.u1.05w1.wav  
— 063.u1.05w1.wav  
— 064.u1.05w1.wav  
— 065.u1.05w1.wav  
— 068.u1.05w1.wav  
— 069.u1.05w1.wav  
— 070.u1.05w1.wav  
— 071.u1.05w1.wav  
— 073.u1.05w1.wav  
— 074.u1.05w1.wav  
— 076.u1.05w1.wav  
— 077.u1.05w1.wav  
— 078.u1.05w1.wav  
— 079.u1.05w1.wav  
— 080.u1.05w1.wav  
— 081.u1.05w1.wav  
— 082.u1.05w1.wav  
— 083.u1.05w1.wav  
— 084.u1.05w1.wav  
— 085.u1.05w1.wav  
— 086.u1.05w1.wav  
— 087.u1.05w1.wav  
— 088.u1.05w1.wav  
— 089.u1.05w1.wav  
— 090.u1.05w1.wav  
— 091.u1.05w1.wav  
— 092.u1.05w1.wav  
— 093.u1.05w1.wav  
— 094.u1.05w1.wav  
— 095.u1.05w1.wav  
— 096.u1.05w1.wav

— 097.u1.05w1.wav  
— 098.u1.05w1.wav  
— 099.u1.05w1.wav  
— 100.u1.05w1.wav  
— 101.u1.05w1.wav

— word2/

— 001.u1.05w2.wav  
— 003.u1.05w2.wav  
— 005.u1.05w2.wav  
— 006.u1.05w2.wav  
— 008.u1.05w2.wav  
— 009.u1.05w2.wav  
— 010.u1.05w2.wav  
— 011.u1.05w2.wav  
— 012.u1.05w2.wav  
— 013.u1.05w2.wav  
— 014.u1.05w2.wav  
— 015.u1.05w2.wav  
— 016.u1.05w2.wav  
— 017.u1.05w2.wav  
— 018.u1.05w2.wav  
— 019.u1.05w2.wav  
— 020.u1.05w2.wav  
— 022.u1.05w2.wav  
— 023.u1.05w2.wav  
— 024.u1.05w2.wav  
— 025.u1.05w2.wav  
— 026.u1.05w2.wav  
— 027.u1.05w2.wav  
— 029.u1.05w2.wav  
— 030.u1.05w2.wav  
— 031.u1.05w2.wav  
— 032.u1.05w2.wav  
— 033.u1.05w2.wav  
— 034.u1.05w2.wav  
— 035.u1.05w2.wav  
— 038.u1.05w2.wav  
— 039.u1.05w2.wav  
— 040.u1.05w2.wav  
— 041.u1.05w2.wav  
— 042.u1.05w2.wav  
— 043.u1.05w2.wav  
— 044.u1.05w2.wav  
— 046.u1.05w2.wav  
— 047.u1.05w2.wav  
— 048.u1.05w2.wav  
— 049.u1.05w2.wav  
— 050.u1.05w2.wav  
— 051.u1.05w2.wav  
— 052.u1.05w2.wav  
— 053.u1.05w2.wav  
— 054.u1.05w2.wav  
— 055.u1.05w2.wav  
— 057.u1.05w2.wav  
— 058.u1.05w2.wav  
— 059.u1.05w2.wav  
— 060.u1.05w2.wav  
— 061.u1.05w2.wav  
— 062.u1.05w2.wav  
— 063.u1.05w2.wav  
— 064.u1.05w2.wav  
— 065.u1.05w2.wav  
— 068.u1.05w2.wav  
— 069.u1.05w2.wav  
— 070.u1.05w2.wav  
— 071.u1.05w2.wav  
— 073.u1.05w2.wav  
— 074.u1.05w2.wav  
— 076.u1.05w2.wav  
— 077.u1.05w2.wav  
— 078.u1.05w2.wav  
— 079.u1.05w2.wav  
— 080.u1.05w2.wav  
— 081.u1.05w2.wav  
— 082.u1.05w2.wav  
— 083.u1.05w2.wav  
— 084.u1.05w2.wav  
— 085.u1.05w2.wav  
— 086.u1.05w2.wav  
— 087.u1.05w2.wav  
— 088.u1.05w2.wav  
— 089.u1.05w2.wav  
— 090.u1.05w2.wav  
— 091.u1.05w2.wav  
— 092.u1.05w2.wav

- 093.u1.05w2.wav
- 094.u1.05w2.wav
- 095.u1.05w2.wav
- 096.u1.05w2.wav
- 097.u1.05w2.wav
- 098.u1.05w2.wav
- 099.u1.05w2.wav
- 100.u1.05w2.wav
- 101.u1.05w2.wav

- word3/

- 001.u1.05w3.wav
- 003.u1.05w3.wav
- 005.u1.05w3.wav
- 006.u1.05w3.wav
- 008.u1.05w3.wav
- 009.u1.05w3.wav
- 010.u1.05w3.wav
- 011.u1.05w3.wav
- 012.u1.05w3.wav
- 013.u1.05w3.wav
- 014.u1.05w3.wav
- 015.u1.05w3.wav
- 016.u1.05w3.wav
- 017.u1.05w3.wav
- 018.u1.05w3.wav
- 019.u1.05w3.wav
- 020.u1.05w3.wav
- 022.u1.05w3.wav
- 023.u1.05w3.wav
- 024.u1.05w3.wav
- 025.u1.05w3.wav
- 026.u1.05w3.wav
- 027.u1.05w3.wav
- 029.u1.05w3.wav
- 030.u1.05w3.wav
- 031.u1.05w3.wav
- 032.u1.05w3.wav
- 033.u1.05w3.wav
- 034.u1.05w3.wav
- 035.u1.05w3.wav
- 038.u1.05w3.wav
- 039.u1.05w3.wav
- 040.u1.05w3.wav
- 041.u1.05w3.wav
- 042.u1.05w3.wav
- 043.u1.05w3.wav
- 044.u1.05w3.wav
- 046.u1.05w3.wav
- 047.u1.05w3.wav
- 048.u1.05w3.wav
- 049.u1.05w3.wav
- 050.u1.05w3.wav
- 051.u1.05w3.wav
- 052.u1.05w3.wav
- 053.u1.05w3.wav
- 054.u1.05w3.wav
- 055.u1.05w3.wav
- 057.u1.05w3.wav
- 058.u1.05w3.wav
- 059.u1.05w3.wav
- 060.u1.05w3.wav
- 061.u1.05w3.wav
- 062.u1.05w3.wav
- 063.u1.05w3.wav
- 064.u1.05w3.wav
- 065.u1.05w3.wav
- 068.u1.05w3.wav
- 069.u1.05w3.wav
- 070.u1.05w3.wav
- 071.u1.05w3.wav
- 073.u1.05w3.wav
- 074.u1.05w3.wav
- 076.u1.05w3.wav
- 077.u1.05w3.wav
- 078.u1.05w3.wav
- 079.u1.05w3.wav
- 080.u1.05w3.wav
- 081.u1.05w3.wav
- 082.u1.05w3.wav
- 083.u1.05w3.wav
- 084.u1.05w4.wav
- 085.u1.05w3.wav
- 086.u1.05w3.wav
- 087.u1.05w3.wav
- 088.u1.05w3.wav



— 089.u1.05w3.wav  
— 090.u1.05w3.wav  
— 091.u1.05w3.wav  
— 092.u1.05w3.wav  
— 093.u1.05w3.wav  
— 094.u1.05w3.wav  
— 095.u1.05w3.wav  
— 096.u1.05w3.wav  
— 097.u1.05w3.wav  
— 098.u1.05w3.wav  
— 099.u1.05w3.wav  
— 100.u1.05w3.wav  
— 101.u1.05w3.wav

— word4/

— 001.u1.05w4.wav  
— 003.u1.05w4.wav  
— 005.u1.05w4.wav  
— 006.u1.05w4.wav  
— 008.u1.05w4.wav  
— 009.u1.05w4.wav  
— 010.u1.05w4.wav  
— 011.u1.05w4.wav  
— 012.u1.05w4.wav  
— 013.u1.05w4.wav  
— 014.u1.05w4.wav  
— 015.u1.05w4.wav  
— 016.u1.05w4.wav  
— 017.u1.05w4.wav  
— 018.u1.05w4.wav  
— 019.u1.05w4.wav  
— 020.u1.05w4.wav  
— 022.u1.05w4.wav  
— 023.u1.05w4.wav  
— 024.u1.05w4.wav  
— 025.u1.05w4.wav  
— 026.u1.05w4.wav  
— 027.u1.05w4.wav  
— 029.u1.05w4.wav  
— 030.u1.05w4.wav  
— 031.u1.05w4.wav  
— 032.u1.05w4.wav  
— 033.u1.05w4.wav  
— 034.u1.05w4.wav  
— 035.u1.05w4.wav  
— 038.u1.05w4.wav  
— 039.u1.05w4.wav  
— 040.u1.05w4.wav  
— 041.u1.05w4.wav  
— 042.u1.05w4.wav  
— 043.u1.05w4.wav  
— 044.u1.05w4.wav  
— 046.u1.05w4.wav  
— 047.u1.05w4.wav  
— 048.u1.05w4.wav  
— 049.u1.05w4.wav  
— 050.u1.05w4.wav  
— 051.u1.05w4.wav  
— 052.u1.05w4.wav  
— 053.u1.05w4.wav  
— 054.u1.05w4.wav  
— 055.u1.05w4.wav  
— 057.u1.05w4.wav  
— 058.u1.05w4.wav  
— 059.u1.05w4.wav  
— 060.u1.05w4.wav  
— 061.u1.05w4.wav  
— 062.u1.05w4.wav  
— 063.u1.05w4.wav  
— 064.u1.05w4.wav  
— 065.u1.05w4.wav  
— 068.u1.05w4.wav  
— 069.u1.05w4.wav  
— 070.u1.05w4.wav  
— 071.u1.05w4.wav  
— 073.u1.05w4.wav  
— 074.u1.05w4.wav  
— 076.u1.05w4.wav  
— 077.u1.05w4.wav  
— 078.u1.05w4.wav  
— 079.u1.05w4.wav  
— 080.u1.05w4.wav  
— 081.u1.05w4.wav  
— 082.u1.05w4.wav  
— 083.u1.05w4.wav  
— 084.u1.05w4.wav

- 085.u1.05w4.wav
- 086.u1.05w4.wav
- 087.u1.05w4.wav
- 088.u1.05w4.wav
- 089.u1.05w4.wav
- 090.u1.05w4.wav
- 091.u1.05w4.wav
- 092.u1.05w4.wav
- 093.u1.05w4.wav
- 094.u1.05w4.wav
- 095.u1.05w4.wav
- 096.u1.05w4.wav
- 097.u1.05w4.wav
- 098.u1.05w4.wav
- 099.u1.05w4.wav
- 100.u1.05w4.wav
- 101.u1.05w4.wav

- word5/

- 001.u1.05w5.wav
- 003.u1.05w5.wav
- 005.u1.05w5.wav
- 006.u1.05w5.wav
- 008.u1.05w5.wav
- 009.u1.05w5.wav
- 010.u1.05w5.wav
- 011.u1.05w5.wav
- 012.u1.05w5.wav
- 013.u1.05w5.wav
- 014.u1.05w5.wav
- 015.u1.05w5.wav
- 016.u1.05w5.wav
- 017.u1.05w5.wav
- 018.u1.05w5.wav
- 019.u1.05w5.wav
- 020.u1.05w5.wav
- 022.u1.05w5.wav
- 023.u1.05w5.wav
- 024.u1.05w5.wav
- 025.u1.05w5.wav
- 026.u1.05w5.wav
- 027.u1.05w5.wav
- 029.u1.05w5.wav
- 030.u1.05w5.wav
- 031.u1.05w5.wav
- 032.u1.05w5.wav
- 033.u1.05w5.wav
- 034.u1.05w5.wav
- 035.u1.05w5.wav
- 038.u1.05w5.wav
- 039.u1.05w5.wav
- 040.u1.05w5.wav
- 041.u1.05w5.wav
- 042.u1.05w5.wav
- 043.u1.05w5.wav
- 044.u1.05w5.wav
- 046.u1.05w5.wav
- 047.u1.05w5.wav
- 048.u1.05w5.wav
- 049.u1.05w5.wav
- 050.u1.05w5.wav
- 051.u1.05w5.wav
- 052.u1.05w5.wav
- 053.u1.05w5.wav
- 054.u1.05w5.wav
- 055.u1.05w5.wav
- 057.u1.05w5.wav
- 058.u1.05w5.wav
- 059.u1.05w5.wav
- 060.u1.05w5.wav
- 061.u1.05w5.wav
- 062.u1.05w5.wav
- 063.u1.05w5.wav
- 064.u1.05w5.wav
- 065.u1.05w5.wav
- 068.u1.05w5.wav
- 069.u1.05w5.wav
- 070.u1.05w5.wav
- 071.u1.05w5.wav
- 073.u1.05w5.wav
- 074.u1.05w5.wav
- 076.u1.05w5.wav
- 077.u1.05w5.wav
- 078.u1.05w5.wav
- 079.u1.05w5.wav
- 080.u1.05w5.wav

— 081.u1.05w5.wav  
— 082.u1.05w5.wav  
— 083.u1.05w5.wav  
— 084.u1.05w5.wav  
— 085.u1.05w5.wav  
— 086.u1.05w5.wav  
— 087.u1.05w5.wav  
— 088.u1.05w5.wav  
— 089.u1.05w5.wav  
— 090.u1.05w5.wav  
— 091.u1.05w5.wav  
— 092.u1.05w5.wav  
— 093.u1.05w5.wav  
— 094.u1.05w5.wav  
— 095.u1.05w5.wav  
— 096.u1.05w5.wav  
— 097.u1.05w5.wav  
— 098.u1.05w5.wav  
— 099.u1.05w5.wav  
— 100.u1.05w5.wav  
— 101.u1.05w5.wav

— word6/

— 001.u1.05w6.wav  
— 003.u1.05w6.wav  
— 005.u1.05w6.wav  
— 006.u1.05w6.wav  
— 008.u1.05w6.wav  
— 009.u1.05w6.wav  
— 010.u1.05w6.wav  
— 011.u1.05w6.wav  
— 012.u1.05w6.wav  
— 013.u1.05w6.wav  
— 014.u1.05w6.wav  
— 015.u1.05w6.wav  
— 016.u1.05w6.wav  
— 017.u1.05w6.wav  
— 018.u1.05w6.wav  
— 019.u1.05w6.wav  
— 020.u1.05w6.wav  
— 022.u1.05w6.wav  
— 023.u1.05w6.wav  
— 024.u1.05w6.wav  
— 025.u1.05w6.wav  
— 026.u1.05w6.wav  
— 027.u1.05w6.wav  
— 029.u1.05w6.wav  
— 030.u1.05w6.wav  
— 031.u1.05w6.wav  
— 032.u1.05w6.wav  
— 033.u1.05w6.wav  
— 034.u1.05w6.wav  
— 035.u1.05w6.wav  
— 038.u1.05w6.wav  
— 039.u1.05w6.wav  
— 040.u1.05w6.wav  
— 041.u1.05w6.wav  
— 042.u1.05w6.wav  
— 043.u1.05w6.wav  
— 044.u1.05w6.wav  
— 046.u1.05w6.wav  
— 047.u1.05w6.wav  
— 048.u1.05w6.wav  
— 049.u1.05w6.wav  
— 050.u1.05w6.wav  
— 051.u1.05w6.wav  
— 052.u1.05w6.wav  
— 053.u1.05w6.wav  
— 054.u1.05w6.wav  
— 055.u1.05w6.wav  
— 057.u1.05w6.wav  
— 058.u1.05w6.wav  
— 059.u1.05w6.wav  
— 060.u1.05w6.wav  
— 061.u1.05w6.wav  
— 062.u1.05w6.wav  
— 063.u1.05w6.wav  
— 064.u1.05w6.wav  
— 065.u1.05w6.wav  
— 068.u1.05w6.wav  
— 069.u1.05w6.wav  
— 070.u1.05w6.wav  
— 071.u1.05w6.wav  
— 073.u1.05w6.wav  
— 074.u1.05w6.wav  
— 076.u1.05w6.wav

— 077.u1.05w6.wav  
— 078.u1.05w6.wav  
— 079.u1.05w6.wav  
— 080.u1.05w6.wav  
— 081.u1.05w6.wav  
— 082.u1.05w6.wav  
— 083.u1.05w6.wav  
— 084.u1.05w6.wav  
— 085.u1.05w6.wav  
— 086.u1.05w6.wav  
— 087.u1.05w6.wav  
— 088.u1.05w6.wav  
— 089.u1.05w6.wav  
— 090.u1.05w6.wav  
— 091.u1.05w6.wav  
— 092.u1.05w6.wav  
— 093.u1.05w6.wav  
— 094.u1.05w6.wav  
— 095.u1.05w6.wav  
— 096.u1.05w6.wav  
— 097.u1.05w6.wav  
— 098.u1.05w6.wav  
— 099.u1.05w6.wav  
— 100.u1.05w6.wav  
— 101.u1.05w6.wav

word7/

— 001.u1.05w7.wav  
— 003.u1.05w7.wav  
— 005.u1.05w7.wav  
— 006.u1.05w7.wav  
— 008.u1.05w7.wav  
— 009.u1.05w7.wav  
— 010.u1.05w7.wav  
— 011.u1.05w7.wav  
— 012.u1.05w7.wav  
— 013.u1.05w7.wav  
— 014.u1.05w7.wav  
— 015.u1.05w7.wav  
— 016.u1.05w7.wav  
— 017.u1.05w7.wav  
— 018.u1.05w7.wav  
— 019.u1.05w7.wav  
— 020.u1.05w7.wav  
— 022.u1.05w7.wav  
— 023.u1.05w7.wav  
— 024.u1.05w7.wav  
— 025.u1.05w7.wav  
— 026.u1.05w7.wav  
— 027.u1.05w7.wav  
— 029.u1.05w7.wav  
— 030.u1.05w7.wav  
— 031.u1.05w7.wav  
— 032.u1.05w7.wav  
— 033.u1.05w7.wav  
— 034.u1.05w7.wav  
— 035.u1.05w7.wav  
— 038.u1.05w7.wav  
— 039.u1.05w7.wav  
— 040.u1.05w7.wav  
— 041.u1.05w7.wav  
— 042.u1.05w7.wav  
— 043.u1.05w7.wav  
— 044.u1.05w7.wav  
— 046.u1.05w7.wav  
— 047.u1.05w7.wav  
— 048.u1.05w7.wav  
— 049.u1.05w7.wav  
— 050.u1.05w7.wav  
— 051.u1.05w7.wav  
— 052.u1.05w7.wav  
— 053.u1.05w7.wav  
— 054.u1.05w7.wav  
— 055.u1.05w7.wav  
— 057.u1.05w7.wav  
— 058.u1.05w7.wav  
— 059.u1.05w7.wav  
— 060.u1.05w7.wav  
— 061.u1.05w7.wav  
— 062.u1.05w7.wav  
— 063.u1.05w7.wav  
— 064.u1.05w7.wav  
— 065.u1.05w7.wav  
— 068.u1.05w7.wav  
— 069.u1.05w7.wav  
— 070.u1.05w7.wav

— 071.u1.05w7.wav  
— 073.u1.05w7.wav  
— 074.u1.05w7.wav  
— 076.u1.05w7.wav  
— 077.u1.05w7.wav  
— 078.u1.05w7.wav  
— 079.u1.05w7.wav  
— 080.u1.05w7.wav  
— 081.u1.05w7.wav  
— 082.u1.05w7.wav  
— 083.u1.05w7.wav  
— 084.u1.05w7.wav  
— 085.u1.05w7.wav  
— 086.u1.05w7.wav  
— 087.u1.05w7.wav  
— 088.u1.05w7.wav  
— 089.u1.05w7.wav  
— 090.u1.05w7.wav  
— 091.u1.05w7.wav  
— 092.u1.05w7.wav  
— 093.u1.05w7.wav  
— 094.u1.05w7.wav  
— 095.u1.05w7.wav  
— 096.u1.05w7.wav  
— 097.u1.05w7.wav  
— 098.u1.05w7.wav  
— 099.u1.05w7.wav  
— 100.u1.05w7.wav  
— 101.u1.05w7.wav

— pd/

— word1/

— 002.u1.05w1.wav  
— 003.u1.05w1.wav  
— 007.u1.05w1.wav  
— 013.u1.05w1.wav  
— 014.u1.05w1.wav  
— 016.u1.05w1.wav  
— 019.u1.05w1.wav  
— 023.u1.05w1.wav  
— 024.u1.05w1.wav  
— 025.u1.05w1.wav  
— 028.u1.05w1.wav  
— 029.u1.05w1.wav  
— 032.u1.05w1.wav  
— 039.u1.05w1.wav  
— 042.u1.05w1.wav  
— 043.u1.05w1.wav  
— 044.u1.05w1.wav  
— 046.u1.05w1.wav  
— 050.u1.05w1.wav  
— 053.u1.05w1.wav  
— 054.u1.05w1.wav  
— 056.u1.05w1.wav  
— 058.u1.05w1.wav  
— 059.u1.05w1.wav  
— 063.u1.05w1.wav  
— 064.u1.05w1.wav  
— 067.u1.05w1.wav  
— 071.u1.05w1.wav  
— 075.u1.05w1.wav  
— 078.u1.05w1.wav  
— 080.u1.05w1.wav  
— 082.u1.05w1.wav  
— 085.u1.05w1.wav  
— 085.u1.05w2.wav  
— 086.u1.05w1.wav  
— 088.u1.05w1.wav  
— 089.u1.05w1.wav  
— 090.u1.05w1.wav  
— 092.u1.05w1.wav  
— 093.u1.05w1.wav  
— 095.u1.05w1.wav  
— 097.u1.05w1.wav  
— 098.u1.05w1.wav  
— 100.u1.05w1.wav  
— 106.u1.05w1.wav  
— 107.u1.05w1.wav  
— 109.u1.05w1.wav  
— 110.u1.05w1.wav  
— 111.u1.05w1.wav  
— 115.u1.05w1.wav  
— 118.u1.05w1.wav  
— 119.u1.05w1.wav  
— 123.u1.05w1.wav  
— 124.u1.05w1.wav

— 127.u1.05w1.wav  
— 134.u1.05w1.wav  
— 136.u1.05w1.wav  
— 138.u1.05w1.wav  
— 139.u1.05w1.wav  
— 140.u1.05w1.wav  
— 141.u1.05w1.wav  
— 142.u1.05w1.wav  
— 144.u1.05w1.wav  
— 146.u1.05w1.wav  
— 147.u1.05w1.wav  
— 148.u1.05w1.wav  
— 152.u1.05w1.wav  
— 156.u1.05w1.wav  
— 157.u1.05w1.wav  
— 160.u1.05w1.wav  
— 164.u1.05w1.wav  
— 165.u1.05w1.wav  
— 167.u1.05w1.wav  
— 171.u1.05w1.wav  
— 173.u1.05w1.wav  
— 177.u1.05w1.wav  
— 182.u1.05w1.wav  
— 183.u1.05w1.wav  
— 184.u1.05w1.wav  
— 185.u1.05w1.wav  
— 186.u1.05w1.wav  
— 187.u1.05w1.wav  
— 190.u1.05w1.wav  
— 191.u1.05w1.wav  
— 192.u1.05w1.wav  
— 193.u1.05w1.wav

— word2/

— 002.u1.05w2.wav  
— 003.u1.05w2.wav  
— 007.u1.05w2.wav  
— 013.u1.05w2.wav  
— 014.u1.05w2.wav  
— 016.u1.05w2.wav  
— 019.u1.05w2.wav  
— 023.u1.05w2.wav  
— 024.u1.05w2.wav  
— 025.u1.05w2.wav  
— 028.u1.05w2.wav  
— 029.u1.05w2.wav  
— 032.u1.05w2.wav  
— 039.u1.05w2.wav  
— 042.u1.05w2.wav  
— 043.u1.05w2.wav  
— 044.u1.05w2.wav  
— 046.u1.05w2.wav  
— 050.u1.05w2.wav  
— 053.u1.05w2.wav  
— 054.u1.05w2.wav  
— 056.u1.05w2.wav  
— 058.u1.05w2.wav  
— 059.u1.05w2.wav  
— 063.u1.05w2.wav  
— 064.u1.05w2.wav  
— 067.u1.05w2.wav  
— 071.u1.05w2.wav  
— 075.u1.05w2.wav  
— 077.u1.05w2.wav  
— 078.u1.05w2.wav  
— 080.u1.05w2.wav  
— 082.u1.05w2.wav  
— 085.u1.05w2.wav  
— 086.u1.05w2.wav  
— 088.u1.05w2.wav  
— 089.u1.05w2.wav  
— 090.u1.05w2.wav  
— 092.u1.05w2.wav  
— 093.u1.05w2.wav  
— 095.u1.05w2.wav  
— 097.u1.05w2.wav  
— 098.u1.05w2.wav  
— 100.u1.05w2.wav  
— 106.u1.05w2.wav  
— 107.u1.05w2.wav  
— 109.u1.05w2.wav  
— 110.u1.05w2.wav  
— 111.u1.05w2.wav  
— 115.u1.05w2.wav  
— 118.u1.05w2.wav  
— 119.u1.05w2.wav

— 123.u1.05w2.wav  
— 124.u1.05w2.wav  
— 127.u1.05w2.wav  
— 132.u1.05w2.wav  
— 133.u1.05w2.wav  
— 134.u1.05w2.wav  
— 136.u1.05w2.wav  
— 138.u1.05w2.wav  
— 139.u1.05w2.wav  
— 140.u1.05w2.wav  
— 141.u1.05w2.wav  
— 142.u1.05w2.wav  
— 144.u1.05w2.wav  
— 146.u1.05w2.wav  
— 147.u1.05w2.wav  
— 148.u1.05w2.wav  
— 152.u1.05w2.wav  
— 156.u1.05w2.wav  
— 157.u1.05w2.wav  
— 160.u1.05w2.wav  
— 164.u1.05w2.wav  
— 165.u1.05w2.wav  
— 167.u1.05w2.wav  
— 171.u1.05w2.wav  
— 173.u1.05w2.wav  
— 177.u1.05w2.wav  
— 182.u1.05w2.wav  
— 183.u1.05w2.wav  
— 184.u1.05w2.wav  
— 185.u1.05w2.wav  
— 186.u1.05w2.wav  
— 187.u1.05w2.wav  
— 190.u1.05w2.wav  
— 191.u1.05w2.wav  
— 192.u1.05w2.wav  
— 193.u1.05w2.wav

— word3/

— 002.u1.05w3.wav  
— 003.u1.05w3.wav  
— 007.u1.05w3.wav  
— 013.u1.05w3.wav  
— 014.u1.05w3.wav  
— 016.u1.05w3.wav  
— 019.u1.05w3.wav  
— 023.u1.05w3.wav  
— 024.u1.05w3.wav  
— 025.u1.05w3.wav  
— 028.u1.05w3.wav  
— 029.u1.05w3.wav  
— 032.u1.05w3.wav  
— 039.u1.05w3.wav  
— 042.u1.05w3.wav  
— 043.u1.05w3.wav  
— 044.u1.05w3.wav  
— 046.u1.05w3.wav  
— 050.u1.05w3.wav  
— 053.u1.05w3.wav  
— 054.u1.05w3.wav  
— 056.u1.05w3.wav  
— 058.u1.05w3.wav  
— 059.u1.05w3.wav  
— 063.u1.05w3.wav  
— 064.u1.05w3.wav  
— 067.u1.05w3.wav  
— 071.u1.05w3.wav  
— 075.u1.05w3.wav  
— 077.u1.05w3.wav  
— 078.u1.05w3.wav  
— 080.u1.05w3.wav  
— 082.u1.05w3.wav  
— 085.u1.05w3.wav  
— 086.u1.05w3.wav  
— 088.u1.05w3.wav  
— 089.u1.05w3.wav  
— 090.u1.05w3.wav  
— 092.u1.05w3.wav  
— 093.u1.05w3.wav  
— 095.u1.05w3.wav  
— 097.u1.05w3.wav  
— 098.u1.05w3.wav  
— 100.u1.05w3.wav  
— 106.u1.05w3.wav  
— 107.u1.05w3.wav  
— 109.u1.05w3.wav  
— 110.u1.05w3.wav

— 111.u1.05w3.wav  
— 115.u1.05w3.wav  
— 118.u1.05w3.wav  
— 119.u1.05w3.wav  
— 123.u1.05w3.wav  
— 124.u1.05w3.wav  
— 127.u1.05w3.wav  
— 132.u1.05w3.wav  
— 133.u1.05w3.wav  
— 134.u1.05w3.wav  
— 136.u1.05w3.wav  
— 138.u1.05w3.wav  
— 139.u1.05w3.wav  
— 140.u1.05w3.wav  
— 141.u1.05w3.wav  
— 142.u1.05w3.wav  
— 144.u1.05w3.wav  
— 146.u1.05w3.wav  
— 147.u1.05w3.wav  
— 148.u1.05w3.wav  
— 152.u1.05w3.wav  
— 156.u1.05w3.wav  
— 157.u1.05w3.wav  
— 160.u1.05w3.wav  
— 164.u1.05w3.wav  
— 165.u1.05w3.wav  
— 167.u1.05w3.wav  
— 171.u1.05w3.wav  
— 173.u1.05w3.wav  
— 177.u1.05w3.wav  
— 182.u1.05w3.wav  
— 183.u1.05w3.wav  
— 184.u1.05w3.wav  
— 185.u1.05w3.wav  
— 186.u1.05w3.wav  
— 187.u1.05w3.wav  
— 190.u1.05w3.wav  
— 191.u1.05w3.wav  
— 192.u1.05w3.wav  
— 193.u1.05w3.wav

— word4/

— 002.u1.05w4.wav  
— 003.u1.05w4.wav  
— 007.u1.05w4.wav  
— 013.u1.05w4.wav  
— 014.u1.05w4.wav  
— 016.u1.05w4.wav  
— 019.u1.05w4.wav  
— 023.u1.05w4.wav  
— 024.u1.05w4.wav  
— 025.u1.05w4.wav  
— 028.u1.05w4.wav  
— 029.u1.05w4.wav  
— 032.u1.05w4.wav  
— 039.u1.05w4.wav  
— 042.u1.05w4.wav  
— 043.u1.05w4.wav  
— 044.u1.05w4.wav  
— 046.u1.05w4.wav  
— 050.u1.05w4.wav  
— 053.u1.05w4.wav  
— 054.u1.05w4.wav  
— 056.u1.05w4.wav  
— 058.u1.05w4.wav  
— 059.u1.05w4.wav  
— 063.u1.05w4.wav  
— 064.u1.05w4.wav  
— 067.u1.05w4.wav  
— 071.u1.05w4.wav  
— 075.u1.05w4.wav  
— 077.u1.05w4.wav  
— 078.u1.05w4.wav  
— 080.u1.05w4.wav  
— 082.u1.05w4.wav  
— 085.u1.05w4.wav  
— 086.u1.05w4.wav  
— 088.u1.05w4.wav  
— 089.u1.05w4.wav  
— 090.u1.05w4.wav  
— 092.u1.05w4.wav  
— 093.u1.05w4.wav  
— 095.u1.05w4.wav  
— 097.u1.05w4.wav  
— 098.u1.05w4.wav  
— 100.u1.05w4.wav



— 106.u1.05w4.wav  
— 107.u1.05w4.wav  
— 109.u1.05w4.wav  
— 110.u1.05w4.wav  
— 111.u1.05w4.wav  
— 115.u1.05w4.wav  
— 118.u1.05w4.wav  
— 119.u1.05w4.wav  
— 123.u1.05w4.wav  
— 124.u1.05w4.wav  
— 127.u1.05w4.wav  
— 132.u1.05w4.wav  
— 133.u1.05w4.wav  
— 134.u1.05w4.wav  
— 136.u1.05w4.wav  
— 138.u1.05w4.wav  
— 139.u1.05w4.wav  
— 140.u1.05w4.wav  
— 141.u1.05w4.wav  
— 142.u1.05w4.wav  
— 144.u1.05w4.wav  
— 146.u1.05w4.wav  
— 147.u1.05w4.wav  
— 148.u1.05w4.wav  
— 152.u1.05w4.wav  
— 156.u1.05w4.wav  
— 157.u1.05w4.wav  
— 160.u1.05w4.wav  
— 164.u1.05w4.wav  
— 165.u1.05w4.wav  
— 167.u1.05w4.wav  
— 171.u1.05w4.wav  
— 173.u1.05w4.wav  
— 177.u1.05w4.wav  
— 182.u1.05w4.wav  
— 183.u1.05w4.wav  
— 184.u1.05w4.wav  
— 185.u1.05w4.wav  
— 186.u1.05w4.wav  
— 187.u1.05w4.wav  
— 190.u1.05w4.wav  
— 191.u1.05w4.wav  
— 192.u1.05w4.wav  
— 193.u1.05w4.wav

— word5/

— 002.u1.05w5.wav  
— 003.u1.05w5.wav  
— 007.u1.05w5.wav  
— 013.u1.05w5.wav  
— 014.u1.05w5.wav  
— 016.u1.05w5.wav  
— 019.u1.05w5.wav  
— 023.u1.05w5.wav  
— 024.u1.05w5.wav  
— 025.u1.05w5.wav  
— 028.u1.05w5.wav  
— 029.u1.05w5.wav  
— 032.u1.05w5.wav  
— 039.u1.05w5.wav  
— 042.u1.05w5.wav  
— 043.u1.05w5.wav  
— 044.u1.05w5.wav  
— 046.u1.05w5.wav  
— 050.u1.05w5.wav  
— 053.u1.05w5.wav  
— 054.u1.05w5.wav  
— 056.u1.05w5.wav  
— 058.u1.05w5.wav  
— 059.u1.05w5.wav  
— 063.u1.05w5.wav  
— 064.u1.05w5.wav  
— 067.u1.05w5.wav  
— 071.u1.05w5.wav  
— 075.u1.05w5.wav  
— 077.u1.05w5.wav  
— 078.u1.05w5.wav  
— 080.u1.05w5.wav  
— 082.u1.05w5.wav  
— 085.u1.05w5.wav  
— 086.u1.05w5.wav  
— 088.u1.05w5.wav  
— 089.u1.05w5.wav  
— 090.u1.05w5.wav  
— 092.u1.05w5.wav  
— 093.u1.05w5.wav

— 095.u1.05w5.wav  
— 097.u1.05w5.wav  
— 098.u1.05w5.wav  
— 100.u1.05w5.wav  
— 106.u1.05w5.wav  
— 107.u1.05w5.wav  
— 109.u1.05w5.wav  
— 110.u1.05w5.wav  
— 111.u1.05w5.wav  
— 115.u1.05w5.wav  
— 118.u1.05w5.wav  
— 119.u1.05w5.wav  
— 123.u1.05w5.wav  
— 124.u1.05w5.wav  
— 127.u1.05w5.wav  
— 132.u1.05w5.wav  
— 133.u1.05w5.wav  
— 134.u1.05w5.wav  
— 136.u1.05w5.wav  
— 138.u1.05w5.wav  
— 139.u1.05w5.wav  
— 140.u1.05w5.wav  
— 141.u1.05w5.wav  
— 142.u1.05w5.wav  
— 144.u1.05w5.wav  
— 146.u1.05w5.wav  
— 147.u1.05w5.wav  
— 148.u1.05w5.wav  
— 152.u1.05w5.wav  
— 156.u1.05w5.wav  
— 157.u1.05w5.wav  
— 160.u1.05w5.wav  
— 164.u1.05w5.wav  
— 165.u1.05w5.wav  
— 167.u1.05w5.wav  
— 171.u1.05w5.wav  
— 173.u1.05w5.wav  
— 177.u1.05w5.wav  
— 182.u1.05w5.wav  
— 183.u1.05w5.wav  
— 184.u1.05w5.wav  
— 185.u1.05w5.wav  
— 186.u1.05w5.wav  
— 187.u1.05w5.wav  
— 190.u1.05w5.wav  
— 191.u1.05w5.wav  
— 192.u1.05w5.wav  
— 193.u1.05w5.wav

— word6/

— 002.u1.05w6.wav  
— 003.u1.05w6.wav  
— 007.u1.05w6.wav  
— 013.u1.05w6.wav  
— 014.u1.05w6.wav  
— 016.u1.05w6.wav  
— 019.u1.05w6.wav  
— 023.u1.05w6.wav  
— 024.u1.05w6.wav  
— 025.u1.05w6.wav  
— 028.u1.05w6.wav  
— 029.u1.05w6.wav  
— 032.u1.05w6.wav  
— 039.u1.05w6.wav  
— 042.u1.05w6.wav  
— 043.u1.05w6.wav  
— 044.u1.05w6.wav  
— 046.u1.05w6.wav  
— 050.u1.05w6.wav  
— 053.u1.05w6.wav  
— 054.u1.05w6.wav  
— 056.u1.05w6.wav  
— 058.u1.05w6.wav  
— 059.u1.05w6.wav  
— 063.u1.05w6.wav  
— 064.u1.05w6.wav  
— 067.u1.05w6.wav  
— 071.u1.05w6.wav  
— 075.u1.05w6.wav  
— 077.u1.05w6.wav  
— 078.u1.05w6.wav  
— 080.u1.05w6.wav  
— 082.u1.05w6.wav  
— 085.u1.05w6.wav  
— 086.u1.05w6.wav  
— 088.u1.05w6.wav

— 089.u1.05w6.wav  
— 090.u1.05w6.wav  
— 092.u1.05w6.wav  
— 093.u1.05w6.wav  
— 095.u1.05w6.wav  
— 097.u1.05w6.wav  
— 098.u1.05w6.wav  
— 100.u1.05w6.wav  
— 106.u1.05w6.wav  
— 107.u1.05w6.wav  
— 109.u1.05w6.wav  
— 110.u1.05w6.wav  
— 111.u1.05w6.wav  
— 115.u1.05w6.wav  
— 118.u1.05w6.wav  
— 119.u1.05w6.wav  
— 123.u1.05w6.wav  
— 124.u1.05w6.wav  
— 127.u1.05w6.wav  
— 132.u1.05w6.wav  
— 133.u1.05w6.wav  
— 134.u1.05w6.wav  
— 136.u1.05w6.wav  
— 138.u1.05w6.wav  
— 139.u1.05w6.wav  
— 140.u1.05w6.wav  
— 141.u1.05w6.wav  
— 142.u1.05w6.wav  
— 144.u1.05w6.wav  
— 146.u1.05w6.wav  
— 147.u1.05w6.wav  
— 148.u1.05w6.wav  
— 152.u1.05w6.wav  
— 156.u1.05w6.wav  
— 157.u1.05w6.wav  
— 160.u1.05w6.wav  
— 164.u1.05w6.wav  
— 165.u1.05w6.wav  
— 167.u1.05w6.wav  
— 171.u1.05w6.wav  
— 173.u1.05w6.wav  
— 177.u1.05w6.wav  
— 182.u1.05w6.wav  
— 183.u1.05w6.wav  
— 184.u1.05w6.wav  
— 185.u1.05w6.wav  
— 186.u1.05w6.wav  
— 187.u1.05w6.wav  
— 190.u1.05w6.wav  
— 191.u1.05w6.wav  
— 192.u1.05w6.wav  
— 193.u1.05w6.wav

word7/

— 002.u1.05w7.wav  
— 003.u1.05w7.wav  
— 007.u1.05w7.wav  
— 013.u1.05w7.wav  
— 014.u1.05w7.wav  
— 016.u1.05w7.wav  
— 019.u1.05w7.wav  
— 023.u1.05w7.wav  
— 024.u1.05w7.wav  
— 025.u1.05w7.wav  
— 028.u1.05w7.wav  
— 029.u1.05w7.wav  
— 032.u1.05w7.wav  
— 039.u1.05w7.wav  
— 042.u1.05w7.wav  
— 043.u1.05w7.wav  
— 044.u1.05w7.wav  
— 046.u1.05w7.wav  
— 050.u1.05w7.wav  
— 053.u1.05w7.wav  
— 054.u1.05w7.wav  
— 056.u1.05w7.wav  
— 058.u1.05w7.wav  
— 059.u1.05w7.wav  
— 063.u1.05w7.wav  
— 064.u1.05w7.wav  
— 067.u1.05w7.wav  
— 071.u1.05w7.wav  
— 075.u1.05w7.wav  
— 077.u1.05w7.wav  
— 078.u1.05w7.wav  
— 080.u1.05w7.wav

```

├── 082.u1.05w7.wav
├── 085.u1.05w7.wav
├── 086.u1.05w7.wav
├── 088.u1.05w7.wav
├── 089.u1.05w7.wav
├── 090.u1.05w7.wav
├── 092.u1.05w7.wav
├── 093.u1.05w7.wav
├── 095.u1.05w7.wav
├── 097.u1.05w7.wav
├── 098.u1.05w7.wav
├── 100.u1.05w7.wav
├── 106.u1.05w7.wav
├── 107.u1.05w7.wav
├── 109.u1.05w7.wav
├── 110.u1.05w7.wav
├── 111.u1.05w7.wav
├── 115.u1.05w7.wav
├── 118.u1.05w7.wav
├── 119.u1.05w7.wav
├── 123.u1.05w7.wav
├── 124.u1.05w7.wav
├── 127.u1.05w7.wav
├── 132.u1.05w7.wav
├── 133.u1.05w7.wav
├── 134.u1.05w7.wav
├── 136.u1.05w7.wav
├── 138.u1.05w7.wav
├── 139.u1.05w7.wav
├── 140.u1.05w7.wav
├── 141.u1.05w7.wav
├── 142.u1.05w7.wav
├── 144.u1.05w7.wav
├── 146.u1.05w7.wav
├── 147.u1.05w7.wav
├── 148.u1.05w7.wav
├── 152.u1.05w7.wav
├── 156.u1.05w7.wav
├── 157.u1.05w7.wav
├── 160.u1.05w7.wav
├── 164.u1.05w7.wav
├── 165.u1.05w7.wav
├── 167.u1.05w7.wav
├── 171.u1.05w7.wav
├── 173.u1.05w7.wav
├── 177.u1.05w7.wav
├── 182.u1.05w7.wav
├── 183.u1.05w7.wav
├── 184.u1.05w7.wav
├── 185.u1.05w7.wav
├── 186.u1.05w7.wav
├── 187.u1.05w7.wav
├── 190.u1.05w7.wav
├── 191.u1.05w7.wav
├── 192.u1.05w7.wav
├── 193.u1.05w7.wav
├── words.xlsx
├── readme.txt
├── pataka.zip
├── .DS_Store
├── Description-Deutsch-TobiasSubSet.xlsx
├── info.txt
├── IS2013.pdf
├── Protokoll_Sprechanalyse.doc
├── Protokoll_Sprechanalyse.pdf
├── ~$Description-Deutsch-TobiasSubSet.xlsx
├── Parkinson_German_Sabine_Skoda.zip
├── Spanish/
├── PD_vs_HC_Monologue/
├── monologue16K/
├── HC/
├── AVPEPUDEAC0001-Monologo-NR.wav
├── AVPEPUDEAC0003-Monologo-NR.wav
├── AVPEPUDEAC0004-Monologo-NR.wav
├── AVPEPUDEAC0005-Monologo-NR.wav
├── AVPEPUDEAC0006-Monologo-NR.wav
├── AVPEPUDEAC0007-Monologo-NR.wav
├── AVPEPUDEAC0008-Monologo-NR.wav
├── AVPEPUDEAC0010-Monologo-NR.wav
├── AVPEPUDEAC0011-Monologo-NR.wav
├── AVPEPUDEAC0012-Monologo-NR.wav
├── AVPEPUDEAC0013-Monologo-NR.wav
├── AVPEPUDEAC0014-Monologo-NR.wav
├── AVPEPUDEAC0015-Monologo-NR.wav
├── AVPEPUDEAC0016-Monologo-NR.wav

```



- AVPEPUDEA0058-Monologo-NR.wav
  - AVPEPUDEA0059-Monologo-NR.wav
- readtext\_PDvsHC/
  - readtext/
    - hc/
      - AVPEPUDEAC0001\_readtext.wav
      - AVPEPUDEAC0003\_readtext.wav
      - AVPEPUDEAC0004\_readtext.wav
      - AVPEPUDEAC0005\_readtext.wav
      - AVPEPUDEAC0006\_readtext.wav
      - AVPEPUDEAC0007\_readtext.wav
      - AVPEPUDEAC0008\_readtext.wav
      - AVPEPUDEAC0010\_readtext.wav
      - AVPEPUDEAC0011\_readtext.wav
      - AVPEPUDEAC0012\_readtext.wav
      - AVPEPUDEAC0013\_readtext.wav
      - AVPEPUDEAC0014\_readtext.wav
      - AVPEPUDEAC0015\_readtext.wav
      - AVPEPUDEAC0016\_readtext.wav
      - AVPEPUDEAC0017\_readtext.wav
      - AVPEPUDEAC0018\_readtext.wav
      - AVPEPUDEAC0019\_readtext.wav
      - AVPEPUDEAC0020\_readtext.wav
      - AVPEPUDEAC0021\_readtext.wav
      - AVPEPUDEAC0022\_readtext.wav
      - AVPEPUDEAC0023\_readtext.wav
      - AVPEPUDEAC0024\_readtext.wav
      - AVPEPUDEAC0025\_readtext.wav
      - AVPEPUDEAC0026\_readtext.wav
      - AVPEPUDEAC0027\_readtext.wav
      - AVPEPUDEAC0028\_readtext.wav
      - AVPEPUDEAC0029\_readtext.wav
      - AVPEPUDEAC0030\_readtext.wav
      - AVPEPUDEAC0031\_readtext.wav
      - AVPEPUDEAC0033\_readtext.wav
      - AVPEPUDEAC0034\_readtext.wav
      - AVPEPUDEAC0035\_readtext.wav
      - AVPEPUDEAC0037\_readtext.wav
      - AVPEPUDEAC0039\_readtext.wav
      - AVPEPUDEAC0040\_readtext.wav
      - AVPEPUDEAC0041\_readtext.wav
      - AVPEPUDEAC0042\_readtext.wav
      - AVPEPUDEAC0043\_readtext.wav
      - AVPEPUDEAC0044-readtext.wav
      - AVPEPUDEAC0045\_readtext.wav
      - AVPEPUDEAC0046\_readtext.wav
      - AVPEPUDEAC0047\_readtext.wav
      - AVPEPUDEAC0048\_readtext.wav
      - AVPEPUDEAC0049\_readtext.wav
      - AVPEPUDEAC0050\_readtext.wav
      - AVPEPUDEAC0051\_readtext.wav
      - AVPEPUDEAC0052\_readtext.wav
      - AVPEPUDEAC0053\_readtext.wav
      - AVPEPUDEAC0054\_readtext.wav
      - AVPEPUDEAC0057\_readtext.wav
    - pd/
      - AVPEPUDEA0001\_readtext.wav
      - AVPEPUDEA0002\_readtext.wav
      - AVPEPUDEA0003\_readtext.wav
      - AVPEPUDEA0005\_readtext.wav
      - AVPEPUDEA0006\_readtext.wav
      - AVPEPUDEA0007\_readtext.wav
      - AVPEPUDEA0008\_readtext.wav
      - AVPEPUDEA0009\_readtext.wav
      - AVPEPUDEA0010\_readtext.wav
      - AVPEPUDEA0011\_readtext.wav
      - AVPEPUDEA0013\_readtext.wav
      - AVPEPUDEA0014\_readtext.wav
      - AVPEPUDEA0015\_readtext.wav
      - AVPEPUDEA0016\_readtext.wav
      - AVPEPUDEA0017\_readtext.wav
      - AVPEPUDEA0020\_readtext.wav
      - AVPEPUDEA0021\_readtext.wav
      - AVPEPUDEA0022\_readtext.wav
      - AVPEPUDEA0023\_readtext.wav
      - AVPEPUDEA0024\_readtext.wav
      - AVPEPUDEA0025\_readtext.wav
      - AVPEPUDEA0026\_readtext.wav
      - AVPEPUDEA0027\_readtext.wav
      - AVPEPUDEA0029\_readtext.wav
      - AVPEPUDEA0030\_readtext.wav
      - AVPEPUDEA0031\_readtext.wav
      - AVPEPUDEA0032\_readtext.wav
      - AVPEPUDEA0034\_readtext.wav
      - AVPEPUDEA0035\_readtext.wav

- AVPEPUDEA0037\_readtext.wav
  - AVPEPUDEA0038\_readtext.wav
  - AVPEPUDEA0039\_readtext.wav
  - AVPEPUDEA0041\_readtext.wav
  - AVPEPUDEA0042\_readtext.wav
  - AVPEPUDEA0043\_readtext.wav
  - AVPEPUDEA0045\_readtext.wav
  - AVPEPUDEA0046\_readtext.wav
  - AVPEPUDEA0047\_readtext.wav
  - AVPEPUDEA0048\_readtext.wav
  - AVPEPUDEA0049\_readtext.wav
  - AVPEPUDEA0050\_readtext.wav
  - AVPEPUDEA0051\_readtext.wav
  - AVPEPUDEA0052\_readtext.wav
  - AVPEPUDEA0053\_readtext.wav
  - AVPEPUDEA0054\_readtext.wav
  - AVPEPUDEA0055\_readtext.wav
  - AVPEPUDEA0056\_readtext.wav
  - AVPEPUDEA0057\_readtext.wav
  - AVPEPUDEA0058\_readtext.wav
  - AVPEPUDEA0059\_readtext.wav
- PD\_vs\_HC\_Monologue.zip
- readtext\_PDvsHC.zip
- Example\_Wav2Vec\_Tensor\_Evaluation.png
- Metadata\_PCGITA.xlsx
- metadata/
  - dataset\_index\_readtext.csv
- outputs/
  - figures/
    - pca\_wav2vec2\_readtext\_layer0\_by\_group.png
    - pca\_wav2vec2\_readtext\_layer0\_by\_label.png
    - pca\_wav2vec2\_readtext\_layer0\_by\_language.png
    - pca\_wav2vec2\_readtext\_layer11\_by\_group.png
    - pca\_wav2vec2\_readtext\_layer11\_by\_label.png
    - pca\_wav2vec2\_readtext\_layer11\_by\_language.png
    - pca\_wav2vec2\_readtext\_layer4\_by\_group.png
    - pca\_wav2vec2\_readtext\_layer4\_by\_label.png
    - pca\_wav2vec2\_readtext\_layer4\_by\_language.png
    - pca\_wav2vec2\_readtext\_layer8\_by\_group.png
    - pca\_wav2vec2\_readtext\_layer8\_by\_label.png
    - pca\_wav2vec2\_readtext\_layer8\_by\_language.png
    - pca\_wav1m\_readtext\_layer0\_by\_group.png
    - pca\_wav1m\_readtext\_layer0\_by\_label.png
    - pca\_wav1m\_readtext\_layer0\_by\_language.png
    - pca\_wav1m\_readtext\_layer11\_by\_group.png
    - pca\_wav1m\_readtext\_layer11\_by\_label.png
    - pca\_wav1m\_readtext\_layer11\_by\_language.png
    - pca\_wav1m\_readtext\_layer4\_by\_group.png
    - pca\_wav1m\_readtext\_layer4\_by\_label.png
    - pca\_wav1m\_readtext\_layer4\_by\_language.png
    - pca\_wav1m\_readtext\_layer8\_by\_group.png
    - pca\_wav1m\_readtext\_layer8\_by\_label.png
    - pca\_wav1m\_readtext\_layer8\_by\_language.png
    - pca\_xlsr\_readtext\_layer0\_by\_group.png
    - pca\_xlsr\_readtext\_layer0\_by\_label.png
    - pca\_xlsr\_readtext\_layer0\_by\_language.png
    - pca\_xlsr\_readtext\_layer11\_by\_group.png
    - pca\_xlsr\_readtext\_layer11\_by\_label.png
    - pca\_xlsr\_readtext\_layer11\_by\_language.png
    - pca\_xlsr\_readtext\_layer4\_by\_group.png
    - pca\_xlsr\_readtext\_layer4\_by\_label.png
    - pca\_xlsr\_readtext\_layer4\_by\_language.png
    - pca\_xlsr\_readtext\_layer8\_by\_group.png
    - pca\_xlsr\_readtext\_layer8\_by\_label.png
    - pca\_xlsr\_readtext\_layer8\_by\_language.png
    - tsne\_wav2vec2\_readtext\_layer0\_by\_group.png
    - tsne\_wav2vec2\_readtext\_layer0\_by\_label.png
    - tsne\_wav2vec2\_readtext\_layer0\_by\_language.png
    - tsne\_wav2vec2\_readtext\_layer11\_by\_group.png
    - tsne\_wav2vec2\_readtext\_layer11\_by\_label.png
    - tsne\_wav2vec2\_readtext\_layer11\_by\_language.png
    - tsne\_wav2vec2\_readtext\_layer4\_by\_group.png
    - tsne\_wav2vec2\_readtext\_layer4\_by\_label.png
    - tsne\_wav2vec2\_readtext\_layer4\_by\_language.png
    - tsne\_wav2vec2\_readtext\_layer8\_by\_group.png
    - tsne\_wav2vec2\_readtext\_layer8\_by\_label.png
    - tsne\_wav2vec2\_readtext\_layer8\_by\_language.png
    - tsne\_wav1m\_readtext\_layer0\_by\_group.png
    - tsne\_wav1m\_readtext\_layer0\_by\_label.png
    - tsne\_wav1m\_readtext\_layer0\_by\_language.png
    - tsne\_wav1m\_readtext\_layer11\_by\_group.png
    - tsne\_wav1m\_readtext\_layer11\_by\_label.png
    - tsne\_wav1m\_readtext\_layer11\_by\_language.png
    - tsne\_wav1m\_readtext\_layer4\_by\_group.png
    - tsne\_wav1m\_readtext\_layer4\_by\_label.png

- tsne\_wavlm\_readtext\_layer4\_by\_language.png
- tsne\_wavlm\_readtext\_layer8\_by\_group.png
- tsne\_wavlm\_readtext\_layer8\_by\_label.png
- tsne\_wavlm\_readtext\_layer8\_by\_language.png
- tsne\_xlsr\_readtext\_layer0\_by\_group.png
- tsne\_xlsr\_readtext\_layer0\_by\_label.png
- tsne\_xlsr\_readtext\_layer0\_by\_language.png
- tsne\_xlsr\_readtext\_layer11\_by\_group.png
- tsne\_xlsr\_readtext\_layer11\_by\_label.png
- tsne\_xlsr\_readtext\_layer11\_by\_language.png
- tsne\_xlsr\_readtext\_layer4\_by\_group.png
- tsne\_xlsr\_readtext\_layer4\_by\_label.png
- tsne\_xlsr\_readtext\_layer4\_by\_language.png
- tsne\_xlsr\_readtext\_layer8\_by\_group.png
- tsne\_xlsr\_readtext\_layer8\_by\_label.png
- tsne\_xlsr\_readtext\_layer8\_by\_language.png

reports/

- baseline\_summary.md
- baseline\_summary\_wav2vec2.md
- baseline\_summary\_wavlm.md
- full\_baseline\_model\_comparison\_summary.md

tables/

- classification\_results\_wav2vec2\_readtext\_layer0.csv
- classification\_results\_wav2vec2\_readtext\_layer11.csv
- classification\_results\_wav2vec2\_readtext\_layer4.csv
- classification\_results\_wav2vec2\_readtext\_layer8.csv
- classification\_results\_wavlm\_readtext\_layer0.csv
- classification\_results\_wavlm\_readtext\_layer11.csv
- classification\_results\_wavlm\_readtext\_layer4.csv
- classification\_results\_wavlm\_readtext\_layer8.csv
- classification\_results\_xlsr\_readtext\_layer0.csv
- classification\_results\_xlsr\_readtext\_layer11.csv
- classification\_results\_xlsr\_readtext\_layer4.csv
- classification\_results\_xlsr\_readtext\_layer8.csv
- full\_model\_comparison.csv
- model\_layer\_comparison.csv
- model\_layer\_comparison\_wav2vec2.csv
- model\_layer\_comparison\_wavlm.csv

scripts/

- 00\_prepare\_project.py
- 01\_create\_dataset\_index.py
- 02\_extract\_embeddings.py
- 03\_visualize\_embeddings.py
- 04\_cross\_language\_classification.py
- 05\_experiment\_summary.py
- 06\_run\_full\_baseline.py
- 07\_package\_deliverable.py
- 08\_compare\_all\_models.py
- 09\_package\_full\_baseline\_deliverable.py

src/

- \_\_pycache\_\_/
- audio\_utils.cpython-310.pyc
- audio\_utils.cpython-312.pyc
- classification.cpython-310.pyc
- classification.cpython-312.pyc
- dataset\_index.cpython-312.pyc
- embedding\_extractor.cpython-310.pyc
- embedding\_extractor.cpython-312.pyc
- metrics.cpython-310.pyc
- metrics.cpython-312.pyc
- utils.cpython-310.pyc
- utils.cpython-312.pyc
- visualization.cpython-312.pyc

- audio\_utils.py
- classification.py
- dataset\_index.py
- embedding\_extractor.py
- metrics.py
- utils.py
- visualization.py

voice\_conversion/

- checkpoints/
  - universal\_v1/
    - config.json
    - generator\_v1
- features\_generated\_full/
  - wav2vec2/
    - wav2vec2\_readtext\_layer0.csv
    - wav2vec2\_readtext\_layer11.csv
    - wav2vec2\_readtext\_layer4.csv
    - wav2vec2\_readtext\_layer8.csv
  - wavlm/
    - wavlm\_readtext\_layer0.csv
    - wavlm\_readtext\_layer11.csv
    - wavlm\_readtext\_layer4.csv



[illegible]

└─ xlsr\_readtext\_layer8.csv

generated/

- DE\_HC\_001\_generated.wav
- DE\_HC\_002\_generated.wav
- DE\_HC\_003\_generated.wav
- DE\_PD\_001\_generated.wav
- DE\_PD\_002\_generated.wav
- DE\_PD\_003\_generated.wav
- SP\_HC\_001\_generated.wav
- SP\_HC\_002\_generated.wav
- SP\_HC\_003\_generated.wav
- SP\_PD\_001\_generated.wav
- SP\_PD\_002\_generated.wav
- SP\_PD\_003\_generated.wav

generated\_full/

- DE\_HC\_001\_generated.wav
- DE\_HC\_002\_generated.wav
- DE\_HC\_003\_generated.wav
- DE\_HC\_004\_generated.wav
- DE\_HC\_005\_generated.wav
- DE\_HC\_006\_generated.wav
- DE\_HC\_007\_generated.wav
- DE\_HC\_008\_generated.wav
- DE\_HC\_009\_generated.wav
- DE\_HC\_010\_generated.wav
- DE\_HC\_011\_generated.wav
- DE\_HC\_012\_generated.wav
- DE\_HC\_013\_generated.wav
- DE\_HC\_014\_generated.wav
- DE\_HC\_015\_generated.wav
- DE\_HC\_016\_generated.wav
- DE\_HC\_017\_generated.wav
- DE\_HC\_018\_generated.wav
- DE\_HC\_019\_generated.wav
- DE\_HC\_020\_generated.wav
- DE\_HC\_021\_generated.wav
- DE\_HC\_022\_generated.wav
- DE\_HC\_023\_generated.wav
- DE\_HC\_024\_generated.wav
- DE\_HC\_025\_generated.wav
- DE\_HC\_026\_generated.wav
- DE\_HC\_027\_generated.wav
- DE\_HC\_028\_generated.wav
- DE\_HC\_029\_generated.wav
- DE\_HC\_030\_generated.wav
- DE\_HC\_031\_generated.wav
- DE\_HC\_032\_generated.wav
- DE\_HC\_033\_generated.wav
- DE\_HC\_034\_generated.wav
- DE\_HC\_035\_generated.wav
- DE\_HC\_036\_generated.wav
- DE\_HC\_037\_generated.wav
- DE\_HC\_038\_generated.wav
- DE\_HC\_039\_generated.wav
- DE\_HC\_040\_generated.wav
- DE\_HC\_041\_generated.wav
- DE\_HC\_042\_generated.wav
- DE\_HC\_043\_generated.wav
- DE\_HC\_044\_generated.wav
- DE\_HC\_045\_generated.wav
- DE\_HC\_046\_generated.wav
- DE\_HC\_047\_generated.wav
- DE\_HC\_048\_generated.wav
- DE\_HC\_049\_generated.wav
- DE\_HC\_050\_generated.wav
- DE\_HC\_051\_generated.wav
- DE\_HC\_052\_generated.wav
- DE\_HC\_053\_generated.wav
- DE\_HC\_054\_generated.wav
- DE\_HC\_055\_generated.wav
- DE\_HC\_056\_generated.wav
- DE\_HC\_057\_generated.wav
- DE\_HC\_058\_generated.wav
- DE\_HC\_059\_generated.wav
- DE\_HC\_060\_generated.wav
- DE\_HC\_061\_generated.wav
- DE\_HC\_062\_generated.wav
- DE\_HC\_063\_generated.wav
- DE\_HC\_064\_generated.wav
- DE\_HC\_065\_generated.wav
- DE\_HC\_066\_generated.wav
- DE\_HC\_067\_generated.wav
- DE\_HC\_068\_generated.wav
- DE\_HC\_069\_generated.wav
- DE\_HC\_070\_generated.wav

DE\_HC\_071\_generated.wav  
DE\_HC\_072\_generated.wav  
DE\_HC\_073\_generated.wav  
DE\_HC\_074\_generated.wav  
DE\_HC\_075\_generated.wav  
DE\_HC\_076\_generated.wav  
DE\_HC\_077\_generated.wav  
DE\_HC\_078\_generated.wav  
DE\_HC\_079\_generated.wav  
DE\_HC\_080\_generated.wav  
DE\_HC\_081\_generated.wav  
DE\_HC\_082\_generated.wav  
DE\_HC\_083\_generated.wav  
DE\_HC\_084\_generated.wav  
DE\_HC\_085\_generated.wav  
DE\_HC\_086\_generated.wav  
DE\_HC\_087\_generated.wav  
DE\_HC\_088\_generated.wav  
DE\_PD\_001\_generated.wav  
DE\_PD\_002\_generated.wav  
DE\_PD\_003\_generated.wav  
DE\_PD\_004\_generated.wav  
DE\_PD\_005\_generated.wav  
DE\_PD\_006\_generated.wav  
DE\_PD\_007\_generated.wav  
DE\_PD\_008\_generated.wav  
DE\_PD\_009\_generated.wav  
DE\_PD\_010\_generated.wav  
DE\_PD\_011\_generated.wav  
DE\_PD\_012\_generated.wav  
DE\_PD\_013\_generated.wav  
DE\_PD\_014\_generated.wav  
DE\_PD\_015\_generated.wav  
DE\_PD\_016\_generated.wav  
DE\_PD\_017\_generated.wav  
DE\_PD\_018\_generated.wav  
DE\_PD\_019\_generated.wav  
DE\_PD\_020\_generated.wav  
DE\_PD\_021\_generated.wav  
DE\_PD\_022\_generated.wav  
DE\_PD\_023\_generated.wav  
DE\_PD\_024\_generated.wav  
DE\_PD\_025\_generated.wav  
DE\_PD\_026\_generated.wav  
DE\_PD\_027\_generated.wav  
DE\_PD\_028\_generated.wav  
DE\_PD\_029\_generated.wav  
DE\_PD\_030\_generated.wav  
DE\_PD\_031\_generated.wav  
DE\_PD\_032\_generated.wav  
DE\_PD\_033\_generated.wav  
DE\_PD\_034\_generated.wav  
DE\_PD\_035\_generated.wav  
DE\_PD\_036\_generated.wav  
DE\_PD\_037\_generated.wav  
DE\_PD\_038\_generated.wav  
DE\_PD\_039\_generated.wav  
DE\_PD\_040\_generated.wav  
DE\_PD\_041\_generated.wav  
DE\_PD\_042\_generated.wav  
DE\_PD\_043\_generated.wav  
DE\_PD\_044\_generated.wav  
DE\_PD\_045\_generated.wav  
DE\_PD\_046\_generated.wav  
DE\_PD\_047\_generated.wav  
DE\_PD\_048\_generated.wav  
DE\_PD\_049\_generated.wav  
DE\_PD\_050\_generated.wav  
DE\_PD\_051\_generated.wav  
DE\_PD\_052\_generated.wav  
DE\_PD\_053\_generated.wav  
DE\_PD\_054\_generated.wav  
DE\_PD\_055\_generated.wav  
DE\_PD\_056\_generated.wav  
DE\_PD\_057\_generated.wav  
DE\_PD\_058\_generated.wav  
DE\_PD\_059\_generated.wav  
DE\_PD\_060\_generated.wav  
DE\_PD\_061\_generated.wav  
DE\_PD\_062\_generated.wav  
DE\_PD\_063\_generated.wav  
DE\_PD\_064\_generated.wav  
DE\_PD\_065\_generated.wav  
DE\_PD\_066\_generated.wav  
DE\_PD\_067\_generated.wav

DE\_PD\_068\_generated.wav  
DE\_PD\_069\_generated.wav  
DE\_PD\_070\_generated.wav  
DE\_PD\_071\_generated.wav  
DE\_PD\_072\_generated.wav  
DE\_PD\_073\_generated.wav  
DE\_PD\_074\_generated.wav  
DE\_PD\_075\_generated.wav  
DE\_PD\_076\_generated.wav  
DE\_PD\_077\_generated.wav  
DE\_PD\_078\_generated.wav  
DE\_PD\_079\_generated.wav  
DE\_PD\_080\_generated.wav  
DE\_PD\_081\_generated.wav  
DE\_PD\_082\_generated.wav  
DE\_PD\_083\_generated.wav  
DE\_PD\_084\_generated.wav  
DE\_PD\_085\_generated.wav  
DE\_PD\_086\_generated.wav  
DE\_PD\_087\_generated.wav  
DE\_PD\_088\_generated.wav  
SP\_HC\_001\_generated.wav  
SP\_HC\_002\_generated.wav  
SP\_HC\_003\_generated.wav  
SP\_HC\_004\_generated.wav  
SP\_HC\_005\_generated.wav  
SP\_HC\_006\_generated.wav  
SP\_HC\_007\_generated.wav  
SP\_HC\_008\_generated.wav  
SP\_HC\_009\_generated.wav  
SP\_HC\_010\_generated.wav  
SP\_HC\_011\_generated.wav  
SP\_HC\_012\_generated.wav  
SP\_HC\_013\_generated.wav  
SP\_HC\_014\_generated.wav  
SP\_HC\_015\_generated.wav  
SP\_HC\_016\_generated.wav  
SP\_HC\_017\_generated.wav  
SP\_HC\_018\_generated.wav  
SP\_HC\_019\_generated.wav  
SP\_HC\_020\_generated.wav  
SP\_HC\_021\_generated.wav  
SP\_HC\_022\_generated.wav  
SP\_HC\_023\_generated.wav  
SP\_HC\_024\_generated.wav  
SP\_HC\_025\_generated.wav  
SP\_HC\_026\_generated.wav  
SP\_HC\_027\_generated.wav  
SP\_HC\_028\_generated.wav  
SP\_HC\_029\_generated.wav  
SP\_HC\_030\_generated.wav  
SP\_HC\_031\_generated.wav  
SP\_HC\_032\_generated.wav  
SP\_HC\_033\_generated.wav  
SP\_HC\_034\_generated.wav  
SP\_HC\_035\_generated.wav  
SP\_HC\_036\_generated.wav  
SP\_HC\_037\_generated.wav  
SP\_HC\_038\_generated.wav  
SP\_HC\_039\_generated.wav  
SP\_HC\_040\_generated.wav  
SP\_HC\_041\_generated.wav  
SP\_HC\_042\_generated.wav  
SP\_HC\_043\_generated.wav  
SP\_HC\_044\_generated.wav  
SP\_HC\_045\_generated.wav  
SP\_HC\_046\_generated.wav  
SP\_HC\_047\_generated.wav  
SP\_HC\_048\_generated.wav  
SP\_HC\_049\_generated.wav  
SP\_HC\_050\_generated.wav  
SP\_PD\_001\_generated.wav  
SP\_PD\_002\_generated.wav  
SP\_PD\_003\_generated.wav  
SP\_PD\_004\_generated.wav  
SP\_PD\_005\_generated.wav  
SP\_PD\_006\_generated.wav  
SP\_PD\_007\_generated.wav  
SP\_PD\_008\_generated.wav  
SP\_PD\_009\_generated.wav  
SP\_PD\_010\_generated.wav  
SP\_PD\_011\_generated.wav  
SP\_PD\_012\_generated.wav  
SP\_PD\_013\_generated.wav  
SP\_PD\_014\_generated.wav

- SP\_PD\_015\_generated.wav
- SP\_PD\_016\_generated.wav
- SP\_PD\_017\_generated.wav
- SP\_PD\_018\_generated.wav
- SP\_PD\_019\_generated.wav
- SP\_PD\_020\_generated.wav
- SP\_PD\_021\_generated.wav
- SP\_PD\_022\_generated.wav
- SP\_PD\_023\_generated.wav
- SP\_PD\_024\_generated.wav
- SP\_PD\_025\_generated.wav
- SP\_PD\_026\_generated.wav
- SP\_PD\_027\_generated.wav
- SP\_PD\_028\_generated.wav
- SP\_PD\_029\_generated.wav
- SP\_PD\_030\_generated.wav
- SP\_PD\_031\_generated.wav
- SP\_PD\_032\_generated.wav
- SP\_PD\_033\_generated.wav
- SP\_PD\_034\_generated.wav
- SP\_PD\_035\_generated.wav
- SP\_PD\_036\_generated.wav
- SP\_PD\_037\_generated.wav
- SP\_PD\_038\_generated.wav
- SP\_PD\_039\_generated.wav
- SP\_PD\_040\_generated.wav
- SP\_PD\_041\_generated.wav
- SP\_PD\_042\_generated.wav
- SP\_PD\_043\_generated.wav
- SP\_PD\_044\_generated.wav
- SP\_PD\_045\_generated.wav
- SP\_PD\_046\_generated.wav
- SP\_PD\_047\_generated.wav
- SP\_PD\_048\_generated.wav
- SP\_PD\_049\_generated.wav
- SP\_PD\_050\_generated.wav

generated\_subset\_80/

- DE\_HC\_001\_generated.wav
- DE\_HC\_002\_generated.wav
- DE\_HC\_003\_generated.wav
- DE\_HC\_004\_generated.wav
- DE\_HC\_005\_generated.wav
- DE\_HC\_006\_generated.wav
- DE\_HC\_007\_generated.wav
- DE\_HC\_008\_generated.wav
- DE\_HC\_009\_generated.wav
- DE\_HC\_010\_generated.wav
- DE\_HC\_011\_generated.wav
- DE\_HC\_012\_generated.wav
- DE\_HC\_013\_generated.wav
- DE\_HC\_014\_generated.wav
- DE\_HC\_015\_generated.wav
- DE\_HC\_016\_generated.wav
- DE\_HC\_017\_generated.wav
- DE\_HC\_018\_generated.wav
- DE\_HC\_019\_generated.wav
- DE\_HC\_020\_generated.wav
- DE\_PD\_001\_generated.wav
- DE\_PD\_002\_generated.wav
- DE\_PD\_003\_generated.wav
- DE\_PD\_004\_generated.wav
- DE\_PD\_005\_generated.wav
- DE\_PD\_006\_generated.wav
- DE\_PD\_007\_generated.wav
- DE\_PD\_008\_generated.wav
- DE\_PD\_009\_generated.wav
- DE\_PD\_010\_generated.wav
- DE\_PD\_011\_generated.wav
- DE\_PD\_012\_generated.wav
- DE\_PD\_013\_generated.wav
- DE\_PD\_014\_generated.wav
- DE\_PD\_015\_generated.wav
- DE\_PD\_016\_generated.wav
- DE\_PD\_017\_generated.wav
- DE\_PD\_018\_generated.wav
- DE\_PD\_019\_generated.wav
- DE\_PD\_020\_generated.wav
- SP\_HC\_001\_generated.wav
- SP\_HC\_002\_generated.wav
- SP\_HC\_003\_generated.wav
- SP\_HC\_004\_generated.wav
- SP\_HC\_005\_generated.wav
- SP\_HC\_006\_generated.wav
- SP\_HC\_007\_generated.wav
- SP\_HC\_008\_generated.wav

- SP\_HC\_009\_generated.wav
- SP\_HC\_010\_generated.wav
- SP\_HC\_011\_generated.wav
- SP\_HC\_012\_generated.wav
- SP\_HC\_013\_generated.wav
- SP\_HC\_014\_generated.wav
- SP\_HC\_015\_generated.wav
- SP\_HC\_016\_generated.wav
- SP\_HC\_017\_generated.wav
- SP\_HC\_018\_generated.wav
- SP\_HC\_019\_generated.wav
- SP\_HC\_020\_generated.wav
- SP\_PD\_001\_generated.wav
- SP\_PD\_002\_generated.wav
- SP\_PD\_003\_generated.wav
- SP\_PD\_004\_generated.wav
- SP\_PD\_005\_generated.wav
- SP\_PD\_006\_generated.wav
- SP\_PD\_007\_generated.wav
- SP\_PD\_008\_generated.wav
- SP\_PD\_009\_generated.wav
- SP\_PD\_010\_generated.wav
- SP\_PD\_011\_generated.wav
- SP\_PD\_012\_generated.wav
- SP\_PD\_013\_generated.wav
- SP\_PD\_014\_generated.wav
- SP\_PD\_015\_generated.wav
- SP\_PD\_016\_generated.wav
- SP\_PD\_017\_generated.wav
- SP\_PD\_018\_generated.wav
- SP\_PD\_019\_generated.wav
- SP\_PD\_020\_generated.wav

- hifi-gan/

- .git/

- hooks/

- applypatch-msg.sample
      - commit-msg.sample
      - fsmonitor-watchman.sample
      - post-update.sample
      - pre-applypatch.sample
      - pre-commit.sample
      - pre-merge-commit.sample
      - pre-push.sample
      - pre-rebase.sample
      - pre-receive.sample
      - prepare-commit-msg.sample
      - push-to-checkout.sample
      - sendemail-validate.sample
      - update.sample

- info/

- exclude

- logs/

- refs/

- heads/

- master

- remotes/

- origin/

- HEAD

- HEAD

- objects/

- info/

- pack/

- pack-9031710db9d97acdfff2d098f737508af8a5cf5b.idx

- pack-9031710db9d97acdfff2d098f737508af8a5cf5b.pack

- pack-9031710db9d97acdfff2d098f737508af8a5cf5b.rev

- refs/

- heads/

- master

- remotes/

- origin/

- HEAD

- tags/

- config

- description

- HEAD

- index

- packed-refs

- \_\_pycache\_\_/

- env.cpython-310.pyc

- env.cpython-312.pyc

- meldataset.cpython-310.pyc

- meldataset.cpython-312.pyc

- models.cpython-310.pyc

- models.cpython-312.pyc

- utils.cpython-310.pyc

- └─ utils.cpython-312.pyc
- hifigan\_env/
  - └─ Include/
  - └─ Lib/
    - └─ site-packages/
      - └─ pycache\_/
        - └─ \_soundfile.cpython-310.pyc
        - └─ isympy.cpython-310.pyc
        - └─ pylab.cpython-310.pyc
        - └─ six.cpython-310.pyc
        - └─ soundfile.cpython-310.pyc
        - └─ threadpoolctl.cpython-310.pyc
        - └─ typing\_extensions.cpython-310.pyc
      - └─ distutils\_hack/
        - └─ pycache\_/
          - └─ \_\_init\_\_.cpython-310.pyc
          - └─ override.cpython-310.pyc
        - └─ \_\_init\_\_.py
        - └─ override.py
      - └─ soundfile\_data/
        - └─ pycache\_/
          - └─ \_\_init\_\_.cpython-310.pyc
          - └─ \_\_init\_\_.py
        - └─ COPYING
        - └─ libsndfile\_x64.dll
      - └─ yaml/
        - └─ pycache\_/
          - └─ \_\_init\_\_.cpython-310.pyc
          - └─ \_\_init\_\_.py
  - └─ absl/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ app.cpython-310.pyc
      - └─ command\_name.cpython-310.pyc
    - └─ flags/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
        - └─ \_argument\_parser.cpython-310.pyc
        - └─ \_defines.cpython-310.pyc
        - └─ \_exceptions.cpython-310.pyc
        - └─ \_flag.cpython-310.pyc
        - └─ \_flagvalues.cpython-310.pyc
        - └─ \_helpers.cpython-310.pyc
        - └─ \_validators.cpython-310.pyc
        - └─ \_validators\_classes.cpython-310.pyc
        - └─ argparse\_flags.cpython-310.pyc
      - └─ \_\_init\_\_.py
      - └─ \_argument\_parser.py
      - └─ \_defines.py
      - └─ \_exceptions.py
      - └─ \_flag.py
      - └─ \_flagvalues.py
      - └─ \_helpers.py
      - └─ \_validators.py
      - └─ \_validators\_classes.py
      - └─ argparse\_flags.py
    - └─ logging/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
        - └─ converter.cpython-310.pyc
      - └─ \_\_init\_\_.py
      - └─ \_\_init\_\_.pyi
      - └─ converter.py
    - └─ testing/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
        - └─ \_bazelize\_command.cpython-310.pyc
        - └─ \_pretty\_print\_reporter.cpython-310.pyc
        - └─ absltest.cpython-310.pyc
        - └─ flagsaver.cpython-310.pyc
        - └─ parameterized.cpython-310.pyc
        - └─ xml\_reporter.cpython-310.pyc
      - └─ \_\_init\_\_.py
      - └─ \_bazelize\_command.py
      - └─ \_pretty\_print\_reporter.py
      - └─ absltest.py
      - └─ flagsaver.py
      - └─ parameterized.py
      - └─ xml\_reporter.py
    - └─ \_\_init\_\_.py
    - └─ app.py
    - └─ app.pyi
    - └─ command\_name.py
    - └─ py.typed
  - └─ absl\_py-2.5.0.dist-info/

- licenses/
  - AUTHORS
  - LICENSE
- INSTALLER
- METADATA
- RECORD
- WHEEL
- annotated\_doc/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - main.cpython-310.pyc
  - \_\_init\_\_.py
  - main.py
  - py.typed
- annotated\_doc-0.0.4.dist-info/
  - licenses/
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- anyio/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - from\_thread.cpython-310.pyc
    - functools.cpython-310.pyc
    - itertools.cpython-310.pyc
    - lowlevel.cpython-310.pyc
    - pytest\_plugin.cpython-310.pyc
    - to\_interpreter.cpython-310.pyc
    - to\_process.cpython-310.pyc
    - to\_thread.cpython-310.pyc
  - backends/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_asyncio.cpython-310.pyc
      - \_trio.cpython-310.pyc
    - \_\_init\_\_.py
    - \_asyncio.py
    - \_trio.py
  - core/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_asyncio\_selector\_thread.cpython-310.pyc
      - \_contextmanagers.cpython-310.pyc
      - \_eventloop.cpython-310.pyc
      - \_exceptions.cpython-310.pyc
      - \_fileio.cpython-310.pyc
      - \_resources.cpython-310.pyc
      - \_signals.cpython-310.pyc
      - \_sockets.cpython-310.pyc
      - \_streams.cpython-310.pyc
      - \_subprocesses.cpython-310.pyc
      - \_synchronization.cpython-310.pyc
      - \_tasks.cpython-310.pyc
      - \_tempfile.cpython-310.pyc
      - \_testing.cpython-310.pyc
      - \_typedattr.cpython-310.pyc
    - \_\_init\_\_.py
    - \_asyncio\_selector\_thread.py
    - \_contextmanagers.py
    - \_eventloop.py
    - \_exceptions.py
    - \_fileio.py
    - \_resources.py
    - \_signals.py
    - \_sockets.py
    - \_streams.py
    - \_subprocesses.py
    - \_synchronization.py
    - \_tasks.py
    - \_tempfile.py
    - \_testing.py
    - \_typedattr.py
- abc/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_eventloop.cpython-310.pyc
    - \_resources.cpython-310.pyc
    - \_sockets.cpython-310.pyc
    - \_streams.cpython-310.pyc
    - \_subprocesses.cpython-310.pyc
    - \_tasks.cpython-310.pyc
    - \_testing.cpython-310.pyc



- `__init__.py`
- `_eventloop.py`
- `_resources.py`
- `_sockets.py`
- `_streams.py`
- `_subprocesses.py`
- `_tasks.py`
- `_testing.py`
- `streams/`
  - `pycache__/`
    - `__init__.cpython-310.pyc`
    - `buffered.cpython-310.pyc`
    - `file.cpython-310.pyc`
    - `memory.cpython-310.pyc`
    - `stapled.cpython-310.pyc`
    - `text.cpython-310.pyc`
    - `tls.cpython-310.pyc`
  - `__init__.py`
  - `buffered.py`
  - `file.py`
  - `memory.py`
  - `stapled.py`
  - `text.py`
  - `tls.py`
- `__init__.py`
- `from_thread.py`
- `functools.py`
- `itertools.py`
- `lowlevel.py`
- `py.typed`
- `pytest_plugin.py`
- `to_interpreter.py`
- `to_process.py`
- `to_thread.py`
- `anyio-4.14.1.dist-info/`
  - `licenses/`
    - `LICENSE`
  - `entry_points.txt`
  - `INSTALLER`
  - `METADATA`
  - `RECORD`
  - `scm_file_list.json`
  - `scm_version.json`
  - `top_level.txt`
  - `WHEEL`
- `audioread/`
  - `pycache__/`
    - `__init__.cpython-310.pyc`
    - `base.cpython-310.pyc`
    - `exceptions.cpython-310.pyc`
    - `ffdec.cpython-310.pyc`
    - `gstdec.cpython-310.pyc`
    - `macca.cpython-310.pyc`
    - `maddec.cpython-310.pyc`
    - `rawread.cpython-310.pyc`
  - `__init__.py`
  - `base.py`
  - `exceptions.py`
  - `ffdec.py`
  - `gstdec.py`
  - `macca.py`
  - `maddec.py`
  - `rawread.py`
- `audioread-3.1.0.dist-info/`
  - `licenses/`
    - `LICENSE`
  - `INSTALLER`
  - `METADATA`
  - `RECORD`
  - `WHEEL`
- `certifi/`
  - `pycache__/`
    - `__init__.cpython-310.pyc`
    - `__main__.cpython-310.pyc`
    - `core.cpython-310.pyc`
  - `__init__.py`
  - `__main__.py`
  - `cacert.pem`
  - `core.py`
  - `py.typed`
- `certifi-2026.6.17.dist-info/`
  - `licenses/`
    - `LICENSE`
  - `INSTALLER`
  - `METADATA`

- RECORD
- top\_level.txt
- WHEEL
- cffi/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_imp\_emulation.cpython-310.pyc
    - \_shimmed\_dist\_utils.cpython-310.pyc
    - api.cpython-310.pyc
    - backend\_ctypes.cpython-310.pyc
    - cffi\_opcode.cpython-310.pyc
    - commontypes.cpython-310.pyc
    - cparser.cpython-310.pyc
    - error.cpython-310.pyc
    - ffiplatform.cpython-310.pyc
    - lock.cpython-310.pyc
    - model.cpython-310.pyc
    - pkgconfig.cpython-310.pyc
    - recompiler.cpython-310.pyc
    - setuptools\_ext.cpython-310.pyc
    - vengine\_cpy.cpython-310.pyc
    - vengine\_gen.cpython-310.pyc
    - verifier.cpython-310.pyc
  - \_\_init\_\_.py
  - \_cffi\_errors.h
  - \_cffi\_include.h
  - \_embedding.h
  - \_imp\_emulation.py
  - \_shimmed\_dist\_utils.py
  - api.py
  - backend\_ctypes.py
  - cffi\_opcode.py
  - commontypes.py
  - cparser.py
  - error.py
  - ffiplatform.py
  - lock.py
  - model.py
  - parse\_c\_type.h
  - pkgconfig.py
  - recompiler.py
  - setuptools\_ext.py
  - vengine\_cpy.py
  - vengine\_gen.py
  - verifier.py
- cffi-2.0.0.dist-info/
  - licenses/
    - AUTHORS
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- charset\_normalizer/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - api.cpython-310.pyc
    - cd.cpython-310.pyc
    - constant.cpython-310.pyc
    - legacy.cpython-310.pyc
    - md.cpython-310.pyc
    - models.cpython-310.pyc
    - utils.cpython-310.pyc
    - version.cpython-310.pyc
  - cli/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_\_main\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - \_\_main\_\_.py
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - api.py
  - cd.cp310-win\_amd64.pyd
  - cd.py
  - constant.py
  - legacy.py
  - md.cp310-win\_amd64.pyd
  - md.py
  - models.py
  - py.typed
  - utils.py

- └─ version.py
- ─ charset\_normalizer-3.4.8.dist-info/
  - └─ licenses/
    - └─ LICENSE
  - ─ entry\_points.txt
  - ─ INSTALLER
  - ─ METADATA
  - ─ RECORD
  - ─ top\_level.txt
  - ─ WHEEL
- ─ click/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_compat.cpython-310.pyc
    - └─ \_termui\_impl.cpython-310.pyc
    - └─ \_textwrap.cpython-310.pyc
    - └─ \_utils.cpython-310.pyc
    - └─ \_winconsole.cpython-310.pyc
    - └─ core.cpython-310.pyc
    - └─ decorators.cpython-310.pyc
    - └─ exceptions.cpython-310.pyc
    - └─ formatting.cpython-310.pyc
    - └─ globals.cpython-310.pyc
    - └─ parser.cpython-310.pyc
    - └─ shell\_completion.cpython-310.pyc
    - └─ termui.cpython-310.pyc
    - └─ testing.cpython-310.pyc
    - └─ types.cpython-310.pyc
    - └─ utils.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ \_compat.py
  - └─ \_termui\_impl.py
  - └─ \_textwrap.py
  - └─ \_utils.py
  - └─ \_winconsole.py
  - └─ core.py
  - └─ decorators.py
  - └─ exceptions.py
  - └─ formatting.py
  - └─ globals.py
  - └─ parser.py
  - └─ py.typed
  - └─ shell\_completion.py
  - └─ termui.py
  - └─ testing.py
  - └─ types.py
  - └─ utils.py
- ─ click-8.4.2.dist-info/
  - └─ licenses/
    - └─ LICENSE.txt
  - ─ INSTALLER
  - ─ METADATA
  - ─ RECORD
  - ─ WHEEL
- ─ colorama/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ ansi.cpython-310.pyc
    - └─ ansitowin32.cpython-310.pyc
    - └─ initialise.cpython-310.pyc
    - └─ win32.cpython-310.pyc
    - └─ winterm.cpython-310.pyc
  - └─ tests/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ ansi\_test.cpython-310.pyc
      - └─ ansitowin32\_test.cpython-310.pyc
      - └─ initialise\_test.cpython-310.pyc
      - └─ isatty\_test.cpython-310.pyc
      - └─ utils.cpython-310.pyc
      - └─ winterm\_test.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ ansi\_test.py
    - └─ ansitowin32\_test.py
    - └─ initialise\_test.py
    - └─ isatty\_test.py
    - └─ utils.py
    - └─ winterm\_test.py
  - └─ \_\_init\_\_.py
  - └─ ansi.py
  - └─ ansitowin32.py
  - └─ initialise.py
  - └─ win32.py
  - └─ winterm.py
- ─ colorama-0.4.6.dist-info/

- licenses/
  - LICENSE.txt
- INSTALLER
- METADATA
- RECORD
- WHEEL
- contourpy/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_version.cpython-310.pyc
    - array.cpython-310.pyc
    - chunk.cpython-310.pyc
    - convert.cpython-310.pyc
    - dechunk.cpython-310.pyc
    - enum\_util.cpython-310.pyc
    - typecheck.cpython-310.pyc
    - types.cpython-310.pyc
  - util/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_build\_config.cpython-310.pyc
      - bokeh\_renderer.cpython-310.pyc
      - bokeh\_util.cpython-310.pyc
      - data.cpython-310.pyc
      - mpl\_renderer.cpython-310.pyc
      - mpl\_util.cpython-310.pyc
      - renderer.cpython-310.pyc
    - \_\_init\_\_.py
    - \_build\_config.py
    - bokeh\_renderer.py
    - bokeh\_util.py
    - data.py
    - mpl\_renderer.py
    - mpl\_util.py
    - renderer.py
  - \_\_init\_\_.py
  - \_contourpy.cp310-win\_amd64.lib
  - \_contourpy.cp310-win\_amd64.pyd
  - \_contourpy.pyi
  - \_version.py
  - array.py
  - chunk.py
  - convert.py
  - dechunk.py
  - enum\_util.py
  - py.typed
  - typecheck.py
  - types.py
- contourpy-1.3.2.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - WHEEL
- cycler/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - py.typed
- cycler-0.12.1.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- dateutil/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_common.cpython-310.pyc
    - \_version.cpython-310.pyc
    - easter.cpython-310.pyc
    - relativedelta.cpython-310.pyc
    - rrule.cpython-310.pyc
    - tzwin.cpython-310.pyc
    - utils.cpython-310.pyc
- parser/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_parser.cpython-310.pyc
    - isoparser.cpython-310.pyc
  - \_\_init\_\_.py
  - \_parser.py
  - isoparser.py
- tz/

- \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_common.cpython-310.pyc
      - \_factories.cpython-310.pyc
      - tz.cpython-310.pyc
      - win.cpython-310.pyc
    - \_\_init\_\_.py
    - \_common.py
    - \_factories.py
    - tz.py
    - win.py
  - zoneinfo/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - rebuild.cpython-310.pyc
      - \_\_init\_\_.py
      - dateutil-zoneinfo.tar.gz
      - rebuild.py
    - \_\_init\_\_.py
    - \_common.py
    - \_version.py
    - easter.py
    - relativedelta.py
    - rrule.py
    - tzwin.py
    - utils.py
- decorator/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - \_\_init\_\_.pyi
    - py.typed
- decorator-5.3.1.dist-info/
  - licenses/
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- exceptiongroup/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_catch.cpython-310.pyc
      - \_exceptions.cpython-310.pyc
      - \_formatting.cpython-310.pyc
      - \_suppress.cpython-310.pyc
      - \_version.cpython-310.pyc
    - \_\_init\_\_.py
    - \_catch.py
    - \_exceptions.py
    - \_formatting.py
    - \_suppress.py
    - \_version.py
    - py.typed
- exceptiongroup-1.3.1.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- filelock/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_api.cpython-310.pyc
      - \_async\_read\_write.cpython-310.pyc
      - \_error.cpython-310.pyc
      - \_read\_write.cpython-310.pyc
      - \_soft.cpython-310.pyc
      - \_unix.cpython-310.pyc
      - \_util.cpython-310.pyc
      - \_windows.cpython-310.pyc
      - asyncio.cpython-310.pyc
      - version.cpython-310.pyc
  - \_soft\_rw/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_async.cpython-310.pyc
        - \_sync.cpython-310.pyc
      - \_\_init\_\_.py
      - \_async.py
      - \_sync.py
    - \_\_init\_\_.py
    - \_api.py

- \_async\_read\_write.py
- \_error.py
- \_read\_write.py
- \_soft.py
- \_unix.py
- \_util.py
- \_windows.py
- asyncio.py
- py.typed
- version.py
- filelock-3.29.5.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- fontTools/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - afmLib.cpython-310.pyc
    - agl.cpython-310.pyc
    - annotations.cpython-310.pyc
    - fontBuilder.cpython-310.pyc
    - help.cpython-310.pyc
    - tfmLib.cpython-310.pyc
    - ttx.cpython-310.pyc
    - unicode.cpython-310.pyc
  - cffLib/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - CFF2ToCFF.cpython-310.pyc
      - CFFToCFF2.cpython-310.pyc
      - specializer.cpython-310.pyc
      - transforms.cpython-310.pyc
      - width.cpython-310.pyc
    - \_\_init\_\_.py
    - CFF2ToCFF.py
    - CFFToCFF2.py
    - specializer.py
    - transforms.py
    - width.py
  - colorLib/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - builder.cpython-310.pyc
      - errors.cpython-310.pyc
      - geometry.cpython-310.pyc
      - table\_builder.cpython-310.pyc
      - unbuilder.cpython-310.pyc
    - \_\_init\_\_.py
    - builder.py
    - errors.py
    - geometry.py
    - table\_builder.py
    - unbuilder.py
  - config/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
  - cu2qu/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_\_main\_\_.cpython-310.pyc
      - benchmark.cpython-310.pyc
      - cli.cpython-310.pyc
      - cu2qu.cpython-310.pyc
      - errors.cpython-310.pyc
      - ufo.cpython-310.pyc
    - \_\_init\_\_.py
    - \_\_main\_\_.py
    - benchmark.py
    - cli.py
    - cu2qu.cp310-win\_amd64.pyd
    - cu2qu.py
    - errors.py
    - ufo.py
  - designspaceLib/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_\_main\_\_.cpython-310.pyc
      - split.cpython-310.pyc
      - statNames.cpython-310.pyc
      - types.cpython-310.pyc

- `__init__.py`
- `__main__.py`
- `split.py`
- `statNames.py`
- `types.py`
- `diff/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `__main__.cpython-310.pyc`
    - `color.cpython-310.pyc`
    - `diff.cpython-310.pyc`
    - `utils.cpython-310.pyc`
  - `__init__.py`
  - `__main__.py`
  - `color.py`
  - `diff.py`
  - `utils.py`
- `encodings/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `codecs.cpython-310.pyc`
    - `MacRoman.cpython-310.pyc`
    - `StandardEncoding.cpython-310.pyc`
  - `__init__.py`
  - `codecs.py`
  - `MacRoman.py`
  - `StandardEncoding.py`
- `feaLib/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `__main__.cpython-310.pyc`
    - `ast.cpython-310.pyc`
    - `builder.cpython-310.pyc`
    - `error.cpython-310.pyc`
    - `lexer.cpython-310.pyc`
    - `location.cpython-310.pyc`
    - `lookupDebugInfo.cpython-310.pyc`
    - `parser.cpython-310.pyc`
    - `variableScalar.cpython-310.pyc`
  - `__init__.py`
  - `__main__.py`
  - `ast.py`
  - `builder.py`
  - `error.py`
  - `lexer.cp310-win_amd64.pyd`
  - `lexer.py`
  - `location.py`
  - `lookupDebugInfo.py`
  - `parser.py`
  - `variableScalar.py`
- `merge/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `__main__.cpython-310.pyc`
    - `base.cpython-310.pyc`
    - `cmap.cpython-310.pyc`
    - `layout.cpython-310.pyc`
    - `options.cpython-310.pyc`
    - `tables.cpython-310.pyc`
    - `unicode.cpython-310.pyc`
    - `util.cpython-310.pyc`
  - `__init__.py`
  - `__main__.py`
  - `base.py`
  - `cmap.py`
  - `layout.py`
  - `options.py`
  - `tables.py`
  - `unicode.py`
  - `util.py`
- `misc/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `arrayTools.cpython-310.pyc`
    - `bezierTools.cpython-310.pyc`
    - `classifyTools.cpython-310.pyc`
    - `cliTools.cpython-310.pyc`
    - `configTools.cpython-310.pyc`
    - `cython.cpython-310.pyc`
    - `dictTools.cpython-310.pyc`
    - `eexec.cpython-310.pyc`
    - `encodingTools.cpython-310.pyc`
    - `enumTools.cpython-310.pyc`
    - `etree.cpython-310.pyc`
    - `filenames.cpython-310.pyc`

- fixedTools.cpython-310.pyc
- iftSparseBitSet.cpython-310.pyc
- intTools.cpython-310.pyc
- iterTools.cpython-310.pyc
- lazyTools.cpython-310.pyc
- loggingTools.cpython-310.pyc
- macCreatorType.cpython-310.pyc
- macRes.cpython-310.pyc
- psCharStrings.cpython-310.pyc
- psLib.cpython-310.pyc
- psOperators.cpython-310.pyc
- py23.cpython-310.pyc
- roundTools.cpython-310.pyc
- sstruct.cpython-310.pyc
- symfont.cpython-310.pyc
- testTools.cpython-310.pyc
- textTools.cpython-310.pyc
- timeTools.cpython-310.pyc
- transform.cpython-310.pyc
- treeTools.cpython-310.pyc
- vector.cpython-310.pyc
- visitor.cpython-310.pyc
- xmlReader.cpython-310.pyc
- xmlWriter.cpython-310.pyc
- filesystem/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_base.cpython-310.pyc
    - \_copy.cpython-310.pyc
    - \_errors.cpython-310.pyc
    - \_info.cpython-310.pyc
    - \_osfs.cpython-310.pyc
    - \_path.cpython-310.pyc
    - \_subfs.cpython-310.pyc
    - \_tempfs.cpython-310.pyc
    - \_tools.cpython-310.pyc
    - \_walk.cpython-310.pyc
    - \_zipfs.cpython-310.pyc
  - \_\_init\_\_.py
  - \_base.py
  - \_copy.py
  - \_errors.py
  - \_info.py
  - \_osfs.py
  - \_path.py
  - \_subfs.py
  - \_tempfs.py
  - \_tools.py
  - \_walk.py
  - \_zipfs.py
- plistlib/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - py.typed
- \_\_init\_\_.py
- arrayTools.py
- bezierTools.cp310-win\_amd64.pyd
- bezierTools.py
- classifyTools.py
- cliTools.py
- configTools.py
- cython.py
- dictTools.py
- eexec.py
- encodingTools.py
- enumTools.py
- etree.py
- filenames.py
- fixedTools.py
- iftSparseBitSet.py
- intTools.py
- iterTools.py
- lazyTools.py
- loggingTools.py
- macCreatorType.py
- macRes.py
- psCharStrings.py
- psLib.py
- psOperators.py
- py23.py
- roundTools.py
- sstruct.py
- symfont.py
- testTools.py



- textTools.py
- timeTools.py
- transform.py
- treeTools.py
- vector.py
- visitor.py
- xmlReader.py
- xmlWriter.py
- mtiLib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
- otLib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - builder.cpython-310.pyc
    - error.cpython-310.pyc
    - maxContextCalc.cpython-310.pyc
  - optimize/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_\_main\_\_.cpython-310.pyc
    - gpos.cpython-310.pyc
    - \_\_init\_\_.py
    - \_\_main\_\_.py
    - gpos.py
  - \_\_init\_\_.py
  - builder.py
  - error.py
  - maxContextCalc.py
- pens/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - areaPen.cpython-310.pyc
    - basePen.cpython-310.pyc
    - boundsPen.cpython-310.pyc
    - cairoPen.cpython-310.pyc
    - cocoaPen.cpython-310.pyc
    - cu2quPen.cpython-310.pyc
    - explicitClosingLinePen.cpython-310.pyc
    - filterPen.cpython-310.pyc
    - freetypePen.cpython-310.pyc
    - hashPointPen.cpython-310.pyc
    - momentsPen.cpython-310.pyc
    - perimeterPen.cpython-310.pyc
    - pointInsidePen.cpython-310.pyc
    - pointPen.cpython-310.pyc
    - qtPen.cpython-310.pyc
    - qu2cuPen.cpython-310.pyc
    - quartzPen.cpython-310.pyc
    - recordingPen.cpython-310.pyc
    - reportLabPen.cpython-310.pyc
    - reverseContourPen.cpython-310.pyc
    - roundingPen.cpython-310.pyc
    - statisticsPen.cpython-310.pyc
    - svgPathPen.cpython-310.pyc
    - t2CharStringPen.cpython-310.pyc
    - teePen.cpython-310.pyc
    - transformPen.cpython-310.pyc
    - ttGlyphPen.cpython-310.pyc
    - wxPen.cpython-310.pyc
  - \_\_init\_\_.py
  - areaPen.py
  - basePen.py
  - boundsPen.py
  - cairoPen.py
  - cocoaPen.py
  - cu2quPen.py
  - explicitClosingLinePen.py
  - filterPen.py
  - freetypePen.py
  - hashPointPen.py
  - momentsPen.cp310-win\_amd64.pyd
  - momentsPen.py
  - perimeterPen.py
  - pointInsidePen.py
  - pointPen.py
  - qtPen.py
  - qu2cuPen.py
  - quartzPen.py
  - recordingPen.py
  - reportLabPen.py
  - reverseContourPen.py

- roundingPen.py
- statisticsPen.py
- svgPathPen.py
- t2CharStringPen.py
- teePen.py
- transformPen.py
- ttGlyphPen.py
- wxPen.py
- qu2cu/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - benchmark.cpython-310.pyc
    - cli.cpython-310.pyc
    - qu2cu.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - benchmark.py
  - cli.py
  - qu2cu.cp310-win\_amd64.pyd
  - qu2cu.py
- subset/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - cff.cpython-310.pyc
    - svg.cpython-310.pyc
    - util.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - cff.py
  - svg.py
  - util.py
- svgLib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - path/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - arc.cpython-310.pyc
      - parser.cpython-310.pyc
      - shapes.cpython-310.pyc
    - \_\_init\_\_.py
    - arc.py
    - parser.py
    - shapes.py
  - \_\_init\_\_.py
- t1Lib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- ttLib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - macUtils.cpython-310.pyc
    - removeOverlaps.cpython-310.pyc
    - reorderGlyphs.cpython-310.pyc
    - scaleUpem.cpython-310.pyc
    - sfnt.cpython-310.pyc
    - standardGlyphOrder.cpython-310.pyc
    - ttCollection.cpython-310.pyc
    - ttFont.cpython-310.pyc
    - ttGlyphSet.cpython-310.pyc
    - ttVisitor.cpython-310.pyc
    - woff2.cpython-310.pyc
- tables/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_a\_n\_k\_r.cpython-310.pyc
    - \_a\_v\_a\_r.cpython-310.pyc
    - \_b\_g\_c\_l.cpython-310.pyc
    - \_b\_s\_l\_n.cpython-310.pyc
    - \_c\_i\_d\_g.cpython-310.pyc
    - \_c\_m\_a\_p.cpython-310.pyc
    - \_c\_v\_a\_r.cpython-310.pyc
    - \_c\_v\_t.cpython-310.pyc
    - \_f\_e\_a\_t.cpython-310.pyc
    - \_f\_p\_g\_m.cpython-310.pyc
    - \_f\_v\_a\_r.cpython-310.pyc
    - \_g\_a\_s\_p.cpython-310.pyc
    - \_g\_c\_i\_d.cpython-310.pyc
    - \_g\_l\_y\_f.cpython-310.pyc
    - \_g\_v\_a\_r.cpython-310.pyc
    - \_h\_d\_m\_x.cpython-310.pyc

```
— _h_e_a_d.cpython-310.pyc
— _h_h_e_a.cpython-310.pyc
— _h_m_t_x.cpython-310.pyc
— _k_e_r_n.cpython-310.pyc
— _l_c_a_r.cpython-310.pyc
— _l_o_c_a.cpython-310.pyc
— _l_t_a_g.cpython-310.pyc
— _m_a_x_p.cpython-310.pyc
— _m_e_t_a.cpython-310.pyc
— _m_o_r_t.cpython-310.pyc
— _m_o_r_x.cpython-310.pyc
— _n_a_m_e.cpython-310.pyc
— _o_p_b_d.cpython-310.pyc
— _p_o_s_t.cpython-310.pyc
— _p_r_e_p.cpython-310.pyc
— _p_r_o_p.cpython-310.pyc
— _s_b_i_x.cpython-310.pyc
— _t_r_a_k.cpython-310.pyc
— _v_h_e_a.cpython-310.pyc
— _v_m_t_x.cpython-310.pyc
— asciiTable.cpython-310.pyc
— B_A_S_E_.cpython-310.pyc
— BitmapGlyphMetrics.cpython-310.pyc
— C_B_D_T_.cpython-310.pyc
— C_B_L_C_.cpython-310.pyc
— C_F_F_.cpython-310.pyc
— C_F_F_2.cpython-310.pyc
— C_O_L_R_.cpython-310.pyc
— C_P_A_L_.cpython-310.pyc
— D_e_b_g.cpython-310.pyc
— D_S_I_G_.cpython-310.pyc
— DefaultTable.cpython-310.pyc
— E_B_D_T_.cpython-310.pyc
— E_B_L_C_.cpython-310.pyc
— F_e_a_t.cpython-310.pyc
— F_F_T_M_.cpython-310.pyc
— G_l_a_t.cpython-310.pyc
— G_l_o_c.cpython-310.pyc
— G_D_E_F_.cpython-310.pyc
— G_P_O_S_.cpython-310.pyc
— G_S_U_B_.cpython-310.pyc
— G_V_A_R_.cpython-310.pyc
— grUtils.cpython-310.pyc
— H_V_A_R_.cpython-310.pyc
— I_F_T_.cpython-310.pyc
— I_F_T_X_.cpython-310.pyc
— J_S_T_F_.cpython-310.pyc
— L_T_S_H_.cpython-310.pyc
— M_A_T_H_.cpython-310.pyc
— M_V_A_R_.cpython-310.pyc
— O_S_2f_2.cpython-310.pyc
— otBase.cpython-310.pyc
— otConverters.cpython-310.pyc
— otData.cpython-310.pyc
— otDataSchema.cpython-310.pyc
— otTables.cpython-310.pyc
— otTraverse.cpython-310.pyc
— S_i_l_f.cpython-310.pyc
— S_i_l_l.cpython-310.pyc
— S_T_A_T_.cpython-310.pyc
— S_V_G_.cpython-310.pyc
— sbixGlyph.cpython-310.pyc
— sbixStrike.cpython-310.pyc
— T_S_I_0.cpython-310.pyc
— T_S_I_1.cpython-310.pyc
— T_S_I_2.cpython-310.pyc
— T_S_I_3.cpython-310.pyc
— T_S_I_5.cpython-310.pyc
— T_S_I_B_.cpython-310.pyc
— T_S_I_C_.cpython-310.pyc
— T_S_I_D_.cpython-310.pyc
— T_S_I_J_.cpython-310.pyc
— T_S_I_P_.cpython-310.pyc
— T_S_I_S_.cpython-310.pyc
— T_S_I_V_.cpython-310.pyc
— T_T_F_A_.cpython-310.pyc
— ttProgram.cpython-310.pyc
— TupleVariation.cpython-310.pyc
— V_A_R_C_.cpython-310.pyc
— V_D_M_X_.cpython-310.pyc
— V_O_R_G_.cpython-310.pyc
— V_V_A_R_.cpython-310.pyc
— __init__.py
— _a_n_k_r.py
— _a_v_a_r.py
```

— \_b\_g\_c\_l.py  
— \_b\_s\_l\_n.py  
— \_c\_i\_d\_g.py  
— \_c\_m\_a\_p.py  
— \_c\_v\_a\_r.py  
— \_c\_v\_t.py  
— \_f\_e\_a\_t.py  
— \_f\_p\_g\_m.py  
— \_f\_v\_a\_r.py  
— \_g\_a\_s\_p.py  
— \_g\_c\_i\_d.py  
— \_g\_l\_y\_f.py  
— \_g\_v\_a\_r.py  
— \_h\_d\_m\_x.py  
— \_h\_e\_a\_d.py  
— \_h\_h\_e\_a.py  
— \_h\_m\_t\_x.py  
— \_k\_e\_r\_n.py  
— \_l\_c\_a\_r.py  
— \_l\_o\_c\_a.py  
— \_l\_t\_a\_g.py  
— \_m\_a\_x\_p.py  
— \_m\_e\_t\_a.py  
— \_m\_o\_r\_t.py  
— \_m\_o\_r\_x.py  
— \_n\_a\_m\_e.py  
— \_o\_p\_b\_d.py  
— \_p\_o\_s\_t.py  
— \_p\_r\_e\_p.py  
— \_p\_r\_o\_p.py  
— \_s\_b\_i\_x.py  
— \_t\_r\_a\_k.py  
— \_v\_h\_e\_a.py  
— \_v\_m\_t\_x.py  
— asciiTable.py  
— B\_A\_S\_E.py  
— BitmapGlyphMetrics.py  
— C\_B\_D\_T.py  
— C\_B\_L\_C.py  
— C\_F\_F\_.py  
— C\_F\_F\_2.py  
— C\_O\_L\_R.py  
— C\_P\_A\_L.py  
— D\_e\_b\_g.py  
— D\_S\_I\_G.py  
— DefaultTable.py  
— E\_B\_D\_T.py  
— E\_B\_L\_C.py  
— F\_e\_a\_t.py  
— F\_F\_T\_M.py  
— G\_l\_a\_t.py  
— G\_l\_o\_c.py  
— G\_D\_E\_F.py  
— G\_P\_O\_S.py  
— G\_S\_U\_B.py  
— G\_V\_A\_R.py  
— grUtils.py  
— H\_V\_A\_R.py  
— I\_F\_T\_.py  
— I\_F\_T\_X.py  
— J\_S\_T\_F.py  
— L\_T\_S\_H.py  
— M\_A\_T\_H.py  
— M\_V\_A\_R.py  
— O\_S\_2f\_2.py  
— otBase.py  
— otConverters.py  
— otData.py  
— otDataSchema.py  
— otTables.py  
— otTraverse.py  
— S\_i\_l\_f.py  
— S\_i\_l\_l.py  
— S\_T\_A\_T.py  
— S\_V\_G.py  
— sbixGlyph.py  
— sbixStrike.py  
— T\_S\_I\_0.py  
— T\_S\_I\_1.py  
— T\_S\_I\_2.py  
— T\_S\_I\_3.py  
— T\_S\_I\_5.py  
— T\_S\_I\_B.py  
— T\_S\_I\_C.py  
— T\_S\_I\_D.py

- T\_S\_I\_J\_.py
- T\_S\_I\_P\_.py
- T\_S\_I\_S\_.py
- T\_S\_I\_V\_.py
- T\_T\_F\_A\_.py
- table\_API\_readme.txt
- ttProgram.py
- TupleVariation.py
- V\_A\_R\_C\_.py
- V\_D\_M\_X\_.py
- V\_O\_R\_G\_.py
- V\_V\_A\_R\_.py
- \_\_init\_\_.py
- \_\_main\_\_.py
- macUtils.py
- removeOverlaps.py
- reorderGlyphs.py
- scaleUpem.py
- sfnt.py
- standardGlyphOrder.py
- ttCollection.py
- ttFont.py
- ttGlyphSet.py
- ttVisitor.py
- woff2.py
- ufoLib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - converters.cpython-310.pyc
    - errors.cpython-310.pyc
    - etree.cpython-310.pyc
    - filenames.cpython-310.pyc
    - glifLib.cpython-310.pyc
    - kerning.cpython-310.pyc
    - plistlib.cpython-310.pyc
    - pointPen.cpython-310.pyc
    - utils.cpython-310.pyc
    - validators.cpython-310.pyc
  - \_\_init\_\_.py
  - converters.py
  - errors.py
  - etree.py
  - filenames.py
  - glifLib.py
  - kerning.py
  - plistlib.py
  - pointPen.py
  - utils.py
  - validators.py
- unicodedata/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - Blocks.cpython-310.pyc
    - Mirrored.cpython-310.pyc
    - OTTags.cpython-310.pyc
    - ScriptExtensions.cpython-310.pyc
    - Scripts.cpython-310.pyc
  - \_\_init\_\_.py
  - Blocks.py
  - Mirrored.py
  - OTTags.py
  - ScriptExtensions.py
  - Scripts.py
- varLib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - avarPlanner.cpython-310.pyc
    - builder.cpython-310.pyc
    - cff.cpython-310.pyc
    - errors.cpython-310.pyc
    - featureVars.cpython-310.pyc
    - hvar.cpython-310.pyc
    - interpolatable.cpython-310.pyc
    - interpolatableHelpers.cpython-310.pyc
    - interpolatablePlot.cpython-310.pyc
    - interpolatableTestContourOrder.cpython-310.pyc
    - interpolatableTestStartingPoint.cpython-310.pyc
    - interpolate\_layout.cpython-310.pyc
    - iup.cpython-310.pyc
    - merger.cpython-310.pyc
    - models.cpython-310.pyc
    - multiVarStore.cpython-310.pyc
    - mutator.cpython-310.pyc
    - mvar.cpython-310.pyc

- plot.cpython-310.pyc
  - stat.cpython-310.pyc
  - varStore.cpython-310.pyc
- avar/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - build.cpython-310.pyc
    - map.cpython-310.pyc
    - plan.cpython-310.pyc
    - unbuild.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - build.py
  - map.py
  - plan.py
  - unbuild.py
- instancer/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - featureVars.cpython-310.pyc
    - names.cpython-310.pyc
    - solver.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - featureVars.py
  - names.py
  - solver.py
- \_\_init\_\_.py
- \_\_main\_\_.py
- avarPlanner.py
- builder.py
- cff.py
- errors.py
- featureVars.py
- hvar.py
- interpolatable.py
- interpolatableHelpers.py
- interpolatablePlot.py
- interpolatableTestContourOrder.py
- interpolatableTestStartingPoint.py
- interpolate\_layout.py
- iup.cp310-win\_amd64.pyd
- iup.py
- merger.py
- models.py
- multiVarStore.py
- mutator.py
- mvar.py
- plot.py
- stat.py
- varStore.py

- voltLib/
- pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - \_\_main\_\_.cpython-310.pyc
  - ast.cpython-310.pyc
  - error.cpython-310.pyc
  - lexer.cpython-310.pyc
  - parser.cpython-310.pyc
  - voltToFea.cpython-310.pyc
- \_\_init\_\_.py
- \_\_main\_\_.py
- ast.py
- error.py
- lexer.py
- parser.py
- voltToFea.py
- \_\_init\_\_.py
- \_\_main\_\_.py
- afmLib.py
- agl.py
- annotations.py
- fontBuilder.py
- help.py
- tfmLib.py
- ttx.py
- unicode.py
- fonttools-4.63.0.dist-info/
- licenses/
  - LICENSE
  - LICENSE.external
- entry\_points.txt
- INSTALLER

- METADATA
- RECORD
- top\_level.txt
- WHEEL
- fsspec/
  - pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_version.cpython-310.pyc
    - archive.cpython-310.pyc
    - asyn.cpython-310.pyc
    - caching.cpython-310.pyc
    - callbacks.cpython-310.pyc
    - compression.cpython-310.pyc
    - config.cpython-310.pyc
    - conftest.cpython-310.pyc
    - core.cpython-310.pyc
    - dircache.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - fuse.cpython-310.pyc
    - generic.cpython-310.pyc
    - gui.cpython-310.pyc
    - json.cpython-310.pyc
    - mapping.cpython-310.pyc
    - parquet.cpython-310.pyc
    - registry.cpython-310.pyc
    - spec.cpython-310.pyc
    - transaction.cpython-310.pyc
    - utils.cpython-310.pyc
  - implementations/
    - pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - arrow.cpython-310.pyc
      - asyn\_wrapper.cpython-310.pyc
      - cache\_mapper.cpython-310.pyc
      - cache\_metadata.cpython-310.pyc
      - cached.cpython-310.pyc
      - chained.cpython-310.pyc
      - dask.cpython-310.pyc
      - data.cpython-310.pyc
      - dbfs.cpython-310.pyc
      - dirfs.cpython-310.pyc
      - ftp.cpython-310.pyc
      - gist.cpython-310.pyc
      - git.cpython-310.pyc
      - github.cpython-310.pyc
      - http.cpython-310.pyc
      - http\_sync.cpython-310.pyc
      - jupyter.cpython-310.pyc
      - libarchive.cpython-310.pyc
      - local.cpython-310.pyc
      - memory.cpython-310.pyc
      - reference.cpython-310.pyc
      - sftp.cpython-310.pyc
      - smb.cpython-310.pyc
      - tar.cpython-310.pyc
      - webhdfs.cpython-310.pyc
      - zip.cpython-310.pyc
- \_\_init\_\_.py
- arrow.py
- asyn\_wrapper.py
- cache\_mapper.py
- cache\_metadata.py
- cached.py
- chained.py
- dask.py
- data.py
- dbfs.py
- dirfs.py
- ftp.py
- gist.py
- git.py
- github.py
- http.py
- http\_sync.py
- jupyter.py
- libarchive.py
- local.py
- memory.py
- reference.py
- sftp.py
- smb.py
- tar.py
- webhdfs.py
- zip.py
- tests/

- └─ abstract/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ common.cpython-310.pyc
    - └─ copy.cpython-310.pyc
    - └─ get.cpython-310.pyc
    - └─ mv.cpython-310.pyc
    - └─ open.cpython-310.pyc
    - └─ pipe.cpython-310.pyc
    - └─ put.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ common.py
  - └─ copy.py
  - └─ get.py
  - └─ mv.py
  - └─ open.py
  - └─ pipe.py
  - └─ put.py
- └─ \_\_init\_\_.py
- └─ \_version.py
- └─ archive.py
- └─ asyn.py
- └─ caching.py
- └─ callbacks.py
- └─ compression.py
- └─ config.py
- └─ conftest.py
- └─ core.py
- └─ dircache.py
- └─ exceptions.py
- └─ fuse.py
- └─ generic.py
- └─ gui.py
- └─ json.py
- └─ mapping.py
- └─ parquet.py
- └─ registry.py
- └─ spec.py
- └─ transaction.py
- └─ utils.py

- └─ fsspec-2026.6.0.dist-info/
  - └─ licenses/
    - └─ LICENSE
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ WHEEL
- └─ functorch/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ src/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ aot\_autograd/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_\_init\_\_.py
    - └─ eager\_transforms/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_\_init\_\_.py
    - └─ make\_functional/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_\_init\_\_.py
    - └─ vmap/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_\_init\_\_.py
    - └─ \_\_init\_\_.py
  - └─ compile/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
- └─ dim/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_dim\_entry.cpython-310.pyc
    - └─ \_enable\_all\_layers.cpython-310.pyc
    - └─ \_getsetitem.cpython-310.pyc
    - └─ \_order.cpython-310.pyc
    - └─ \_py\_inst\_decoder.cpython-310.pyc
    - └─ \_tensor\_info.cpython-310.pyc
    - └─ \_wrap.cpython-310.pyc
    - └─ magic\_trace.cpython-310.pyc



- op\_properties.cpython-310.pyc
  - wrap\_type.cpython-310.pyc
- \_\_init\_\_.py
- \_dim\_entry.py
- \_enable\_all\_layers.py
- \_getsetitem.py
- \_order.py
- \_py\_inst\_decoder.py
- \_tensor\_info.py
- \_wrap.py
- magic\_trace.py
- op\_properties.py
- wrap\_type.py
- einops/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_parsing.cpython-310.pyc
    - rearrange.cpython-310.pyc
  - \_\_init\_\_.py
  - \_parsing.py
  - rearrange.py
- experimental/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - control\_flow.cpython-310.pyc
    - ops.cpython-310.pyc
  - \_\_init\_\_.py
  - control\_flow.py
  - ops.py
  - \_\_init\_\_.py
- google/
  - upb/
    - \_message.pyd
  - protobuf/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - any.cpython-310.pyc
      - any\_pb2.cpython-310.pyc
      - api\_pb2.cpython-310.pyc
      - descriptor.cpython-310.pyc
      - descriptor\_database.cpython-310.pyc
      - descriptor\_pb2.cpython-310.pyc
      - descriptor\_pool.cpython-310.pyc
      - duration.cpython-310.pyc
      - duration\_pb2.cpython-310.pyc
      - empty\_pb2.cpython-310.pyc
      - field\_mask\_pb2.cpython-310.pyc
      - json\_format.cpython-310.pyc
      - message.cpython-310.pyc
      - message\_factory.cpython-310.pyc
      - proto.cpython-310.pyc
      - proto\_builder.cpython-310.pyc
      - proto\_json.cpython-310.pyc
      - proto\_text.cpython-310.pyc
      - reflection.cpython-310.pyc
      - runtime\_version.cpython-310.pyc
      - service\_reflection.cpython-310.pyc
      - source\_context\_pb2.cpython-310.pyc
      - struct\_pb2.cpython-310.pyc
      - symbol\_database.cpython-310.pyc
      - text\_encoding.cpython-310.pyc
      - text\_format.cpython-310.pyc
      - timestamp.cpython-310.pyc
      - timestamp\_pb2.cpython-310.pyc
      - type\_pb2.cpython-310.pyc
      - unknown\_fields.cpython-310.pyc
      - wrappers\_pb2.cpython-310.pyc
  - compiler/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - plugin\_pb2.cpython-310.pyc
    - \_\_init\_\_.py
    - plugin\_pb2.py
  - internal/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - api\_implementation.cpython-310.pyc
      - builder.cpython-310.pyc
      - containers.cpython-310.pyc
      - decoder.cpython-310.pyc
      - encoder.cpython-310.pyc
      - enum\_type\_wrapper.cpython-310.pyc
      - extension\_dict.cpython-310.pyc
      - field\_mask.cpython-310.pyc
      - message\_listener.cpython-310.pyc

- python\_edition\_defaults.cpython-310.pyc
  - python\_message.cpython-310.pyc
  - testing\_refleaks.cpython-310.pyc
  - type\_checkers.cpython-310.pyc
  - well\_known\_types.cpython-310.pyc
  - wire\_format.cpython-310.pyc
- \_\_init\_\_.py
- api\_implementation.py
- builder.py
- containers.py
- decoder.py
- encoder.py
- enum\_type\_wrapper.py
- extension\_dict.py
- field\_mask.py
- message\_listener.py
- python\_edition\_defaults.py
- python\_message.py
- testing\_refleaks.py
- type\_checkers.py
- well\_known\_types.py
- wire\_format.py
- pyext/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - cpp\_message.cpython-310.pyc
  - \_\_init\_\_.py
  - cpp\_message.py
- testdata/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- util/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- \_\_init\_\_.py
- any.py
- any\_pb2.py
- api\_pb2.py
- descriptor.py
- descriptor\_database.py
- descriptor\_pb2.py
- descriptor\_pool.py
- duration.py
- duration\_pb2.py
- empty\_pb2.py
- field\_mask\_pb2.py
- json\_format.py
- message.py
- message\_factory.py
- proto.py
- proto\_builder.py
- proto\_json.py
- proto\_text.py
- reflection.py
- runtime\_version.py
- service\_reflection.py
- source\_context\_pb2.py
- struct\_pb2.py
- symbol\_database.py
- text\_encoding.py
- text\_format.py
- timestamp.py
- timestamp\_pb2.py
- type\_pb2.py
- unknown\_fields.py
- wrappers\_pb2.py
- grpc/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_auth.cpython-310.pyc
    - \_channel.cpython-310.pyc
    - \_common.cpython-310.pyc
    - \_compression.cpython-310.pyc
    - \_grpcio\_metadata.cpython-310.pyc
    - \_interceptor.cpython-310.pyc
    - \_observability.cpython-310.pyc
    - \_plugin\_wrapping.cpython-310.pyc
    - \_runtime\_protos.cpython-310.pyc
    - \_server.cpython-310.pyc
    - \_simple\_stubs.cpython-310.pyc
    - \_typing.cpython-310.pyc
    - \_utilities.cpython-310.pyc
- \_cython/

- pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - credentials/
    - roots.pem
  - cygrpc/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - private\_key\_signing/
      - private\_key\_signer\_py\_wrapper.cc
      - private\_key\_signer\_py\_wrapper.h
    - \_\_init\_\_.py
  - \_\_init\_\_.py
  - cygrpc.cp310-win\_amd64.pyd
  - cygrpc.pyi
- aio/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - base\_call.cpython-310.pyc
    - base\_channel.cpython-310.pyc
    - base\_server.cpython-310.pyc
    - call.cpython-310.pyc
    - channel.cpython-310.pyc
    - interceptor.cpython-310.pyc
    - metadata.cpython-310.pyc
    - server.cpython-310.pyc
    - typing.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_\_init\_\_.py
  - base\_call.py
  - base\_channel.py
  - base\_server.py
  - call.py
  - channel.py
  - interceptor.py
  - metadata.py
  - server.py
  - typing.py
  - utils.py
- beta/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_client\_adaptations.cpython-310.pyc
    - \_metadata.cpython-310.pyc
    - \_server\_adaptations.cpython-310.pyc
    - \_implementations.cpython-310.pyc
    - \_interfaces.cpython-310.pyc
    - \_utilities.cpython-310.pyc
  - \_\_init\_\_.py
  - \_client\_adaptations.py
  - \_metadata.py
  - \_server\_adaptations.py
  - \_implementations.py
  - \_interfaces.py
  - \_utilities.py
- experimental/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - gevent.cpython-310.pyc
    - session\_cache.cpython-310.pyc
  - aio/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - \_\_init\_\_.py
  - gevent.py
  - session\_cache.py
- framework/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - common/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - cardinality.cpython-310.pyc
      - style.cpython-310.pyc
    - \_\_init\_\_.py
    - cardinality.py
    - style.py
  - foundation/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - abandonment.cpython-310.pyc
      - callable\_util.cpython-310.pyc
      - future.cpython-310.pyc
      - logging\_pool.cpython-310.pyc
      - stream.cpython-310.pyc

- stream\_util.cpython-310.pyc
    - \_\_init\_\_.py
    - abandonment.py
    - callable\_util.py
    - future.py
    - logging\_pool.py
    - stream.py
    - stream\_util.py
  - interfaces/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - base/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - base.cpython-310.pyc
        - utilities.cpython-310.pyc
      - \_\_init\_\_.py
      - base.py
      - utilities.py
    - face/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - face.cpython-310.pyc
        - utilities.cpython-310.pyc
      - \_\_init\_\_.py
      - face.py
      - utilities.py
    - \_\_init\_\_.py
  - \_\_init\_\_.py
  - \_auth.py
  - \_channel.py
  - \_common.py
  - \_compression.py
  - \_grpcio\_metadata.py
  - \_interceptor.py
  - \_observability.py
  - \_plugin\_wrapping.py
  - \_runtime\_protos.py
  - \_server.py
  - \_simple\_stubs.py
  - \_typing.py
  - \_utilities.py
- grpcio-1.82.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- h11/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_abnf.cpython-310.pyc
    - \_connection.cpython-310.pyc
    - \_events.cpython-310.pyc
    - \_headers.cpython-310.pyc
    - \_readers.cpython-310.pyc
    - \_receivebuffer.cpython-310.pyc
    - \_state.cpython-310.pyc
    - \_util.cpython-310.pyc
    - \_version.cpython-310.pyc
    - \_writers.cpython-310.pyc
  - \_\_init\_\_.py
  - \_abnf.py
  - \_connection.py
  - \_events.py
  - \_headers.py
  - \_readers.py
  - \_receivebuffer.py
  - \_state.py
  - \_util.py
  - \_version.py
  - \_writers.py
  - py.typed
- h11-0.16.0.dist-info/
  - licenses/
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- hf\_xet/

- pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - hf\_xet.pyd
- hf\_xet-1.5.1.dist-info/
  - licenses/
    - LICENSE
  - sboms/
    - hf\_xet.cyclonedx.json
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- httpcore/
  - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_api.cpython-310.pyc
      - \_exceptions.cpython-310.pyc
      - \_models.cpython-310.pyc
      - \_ssl.cpython-310.pyc
      - \_synchronization.cpython-310.pyc
      - \_trace.cpython-310.pyc
      - \_utils.cpython-310.pyc
  - \_async/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - connection.cpython-310.pyc
        - connection\_pool.cpython-310.pyc
        - http11.cpython-310.pyc
        - http2.cpython-310.pyc
        - http\_proxy.cpython-310.pyc
        - interfaces.cpython-310.pyc
        - socks\_proxy.cpython-310.pyc
    - \_\_init\_\_.py
    - connection.py
    - connection\_pool.py
    - http11.py
    - http2.py
    - http\_proxy.py
    - interfaces.py
    - socks\_proxy.py
  - backends/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - anyio.cpython-310.pyc
        - auto.cpython-310.pyc
        - base.cpython-310.pyc
        - mock.cpython-310.pyc
        - sync.cpython-310.pyc
        - trio.cpython-310.pyc
    - \_\_init\_\_.py
    - anyio.py
    - auto.py
    - base.py
    - mock.py
    - sync.py
    - trio.py
  - \_sync/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - connection.cpython-310.pyc
        - connection\_pool.cpython-310.pyc
        - http11.cpython-310.pyc
        - http2.cpython-310.pyc
        - http\_proxy.cpython-310.pyc
        - interfaces.cpython-310.pyc
        - socks\_proxy.cpython-310.pyc
    - \_\_init\_\_.py
    - connection.py
    - connection\_pool.py
    - http11.py
    - http2.py
    - http\_proxy.py
    - interfaces.py
    - socks\_proxy.py
  - \_\_init\_\_.py
  - \_api.py
  - \_exceptions.py
  - \_models.py
  - \_ssl.py
  - \_synchronization.py
  - \_trace.py
  - \_utils.py
  - py.typed
- httpcore-1.0.9.dist-info/

- licenses/
  - LICENSE.md
- INSTALLER
- METADATA
- RECORD
- WHEEL
- httpx/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - version\_.cpython-310.pyc
    - api.cpython-310.pyc
    - \_auth.cpython-310.pyc
    - \_client.cpython-310.pyc
    - \_config.cpython-310.pyc
    - \_content.cpython-310.pyc
    - \_decoders.cpython-310.pyc
    - \_exceptions.cpython-310.pyc
    - \_main.cpython-310.pyc
    - \_models.cpython-310.pyc
    - \_multipart.cpython-310.pyc
    - \_status\_codes.cpython-310.pyc
    - \_types.cpython-310.pyc
    - \_urlparse.cpython-310.pyc
    - \_urls.cpython-310.pyc
    - \_utils.cpython-310.pyc
  - transports/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - asgi.cpython-310.pyc
      - base.cpython-310.pyc
      - default.cpython-310.pyc
      - mock.cpython-310.pyc
      - wsgi.cpython-310.pyc
    - \_\_init\_\_.py
    - asgi.py
    - base.py
    - default.py
    - mock.py
    - wsgi.py
  - \_\_init\_\_.py
  - \_version\_.py
  - \_api.py
  - \_auth.py
  - \_client.py
  - \_config.py
  - \_content.py
  - \_decoders.py
  - \_exceptions.py
  - \_main.py
  - \_models.py
  - \_multipart.py
  - \_status\_codes.py
  - \_types.py
  - \_urlparse.py
  - \_urls.py
  - \_utils.py
  - py.typed
- httpx-0.28.1.dist-info/
  - licenses/
    - LICENSE.md
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- huggingface\_hub/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_buckets.cpython-310.pyc
    - \_commit\_api.cpython-310.pyc
    - \_commit\_scheduler.cpython-310.pyc
    - \_dataset\_viewer.cpython-310.pyc
    - \_eval\_results.cpython-310.pyc
    - \_inference\_endpoints.cpython-310.pyc
    - \_jobs\_api.cpython-310.pyc
    - \_local\_folder.cpython-310.pyc
    - \_login.cpython-310.pyc
    - \_oauth.cpython-310.pyc
    - \_oidc.cpython-310.pyc
    - \_sandbox.cpython-310.pyc
    - \_sandbox\_cache.cpython-310.pyc
    - \_snapshot\_download.cpython-310.pyc
    - \_space\_api.cpython-310.pyc
    - \_tensorboard\_logger.cpython-310.pyc
    - \_tree\_cache.cpython-310.pyc

- \_upload\_large\_folder.cpython-310.pyc
- \_upload\_pipeline.cpython-310.pyc
- \_webhooks\_payload.cpython-310.pyc
- \_webhooks\_server.cpython-310.pyc
- community.cpython-310.pyc
- constants.cpython-310.pyc
- dataclasses.cpython-310.pyc
- errors.cpython-310.pyc
- fastai\_utils.cpython-310.pyc
- file\_download.cpython-310.pyc
- hf\_api.cpython-310.pyc
- hf\_file\_system.cpython-310.pyc
- hub\_mixin.cpython-310.pyc
- lfs.cpython-310.pyc
- repocard.cpython-310.pyc
- repocard\_data.cpython-310.pyc
- hot\_reload/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - client.cpython-310.pyc
    - sse\_client.cpython-310.pyc
    - types.cpython-310.pyc
  - \_\_init\_\_.py
  - client.py
  - sse\_client.py
  - types.py
- cli/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_city\_game.cpython-310.pyc
    - \_cli\_utils.cpython-310.pyc
    - \_completion.cpython-310.pyc
    - \_cp.cpython-310.pyc
    - \_errors.cpython-310.pyc
    - \_file\_listing.cpython-310.pyc
    - \_framework.cpython-310.pyc
    - \_help\_formatter.cpython-310.pyc
    - \_output.cpython-310.pyc
    - \_skills.cpython-310.pyc
    - auth.cpython-310.pyc
    - buckets.cpython-310.pyc
    - cache.cpython-310.pyc
    - collections.cpython-310.pyc
    - datasets.cpython-310.pyc
    - deprecated\_cli.cpython-310.pyc
    - discussions.cpython-310.pyc
    - download.cpython-310.pyc
    - extensions.cpython-310.pyc
    - hf.cpython-310.pyc
    - inference\_endpoints.cpython-310.pyc
    - jobs.cpython-310.pyc
    - lfs.cpython-310.pyc
    - models.cpython-310.pyc
    - papers.cpython-310.pyc
    - repo\_files.cpython-310.pyc
    - repos.cpython-310.pyc
    - sandbox.cpython-310.pyc
    - skills.cpython-310.pyc
    - spaces.cpython-310.pyc
    - system.cpython-310.pyc
    - upload.cpython-310.pyc
    - upload\_large\_folder.cpython-310.pyc
    - webhooks.cpython-310.pyc
  - \_\_init\_\_.py
  - \_city\_game.py
  - \_cli\_utils.py
  - \_completion.py
  - \_cp.py
  - \_errors.py
  - \_file\_listing.py
  - \_framework.py
  - \_help\_formatter.py
  - \_output.py
  - \_skills.py
  - auth.py
  - buckets.py
  - cache.py
  - collections.py
  - datasets.py
  - deprecated\_cli.py
  - discussions.py
  - download.py
  - extensions.py
  - hf.py
  - inference\_endpoints.py

- jobs.py
- lfs.py
- models.py
- papers.py
- repo\_files.py
- repos.py
- sandbox.py
- skills.py
- spaces.py
- system.py
- upload.py
- upload\_large\_folder.py
- webhooks.py
- inference/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_client.cpython-310.pyc
    - \_common.cpython-310.pyc
  - generated/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_async\_client.cpython-310.pyc
  - types/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - audio\_classification.cpython-310.pyc
      - audio\_to\_audio.cpython-310.pyc
      - automatic\_speech\_recognition.cpython-310.pyc
      - base.cpython-310.pyc
      - chat\_completion.cpython-310.pyc
      - depth\_estimation.cpython-310.pyc
      - document\_question\_answering.cpython-310.pyc
      - feature\_extraction.cpython-310.pyc
      - fill\_mask.cpython-310.pyc
      - image\_classification.cpython-310.pyc
      - image\_segmentation.cpython-310.pyc
      - image\_text\_to\_image.cpython-310.pyc
      - image\_text\_to\_video.cpython-310.pyc
      - image\_to\_image.cpython-310.pyc
      - image\_to\_text.cpython-310.pyc
      - image\_to\_video.cpython-310.pyc
      - object\_detection.cpython-310.pyc
      - question\_answering.cpython-310.pyc
      - sentence\_similarity.cpython-310.pyc
      - summarization.cpython-310.pyc
      - table\_question\_answering.cpython-310.pyc
      - text2text\_generation.cpython-310.pyc
      - text\_classification.cpython-310.pyc
      - text\_generation.cpython-310.pyc
      - text\_to\_audio.cpython-310.pyc
      - text\_to\_image.cpython-310.pyc
      - text\_to\_speech.cpython-310.pyc
      - text\_to\_video.cpython-310.pyc
      - token\_classification.cpython-310.pyc
      - translation.cpython-310.pyc
      - video\_classification.cpython-310.pyc
      - visual\_question\_answering.cpython-310.pyc
      - zero\_shot\_classification.cpython-310.pyc
      - zero\_shot\_image\_classification.cpython-310.pyc
      - zero\_shot\_object\_detection.cpython-310.pyc
  - \_\_init\_\_.py
  - audio\_classification.py
  - audio\_to\_audio.py
  - automatic\_speech\_recognition.py
  - base.py
  - chat\_completion.py
  - depth\_estimation.py
  - document\_question\_answering.py
  - feature\_extraction.py
  - fill\_mask.py
  - image\_classification.py
  - image\_segmentation.py
  - image\_text\_to\_image.py
  - image\_text\_to\_video.py
  - image\_to\_image.py
  - image\_to\_text.py
  - image\_to\_video.py
  - object\_detection.py
  - question\_answering.py
  - sentence\_similarity.py
  - summarization.py
  - table\_question\_answering.py
  - text2text\_generation.py
  - text\_classification.py
  - text\_generation.py



- text\_to\_audio.py
- text\_to\_image.py
- text\_to\_speech.py
- text\_to\_video.py
- token\_classification.py
- translation.py
- video\_classification.py
- visual\_question\_answering.py
- zero\_shot\_classification.py
- zero\_shot\_image\_classification.py
- zero\_shot\_object\_detection.py
- \_init\_\_.py
- \_async\_client.py
- mcp/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_cli\_hacks.cpython-310.pyc
    - agent.cpython-310.pyc
    - cli.cpython-310.pyc
    - constants.cpython-310.pyc
    - mcp\_client.cpython-310.pyc
    - types.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_init\_\_.py
  - \_cli\_hacks.py
  - agent.py
  - cli.py
  - constants.py
  - mcp\_client.py
  - types.py
  - utils.py
- providers/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_common.cpython-310.pyc
    - cerebras.cpython-310.pyc
    - cohere.cpython-310.pyc
    - deepinfra.cpython-310.pyc
    - fal\_ai.cpython-310.pyc
    - featherless\_ai.cpython-310.pyc
    - fireworks\_ai.cpython-310.pyc
    - groq.cpython-310.pyc
    - hf\_inference.cpython-310.pyc
    - novita.cpython-310.pyc
    - nscale.cpython-310.pyc
    - openai.cpython-310.pyc
    - ovhcloud.cpython-310.pyc
    - publicai.cpython-310.pyc
    - replicate.cpython-310.pyc
    - scaleway.cpython-310.pyc
    - together.cpython-310.pyc
    - wavespeed.cpython-310.pyc
    - zai\_org.cpython-310.pyc
  - \_init\_\_.py
  - \_common.py
  - cerebras.py
  - cohere.py
  - deepinfra.py
  - fal\_ai.py
  - featherless\_ai.py
  - fireworks\_ai.py
  - groq.py
  - hf\_inference.py
  - novita.py
  - nscale.py
  - openai.py
  - ovhcloud.py
  - publicai.py
  - replicate.py
  - scaleway.py
  - together.py
  - wavespeed.py
  - zai\_org.py
- \_init\_\_.py
- \_client.py
- \_common.py
- serialization/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_base.cpython-310.pyc
    - \_dduf.cpython-310.pyc
    - \_torch.cpython-310.pyc
  - \_init\_\_.py
  - \_base.py
  - \_dduf.py

- └─ \_torch.py
- └─ templates/
  - └─ datasetcard\_template.md
  - └─ modelcard\_template.md
- └─ utils/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_auth.cpython-310.pyc
    - └─ \_cache\_assets.cpython-310.pyc
    - └─ \_cache\_manager.cpython-310.pyc
    - └─ \_chunk\_utils.cpython-310.pyc
    - └─ \_datetime.cpython-310.pyc
    - └─ \_deprecation.cpython-310.pyc
    - └─ \_detect\_agent.cpython-310.pyc
    - └─ \_dotenv.cpython-310.pyc
    - └─ \_experimental.cpython-310.pyc
    - └─ \_fixes.cpython-310.pyc
    - └─ \_git\_credential.cpython-310.pyc
    - └─ \_headers.cpython-310.pyc
    - └─ \_hf\_uris.cpython-310.pyc
    - └─ \_http.cpython-310.pyc
    - └─ \_lfs.cpython-310.pyc
    - └─ \_oauth\_device.cpython-310.pyc
    - └─ \_pagination.cpython-310.pyc
    - └─ \_parsing.cpython-310.pyc
    - └─ \_paths.cpython-310.pyc
    - └─ \_runtime.cpython-310.pyc
    - └─ \_safetensors.cpython-310.pyc
    - └─ \_subprocess.cpython-310.pyc
    - └─ \_telemetry.cpython-310.pyc
    - └─ \_terminal.cpython-310.pyc
    - └─ \_typing.cpython-310.pyc
    - └─ \_validators.cpython-310.pyc
    - └─ \_verification.cpython-310.pyc
    - └─ \_xet.cpython-310.pyc
    - └─ \_xet\_progress\_reporting.cpython-310.pyc
    - └─ \_endpoint\_helpers.cpython-310.pyc
    - └─ \_insecure\_hashlib.cpython-310.pyc
    - └─ \_logging.cpython-310.pyc
    - └─ \_sha.cpython-310.pyc
    - └─ \_tqdm.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ \_auth.py
  - └─ \_cache\_assets.py
  - └─ \_cache\_manager.py
  - └─ \_chunk\_utils.py
  - └─ \_datetime.py
  - └─ \_deprecation.py
  - └─ \_detect\_agent.py
  - └─ \_dotenv.py
  - └─ \_experimental.py
  - └─ \_fixes.py
  - └─ \_git\_credential.py
  - └─ \_headers.py
  - └─ \_hf\_uris.py
  - └─ \_http.py
  - └─ \_lfs.py
  - └─ \_oauth\_device.py
  - └─ \_pagination.py
  - └─ \_parsing.py
  - └─ \_paths.py
  - └─ \_runtime.py
  - └─ \_safetensors.py
  - └─ \_subprocess.py
  - └─ \_telemetry.py
  - └─ \_terminal.py
  - └─ \_typing.py
  - └─ \_validators.py
  - └─ \_verification.py
  - └─ \_xet.py
  - └─ \_xet\_progress\_reporting.py
  - └─ \_endpoint\_helpers.py
  - └─ \_insecure\_hashlib.py
  - └─ \_logging.py
  - └─ \_sha.py
  - └─ \_tqdm.py
  - └─ \_\_init\_\_.py
  - └─ \_buckets.py
  - └─ \_commit\_api.py
  - └─ \_commit\_scheduler.py
  - └─ \_dataset\_viewer.py
  - └─ \_eval\_results.py
  - └─ \_inference\_endpoints.py
  - └─ \_jobs\_api.py
  - └─ \_local\_folder.py

- \_login.py
- \_oauth.py
- \_oidc.py
- \_sandbox.py
- \_sandbox\_cache.py
- \_snapshot\_download.py
- \_space\_api.py
- \_tensorboard\_logger.py
- \_tree\_cache.py
- \_upload\_large\_folder.py
- \_upload\_pipeline.py
- \_webhooks\_payload.py
- \_webhooks\_server.py
- community.py
- constants.py
- dataclasses.py
- errors.py
- fastai\_utils.py
- file\_download.py
- hf\_api.py
- hf\_file\_system.py
- hub\_mixin.py
- lfs.py
- py.typed
- repocard.py
- repocard\_data.py
- huggingface\_hub-1.22.0.dist-info/
  - licenses/
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- idna/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - cli.cpython-310.pyc
    - codec.cpython-310.pyc
    - compat.cpython-310.pyc
    - core.cpython-310.pyc
    - idnadata.cpython-310.pyc
    - intranges.cpython-310.pyc
    - package\_data.cpython-310.pyc
    - uts46data.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - cli.py
  - codec.py
  - compat.py
  - core.py
  - idnadata.py
  - intranges.py
  - package\_data.py
  - py.typed
  - uts46data.py
- idna-3.18.dist-info/
  - licenses/
    - LICENSE.md
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- jinja2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_identifier.cpython-310.pyc
    - async\_utils.cpython-310.pyc
    - bccache.cpython-310.pyc
    - compiler.cpython-310.pyc
    - constants.cpython-310.pyc
    - debug.cpython-310.pyc
    - defaults.cpython-310.pyc
    - environment.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - ext.cpython-310.pyc
    - filters.cpython-310.pyc
    - idtracking.cpython-310.pyc
    - lexer.cpython-310.pyc
    - loaders.cpython-310.pyc
    - meta.cpython-310.pyc
    - nativetypes.cpython-310.pyc

- nodes.cpython-310.pyc
  - optimizer.cpython-310.pyc
  - parser.cpython-310.pyc
  - runtime.cpython-310.pyc
  - sandbox.cpython-310.pyc
  - tests.cpython-310.pyc
  - utils.cpython-310.pyc
  - visitor.cpython-310.pyc
- \_\_init\_\_.py
- \_identifier.py
- async\_utils.py
- bccache.py
- compiler.py
- constants.py
- debug.py
- defaults.py
- environment.py
- exceptions.py
- ext.py
- filters.py
- idtracking.py
- lexer.py
- loaders.py
- meta.py
- nativetypes.py
- nodes.py
- optimizer.py
- parser.py
- py.typed
- runtime.py
- sandbox.py
- tests.py
- utils.py
- visitor.py
- licenses/
        - LICENSE.txt
      - entry\_points.txt
      - INSTALLER
      - METADATA
      - RECORD
      - WHEEL
  - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_cloudpickle\_wrapper.cpython-310.pyc
        - \_dask.cpython-310.pyc
        - \_memmapping\_reducer.cpython-310.pyc
        - \_multiprocessing\_helpers.cpython-310.pyc
        - \_parallel\_backends.cpython-310.pyc
        - \_store\_backends.cpython-310.pyc
        - \_utils.cpython-310.pyc
        - backports.cpython-310.pyc
        - compressor.cpython-310.pyc
        - disk.cpython-310.pyc
        - executor.cpython-310.pyc
        - func\_inspect.cpython-310.pyc
        - hashing.cpython-310.pyc
        - logger.cpython-310.pyc
        - memory.cpython-310.pyc
        - numpy\_pickle.cpython-310.pyc
        - numpy\_pickle\_compat.cpython-310.pyc
        - numpy\_pickle\_utils.cpython-310.pyc
        - parallel.cpython-310.pyc
        - pool.cpython-310.pyc
        - testing.cpython-310.pyc
    - externals/
        - \_\_pycache\_\_/
          - \_\_init\_\_.cpython-310.pyc
        - cloudpickle/
          - \_\_pycache\_\_/
            - \_\_init\_\_.cpython-310.pyc
            - cloudpickle.cpython-310.pyc
            - cloudpickle\_fast.cpython-310.pyc
          - \_\_init\_\_.py
          - cloudpickle.py
          - cloudpickle\_fast.py
        - \_\_pycache\_\_/
                - \_\_init\_\_.cpython-310.pyc
                - \_base.cpython-310.pyc
                - cloudpickle\_wrapper.cpython-310.pyc
                - initializers.cpython-310.pyc
                - process\_executor.cpython-310.pyc
                - reusable\_executor.cpython-310.pyc

```

backend/
├── __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── _posix_reduction.cpython-310.pyc
│   ├── _win_reduction.cpython-310.pyc
│   ├── context.cpython-310.pyc
│   ├── fork_exec.cpython-310.pyc
│   ├── popen_loky_posix.cpython-310.pyc
│   ├── popen_loky_win32.cpython-310.pyc
│   ├── process.cpython-310.pyc
│   ├── queues.cpython-310.pyc
│   ├── reduction.cpython-310.pyc
│   ├── resource_tracker.cpython-310.pyc
│   ├── spawn.cpython-310.pyc
│   ├── synchronize.cpython-310.pyc
│   └── utils.cpython-310.pyc
├── __init__.py
├── _posix_reduction.py
├── _win_reduction.py
├── context.py
├── fork_exec.py
├── popen_loky_posix.py
├── popen_loky_win32.py
├── process.py
├── queues.py
├── reduction.py
├── resource_tracker.py
├── spawn.py
├── synchronize.py
├── utils.py
├── __init__.py
├── _base.py
├── cloudpickle_wrapper.py
├── initializers.py
├── process_executor.py
├── reusable_executor.py
├── __init__.py
test/
├── __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── common.cpython-310.pyc
│   ├── test_backports.cpython-310.pyc
│   ├── test_cloudpickle_wrapper.cpython-310.pyc
│   ├── test_config.cpython-310.pyc
│   ├── test_dask.cpython-310.pyc
│   ├── test_disk.cpython-310.pyc
│   ├── test_func_inspect.cpython-310.pyc
│   ├── test_func_inspect_special_encoding.cpython-310.pyc
│   ├── test_hashing.cpython-310.pyc
│   ├── test_init.cpython-310.pyc
│   ├── test_logger.cpython-310.pyc
│   ├── test_mempmapping.cpython-310.pyc
│   ├── test_memory.cpython-310.pyc
│   ├── test_memory_async.cpython-310.pyc
│   ├── test_missing_multiprocessing.cpython-310.pyc
│   ├── test_module.cpython-310.pyc
│   ├── test_numpy_pickle.cpython-310.pyc
│   ├── test_numpy_pickle_compat.cpython-310.pyc
│   ├── test_numpy_pickle_utils.cpython-310.pyc
│   ├── test_parallel.cpython-310.pyc
│   ├── test_store_backends.cpython-310.pyc
│   ├── test_testing.cpython-310.pyc
│   ├── test_utils.cpython-310.pyc
│   └── testutils.cpython-310.pyc
├── data/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   └── create_numpy_pickle.cpython-310.pyc
│   ├── __init__.py
│   ├── create_numpy_pickle.py
│   ├── joblib_0.10.0_compressed_pickle_py27_np16.gz
│   ├── joblib_0.10.0_compressed_pickle_py27_np17.gz
│   ├── joblib_0.10.0_compressed_pickle_py33_np18.gz
│   ├── joblib_0.10.0_compressed_pickle_py34_np19.gz
│   ├── joblib_0.10.0_compressed_pickle_py35_np19.gz
│   ├── joblib_0.10.0_pickle_py27_np17.pkl
│   ├── joblib_0.10.0_pickle_py27_np17.pkl.bz2
│   ├── joblib_0.10.0_pickle_py27_np17.pkl.gz
│   ├── joblib_0.10.0_pickle_py27_np17.pkl.lzma
│   ├── joblib_0.10.0_pickle_py27_np17.pkl.xz
│   ├── joblib_0.10.0_pickle_py33_np18.pkl
│   ├── joblib_0.10.0_pickle_py33_np18.pkl.bz2
│   ├── joblib_0.10.0_pickle_py33_np18.pkl.gz
│   ├── joblib_0.10.0_pickle_py33_np18.pkl.lzma
│   └── joblib_0.10.0_pickle_py33_np18.pkl.xz

```

- joblib\_0.10.0\_pickle\_py34\_np19.pkl
- joblib\_0.10.0\_pickle\_py34\_np19.pkl.bz2
- joblib\_0.10.0\_pickle\_py34\_np19.pkl.gz
- joblib\_0.10.0\_pickle\_py34\_np19.pkl.lzma
- joblib\_0.10.0\_pickle\_py34\_np19.pkl.xz
- joblib\_0.10.0\_pickle\_py35\_np19.pkl
- joblib\_0.10.0\_pickle\_py35\_np19.pkl.bz2
- joblib\_0.10.0\_pickle\_py35\_np19.pkl.gz
- joblib\_0.10.0\_pickle\_py35\_np19.pkl.lzma
- joblib\_0.10.0\_pickle\_py35\_np19.pkl.xz
- joblib\_0.11.0\_compressed\_pickle\_py36\_np111.gz
- joblib\_0.11.0\_pickle\_py36\_np111.pkl
- joblib\_0.11.0\_pickle\_py36\_np111.pkl.bz2
- joblib\_0.11.0\_pickle\_py36\_np111.pkl.gz
- joblib\_0.11.0\_pickle\_py36\_np111.pkl.lzma
- joblib\_0.11.0\_pickle\_py36\_np111.pkl.xz
- joblib\_0.8.4\_compressed\_pickle\_py27\_np17.gz
- joblib\_0.9.2\_compressed\_pickle\_py27\_np16.gz
- joblib\_0.9.2\_compressed\_pickle\_py27\_np17.gz
- joblib\_0.9.2\_compressed\_pickle\_py34\_np19.gz
- joblib\_0.9.2\_compressed\_pickle\_py35\_np19.gz
- joblib\_0.9.2\_pickle\_py27\_np16.pkl
- joblib\_0.9.2\_pickle\_py27\_np16.pkl\_01.npy
- joblib\_0.9.2\_pickle\_py27\_np16.pkl\_02.npy
- joblib\_0.9.2\_pickle\_py27\_np16.pkl\_03.npy
- joblib\_0.9.2\_pickle\_py27\_np16.pkl\_04.npy
- joblib\_0.9.2\_pickle\_py27\_np17.pkl
- joblib\_0.9.2\_pickle\_py27\_np17.pkl\_01.npy
- joblib\_0.9.2\_pickle\_py27\_np17.pkl\_02.npy
- joblib\_0.9.2\_pickle\_py27\_np17.pkl\_03.npy
- joblib\_0.9.2\_pickle\_py27\_np17.pkl\_04.npy
- joblib\_0.9.2\_pickle\_py33\_np18.pkl
- joblib\_0.9.2\_pickle\_py33\_np18.pkl\_01.npy
- joblib\_0.9.2\_pickle\_py33\_np18.pkl\_02.npy
- joblib\_0.9.2\_pickle\_py33\_np18.pkl\_03.npy
- joblib\_0.9.2\_pickle\_py33\_np18.pkl\_04.npy
- joblib\_0.9.2\_pickle\_py34\_np19.pkl
- joblib\_0.9.2\_pickle\_py34\_np19.pkl\_01.npy
- joblib\_0.9.2\_pickle\_py34\_np19.pkl\_02.npy
- joblib\_0.9.2\_pickle\_py34\_np19.pkl\_03.npy
- joblib\_0.9.2\_pickle\_py34\_np19.pkl\_04.npy
- joblib\_0.9.2\_pickle\_py35\_np19.pkl
- joblib\_0.9.2\_pickle\_py35\_np19.pkl\_01.npy
- joblib\_0.9.2\_pickle\_py35\_np19.pkl\_02.npy
- joblib\_0.9.2\_pickle\_py35\_np19.pkl\_03.npy
- joblib\_0.9.2\_pickle\_py35\_np19.pkl\_04.npy
- joblib\_0.9.4.dev0\_compressed\_cache\_size\_pickle\_py35\_np19.gz
- joblib\_0.9.4.dev0\_compressed\_cache\_size\_pickle\_py35\_np19.gz\_01.npy.z
- joblib\_0.9.4.dev0\_compressed\_cache\_size\_pickle\_py35\_np19.gz\_02.npy.z
- joblib\_0.9.4.dev0\_compressed\_cache\_size\_pickle\_py35\_np19.gz\_03.npy.z
- \_\_init\_\_.py
- common.py
- test\_backports.py
- test\_cloudpickle\_wrapper.py
- test\_config.py
- test\_dask.py
- test\_disk.py
- test\_func\_inspect.py
- test\_func\_inspect\_special\_encoding.py
- test\_hashing.py
- test\_init.py
- test\_logger.py
- test\_mmapping.py
- test\_memory.py
- test\_memory\_async.py
- test\_missing\_multiprocessing.py
- test\_module.py
- test\_numpy\_pickle.py
- test\_numpy\_pickle\_compat.py
- test\_numpy\_pickle\_utils.py
- test\_parallel.py
- test\_store\_backends.py
- test\_testing.py
- test\_utils.py
- testutils.py
- \_\_init\_\_.py
- \_cloudpickle\_wrapper.py
- \_dask.py
- \_memmapping\_reducer.py
- \_multiprocessing\_helpers.py
- \_parallel\_backends.py
- \_store\_backends.py
- \_utils.py
- backports.py
- compressor.py

- disk.py
- executor.py
- func\_inspect.py
- hashing.py
- logger.py
- memory.py
- numpy\_pickle.py
- numpy\_pickle\_compat.py
- numpy\_pickle\_utils.py
- parallel.py
- pool.py
- testing.py
- joblib-1.5.3.dist-info/
  - licenses/
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- kiwisolver/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - exceptions.cpython-310.pyc
  - \_\_init\_\_.py
  - \_cext.cp310-win\_amd64.pyd
  - \_cext.pyi
  - exceptions.py
  - py.typed
- kiwisolver-1.5.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- lazy\_loader/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- lazy\_loader-0.5.dist-info/
  - licenses/
    - LICENSE.md
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- librosa/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_cache.cpython-310.pyc
    - \_typing.cpython-310.pyc
    - beat.cpython-310.pyc
    - decompose.cpython-310.pyc
    - display.cpython-310.pyc
    - effects.cpython-310.pyc
    - filters.cpython-310.pyc
    - onset.cpython-310.pyc
    - segment.cpython-310.pyc
    - sequence.cpython-310.pyc
    - version.cpython-310.pyc
- core/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - audio.\_zc\_wrapper-1154.py310.1.nbc
    - audio.\_zc\_wrapper-1154.py310.2.nbc
    - audio.\_zc\_wrapper-1154.py310.nbi
    - audio.cpython-310.pyc
    - constantq.cpython-310.pyc
    - convert.cpython-310.pyc
    - fft.cpython-310.pyc
    - guf-audio.\_zc\_wrapper-1154.py310.1.nbc
    - guf-audio.\_zc\_wrapper-1154.py310.2.nbc
    - guf-audio.\_zc\_wrapper-1154.py310.nbi
    - harmonic.cpython-310.pyc
    - intervals.cpython-310.pyc
    - notation.cpython-310.pyc
    - pitch.cpython-310.pyc
    - spectrum.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - audio.py
  - constantq.py

- convert.py
- fft.py
- harmonic.py
- intervals.msgpack
- intervals.py
- notation.py
- pitch.py
- spectrum.py
- feature/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - inverse.cpython-310.pyc
    - rhythm.cpython-310.pyc
    - spectral.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - inverse.py
  - rhythm.py
  - spectral.py
  - utils.py
- util/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_nnls.cpython-310.pyc
    - decorators.cpython-310.pyc
    - deprecation.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - files.cpython-310.pyc
    - guf-utils.\_\_peak\_pick-1193.py310.1.nbc
    - guf-utils.\_\_peak\_pick-1193.py310.2.nbc
    - guf-utils.\_\_peak\_pick-1193.py310.3.nbc
    - guf-utils.\_\_peak\_pick-1193.py310.4.nbc
    - guf-utils.\_\_peak\_pick-1193.py310.nbi
    - guf-utils.\_localmax-1035.py310.1.nbc
    - guf-utils.\_localmax-1035.py310.2.nbc
    - guf-utils.\_localmax-1035.py310.3.nbc
    - guf-utils.\_localmax-1035.py310.4.nbc
    - guf-utils.\_localmax-1035.py310.5.nbc
    - guf-utils.\_localmax-1035.py310.nbi
    - guf-utils.\_localmin-1052.py310.1.nbc
    - guf-utils.\_localmin-1052.py310.2.nbc
    - guf-utils.\_localmin-1052.py310.3.nbc
    - guf-utils.\_localmin-1052.py310.4.nbc
    - guf-utils.\_localmin-1052.py310.5.nbc
    - guf-utils.\_localmin-1052.py310.nbi
    - matching.cpython-310.pyc
    - utils.\_\_peak\_pick-1193.py310.1.nbc
    - utils.\_\_peak\_pick-1193.py310.2.nbc
    - utils.\_\_peak\_pick-1193.py310.3.nbc
    - utils.\_\_peak\_pick-1193.py310.4.nbc
    - utils.\_\_peak\_pick-1193.py310.nbi
    - utils.\_cabs2-2436.py310.1.nbc
    - utils.\_cabs2-2436.py310.2.nbc
    - utils.\_cabs2-2436.py310.nbi
    - utils.\_localmax-1035.py310.1.nbc
    - utils.\_localmax-1035.py310.2.nbc
    - utils.\_localmax-1035.py310.3.nbc
    - utils.\_localmax-1035.py310.4.nbc
    - utils.\_localmax-1035.py310.5.nbc
    - utils.\_localmax-1035.py310.nbi
    - utils.\_localmin-1052.py310.1.nbc
    - utils.\_localmin-1052.py310.2.nbc
    - utils.\_localmin-1052.py310.3.nbc
    - utils.\_localmin-1052.py310.4.nbc
    - utils.\_localmin-1052.py310.5.nbc
    - utils.\_localmin-1052.py310.nbi
    - utils.\_phasor\_angles-2488.py310.1.nbc
    - utils.\_phasor\_angles-2488.py310.2.nbc
    - utils.\_phasor\_angles-2488.py310.nbi
    - utils.cpython-310.pyc
  - example\_data/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - index.json
    - registry.txt
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_nnls.py
- decorators.py
- deprecation.py
- exceptions.py
- files.py
- matching.py



- └─ utils.py
- ─ \_\_init\_\_.py
- ─ \_\_init\_\_.pyi
- ─ \_cache.py
- ─ \_typing.py
- ─ beat.py
- ─ decompose.py
- ─ display.py
- ─ effects.py
- ─ filters.py
- ─ onset.py
- ─ py.typed
- ─ segment.py
- ─ sequence.py
- ─ version.py
- ─ librosa-0.11.0.dist-info/
  - ─ INSTALLER
  - ─ LICENSE.md
  - ─ METADATA
  - ─ RECORD
  - ─ REQUESTED
  - ─ top\_level.txt
  - ─ WHEEL
- ─ licensing/
  - ─ license\_notes.md
- ─ llvmlite/
  - ─ \_\_pycache\_\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ \_version.cpython-310.pyc
    - ─ utils.cpython-310.pyc
  - ─ binding/
    - ─ \_\_pycache\_\_/
      - ─ \_\_init\_\_.cpython-310.pyc
      - ─ analysis.cpython-310.pyc
      - ─ common.cpython-310.pyc
      - ─ config.cpython-310.pyc
      - ─ context.cpython-310.pyc
      - ─ dylib.cpython-310.pyc
      - ─ executionengine.cpython-310.pyc
      - ─ ffi.cpython-310.pyc
      - ─ initfini.cpython-310.pyc
      - ─ linker.cpython-310.pyc
      - ─ module.cpython-310.pyc
      - ─ newpassmanagers.cpython-310.pyc
      - ─ object\_file.cpython-310.pyc
      - ─ options.cpython-310.pyc
      - ─ orcjit.cpython-310.pyc
      - ─ targets.cpython-310.pyc
      - ─ typeref.cpython-310.pyc
      - ─ value.cpython-310.pyc
    - ─ \_\_init\_\_.py
    - ─ analysis.py
    - ─ common.py
    - ─ config.py
    - ─ context.py
    - ─ dylib.py
    - ─ executionengine.py
    - ─ ffi.py
    - ─ initfini.py
    - ─ linker.py
    - ─ llvmlite.dll
    - ─ module.py
    - ─ newpassmanagers.py
    - ─ object\_file.py
    - ─ options.py
    - ─ orcjit.py
    - ─ targets.py
    - ─ typeref.py
    - ─ value.py
  - ─ ir/
    - ─ \_\_pycache\_\_/
      - ─ \_\_init\_\_.cpython-310.pyc
      - ─ \_utils.cpython-310.pyc
      - ─ builder.cpython-310.pyc
      - ─ context.cpython-310.pyc
      - ─ instructions.cpython-310.pyc
      - ─ module.cpython-310.pyc
      - ─ transforms.cpython-310.pyc
      - ─ types.cpython-310.pyc
      - ─ values.cpython-310.pyc
    - ─ \_\_init\_\_.py
    - ─ \_utils.py
    - ─ builder.py
    - ─ context.py
    - ─ instructions.py

- module.py
- transforms.py
- types.py
- values.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - customize.cpython-310.pyc
    - refprune\_proto.cpython-310.pyc
    - test\_binding.cpython-310.pyc
    - test\_ir.cpython-310.pyc
    - test\_refprune.cpython-310.pyc
    - test\_valuerepr.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - customize.py
  - refprune\_proto.py
  - test\_binding.py
  - test\_ir.py
  - test\_refprune.py
  - test\_valuerepr.py
- \_\_init\_\_.py
- \_version.py
- utils.py
- llvmlite-0.48.0.dist-info/
  - DELVEWHEEL
  - INSTALLER
  - LICENSE
  - LICENSE.thirdparty
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- llvmlite.libs/
  - msvcp140-8f141b4454fa78db34bc1f28c571b4da.dll
- markdown/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - meta.cpython-310.pyc
    - blockparser.cpython-310.pyc
    - blockprocessors.cpython-310.pyc
    - core.cpython-310.pyc
    - htmlparser.cpython-310.pyc
    - inlinepatterns.cpython-310.pyc
    - postprocessors.cpython-310.pyc
    - preprocessors.cpython-310.pyc
    - serializers.cpython-310.pyc
    - test\_tools.cpython-310.pyc
    - treeprocessors.cpython-310.pyc
    - util.cpython-310.pyc
  - extensions/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - abbr.cpython-310.pyc
      - admonition.cpython-310.pyc
      - attr\_list.cpython-310.pyc
      - codehilite.cpython-310.pyc
      - def\_list.cpython-310.pyc
      - extra.cpython-310.pyc
      - fenced\_code.cpython-310.pyc
      - footnotes.cpython-310.pyc
      - legacy\_attrs.cpython-310.pyc
      - legacy\_em.cpython-310.pyc
      - md\_in\_html.cpython-310.pyc
      - meta.cpython-310.pyc
      - nl2br.cpython-310.pyc
      - sane\_lists.cpython-310.pyc
      - smarty.cpython-310.pyc
      - tables.cpython-310.pyc
      - toc.cpython-310.pyc
      - wikilinks.cpython-310.pyc
    - \_\_init\_\_.py
    - abbr.py
    - admonition.py
    - attr\_list.py
    - codehilite.py
    - def\_list.py
    - extra.py
    - fenced\_code.py
    - footnotes.py
    - legacy\_attrs.py
    - legacy\_em.py
    - md\_in\_html.py

- meta.py
  - nl2br.py
  - sane\_lists.py
  - smarty.py
  - tables.py
  - toc.py
  - wikilinks.py
- \_\_init\_\_.py
- \_\_main\_\_.py
- \_\_meta\_\_.py
- blockparser.py
- blockprocessors.py
- core.py
- htmlparser.py
- inlinepatterns.py
- postprocessors.py
- preprocessors.py
- serializers.py
- test\_tools.py
- treeprocessors.py
- util.py
- markdown-3.10.2.dist-info/
  - licenses/
    - LICENSE.md
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- markdown\_it/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_compat.cpython-310.pyc
    - \_punycode.cpython-310.pyc
    - main.cpython-310.pyc
    - parser\_block.cpython-310.pyc
    - parser\_core.cpython-310.pyc
    - parser\_inline.cpython-310.pyc
    - renderer.cpython-310.pyc
    - ruler.cpython-310.pyc
    - token.cpython-310.pyc
    - tree.cpython-310.pyc
    - utils.cpython-310.pyc
- cli/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - parse.cpython-310.pyc
  - \_\_init\_\_.py
  - parse.py
- common/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - entities.cpython-310.pyc
    - html\_blocks.cpython-310.pyc
    - html\_re.cpython-310.pyc
    - normalize\_url.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_\_init\_\_.py
  - entities.py
  - html\_blocks.py
  - html\_re.py
  - normalize\_url.py
  - utils.py
- helpers/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - parse\_link\_destination.cpython-310.pyc
    - parse\_link\_label.cpython-310.pyc
    - parse\_link\_title.cpython-310.pyc
  - \_\_init\_\_.py
  - parse\_link\_destination.py
  - parse\_link\_label.py
  - parse\_link\_title.py
- presets/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - commonmark.cpython-310.pyc
    - default.cpython-310.pyc
    - zero.cpython-310.pyc
  - \_\_init\_\_.py
  - commonmark.py
  - default.py
  - zero.py
- rules\_block/

- pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - blockquote.cpython-310.pyc
  - code.cpython-310.pyc
  - fence.cpython-310.pyc
  - heading.cpython-310.pyc
  - hr.cpython-310.pyc
  - html\_block.cpython-310.pyc
  - lheading.cpython-310.pyc
  - list.cpython-310.pyc
  - paragraph.cpython-310.pyc
  - reference.cpython-310.pyc
  - state\_block.cpython-310.pyc
  - table.cpython-310.pyc
- \_\_init\_\_.py
- blockquote.py
- code.py
- fence.py
- heading.py
- hr.py
- html\_block.py
- lheading.py
- list.py
- paragraph.py
- reference.py
- state\_block.py
- table.py
- rules\_core/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - block.cpython-310.pyc
    - inline.cpython-310.pyc
    - linkify.cpython-310.pyc
    - normalize.cpython-310.pyc
    - replacements.cpython-310.pyc
    - smartquotes.cpython-310.pyc
    - state\_core.cpython-310.pyc
    - text\_join.cpython-310.pyc
  - \_\_init\_\_.py
  - block.py
  - inline.py
  - linkify.py
  - normalize.py
  - replacements.py
  - smartquotes.py
  - state\_core.py
  - text\_join.py
- rules\_inline/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - autolink.cpython-310.pyc
    - backticks.cpython-310.pyc
    - balance\_pairs.cpython-310.pyc
    - emphasis.cpython-310.pyc
    - entity.cpython-310.pyc
    - escape.cpython-310.pyc
    - fragments\_join.cpython-310.pyc
    - html\_inline.cpython-310.pyc
    - image.cpython-310.pyc
    - link.cpython-310.pyc
    - linkify.cpython-310.pyc
    - newline.cpython-310.pyc
    - state\_inline.cpython-310.pyc
    - strikethrough.cpython-310.pyc
    - text.cpython-310.pyc
  - \_\_init\_\_.py
  - autolink.py
  - backticks.py
  - balance\_pairs.py
  - emphasis.py
  - entity.py
  - escape.py
  - fragments\_join.py
  - html\_inline.py
  - image.py
  - link.py
  - linkify.py
  - newline.py
  - state\_inline.py
  - strikethrough.py
  - text.py
- \_\_init\_\_.py
- \_compat.py
- \_punycode.py
- main.py

- parser\_block.py
- parser\_core.py
- parser\_inline.py
- port.yaml
- py.typed
- renderer.py
- ruler.py
- token.py
- tree.py
- utils.py
- markdown\_it\_py-4.2.0.dist-info/
  - licenses/
    - LICENSE
    - LICENSE.markdown-it
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- markupsafe/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_native.cpython-310.pyc
  - \_\_init\_\_.py
  - \_native.py
  - \_speedups.c
  - \_speedups.cp310-win\_amd64.pyd
  - \_speedups.pyi
  - py.typed
- markupsafe-3.0.3.dist-info/
  - licenses/
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- matplotlib/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_afm.cpython-310.pyc
    - \_animation\_data.cpython-310.pyc
    - \_blocking\_input.cpython-310.pyc
    - \_cm.cpython-310.pyc
    - \_cm\_bivar.cpython-310.pyc
    - \_cm\_listed.cpython-310.pyc
    - \_cm\_multivar.cpython-310.pyc
    - \_color\_data.cpython-310.pyc
    - \_constrained\_layout.cpython-310.pyc
    - \_docstring.cpython-310.pyc
    - \_enums.cpython-310.pyc
    - \_fontconfig\_pattern.cpython-310.pyc
    - \_internal\_utils.cpython-310.pyc
    - \_layoutgrid.cpython-310.pyc
    - \_mathtext.cpython-310.pyc
    - \_mathtext\_data.cpython-310.pyc
    - \_pylab\_helpers.cpython-310.pyc
    - \_text\_helpers.cpython-310.pyc
    - \_tight\_bbox.cpython-310.pyc
    - \_tight\_layout.cpython-310.pyc
    - \_type1font.cpython-310.pyc
    - \_version.cpython-310.pyc
    - animation.cpython-310.pyc
    - artist.cpython-310.pyc
    - axis.cpython-310.pyc
    - backend\_bases.cpython-310.pyc
    - backend\_managers.cpython-310.pyc
    - backend\_tools.cpython-310.pyc
    - bezier.cpython-310.pyc
    - category.cpython-310.pyc
    - cbook.cpython-310.pyc
    - cm.cpython-310.pyc
    - collections.cpython-310.pyc
    - colorbar.cpython-310.pyc
    - colorizer.cpython-310.pyc
    - colors.cpython-310.pyc
    - container.cpython-310.pyc
    - contour.cpython-310.pyc
    - dates.cpython-310.pyc
    - dviread.cpython-310.pyc
    - figure.cpython-310.pyc
    - font\_manager.cpython-310.pyc
    - gridspec.cpython-310.pyc
    - hatch.cpython-310.pyc
    - image.cpython-310.pyc

- inset.cpython-310.pyc
- layout\_engine.cpython-310.pyc
- legend.cpython-310.pyc
- legend\_handler.cpython-310.pyc
- lines.cpython-310.pyc
- markers.cpython-310.pyc
- mathtext.cpython-310.pyc
- mlab.cpython-310.pyc
- offsetbox.cpython-310.pyc
- patches.cpython-310.pyc
- path.cpython-310.pyc
- patheffects.cpython-310.pyc
- pylab.cpython-310.pyc
- pyplot.cpython-310.pyc
- quiver.cpython-310.pyc
- rcsetup.cpython-310.pyc
- sankey.cpython-310.pyc
- scale.cpython-310.pyc
- spines.cpython-310.pyc
- stackplot.cpython-310.pyc
- streamplot.cpython-310.pyc
- table.cpython-310.pyc
- texmanager.cpython-310.pyc
- text.cpython-310.pyc
- textpath.cpython-310.pyc
- ticker.cpython-310.pyc
- transforms.cpython-310.pyc
- typing.cpython-310.pyc
- units.cpython-310.pyc
- widgets.cpython-310.pyc
- \_api/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - deprecation.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - deprecation.py
  - deprecation.pyi
- axes/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_axes.cpython-310.pyc
    - \_base.cpython-310.pyc
    - \_secondary\_axes.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - \_axes.py
  - \_axes.pyi
  - \_base.py
  - \_base.pyi
  - \_secondary\_axes.py
  - \_secondary\_axes.pyi
- backends/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_backend\_gtk.cpython-310.pyc
    - \_backend\_pdf\_ps.cpython-310.pyc
    - \_backend\_tk.cpython-310.pyc
    - backend\_agg.cpython-310.pyc
    - backend\_cairo.cpython-310.pyc
    - backend\_gtk3.cpython-310.pyc
    - backend\_gtk3agg.cpython-310.pyc
    - backend\_gtk3cairo.cpython-310.pyc
    - backend\_gtk4.cpython-310.pyc
    - backend\_gtk4agg.cpython-310.pyc
    - backend\_gtk4cairo.cpython-310.pyc
    - backend\_macosx.cpython-310.pyc
    - backend\_mixed.cpython-310.pyc
    - backend\_nbagg.cpython-310.pyc
    - backend\_pdf.cpython-310.pyc
    - backend\_pgf.cpython-310.pyc
    - backend\_ps.cpython-310.pyc
    - backend\_qt.cpython-310.pyc
    - backend\_qt5.cpython-310.pyc
    - backend\_qt5agg.cpython-310.pyc
    - backend\_qt5cairo.cpython-310.pyc
    - backend\_qtagg.cpython-310.pyc
    - backend\_qtcairo.cpython-310.pyc
    - backend\_svg.cpython-310.pyc
    - backend\_template.cpython-310.pyc
    - backend\_tkagg.cpython-310.pyc
    - backend\_tkcairo.cpython-310.pyc
    - backend\_webagg.cpython-310.pyc
    - backend\_webagg\_core.cpython-310.pyc
    - backend\_wx.cpython-310.pyc

- backend\_wxagg.cpython-310.pyc
  - backend\_wxcairo.cpython-310.pyc
  - qt\_compat.cpython-310.pyc
  - registry.cpython-310.pyc
- qt\_editor/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_formlayout.cpython-310.pyc
    - figureoptions.cpython-310.pyc
  - \_init\_.py
  - \_formlayout.py
  - figureoptions.py
- web\_backend/
  - css/
    - boilerplate.css
    - fbm.css
    - mpl.css
    - page.css
  - js/
    - mpl.js
    - mpl\_tornado.js
    - nbagg\_mpl.js
  - all\_figures.html
  - ipython\_inline\_figure.html
  - single\_figure.html
- \_init\_.py
- \_backend\_agg.cp310-win\_amd64.pyd
- \_backend\_agg.pyi
- \_backend\_gtk.py
- \_backend\_pdf\_ps.py
- \_backend\_tk.py
- \_macosx.pyi
- \_tkagg.cp310-win\_amd64.pyd
- \_tkagg.pyi
- backend\_agg.py
- backend\_cairo.py
- backend\_gtk3.py
- backend\_gtk3agg.py
- backend\_gtk3cairo.py
- backend\_gtk4.py
- backend\_gtk4agg.py
- backend\_gtk4cairo.py
- backend\_macosx.py
- backend\_mixed.py
- backend\_nbagg.py
- backend\_pdf.py
- backend\_pgf.py
- backend\_ps.py
- backend\_qt.py
- backend\_qt5.py
- backend\_qt5agg.py
- backend\_qt5cairo.py
- backend\_qtagg.py
- backend\_qtcairo.py
- backend\_svg.py
- backend\_template.py
- backend\_tkagg.py
- backend\_tkcairo.py
- backend\_webagg.py
- backend\_webagg\_core.py
- backend\_wx.py
- backend\_wxagg.py
- backend\_wxcairo.py
- qt\_compat.py
- registry.py

- mpl-data/
- fonts/
  - afm/
    - cmex10.afm
    - cmmi10.afm
    - cmr10.afm
    - cmsy10.afm
    - cmtt10.afm
    - pagd8a.afm
    - pagdo8a.afm
    - pagk8a.afm
    - pagko8a.afm
    - pbkd8a.afm
    - pbkdi8a.afm
    - pbkl8a.afm
    - pbkli8a.afm
    - pcrb8a.afm
    - pcrbo8a.afm
    - pcr8a.afm
    - pcrro8a.afm

- phvb8a.afm
- phvb8an.afm
- phvbo8a.afm
- phvbo8an.afm
- phvl8a.afm
- phvlo8a.afm
- phvr8a.afm
- phvr8an.afm
- phvro8a.afm
- phvro8an.afm
- pncb8a.afm
- pncbi8a.afm
- pncr8a.afm
- pncri8a.afm
- pplb8a.afm
- pplbi8a.afm
- pplr8a.afm
- pplri8a.afm
- psyr.afm
- ptmb8a.afm
- ptmbi8a.afm
- ptmr8a.afm
- ptmri8a.afm
- putb8a.afm
- putbi8a.afm
- putr8a.afm
- putri8a.afm
- pzcmi8a.afm
- pzdr.afm
- pdfcorefonts/
  - Courier-Bold.afm
  - Courier-BoldOblique.afm
  - Courier-Oblique.afm
  - Courier.afm
  - Helvetica-Bold.afm
  - Helvetica-BoldOblique.afm
  - Helvetica-Oblique.afm
  - Helvetica.afm
  - readme.txt
  - Symbol.afm
  - Times-Bold.afm
  - Times-BoldItalic.afm
  - Times-Italic.afm
  - Times-Roman.afm
  - ZapfDingbats.afm
- ttf/
  - cmb10.ttf
  - cmex10.ttf
  - cmmi10.ttf
  - cmr10.ttf
  - cmss10.ttf
  - cmsy10.ttf
  - cmtt10.ttf
  - DejaVuSans-Bold.ttf
  - DejaVuSans-BoldOblique.ttf
  - DejaVuSans-Oblique.ttf
  - DejaVuSans.ttf
  - DejaVuSansDisplay.ttf
  - DejaVuSansMono-Bold.ttf
  - DejaVuSansMono-BoldOblique.ttf
  - DejaVuSansMono-Oblique.ttf
  - DejaVuSansMono.ttf
  - DejaVuSerif-Bold.ttf
  - DejaVuSerif-BoldItalic.ttf
  - DejaVuSerif-Italic.ttf
  - DejaVuSerif.ttf
  - DejaVuSerifDisplay.ttf
  - LICENSE\_DEJAVU
  - LICENSE\_STIX
  - STIXGeneral.ttf
  - STIXGeneralBol.ttf
  - STIXGeneralBolIta.ttf
  - STIXGeneralItalic.ttf
  - STIXNonUni.ttf
  - STIXNonUniBol.ttf
  - STIXNonUniBolIta.ttf
  - STIXNonUniIta.ttf
  - STIXSizFiveSymReg.ttf
  - STIXSizFourSymBol.ttf
  - STIXSizFourSymReg.ttf
  - STIXSizOneSymBol.ttf
  - STIXSizOneSymReg.ttf
  - STIXSizThreeSymBol.ttf
  - STIXSizThreeSymReg.ttf
  - STIXSizTwoSymBol.ttf



- └─ STIXSizTwoSymReg.ttf
- images/
  - └─ back-symbolic.svg
  - └─ back.pdf
  - └─ back.png
  - └─ back.svg
  - └─ back\_large.png
  - └─ filesave-symbolic.svg
  - └─ filesave.pdf
  - └─ filesave.png
  - └─ filesave.svg
  - └─ filesave\_large.png
  - └─ forward-symbolic.svg
  - └─ forward.pdf
  - └─ forward.png
  - └─ forward.svg
  - └─ forward\_large.png
  - └─ hand.pdf
  - └─ hand.png
  - └─ hand.svg
  - └─ help-symbolic.svg
  - └─ help.pdf
  - └─ help.png
  - └─ help.svg
  - └─ help\_large.png
  - └─ home-symbolic.svg
  - └─ home.pdf
  - └─ home.png
  - └─ home.svg
  - └─ home\_large.png
  - └─ matplotlib.pdf
  - └─ matplotlib.png
  - └─ matplotlib.svg
  - └─ matplotlib\_large.png
  - └─ move-symbolic.svg
  - └─ move.pdf
  - └─ move.png
  - └─ move.svg
  - └─ move\_large.png
  - └─ qt4\_editor\_options.pdf
  - └─ qt4\_editor\_options.png
  - └─ qt4\_editor\_options.svg
  - └─ qt4\_editor\_options\_large.png
  - └─ subplots-symbolic.svg
  - └─ subplots.pdf
  - └─ subplots.png
  - └─ subplots.svg
  - └─ subplots\_large.png
  - └─ zoom\_to\_rect-symbolic.svg
  - └─ zoom\_to\_rect.pdf
  - └─ zoom\_to\_rect.png
  - └─ zoom\_to\_rect.svg
  - └─ zoom\_to\_rect\_large.png
- plot\_directive/
  - └─ plot\_directive.css
- sample\_data/
  - └─ axes\_grid/
    - └─ bivariate\_normal.npy
  - └─ data\_x\_x2\_x3.csv
  - └─ eeg.dat
  - └─ embedding\_in\_wx3.xrc
  - └─ goog.npz
  - └─ grace\_hopper.jpg
  - └─ jacksboro\_fault\_dem.npz
  - └─ logo2.png
  - └─ membrane.dat
  - └─ Minduka\_Present\_Blue\_Pack.png
  - └─ msft.csv
  - └─ README.txt
  - └─ s1045.ima.gz
  - └─ Stocks.csv
  - └─ topobathy.npz
- stylelib/
  - └─ \_classic\_test\_patch.mplstyle
  - └─ \_mpl-gallery-nogrid.mplstyle
  - └─ \_mpl-gallery.mplstyle
  - └─ bmh.mplstyle
  - └─ classic.mplstyle
  - └─ dark\_background.mplstyle
  - └─ fast.mplstyle
  - └─ fivethirtyeight.mplstyle
  - └─ ggplot.mplstyle
  - └─ grayscale.mplstyle
  - └─ petroff10.mplstyle
  - └─ seaborn-v0\_8-bright.mplstyle

- seaborn-v0\_8-colorblind.mplstyle
- seaborn-v0\_8-dark-palette.mplstyle
- seaborn-v0\_8-dark.mplstyle
- seaborn-v0\_8-darkgrid.mplstyle
- seaborn-v0\_8-deep.mplstyle
- seaborn-v0\_8-muted.mplstyle
- seaborn-v0\_8-notebook.mplstyle
- seaborn-v0\_8-paper.mplstyle
- seaborn-v0\_8-pastel.mplstyle
- seaborn-v0\_8-poster.mplstyle
- seaborn-v0\_8-talk.mplstyle
- seaborn-v0\_8-ticks.mplstyle
- seaborn-v0\_8-white.mplstyle
- seaborn-v0\_8-whitegrid.mplstyle
- seaborn-v0\_8.mplstyle
- Solarize\_Light2.mplstyle
- tableau-colorblind10.mplstyle
- kpsewhich.lua
- matplotlibrc
- projections/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - geo.cpython-310.pyc
    - polar.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - geo.py
  - geo.pyi
  - polar.py
  - polar.pyi
- sphinxext/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - figmpl\_directive.cpython-310.pyc
    - mathmpl.cpython-310.pyc
    - plot\_directive.cpython-310.pyc
    - roles.cpython-310.pyc
  - \_\_init\_\_.py
  - figmpl\_directive.py
  - mathmpl.py
  - plot\_directive.py
  - roles.py
- style/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - core.cpython-310.pyc
  - \_\_init\_\_.py
  - core.py
  - core.pyi
- testing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_markers.cpython-310.pyc
    - compare.cpython-310.pyc
    - conftest.cpython-310.pyc
    - decorators.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - widgets.cpython-310.pyc
- jpl\_units/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - Duration.cpython-310.pyc
    - Epoch.cpython-310.pyc
    - EpochConverter.cpython-310.pyc
    - StrConverter.cpython-310.pyc
    - UnitDb1.cpython-310.pyc
    - UnitDb1Converter.cpython-310.pyc
    - UnitDb1Formatter.cpython-310.pyc
  - \_\_init\_\_.py
  - Duration.py
  - Epoch.py
  - EpochConverter.py
  - StrConverter.py
  - UnitDb1.py
  - UnitDb1Converter.py
  - UnitDb1Formatter.py
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_markers.py
- compare.py
- compare.pyi
- conftest.py
- conftest.pyi
- decorators.py
- decorators.pyi

```
— exceptions.py
— widgets.py
— widgets.pyi
— tests/
  — __pycache__/
    — __init__.cpython-310.pyc
    — conftest.cpython-310.pyc
    — test_afm.cpython-310.pyc
    — test_agg.cpython-310.pyc
    — test_agg_filter.cpython-310.pyc
    — test_animation.cpython-310.pyc
    — test_api.cpython-310.pyc
    — test_arrow_patches.cpython-310.pyc
    — test_artist.cpython-310.pyc
    — test_axes.cpython-310.pyc
    — test_axis.cpython-310.pyc
    — test_backend_bases.cpython-310.pyc
    — test_backend_cairo.cpython-310.pyc
    — test_backend_gtk3.cpython-310.pyc
    — test_backend_inline.cpython-310.pyc
    — test_backend_macosx.cpython-310.pyc
    — test_backend_nbagg.cpython-310.pyc
    — test_backend_pdf.cpython-310.pyc
    — test_backend_pgf.cpython-310.pyc
    — test_backend_ps.cpython-310.pyc
    — test_backend_qt.cpython-310.pyc
    — test_backend_registry.cpython-310.pyc
    — test_backend_svg.cpython-310.pyc
    — test_backend_template.cpython-310.pyc
    — test_backend_tk.cpython-310.pyc
    — test_backend_tools.cpython-310.pyc
    — test_backend_webagg.cpython-310.pyc
    — test_backends_interactive.cpython-310.pyc
    — test_basic.cpython-310.pyc
    — test_bbox_tight.cpython-310.pyc
    — test_bezier.cpython-310.pyc
    — test_category.cpython-310.pyc
    — test_cbook.cpython-310.pyc
    — test_collections.cpython-310.pyc
    — test_colorbar.cpython-310.pyc
    — test_colors.cpython-310.pyc
    — test_compare_images.cpython-310.pyc
    — test_constrainedlayout.cpython-310.pyc
    — test_container.cpython-310.pyc
    — test_contour.cpython-310.pyc
    — test_cycles.cpython-310.pyc
    — test_dates.cpython-310.pyc
    — test_datetime.cpython-310.pyc
    — test_determinism.cpython-310.pyc
    — test_doc.cpython-310.pyc
    — test_dviread.cpython-310.pyc
    — test_figure.cpython-310.pyc
    — test_font_manager.cpython-310.pyc
    — test_fontconfig_pattern.cpython-310.pyc
    — test_ft2font.cpython-310.pyc
    — test_getattr.cpython-310.pyc
    — test_gridspec.cpython-310.pyc
    — test_image.cpython-310.pyc
    — test_legend.cpython-310.pyc
    — test_lines.cpython-310.pyc
    — test_marker.cpython-310.pyc
    — test_mathtext.cpython-310.pyc
    — test_matplotlib.cpython-310.pyc
    — test_mlab.cpython-310.pyc
    — test_multivariate_colormaps.cpython-310.pyc
    — test_offsetbox.cpython-310.pyc
    — test_patches.cpython-310.pyc
    — test_path.cpython-310.pyc
    — test_patheffects.cpython-310.pyc
    — test_pickle.cpython-310.pyc
    — test_png.cpython-310.pyc
    — test_polar.cpython-310.pyc
    — test_preprocess_data.cpython-310.pyc
    — test_pyplot.cpython-310.pyc
    — test_quiver.cpython-310.pyc
    — test_rcparams.cpython-310.pyc
    — test_sankey.cpython-310.pyc
    — test_scale.cpython-310.pyc
    — test_simplification.cpython-310.pyc
    — test_skew.cpython-310.pyc
    — test_sphinxext.cpython-310.pyc
    — test_spines.cpython-310.pyc
    — test_streamplot.cpython-310.pyc
    — test_style.cpython-310.pyc
    — test_subplots.cpython-310.pyc
```

```
— test_table.cpython-310.pyc
— test_testing.cpython-310.pyc
— test_texmanager.cpython-310.pyc
— test_text.cpython-310.pyc
— test_textpath.cpython-310.pyc
— test_ticker.cpython-310.pyc
— test_tightlayout.cpython-310.pyc
— test_transforms.cpython-310.pyc
— test_triangulation.cpython-310.pyc
— test_type1font.cpython-310.pyc
— test_units.cpython-310.pyc
— test_usetex.cpython-310.pyc
— test_widgets.cpython-310.pyc
— __init__.py
— conftest.py
— test_afm.py
— test_agg.py
— test_agg_filter.py
— test_animation.py
— test_api.py
— test_arrow_patches.py
— test_artist.py
— test_axes.py
— test_axis.py
— test_backend_bases.py
— test_backend_cairo.py
— test_backend_gtk3.py
— test_backend_inline.py
— test_backend_macosx.py
— test_backend_nbagg.py
— test_backend_pdf.py
— test_backend_pgf.py
— test_backend_ps.py
— test_backend_qt.py
— test_backend_registry.py
— test_backend_svg.py
— test_backend_template.py
— test_backend_tk.py
— test_backend_tools.py
— test_backend_webagg.py
— test_backends_interactive.py
— test_basic.py
— test_bbox_tight.py
— test_bezier.py
— test_category.py
— test_cbook.py
— test_collections.py
— test_colorbar.py
— test_colors.py
— test_compare_images.py
— test_constrainedlayout.py
— test_container.py
— test_contour.py
— test_cycles.py
— test_dates.py
— test_datetime.py
— test_determinism.py
— test_doc.py
— test_dviread.py
— test_figure.py
— test_font_manager.py
— test_fontconfig_pattern.py
— test_ft2font.py
— test_getattr.py
— test_gridspec.py
— test_image.py
— test_legend.py
— test_lines.py
— test_marker.py
— test_mathtext.py
— test_matplotlib.py
— test_mlab.py
— test_multivariate_colormaps.py
— test_offsetbox.py
— test_patches.py
— test_path.py
— test_patheffects.py
— test_pickle.py
— test_png.py
— test_polar.py
— test_preprocess_data.py
— test_pyplot.py
— test_quiver.py
— test_rcparams.py
— test_sankey.py
```

- test\_scale.py
- test\_simplification.py
- test\_skew.py
- test\_sphinxext.py
- test\_spines.py
- test\_streamplot.py
- test\_style.py
- test\_subplots.py
- test\_table.py
- test\_testing.py
- test\_texmanager.py
- test\_text.py
- test\_textpath.py
- test\_ticker.py
- test\_tightlayout.py
- test\_transforms.py
- test\_triangulation.py
- test\_type1font.py
- test\_units.py
- test\_usetex.py
- test\_widgets.py
- tri/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - triangulation.cpython-310.pyc
    - tricontour.cpython-310.pyc
    - trifinder.cpython-310.pyc
    - triinterpolate.cpython-310.pyc
    - tripcolor.cpython-310.pyc
    - triplot.cpython-310.pyc
    - trirefine.cpython-310.pyc
    - tritools.cpython-310.pyc
  - \_\_init\_\_.py
  - triangulation.py
  - triangulation.pyi
  - tricontour.py
  - tricontour.pyi
  - trifinder.py
  - trifinder.pyi
  - triinterpolate.py
  - triinterpolate.pyi
  - tripcolor.py
  - tripcolor.pyi
  - triplot.py
  - triplot.pyi
  - trirefine.py
  - trirefine.pyi
  - tritools.py
  - tritools.pyi
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_afm.py
- \_animation\_data.py
- \_blocking\_input.py
- \_c\_internal\_utils.cp310-win\_amd64.pyd
- \_c\_internal\_utils.pyi
- \_cm.py
- \_cm\_bivar.py
- \_cm\_listed.py
- \_cm\_multivar.py
- \_color\_data.py
- \_color\_data.pyi
- \_constrained\_layout.py
- \_docstring.py
- \_docstring.pyi
- \_enums.py
- \_enums.pyi
- \_fontconfig\_pattern.py
- \_image.cp310-win\_amd64.pyd
- \_image.pyi
- \_internal\_utils.py
- \_layoutgrid.py
- \_mathtext.py
- \_mathtext\_data.py
- \_path.cp310-win\_amd64.pyd
- \_path.pyi
- \_pylab\_helpers.py
- \_pylab\_helpers.pyi
- \_qhull.cp310-win\_amd64.pyd
- \_qhull.pyi
- \_text\_helpers.py
- \_tight\_bbox.py
- \_tight\_layout.py
- \_tri.cp310-win\_amd64.pyd
- \_tri.pyi

— \_type1font.py  
— \_version.py  
— animation.py  
— animation.pyi  
— artist.py  
— artist.pyi  
— axis.py  
— axis.pyi  
— backend\_bases.py  
— backend\_bases.pyi  
— backend\_managers.py  
— backend\_managers.pyi  
— backend\_tools.py  
— backend\_tools.pyi  
— bezier.py  
— bezier.pyi  
— category.py  
— cbook.py  
— cbook.pyi  
— cm.py  
— cm.pyi  
— collections.py  
— collections.pyi  
— colorbar.py  
— colorbar.pyi  
— colorizer.py  
— colorizer.pyi  
— colors.py  
— colors.pyi  
— container.py  
— container.pyi  
— contour.py  
— contour.pyi  
— dates.py  
— dviread.py  
— dviread.pyi  
— figure.py  
— figure.pyi  
— font\_manager.py  
— font\_manager.pyi  
— ft2font.cp310-win\_amd64.pyd  
— ft2font.pyi  
— gridspec.py  
— gridspec.pyi  
— hatch.py  
— hatch.pyi  
— image.py  
— image.pyi  
— inset.py  
— inset.pyi  
— layout\_engine.py  
— layout\_engine.pyi  
— legend.py  
— legend.pyi  
— legend\_handler.py  
— legend\_handler.pyi  
— lines.py  
— lines.pyi  
— markers.py  
— markers.pyi  
— mathtext.py  
— mathtext.pyi  
— mlab.py  
— mlab.pyi  
— offsetbox.py  
— offsetbox.pyi  
— patches.py  
— patches.pyi  
— path.py  
— path.pyi  
— patheffects.py  
— patheffects.pyi  
— py.typed  
— pylab.py  
— pyplot.py  
— quiver.py  
— quiver.pyi  
— rcsetup.py  
— rcsetup.pyi  
— sankey.py  
— sankey.pyi  
— scale.py  
— scale.pyi  
— spines.py  
— spines.pyi

- stackplot.py
- stackplot.pyi
- streamplot.py
- streamplot.pyi
- table.py
- table.pyi
- texmanager.py
- texmanager.pyi
- text.py
- text.pyi
- textpath.py
- textpath.pyi
- ticker.py
- ticker.pyi
- transforms.py
- transforms.pyi
- typing.py
- units.py
- widgets.py
- widgets.pyi
- matplotlib-3.10.9.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- mdurl/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_decode.cpython-310.pyc
    - \_encode.cpython-310.pyc
    - \_format.cpython-310.pyc
    - \_parse.cpython-310.pyc
    - \_url.cpython-310.pyc
  - \_\_init\_\_.py
  - \_decode.py
  - \_encode.py
  - \_format.py
  - \_parse.py
  - \_url.py
  - py.typed
- mdurl-0.1.2.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - WHEEL
- mpl\_toolkits/
  - axes\_grid1/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - anchored\_artists.cpython-310.pyc
      - axes\_divider.cpython-310.pyc
      - axes\_grid.cpython-310.pyc
      - axes\_rgb.cpython-310.pyc
      - axes\_size.cpython-310.pyc
      - inset\_locator.cpython-310.pyc
      - mpl\_axes.cpython-310.pyc
      - parasite\_axes.cpython-310.pyc
    - tests/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - conftest.cpython-310.pyc
        - test\_axes\_grid1.cpython-310.pyc
      - \_\_init\_\_.py
      - conftest.py
      - test\_axes\_grid1.py
    - \_\_init\_\_.py
    - anchored\_artists.py
    - axes\_divider.py
    - axes\_grid.py
    - axes\_rgb.py
    - axes\_size.py
    - inset\_locator.py
    - mpl\_axes.py
    - parasite\_axes.py
  - axisartist/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - angle\_helper.cpython-310.pyc
      - axes\_divider.cpython-310.pyc
      - axis\_artist.cpython-310.pyc
      - axisline\_style.cpython-310.pyc
      - axislines.cpython-310.pyc

- floating\_axes.cpython-310.pyc
- grid\_finder.cpython-310.pyc
- grid\_helper\_curvelinear.cpython-310.pyc
- parasite\_axes.cpython-310.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_angle\_helper.cpython-310.pyc
    - test\_axis\_artist.cpython-310.pyc
    - test\_axislines.cpython-310.pyc
    - test\_floating\_axes.cpython-310.pyc
    - test\_grid\_finder.cpython-310.pyc
    - test\_grid\_helper\_curvelinear.cpython-310.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_angle\_helper.py
  - test\_axis\_artist.py
  - test\_axislines.py
  - test\_floating\_axes.py
  - test\_grid\_finder.py
  - test\_grid\_helper\_curvelinear.py
- \_\_init\_\_.py
- angle\_helper.py
- axes\_divider.py
- axis\_artist.py
- axisline\_style.py
- axislines.py
- floating\_axes.py
- grid\_finder.py
- grid\_helper\_curvelinear.py
- parasite\_axes.py
- mplot3d/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - art3d.cpython-310.pyc
    - axes3d.cpython-310.pyc
    - axis3d.cpython-310.pyc
    - proj3d.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - conftest.cpython-310.pyc
      - test\_art3d.cpython-310.pyc
      - test\_axes3d.cpython-310.pyc
      - test\_legend3d.cpython-310.pyc
    - \_\_init\_\_.py
    - conftest.py
    - test\_art3d.py
    - test\_axes3d.py
    - test\_legend3d.py
  - \_\_init\_\_.py
  - art3d.py
  - axes3d.py
  - axis3d.py
  - proj3d.py
- mpmath/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - ctx\_base.cpython-310.pyc
    - ctx\_fp.cpython-310.pyc
    - ctx\_iv.cpython-310.pyc
    - ctx\_mp.cpython-310.pyc
    - ctx\_mp\_python.cpython-310.pyc
    - function\_docs.cpython-310.pyc
    - identification.cpython-310.pyc
    - math2.cpython-310.pyc
    - rational.cpython-310.pyc
    - usertools.cpython-310.pyc
    - visualization.cpython-310.pyc
  - calculus/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - approximation.cpython-310.pyc
      - calculus.cpython-310.pyc
      - differentiation.cpython-310.pyc
      - extrapolation.cpython-310.pyc
      - inverselaplace.cpython-310.pyc
      - odes.cpython-310.pyc
      - optimization.cpython-310.pyc
      - polynomials.cpython-310.pyc
      - quadrature.cpython-310.pyc
    - \_\_init\_\_.py
    - approximation.py
    - calculus.py



- differentiation.py
- extrapolation.py
- inversedlaplace.py
- odes.py
- optimization.py
- polynomials.py
- quadrature.py
- functions/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - bessell.cpython-310.pyc
    - elliptic.cpython-310.pyc
    - expintegrals.cpython-310.pyc
    - factorials.cpython-310.pyc
    - functions.cpython-310.pyc
    - hypergeometric.cpython-310.pyc
    - orthogonal.cpython-310.pyc
    - qfunctions.cpython-310.pyc
    - rszeta.cpython-310.pyc
    - signals.cpython-310.pyc
    - theta.cpython-310.pyc
    - zeta.cpython-310.pyc
    - zetazeros.cpython-310.pyc
  - \_\_init\_\_.py
  - bessell.py
  - elliptic.py
  - expintegrals.py
  - factorials.py
  - functions.py
  - hypergeometric.py
  - orthogonal.py
  - qfunctions.py
  - rszeta.py
  - signals.py
  - theta.py
  - zeta.py
  - zetazeros.py
- libmp/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - backend.cpython-310.pyc
    - gammazeta.cpython-310.pyc
    - libelefun.cpython-310.pyc
    - libhyper.cpython-310.pyc
    - libintmath.cpython-310.pyc
    - libmpc.cpython-310.pyc
    - libmpf.cpython-310.pyc
    - libmpi.cpython-310.pyc
  - \_\_init\_\_.py
  - backend.py
  - gammazeta.py
  - libelefun.py
  - libhyper.py
  - libintmath.py
  - libmpc.py
  - libmpf.py
  - libmpi.py
- matrices/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - calculus.cpython-310.pyc
    - eigen.cpython-310.pyc
    - eigen\_symmetric.cpython-310.pyc
    - linalg.cpython-310.pyc
    - matrices.cpython-310.pyc
  - \_\_init\_\_.py
  - calculus.py
  - eigen.py
  - eigen\_symmetric.py
  - linalg.py
  - matrices.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - extratest\_gamma.cpython-310.pyc
    - extratest\_zeta.cpython-310.pyc
    - runtests.cpython-310.pyc
    - test\_basic\_ops.cpython-310.pyc
    - test\_bitwise.cpython-310.pyc
    - test\_calculus.cpython-310.pyc
    - test\_compatibility.cpython-310.pyc
    - test\_convert.cpython-310.pyc
    - test\_diff.cpython-310.pyc
    - test\_division.cpython-310.pyc
    - test\_eigen.cpython-310.pyc

- test\_eigen\_symmetric.cpython-310.pyc
- test\_elliptic.cpython-310.pyc
- test\_fp.cpython-310.pyc
- test\_functions.cpython-310.pyc
- test\_functions2.cpython-310.pyc
- test\_gammazeta.cpython-310.pyc
- test\_hp.cpython-310.pyc
- test\_identify.cpython-310.pyc
- test\_interval.cpython-310.pyc
- test\_levin.cpython-310.pyc
- test\_linalg.cpython-310.pyc
- test\_matrices.cpython-310.pyc
- test\_mpmath.cpython-310.pyc
- test\_ode.cpython-310.pyc
- test\_pickle.cpython-310.pyc
- test\_power.cpython-310.pyc
- test\_quad.cpython-310.pyc
- test\_rootfinding.cpython-310.pyc
- test\_special.cpython-310.pyc
- test\_str.cpython-310.pyc
- test\_summation.cpython-310.pyc
- test\_trig.cpython-310.pyc
- test\_visualization.cpython-310.pyc
- torture.cpython-310.pyc
- \_\_init\_\_.py
- extratest\_gamma.py
- extratest\_zeta.py
- runtests.py
- test\_basic\_ops.py
- test\_bitwise.py
- test\_calculus.py
- test\_compatibility.py
- test\_convert.py
- test\_diff.py
- test\_division.py
- test\_eigen.py
- test\_eigen\_symmetric.py
- test\_elliptic.py
- test\_fp.py
- test\_functions.py
- test\_functions2.py
- test\_gammazeta.py
- test\_hp.py
- test\_identify.py
- test\_interval.py
- test\_levin.py
- test\_linalg.py
- test\_matrices.py
- test\_mpmath.py
- test\_ode.py
- test\_pickle.py
- test\_power.py
- test\_quad.py
- test\_rootfinding.py
- test\_special.py
- test\_str.py
- test\_summation.py
- test\_trig.py
- test\_visualization.py
- torture.py
- \_\_init\_\_.py
- ctx\_base.py
- ctx\_fp.py
- ctx\_iv.py
- ctx\_mp.py
- ctx\_mp\_python.py
- function\_docs.py
- identification.py
- math2.py
- rational.py
- usertools.py
- visualization.py
- mpmath-1.3.0.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- msgpack/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - ext.cpython-310.pyc
    - fallback.cpython-310.pyc

- `__init__.py`
- `_msgpack.cp310-win_amd64.pyd`
- `exceptions.py`
- `ext.py`
- `fallback.py`
- `msgpack-1.2.1.dist-info/`
  - `licenses/`
    - `COPYING`
  - `INSTALLER`
  - `METADATA`
  - `RECORD`
  - `top_level.txt`
  - `WHEEL`
- `networkx/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `conftest.cpython-310.pyc`
    - `convert.cpython-310.pyc`
    - `convert_matrix.cpython-310.pyc`
    - `exception.cpython-310.pyc`
    - `lazy_imports.cpython-310.pyc`
    - `relabel.cpython-310.pyc`
  - `algorithms/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
      - `asteroidal.cpython-310.pyc`
      - `boundary.cpython-310.pyc`
      - `bridges.cpython-310.pyc`
      - `broadcasting.cpython-310.pyc`
      - `chains.cpython-310.pyc`
      - `chordal.cpython-310.pyc`
      - `clique.cpython-310.pyc`
      - `cluster.cpython-310.pyc`
      - `communicability_alg.cpython-310.pyc`
      - `core.cpython-310.pyc`
      - `covering.cpython-310.pyc`
      - `cuts.cpython-310.pyc`
      - `cycles.cpython-310.pyc`
      - `d_separation.cpython-310.pyc`
      - `dag.cpython-310.pyc`
      - `distance_measures.cpython-310.pyc`
      - `distance_regular.cpython-310.pyc`
      - `dominance.cpython-310.pyc`
      - `dominating.cpython-310.pyc`
      - `efficiency_measures.cpython-310.pyc`
      - `euler.cpython-310.pyc`
      - `graph_hashing.cpython-310.pyc`
      - `graphical.cpython-310.pyc`
      - `hierarchy.cpython-310.pyc`
      - `hybrid.cpython-310.pyc`
      - `isolate.cpython-310.pyc`
      - `link_prediction.cpython-310.pyc`
      - `lowest_common_ancestors.cpython-310.pyc`
      - `matching.cpython-310.pyc`
      - `mis.cpython-310.pyc`
      - `moral.cpython-310.pyc`
      - `node_classification.cpython-310.pyc`
      - `non_randomness.cpython-310.pyc`
      - `planar_drawing.cpython-310.pyc`
      - `planarity.cpython-310.pyc`
      - `polynomials.cpython-310.pyc`
      - `reciprocity.cpython-310.pyc`
      - `regular.cpython-310.pyc`
      - `richclub.cpython-310.pyc`
      - `similarity.cpython-310.pyc`
      - `simple_paths.cpython-310.pyc`
      - `smallworld.cpython-310.pyc`
      - `smetric.cpython-310.pyc`
      - `sparsifiers.cpython-310.pyc`
      - `structuralholes.cpython-310.pyc`
      - `summarization.cpython-310.pyc`
      - `swap.cpython-310.pyc`
      - `threshold.cpython-310.pyc`
      - `time_dependent.cpython-310.pyc`
      - `tournament.cpython-310.pyc`
      - `triads.cpython-310.pyc`
      - `vitality.cpython-310.pyc`
      - `voronoi.cpython-310.pyc`
      - `walks.cpython-310.pyc`
      - `wiener.cpython-310.pyc`
    - `approximation/`
      - `__pycache__/`
        - `__init__.cpython-310.pyc`
        - `clique.cpython-310.pyc`
        - `clustering_coefficient.cpython-310.pyc`

- connectivity.cpython-310.pyc
- distance\_measures.cpython-310.pyc
- dominating\_set.cpython-310.pyc
- kcomponents.cpython-310.pyc
- matching.cpython-310.pyc
- maxcut.cpython-310.pyc
- ramsey.cpython-310.pyc
- steinertree.cpython-310.pyc
- traveling\_salesman.cpython-310.pyc
- treewidth.cpython-310.pyc
- vertex\_cover.cpython-310.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_approx\_clust\_coeff.cpython-310.pyc
    - test\_clique.cpython-310.pyc
    - test\_connectivity.cpython-310.pyc
    - test\_distance\_measures.cpython-310.pyc
    - test\_dominating\_set.cpython-310.pyc
    - test\_kcomponents.cpython-310.pyc
    - test\_matching.cpython-310.pyc
    - test\_maxcut.cpython-310.pyc
    - test\_ramsey.cpython-310.pyc
    - test\_steinertree.cpython-310.pyc
    - test\_traveling\_salesman.cpython-310.pyc
    - test\_treewidth.cpython-310.pyc
    - test\_vertex\_cover.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_approx\_clust\_coeff.py
  - test\_clique.py
  - test\_connectivity.py
  - test\_distance\_measures.py
  - test\_dominating\_set.py
  - test\_kcomponents.py
  - test\_matching.py
  - test\_maxcut.py
  - test\_ramsey.py
  - test\_steinertree.py
  - test\_traveling\_salesman.py
  - test\_treewidth.py
  - test\_vertex\_cover.py
- \_\_init\_\_.py
- clique.py
- clustering\_coefficient.py
- connectivity.py
- distance\_measures.py
- dominating\_set.py
- kcomponents.py
- matching.py
- maxcut.py
- ramsey.py
- steinertree.py
- traveling\_salesman.py
- treewidth.py
- vertex\_cover.py
- assortativity/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - connectivity.cpython-310.pyc
    - correlation.cpython-310.pyc
    - mixing.cpython-310.pyc
    - neighbor\_degree.cpython-310.pyc
    - pairs.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - base\_test.cpython-310.pyc
      - test\_connectivity.cpython-310.pyc
      - test\_correlation.cpython-310.pyc
      - test\_mixing.cpython-310.pyc
      - test\_neighbor\_degree.cpython-310.pyc
      - test\_pairs.cpython-310.pyc
    - \_\_init\_\_.py
    - base\_test.py
    - test\_connectivity.py
    - test\_correlation.py
    - test\_mixing.py
    - test\_neighbor\_degree.py
    - test\_pairs.py
  - \_\_init\_\_.py
  - connectivity.py
  - correlation.py
  - mixing.py
  - neighbor\_degree.py
  - pairs.py

- bipartite/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - basic.cpython-310.pyc
    - centrality.cpython-310.pyc
    - cluster.cpython-310.pyc
    - covering.cpython-310.pyc
    - edgelist.cpython-310.pyc
    - extendability.cpython-310.pyc
    - generators.cpython-310.pyc
    - matching.cpython-310.pyc
    - matrix.cpython-310.pyc
    - projection.cpython-310.pyc
    - redundancy.cpython-310.pyc
    - spectral.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_basic.cpython-310.pyc
      - test\_centrality.cpython-310.pyc
      - test\_cluster.cpython-310.pyc
      - test\_covering.cpython-310.pyc
      - test\_edgelist.cpython-310.pyc
      - test\_extendability.cpython-310.pyc
      - test\_generators.cpython-310.pyc
      - test\_matching.cpython-310.pyc
      - test\_matrix.cpython-310.pyc
      - test\_project.cpython-310.pyc
      - test\_redundancy.cpython-310.pyc
      - test\_spectral\_bipartivity.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_basic.py
    - test\_centrality.py
    - test\_cluster.py
    - test\_covering.py
    - test\_edgelist.py
    - test\_extendability.py
    - test\_generators.py
    - test\_matching.py
    - test\_matrix.py
    - test\_project.py
    - test\_redundancy.py
    - test\_spectral\_bipartivity.py
  - \_\_init\_\_.py
  - basic.py
  - centrality.py
  - cluster.py
  - covering.py
  - edgelist.py
  - extendability.py
  - generators.py
  - matching.py
  - matrix.py
  - projection.py
  - redundancy.py
  - spectral.py
- centrality/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - betweenness.cpython-310.pyc
    - betweenness\_subset.cpython-310.pyc
    - closeness.cpython-310.pyc
    - current\_flow\_betweenness.cpython-310.pyc
    - current\_flow\_betweenness\_subset.cpython-310.pyc
    - current\_flow\_closeness.cpython-310.pyc
    - degree\_alg.cpython-310.pyc
    - dispersion.cpython-310.pyc
    - eigenvector.cpython-310.pyc
    - flow\_matrix.cpython-310.pyc
    - group.cpython-310.pyc
    - harmonic.cpython-310.pyc
    - katz.cpython-310.pyc
    - laplacian.cpython-310.pyc
    - load.cpython-310.pyc
    - percolation.cpython-310.pyc
    - reaching.cpython-310.pyc
    - second\_order.cpython-310.pyc
    - subgraph\_alg.cpython-310.pyc
    - trophic.cpython-310.pyc
    - voterank\_alg.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_betweenness\_centrality.cpython-310.pyc
      - test\_betweenness\_centrality\_subset.cpython-310.pyc

- test\_closeness\_centrality.cpython-310.pyc
- test\_current\_flow\_betweenness\_centrality.cpython-310.pyc
- test\_current\_flow\_betweenness\_centrality\_subset.cpython-310.pyc
- test\_current\_flow\_closeness.cpython-310.pyc
- test\_degree\_centrality.cpython-310.pyc
- test\_dispersion.cpython-310.pyc
- test\_eigenvector\_centrality.cpython-310.pyc
- test\_group.cpython-310.pyc
- test\_harmonic\_centrality.cpython-310.pyc
- test\_katz\_centrality.cpython-310.pyc
- test\_laplacian\_centrality.cpython-310.pyc
- test\_load\_centrality.cpython-310.pyc
- test\_percolation\_centrality.cpython-310.pyc
- test\_reaching.cpython-310.pyc
- test\_second\_order\_centrality.cpython-310.pyc
- test\_subgraph.cpython-310.pyc
- test\_trophic.cpython-310.pyc
- test\_voterank.cpython-310.pyc
- \_\_init\_\_.py
- test\_betweenness\_centrality.py
- test\_betweenness\_centrality\_subset.py
- test\_closeness\_centrality.py
- test\_current\_flow\_betweenness\_centrality.py
- test\_current\_flow\_betweenness\_centrality\_subset.py
- test\_current\_flow\_closeness.py
- test\_degree\_centrality.py
- test\_dispersion.py
- test\_eigenvector\_centrality.py
- test\_group.py
- test\_harmonic\_centrality.py
- test\_katz\_centrality.py
- test\_laplacian\_centrality.py
- test\_load\_centrality.py
- test\_percolation\_centrality.py
- test\_reaching.py
- test\_second\_order\_centrality.py
- test\_subgraph.py
- test\_trophic.py
- test\_voterank.py
- \_\_init\_\_.py
- betweenness.py
- betweenness\_subset.py
- closeness.py
- current\_flow\_betweenness.py
- current\_flow\_betweenness\_subset.py
- current\_flow\_closeness.py
- degree\_alg.py
- dispersion.py
- eigenvector.py
- flow\_matrix.py
- group.py
- harmonic.py
- katz.py
- laplacian.py
- load.py
- percolation.py
- reaching.py
- second\_order.py
- subgraph\_alg.py
- trophic.py
- voterank\_alg.py
- coloring/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - equitable\_coloring.cpython-310.pyc
    - greedy\_coloring.cpython-310.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_coloring.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_coloring.py
  - \_\_init\_\_.py
  - equitable\_coloring.py
  - greedy\_coloring.py
- community/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - asyn\_fluid.cpython-310.pyc
    - centrality.cpython-310.pyc
    - community\_utils.cpython-310.pyc
    - divisive.cpython-310.pyc
    - kclique.cpython-310.pyc
    - kernighan\_lin.cpython-310.pyc
    - label\_propagation.cpython-310.pyc

- louvain.cpython-310.pyc
- lukes.cpython-310.pyc
- modularity\_max.cpython-310.pyc
- quality.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_asyn\_fluid.cpython-310.pyc
    - test\_centrality.cpython-310.pyc
    - test\_divisive.cpython-310.pyc
    - test\_kclique.cpython-310.pyc
    - test\_kernighan\_lin.cpython-310.pyc
    - test\_label\_propagation.cpython-310.pyc
    - test\_louvain.cpython-310.pyc
    - test\_lukes.cpython-310.pyc
    - test\_modularity\_max.cpython-310.pyc
    - test\_quality.cpython-310.pyc
    - test\_utils.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_asyn\_fluid.py
  - test\_centrality.py
  - test\_divisive.py
  - test\_kclique.py
  - test\_kernighan\_lin.py
  - test\_label\_propagation.py
  - test\_louvain.py
  - test\_lukes.py
  - test\_modularity\_max.py
  - test\_quality.py
  - test\_utils.py
- \_\_init\_\_.py
- asyn\_fluid.py
- centrality.py
- community\_utils.py
- divisive.py
- kclique.py
- kernighan\_lin.py
- label\_propagation.py
- louvain.py
- lukes.py
- modularity\_max.py
- quality.py
- components/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - attracting.cpython-310.pyc
    - biconnected.cpython-310.pyc
    - connected.cpython-310.pyc
    - semiconnected.cpython-310.pyc
    - strongly\_connected.cpython-310.pyc
    - weakly\_connected.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_attracting.cpython-310.pyc
      - test\_biconnected.cpython-310.pyc
      - test\_connected.cpython-310.pyc
      - test\_semiconnected.cpython-310.pyc
      - test\_strongly\_connected.cpython-310.pyc
      - test\_weakly\_connected.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_attracting.py
    - test\_biconnected.py
    - test\_connected.py
    - test\_semiconnected.py
    - test\_strongly\_connected.py
    - test\_weakly\_connected.py
  - \_\_init\_\_.py
  - attracting.py
  - biconnected.py
  - connected.py
  - semiconnected.py
  - strongly\_connected.py
  - weakly\_connected.py
- connectivity/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - connectivity.cpython-310.pyc
    - cuts.cpython-310.pyc
    - disjoint\_paths.cpython-310.pyc
    - edge\_augmentation.cpython-310.pyc
    - edge\_kcomponents.cpython-310.pyc
    - kcomponents.cpython-310.pyc
    - kcutsets.cpython-310.pyc
    - stoerwagner.cpython-310.pyc

- └─ utils.cpython-310.pyc
- tests/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_connectivity.cpython-310.pyc
    - └─ test\_cuts.cpython-310.pyc
    - └─ test\_disjoint\_paths.cpython-310.pyc
    - └─ test\_edge\_augmentation.cpython-310.pyc
    - └─ test\_edge\_kcomponents.cpython-310.pyc
    - └─ test\_kcomponents.cpython-310.pyc
    - └─ test\_kcutsets.cpython-310.pyc
    - └─ test\_stoer\_wagner.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_connectivity.py
  - └─ test\_cuts.py
  - └─ test\_disjoint\_paths.py
  - └─ test\_edge\_augmentation.py
  - └─ test\_edge\_kcomponents.py
  - └─ test\_kcomponents.py
  - └─ test\_kcutsets.py
  - └─ test\_stoer\_wagner.py
- └─ \_\_init\_\_.py
- └─ connectivity.py
- └─ cuts.py
- └─ disjoint\_paths.py
- └─ edge\_augmentation.py
- └─ edge\_kcomponents.py
- └─ kcomponents.py
- └─ kcutsets.py
- └─ stoerwagner.py
- └─ utils.py
- flow/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ boykovkolmogorov.cpython-310.pyc
    - └─ capacityscaling.cpython-310.pyc
    - └─ dinitz\_alg.cpython-310.pyc
    - └─ edmondskarp.cpython-310.pyc
    - └─ gomory\_hu.cpython-310.pyc
    - └─ maxflow.cpython-310.pyc
    - └─ mincost.cpython-310.pyc
    - └─ networksimplex.cpython-310.pyc
    - └─ preflowpush.cpython-310.pyc
    - └─ shortestaugmentingpath.cpython-310.pyc
    - └─ utils.cpython-310.pyc
  - └─ tests/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ test\_gomory\_hu.cpython-310.pyc
      - └─ test\_maxflow.cpython-310.pyc
      - └─ test\_maxflow\_large\_graph.cpython-310.pyc
      - └─ test\_mincost.cpython-310.pyc
      - └─ test\_networksimplex.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ gl1.gpickle.bz2
    - └─ gw1.gpickle.bz2
    - └─ netgen-2.gpickle.bz2
    - └─ test\_gomory\_hu.py
    - └─ test\_maxflow.py
    - └─ test\_maxflow\_large\_graph.py
    - └─ test\_mincost.py
    - └─ test\_networksimplex.py
    - └─ wlm3.gpickle.bz2
  - └─ \_\_init\_\_.py
  - └─ boykovkolmogorov.py
  - └─ capacityscaling.py
  - └─ dinitz\_alg.py
  - └─ edmondskarp.py
  - └─ gomory\_hu.py
  - └─ maxflow.py
  - └─ mincost.py
  - └─ networksimplex.py
  - └─ preflowpush.py
  - └─ shortestaugmentingpath.py
  - └─ utils.py
  - isomorphism/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ ismags.cpython-310.pyc
      - └─ isomorph.cpython-310.pyc
      - └─ isomorphvf2.cpython-310.pyc
      - └─ matchhelpers.cpython-310.pyc
      - └─ temporalisomorphvf2.cpython-310.pyc
      - └─ tree\_isomorphism.cpython-310.pyc
      - └─ vf2pp.cpython-310.pyc



- └─ vf2userfunc.cpython-310.pyc
- tests/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_ismags.cpython-310.pyc
    - └─ test\_isomorphism.cpython-310.pyc
    - └─ test\_isomorphvf2.cpython-310.pyc
    - └─ test\_match\_helpers.cpython-310.pyc
    - └─ test\_temporalisomorphvf2.cpython-310.pyc
    - └─ test\_tree\_isomorphism.cpython-310.pyc
    - └─ test\_vf2pp.cpython-310.pyc
    - └─ test\_vf2pp\_helpers.cpython-310.pyc
    - └─ test\_vf2userfunc.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ iso\_r01\_s80.A99
  - └─ iso\_r01\_s80.B99
  - └─ si2\_b06\_m200.A99
  - └─ si2\_b06\_m200.B99
  - └─ test\_ismags.py
  - └─ test\_isomorphism.py
  - └─ test\_isomorphvf2.py
  - └─ test\_match\_helpers.py
  - └─ test\_temporalisomorphvf2.py
  - └─ test\_tree\_isomorphism.py
  - └─ test\_vf2pp.py
  - └─ test\_vf2pp\_helpers.py
  - └─ test\_vf2userfunc.py
- └─ \_\_init\_\_.py
- └─ ismags.py
- └─ isomorph.py
- └─ isomorphvf2.py
- └─ matchhelpers.py
- └─ temporalisomorphvf2.py
- └─ tree\_isomorphism.py
- └─ vf2pp.py
- └─ vf2userfunc.py
- link\_analysis/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ hits\_alg.cpython-310.pyc
    - └─ pagerank\_alg.cpython-310.pyc
  - └─ tests/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ test\_hits.cpython-310.pyc
      - └─ test\_pagerank.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_hits.py
    - └─ test\_pagerank.py
  - └─ \_\_init\_\_.py
  - └─ hits\_alg.py
  - └─ pagerank\_alg.py
- minors/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ contraction.cpython-310.pyc
  - └─ tests/
    - └─ \_\_pycache\_\_/
      - └─ test\_contraction.cpython-310.pyc
    - └─ test\_contraction.py
  - └─ \_\_init\_\_.py
  - └─ contraction.py
- operators/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ all.cpython-310.pyc
    - └─ binary.cpython-310.pyc
    - └─ product.cpython-310.pyc
    - └─ unary.cpython-310.pyc
  - └─ tests/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ test\_all.cpython-310.pyc
      - └─ test\_binary.cpython-310.pyc
      - └─ test\_product.cpython-310.pyc
      - └─ test\_unary.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_all.py
    - └─ test\_binary.py
    - └─ test\_product.py
    - └─ test\_unary.py
  - └─ \_\_init\_\_.py
  - └─ all.py
  - └─ binary.py
  - └─ product.py

```

└─ unary.py
shortest_paths/
└─ __pycache__/
    ├── __init__.cpython-310.pyc
    ├── astar.cpython-310.pyc
    ├── dense.cpython-310.pyc
    ├── generic.cpython-310.pyc
    ├── unweighted.cpython-310.pyc
    └── weighted.cpython-310.pyc
tests/
└─ __pycache__/
    ├── __init__.cpython-310.pyc
    ├── test_astar.cpython-310.pyc
    ├── test_dense.cpython-310.pyc
    ├── test_dense_numpy.cpython-310.pyc
    ├── test_generic.cpython-310.pyc
    ├── test_unweighted.cpython-310.pyc
    └── test_weighted.cpython-310.pyc
    ├── __init__.py
    ├── test_astar.py
    ├── test_dense.py
    ├── test_dense_numpy.py
    ├── test_generic.py
    ├── test_unweighted.py
    └── test_weighted.py
    ├── __init__.py
    ├── astar.py
    ├── dense.py
    ├── generic.py
    ├── unweighted.py
    └── weighted.py
tests/
└─ __pycache__/
    ├── __init__.cpython-310.pyc
    ├── test_asteroidal.cpython-310.pyc
    ├── test_boundary.cpython-310.pyc
    ├── test_bridges.cpython-310.pyc
    ├── test_broadcasting.cpython-310.pyc
    ├── test_chains.cpython-310.pyc
    ├── test_chordal.cpython-310.pyc
    ├── test_clique.cpython-310.pyc
    ├── test_cluster.cpython-310.pyc
    ├── test_communicability.cpython-310.pyc
    ├── test_core.cpython-310.pyc
    ├── test_covering.cpython-310.pyc
    ├── test_cuts.cpython-310.pyc
    ├── test_cycles.cpython-310.pyc
    ├── test_d_separation.cpython-310.pyc
    ├── test_dag.cpython-310.pyc
    ├── test_distance_measures.cpython-310.pyc
    ├── test_distance_regular.cpython-310.pyc
    ├── test_dominance.cpython-310.pyc
    ├── test_dominating.cpython-310.pyc
    ├── test_efficiency.cpython-310.pyc
    ├── test_euler.cpython-310.pyc
    ├── test_graph_hashing.cpython-310.pyc
    ├── test_graphical.cpython-310.pyc
    ├── test_hierarchy.cpython-310.pyc
    ├── test_hybrid.cpython-310.pyc
    ├── test_isolate.cpython-310.pyc
    ├── test_link_prediction.cpython-310.pyc
    ├── test_lowest_common_ancestors.cpython-310.pyc
    ├── test_matching.cpython-310.pyc
    ├── test_max_weight_clique.cpython-310.pyc
    ├── test_mis.cpython-310.pyc
    ├── test_moral.cpython-310.pyc
    ├── test_node_classification.cpython-310.pyc
    ├── test_non_randomness.cpython-310.pyc
    ├── test_planar_drawing.cpython-310.pyc
    ├── test_planarity.cpython-310.pyc
    ├── test_polynomials.cpython-310.pyc
    ├── test_reciprocity.cpython-310.pyc
    ├── test_regular.cpython-310.pyc
    ├── test_richclub.cpython-310.pyc
    ├── test_similarity.cpython-310.pyc
    ├── test_simple_paths.cpython-310.pyc
    ├── test_smallworld.cpython-310.pyc
    ├── test_smetric.cpython-310.pyc
    ├── test_sparsifiers.cpython-310.pyc
    ├── test_structuralholes.cpython-310.pyc
    ├── test_summarization.cpython-310.pyc
    ├── test_swap.cpython-310.pyc
    ├── test_threshold.cpython-310.pyc
    ├── test_time_dependent.cpython-310.pyc
    └── test_tournament.cpython-310.pyc

```

- test\_triads.cpython-310.pyc
- test\_vitality.cpython-310.pyc
- test\_voronoi.cpython-310.pyc
- test\_walks.cpython-310.pyc
- test\_wiener.cpython-310.pyc
- \_\_init\_\_.py
- test\_asteroidal.py
- test\_boundary.py
- test\_bridges.py
- test\_broadcasting.py
- test\_chains.py
- test\_chordal.py
- test\_clique.py
- test\_cluster.py
- test\_communicability.py
- test\_core.py
- test\_covering.py
- test\_cuts.py
- test\_cycles.py
- test\_d\_separation.py
- test\_dag.py
- test\_distance\_measures.py
- test\_distance\_regular.py
- test\_dominance.py
- test\_dominating.py
- test\_efficiency.py
- test\_euler.py
- test\_graph\_hashing.py
- test\_graphical.py
- test\_hierarchy.py
- test\_hybrid.py
- test\_isolate.py
- test\_link\_prediction.py
- test\_lowest\_common\_ancestors.py
- test\_matching.py
- test\_max\_weight\_clique.py
- test\_mis.py
- test\_moral.py
- test\_node\_classification.py
- test\_non\_randomness.py
- test\_planar\_drawing.py
- test\_planarity.py
- test\_polynomials.py
- test\_reciprocity.py
- test\_regular.py
- test\_richclub.py
- test\_similarity.py
- test\_simple\_paths.py
- test\_smallworld.py
- test\_smetric.py
- test\_sparsifiers.py
- test\_structuralholes.py
- test\_summarization.py
- test\_swap.py
- test\_threshold.py
- test\_time\_dependent.py
- test\_tournament.py
- test\_triads.py
- test\_vitality.py
- test\_voronoi.py
- test\_walks.py
- test\_wiener.py
- traversal/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - beamsearch.cpython-310.pyc
    - breadth\_first\_search.cpython-310.pyc
    - depth\_first\_search.cpython-310.pyc
    - edgebfs.cpython-310.pyc
    - edgedfs.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_beamsearch.cpython-310.pyc
      - test\_bfs.cpython-310.pyc
      - test\_dfs.cpython-310.pyc
      - test\_edgebfs.cpython-310.pyc
      - test\_edgedfs.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_beamsearch.py
    - test\_bfs.py
    - test\_dfs.py
    - test\_edgebfs.py
    - test\_edgedfs.py
- \_\_init\_\_.py

- beamsearch.py
- breadth\_first\_search.py
- depth\_first\_search.py
- edgebfs.py
- edgedfs.py
- tree/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - branchings.cpython-310.pyc
    - coding.cpython-310.pyc
    - decomposition.cpython-310.pyc
    - mst.cpython-310.pyc
    - operations.cpython-310.pyc
    - recognition.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_branchings.cpython-310.pyc
      - test\_coding.cpython-310.pyc
      - test\_decomposition.cpython-310.pyc
      - test\_mst.cpython-310.pyc
      - test\_operations.cpython-310.pyc
      - test\_recognition.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_branchings.py
    - test\_coding.py
    - test\_decomposition.py
    - test\_mst.py
    - test\_operations.py
    - test\_recognition.py
  - \_\_init\_\_.py
  - branchings.py
  - coding.py
  - decomposition.py
  - mst.py
  - operations.py
  - recognition.py
- \_\_init\_\_.py
- asteroidal.py
- boundary.py
- bridges.py
- broadcasting.py
- chains.py
- chordal.py
- clique.py
- cluster.py
- communicability\_alg.py
- core.py
- covering.py
- cuts.py
- cycles.py
- d\_separation.py
- dag.py
- distance\_measures.py
- distance\_regular.py
- dominance.py
- dominating.py
- efficiency\_measures.py
- euler.py
- graph\_hashing.py
- graphical.py
- hierarchy.py
- hybrid.py
- isolate.py
- link\_prediction.py
- lowest\_common\_ancestors.py
- matching.py
- mis.py
- moral.py
- node\_classification.py
- non\_randomness.py
- planar\_drawing.py
- planarity.py
- polynomials.py
- reciprocity.py
- regular.py
- richclub.py
- similarity.py
- simple\_paths.py
- smallworld.py
- smetric.py
- sparsifiers.py
- structuralholes.py
- summarization.py
- swap.py

- threshold.py
- time\_dependent.py
- tournament.py
- triads.py
- vitality.py
- voronoi.py
- walks.py
- wiener.py
- classes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - coreviews.cpython-310.pyc
    - digraph.cpython-310.pyc
    - filters.cpython-310.pyc
    - function.cpython-310.pyc
    - graph.cpython-310.pyc
    - graphviews.cpython-310.pyc
    - multidigraph.cpython-310.pyc
    - multigraph.cpython-310.pyc
    - reportviews.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - dispatch\_interface.cpython-310.pyc
      - historical\_tests.cpython-310.pyc
      - test\_coreviews.cpython-310.pyc
      - test\_digraph.cpython-310.pyc
      - test\_digraph\_historical.cpython-310.pyc
      - test\_filters.cpython-310.pyc
      - test\_function.cpython-310.pyc
      - test\_graph.cpython-310.pyc
      - test\_graph\_historical.cpython-310.pyc
      - test\_graphviews.cpython-310.pyc
      - test\_multidigraph.cpython-310.pyc
      - test\_multigraph.cpython-310.pyc
      - test\_reportviews.cpython-310.pyc
      - test\_special.cpython-310.pyc
      - test\_subgraphviews.cpython-310.pyc
    - \_\_init\_\_.py
    - dispatch\_interface.py
    - historical\_tests.py
    - test\_coreviews.py
    - test\_digraph.py
    - test\_digraph\_historical.py
    - test\_filters.py
    - test\_function.py
    - test\_graph.py
    - test\_graph\_historical.py
    - test\_graphviews.py
    - test\_multidigraph.py
    - test\_multigraph.py
    - test\_reportviews.py
    - test\_special.py
    - test\_subgraphviews.py
  - \_\_init\_\_.py
  - coreviews.py
  - digraph.py
  - filters.py
  - function.py
  - graph.py
  - graphviews.py
  - multidigraph.py
  - multigraph.py
  - reportviews.py
- drawing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - layout.cpython-310.pyc
    - nx\_agraph.cpython-310.pyc
    - nx\_latex.cpython-310.pyc
    - nx\_pydot.cpython-310.pyc
    - nx\_pylab.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_agraph.cpython-310.pyc
      - test\_latex.cpython-310.pyc
      - test\_layout.cpython-310.pyc
      - test\_pydot.cpython-310.pyc
      - test\_pylab.cpython-310.pyc
    - baseline/
      - test\_house\_with\_colors.png
    - \_\_init\_\_.py
    - test\_agraph.py
    - test\_latex.py

- test\_layout.py
- test\_pydot.py
- test\_pylab.py
- \_\_init\_\_.py
- layout.py
- nx\_agraph.py
- nx\_latex.py
- nx\_pydot.py
- nx\_pylab.py
- generators/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - atlas.cpython-310.pyc
    - classic.cpython-310.pyc
    - cographs.cpython-310.pyc
    - community.cpython-310.pyc
    - degree\_seq.cpython-310.pyc
    - directed.cpython-310.pyc
    - duplication.cpython-310.pyc
    - ego.cpython-310.pyc
    - expanders.cpython-310.pyc
    - geometric.cpython-310.pyc
    - harary\_graph.cpython-310.pyc
    - internet\_as\_graphs.cpython-310.pyc
    - intersection.cpython-310.pyc
    - interval\_graph.cpython-310.pyc
    - joint\_degree\_seq.cpython-310.pyc
    - lattice.cpython-310.pyc
    - line.cpython-310.pyc
    - mycielski.cpython-310.pyc
    - nonisomorphic\_trees.cpython-310.pyc
    - random\_clustered.cpython-310.pyc
    - random\_graphs.cpython-310.pyc
    - small.cpython-310.pyc
    - social.cpython-310.pyc
    - spectral\_graph\_forge.cpython-310.pyc
    - stochastic.cpython-310.pyc
    - sudoku.cpython-310.pyc
    - time\_series.cpython-310.pyc
    - trees.cpython-310.pyc
    - triads.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_atlas.cpython-310.pyc
    - test\_classic.cpython-310.pyc
    - test\_cographs.cpython-310.pyc
    - test\_community.cpython-310.pyc
    - test\_degree\_seq.cpython-310.pyc
    - test\_directed.cpython-310.pyc
    - test\_duplication.cpython-310.pyc
    - test\_ego.cpython-310.pyc
    - test\_expanders.cpython-310.pyc
    - test\_geometric.cpython-310.pyc
    - test\_harary\_graph.cpython-310.pyc
    - test\_internet\_as\_graphs.cpython-310.pyc
    - test\_intersection.cpython-310.pyc
    - test\_interval\_graph.cpython-310.pyc
    - test\_joint\_degree\_seq.cpython-310.pyc
    - test\_lattice.cpython-310.pyc
    - test\_line.cpython-310.pyc
    - test\_mycielski.cpython-310.pyc
    - test\_nonisomorphic\_trees.cpython-310.pyc
    - test\_random\_clustered.cpython-310.pyc
    - test\_random\_graphs.cpython-310.pyc
    - test\_small.cpython-310.pyc
    - test\_spectral\_graph\_forge.cpython-310.pyc
    - test\_stochastic.cpython-310.pyc
    - test\_sudoku.cpython-310.pyc
    - test\_time\_series.cpython-310.pyc
    - test\_trees.cpython-310.pyc
    - test\_triads.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_atlas.py
  - test\_classic.py
  - test\_cographs.py
  - test\_community.py
  - test\_degree\_seq.py
  - test\_directed.py
  - test\_duplication.py
  - test\_ego.py
  - test\_expanders.py
  - test\_geometric.py
  - test\_harary\_graph.py
  - test\_internet\_as\_graphs.py

- test\_intersection.py
- test\_interval\_graph.py
- test\_joint\_degree\_seq.py
- test\_lattice.py
- test\_line.py
- test\_mycielski.py
- test\_nonisomorphic\_trees.py
- test\_random\_clustered.py
- test\_random\_graphs.py
- test\_small.py
- test\_spectral\_graph\_forge.py
- test\_stochastic.py
- test\_sudoku.py
- test\_time\_series.py
- test\_trees.py
- test\_triads.py
- \_\_init\_\_.py
- atlas.dat.gz
- atlas.py
- classic.py
- cographs.py
- community.py
- degree\_seq.py
- directed.py
- duplication.py
- ego.py
- expanders.py
- geometric.py
- harary\_graph.py
- internet\_as\_graphs.py
- intersection.py
- interval\_graph.py
- joint\_degree\_seq.py
- lattice.py
- line.py
- mycielski.py
- nonisomorphic\_trees.py
- random\_clustered.py
- random\_graphs.py
- small.py
- social.py
- spectral\_graph\_forge.py
- stochastic.py
- sudoku.py
- time\_series.py
- trees.py
- triads.py
- linalg/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - algebraicconnectivity.cpython-310.pyc
    - attrmatrix.cpython-310.pyc
    - bethehessianmatrix.cpython-310.pyc
    - graphmatrix.cpython-310.pyc
    - laplacianmatrix.cpython-310.pyc
    - modularitymatrix.cpython-310.pyc
    - spectrum.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_algebraic\_connectivity.cpython-310.pyc
      - test\_attrmatrix.cpython-310.pyc
      - test\_bethehessian.cpython-310.pyc
      - test\_graphmatrix.cpython-310.pyc
      - test\_laplacian.cpython-310.pyc
      - test\_modularity.cpython-310.pyc
      - test\_spectrum.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_algebraic\_connectivity.py
    - test\_attrmatrix.py
    - test\_bethehessian.py
    - test\_graphmatrix.py
    - test\_laplacian.py
    - test\_modularity.py
    - test\_spectrum.py
  - \_\_init\_\_.py
  - algebraicconnectivity.py
  - attrmatrix.py
  - bethehessianmatrix.py
  - graphmatrix.py
  - laplacianmatrix.py
  - modularitymatrix.py
  - spectrum.py
- readwrite/
  - \_\_pycache\_\_/

- \_\_init\_\_.cpython-310.pyc
- adjlist.cpython-310.pyc
- edgelist.cpython-310.pyc
- gexf.cpython-310.pyc
- gml.cpython-310.pyc
- graph6.cpython-310.pyc
- graphml.cpython-310.pyc
- leda.cpython-310.pyc
- multiline\_adjlist.cpython-310.pyc
- p2g.cpython-310.pyc
- pajek.cpython-310.pyc
- sparse6.cpython-310.pyc
- text.cpython-310.pyc
- json\_graph/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - adjacency.cpython-310.pyc
    - cytoscape.cpython-310.pyc
    - node\_link.cpython-310.pyc
    - tree.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_adjacency.cpython-310.pyc
      - test\_cytoscape.cpython-310.pyc
      - test\_node\_link.cpython-310.pyc
      - test\_tree.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_adjacency.py
    - test\_cytoscape.py
    - test\_node\_link.py
    - test\_tree.py
  - \_\_init\_\_.py
  - adjacency.py
  - cytoscape.py
  - node\_link.py
  - tree.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_adjlist.cpython-310.pyc
    - test\_edgelist.cpython-310.pyc
    - test\_gexf.cpython-310.pyc
    - test\_gml.cpython-310.pyc
    - test\_graph6.cpython-310.pyc
    - test\_graphml.cpython-310.pyc
    - test\_leda.cpython-310.pyc
    - test\_p2g.cpython-310.pyc
    - test\_pajek.cpython-310.pyc
    - test\_sparse6.cpython-310.pyc
    - test\_text.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_adjlist.py
  - test\_edgelist.py
  - test\_gexf.py
  - test\_gml.py
  - test\_graph6.py
  - test\_graphml.py
  - test\_leda.py
  - test\_p2g.py
  - test\_pajek.py
  - test\_sparse6.py
  - test\_text.py
- \_\_init\_\_.py
- adjlist.py
- edgelist.py
- gexf.py
- gml.py
- graph6.py
- graphml.py
- leda.py
- multiline\_adjlist.py
- p2g.py
- pajek.py
- sparse6.py
- text.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_all\_random\_functions.cpython-310.pyc
    - test\_convert.cpython-310.pyc
    - test\_convert\_numpy.cpython-310.pyc
    - test\_convert\_pandas.cpython-310.pyc
    - test\_convert\_scipy.cpython-310.pyc
    - test\_exceptions.cpython-310.pyc



- test\_import.cpython-310.pyc
    - test\_lazy\_imports.cpython-310.pyc
    - test\_relabel.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_all\_random\_functions.py
  - test\_convert.py
  - test\_convert\_numpy.py
  - test\_convert\_pandas.py
  - test\_convert\_scipy.py
  - test\_exceptions.py
  - test\_import.py
  - test\_lazy\_imports.py
  - test\_relabel.py
- utils/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - backends.cpython-310.pyc
      - configs.cpython-310.pyc
      - decorators.cpython-310.pyc
      - heaps.cpython-310.pyc
      - mapped\_queue.cpython-310.pyc
      - misc.cpython-310.pyc
      - random\_sequence.cpython-310.pyc
      - rcm.cpython-310.pyc
      - union\_find.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - test\_init.cpython-310.pyc
        - test\_backends.cpython-310.pyc
        - test\_config.cpython-310.pyc
        - test\_decorators.cpython-310.pyc
        - test\_heaps.cpython-310.pyc
        - test\_mapped\_queue.cpython-310.pyc
        - test\_misc.cpython-310.pyc
        - test\_random\_sequence.cpython-310.pyc
        - test\_rcm.cpython-310.pyc
        - test\_unionfind.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_init.py
    - test\_backends.py
    - test\_config.py
    - test\_decorators.py
    - test\_heaps.py
    - test\_mapped\_queue.py
    - test\_misc.py
    - test\_random\_sequence.py
    - test\_rcm.py
    - test\_unionfind.py
  - \_\_init\_\_.py
  - backends.py
  - configs.py
  - decorators.py
  - heaps.py
  - mapped\_queue.py
  - misc.py
  - random\_sequence.py
  - rcm.py
  - union\_find.py
- \_\_init\_\_.py
- conftest.py
- convert.py
- convert\_matrix.py
- exception.py
- lazy\_imports.py
- relabel.py

- networkx-3.4.2.dist-info/
- entry\_points.txt
- INSTALLER
- LICENSE.txt
- METADATA
- RECORD
- top\_level.txt
- WHEEL
- numba/
- \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - \_version.cpython-310.pyc
    - extending.cpython-310.pyc
    - runtests.cpython-310.pyc
- cext/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc

- cext.h
- dictobject.c
- dictobject.h
- listobject.c
- listobject.h
- setobject.c
- setobject.h
- utils.c
- cloudpickle/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - cloudpickle.cpython-310.pyc
    - cloudpickle\_fast.cpython-310.pyc
  - \_\_init\_\_.py
  - cloudpickle.py
  - cloudpickle\_fast.py
- core/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - analysis.cpython-310.pyc
    - base.cpython-310.pyc
    - boxing.cpython-310.pyc
    - bytecode.cpython-310.pyc
    - bytearray.cpython-310.pyc
    - caching.cpython-310.pyc
    - callconv.cpython-310.pyc
    - callwrapper.cpython-310.pyc
    - ccallback.cpython-310.pyc
    - cguils.cpython-310.pyc
    - codegen.cpython-310.pyc
    - compiler.cpython-310.pyc
    - compiler\_lock.cpython-310.pyc
    - compiler\_machinery.cpython-310.pyc
    - config.cpython-310.pyc
    - consts.cpython-310.pyc
    - controlflow.cpython-310.pyc
    - cpu.cpython-310.pyc
    - cpu\_options.cpython-310.pyc
    - debuginfo.cpython-310.pyc
    - decorators.cpython-310.pyc
    - descriptors.cpython-310.pyc
    - dispatcher.cpython-310.pyc
    - entrypoints.cpython-310.pyc
    - environment.cpython-310.pyc
    - errors.cpython-310.pyc
    - event.cpython-310.pyc
    - extending.cpython-310.pyc
    - externals.cpython-310.pyc
    - fastmathpass.cpython-310.pyc
    - funcdesc.cpython-310.pyc
    - generators.cpython-310.pyc
    - imputils.cpython-310.pyc
    - inline\_closurecall.cpython-310.pyc
    - interpreter.cpython-310.pyc
    - intrinsics.cpython-310.pyc
    - ir.cpython-310.pyc
    - ir\_utils.cpython-310.pyc
    - itanium\_mangler.cpython-310.pyc
    - llvm\_bindings.cpython-310.pyc
    - lowering.cpython-310.pyc
    - object\_mode\_passes.cpython-310.pyc
    - optional.cpython-310.pyc
    - options.cpython-310.pyc
    - postproc.cpython-310.pyc
    - pylowering.cpython-310.pyc
    - pythonapi.cpython-310.pyc
    - registry.cpython-310.pyc
    - serialize.cpython-310.pyc
    - sigutils.cpython-310.pyc
    - ssa.cpython-310.pyc
    - target\_extension.cpython-310.pyc
    - targetconfig.cpython-310.pyc
    - tracing.cpython-310.pyc
    - transforms.cpython-310.pyc
    - typed\_passes.cpython-310.pyc
    - typeinfer.cpython-310.pyc
    - untyped\_passes.cpython-310.pyc
    - utils.cpython-310.pyc
    - withcontexts.cpython-310.pyc
  - annotations/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - pretty\_annotate.cpython-310.pyc
      - type\_annotations.cpython-310.pyc
    - \_\_init\_\_.py

- pretty\_annotate.py
- template.html
- type\_annotations.py
- datamodel/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - manager.cpython-310.pyc
    - models.cpython-310.pyc
    - packer.cpython-310.pyc
    - registry.cpython-310.pyc
    - testing.cpython-310.pyc
  - \_\_init\_\_.py
  - manager.py
  - models.py
  - packer.py
  - registry.py
  - testing.py
- rewrites/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - ir\_print.cpython-310.pyc
    - registry.cpython-310.pyc
    - static\_binop.cpython-310.pyc
    - static\_getitem.cpython-310.pyc
    - static\_raise.cpython-310.pyc
  - \_\_init\_\_.py
  - ir\_print.py
  - registry.py
  - static\_binop.py
  - static\_getitem.py
  - static\_raise.py
- runtime/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - context.cpython-310.pyc
    - nrt.cpython-310.pyc
    - nrtdynmod.cpython-310.pyc
    - nrtopt.cpython-310.pyc
  - \_\_init\_\_.py
  - \_nrt\_python.c
  - \_nrt\_python.cp310-win\_amd64.pyd
  - \_nrt\_pythonmod.c
  - context.py
  - nrt.cpp
  - nrt.h
  - nrt.py
  - nrt\_external.h
  - nrtdynmod.py
  - nrtopt.py
- typeconv/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - castgraph.cpython-310.pyc
    - rules.cpython-310.pyc
    - typeconv.cpython-310.pyc
  - \_\_init\_\_.py
  - \_typeconv.cp310-win\_amd64.pyd
  - castgraph.py
  - rules.py
  - typeconv.py
- types/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - abstract.cpython-310.pyc
    - common.cpython-310.pyc
    - containers.cpython-310.pyc
    - function\_type.cpython-310.pyc
    - functions.cpython-310.pyc
    - iterators.cpython-310.pyc
    - misc.cpython-310.pyc
    - npytypes.cpython-310.pyc
    - scalars.cpython-310.pyc
  - \_\_init\_\_.py
  - abstract.py
  - common.py
  - containers.py
  - function\_type.py
  - functions.py
  - iterators.py
  - misc.py
  - npytypes.py
  - scalars.py
- typing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc

- arraydecl.cpython-310.pyc
- asnumbatype.cpython-310.pyc
- bufproto.cpython-310.pyc
- builtins.cpython-310.pyc
- cffi\_utils.cpython-310.pyc
- cmathdecl.cpython-310.pyc
- collections.cpython-310.pyc
- context.cpython-310.pyc
- ctypes\_utils.cpython-310.pyc
- dictdecl.cpython-310.pyc
- enumdecl.cpython-310.pyc
- listdecl.cpython-310.pyc
- mathdecl.cpython-310.pyc
- npydecl.cpython-310.pyc
- setdecl.cpython-310.pyc
- templates.cpython-310.pyc
- typeof.cpython-310.pyc
- \_\_init\_\_.py
- arraydecl.py
- asnumbatype.py
- bufproto.py
- builtins.py
- cffi\_utils.py
- cmathdecl.py
- collections.py
- context.py
- ctypes\_utils.py
- dictdecl.py
- enumdecl.py
- listdecl.py
- mathdecl.py
- npydecl.py
- setdecl.py
- templates.py
- typeof.py
- unsafe/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - bytes.cpython-310.pyc
    - eh.cpython-310.pyc
    - nrt.cpython-310.pyc
    - refcount.cpython-310.pyc
  - \_\_init\_\_.py
  - bytes.py
  - eh.py
  - nrt.py
  - refcount.py
- \_\_init\_\_.py
- analysis.py
- base.py
- boxing.py
- bytecode.py
- bytearray.py
- caching.py
- callconv.py
- callwrapper.py
- ccallback.py
- cgutils.py
- codegen.py
- compiler.py
- compiler\_lock.py
- compiler\_machinery.py
- config.py
- consts.py
- controlflow.py
- cpu.py
- cpu\_options.py
- debuginfo.py
- decorators.py
- descriptors.py
- dispatcher.py
- entrypoints.py
- environment.py
- errors.py
- event.py
- extending.py
- externals.py
- fastmathpass.py
- funcdesc.py
- generators.py
- imputils.py
- inline\_closurecall.py
- interpreter.py
- intrinsics.py
- ir.py

- ir\_utils.py
- itanium\_mangler.py
- llvm\_bindings.py
- lowering.py
- object\_mode\_passes.py
- optional.py
- options.py
- postproc.py
- pylowering.py
- pythonapi.py
- registry.py
- serialize.py
- sigutils.py
- ssa.py
- target\_extension.py
- targetconfig.py
- tracing.py
- transforms.py
- typed\_passes.py
- typeinfer.py
- untyped\_passes.py
- utils.py
- withcontexts.py
- cpython/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - builtins.cpython-310.pyc
    - charseq.cpython-310.pyc
    - cmathimpl.cpython-310.pyc
    - enumimpl.cpython-310.pyc
    - hashing.cpython-310.pyc
    - heapq.cpython-310.pyc
    - iterators.cpython-310.pyc
    - listobj.cpython-310.pyc
    - mathimpl.cpython-310.pyc
    - numbers.cpython-310.pyc
    - printimpl.cpython-310.pyc
    - randomimpl.cpython-310.pyc
    - rangeobj.cpython-310.pyc
    - setobj.cpython-310.pyc
    - slicing.cpython-310.pyc
    - tupleobj.cpython-310.pyc
    - unicode.cpython-310.pyc
    - unicode\_support.cpython-310.pyc
  - unsafe/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - numbers.cpython-310.pyc
      - tuple.cpython-310.pyc
    - \_\_init\_\_.py
    - numbers.py
    - tuple.py
  - \_\_init\_\_.py
  - builtins.py
  - charseq.py
  - cmathimpl.py
  - enumimpl.py
  - hashing.py
  - heapq.py
  - iterators.py
  - listobj.py
  - mathimpl.py
  - numbers.py
  - printimpl.py
  - randomimpl.py
  - rangeobj.py
  - setobj.py
  - slicing.py
  - tupleobj.py
  - unicode.py
  - unicode\_support.py
- cuda/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - api.cpython-310.pyc
    - api\_util.cpython-310.pyc
    - args.cpython-310.pyc
    - cg.cpython-310.pyc
    - codegen.cpython-310.pyc
    - compiler.cpython-310.pyc
    - cuda\_paths.cpython-310.pyc
    - cudadec1.cpython-310.pyc
    - cudaimpl.cpython-310.pyc
    - cudamath.cpython-310.pyc
    - decorators.cpython-310.pyc

- descriptor.cpython-310.pyc
- device\_init.cpython-310.pyc
- deviceufunc.cpython-310.pyc
- dispatcher.cpython-310.pyc
- errors.cpython-310.pyc
- extending.cpython-310.pyc
- initialize.cpython-310.pyc
- intrinsic\_wrapper.cpython-310.pyc
- intrinsics.cpython-310.pyc
- libdevice.cpython-310.pyc
- libdevicedecl.cpython-310.pyc
- libdevicefuncs.cpython-310.pyc
- libdeviceimpl.cpython-310.pyc
- mathimpl.cpython-310.pyc
- models.cpython-310.pyc
- nvvmutils.cpython-310.pyc
- printimpl.cpython-310.pyc
- random.cpython-310.pyc
- simulator\_init.cpython-310.pyc
- stubs.cpython-310.pyc
- target.cpython-310.pyc
- testing.cpython-310.pyc
- types.cpython-310.pyc
- ufuncs.cpython-310.pyc
- vector\_types.cpython-310.pyc
- vectorizers.cpython-310.pyc
- cudadr/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - devicearray.cpython-310.pyc
    - devices.cpython-310.pyc
    - driver.cpython-310.pyc
    - drvapi.cpython-310.pyc
    - dummyarray.cpython-310.pyc
    - enums.cpython-310.pyc
    - error.cpython-310.pyc
    - libs.cpython-310.pyc
    - ndarray.cpython-310.pyc
    - nvrtc.cpython-310.pyc
    - nvvm.cpython-310.pyc
    - rtapi.cpython-310.pyc
    - runtime.cpython-310.pyc
  - \_\_init\_\_.py
  - \_extras.cp310-win\_amd64.pyd
  - devicearray.py
  - devices.py
  - driver.py
  - drvapi.py
  - dummyarray.py
  - enums.py
  - error.py
  - libs.py
  - ndarray.py
  - nvrtc.py
  - nvvm.py
  - rtapi.py
  - runtime.py
- kernels/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - reduction.cpython-310.pyc
    - transpose.cpython-310.pyc
  - \_\_init\_\_.py
  - reduction.py
  - transpose.py
- simulator/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - api.cpython-310.pyc
    - compiler.cpython-310.pyc
    - kernel.cpython-310.pyc
    - kernelapi.cpython-310.pyc
    - reduction.cpython-310.pyc
    - vector\_types.cpython-310.pyc
- cudadr/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - devicearray.cpython-310.pyc
    - devices.cpython-310.pyc
    - driver.cpython-310.pyc
    - drvapi.cpython-310.pyc
    - dummyarray.cpython-310.pyc
    - error.cpython-310.pyc
    - libs.cpython-310.pyc
    - nvvm.cpython-310.pyc

- └─ runtime.cpython-310.pyc
- ─ \_\_init\_\_.py
- ─ devicearray.py
- ─ devices.py
- ─ driver.py
- ─ drvapi.py
- ─ dummyarray.py
- ─ error.py
- ─ libs.py
- ─ nvvm.py
- ─ runtime.py
- ─ \_\_init\_\_.py
- ─ api.py
- ─ compiler.py
- ─ kernel.py
- ─ kernelapi.py
- ─ reduction.py
- ─ vector\_types.py
- ─ tests/
  - ─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - ─ cudadrv/
    - ─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - ─ test\_array\_attr.cpython-310.pyc
    - ─ test\_context\_stack.cpython-310.pyc
    - ─ test\_cuda\_array\_slicing.cpython-310.pyc
    - ─ test\_cuda\_auto\_context.cpython-310.pyc
    - ─ test\_cuda\_devicerecord.cpython-310.pyc
    - ─ test\_cuda\_driver.cpython-310.pyc
    - ─ test\_cuda\_libraries.cpython-310.pyc
    - ─ test\_cuda\_memory.cpython-310.pyc
    - ─ test\_cuda\_ndarray.cpython-310.pyc
    - ─ test\_deallocations.cpython-310.pyc
    - ─ test\_detect.cpython-310.pyc
    - ─ test\_emm\_plugins.cpython-310.pyc
    - ─ test\_events.cpython-310.pyc
    - ─ test\_host\_alloc.cpython-310.pyc
    - ─ test\_init.cpython-310.pyc
    - ─ test\_inline\_ptx.cpython-310.pyc
    - ─ test\_is\_fp16.cpython-310.pyc
    - ─ test\_linker.cpython-310.pyc
    - ─ test\_managed\_alloc.cpython-310.pyc
    - ─ test\_mvc.cpython-310.pyc
    - ─ test\_nvvm\_driver.cpython-310.pyc
    - ─ test\_pinned.cpython-310.pyc
    - ─ test\_profiler.cpython-310.pyc
    - ─ test\_ptds.cpython-310.pyc
    - ─ test\_reset\_device.cpython-310.pyc
    - ─ test\_runtime.cpython-310.pyc
    - ─ test\_select\_device.cpython-310.pyc
    - ─ test\_streams.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ test\_array\_attr.py
  - ─ test\_context\_stack.py
  - ─ test\_cuda\_array\_slicing.py
  - ─ test\_cuda\_auto\_context.py
  - ─ test\_cuda\_devicerecord.py
  - ─ test\_cuda\_driver.py
  - ─ test\_cuda\_libraries.py
  - ─ test\_cuda\_memory.py
  - ─ test\_cuda\_ndarray.py
  - ─ test\_deallocations.py
  - ─ test\_detect.py
  - ─ test\_emm\_plugins.py
  - ─ test\_events.py
  - ─ test\_host\_alloc.py
  - ─ test\_init.py
  - ─ test\_inline\_ptx.py
  - ─ test\_is\_fp16.py
  - ─ test\_linker.py
  - ─ test\_managed\_alloc.py
  - ─ test\_mvc.py
  - ─ test\_nvvm\_driver.py
  - ─ test\_pinned.py
  - ─ test\_profiler.py
  - ─ test\_ptds.py
  - ─ test\_reset\_device.py
  - ─ test\_runtime.py
  - ─ test\_select\_device.py
  - ─ test\_streams.py
- ─ cudapy/
  - ─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - ─ cache\_usecases.cpython-310.pyc

cache\_with\_cpu\_usecases.cpython-310.pyc  
extensions\_usecases.cpython-310.pyc  
recursion\_usecases.cpython-310.pyc  
test\_alignment.cpython-310.pyc  
test\_array.cpython-310.pyc  
test\_array\_args.cpython-310.pyc  
test\_array\_methods.cpython-310.pyc  
test\_atomics.cpython-310.pyc  
test\_blackscholes.cpython-310.pyc  
test\_boolean.cpython-310.pyc  
test\_caching.cpython-310.pyc  
test\_casting.cpython-310.pyc  
test\_cffi.cpython-310.pyc  
test\_compiler.cpython-310.pyc  
test\_complex.cpython-310.pyc  
test\_complex\_kernel.cpython-310.pyc  
test\_const\_string.cpython-310.pyc  
test\_constmem.cpython-310.pyc  
test\_cooperative\_groups.cpython-310.pyc  
test\_cuda\_array\_interface.cpython-310.pyc  
test\_cuda\_jit\_no\_types.cpython-310.pyc  
test\_datetime.cpython-310.pyc  
test\_debug.cpython-310.pyc  
test\_debuginfo.cpython-310.pyc  
test\_device\_func.cpython-310.pyc  
test\_dispatcher.cpython-310.pyc  
test\_enums.cpython-310.pyc  
test\_errors.cpython-310.pyc  
test\_exception.cpython-310.pyc  
test\_extending.cpython-310.pyc  
test\_fastmath.cpython-310.pyc  
test\_forall.cpython-310.pyc  
test\_freevar.cpython-310.pyc  
test\_frexp\_ldexp.cpython-310.pyc  
test\_globals.cpython-310.pyc  
test\_gufunc.cpython-310.pyc  
test\_gufunc\_scalar.cpython-310.pyc  
test\_gufunc\_scheduling.cpython-310.pyc  
test\_idiv.cpython-310.pyc  
test\_inspect.cpython-310.pyc  
test\_intrinsics.cpython-310.pyc  
test\_ipc.cpython-310.pyc  
test\_iterators.cpython-310.pyc  
test\_lang.cpython-310.pyc  
test\_laplace.cpython-310.pyc  
test\_libdevice.cpython-310.pyc  
test\_lineinfo.cpython-310.pyc  
test\_localmem.cpython-310.pyc  
test\_mandel.cpython-310.pyc  
test\_math.cpython-310.pyc  
test\_matmul.cpython-310.pyc  
test\_minmax.cpython-310.pyc  
test\_montecarlo.cpython-310.pyc  
test\_multigpu.cpython-310.pyc  
test\_multiprocessing.cpython-310.pyc  
test\_multithreads.cpython-310.pyc  
test\_nondet.cpython-310.pyc  
test\_operator.cpython-310.pyc  
test\_optimization.cpython-310.pyc  
test\_overload.cpython-310.pyc  
test\_powi.cpython-310.pyc  
test\_print.cpython-310.pyc  
test\_py2\_div\_issue.cpython-310.pyc  
test\_random.cpython-310.pyc  
test\_record\_dtype.cpython-310.pyc  
test\_recursion.cpython-310.pyc  
test\_reduction.cpython-310.pyc  
test\_retrieve\_autoconverted\_arrays.cpython-310.pyc  
test\_serialize.cpython-310.pyc  
test\_slicing.cpython-310.pyc  
test\_sm.cpython-310.pyc  
test\_sm\_creation.cpython-310.pyc  
test\_sync.cpython-310.pyc  
test\_transpose.cpython-310.pyc  
test\_ufuncs.cpython-310.pyc  
test\_userexc.cpython-310.pyc  
test\_vector\_type.cpython-310.pyc  
test\_vectorize.cpython-310.pyc  
test\_vectorize\_complex.cpython-310.pyc  
test\_vectorize\_decor.cpython-310.pyc  
test\_vectorize\_device.cpython-310.pyc  
test\_vectorize\_scalar\_arg.cpython-310.pyc  
test\_warning.cpython-310.pyc  
test\_warp\_ops.cpython-310.pyc  
\_\_init\_\_.py



|  |   |                                       |
|--|---|---------------------------------------|
|  | — | cache_usecases.py                     |
|  | — | cache_with_cpu_usecases.py            |
|  | — | extensions_usecases.py                |
|  | — | recursion_usecases.py                 |
|  | — | test_alignment.py                     |
|  | — | test_array.py                         |
|  | — | test_array_args.py                    |
|  | — | test_array_methods.py                 |
|  | — | test_atomics.py                       |
|  | — | test_blacksholes.py                   |
|  | — | test_boolean.py                       |
|  | — | test_caching.py                       |
|  | — | test_casting.py                       |
|  | — | test_cffi.py                          |
|  | — | test_compiler.py                      |
|  | — | test_complex.py                       |
|  | — | test_complex_kernel.py                |
|  | — | test_const_string.py                  |
|  | — | test_constmem.py                      |
|  | — | test_cooperative_groups.py            |
|  | — | test_cuda_array_interface.py          |
|  | — | test_cuda_jit_no_types.py             |
|  | — | test_datetime.py                      |
|  | — | test_debug.py                         |
|  | — | test_debuginfo.py                     |
|  | — | test_device_func.py                   |
|  | — | test_dispatcher.py                    |
|  | — | test_enums.py                         |
|  | — | test_errors.py                        |
|  | — | test_exception.py                     |
|  | — | test_extending.py                     |
|  | — | test_fastmath.py                      |
|  | — | test_forall.py                        |
|  | — | test_freevar.py                       |
|  | — | test_frexp_ldexp.py                   |
|  | — | test_globals.py                       |
|  | — | test_gufunc.py                        |
|  | — | test_gufunc_scalar.py                 |
|  | — | test_gufunc_scheduling.py             |
|  | — | test_idiv.py                          |
|  | — | test_inspect.py                       |
|  | — | test_intrinsics.py                    |
|  | — | test_ipc.py                           |
|  | — | test_iterators.py                     |
|  | — | test_lang.py                          |
|  | — | test_laplace.py                       |
|  | — | test_libdevice.py                     |
|  | — | test_lineinfo.py                      |
|  | — | test_localmem.py                      |
|  | — | test_mandel.py                        |
|  | — | test_math.py                          |
|  | — | test_matmul.py                        |
|  | — | test_minmax.py                        |
|  | — | test_montecarlo.py                    |
|  | — | test_multigpu.py                      |
|  | — | test_multiprocessing.py               |
|  | — | test_multithreads.py                  |
|  | — | test_nondet.py                        |
|  | — | test_operator.py                      |
|  | — | test_optimization.py                  |
|  | — | test_overload.py                      |
|  | — | test_powi.py                          |
|  | — | test_print.py                         |
|  | — | test_py2_div_issue.py                 |
|  | — | test_random.py                        |
|  | — | test_record_dtype.py                  |
|  | — | test_recursion.py                     |
|  | — | test_reduction.py                     |
|  | — | test_retrieve_autoconverted_arrays.py |
|  | — | test_serialize.py                     |
|  | — | test_slicing.py                       |
|  | — | test_sm.py                            |
|  | — | test_sm_creation.py                   |
|  | — | test_sync.py                          |
|  | — | test_transpose.py                     |
|  | — | test_ufuncs.py                        |
|  | — | test_userexc.py                       |
|  | — | test_vector_type.py                   |
|  | — | test_vectorize.py                     |
|  | — | test_vectorize_complex.py             |
|  | — | test_vectorize_decor.py               |
|  | — | test_vectorize_device.py              |
|  | — | test_vectorize_scalar_arg.py          |
|  | — | test_warning.py                       |
|  | — | test_warp_ops.py                      |

- cudasim/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - support.cpython-310.pyc
    - test\_cudasim\_issues.cpython-310.pyc
  - \_\_init\_\_.py
  - support.py
  - test\_cudasim\_issues.py
- data/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - cuda\_include.cu
  - error.cu
  - jitlink.cu
  - jitlink.ptx
  - warn.cu
- doc\_examples/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_cg.cpython-310.pyc
    - test\_cpu\_gpu\_compat.cpython-310.pyc
    - test\_ffl.cpython-310.pyc
    - test\_laplace.cpython-310.pyc
    - test\_matmul.cpython-310.pyc
    - test\_montecarlo.cpython-310.pyc
    - test\_random.cpython-310.pyc
    - test\_reduction.cpython-310.pyc
    - test\_sessionize.cpython-310.pyc
    - test\_ufunc.cpython-310.pyc
    - test\_vecadd.cpython-310.pyc
- ffi/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - functions.cu
- \_\_init\_\_.py
- test\_cg.py
- test\_cpu\_gpu\_compat.py
- test\_ffl.py
- test\_laplace.py
- test\_matmul.py
- test\_montecarlo.py
- test\_random.py
- test\_reduction.py
- test\_sessionize.py
- test\_ufunc.py
- test\_vecadd.py
- nocuda/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_dummyarray.cpython-310.pyc
    - test\_function\_resolution.cpython-310.pyc
    - test\_import.cpython-310.pyc
    - test\_library\_lookup.cpython-310.pyc
    - test\_nvmm.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_dummyarray.py
  - test\_function\_resolution.py
  - test\_import.py
  - test\_library\_lookup.py
  - test\_nvmm.py
- \_\_init\_\_.py
- \_\_init\_\_.py
- api.py
- api\_util.py
- args.py
- cg.py
- codegen.py
- compiler.py
- cpp\_function\_wrappers.cu
- cuda\_fp16.h
- cuda\_fp16.hpp
- cuda\_paths.py
- cudadecl.py
- cudaimpl.py
- cudamath.py
- decorators.py
- descriptor.py
- device\_init.py
- deviceufunc.py
- dispatcher.py
- errors.py
- extending.py
- initialize.py

- intrinsic\_wrapper.py
- intrinsics.py
- libdevice.py
- libdevicedecl.py
- libdevicefuncs.py
- libdeviceimpl.py
- mathimpl.py
- models.py
- nvvmutils.py
- printimpl.py
- random.py
- simulator\_init.py
- stubs.py
- target.py
- testing.py
- types.py
- ufuncs.py
- vector\_types.py
- vectorizers.py
- experimental/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - function\_type.cpython-310.pyc
    - structref.cpython-310.pyc
  - jitclass/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - base.cpython-310.pyc
      - boxing.cpython-310.pyc
      - decorators.cpython-310.pyc
      - overloads.cpython-310.pyc
    - \_\_init\_\_.py
    - \_box.cp310-win\_amd64.pyd
    - base.py
    - boxing.py
    - decorators.py
    - overloads.py
  - \_\_init\_\_.py
  - function\_type.py
  - structref.py
- misc/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - appdirs.cpython-310.pyc
    - cffiimpl.cpython-310.pyc
    - coverage\_support.cpython-310.pyc
    - dump\_style.cpython-310.pyc
    - findlib.cpython-310.pyc
    - firstlinefinder.cpython-310.pyc
    - gdb\_hook.cpython-310.pyc
    - gdb\_print\_extension.cpython-310.pyc
    - init\_utils.cpython-310.pyc
    - inspection.cpython-310.pyc
    - literal.cpython-310.pyc
    - llvm\_pass\_timings.cpython-310.pyc
    - memoryutils.cpython-310.pyc
    - mergesort.cpython-310.pyc
    - numba\_entry.cpython-310.pyc
    - numba\_gdbinfo.cpython-310.pyc
    - numba\_sysinfo.cpython-310.pyc
    - POST.cpython-310.pyc
    - quicksort.cpython-310.pyc
    - special.cpython-310.pyc
    - timsort.cpython-310.pyc
  - help/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - inspector.cpython-310.pyc
    - \_\_init\_\_.py
    - inspector.py
  - \_\_init\_\_.py
  - appdirs.py
  - cffiimpl.py
  - cmdlang.gdb
  - coverage\_support.py
  - dump\_style.py
  - findlib.py
  - firstlinefinder.py
  - gdb\_hook.py
  - gdb\_print\_extension.py
  - init\_utils.py
  - inspection.py
  - literal.py
  - llvm\_pass\_timings.py
  - memoryutils.py

- mergesort.py
- numba\_entry.py
- numba\_gdbinfo.py
- numba\_sysinfo.py
- POST.py
- quicksort.py
- special.py
- timsort.py
- np/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - arraymath.cpython-310.pyc
    - arrayobj.cpython-310.pyc
    - extensions.cpython-310.pyc
    - linalg.cpython-310.pyc
    - npdatetime.cpython-310.pyc
    - npdatetime\_helpers.cpython-310.pyc
    - npymath.cpython-310.pyc
    - npymathlib.cpython-310.pyc
    - numpy\_support.cpython-310.pyc
    - ufunc\_db.cpython-310.pyc
  - math/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - cmathimpl.cpython-310.pyc
      - mathimpl.cpython-310.pyc
      - numbers.cpython-310.pyc
    - \_\_init\_\_.py
    - cmathimpl.py
    - mathimpl.py
    - numbers.py
  - polynomial/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - polynomial\_core.cpython-310.pyc
      - polynomial\_functions.cpython-310.pyc
    - \_\_init\_\_.py
    - polynomial\_core.py
    - polynomial\_functions.py
  - random/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_constants.cpython-310.pyc
      - distributions.cpython-310.pyc
      - generator\_core.cpython-310.pyc
      - generator\_methods.cpython-310.pyc
      - random\_methods.cpython-310.pyc
    - \_\_init\_\_.py
    - \_constants.py
    - distributions.py
    - generator\_core.py
    - generator\_methods.py
    - random\_methods.py
  - types/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - datetime.cpython-310.pyc
      - datetime\_registry.cpython-310.pyc
    - \_\_init\_\_.py
    - datetime.py
    - datetime\_registry.py
  - ufunc/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - array\_exprs.cpython-310.pyc
      - decorators.cpython-310.pyc
      - dufunc.cpython-310.pyc
      - gufunc.cpython-310.pyc
      - parallel.cpython-310.pyc
      - sigparse.cpython-310.pyc
      - ufunc\_base.cpython-310.pyc
      - ufuncbuilder.cpython-310.pyc
      - wrappers.cpython-310.pyc
    - \_\_init\_\_.py
    - \_internal.cp310-win\_amd64.pyd
    - \_num\_threads.cp310-win\_amd64.pyd
    - array\_exprs.py
    - decorators.py
    - dufunc.py
    - gufunc.py
    - omppool.cp310-win\_amd64.pyd
    - parallel.py
    - sigparse.py
    - tbbpool.cp310-win\_amd64.pyd
    - ufunc\_base.py

- ufuncbuilder.py
  - workqueue.cp310-win\_amd64.pyd
  - wrappers.py
- unsafe/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - ndarray.cpython-310.pyc
    - \_\_init\_\_.py
    - ndarray.py
  - \_\_init\_\_.py
  - arraymath.py
  - arrayobj.py
  - extensions.py
  - linalg.py
  - npdatetime.py
  - npdatetime\_helpers.py
  - npymath.py
  - npymathimpl.py
  - numpy\_support.py
  - ufunc\_db.py
- parfors/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - array\_analysis.cpython-310.pyc
      - ir\_utils.cpython-310.pyc
      - parfor.cpython-310.pyc
      - parfor\_lowering.cpython-310.pyc
      - parfor\_lowering\_utils.cpython-310.pyc
    - \_\_init\_\_.py
    - array\_analysis.py
    - ir\_utils.py
    - parfor.py
    - parfor\_lowering.py
    - parfor\_lowering\_utils.py
- pycc/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - cc.cpython-310.pyc
      - compiler.cpython-310.pyc
      - decorators.cpython-310.pyc
      - llvm\_types.cpython-310.pyc
      - platform.cpython-310.pyc
    - \_\_init\_\_.py
    - cc.py
    - compiler.py
    - decorators.py
    - llvm\_types.py
    - modulemixin.c
    - platform.py
- scripts/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - generate\_lower\_listing.cpython-310.pyc
    - \_\_init\_\_.py
    - generate\_lower\_listing.py
- stencils/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - stencil.cpython-310.pyc
      - stencilparfor.cpython-310.pyc
    - \_\_init\_\_.py
    - stencil.py
    - stencilparfor.py
- testing/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_\_main\_\_.cpython-310.pyc
      - \_runtests.cpython-310.pyc
      - loader.cpython-310.pyc
      - main.cpython-310.pyc
      - notebook.cpython-310.pyc
    - \_\_init\_\_.py
    - \_\_main\_\_.py
    - \_runtests.py
    - loader.py
    - main.py
    - notebook.py
- tests/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - annotation\_usecases.cpython-310.pyc
      - cache\_usecases.cpython-310.pyc
      - cffi\_usecases.cpython-310.pyc
      - cfunc\_cache\_usecases.cpython-310.pyc
      - chained\_assign\_usecases.cpython-310.pyc

cloudpickle\_main\_class.cpython-310.pyc  
compile\_with\_pyc.cpython-310.pyc  
complex\_usecases.cpython-310.pyc  
ctypes\_usecases.cpython-310.pyc  
doctest\_usecase.cpython-310.pyc  
dummy\_module.cpython-310.pyc  
enum\_usecases.cpython-310.pyc  
error\_usecases.cpython-310.pyc  
errorhandling\_usecases.cpython-310.pyc  
gdb\_support.cpython-310.pyc  
inlining\_usecases.cpython-310.pyc  
matmul\_usecase.cpython-310.pyc  
orphaned\_semaphore\_usecase.cpython-310.pyc  
overload\_usecases.cpython-310.pyc  
parfor\_iss9490\_usecase.cpython-310.pyc  
parfors\_cache\_usecases.cpython-310.pyc  
pdlike\_usecase.cpython-310.pyc  
recursion\_usecases.cpython-310.pyc  
serialize\_usecases.cpython-310.pyc  
support.cpython-310.pyc  
test\_alignment.cpython-310.pyc  
test\_analysis.cpython-310.pyc  
test\_annotations.cpython-310.pyc  
test\_api.cpython-310.pyc  
test\_array\_analysis.cpython-310.pyc  
test\_array\_attr.cpython-310.pyc  
test\_array\_constants.cpython-310.pyc  
test\_array\_exprs.cpython-310.pyc  
test\_array\_iterators.cpython-310.pyc  
test\_array\_manipulation.cpython-310.pyc  
test\_array\_methods.cpython-310.pyc  
test\_array\_reductions.cpython-310.pyc  
test\_array\_return.cpython-310.pyc  
test\_asnumbatype.cpython-310.pyc  
test\_auto\_constants.cpython-310.pyc  
test\_blacksholes.cpython-310.pyc  
test\_boundscheck.cpython-310.pyc  
test\_buffer\_protocol.cpython-310.pyc  
test\_builtins.cpython-310.pyc  
test\_byteflow.cpython-310.pyc  
test\_caching.cpython-310.pyc  
test\_casting.cpython-310.pyc  
test\_cffi.cpython-310.pyc  
test\_cfunc.cpython-310.pyc  
test\_cgutils.cpython-310.pyc  
test\_chained\_assign.cpython-310.pyc  
test\_chrome\_trace.cpython-310.pyc  
test\_cli.cpython-310.pyc  
test\_closure.cpython-310.pyc  
test\_codegen.cpython-310.pyc  
test\_compile\_cache.cpython-310.pyc  
test\_compiler\_flags.cpython-310.pyc  
test\_compiler\_lock.cpython-310.pyc  
test\_complex.cpython-310.pyc  
test\_comprehension.cpython-310.pyc  
test\_conditions\_as\_predicates.cpython-310.pyc  
test\_config.cpython-310.pyc  
test\_controlflow.cpython-310.pyc  
test\_conversion.cpython-310.pyc  
test\_copy\_propagate.cpython-310.pyc  
test\_ctypes.cpython-310.pyc  
test\_dataflow.cpython-310.pyc  
test\_datamodel.cpython-310.pyc  
test\_debug.cpython-310.pyc  
test\_debuginfo.cpython-310.pyc  
test\_deprecations.cpython-310.pyc  
test\_dictimpl.cpython-310.pyc  
test\_dictobject.cpython-310.pyc  
test\_dicts.cpython-310.pyc  
test\_dispatcher.cpython-310.pyc  
test\_doctest.cpython-310.pyc  
test\_dyn\_array.cpython-310.pyc  
test\_dyn\_func.cpython-310.pyc  
test\_entrypoints.cpython-310.pyc  
test\_enums.cpython-310.pyc  
test\_errorhandling.cpython-310.pyc  
test\_errormodels.cpython-310.pyc  
test\_event.cpython-310.pyc  
test\_exceptions.cpython-310.pyc  
test\_extended\_arg.cpython-310.pyc  
test\_extending.cpython-310.pyc  
test\_extending\_types.cpython-310.pyc  
test\_fancy\_indexing.cpython-310.pyc  
test\_fastmath.cpython-310.pyc  
test\_findlib.cpython-310.pyc

test\_firstlinefinder.cpython-310.pyc  
test\_flow\_control.cpython-310.pyc  
test\_func\_interface.cpython-310.pyc  
test\_func\_lifetime.cpython-310.pyc  
test\_funcdesc.cpython-310.pyc  
test\_function\_type.cpython-310.pyc  
test\_gdb\_bindings.cpython-310.pyc  
test\_gdb\_dwarf.cpython-310.pyc  
test\_generators.cpython-310.pyc  
test\_getitem\_on\_types.cpython-310.pyc  
test\_gil.cpython-310.pyc  
test\_globals.cpython-310.pyc  
test\_hashing.cpython-310.pyc  
test\_heapq.cpython-310.pyc  
test\_help.cpython-310.pyc  
test\_import.cpython-310.pyc  
test\_indexing.cpython-310.pyc  
test\_init\_utils.cpython-310.pyc  
test\_inlining.cpython-310.pyc  
test\_interpreter.cpython-310.pyc  
test\_interproc.cpython-310.pyc  
test\_intwidth.cpython-310.pyc  
test\_ir.cpython-310.pyc  
test\_ir\_inlining.cpython-310.pyc  
test\_ir\_utils.cpython-310.pyc  
test\_itanium\_mangler.cpython-310.pyc  
test\_iteration.cpython-310.pyc  
test\_jit\_module.cpython-310.pyc  
test\_jitclasses.cpython-310.pyc  
test\_jitmethod.cpython-310.pyc  
test\_linalg.cpython-310.pyc  
test\_listimpl.cpython-310.pyc  
test\_listobject.cpython-310.pyc  
test\_lists.cpython-310.pyc  
test\_literal\_dispatch.cpython-310.pyc  
test\_llvm\_pass\_timings.cpython-310.pyc  
test\_llvm\_version\_check.cpython-310.pyc  
test\_locals.cpython-310.pyc  
test\_looplifting.cpython-310.pyc  
test\_make\_function\_to\_jit\_function.cpython-310.pyc  
test\_mandelbrot.cpython-310.pyc  
test\_mangling.cpython-310.pyc  
test\_map\_filter\_reduce.cpython-310.pyc  
test\_mathlib.cpython-310.pyc  
test\_maxmin.cpython-310.pyc  
test\_misc\_coverage\_support.cpython-310.pyc  
test\_mixed\_tuple\_unroller.cpython-310.pyc  
test\_moved\_modules.cpython-310.pyc  
test\_multi3.cpython-310.pyc  
test\_nan.cpython-310.pyc  
test\_ndarray\_subclasses.cpython-310.pyc  
test\_nested\_calls.cpython-310.pyc  
test\_np\_functions.cpython-310.pyc  
test\_np\_randomgen.cpython-310.pyc  
test\_npdatetime.cpython-310.pyc  
test\_nrt.cpython-310.pyc  
test\_nrt\_refct.cpython-310.pyc  
test\_num\_threads.cpython-310.pyc  
test\_numberctor.cpython-310.pyc  
test\_numbers.cpython-310.pyc  
test\_numconv.cpython-310.pyc  
test\_numpy\_support.cpython-310.pyc  
test\_numpyadapt.cpython-310.pyc  
test\_obj\_lifetime.cpython-310.pyc  
test\_object\_mode.cpython-310.pyc  
test\_objects.cpython-310.pyc  
test\_operators.cpython-310.pyc  
test\_optimisation\_pipelines.cpython-310.pyc  
test\_optional.cpython-310.pyc  
test\_overlap.cpython-310.pyc  
test\_parallel\_backend.cpython-310.pyc  
test\_parfors.cpython-310.pyc  
test\_parfors\_caching.cpython-310.pyc  
test\_parfors\_passes.cpython-310.pyc  
test\_pipeline.cpython-310.pyc  
test\_polynomial.cpython-310.pyc  
test\_practical\_lowering\_issues.cpython-310.pyc  
test\_print.cpython-310.pyc  
test\_profiler.cpython-310.pyc  
test\_pyc.cpython-310.pyc  
test\_python\_int.cpython-310.pyc  
test\_pythonapi.cpython-310.pyc  
test\_random.cpython-310.pyc  
test\_range.cpython-310.pyc  
test\_reccarray\_usecases.cpython-310.pyc

- test\_record\_dtype.cpython-310.pyc
- test\_recursion.cpython-310.pyc
- test\_refop\_pruning.cpython-310.pyc
- test\_remove\_dead.cpython-310.pyc
- test\_repr.cpython-310.pyc
- test\_return\_values.cpython-310.pyc
- test\_runttests.cpython-310.pyc
- test\_serialize.cpython-310.pyc
- test\_setimpl.cpython-310.pyc
- test\_setobject.cpython-310.pyc
- test\_sets.cpython-310.pyc
- test\_slices.cpython-310.pyc
- test\_sort.cpython-310.pyc
- test\_ssa.cpython-310.pyc
- test\_stencils.cpython-310.pyc
- test\_storeslice.cpython-310.pyc
- test\_struct\_ref.cpython-310.pyc
- test\_support.cpython-310.pyc
- test\_svml.cpython-310.pyc
- test\_sys\_monitoring.cpython-310.pyc
- test\_sys\_stdin\_assignment.cpython-310.pyc
- test\_sysinfo.cpython-310.pyc
- test\_target\_extension.cpython-310.pyc
- test\_target\_overloadselector.cpython-310.pyc
- test\_threadafety.cpython-310.pyc
- test\_tracing.cpython-310.pyc
- test\_try\_except.cpython-310.pyc
- test\_tuples.cpython-310.pyc
- test\_typeconv.cpython-310.pyc
- test\_typedlist.cpython-310.pyc
- test\_typedobjectutils.cpython-310.pyc
- test\_typeguard.cpython-310.pyc
- test\_typeinfer.cpython-310.pyc
- test\_typednames.cpython-310.pyc
- test\_typeof.cpython-310.pyc
- test\_types.cpython-310.pyc
- test\_typingerror.cpython-310.pyc
- test\_ufuncs.cpython-310.pyc
- test\_unicode.cpython-310.pyc
- test\_unicode\_array.cpython-310.pyc
- test\_unicode\_names.cpython-310.pyc
- test\_unpack\_sequence.cpython-310.pyc
- test\_unpickle\_without\_module.cpython-310.pyc
- test\_unsafe\_intrinsics.cpython-310.pyc
- test\_usecases.cpython-310.pyc
- test\_vectorization.cpython-310.pyc
- test\_vectorization\_type\_inference.cpython-310.pyc
- test\_warnings.cpython-310.pyc
- test\_withlifting.cpython-310.pyc
- threading\_backend\_usecases.cpython-310.pyc
- typedlist\_usecases.cpython-310.pyc
- usecases.cpython-310.pyc
- doc\_examples/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_examples.cpython-310.pyc
    - test\_interval\_example.cpython-310.pyc
    - test\_jitclass.cpython-310.pyc
    - test\_literal\_container\_usage.cpython-310.pyc
    - test\_literally\_usage.cpython-310.pyc
    - test\_llvm\_pass\_timings.cpython-310.pyc
    - test\_numpy\_generators.cpython-310.pyc
    - test\_parallel\_chunksize.cpython-310.pyc
    - test\_rec\_array.cpython-310.pyc
    - test\_structref\_usage.cpython-310.pyc
    - test\_typed\_dict\_usage.cpython-310.pyc
    - test\_typed\_list\_usage.cpython-310.pyc
    - test\_typed\_set\_usage.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_examples.py
  - test\_interval\_example.py
  - test\_jitclass.py
  - test\_literal\_container\_usage.py
  - test\_literally\_usage.py
  - test\_llvm\_pass\_timings.py
  - test\_numpy\_generators.py
  - test\_parallel\_chunksize.py
  - test\_rec\_array.py
  - test\_structref\_usage.py
  - test\_typed\_dict\_usage.py
  - test\_typed\_list\_usage.py
  - test\_typed\_set\_usage.py
- gdb/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc



- test\_array\_arg.cpython-310.pyc
- test\_basic.cpython-310.pyc
- test\_break\_on\_symbol.cpython-310.pyc
- test\_break\_on\_symbol\_version.cpython-310.pyc
- test\_conditional\_breakpoint.cpython-310.pyc
- test\_pretty\_print.cpython-310.pyc
- \_\_init\_\_.py
- test\_array\_arg.py
- test\_basic.py
- test\_break\_on\_symbol.py
- test\_break\_on\_symbol\_version.py
- test\_conditional\_breakpoint.py
- test\_pretty\_print.py
- npyufunc/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - cache\_usecases.cpython-310.pyc
    - test\_caching.cpython-310.pyc
    - test\_dufunc.cpython-310.pyc
    - test\_errors.cpython-310.pyc
    - test\_gufunc.cpython-310.pyc
    - test\_parallel\_env\_variable.cpython-310.pyc
    - test\_parallel\_low\_work.cpython-310.pyc
    - test\_parallel\_ufunc\_issues.cpython-310.pyc
    - test\_ufunc.cpython-310.pyc
    - test\_ufuncbuilding.cpython-310.pyc
    - test\_update\_inplace.cpython-310.pyc
    - test\_vectorize\_decor.cpython-310.pyc
    - ufuncbuilding\_usecases.cpython-310.pyc
  - \_\_init\_\_.py
  - cache\_usecases.py
  - test\_caching.py
  - test\_dufunc.py
  - test\_errors.py
  - test\_gufunc.py
  - test\_parallel\_env\_variable.py
  - test\_parallel\_low\_work.py
  - test\_parallel\_ufunc\_issues.py
  - test\_ufunc.py
  - test\_ufuncbuilding.py
  - test\_update\_inplace.py
  - test\_vectorize\_decor.py
  - ufuncbuilding\_usecases.py
- pycc\_distutils\_usecase/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - setup\_distutils.cpython-310.pyc
    - setup\_distutils\_nested.cpython-310.pyc
    - setup\_setuptools.cpython-310.pyc
    - setup\_setuptools\_nested.cpython-310.pyc
    - source\_module.cpython-310.pyc
  - nested/
    - pycache/
      - \_\_init\_\_.cpython-310.pyc
      - source\_module.cpython-310.pyc
    - \_\_init\_\_.py
    - source\_module.py
  - \_\_init\_\_.py
  - setup\_distutils.py
  - setup\_distutils\_nested.py
  - setup\_setuptools.py
  - setup\_setuptools\_nested.py
  - source\_module.py
- \_\_init\_\_.py
- annotation\_usecases.py
- cache\_usecases.py
- cffi\_usecases.py
- cfunc\_cache\_usecases.py
- chained\_assign\_usecases.py
- cloudpickle\_main\_class.py
- compile\_with\_pycc.py
- complex\_usecases.py
- ctypes\_usecases.py
- doctest\_usecase.py
- dummy\_module.py
- enum\_usecases.py
- error\_usecases.py
- errorhandling\_usecases.py
- gdb\_support.py
- inlining\_usecases.py
- matmul\_usecase.py
- orphaned\_semaphore\_usecase.py
- overload\_usecases.py
- parfor\_iss9490\_usecase.py
- parfors\_cache\_usecases.py

|  |                                  |
|--|----------------------------------|
|  | pdlike_usecase.py                |
|  | recursion_usecases.py            |
|  | serialize_usecases.py            |
|  | support.py                       |
|  | test_alignment.py                |
|  | test_analysis.py                 |
|  | test_annotations.py              |
|  | test_api.py                      |
|  | test_array_analysis.py           |
|  | test_array_attr.py               |
|  | test_array_constants.py          |
|  | test_array_exprs.py              |
|  | test_array_iterators.py          |
|  | test_array_manipulation.py       |
|  | test_array_methods.py            |
|  | test_array_reductions.py         |
|  | test_array_return.py             |
|  | test_asnumbatype.py              |
|  | test_auto_constants.py           |
|  | test_blacksholes.py              |
|  | test_boundscheck.py              |
|  | test_buffer_protocol.py          |
|  | test_builtins.py                 |
|  | test_byteflow.py                 |
|  | test_caching.py                  |
|  | test_casting.py                  |
|  | test_cffi.py                     |
|  | test_cfunc.py                    |
|  | test_cgutils.py                  |
|  | test_chained_assign.py           |
|  | test_chrome_trace.py             |
|  | test_cli.py                      |
|  | test_closure.py                  |
|  | test_codegen.py                  |
|  | test_compile_cache.py            |
|  | test_compiler_flags.py           |
|  | test_compiler_lock.py            |
|  | test_complex.py                  |
|  | test_comprehension.py            |
|  | test_conditions_as_predicates.py |
|  | test_config.py                   |
|  | test_controlflow.py              |
|  | test_conversion.py               |
|  | test_copy_propagate.py           |
|  | test_ctypes.py                   |
|  | test_dataflow.py                 |
|  | test_datamodel.py                |
|  | test_debug.py                    |
|  | test_debuginfo.py                |
|  | test_deprecations.py             |
|  | test_dictimpl.py                 |
|  | test_dictobject.py               |
|  | test_dicts.py                    |
|  | test_dispatcher.py               |
|  | test_doctest.py                  |
|  | test_dyn_array.py                |
|  | test_dyn_func.py                 |
|  | test_entrypoints.py              |
|  | test_enums.py                    |
|  | test_errorhandling.py            |
|  | test_errormodels.py              |
|  | test_event.py                    |
|  | test_exceptions.py               |
|  | test_extended_arg.py             |
|  | test_extending.py                |
|  | test_extending_types.py          |
|  | test_fancy_indexing.py           |
|  | test_fastmath.py                 |
|  | test_findlib.py                  |
|  | test_firstlinefinder.py          |
|  | test_flow_control.py             |
|  | test_func_interface.py           |
|  | test_func_lifetime.py            |
|  | test_funcdesc.py                 |
|  | test_function_type.py            |
|  | test_gdb_bindings.py             |
|  | test_gdb_dwarf.py                |
|  | test_generators.py               |
|  | test_getitem_on_types.py         |
|  | test_gil.py                      |
|  | test_globals.py                  |
|  | test_hashing.py                  |
|  | test_heapq.py                    |
|  | test_help.py                     |
|  | test_import.py                   |

— test\_indexing.py  
— test\_init\_utils.py  
— test\_inlining.py  
— test\_interpreter.py  
— test\_interproc.py  
— test\_intwidth.py  
— test\_ir.py  
— test\_ir\_inlining.py  
— test\_ir\_utils.py  
— test\_itanium\_mangler.py  
— test\_iteration.py  
— test\_jit\_module.py  
— test\_jitclasses.py  
— test\_jitmethod.py  
— test\_linalg.py  
— test\_listimpl.py  
— test\_listobject.py  
— test\_lists.py  
— test\_literal\_dispatch.py  
— test\_llvm\_pass\_timings.py  
— test\_llvm\_version\_check.py  
— test\_locals.py  
— test\_looplifting.py  
— test\_make\_function\_to\_jit\_function.py  
— test\_mandelbrot.py  
— test\_mangling.py  
— test\_map\_filter\_reduce.py  
— test\_mathlib.py  
— test\_maxmin.py  
— test\_misc\_coverage\_support.py  
— test\_mixed\_tuple\_unroller.py  
— test\_moved\_modules.py  
— test\_multi3.py  
— test\_nan.py  
— test\_ndarray\_subclasses.py  
— test\_nested\_calls.py  
— test\_np\_functions.py  
— test\_np\_randomgen.py  
— test\_npdatetime.py  
— test\_nrt.py  
— test\_nrt\_refct.py  
— test\_num\_threads.py  
— test\_numberctor.py  
— test\_numbers.py  
— test\_numconv.py  
— test\_numpy\_support.py  
— test\_numpyadapt.py  
— test\_obj\_lifetime.py  
— test\_object\_mode.py  
— test\_objects.py  
— test\_operators.py  
— test\_optimisation\_pipelines.py  
— test\_optional.py  
— test\_overlap.py  
— test\_parallel\_backend.py  
— test\_parfors.py  
— test\_parfors\_caching.py  
— test\_parfors\_passes.py  
— test\_pipeline.py  
— test\_polynomial.py  
— test\_practical\_lowering\_issues.py  
— test\_print.py  
— test\_profiler.py  
— test\_pycc.py  
— test\_python\_int.py  
— test\_pythonapi.py  
— test\_random.py  
— test\_range.py  
— test\_recarray\_usecases.py  
— test\_record\_dtype.py  
— test\_recursion.py  
— test\_refop\_pruning.py  
— test\_remove\_dead.py  
— test\_repr.py  
— test\_return\_values.py  
— test\_runttests.py  
— test\_serialize.py  
— test\_setimpl.py  
— test\_setobject.py  
— test\_sets.py  
— test\_slices.py  
— test\_sort.py  
— test\_ssa.py  
— test\_stencils.py  
— test\_storeslice.py

- test\_struct\_ref.py
- test\_support.py
- test\_svml.py
- test\_sys\_monitoring.py
- test\_sys\_stdin\_assignment.py
- test\_sysinfo.py
- test\_target\_extension.py
- test\_target\_overloadselector.py
- test\_threadafety.py
- test\_tracing.py
- test\_try\_except.py
- test\_tuples.py
- test\_typeconv.py
- test\_typedlist.py
- test\_typedobjectutils.py
- test\_typeguard.py
- test\_typeinfer.py
- test\_typenames.py
- test\_typeof.py
- test\_types.py
- test\_typingerror.py
- test\_ufuncs.py
- test\_unicode.py
- test\_unicode\_array.py
- test\_unicode\_names.py
- test\_unpack\_sequence.py
- test\_unpickle\_without\_module.py
- test\_unsafe\_intrinsics.py
- test\_usecases.py
- test\_vectorization.py
- test\_vectorization\_type\_inference.py
- test\_warnings.py
- test\_withlifting.py
- threading\_backend\_usecases.py
- typedlist\_usecases.py
- usecases.py
- typed/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - dictimpl.cpython-310.pyc
    - dictobject.cpython-310.pyc
    - listobject.cpython-310.pyc
    - setobject.cpython-310.pyc
    - typeddict.cpython-310.pyc
    - typedlist.cpython-310.pyc
    - typedobjectutils.cpython-310.pyc
    - typedset.cpython-310.pyc
  - \_\_init\_\_.py
  - dictimpl.py
  - dictobject.py
  - listobject.py
  - setobject.py
  - typeddict.py
  - typedlist.py
  - typedobjectutils.py
  - typedset.py
- types/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - \_\_init\_\_.py
  - \_main\_.py
  - \_arraystruct.h
  - \_devicearray.cp310-win\_amd64.pyd
  - \_devicearray.h
  - \_dispatcher.cp310-win\_amd64.pyd
  - \_dynfunc.c
  - \_dynfunc.cp310-win\_amd64.pyd
  - \_dynfuncmod.c
  - \_hashtable.h
  - \_helperlib.c
  - \_helperlib.cp310-win\_amd64.pyd
  - \_helpermod.c
  - \_lapack.c
  - \_numba\_common.h
  - \_pymodule.h
  - \_random.c
  - \_typeof.h
  - \_unicodetype\_db.h
  - \_version.py
  - extending.py
  - mathnames.h
  - mviewbuf.c
  - mviewbuf.cp310-win\_amd64.pyd
  - py.typed

- └─ pythoncapi\_compat.h
- └─ runtests.py
- ─ numba-0.66.0.dist-info/
  - └─ INSTALLER
  - └─ LICENSE
  - └─ LICENSES.third-party
  - └─ METADATA
  - └─ RECORD
  - └─ top\_level.txt
  - └─ WHEEL
- ─ numpy/
  - └─ \_\_pycache\_\_/
    - └─ \_\_config\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_array\_api\_info.cpython-310.pyc
    - └─ \_configtool.cpython-310.pyc
    - └─ \_distributor\_init.cpython-310.pyc
    - └─ \_expired\_attrs\_2\_0.cpython-310.pyc
    - └─ \_globals.cpython-310.pyc
    - └─ \_pytesttester.cpython-310.pyc
    - └─ conftest.cpython-310.pyc
    - └─ ctypeslib.cpython-310.pyc
    - └─ dtypes.cpython-310.pyc
    - └─ exceptions.cpython-310.pyc
    - └─ matlib.cpython-310.pyc
    - └─ version.cpython-310.pyc
  - └─ \_core/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_add\_newdocs.cpython-310.pyc
      - └─ \_add\_newdocs\_scalars.cpython-310.pyc
      - └─ \_asarray.cpython-310.pyc
      - └─ \_dtype.cpython-310.pyc
      - └─ \_dtype\_ctypes.cpython-310.pyc
      - └─ \_exceptions.cpython-310.pyc
      - └─ \_internal.cpython-310.pyc
      - └─ \_machar.cpython-310.pyc
      - └─ \_methods.cpython-310.pyc
      - └─ \_string\_helpers.cpython-310.pyc
      - └─ \_type\_aliases.cpython-310.pyc
      - └─ \_ufunc\_config.cpython-310.pyc
      - └─ arrayprint.cpython-310.pyc
      - └─ cversions.cpython-310.pyc
      - └─ defchararray.cpython-310.pyc
      - └─ einsumfunc.cpython-310.pyc
      - └─ fromnumeric.cpython-310.pyc
      - └─ function\_base.cpython-310.pyc
      - └─ getlimits.cpython-310.pyc
      - └─ memmap.cpython-310.pyc
      - └─ multiarray.cpython-310.pyc
      - └─ numeric.cpython-310.pyc
      - └─ numerictypes.cpython-310.pyc
      - └─ overrides.cpython-310.pyc
      - └─ printoptions.cpython-310.pyc
      - └─ records.cpython-310.pyc
      - └─ shape\_base.cpython-310.pyc
      - └─ strings.cpython-310.pyc
      - └─ umath.cpython-310.pyc
    - └─ include/
      - └─ numpy/
        - └─ random/
          - └─ bitgen.h
          - └─ distributions.h
          - └─ libdivide.h
          - └─ LICENSE.txt
        - └─ \_multiarray\_api.c
        - └─ \_multiarray\_api.h
        - └─ \_ufunc\_api.c
        - └─ \_ufunc\_api.h
        - └─ \_neighborhood\_iterator\_imp.h
        - └─ \_numpyconfig.h
        - └─ \_public\_dtype\_api\_table.h
        - └─ arrayobject.h
        - └─ arrayscalars.h
        - └─ dtype\_api.h
        - └─ halffloat.h
        - └─ ndarrayobject.h
        - └─ ndarraytypes.h
        - └─ npy\_1\_7\_deprecated\_api.h
        - └─ npy\_2\_compat.h
        - └─ npy\_2\_complexcompat.h
        - └─ npy\_3kcompat.h
        - └─ npy\_common.h
        - └─ npy\_cpu.h
        - └─ npy\_endian.h

- npy\_math.h
- npy\_no\_deprecated\_api.h
- npy\_os.h
- numpyconfig.h
- ufuncobject.h
- utils.h
- lib/
  - npy-pkg-config/
    - mlib.ini
    - npymath.ini
  - pkgconfig/
    - numpy.pc
  - npymath.lib
- tests/
  - \_\_pycache\_\_/
    - \_locales.cpython-310.pyc
    - \_natype.cpython-310.pyc
    - test\_exceptions.cpython-310.pyc
    - test\_abc.cpython-310.pyc
    - test\_api.cpython-310.pyc
    - test\_argparse.cpython-310.pyc
    - test\_array\_api\_info.cpython-310.pyc
    - test\_array\_coercion.cpython-310.pyc
    - test\_array\_interface.cpython-310.pyc
    - test\_arraymethod.cpython-310.pyc
    - test\_arrayobject.cpython-310.pyc
    - test\_arrayprint.cpython-310.pyc
    - test\_casting\_floatingpoint\_errors.cpython-310.pyc
    - test\_casting\_unittests.cpython-310.pyc
    - test\_conversion\_utils.cpython-310.pyc
    - test\_cpu\_dispatcher.cpython-310.pyc
    - test\_cpu\_features.cpython-310.pyc
    - test\_custom\_dtypes.cpython-310.pyc
    - test\_cython.cpython-310.pyc
    - test\_datetime.cpython-310.pyc
    - test\_defchararray.cpython-310.pyc
    - test\_deprecations.cpython-310.pyc
    - test\_dlpack.cpython-310.pyc
    - test\_dtype.cpython-310.pyc
    - test\_einsum.cpython-310.pyc
    - test\_errstate.cpython-310.pyc
    - test\_extint128.cpython-310.pyc
    - test\_function\_base.cpython-310.pyc
    - test\_getlimits.cpython-310.pyc
    - test\_half.cpython-310.pyc
    - test\_hashtable.cpython-310.pyc
    - test\_indexerrors.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_item\_selection.cpython-310.pyc
    - test\_limited\_api.cpython-310.pyc
    - test\_longdouble.cpython-310.pyc
    - test\_machar.cpython-310.pyc
    - test\_mem\_overlap.cpython-310.pyc
    - test\_mem\_policy.cpython-310.pyc
    - test\_mmap.cpython-310.pyc
    - test\_multiarray.cpython-310.pyc
    - test\_multithreading.cpython-310.pyc
    - test\_nditer.cpython-310.pyc
    - test\_nep50\_promotions.cpython-310.pyc
    - test\_numeric.cpython-310.pyc
    - test\_numerictypes.cpython-310.pyc
    - test\_overrides.cpython-310.pyc
    - test\_print.cpython-310.pyc
    - test\_protocols.cpython-310.pyc
    - test\_records.cpython-310.pyc
    - test\_regression.cpython-310.pyc
    - test\_scalar\_ctors.cpython-310.pyc
    - test\_scalar\_methods.cpython-310.pyc
    - test\_scalarbuffer.cpython-310.pyc
    - test\_scalarinherit.cpython-310.pyc
    - test\_scalarmath.cpython-310.pyc
    - test\_scalarprint.cpython-310.pyc
    - test\_shape\_base.cpython-310.pyc
    - test\_simd.cpython-310.pyc
    - test\_simd\_module.cpython-310.pyc
    - test\_stringdtype.cpython-310.pyc
    - test\_strings.cpython-310.pyc
    - test\_ufunc.cpython-310.pyc
    - test\_umath.cpython-310.pyc
    - test\_umath\_accuracy.cpython-310.pyc
    - test\_umath\_complex.cpython-310.pyc
    - test\_unicode.cpython-310.pyc
  - data/
    - astype\_copy.pkl
    - generate\_umath\_validation\_data.cpp

- recarray\_from\_file.fits
- umath-validation-set-arccos.csv
- umath-validation-set-arccosh.csv
- umath-validation-set-arcsin.csv
- umath-validation-set-arcsinh.csv
- umath-validation-set-arctan.csv
- umath-validation-set-arctanh.csv
- umath-validation-set-cbrt.csv
- umath-validation-set-cos.csv
- umath-validation-set-cosh.csv
- umath-validation-set-exp.csv
- umath-validation-set-exp2.csv
- umath-validation-set-expm1.csv
- umath-validation-set-log.csv
- umath-validation-set-log10.csv
- umath-validation-set-log1p.csv
- umath-validation-set-log2.csv
- umath-validation-set-README.txt
- umath-validation-set-sin.csv
- umath-validation-set-sinh.csv
- umath-validation-set-tan.csv
- umath-validation-set-tanh.csv
- examples/
  - cython/
    - pycache\_/
      - setup.cpython-310.pyc
    - checks.pyx
    - meson.build
    - setup.py
  - limited\_api/
    - pycache\_/
      - setup.cpython-310.pyc
    - limited\_api1.c
    - limited\_api2.pyx
    - limited\_api\_latest.c
    - meson.build
    - setup.py
- \_locales.py
- \_natype.py
- test\_\_exceptions.py
- test\_abc.py
- test\_api.py
- test\_argparse.py
- test\_array\_api\_info.py
- test\_array\_coercion.py
- test\_array\_interface.py
- test\_arraymethod.py
- test\_arrayobject.py
- test\_arrayprint.py
- test\_casting\_floatingpoint\_errors.py
- test\_casting\_unittests.py
- test\_conversion\_utils.py
- test\_cpu\_dispatcher.py
- test\_cpu\_features.py
- test\_custom\_dtypes.py
- test\_cython.py
- test\_datetime.py
- test\_defchararray.py
- test\_deprecations.py
- test\_dlpack.py
- test\_dtype.py
- test\_einsum.py
- test\_errstate.py
- test\_extint128.py
- test\_function\_base.py
- test\_getlimits.py
- test\_half.py
- test\_hashtable.py
- test\_indexerrors.py
- test\_indexing.py
- test\_item\_selection.py
- test\_limited\_api.py
- test\_longdouble.py
- test\_machar.py
- test\_mem\_overlap.py
- test\_mem\_policy.py
- test\_mmap.py
- test\_multiarray.py
- test\_multithreading.py
- test\_nditer.py
- test\_nep50\_promotions.py
- test\_numeric.py
- test\_numerictypes.py
- test\_overrides.py
- test\_print.py

```
— test_protocols.py
— test_records.py
— test_regression.py
— test_scalar_ctors.py
— test_scalar_methods.py
— test_scalarbuffer.py
— test_scalarinherit.py
— test_scalarmath.py
— test_scalarprint.py
— test_shape_base.py
— test_simd.py
— test_simd_module.py
— test_stringdtype.py
— test_strings.py
— test_ufunc.py
— test_umath.py
— test_umath_accuracy.py
— test_umath_complex.py
— test_unicode.py
— _init__.py
— _init__.pyi
— _add_newdocs.py
— _add_newdocs.pyi
— _add_newdocs_scalars.py
— _add_newdocs_scalars.pyi
— _asarray.py
— _asarray.pyi
— _dtype.py
— _dtype.pyi
— _dtype_ctypes.py
— _dtype_ctypes.pyi
— _exceptions.py
— _exceptions.pyi
— _internal.py
— _internal.pyi
— _machar.py
— _machar.pyi
— _methods.py
— _methods.pyi
— _multiarray_tests.cp310-win_amd64.lib
— _multiarray_tests.cp310-win_amd64.pyd
— _multiarray_umath.cp310-win_amd64.lib
— _multiarray_umath.cp310-win_amd64.pyd
— _operand_flag_tests.cp310-win_amd64.lib
— _operand_flag_tests.cp310-win_amd64.pyd
— _rational_tests.cp310-win_amd64.lib
— _rational_tests.cp310-win_amd64.pyd
— _simd.cp310-win_amd64.lib
— _simd.cp310-win_amd64.pyd
— _simd.pyi
— _string_helpers.py
— _string_helpers.pyi
— _struct_ufunc_tests.cp310-win_amd64.lib
— _struct_ufunc_tests.cp310-win_amd64.pyd
— _type_aliases.py
— _type_aliases.pyi
— _ufunc_config.py
— _ufunc_config.pyi
— _umath_tests.cp310-win_amd64.lib
— _umath_tests.cp310-win_amd64.pyd
— arrayprint.py
— arrayprint.pyi
— cversions.py
— defchararray.py
— defchararray.pyi
— einsumfunc.py
— einsumfunc.pyi
— fromnumeric.py
— fromnumeric.pyi
— function_base.py
— function_base.pyi
— getlimits.py
— getlimits.pyi
— memmap.py
— memmap.pyi
— multiarray.py
— multiarray.pyi
— numeric.py
— numeric.pyi
— numerictypes.py
— numerictypes.pyi
— overrides.py
— overrides.pyi
— printoptions.py
— printoptions.pyi
```



- records.py
- records.pyi
- shape\_base.py
- shape\_base.pyi
- strings.py
- strings.pyi
- umath.py
- umath.pyi
- pyinstaller/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - hook-numpy.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - pyinstaller-smoke.cpython-310.pyc
      - test\_pyinstaller.cpython-310.pyc
    - \_\_init\_\_.py
    - pyinstaller-smoke.py
    - test\_pyinstaller.py
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - hook-numpy.py
  - hook-numpy.pyi
- typing/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_add\_docstring.cpython-310.pyc
    - \_array\_like.cpython-310.pyc
    - \_char\_codes.cpython-310.pyc
    - \_dtype\_like.cpython-310.pyc
    - \_extended\_precision.cpython-310.pyc
    - \_nbit.cpython-310.pyc
    - \_nbit\_base.cpython-310.pyc
    - \_nested\_sequence.cpython-310.pyc
    - \_scalars.cpython-310.pyc
    - \_shape.cpython-310.pyc
    - \_ufunc.cpython-310.pyc
  - \_\_init\_\_.py
  - \_add\_docstring.py
  - \_array\_like.py
  - \_callable.pyi
  - \_char\_codes.py
  - \_dtype\_like.py
  - \_extended\_precision.py
  - \_nbit.py
  - \_nbit\_base.py
  - \_nested\_sequence.py
  - \_scalars.py
  - \_shape.py
  - \_ufunc.py
  - \_ufunc.pyi
- utils/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_conversions.cpython-310.pyc
    - \_inspect.cpython-310.pyc
    - \_pep440.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - \_conversions.py
  - \_conversions.pyi
  - \_inspect.py
  - \_inspect.pyi
  - \_pep440.py
  - \_pep440.pyi
- char/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
- compat/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - py3k.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - \_\_init\_\_.py
  - py3k.py
- core/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_dtype.cpython-310.pyc

- \_dtype\_ctypes.cpython-310.pyc
- \_internal.cpython-310.pyc
- \_multiarray\_umath.cpython-310.pyc
- \_utils.cpython-310.pyc
- arrayprint.cpython-310.pyc
- defchararray.cpython-310.pyc
- einsumfunc.cpython-310.pyc
- fromnumeric.cpython-310.pyc
- function\_base.cpython-310.pyc
- getlimits.cpython-310.pyc
- multiarray.cpython-310.pyc
- numeric.cpython-310.pyc
- numerictypes.cpython-310.pyc
- overrides.cpython-310.pyc
- records.cpython-310.pyc
- shape\_base.cpython-310.pyc
- umath.cpython-310.pyc
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_dtype.py
- \_dtype.pyi
- \_dtype\_ctypes.py
- \_dtype\_ctypes.pyi
- \_internal.py
- \_multiarray\_umath.py
- \_utils.py
- arrayprint.py
- defchararray.py
- einsumfunc.py
- fromnumeric.py
- function\_base.py
- getlimits.py
- multiarray.py
- numeric.py
- numerictypes.py
- overrides.py
- overrides.pyi
- records.py
- shape\_base.py
- umath.py
- distutils/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_shell\_utils.cpython-310.pyc
    - armccompiler.cpython-310.pyc
    - ccompiler.cpython-310.pyc
    - ccompiler\_opt.cpython-310.pyc
    - conv\_template.cpython-310.pyc
    - core.cpython-310.pyc
    - cpuinfo.cpython-310.pyc
    - exec\_command.cpython-310.pyc
    - extension.cpython-310.pyc
    - from\_template.cpython-310.pyc
    - fujitsucompiler.cpython-310.pyc
    - intelccompiler.cpython-310.pyc
    - lib2def.cpython-310.pyc
    - line\_endings.cpython-310.pyc
    - log.cpython-310.pyc
    - mingw32ccompiler.cpython-310.pyc
    - misc\_util.cpython-310.pyc
    - msvc9compiler.cpython-310.pyc
    - msvccompiler.cpython-310.pyc
    - npy\_pkg\_config.cpython-310.pyc
    - numpy\_distribution.cpython-310.pyc
    - pathccompiler.cpython-310.pyc
    - system\_info.cpython-310.pyc
    - unixccompiler.cpython-310.pyc
  - checks/
    - cpu\_asimd.c
    - cpu\_asimddp.c
    - cpu\_asimdfhm.c
    - cpu\_asimdhp.c
    - cpu\_avx.c
    - cpu\_avx2.c
    - cpu\_avx512\_clx.c
    - cpu\_avx512\_cn1.c
    - cpu\_avx512\_ic1.c
    - cpu\_avx512\_kn1.c
    - cpu\_avx512\_knm.c
    - cpu\_avx512\_skn.c
    - cpu\_avx512\_spr.c
    - cpu\_avx512cd.c
    - cpu\_avx512f.c
    - cpu\_f16c.c
    - cpu\_fma3.c

- cpu\_fma4.c
- cpu\_neon.c
- cpu\_neon\_fp16.c
- cpu\_neon\_vfpv4.c
- cpu\_popcnt.c
- cpu\_rvv.c
- cpu\_sse.c
- cpu\_sse2.c
- cpu\_sse3.c
- cpu\_sse41.c
- cpu\_sse42.c
- cpu\_ssse3.c
- cpu\_sve.c
- cpu\_vsx.c
- cpu\_vsx2.c
- cpu\_vsx3.c
- cpu\_vsx4.c
- cpu\_vx.c
- cpu\_vxe.c
- cpu\_vxe2.c
- cpu\_xop.c
- extra\_avx512bw\_mask.c
- extra\_avx512dq\_mask.c
- extra\_avx512f\_reduce.c
- extra\_vsx3\_half\_double.c
- extra\_vsx4\_mma.c
- extra\_vsx\_asm.c
- test\_flags.c
- command/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - autodist.cpython-310.pyc
    - bdist\_rpm.cpython-310.pyc
    - build.cpython-310.pyc
    - build\_clib.cpython-310.pyc
    - build\_ext.cpython-310.pyc
    - build\_py.cpython-310.pyc
    - build\_scripts.cpython-310.pyc
    - build\_src.cpython-310.pyc
    - config.cpython-310.pyc
    - config\_compiler.cpython-310.pyc
    - develop.cpython-310.pyc
    - egg\_info.cpython-310.pyc
    - install.cpython-310.pyc
    - install\_clib.cpython-310.pyc
    - install\_data.cpython-310.pyc
    - install\_headers.cpython-310.pyc
    - sdist.cpython-310.pyc
  - \_\_init\_\_.py
  - autodist.py
  - bdist\_rpm.py
  - build.py
  - build\_clib.py
  - build\_ext.py
  - build\_py.py
  - build\_scripts.py
  - build\_src.py
  - config.py
  - config\_compiler.py
  - develop.py
  - egg\_info.py
  - install.py
  - install\_clib.py
  - install\_data.py
  - install\_headers.py
  - sdist.py
- fcompiler/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - absoft.cpython-310.pyc
    - arm.cpython-310.pyc
    - compaq.cpython-310.pyc
    - environment.cpython-310.pyc
    - fujitsu.cpython-310.pyc
    - g95.cpython-310.pyc
    - gnu.cpython-310.pyc
    - hpux.cpython-310.pyc
    - ibm.cpython-310.pyc
    - intel.cpython-310.pyc
    - lahey.cpython-310.pyc
    - mips.cpython-310.pyc
    - nag.cpython-310.pyc
    - none.cpython-310.pyc
    - nv.cpython-310.pyc
    - pathf95.cpython-310.pyc

- pg.cpython-310.pyc
  - sun.cpython-310.pyc
  - vast.cpython-310.pyc
- \_\_init\_\_.py
- absoft.py
- arm.py
- compaq.py
- environment.py
- fujitsu.py
- g95.py
- gnu.py
- hpux.py
- ibm.py
- intel.py
- lahey.py
- mips.py
- nag.py
- none.py
- nv.py
- pathf95.py
- pg.py
- sun.py
- vast.py
- mingw/
  - gfortran\_vs2003\_hack.c
- tests/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - test\_build\_ext.cpython-310.pyc
    - test\_ccompiler\_opt.cpython-310.pyc
    - test\_ccompiler\_opt\_conf.cpython-310.pyc
    - test\_exec\_command.cpython-310.pyc
    - test\_fcompiler.cpython-310.pyc
    - test\_fcompiler\_gnu.cpython-310.pyc
    - test\_fcompiler\_intel.cpython-310.pyc
    - test\_fcompiler\_nagfor.cpython-310.pyc
    - test\_from\_template.cpython-310.pyc
    - test\_log.cpython-310.pyc
    - test\_mingw32ccompiler.cpython-310.pyc
    - test\_misc\_util.cpython-310.pyc
    - test\_npy\_pkg\_config.cpython-310.pyc
    - test\_shell\_utils.cpython-310.pyc
    - test\_system\_info.cpython-310.pyc
    - utilities.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_build\_ext.py
  - test\_ccompiler\_opt.py
  - test\_ccompiler\_opt\_conf.py
  - test\_exec\_command.py
  - test\_fcompiler.py
  - test\_fcompiler\_gnu.py
  - test\_fcompiler\_intel.py
  - test\_fcompiler\_nagfor.py
  - test\_from\_template.py
  - test\_log.py
  - test\_mingw32ccompiler.py
  - test\_misc\_util.py
  - test\_npy\_pkg\_config.py
  - test\_shell\_utils.py
  - test\_system\_info.py
  - utilities.py
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_shell\_utils.py
- armccompiler.py
- ccompiler.py
- ccompiler\_opt.py
- conv\_template.py
- core.py
- cpuinfo.py
- exec\_command.py
- extension.py
- from\_template.py
- fujitsuccompiler.py
- intelccompiler.py
- lib2def.py
- line\_endings.py
- log.py
- mingw32ccompiler.py
- misc\_util.py
- msvc9compiler.py
- msvccompiler.py
- npkg\_config.py
- numpy\_distribution.py
- pathccompiler.py

- system\_info.py
  - unixccompiler.py
- doc/
  - pycache\_/
      - ufuncs.cpython-310.pyc
    - ufuncs.py
- f2py/
  - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_\_main\_\_.cpython-310.pyc
      - \_\_version\_\_.cpython-310.pyc
      - \_isocbind.cpython-310.pyc
      - \_src\_pyf.cpython-310.pyc
      - auxfuncs.cpython-310.pyc
      - capi\_maps.cpython-310.pyc
      - cb\_rules.cpython-310.pyc
      - cfuncs.cpython-310.pyc
      - common\_rules.cpython-310.pyc
      - crackfortran.cpython-310.pyc
      - diagnose.cpython-310.pyc
      - f2py2e.cpython-310.pyc
      - f90mod\_rules.cpython-310.pyc
      - func2subr.cpython-310.pyc
      - rules.cpython-310.pyc
      - symbolic.cpython-310.pyc
      - use\_rules.cpython-310.pyc
  - \_backends/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_backend.cpython-310.pyc
        - \_distutils.cpython-310.pyc
        - \_meson.cpython-310.pyc
      - \_\_init\_\_.py
      - \_backend.py
      - \_distutils.py
      - \_meson.py
      - meson.build.template
  - src/
    - fortranobject.c
    - fortranobject.h
- tests/
  - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_abstract\_interface.cpython-310.pyc
      - test\_array\_from\_pyobj.cpython-310.pyc
      - test\_assumed\_shape.cpython-310.pyc
      - test\_block\_docstring.cpython-310.pyc
      - test\_callback.cpython-310.pyc
      - test\_character.cpython-310.pyc
      - test\_common.cpython-310.pyc
      - test\_crackfortran.cpython-310.pyc
      - test\_data.cpython-310.pyc
      - test\_docs.cpython-310.pyc
      - test\_f2cmap.cpython-310.pyc
      - test\_f2py2e.cpython-310.pyc
      - test\_isoc.cpython-310.pyc
      - test\_kind.cpython-310.pyc
      - test\_mixed.cpython-310.pyc
      - test\_modules.cpython-310.pyc
      - test\_parameter.cpython-310.pyc
      - test\_pyf\_src.cpython-310.pyc
      - test\_quoted\_character.cpython-310.pyc
      - test\_regression.cpython-310.pyc
      - test\_return\_character.cpython-310.pyc
      - test\_return\_complex.cpython-310.pyc
      - test\_return\_integer.cpython-310.pyc
      - test\_return\_logical.cpython-310.pyc
      - test\_return\_real.cpython-310.pyc
      - test\_routines.cpython-310.pyc
      - test\_semicolon\_split.cpython-310.pyc
      - test\_size.cpython-310.pyc
      - test\_string.cpython-310.pyc
      - test\_symbolic.cpython-310.pyc
      - test\_value\_attrspec.cpython-310.pyc
      - util.cpython-310.pyc
  - src/
    - abstract\_interface/
      - foo.f90
      - gh18403\_mod.f90
    - array\_from\_pyobj/
      - wrapmodule.c
    - assumed\_shape/
      - .f2py\_f2cmap
      - foo\_free.f90
      - foo\_mod.f90

- └─ foo\_use.f90
- └─ precision.f90
- ─ block\_docstring/
  - └─ foo.f
- ─ callback/
  - └─ foo.f
  - └─ gh17797.f90
  - └─ gh18335.f90
  - └─ gh25211.f
  - └─ gh25211.pyf
  - └─ gh26681.f90
- ─ cli/
  - └─ gh\_22819.pyf
  - └─ hi77.f
  - └─ hiworld.f90
- ─ common/
  - └─ block.f
  - └─ gh19161.f90
- ─ crackfortran/
  - └─ accesstype.f90
  - └─ common\_with\_division.f
  - └─ data\_common.f
  - └─ data\_multiplier.f
  - └─ data\_stmts.f90
  - └─ data\_with\_comments.f
  - └─ foo\_deps.f90
  - └─ gh15035.f
  - └─ gh17859.f
  - └─ gh22648.pyf
  - └─ gh23533.f
  - └─ gh23598.f90
  - └─ gh23598Warn.f90
  - └─ gh23879.f90
  - └─ gh27697.f90
  - └─ gh2848.f90
  - └─ operators.f90
  - └─ privatemod.f90
  - └─ publicmod.f90
  - └─ pubprivmod.f90
  - └─ unicode\_comment.f90
- ─ f2cmap/
  - └─ .f2py\_f2cmap
  - └─ isoFortranEnvMap.f90
- ─ isocintrin/
  - └─ isoCtests.f90
- ─ kind/
  - └─ foo.f90
- ─ mixed/
  - └─ foo.f
  - └─ foo\_fixed.f90
  - └─ foo\_free.f90
- ─ modules/
  - └─ gh25337/
    - └─ data.f90
    - └─ use\_data.f90
  - └─ gh26920/
    - └─ two\_mods\_with\_no\_public\_entities.f90
    - └─ two\_mods\_with\_one\_public\_routine.f90
  - └─ module\_data\_docstring.f90
  - └─ use\_modules.f90
- ─ negative\_bounds/
  - └─ issue\_20853.f90
- ─ parameter/
  - └─ constant\_array.f90
  - └─ constant\_both.f90
  - └─ constant\_compound.f90
  - └─ constant\_integer.f90
  - └─ constant\_non\_compound.f90
  - └─ constant\_real.f90
- ─ quoted\_character/
  - └─ foo.f
- ─ regression/
  - └─ AB.inc
  - └─ assignOnlyModule.f90
  - └─ datonly.f90
  - └─ f77comments.f
  - └─ f77fixedform.f95
  - └─ f90continuation.f90
  - └─ incfile.f90
  - └─ inout.f90
  - └─ lower\_f2py\_fortran.f90
- ─ return\_character/
  - └─ foo77.f
  - └─ foo90.f90
- ─ return\_complex/

- foo77.f
    - foo90.f90
  - return\_integer/
    - foo77.f
    - foo90.f90
  - return\_logical/
    - foo77.f
    - foo90.f90
  - return\_real/
    - foo77.f
    - foo90.f90
  - routines/
    - funcfortranname.f
    - funcfortranname.pyf
    - subrout.f
    - subrout.pyf
  - size/
    - foo.f90
  - string/
    - char.f90
    - fixed\_string.f90
    - gh24008.f
    - gh24662.f90
    - gh25286.f90
    - gh25286.pyf
    - gh25286\_bc.pyf
    - scalar\_string.f90
    - string.f
  - value\_attrspec/
    - gh21665.f90
- \_\_init\_\_.py
- test\_abstract\_interface.py
- test\_array\_from\_pyobj.py
- test\_assumed\_shape.py
- test\_block\_docstring.py
- test\_callback.py
- test\_character.py
- test\_common.py
- test\_crackfortran.py
- test\_data.py
- test\_docs.py
- test\_f2cmap.py
- test\_f2py2e.py
- test\_isoc.py
- test\_kind.py
- test\_mixed.py
- test\_modules.py
- test\_parameter.py
- test\_pyf\_src.py
- test\_quoted\_character.py
- test\_regression.py
- test\_return\_character.py
- test\_return\_complex.py
- test\_return\_integer.py
- test\_return\_logical.py
- test\_return\_real.py
- test\_routines.py
- test\_semicolon\_split.py
- test\_size.py
- test\_string.py
- test\_symbolic.py
- test\_value\_attrspec.py
- util.py
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_\_main\_\_.py
- \_\_version\_\_.py
- \_isocbind.py
- \_src\_pyf.py
- auxfuncs.py
- capi\_maps.py
- cb\_rules.py
- cfuncs.py
- common\_rules.py
- crackfortran.py
- diagnose.py
- f2py2e.py
- f90mod\_rules.py
- func2subr.py
- rules.py
- setup.cfg
- symbolic.py
- use\_rules.py
- fft/
  - \_\_pycache\_\_/

- `__init__.cpython-310.pyc`
  - `helper.cpython-310.pyc`
  - `_pocketfft.cpython-310.pyc`
  - `helper.cpython-310.pyc`
- `tests/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `test_helper.cpython-310.pyc`
    - `test_pocketfft.cpython-310.pyc`
  - `__init__.py`
  - `test_helper.py`
  - `test_pocketfft.py`
- `__init__.py`
- `__init__.pyi`
- `helper.py`
- `helper.pyi`
- `_pocketfft.py`
- `_pocketfft.pyi`
- `_pocketfft_umath.cp310-win_amd64.lib`
- `_pocketfft_umath.cp310-win_amd64.pyd`
- `helper.py`
- `helper.pyi`

- `lib/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `_array_utils_impl.cpython-310.pyc`
    - `_arraypad_impl.cpython-310.pyc`
    - `_arraysetops_impl.cpython-310.pyc`
    - `_arrayiterator_impl.cpython-310.pyc`
    - `_datasource.cpython-310.pyc`
    - `_function_base_impl.cpython-310.pyc`
    - `_histograms_impl.cpython-310.pyc`
    - `_index_tricks_impl.cpython-310.pyc`
    - `_iotools.cpython-310.pyc`
    - `_nanfunctions_impl.cpython-310.pyc`
    - `_npio_impl.cpython-310.pyc`
    - `_polynomial_impl.cpython-310.pyc`
    - `_scimath_impl.cpython-310.pyc`
    - `_shape_base_impl.cpython-310.pyc`
    - `_stride_tricks_impl.cpython-310.pyc`
    - `_twodim_base_impl.cpython-310.pyc`
    - `_type_check_impl.cpython-310.pyc`
    - `_ufunclike_impl.cpython-310.pyc`
    - `_user_array_impl.cpython-310.pyc`
    - `_utils_impl.cpython-310.pyc`
    - `_version.cpython-310.pyc`
    - `array_utils.cpython-310.pyc`
    - `format.cpython-310.pyc`
    - `introspect.cpython-310.pyc`
    - `mixins.cpython-310.pyc`
    - `npio.cpython-310.pyc`
    - `recfunctions.cpython-310.pyc`
    - `scimath.cpython-310.pyc`
    - `stride_tricks.cpython-310.pyc`
    - `user_array.cpython-310.pyc`
  - `tests/`
    - `pycache/`
      - `__init__.cpython-310.pyc`
      - `test_datasource.cpython-310.pyc`
      - `test_iotools.cpython-310.pyc`
      - `test_version.cpython-310.pyc`
      - `test_array_utils.cpython-310.pyc`
      - `test_arraypad.cpython-310.pyc`
      - `test_arraysetops.cpython-310.pyc`
      - `test_arrayiterator.cpython-310.pyc`
      - `test_format.cpython-310.pyc`
      - `test_function_base.cpython-310.pyc`
      - `test_histograms.cpython-310.pyc`
      - `test_index_tricks.cpython-310.pyc`
      - `test_io.cpython-310.pyc`
      - `test_loadtxt.cpython-310.pyc`
      - `test_mixins.cpython-310.pyc`
      - `test_nanfunctions.cpython-310.pyc`
      - `test_packbits.cpython-310.pyc`
      - `test_polynomial.cpython-310.pyc`
      - `test_recfunctions.cpython-310.pyc`
      - `test_regression.cpython-310.pyc`
      - `test_shape_base.cpython-310.pyc`
      - `test_stride_tricks.cpython-310.pyc`
      - `test_twodim_base.cpython-310.pyc`
      - `test_type_check.cpython-310.pyc`
      - `test_ufunclike.cpython-310.pyc`
      - `test_utils.cpython-310.pyc`
  - `data/`
    - `py2-np0-objarr.npy`



- py2-objarr.npy
- py2-objarr.npz
- py3-objarr.npy
- py3-objarr.npz
- python3.npy
- win64python2.npy
- \_\_init\_\_.py
- test\_datasource.py
- test\_iotools.py
- test\_version.py
- test\_array\_utils.py
- test\_arraypad.py
- test\_arraysetops.py
- test\_arrayiterator.py
- test\_format.py
- test\_function\_base.py
- test\_histograms.py
- test\_index\_tricks.py
- test\_io.py
- test\_loadtxt.py
- test\_mixins.py
- test\_nanfunctions.py
- test\_packbits.py
- test\_polynomial.py
- test\_recfunctions.py
- test\_regression.py
- test\_shape\_base.py
- test\_stride\_tricks.py
- test\_twodim\_base.py
- test\_type\_check.py
- test\_ufunclike.py
- test\_utils.py
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- array\_utils\_impl.py
- array\_utils\_impl.pyi
- arraypad\_impl.py
- arraypad\_impl.pyi
- arraysetops\_impl.py
- arraysetops\_impl.pyi
- arrayiterator\_impl.py
- arrayiterator\_impl.pyi
- datasource.py
- datasource.pyi
- function\_base\_impl.py
- function\_base\_impl.pyi
- histograms\_impl.py
- histograms\_impl.pyi
- index\_tricks\_impl.py
- index\_tricks\_impl.pyi
- iotools.py
- iotools.pyi
- nanfunctions\_impl.py
- nanfunctions\_impl.pyi
- npyio\_impl.py
- npyio\_impl.pyi
- polynomial\_impl.py
- polynomial\_impl.pyi
- scimath\_impl.py
- scimath\_impl.pyi
- shape\_base\_impl.py
- shape\_base\_impl.pyi
- stride\_tricks\_impl.py
- stride\_tricks\_impl.pyi
- twodim\_base\_impl.py
- twodim\_base\_impl.pyi
- type\_check\_impl.py
- type\_check\_impl.pyi
- unclike\_impl.py
- unclike\_impl.pyi
- user\_array\_impl.py
- user\_array\_impl.pyi
- utils\_impl.py
- utils\_impl.pyi
- version.py
- version.pyi
- array\_utils.py
- array\_utils.pyi
- format.py
- format.pyi
- introspect.py
- introspect.pyi
- mixins.py
- mixins.pyi
- npyio.py

- npyio.pyi
- recfunctions.py
- recfunctions.pyi
- scimath.py
- scimath.pyi
- stride\_tricks.py
- stride\_tricks.pyi
- user\_array.py
- user\_array.pyi
- linalg/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - linalg.cpython-310.pyc
    - linalg.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_deprecations.cpython-310.pyc
      - test\_linalg.cpython-310.pyc
      - test\_regression.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_deprecations.py
    - test\_linalg.py
    - test\_regression.py
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - linalg.py
  - linalg.pyi
  - umath\_linalg.cp310-win\_amd64.lib
  - umath\_linalg.cp310-win\_amd64.pyd
  - umath\_linalg.pyi
  - lapack\_lite.cp310-win\_amd64.lib
  - lapack\_lite.cp310-win\_amd64.pyd
  - lapack\_lite.pyi
  - linalg.py
  - linalg.pyi
- ma/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - core.cpython-310.pyc
    - extras.cpython-310.pyc
    - mrecords.cpython-310.pyc
    - testutils.cpython-310.pyc
    - timer\_comparison.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_arrayobject.cpython-310.pyc
      - test\_core.cpython-310.pyc
      - test\_deprecations.cpython-310.pyc
      - test\_extras.cpython-310.pyc
      - test\_mrecords.cpython-310.pyc
      - test\_old\_ma.cpython-310.pyc
      - test\_regression.cpython-310.pyc
      - test\_subclassing.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_arrayobject.py
    - test\_core.py
    - test\_deprecations.py
    - test\_extras.py
    - test\_mrecords.py
    - test\_old\_ma.py
    - test\_regression.py
    - test\_subclassing.py
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - API\_CHANGES.txt
  - core.py
  - core.pyi
  - extras.py
  - extras.pyi
  - LICENSE
  - mrecords.py
  - mrecords.pyi
  - README.rst
  - testutils.py
  - timer\_comparison.py
- matrixlib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - defmatrix.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_defmatrix.cpython-310.pyc

- test\_interaction.cpython-310.pyc
    - test\_masked\_matrix.cpython-310.pyc
    - test\_matrix\_linalg.cpython-310.pyc
    - test\_multiarray.cpython-310.pyc
    - test\_numeric.cpython-310.pyc
    - test\_regression.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_defmatrix.py
  - test\_interaction.py
  - test\_masked\_matrix.py
  - test\_matrix\_linalg.py
  - test\_multiarray.py
  - test\_numeric.py
  - test\_regression.py
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- defmatrix.py
- defmatrix.pyi
- polynomial/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_polybase.cpython-310.pyc
    - chebyshev.cpython-310.pyc
    - hermite.cpython-310.pyc
    - hermite\_e.cpython-310.pyc
    - laguerre.cpython-310.pyc
    - legendre.cpython-310.pyc
    - polynomial.cpython-310.pyc
    - polyutils.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_chebyshev.cpython-310.pyc
    - test\_classes.cpython-310.pyc
    - test\_hermite.cpython-310.pyc
    - test\_hermite\_e.cpython-310.pyc
    - test\_laguerre.cpython-310.pyc
    - test\_legendre.cpython-310.pyc
    - test\_polynomial.cpython-310.pyc
    - test\_polyutils.cpython-310.pyc
    - test\_printing.cpython-310.pyc
    - test\_symbol.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_chebyshev.py
  - test\_classes.py
  - test\_hermite.py
  - test\_hermite\_e.py
  - test\_laguerre.py
  - test\_legendre.py
  - test\_polynomial.py
  - test\_polyutils.py
  - test\_printing.py
  - test\_symbol.py
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_polybase.py
- \_polybase.pyi
- \_polytypes.pyi
- chebyshev.py
- chebyshev.pyi
- hermite.py
- hermite.pyi
- hermite\_e.py
- hermite\_e.pyi
- laguerre.py
- laguerre.pyi
- legendre.py
- legendre.pyi
- polynomial.py
- polynomial.pyi
- polyutils.py
- polyutils.pyi
- random/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_pickle.cpython-310.pyc
  - examples/
    - cffi/
      - \_\_pycache\_\_/
        - extending.cpython-310.pyc
        - parse.cpython-310.pyc
      - extending.py
      - parse.py
    - cython/
      - extending.pyx

- extending\_distributions.pyx
  - meson.build
- numba/
  - \_\_pycache\_\_/
      - extending.cpython-310.pyc
      - extending\_distributions.cpython-310.pyc
    - extending.py
    - extending\_distributions.py
- lib/
  - npymath.lib
- tests/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_direct.cpython-310.pyc
      - test\_extending.cpython-310.pyc
      - test\_generator\_mt19937.cpython-310.pyc
      - test\_generator\_mt19937\_regressions.cpython-310.pyc
      - test\_random.cpython-310.pyc
      - test\_randomstate.cpython-310.pyc
      - test\_randomstate\_regression.cpython-310.pyc
      - test\_regression.cpython-310.pyc
      - test\_seed\_sequence.cpython-310.pyc
      - test\_smoke.cpython-310.pyc
  - data/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
      - generator\_pcg64\_np121.pkl.gz
      - generator\_pcg64\_np126.pkl.gz
      - mt19937-testset-1.csv
      - mt19937-testset-2.csv
      - pcg64-testset-1.csv
      - pcg64-testset-2.csv
      - pcg64dxsm-testset-1.csv
      - pcg64dxsm-testset-2.csv
      - philox-testset-1.csv
      - philox-testset-2.csv
      - sfc64-testset-1.csv
      - sfc64-testset-2.csv
      - sfc64\_np126.pkl.gz
  - \_\_init\_\_.py
  - test\_direct.py
  - test\_extending.py
  - test\_generator\_mt19937.py
  - test\_generator\_mt19937\_regressions.py
  - test\_random.py
  - test\_randomstate.py
  - test\_randomstate\_regression.py
  - test\_regression.py
  - test\_seed\_sequence.py
  - test\_smoke.py
- \_\_init\_\_.pxd
- \_\_init\_\_.py
- \_\_init\_\_.pyi
- \_bounded\_integers.cp310-win\_amd64.lib
- \_bounded\_integers.cp310-win\_amd64.pyd
- \_bounded\_integers.pxd
- \_common.cp310-win\_amd64.lib
- \_common.cp310-win\_amd64.pyd
- \_common.pxd
- \_generator.cp310-win\_amd64.lib
- \_generator.cp310-win\_amd64.pyd
- \_generator.pyi
- \_mt19937.cp310-win\_amd64.lib
- \_mt19937.cp310-win\_amd64.pyd
- \_mt19937.pyi
- \_pcg64.cp310-win\_amd64.lib
- \_pcg64.cp310-win\_amd64.pyd
- \_pcg64.pyi
- \_philox.cp310-win\_amd64.lib
- \_philox.cp310-win\_amd64.pyd
- \_philox.pyi
- \_pickle.py
- \_pickle.pyi
- \_sfc64.cp310-win\_amd64.lib
- \_sfc64.cp310-win\_amd64.pyd
- \_sfc64.pyi
- bit\_generator.cp310-win\_amd64.lib
- bit\_generator.cp310-win\_amd64.pyd
- bit\_generator.pxd
- bit\_generator.pyi
- c\_distributions.pxd
- LICENSE.md
- mtrand.cp310-win\_amd64.lib
- mtrand.cp310-win\_amd64.pyd

- └─ mtrand.pyi
- ─ rec/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ \_\_init\_\_.pyi
- ─ strings/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ \_\_init\_\_.pyi
- ─ testing/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ overrides.cpython-310.pyc
  - └─ print\_coercion\_tables.cpython-310.pyc
  - └─ private/
    - └─ pycache/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ extbuild.cpython-310.pyc
    - └─ utils.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ \_\_init\_\_.pyi
    - └─ extbuild.py
    - └─ extbuild.pyi
    - └─ utils.py
    - └─ utils.pyi
  - └─ tests/
    - └─ pycache/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_utils.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_utils.py
  - └─ \_\_init\_\_.py
  - └─ \_\_init\_\_.pyi
  - └─ overrides.py
  - └─ overrides.pyi
  - └─ print\_coercion\_tables.py
  - └─ print\_coercion\_tables.pyi
- ─ tests/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ test\_all.cpython-310.pyc
  - └─ test\_configtool.cpython-310.pyc
  - └─ test\_ctypeslib.cpython-310.pyc
  - └─ test\_lazyloading.cpython-310.pyc
  - └─ test\_matlib.cpython-310.pyc
  - └─ test\_numpy\_config.cpython-310.pyc
  - └─ test\_numpy\_version.cpython-310.pyc
  - └─ test\_public\_api.cpython-310.pyc
  - └─ test\_reloading.cpython-310.pyc
  - └─ test\_scripts.cpython-310.pyc
  - └─ test\_warnings.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_all.py
  - └─ test\_configtool.py
  - └─ test\_ctypeslib.py
  - └─ test\_lazyloading.py
  - └─ test\_matlib.py
  - └─ test\_numpy\_config.py
  - └─ test\_numpy\_version.py
  - └─ test\_public\_api.py
  - └─ test\_reloading.py
  - └─ test\_scripts.py
  - └─ test\_warnings.py
- ─ typing/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ mypy\_plugin.cpython-310.pyc
  - └─ tests/
    - └─ pycache/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_isfile.cpython-310.pyc
    - └─ test\_runtime.cpython-310.pyc
    - └─ test\_typing.cpython-310.pyc
  - └─ data/
    - └─ fail/
      - └─ arithmetic.pyi
      - └─ array\_constructors.pyi
      - └─ array\_like.pyi
      - └─ array\_pad.pyi
      - └─ arrayprint.pyi
      - └─ arrayiterator.pyi
      - └─ bitwise\_ops.pyi
      - └─ char.pyi

- chararray.pyi
- comparisons.pyi
- constants.pyi
- datasource.pyi
- dtype.pyi
- einsumfunc.pyi
- flatiter.pyi
- fromnumeric.pyi
- histograms.pyi
- index\_tricks.pyi
- lib\_function\_base.pyi
- lib\_polynomial.pyi
- lib\_utils.pyi
- lib\_version.pyi
- linalg.pyi
- memmap.pyi
- modules.pyi
- multiarray.pyi
- ndarray.pyi
- ndarray\_misc.pyi
- nditer.pyi
- nested\_sequence.pyi
- npyio.pyi
- numerictypes.pyi
- random.pyi
- rec.pyi
- scalars.pyi
- shape.pyi
- shape\_base.pyi
- stride\_tricks.pyi
- strings.pyi
- testing.pyi
- twodim\_base.pyi
- type\_check.pyi
- ufunc\_config.pyi
- ufunclike.pyi
- ufuncs.pyi
- warnings\_and\_errors.pyi
- misc/
  - extended\_precision.pyi
- pass/
  - \_pycache\_/
    - arithmetic.cpython-310.pyc
    - array\_constructors.cpython-310.pyc
    - array\_like.cpython-310.pyc
    - arrayprint.cpython-310.pyc
    - arrayiterator.cpython-310.pyc
    - bitwise\_ops.cpython-310.pyc
    - comparisons.cpython-310.pyc
    - dtype.cpython-310.pyc
    - einsumfunc.cpython-310.pyc
    - flatiter.cpython-310.pyc
    - fromnumeric.cpython-310.pyc
    - index\_tricks.cpython-310.pyc
    - lib\_user\_array.cpython-310.pyc
    - lib\_utils.cpython-310.pyc
    - lib\_version.cpython-310.pyc
    - literal.cpython-310.pyc
    - ma.cpython-310.pyc
    - mod.cpython-310.pyc
    - modules.cpython-310.pyc
    - multiarray.cpython-310.pyc
    - ndarray\_conversion.cpython-310.pyc
    - ndarray\_misc.cpython-310.pyc
    - ndarray\_shape\_manipulation.cpython-310.pyc
    - nditer.cpython-310.pyc
    - numeric.cpython-310.pyc
    - numerictypes.cpython-310.pyc
    - random.cpython-310.pyc
    - recfunctions.cpython-310.pyc
    - scalars.cpython-310.pyc
    - shape.cpython-310.pyc
    - simple.cpython-310.pyc
    - simple\_py3.cpython-310.pyc
    - ufunc\_config.cpython-310.pyc
    - ufunclike.cpython-310.pyc
    - ufuncs.cpython-310.pyc
    - warnings\_and\_errors.cpython-310.pyc
- arithmetic.py
- array\_constructors.py
- array\_like.py
- arrayprint.py
- arrayiterator.py
- bitwise\_ops.py
- comparisons.py

- dtype.py
- einsumfunc.py
- flatiter.py
- fromnumeric.py
- index\_tricks.py
- lib\_user\_array.py
- lib\_utils.py
- lib\_version.py
- literal.py
- ma.py
- mod.py
- modules.py
- multiarray.py
- ndarray\_conversion.py
- ndarray\_misc.py
- ndarray\_shape\_manipulation.py
- nditer.py
- numeric.py
- numerictypes.py
- random.py
- recfunctions.py
- scalars.py
- shape.py
- simple.py
- simple\_py3.py
- ufunc\_config.py
- ufunclike.py
- ufuncs.py
- warnings\_and\_errors.py
- reveal/
  - arithmetic.pyi
  - array\_api\_info.pyi
  - array\_constructors.pyi
  - arraypad.pyi
  - arrayprint.pyi
  - arraysetops.pyi
  - arrayiterator.pyi
  - bitwise\_ops.pyi
  - char.pyi
  - chararray.pyi
  - comparisons.pyi
  - constants.pyi
  - ctypeslib.pyi
  - datasource.pyi
  - dtype.pyi
  - einsumfunc.pyi
  - emath.pyi
  - fft.pyi
  - flatiter.pyi
  - fromnumeric.pyi
  - getlimits.pyi
  - histograms.pyi
  - index\_tricks.pyi
  - lib\_function\_base.pyi
  - lib\_polynomial.pyi
  - lib\_utils.pyi
  - lib\_version.pyi
  - linalg.pyi
  - matrix.pyi
  - memmap.pyi
  - mod.pyi
  - modules.pyi
  - multiarray.pyi
  - nbit\_base\_example.pyi
  - ndarray\_assignability.pyi
  - ndarray\_conversion.pyi
  - ndarray\_misc.pyi
  - ndarray\_shape\_manipulation.pyi
  - nditer.pyi
  - nested\_sequence.pyi
  - npyio.pyi
  - numeric.pyi
  - numerictypes.pyi
  - polynomial\_polybase.pyi
  - polynomial\_polyutils.pyi
  - polynomial\_series.pyi
  - random.pyi
  - rec.pyi
  - scalars.pyi
  - shape.pyi
  - shape\_base.pyi
  - stride\_tricks.pyi
  - strings.pyi
  - testing.pyi
  - twodim\_base.pyi

```

├── type_check.pyi
├── ufunc_config.pyi
├── ufunclike.pyi
├── ufuncs.pyi
├── warnings_and_errors.pyi
├── mypy.ini
├── __init__.py
├── test_isfile.py
├── test_runtime.py
├── test_typing.py
├── __init__.py
├── mypy_plugin.py
├── __config__.py
├── __config__.pyi
├── __init__.cython-30.pxd
├── __init__.pxd
├── __init__.py
├── __init__.pyi
├── _array_api_info.py
├── _array_api_info.pyi
├── _configtool.py
├── _configtool.pyi
├── _distributor_init.py
├── _distributor_init.pyi
├── _expired_attrs_2_0.py
├── _expired_attrs_2_0.pyi
├── _globals.py
├── _globals.pyi
├── _pytesttester.py
├── _pytesttester.pyi
├── conftest.py
├── ctypeslib.py
├── ctypeslib.pyi
├── dtypes.py
├── dtypes.pyi
├── exceptions.py
├── exceptions.pyi
├── matlab.py
├── matlab.pyi
├── py.typed
├── version.py
├── version.pyi
├── numpy-2.2.6.dist-info/
├── DELVEWHEEL
├── entry_points.txt
├── INSTALLER
├── LICENSE.txt
├── METADATA
├── RECORD
├── WHEEL
├── numpy.libs/
├── libscipy_openblas64_-13e2df515630b4a41f92893938845698.d11
├── msvcp140-263139962577ecda4cd9469ca360a746.d11
├── packaging/
├── pycache_/
├── __init__.cpython-310.pyc
├── _elffile.cpython-310.pyc
├── _manylinux.cpython-310.pyc
├── _musllinux.cpython-310.pyc
├── _parser.cpython-310.pyc
├── _structures.cpython-310.pyc
├── _tokenizer.cpython-310.pyc
├── dependency_groups.cpython-310.pyc
├── direct_url.cpython-310.pyc
├── errors.cpython-310.pyc
├── markers.cpython-310.pyc
├── metadata.cpython-310.pyc
├── pylock.cpython-310.pyc
├── requirements.cpython-310.pyc
├── specifiers.cpython-310.pyc
├── tags.cpython-310.pyc
├── utils.cpython-310.pyc
├── version.cpython-310.pyc
├── licenses/
├── pycache_/
├── __init__.cpython-310.pyc
├── _spdx.cpython-310.pyc
├── __init__.py
├── _spdx.py
├── __init__.py
├── _elffile.py
├── _manylinux.py
├── _musllinux.py
├── _parser.py
├── _structures.py

```



- \_tokenizer.py
- dependency\_groups.py
- direct\_url.py
- errors.py
- markers.py
- metadata.py
- py.typed
- pylock.py
- requirements.py
- specifiers.py
- tags.py
- utils.py
- version.py
- packaging-26.2.dist-info/
  - licenses/
    - LICENSE
    - LICENSE.APACHE
    - LICENSE.BSD
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- pandas/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_typing.cpython-310.pyc
    - \_version.cpython-310.pyc
    - \_version\_meson.cpython-310.pyc
    - conftest.cpython-310.pyc
    - testing.cpython-310.pyc
  - \_config/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - config.cpython-310.pyc
      - dates.cpython-310.pyc
      - display.cpython-310.pyc
      - localization.cpython-310.pyc
    - \_\_init\_\_.py
    - config.py
    - dates.py
    - display.py
    - localization.py
  - \_libs/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - tslibs/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
      - base.cp310-win\_amd64.lib
      - base.cp310-win\_amd64.pyd
      - ccalendar.cp310-win\_amd64.lib
      - ccalendar.cp310-win\_amd64.pyd
      - ccalendar.pyi
      - conversion.cp310-win\_amd64.lib
      - conversion.cp310-win\_amd64.pyd
      - conversion.pyi
      - dtypes.cp310-win\_amd64.lib
      - dtypes.cp310-win\_amd64.pyd
      - dtypes.pyi
      - fields.cp310-win\_amd64.lib
      - fields.cp310-win\_amd64.pyd
      - fields.pyi
      - natype.cp310-win\_amd64.lib
      - natype.cp310-win\_amd64.pyd
      - natype.pyi
      - np\_datetime.cp310-win\_amd64.lib
      - np\_datetime.cp310-win\_amd64.pyd
      - np\_datetime.pyi
      - offsets.cp310-win\_amd64.lib
      - offsets.cp310-win\_amd64.pyd
      - offsets.pyi
      - parsing.cp310-win\_amd64.lib
      - parsing.cp310-win\_amd64.pyd
      - parsing.pyi
      - period.cp310-win\_amd64.lib
      - period.cp310-win\_amd64.pyd
      - period.pyi
      - strptime.cp310-win\_amd64.lib
      - strptime.cp310-win\_amd64.pyd
      - strptime.pyi
      - timedeltas.cp310-win\_amd64.lib
      - timedeltas.cp310-win\_amd64.pyd
      - timedeltas.pyi
      - timestamps.cp310-win\_amd64.lib

```
— timestamps.cp310-win_amd64.pyd
— timestamps.pyi
— timezones.cp310-win_amd64.lib
— timezones.cp310-win_amd64.pyd
— timezones.pyi
— tzconversion.cp310-win_amd64.lib
— tzconversion.cp310-win_amd64.pyd
— tzconversion.pyi
— vectorized.cp310-win_amd64.lib
— vectorized.cp310-win_amd64.pyd
— vectorized.pyi
— window/
—   pycache_/
—     __init__.cpython-310.pyc
—   __init__.py
—   aggregations.cp310-win_amd64.lib
—   aggregations.cp310-win_amd64.pyd
—   aggregations.pyi
—   indexers.cp310-win_amd64.lib
—   indexers.cp310-win_amd64.pyd
—   indexers.pyi
—   __init__.py
—   algos.cp310-win_amd64.lib
—   algos.cp310-win_amd64.pyd
—   algos.pyi
—   arrays.cp310-win_amd64.lib
—   arrays.cp310-win_amd64.pyd
—   arrays.pyi
—   byteswap.cp310-win_amd64.lib
—   byteswap.cp310-win_amd64.pyd
—   byteswap.pyi
—   groupby.cp310-win_amd64.lib
—   groupby.cp310-win_amd64.pyd
—   groupby.pyi
—   hashing.cp310-win_amd64.lib
—   hashing.cp310-win_amd64.pyd
—   hashing.pyi
—   hashtable.cp310-win_amd64.lib
—   hashtable.cp310-win_amd64.pyd
—   hashtable.pyi
—   index.cp310-win_amd64.lib
—   index.cp310-win_amd64.pyd
—   index.pyi
—   indexing.cp310-win_amd64.lib
—   indexing.cp310-win_amd64.pyd
—   indexing.pyi
—   internals.cp310-win_amd64.lib
—   internals.cp310-win_amd64.pyd
—   internals.pyi
—   interval.cp310-win_amd64.lib
—   interval.cp310-win_amd64.pyd
—   interval.pyi
—   join.cp310-win_amd64.lib
—   join.cp310-win_amd64.pyd
—   join.pyi
—   json.cp310-win_amd64.lib
—   json.cp310-win_amd64.pyd
—   json.pyi
—   lib.cp310-win_amd64.lib
—   lib.cp310-win_amd64.pyd
—   lib.pyi
—   missing.cp310-win_amd64.lib
—   missing.cp310-win_amd64.pyd
—   missing.pyi
—   ops.cp310-win_amd64.lib
—   ops.cp310-win_amd64.pyd
—   ops.pyi
—   ops_dispatch.cp310-win_amd64.lib
—   ops_dispatch.cp310-win_amd64.pyd
—   ops_dispatch.pyi
—   pandas_datetime.cp310-win_amd64.lib
—   pandas_datetime.cp310-win_amd64.pyd
—   pandas_parser.cp310-win_amd64.lib
—   pandas_parser.cp310-win_amd64.pyd
—   parsers.cp310-win_amd64.lib
—   parsers.cp310-win_amd64.pyd
—   parsers.pyi
—   properties.cp310-win_amd64.lib
—   properties.cp310-win_amd64.pyd
—   properties.pyi
—   reshape.cp310-win_amd64.lib
—   reshape.cp310-win_amd64.pyd
—   reshape.pyi
—   sas.cp310-win_amd64.lib
—   sas.cp310-win_amd64.pyd
```

- sas.pyi
- sparse.cp310-win\_amd64.lib
- sparse.cp310-win\_amd64.pyd
- sparse.pyi
- testing.cp310-win\_amd64.lib
- testing.cp310-win\_amd64.pyd
- testing.pyi
- tslib.cp310-win\_amd64.lib
- tslib.cp310-win\_amd64.pyd
- tslib.pyi
- writers.cp310-win\_amd64.lib
- writers.cp310-win\_amd64.pyd
- writers.pyi
- testing/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - hypothesis.cpython-310.pyc
    - io.cpython-310.pyc
    - warnings.cpython-310.pyc
    - asserters.cpython-310.pyc
    - compat.cpython-310.pyc
    - contexts.cpython-310.pyc
  - \_\_init\_\_.py
  - hypothesis.py
  - io.py
  - warnings.py
  - asserters.py
  - compat.py
  - contexts.py
- api/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - extensions/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - indexers/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - interchange/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - types/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - typing/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
- arrays/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- compat/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - constants.cpython-310.pyc
    - optional.cpython-310.pyc
    - compressors.cpython-310.pyc
    - pickle\_compat.cpython-310.pyc
    - pyarrow.cpython-310.pyc
  - numpy/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - function.cpython-310.pyc
    - \_\_init\_\_.py
    - function.py
  - \_\_init\_\_.py
  - constants.py
  - optional.py
  - compressors.py
  - pickle\_compat.py
  - pyarrow.py
- core/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - accessor.cpython-310.pyc
    - algorithms.cpython-310.pyc
    - api.cpython-310.pyc
    - apply.cpython-310.pyc
    - arraylike.cpython-310.pyc

- base.cpython-310.pyc
- common.cpython-310.pyc
- config\_init.cpython-310.pyc
- construction.cpython-310.pyc
- flags.cpython-310.pyc
- frame.cpython-310.pyc
- generic.cpython-310.pyc
- indexing.cpython-310.pyc
- missing.cpython-310.pyc
- nanops.cpython-310.pyc
- resample.cpython-310.pyc
- roperator.cpython-310.pyc
- sample.cpython-310.pyc
- series.cpython-310.pyc
- shared\_docs.cpython-310.pyc
- sorting.cpython-310.pyc
- numba/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - executor.cpython-310.pyc
    - extensions.cpython-310.pyc
  - kernels/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - mean\_.cpython-310.pyc
      - min\_max\_.cpython-310.pyc
      - shared.cpython-310.pyc
      - sum\_.cpython-310.pyc
      - var\_.cpython-310.pyc
    - \_\_init\_\_.py
    - mean\_.py
    - min\_max\_.py
    - shared.py
    - sum\_.py
    - var\_.py
  - \_\_init\_\_.py
  - executor.py
  - extensions.py
- array\_algos/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - datetimelike\_accumulations.cpython-310.pyc
    - masked\_accumulations.cpython-310.pyc
    - masked\_reductions.cpython-310.pyc
    - putmask.cpython-310.pyc
    - quantile.cpython-310.pyc
    - replace.cpython-310.pyc
    - take.cpython-310.pyc
    - transforms.cpython-310.pyc
  - \_\_init\_\_.py
  - datetimelike\_accumulations.py
  - masked\_accumulations.py
  - masked\_reductions.py
  - putmask.py
  - quantile.py
  - replace.py
  - take.py
  - transforms.py
- arrays/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_arrow\_string\_mixins.cpython-310.pyc
    - \_mixins.cpython-310.pyc
    - \_ranges.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - base.cpython-310.pyc
    - boolean.cpython-310.pyc
    - categorical.cpython-310.pyc
    - datetimelike.cpython-310.pyc
    - datetimes.cpython-310.pyc
    - floating.cpython-310.pyc
    - integer.cpython-310.pyc
    - interval.cpython-310.pyc
    - masked.cpython-310.pyc
    - numeric.cpython-310.pyc
    - numpy\_.cpython-310.pyc
    - period.cpython-310.pyc
    - string\_.cpython-310.pyc
    - string\_arrow.cpython-310.pyc
    - timedeltas.cpython-310.pyc
  - \_\_init\_\_.py
  - \_arrow\_string\_mixins.py
  - \_mixins.py
  - \_ranges.py
  - \_utils.py
  - base.py
  - boolean.py
  - categorical.py
  - datetimelike.py
  - datetimes.py
  - floating.py
  - integer.py
  - interval.py
  - masked.py
  - numeric.py
  - numpy\_.py
  - period.py
  - string\_.py
  - string\_arrow.py
  - timedeltas.py
- arrow/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_arrow\_utils.cpython-310.pyc
    - accessors.cpython-310.pyc
  - \_\_init\_\_.py
  - \_arrow\_utils.py
  - accessors.py

- array.cpython-310.pyc
  - extension\_types.cpython-310.pyc
- \_\_init\_\_.py
- \_arrow\_utils.py
- accessors.py
- array.py
- extension\_types.py
- sparse/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - accessor.cpython-310.pyc
    - array.cpython-310.pyc
    - scipy\_sparse.cpython-310.pyc
  - \_\_init\_\_.py
  - accessor.py
  - array.py
  - scipy\_sparse.py
- \_\_init\_\_.py
- \_arrow\_string\_mixins.py
- \_mixins.py
- \_ranges.py
- \_utils.py
- base.py
- boolean.py
- categorical.py
- datetimelike.py
- datetimes.py
- floating.py
- integer.py
- interval.py
- masked.py
- numeric.py
- numpy\_.py
- period.py
- string\_.py
- string\_arrow.py
- timedeltas.py
- computation/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - align.cpython-310.pyc
    - api.cpython-310.pyc
    - check.cpython-310.pyc
    - common.cpython-310.pyc
    - engines.cpython-310.pyc
    - eval.cpython-310.pyc
    - expr.cpython-310.pyc
    - expressions.cpython-310.pyc
    - ops.cpython-310.pyc
    - parsing.cpython-310.pyc
    - pytables.cpython-310.pyc
    - scope.cpython-310.pyc
  - \_\_init\_\_.py
  - align.py
  - api.py
  - check.py
  - common.py
  - engines.py
  - eval.py
  - expr.py
  - expressions.py
  - ops.py
  - parsing.py
  - pytables.py
  - scope.py
- dtypes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - api.cpython-310.pyc
    - astype.cpython-310.pyc
    - base.cpython-310.pyc
    - cast.cpython-310.pyc
    - common.cpython-310.pyc
    - concat.cpython-310.pyc
    - dtypes.cpython-310.pyc
    - generic.cpython-310.pyc
    - inference.cpython-310.pyc
    - missing.cpython-310.pyc
  - \_\_init\_\_.py
  - api.py
  - astype.py
  - base.py
  - cast.py
  - common.py
  - concat.py

- dtypes.py
- generic.py
- inference.py
- missing.py
- groupby/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - base.cpython-310.pyc
    - categorical.cpython-310.pyc
    - generic.cpython-310.pyc
    - groupby.cpython-310.pyc
    - grouper.cpython-310.pyc
    - indexing.cpython-310.pyc
    - numba\_.cpython-310.pyc
    - ops.cpython-310.pyc
  - \_\_init\_\_.py
  - base.py
  - categorical.py
  - generic.py
  - groupby.py
  - grouper.py
  - indexing.py
  - numba\_.py
  - ops.py
- indexers/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - objects.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_\_init\_\_.py
  - objects.py
  - utils.py
- indexes/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - accessors.cpython-310.pyc
    - api.cpython-310.pyc
    - base.cpython-310.pyc
    - category.cpython-310.pyc
    - datetimelike.cpython-310.pyc
    - datetimes.cpython-310.pyc
    - extension.cpython-310.pyc
    - frozen.cpython-310.pyc
    - interval.cpython-310.pyc
    - multi.cpython-310.pyc
    - period.cpython-310.pyc
    - range.cpython-310.pyc
    - timedeltas.cpython-310.pyc
  - \_\_init\_\_.py
  - accessors.py
  - api.py
  - base.py
  - category.py
  - datetimelike.py
  - datetimes.py
  - extension.py
  - frozen.py
  - interval.py
  - multi.py
  - period.py
  - range.py
  - timedeltas.py
- interchange/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - buffer.cpython-310.pyc
    - column.cpython-310.pyc
    - dataframe.cpython-310.pyc
    - dataframe\_protocol.cpython-310.pyc
    - from\_dataframe.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_\_init\_\_.py
  - buffer.py
  - column.py
  - dataframe.py
  - dataframe\_protocol.py
  - from\_dataframe.py
  - utils.py
- internals/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - api.cpython-310.pyc
    - array\_manager.cpython-310.pyc
    - base.cpython-310.pyc
    - blocks.cpython-310.pyc

```
├── concat.cpython-310.pyc
├── construction.cpython-310.pyc
├── managers.cpython-310.pyc
├── ops.cpython-310.pyc
├── __init__.py
├── api.py
├── array_manager.py
├── base.py
├── blocks.py
├── concat.py
├── construction.py
├── managers.py
├── ops.py
├── methods/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── describe.cpython-310.pyc
│   │   ├── selectn.cpython-310.pyc
│   │   └── to_dict.cpython-310.pyc
│   ├── __init__.py
│   ├── describe.py
│   ├── selectn.py
│   └── to_dict.py
├── ops/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── array_ops.cpython-310.pyc
│   │   ├── common.cpython-310.pyc
│   │   ├── dispatch.cpython-310.pyc
│   │   ├── docstrings.cpython-310.pyc
│   │   ├── invalid.cpython-310.pyc
│   │   ├── mask_ops.cpython-310.pyc
│   │   └── missing.cpython-310.pyc
│   ├── __init__.py
│   ├── array_ops.py
│   ├── common.py
│   ├── dispatch.py
│   ├── docstrings.py
│   ├── invalid.py
│   ├── mask_ops.py
│   └── missing.py
├── reshape/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── api.cpython-310.pyc
│   │   ├── concat.cpython-310.pyc
│   │   ├── encoding.cpython-310.pyc
│   │   ├── melt.cpython-310.pyc
│   │   ├── merge.cpython-310.pyc
│   │   ├── pivot.cpython-310.pyc
│   │   ├── reshape.cpython-310.pyc
│   │   ├── tile.cpython-310.pyc
│   │   └── util.cpython-310.pyc
│   ├── __init__.py
│   ├── api.py
│   ├── concat.py
│   ├── encoding.py
│   ├── melt.py
│   ├── merge.py
│   ├── pivot.py
│   ├── reshape.py
│   ├── tile.py
│   └── util.py
├── sparse/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   └── api.cpython-310.pyc
│   ├── __init__.py
│   └── api.py
├── strings/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── accessor.cpython-310.pyc
│   │   ├── base.cpython-310.pyc
│   │   └── object_array.cpython-310.pyc
│   ├── __init__.py
│   ├── accessor.py
│   ├── base.py
│   └── object_array.py
├── tools/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── datetimes.cpython-310.pyc
│   │   ├── numeric.cpython-310.pyc
│   │   └── timedeltas.cpython-310.pyc
```

```
├── times.cpython-310.pyc
├── __init__.py
├── datetimes.py
├── numeric.py
├── timedeltas.py
├── times.py
├── util/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── hashing.cpython-310.pyc
│   │   └── numba_.cpython-310.pyc
│   ├── __init__.py
│   ├── hashing.py
│   └── numba_.py
├── window/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── common.cpython-310.pyc
│   │   ├── doc.cpython-310.pyc
│   │   ├── ewm.cpython-310.pyc
│   │   ├── expanding.cpython-310.pyc
│   │   ├── numba_.cpython-310.pyc
│   │   ├── online.cpython-310.pyc
│   │   └── rolling.cpython-310.pyc
│   ├── __init__.py
│   ├── common.py
│   ├── doc.py
│   ├── ewm.py
│   ├── expanding.py
│   ├── numba_.py
│   ├── online.py
│   └── rolling.py
├── __init__.py
├── accessor.py
├── algorithms.py
├── api.py
├── apply.py
├── arraylike.py
├── base.py
├── common.py
├── config_init.py
├── construction.py
├── flags.py
├── frame.py
├── generic.py
├── indexing.py
├── missing.py
├── nanops.py
├── resample.py
├── roperator.py
├── sample.py
├── series.py
├── shared_docs.py
├── sorting.py
├── errors/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   └── __init__.py
├── io/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── _util.cpython-310.pyc
│   │   ├── api.cpython-310.pyc
│   │   ├── clipboards.cpython-310.pyc
│   │   ├── common.cpython-310.pyc
│   │   ├── feather_format.cpython-310.pyc
│   │   ├── gbq.cpython-310.pyc
│   │   ├── html.cpython-310.pyc
│   │   ├── orc.cpython-310.pyc
│   │   ├── parquet.cpython-310.pyc
│   │   ├── pickle.cpython-310.pyc
│   │   ├── pytables.cpython-310.pyc
│   │   ├── spss.cpython-310.pyc
│   │   ├── sql.cpython-310.pyc
│   │   ├── stata.cpython-310.pyc
│   │   └── xml.cpython-310.pyc
│   ├── clipboard/
│   │   ├── __pycache__/
│   │   │   ├── __init__.cpython-310.pyc
│   │   │   └── __init__.py
│   └── excel/
│       ├── __pycache__/
│       │   ├── __init__.cpython-310.pyc
│       │   ├── _base.cpython-310.pyc
│       │   └── _calamine.cpython-310.pyc
```



- \_odfreader.cpython-310.pyc
  - \_odswriter.cpython-310.pyc
  - \_openpyxl.cpython-310.pyc
  - \_pyxlsb.cpython-310.pyc
  - \_util.cpython-310.pyc
  - \_xlrd.cpython-310.pyc
  - \_xlsxwriter.cpython-310.pyc
- \_init\_\_.py
- base.py
- calamine.py
- odfreader.py
- odswriter.py
- openpyxl.py
- pyxlsb.py
- util.py
- xlrd.py
- xlsxwriter.py
- formats/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_color\_data.cpython-310.pyc
    - console.cpython-310.pyc
    - css.cpython-310.pyc
    - csvs.cpython-310.pyc
    - excel.cpython-310.pyc
    - format.cpython-310.pyc
    - html.cpython-310.pyc
    - info.cpython-310.pyc
    - printing.cpython-310.pyc
    - string.cpython-310.pyc
    - style.cpython-310.pyc
    - style\_render.cpython-310.pyc
    - xml.cpython-310.pyc
  - templates/
    - html.tpl
    - html\_style.tpl
    - html\_table.tpl
    - latex.tpl
    - latex\_longtable.tpl
    - latex\_table.tpl
    - string.tpl
  - \_init\_\_.py
  - \_color\_data.py
  - console.py
  - css.py
  - csvs.py
  - excel.py
  - format.py
  - html.py
  - info.py
  - printing.py
  - string.py
  - style.py
  - style\_render.py
  - xml.py
- json/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_json.cpython-310.pyc
    - \_normalize.cpython-310.pyc
    - \_table\_schema.cpython-310.pyc
  - \_init\_\_.py
  - \_json.py
  - \_normalize.py
  - \_table\_schema.py
- parsers/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - arrow\_parser\_wrapper.cpython-310.pyc
    - base\_parser.cpython-310.pyc
    - c\_parser\_wrapper.cpython-310.pyc
    - python\_parser.cpython-310.pyc
    - readers.cpython-310.pyc
  - \_init\_\_.py
  - arrow\_parser\_wrapper.py
  - base\_parser.py
  - c\_parser\_wrapper.py
  - python\_parser.py
  - readers.py
- sas/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - sas7bdatt.cpython-310.pyc
    - sas\_constants.cpython-310.pyc
    - sas\_xport.cpython-310.pyc

- sasreader.cpython-310.pyc
    - \_\_init\_\_.py
    - sas7bdat.py
    - sas\_constants.py
    - sas\_xport.py
    - sasreader.py
  - \_\_init\_\_.py
  - \_util.py
  - api.py
  - clipboards.py
  - common.py
  - feather\_format.py
  - gbq.py
  - html.py
  - orc.py
  - parquet.py
  - pickle.py
  - pytables.py
  - spss.py
  - sql.py
  - stata.py
  - xml.py
- plotting/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_core.cpython-310.pyc
    - \_misc.cpython-310.pyc
  - matplotlib/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - boxplot.cpython-310.pyc
      - converter.cpython-310.pyc
      - core.cpython-310.pyc
      - groupby.cpython-310.pyc
      - hist.cpython-310.pyc
      - misc.cpython-310.pyc
      - style.cpython-310.pyc
      - timeseries.cpython-310.pyc
      - tools.cpython-310.pyc
    - \_\_init\_\_.py
    - boxplot.py
    - converter.py
    - core.py
    - groupby.py
    - hist.py
    - misc.py
    - style.py
    - timeseries.py
    - tools.py
  - \_\_init\_\_.py
  - \_core.py
  - \_misc.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_aggregation.cpython-310.pyc
    - test\_algos.cpython-310.pyc
    - test\_common.cpython-310.pyc
    - test\_downstream.cpython-310.pyc
    - test\_errors.cpython-310.pyc
    - test\_expressions.cpython-310.pyc
    - test\_flags.cpython-310.pyc
    - test\_multilevel.cpython-310.pyc
    - test\_nanops.cpython-310.pyc
    - test\_optional\_dependency.cpython-310.pyc
    - test\_register\_accessor.cpython-310.pyc
    - test\_sorting.cpython-310.pyc
    - test\_take.cpython-310.pyc
  - api/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_api.cpython-310.pyc
      - test\_types.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_api.py
    - test\_types.py
  - apply/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - common.cpython-310.pyc
      - test\_frame\_apply.cpython-310.pyc
      - test\_frame\_apply\_relabeling.cpython-310.pyc
      - test\_frame\_transform.cpython-310.pyc
      - test\_invalid\_arg.cpython-310.pyc
      - test\_numba.cpython-310.pyc

- test\_series\_apply.cpython-310.pyc
- test\_series\_apply\_relabeling.cpython-310.pyc
- test\_series\_transform.cpython-310.pyc
- test\_str.cpython-310.pyc
- \_\_init\_\_.py
- common.py
- test\_frame\_apply.py
- test\_frame\_apply\_relabeling.py
- test\_frame\_transform.py
- test\_invalid\_arg.py
- test\_numba.py
- test\_series\_apply.py
- test\_series\_apply\_relabeling.py
- test\_series\_transform.py
- test\_str.py
- arithmetic/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - common.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_array\_ops.cpython-310.pyc
    - test\_categorical.cpython-310.pyc
    - test\_datetime64.cpython-310.pyc
    - test\_interval.cpython-310.pyc
    - test\_numeric.cpython-310.pyc
    - test\_object.cpython-310.pyc
    - test\_period.cpython-310.pyc
    - test\_timedelta64.cpython-310.pyc
  - \_\_init\_\_.py
  - common.py
  - conftest.py
  - test\_array\_ops.py
  - test\_categorical.py
  - test\_datetime64.py
  - test\_interval.py
  - test\_numeric.py
  - test\_object.py
  - test\_period.py
  - test\_timedelta64.py
- arrays/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - masked\_shared.cpython-310.pyc
    - test\_array.cpython-310.pyc
    - test\_datetimelike.cpython-310.pyc
    - test\_datetimes.cpython-310.pyc
    - test\_ndarray\_backed.cpython-310.pyc
    - test\_period.cpython-310.pyc
    - test\_timedeltas.cpython-310.pyc
- boolean/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_arithmetic.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_comparison.cpython-310.pyc
    - test\_construction.cpython-310.pyc
    - test\_function.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_logical.cpython-310.pyc
    - test\_ops.cpython-310.pyc
    - test\_reduction.cpython-310.pyc
    - test\_repr.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_arithmetic.py
  - test\_astype.py
  - test\_comparison.py
  - test\_construction.py
  - test\_function.py
  - test\_indexing.py
  - test\_logical.py
  - test\_ops.py
  - test\_reduction.py
  - test\_repr.py
- categorical/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_algos.cpython-310.pyc
    - test\_analytics.cpython-310.pyc
    - test\_api.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_constructors.cpython-310.pyc
    - test\_dtypes.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_map.cpython-310.pyc
    - test\_missing.cpython-310.pyc

- test\_operators.cpython-310.pyc
- test\_replace.cpython-310.pyc
- test\_repr.cpython-310.pyc
- test\_sorting.cpython-310.pyc
- test\_subclass.cpython-310.pyc
- test\_take.cpython-310.pyc
- test\_warnings.cpython-310.pyc
- \_\_init\_\_.py
- test\_algos.py
- test\_analytics.py
- test\_api.py
- test\_astype.py
- test\_constructors.py
- test\_dtypes.py
- test\_indexing.py
- test\_map.py
- test\_missing.py
- test\_operators.py
- test\_replace.py
- test\_repr.py
- test\_sorting.py
- test\_subclass.py
- test\_take.py
- test\_warnings.py
- datetimes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_constructors.cpython-310.pyc
    - test\_cumulative.cpython-310.pyc
    - test\_reductions.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_constructors.py
  - test\_cumulative.py
  - test\_reductions.py
- floating/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_arithmetic.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_comparison.cpython-310.pyc
    - test\_concat.cpython-310.pyc
    - test\_construction.cpython-310.pyc
    - test\_contains.cpython-310.pyc
    - test\_function.cpython-310.pyc
    - test\_repr.cpython-310.pyc
    - test\_to\_numpy.cpython-310.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_arithmetic.py
  - test\_astype.py
  - test\_comparison.py
  - test\_concat.py
  - test\_construction.py
  - test\_contains.py
  - test\_function.py
  - test\_repr.py
  - test\_to\_numpy.py
- integer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_arithmetic.cpython-310.pyc
    - test\_comparison.cpython-310.pyc
    - test\_concat.cpython-310.pyc
    - test\_construction.cpython-310.pyc
    - test\_dtypes.cpython-310.pyc
    - test\_function.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_reduction.cpython-310.pyc
    - test\_repr.cpython-310.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_arithmetic.py
  - test\_comparison.py
  - test\_concat.py
  - test\_construction.py
  - test\_dtypes.py
  - test\_function.py
  - test\_indexing.py
  - test\_reduction.py
  - test\_repr.py
- interval/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc

- test\_astype.cpython-310.pyc
  - test\_formats.cpython-310.pyc
  - test\_interval.cpython-310.pyc
  - test\_interval\_pyarrow.cpython-310.pyc
  - test\_overlaps.cpython-310.pyc
- \_\_init\_\_.py
- test\_astype.py
- test\_formats.py
- test\_interval.py
- test\_interval\_pyarrow.py
- test\_overlaps.py
- masked/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_arithmetic.cpython-310.pyc
    - test\_arrow\_compat.cpython-310.pyc
    - test\_function.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_arithmetic.py
  - test\_arrow\_compat.py
  - test\_function.py
  - test\_indexing.py
- numpy/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_numpy.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_indexing.py
  - test\_numpy.py
- period/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_arrow\_compat.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_constructors.cpython-310.pyc
    - test\_reductions.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_arrow\_compat.py
  - test\_astype.py
  - test\_constructors.py
  - test\_reductions.py
- sparse/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_accessor.cpython-310.pyc
    - test\_arithmetics.cpython-310.pyc
    - test\_array.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_combine\_concat.cpython-310.pyc
    - test\_constructors.cpython-310.pyc
    - test\_dtype.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_libsparse.cpython-310.pyc
    - test\_reductions.cpython-310.pyc
    - test\_unary.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_accessor.py
  - test\_arithmetics.py
  - test\_array.py
  - test\_astype.py
  - test\_combine\_concat.py
  - test\_constructors.py
  - test\_dtype.py
  - test\_indexing.py
  - test\_libsparse.py
  - test\_reductions.py
  - test\_unary.py
- string/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_concat.cpython-310.pyc
    - test\_string.cpython-310.pyc
    - test\_string\_arrow.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_concat.py
  - test\_string.py
  - test\_string\_arrow.py
- timedeltas/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_constructors.cpython-310.pyc
    - test\_cumulative.cpython-310.pyc
    - test\_reductions.cpython-310.pyc

- `__init__.py`
  - `test_constructors.py`
  - `test_cumulative.py`
  - `test_reductions.py`
- `__init__.py`
- `masked_shared.py`
- `test_array.py`
- `test_datetimelike.py`
- `test_datetimes.py`
- `test_ndarray_backed.py`
- `test_period.py`
- `test_timedeltas.py`
- `base/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `common.cpython-310.pyc`
    - `test_constructors.cpython-310.pyc`
    - `test_conversion.cpython-310.pyc`
    - `test_fillna.cpython-310.pyc`
    - `test_misc.cpython-310.pyc`
    - `test_transpose.cpython-310.pyc`
    - `test_unique.cpython-310.pyc`
    - `test_value_counts.cpython-310.pyc`
  - `__init__.py`
  - `common.py`
  - `test_constructors.py`
  - `test_conversion.py`
  - `test_fillna.py`
  - `test_misc.py`
  - `test_transpose.py`
  - `test_unique.py`
  - `test_value_counts.py`
- `computation/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_compat.cpython-310.pyc`
    - `test_eval.cpython-310.pyc`
  - `__init__.py`
  - `test_compat.py`
  - `test_eval.py`
- `config/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_config.cpython-310.pyc`
    - `test_localization.cpython-310.pyc`
  - `__init__.py`
  - `test_config.py`
  - `test_localization.py`
- `construction/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_extract_array.cpython-310.pyc`
  - `__init__.py`
  - `test_extract_array.py`
- `copy_view/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_array.cpython-310.pyc`
    - `test_astype.cpython-310.pyc`
    - `test_chained_assignment_deprecation.cpython-310.pyc`
    - `test_clip.cpython-310.pyc`
    - `test_constructors.cpython-310.pyc`
    - `test_core_functionalities.cpython-310.pyc`
    - `test_functions.cpython-310.pyc`
    - `test_indexing.cpython-310.pyc`
    - `test_internals.cpython-310.pyc`
    - `test_interp_fillna.cpython-310.pyc`
    - `test_methods.cpython-310.pyc`
    - `test_replace.cpython-310.pyc`
    - `test_setitem.cpython-310.pyc`
    - `test_util.cpython-310.pyc`
    - `util.cpython-310.pyc`
- `index/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_datetimeindex.cpython-310.pyc`
    - `test_index.cpython-310.pyc`
    - `test_periodindex.cpython-310.pyc`
    - `test_timedeltaindex.cpython-310.pyc`
  - `__init__.py`
  - `test_datetimeindex.py`
  - `test_index.py`
  - `test_periodindex.py`
  - `test_timedeltaindex.py`
- `__init__.py`

- test\_array.py
- test\_astype.py
- test\_chained\_assignment\_deprecation.py
- test\_clip.py
- test\_constructors.py
- test\_core\_functionalities.py
- test\_functions.py
- test\_indexing.py
- test\_internals.py
- test\_interp\_fillna.py
- test\_methods.py
- test\_replace.py
- test\_setitem.py
- test\_util.py
- util.py
- dtypes/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_common.cpython-310.pyc
    - test\_concat.cpython-310.pyc
    - test\_dtypes.cpython-310.pyc
    - test\_generic.cpython-310.pyc
    - test\_inference.cpython-310.pyc
    - test\_missing.cpython-310.pyc
  - cast/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_can\_hold\_element.cpython-310.pyc
      - test\_construct\_from\_scalar.cpython-310.pyc
      - test\_construct\_ndarray.cpython-310.pyc
      - test\_construct\_object\_arr.cpython-310.pyc
      - test\_dict\_compat.cpython-310.pyc
      - test\_downcast.cpython-310.pyc
      - test\_find\_common\_type.cpython-310.pyc
      - test\_infer\_datetimelike.cpython-310.pyc
      - test\_infer\_dtype.cpython-310.pyc
      - test\_maybe\_box\_native.cpython-310.pyc
      - test\_promote.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_can\_hold\_element.py
    - test\_construct\_from\_scalar.py
    - test\_construct\_ndarray.py
    - test\_construct\_object\_arr.py
    - test\_dict\_compat.py
    - test\_downcast.py
    - test\_find\_common\_type.py
    - test\_infer\_datetimelike.py
    - test\_infer\_dtype.py
    - test\_maybe\_box\_native.py
    - test\_promote.py
  - \_\_init\_\_.py
  - test\_common.py
  - test\_concat.py
  - test\_dtypes.py
  - test\_generic.py
  - test\_inference.py
  - test\_missing.py
- extension/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_arrow.cpython-310.pyc
    - test\_categorical.cpython-310.pyc
    - test\_common.cpython-310.pyc
    - test\_datetime.cpython-310.pyc
    - test\_extension.cpython-310.pyc
    - test\_interval.cpython-310.pyc
    - test\_masked.cpython-310.pyc
    - test\_numpy.cpython-310.pyc
    - test\_period.cpython-310.pyc
    - test\_sparse.cpython-310.pyc
    - test\_string.cpython-310.pyc
  - array\_with\_attr/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - array.cpython-310.pyc
      - test\_array\_with\_attr.cpython-310.pyc
    - \_\_init\_\_.py
    - array.py
    - test\_array\_with\_attr.py
- base/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - accumulate.cpython-310.pyc
    - base.cpython-310.pyc

- casting.cpython-310.pyc
- constructors.cpython-310.pyc
- dim2.cpython-310.pyc
- dtype.cpython-310.pyc
- getitem.cpython-310.pyc
- groupby.cpython-310.pyc
- index.cpython-310.pyc
- interface.cpython-310.pyc
- io.cpython-310.pyc
- methods.cpython-310.pyc
- missing.cpython-310.pyc
- ops.cpython-310.pyc
- printing.cpython-310.pyc
- reduce.cpython-310.pyc
- reshaping.cpython-310.pyc
- setitem.cpython-310.pyc
- \_\_init\_\_.py
- accumulate.py
- base.py
- casting.py
- constructors.py
- dim2.py
- dtype.py
- getitem.py
- groupby.py
- index.py
- interface.py
- io.py
- methods.py
- missing.py
- ops.py
- printing.py
- reduce.py
- reshaping.py
- setitem.py
- date/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - array.cpython-310.pyc
  - \_\_init\_\_.py
  - array.py
- decimal/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - array.cpython-310.pyc
    - test\_decimal.cpython-310.pyc
  - \_\_init\_\_.py
  - array.py
  - test\_decimal.py
- json/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - array.cpython-310.pyc
    - test\_json.cpython-310.pyc
  - \_\_init\_\_.py
  - array.py
  - test\_json.py
- list/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - array.cpython-310.pyc
    - test\_list.cpython-310.pyc
  - \_\_init\_\_.py
  - array.py
  - test\_list.py
- \_\_init\_\_.py
- conftest.py
- test\_arrow.py
- test\_categorical.py
- test\_common.py
- test\_datetime.py
- test\_extension.py
- test\_interval.py
- test\_masked.py
- test\_numpy.py
- test\_period.py
- test\_sparse.py
- test\_string.py
- frame/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - common.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_alter\_axes.cpython-310.pyc
    - test\_api.cpython-310.pyc



- test\_arithmetic.cpython-310.pyc
- test\_arrow\_interface.cpython-310.pyc
- test\_block\_internals.cpython-310.pyc
- test\_constructors.cpython-310.pyc
- test\_cumulative.cpython-310.pyc
- test\_iteration.cpython-310.pyc
- test\_logical\_ops.cpython-310.pyc
- test\_nonunique\_indexes.cpython-310.pyc
- test\_npfuncs.cpython-310.pyc
- test\_query\_eval.cpython-310.pyc
- test\_reductions.cpython-310.pyc
- test\_repr.cpython-310.pyc
- test\_stack\_unstack.cpython-310.pyc
- test\_subclass.cpython-310.pyc
- test\_ufunc.cpython-310.pyc
- test\_unary.cpython-310.pyc
- test\_validate.cpython-310.pyc
- constructors/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_from\_dict.cpython-310.pyc
    - test\_from\_records.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_from\_dict.py
  - test\_from\_records.py
- indexing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_coercion.cpython-310.pyc
    - test\_delitem.cpython-310.pyc
    - test\_get.cpython-310.pyc
    - test\_get\_value.cpython-310.pyc
    - test\_getitem.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_insert.cpython-310.pyc
    - test\_mask.cpython-310.pyc
    - test\_set\_value.cpython-310.pyc
    - test\_setitem.cpython-310.pyc
    - test\_take.cpython-310.pyc
    - test\_where.cpython-310.pyc
    - test\_xs.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_coercion.py
  - test\_delitem.py
  - test\_get.py
  - test\_get\_value.py
  - test\_getitem.py
  - test\_indexing.py
  - test\_insert.py
  - test\_mask.py
  - test\_set\_value.py
  - test\_setitem.py
  - test\_take.py
  - test\_where.py
  - test\_xs.py
- methods/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_add\_prefix\_suffix.cpython-310.pyc
    - test\_align.cpython-310.pyc
    - test\_asfreq.cpython-310.pyc
    - test\_asof.cpython-310.pyc
    - test\_assign.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_at\_time.cpython-310.pyc
    - test\_between\_time.cpython-310.pyc
    - test\_clip.cpython-310.pyc
    - test\_combine.cpython-310.pyc
    - test\_combine\_first.cpython-310.pyc
    - test\_compare.cpython-310.pyc
    - test\_convert\_dtypes.cpython-310.pyc
    - test\_copy.cpython-310.pyc
    - test\_count.cpython-310.pyc
    - test\_cov\_corr.cpython-310.pyc
    - test\_describe.cpython-310.pyc
    - test\_diff.cpython-310.pyc
    - test\_dot.cpython-310.pyc
    - test\_drop.cpython-310.pyc
    - test\_drop\_duplicates.cpython-310.pyc
    - test\_droplevel.cpython-310.pyc
    - test\_dropna.cpython-310.pyc
    - test\_dtypes.cpython-310.pyc
    - test\_duplicated.cpython-310.pyc
    - test\_equals.cpython-310.pyc
    - test\_explode.cpython-310.pyc

```

— test_fillna.cpython-310.pyc
— test_filter.cpython-310.pyc
— test_first_and_last.cpython-310.pyc
— test_first_valid_index.cpython-310.pyc
— test_get_numeric_data.cpython-310.pyc
— test_head_tail.cpython-310.pyc
— test_infer_objects.cpython-310.pyc
— test_info.cpython-310.pyc
— test_interpolate.cpython-310.pyc
— test_is_homogeneous_dtype.cpython-310.pyc
— test_isitem.cpython-310.pyc
— test_isin.cpython-310.pyc
— test_iterrows.cpython-310.pyc
— test_join.cpython-310.pyc
— test_map.cpython-310.pyc
— test_matmul.cpython-310.pyc
— test_nlargest.cpython-310.pyc
— test_pct_change.cpython-310.pyc
— test_pipe.cpython-310.pyc
— test_pop.cpython-310.pyc
— test_quantile.cpython-310.pyc
— test_rank.cpython-310.pyc
— test_reindex.cpython-310.pyc
— test_reindex_like.cpython-310.pyc
— test_rename.cpython-310.pyc
— test_rename_axis.cpython-310.pyc
— test_reorder_levels.cpython-310.pyc
— test_replace.cpython-310.pyc
— test_reset_index.cpython-310.pyc
— test_round.cpython-310.pyc
— test_sample.cpython-310.pyc
— test_select_dtypes.cpython-310.pyc
— test_set_axis.cpython-310.pyc
— test_set_index.cpython-310.pyc
— test_shift.cpython-310.pyc
— test_size.cpython-310.pyc
— test_sort_index.cpython-310.pyc
— test_sort_values.cpython-310.pyc
— test_swapaxes.cpython-310.pyc
— test_swaplevel.cpython-310.pyc
— test_to_csv.cpython-310.pyc
— test_to_dict.cpython-310.pyc
— test_to_dict_of_blocks.cpython-310.pyc
— test_to_numpy.cpython-310.pyc
— test_to_period.cpython-310.pyc
— test_to_records.cpython-310.pyc
— test_to_timestamp.cpython-310.pyc
— test_transpose.cpython-310.pyc
— test_truncate.cpython-310.pyc
— test_tz_convert.cpython-310.pyc
— test_tz_localize.cpython-310.pyc
— test_update.cpython-310.pyc
— test_value_counts.cpython-310.pyc
— test_values.cpython-310.pyc
— __init__.py
— test_add_prefix_suffix.py
— test_align.py
— test_asfreq.py
— test_asof.py
— test_assign.py
— test_astype.py
— test_at_time.py
— test_between_time.py
— test_clip.py
— test_combine.py
— test_combine_first.py
— test_compare.py
— test_convert_dtypes.py
— test_copy.py
— test_count.py
— test_cov_corr.py
— test_describe.py
— test_diff.py
— test_dot.py
— test_drop.py
— test_drop_duplicates.py
— test_droplevel.py
— test_dropna.py
— test_dtypes.py
— test_duplicated.py
— test_equals.py
— test_explode.py
— test_fillna.py
— test_filter.py
— test_first_and_last.py

```

- test\_first\_valid\_index.py
- test\_get\_numeric\_data.py
- test\_head\_tail.py
- test\_infer\_objects.py
- test\_info.py
- test\_interpolate.py
- test\_is\_homogeneous\_dtype.py
- test\_isetitem.py
- test\_isin.py
- test\_iterrows.py
- test\_join.py
- test\_map.py
- test\_matmul.py
- test\_nlargest.py
- test\_pct\_change.py
- test\_pipe.py
- test\_pop.py
- test\_quantile.py
- test\_rank.py
- test\_reindex.py
- test\_reindex\_like.py
- test\_rename.py
- test\_rename\_axis.py
- test\_reorder\_levels.py
- test\_replace.py
- test\_reset\_index.py
- test\_round.py
- test\_sample.py
- test\_select\_dtypes.py
- test\_set\_axis.py
- test\_set\_index.py
- test\_shift.py
- test\_size.py
- test\_sort\_index.py
- test\_sort\_values.py
- test\_swapaxes.py
- test\_swaplevel.py
- test\_to\_csv.py
- test\_to\_dict.py
- test\_to\_dict\_of\_blocks.py
- test\_to\_numpy.py
- test\_to\_period.py
- test\_to\_records.py
- test\_to\_timestamp.py
- test\_transpose.py
- test\_truncate.py
- test\_tz\_convert.py
- test\_tz\_localize.py
- test\_update.py
- test\_value\_counts.py
- test\_values.py
- \_\_init\_\_.py
- common.py
- conftest.py
- test\_alter\_axes.py
- test\_api.py
- test\_arithmetic.py
- test\_arrow\_interface.py
- test\_block\_internals.py
- test\_constructors.py
- test\_cumulative.py
- test\_iteration.py
- test\_logical\_ops.py
- test\_nonunique\_indexes.py
- test\_npfuncs.py
- test\_query\_eval.py
- test\_reductions.py
- test\_repr.py
- test\_stack\_unstack.py
- test\_subclass.py
- test\_ufunc.py
- test\_unary.py
- test\_validate.py
- generic/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_duplicate\_labels.cpython-310.pyc
    - test\_finalize.cpython-310.pyc
    - test\_frame.cpython-310.pyc
    - test\_generic.cpython-310.pyc
    - test\_label\_or\_level\_utils.cpython-310.pyc
    - test\_series.cpython-310.pyc
    - test\_to\_xarray.cpython-310.pyc
- \_\_init\_\_.py
- test\_duplicate\_labels.py

- test\_finalize.py
- test\_frame.py
- test\_generic.py
- test\_label\_or\_level\_utils.py
- test\_series.py
- test\_to\_xarray.py
- groupby/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_all\_methods.cpython-310.pyc
    - test\_api.cpython-310.pyc
    - test\_apply.cpython-310.pyc
    - test\_apply\_mutate.cpython-310.pyc
    - test\_bin\_groupby.cpython-310.pyc
    - test\_categorical.cpython-310.pyc
    - test\_counting.cpython-310.pyc
    - test\_cumulative.cpython-310.pyc
    - test\_filters.cpython-310.pyc
    - test\_groupby.cpython-310.pyc
    - test\_groupby\_dropna.cpython-310.pyc
    - test\_groupby\_subclass.cpython-310.pyc
    - test\_grouping.cpython-310.pyc
    - test\_index\_as\_string.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_libgroupby.cpython-310.pyc
    - test\_missing.cpython-310.pyc
    - test\_numba.cpython-310.pyc
    - test\_numeric\_only.cpython-310.pyc
    - test\_pipe.cpython-310.pyc
    - test\_raises.cpython-310.pyc
    - test\_reductions.cpython-310.pyc
    - test\_timegrouper.cpython-310.pyc
- aggregate/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_aggregate.cpython-310.pyc
    - test\_cython.cpython-310.pyc
    - test\_numba.cpython-310.pyc
    - test\_other.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_aggregate.py
  - test\_cython.py
  - test\_numba.py
  - test\_other.py
- methods/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_corrwith.cpython-310.pyc
    - test\_describe.cpython-310.pyc
    - test\_groupby\_shift\_diff.cpython-310.pyc
    - test\_is\_monotonic.cpython-310.pyc
    - test\_nlargest\_nsmallest.cpython-310.pyc
    - test\_nth.cpython-310.pyc
    - test\_quantile.cpython-310.pyc
    - test\_rank.cpython-310.pyc
    - test\_sample.cpython-310.pyc
    - test\_size.cpython-310.pyc
    - test\_skew.cpython-310.pyc
    - test\_value\_counts.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_corrwith.py
  - test\_describe.py
  - test\_groupby\_shift\_diff.py
  - test\_is\_monotonic.py
  - test\_nlargest\_nsmallest.py
  - test\_nth.py
  - test\_quantile.py
  - test\_rank.py
  - test\_sample.py
  - test\_size.py
  - test\_skew.py
  - test\_value\_counts.py
- transform/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_numba.cpython-310.pyc
    - test\_transform.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_numba.py
  - test\_transform.py
- \_\_init\_\_.py
- conftest.py
- test\_all\_methods.py
- test\_api.py

- test\_apply.py
- test\_apply\_mutate.py
- test\_bin\_groupby.py
- test\_categorical.py
- test\_counting.py
- test\_cumulative.py
- test\_filters.py
- test\_groupby.py
- test\_groupby\_dropna.py
- test\_groupby\_subclass.py
- test\_grouping.py
- test\_index\_as\_string.py
- test\_indexing.py
- test\_libgroupby.py
- test\_missing.py
- test\_numba.py
- test\_numeric\_only.py
- test\_pipe.py
- test\_raises.py
- test\_reductions.py
- test\_timegrouper.py
- indexes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_any\_index.cpython-310.pyc
    - test\_base.cpython-310.pyc
    - test\_common.cpython-310.pyc
    - test\_datetimelike.cpython-310.pyc
    - test\_engines.cpython-310.pyc
    - test\_frozen.cpython-310.pyc
    - test\_index\_new.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_numpy\_compat.cpython-310.pyc
    - test\_old\_base.cpython-310.pyc
    - test\_setops.cpython-310.pyc
    - test\_subclass.cpython-310.pyc
  - base\_class/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_constructors.cpython-310.pyc
      - test\_formats.cpython-310.pyc
      - test\_indexing.cpython-310.pyc
      - test\_pickle.cpython-310.pyc
      - test\_reshape.cpython-310.pyc
      - test\_setops.cpython-310.pyc
      - test\_where.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_constructors.py
    - test\_formats.py
    - test\_indexing.py
    - test\_pickle.py
    - test\_reshape.py
    - test\_setops.py
    - test\_where.py
  - categorical/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_append.cpython-310.pyc
      - test\_astype.cpython-310.pyc
      - test\_category.cpython-310.pyc
      - test\_constructors.cpython-310.pyc
      - test\_equals.cpython-310.pyc
      - test\_fillna.cpython-310.pyc
      - test\_formats.cpython-310.pyc
      - test\_indexing.cpython-310.pyc
      - test\_map.cpython-310.pyc
      - test\_reindex.cpython-310.pyc
      - test\_setops.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_append.py
    - test\_astype.py
    - test\_category.py
    - test\_constructors.py
    - test\_equals.py
    - test\_fillna.py
    - test\_formats.py
    - test\_indexing.py
    - test\_map.py
    - test\_reindex.py
    - test\_setops.py
  - datetimelike/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_drop\_duplicates.cpython-310.pyc

- test\_equals.cpython-310.pyc
- test\_indexing.cpython-310.pyc
- test\_is\_monotonic.cpython-310.pyc
- test\_nat.cpython-310.pyc
- test\_sort\_values.cpython-310.pyc
- test\_value\_counts.cpython-310.pyc
- \_\_init\_\_.py
- test\_drop\_duplicates.py
- test\_equals.py
- test\_indexing.py
- test\_is\_monotonic.py
- test\_nat.py
- test\_sort\_values.py
- test\_value\_counts.py
- datetimes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_arithmetic.cpython-310.pyc
    - test\_constructors.cpython-310.pyc
    - test\_date\_range.cpython-310.pyc
    - test\_datetime.cpython-310.pyc
    - test\_formats.cpython-310.pyc
    - test\_freq\_attr.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_iter.cpython-310.pyc
    - test\_join.cpython-310.pyc
    - test\_npfuncs.cpython-310.pyc
    - test\_ops.cpython-310.pyc
    - test\_partial\_slicing.cpython-310.pyc
    - test\_pickle.cpython-310.pyc
    - test\_reindex.cpython-310.pyc
    - test\_scalar\_compat.cpython-310.pyc
    - test\_setops.cpython-310.pyc
    - test\_timezones.cpython-310.pyc
- methods/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_asof.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_delete.cpython-310.pyc
    - test\_factorize.cpython-310.pyc
    - test\_fillna.cpython-310.pyc
    - test\_insert.cpython-310.pyc
    - test\_isocalendar.cpython-310.pyc
    - test\_map.cpython-310.pyc
    - test\_normalize.cpython-310.pyc
    - test\_repeat.cpython-310.pyc
    - test\_resolution.cpython-310.pyc
    - test\_round.cpython-310.pyc
    - test\_shift.cpython-310.pyc
    - test\_snap.cpython-310.pyc
    - test\_to\_frame.cpython-310.pyc
    - test\_to\_julian\_date.cpython-310.pyc
    - test\_to\_period.cpython-310.pyc
    - test\_to\_pydatetime.cpython-310.pyc
    - test\_to\_series.cpython-310.pyc
    - test\_tz\_convert.cpython-310.pyc
    - test\_tz\_localize.cpython-310.pyc
    - test\_unique.cpython-310.pyc
- \_\_init\_\_.py
- test\_asof.py
- test\_astype.py
- test\_delete.py
- test\_factorize.py
- test\_fillna.py
- test\_insert.py
- test\_isocalendar.py
- test\_map.py
- test\_normalize.py
- test\_repeat.py
- test\_resolution.py
- test\_round.py
- test\_shift.py
- test\_snap.py
- test\_to\_frame.py
- test\_to\_julian\_date.py
- test\_to\_period.py
- test\_to\_pydatetime.py
- test\_to\_series.py
- test\_tz\_convert.py
- test\_tz\_localize.py
- test\_unique.py
- \_\_init\_\_.py
- test\_arithmetic.py
- test\_constructors.py

- test\_date\_range.py
- test\_datetime.py
- test\_formats.py
- test\_freq\_attr.py
- test\_indexing.py
- test\_iter.py
- test\_join.py
- test\_npfuncs.py
- test\_ops.py
- test\_partial\_slicing.py
- test\_pickle.py
- test\_reindex.py
- test\_scalar\_compat.py
- test\_setops.py
- test\_timezones.py
- interval/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_constructors.cpython-310.pyc
    - test\_equals.cpython-310.pyc
    - test\_formats.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_interval.cpython-310.pyc
    - test\_interval\_range.cpython-310.pyc
    - test\_interval\_tree.cpython-310.pyc
    - test\_join.cpython-310.pyc
    - test\_pickle.cpython-310.pyc
    - test\_setops.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_astype.py
  - test\_constructors.py
  - test\_equals.py
  - test\_formats.py
  - test\_indexing.py
  - test\_interval.py
  - test\_interval\_range.py
  - test\_interval\_tree.py
  - test\_join.py
  - test\_pickle.py
  - test\_setops.py
- multi/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_analytics.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_compat.cpython-310.pyc
    - test\_constructors.cpython-310.pyc
    - test\_conversion.cpython-310.pyc
    - test\_copy.cpython-310.pyc
    - test\_drop.cpython-310.pyc
    - test\_duplicates.cpython-310.pyc
    - test\_equivalence.cpython-310.pyc
    - test\_formats.cpython-310.pyc
    - test\_get\_level\_values.cpython-310.pyc
    - test\_get\_set.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_integrity.cpython-310.pyc
    - test\_isin.cpython-310.pyc
    - test\_join.cpython-310.pyc
    - test\_lexsort.cpython-310.pyc
    - test\_missing.cpython-310.pyc
    - test\_monotonic.cpython-310.pyc
    - test\_names.cpython-310.pyc
    - test\_partial\_indexing.cpython-310.pyc
    - test\_pickle.cpython-310.pyc
    - test\_reindex.cpython-310.pyc
    - test\_reshape.cpython-310.pyc
    - test\_setops.cpython-310.pyc
    - test\_sorting.cpython-310.pyc
    - test\_take.cpython-310.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_analytics.py
  - test\_astype.py
  - test\_compat.py
  - test\_constructors.py
  - test\_conversion.py
  - test\_copy.py
  - test\_drop.py
  - test\_duplicates.py
  - test\_equivalence.py
  - test\_formats.py
  - test\_get\_level\_values.py

- test\_get\_set.py
- test\_indexing.py
- test\_integrity.py
- test\_isin.py
- test\_join.py
- test\_lexsort.py
- test\_missing.py
- test\_monotonic.py
- test\_names.py
- test\_partial\_indexing.py
- test\_pickle.py
- test\_reindex.py
- test\_reshape.py
- test\_setops.py
- test\_sorting.py
- test\_take.py
- numeric/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_join.cpython-310.pyc
    - test\_numeric.cpython-310.pyc
    - test\_setops.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_astype.py
  - test\_indexing.py
  - test\_join.py
  - test\_numeric.py
  - test\_setops.py
- object/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_astype.py
  - test\_indexing.py
- period/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_constructors.cpython-310.pyc
    - test\_formats.cpython-310.pyc
    - test\_freq\_attr.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_join.cpython-310.pyc
    - test\_monotonic.cpython-310.pyc
    - test\_partial\_slicing.cpython-310.pyc
    - test\_period.cpython-310.pyc
    - test\_period\_range.cpython-310.pyc
    - test\_pickle.cpython-310.pyc
    - test\_resolution.cpython-310.pyc
    - test\_scalar\_compat.cpython-310.pyc
    - test\_searchsorted.cpython-310.pyc
    - test\_setops.cpython-310.pyc
    - test\_tools.cpython-310.pyc
- methods/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_asfreq.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_factorize.cpython-310.pyc
    - test\_fillna.cpython-310.pyc
    - test\_insert.cpython-310.pyc
    - test\_is\_full.cpython-310.pyc
    - test\_repeat.cpython-310.pyc
    - test\_shift.cpython-310.pyc
    - test\_to\_timestamp.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_asfreq.py
  - test\_astype.py
  - test\_factorize.py
  - test\_fillna.py
  - test\_insert.py
  - test\_is\_full.py
  - test\_repeat.py
  - test\_shift.py
  - test\_to\_timestamp.py
- \_\_init\_\_.py
- test\_constructors.py
- test\_formats.py
- test\_freq\_attr.py
- test\_indexing.py
- test\_join.py
- test\_monotonic.py



- test\_partial\_slicing.py
- test\_period.py
- test\_period\_range.py
- test\_pickle.py
- test\_resolution.py
- test\_scalar\_compat.py
- test\_searchsorted.py
- test\_setops.py
- test\_tools.py
- ranges/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_constructors.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_join.cpython-310.pyc
    - test\_range.cpython-310.pyc
    - test\_setops.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_constructors.py
  - test\_indexing.py
  - test\_join.py
  - test\_range.py
  - test\_setops.py
- string/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_astype.py
  - test\_indexing.py
- timedeltas/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_arithmetic.cpython-310.pyc
    - test\_constructors.cpython-310.pyc
    - test\_delete.cpython-310.pyc
    - test\_formats.cpython-310.pyc
    - test\_freq\_attr.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_join.cpython-310.pyc
    - test\_ops.cpython-310.pyc
    - test\_pickle.cpython-310.pyc
    - test\_scalar\_compat.cpython-310.pyc
    - test\_searchsorted.cpython-310.pyc
    - test\_setops.cpython-310.pyc
    - test\_timedelta.cpython-310.pyc
    - test\_timedelta\_range.cpython-310.pyc
  - methods/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_astype.cpython-310.pyc
      - test\_factorize.cpython-310.pyc
      - test\_fillna.cpython-310.pyc
      - test\_insert.cpython-310.pyc
      - test\_repeat.cpython-310.pyc
      - test\_shift.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_astype.py
    - test\_factorize.py
    - test\_fillna.py
    - test\_insert.py
    - test\_repeat.py
    - test\_shift.py
  - \_\_init\_\_.py
  - test\_arithmetic.py
  - test\_constructors.py
  - test\_delete.py
  - test\_formats.py
  - test\_freq\_attr.py
  - test\_indexing.py
  - test\_join.py
  - test\_ops.py
  - test\_pickle.py
  - test\_scalar\_compat.py
  - test\_searchsorted.py
  - test\_setops.py
  - test\_timedelta.py
  - test\_timedelta\_range.py
- \_\_init\_\_.py
- conftest.py
- test\_any\_index.py
- test\_base.py
- test\_common.py
- test\_datetimelike.py

- test\_engines.py
- test\_frozen.py
- test\_index\_new.py
- test\_indexing.py
- test\_numpy\_compat.py
- test\_old\_base.py
- test\_setops.py
- test\_subclass.py
- indexing/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - common.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_at.cpython-310.pyc
    - test\_categorical.cpython-310.pyc
    - test\_chaining\_and\_caching.cpython-310.pyc
    - test\_check\_indexer.cpython-310.pyc
    - test\_coercion.cpython-310.pyc
    - test\_datetime.cpython-310.pyc
    - test\_floats.cpython-310.pyc
    - test\_iat.cpython-310.pyc
    - test\_iloc.cpython-310.pyc
    - test\_indexers.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_loc.cpython-310.pyc
    - test\_na\_indexing.cpython-310.pyc
    - test\_partial.cpython-310.pyc
    - test\_scalar.cpython-310.pyc
  - interval/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_interval.cpython-310.pyc
      - test\_interval\_new.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_interval.py
    - test\_interval\_new.py
  - multiindex/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_chaining\_and\_caching.cpython-310.pyc
      - test\_datetime.cpython-310.pyc
      - test\_getitem.cpython-310.pyc
      - test\_iloc.cpython-310.pyc
      - test\_indexing\_slow.cpython-310.pyc
      - test\_loc.cpython-310.pyc
      - test\_multiindex.cpython-310.pyc
      - test\_partial.cpython-310.pyc
      - test\_setitem.cpython-310.pyc
      - test\_slice.cpython-310.pyc
      - test\_sorted.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_chaining\_and\_caching.py
    - test\_datetime.py
    - test\_getitem.py
    - test\_iloc.py
    - test\_indexing\_slow.py
    - test\_loc.py
    - test\_multiindex.py
    - test\_partial.py
    - test\_setitem.py
    - test\_slice.py
    - test\_sorted.py
- \_\_init\_\_.py
- common.py
- conftest.py
- test\_at.py
- test\_categorical.py
- test\_chaining\_and\_caching.py
- test\_check\_indexer.py
- test\_coercion.py
- test\_datetime.py
- test\_floats.py
- test\_iat.py
- test\_iloc.py
- test\_indexers.py
- test\_indexing.py
- test\_loc.py
- test\_na\_indexing.py
- test\_partial.py
- test\_scalar.py
- interchange/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_impl.cpython-310.pyc
    - test\_spec\_conformance.cpython-310.pyc

- └─ test\_utils.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ test\_impl.py
  - ─ test\_spec\_conformance.py
  - ─ test\_utils.py
- internals/
  - ─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_api.cpython-310.pyc
    - └─ test\_internals.cpython-310.pyc
    - └─ test\_managers.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ test\_api.py
  - ─ test\_internals.py
  - ─ test\_managers.py
- io/
  - ─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ conftest.cpython-310.pyc
    - └─ generate\_legacy\_storage\_files.cpython-310.pyc
    - └─ test\_clipboard.cpython-310.pyc
    - └─ test\_common.cpython-310.pyc
    - └─ test\_compression.cpython-310.pyc
    - └─ test\_feather.cpython-310.pyc
    - └─ test\_fsspec.cpython-310.pyc
    - └─ test\_gbq.cpython-310.pyc
    - └─ test\_gcs.cpython-310.pyc
    - └─ test\_html.cpython-310.pyc
    - └─ test\_http\_headers.cpython-310.pyc
    - └─ test\_orc.cpython-310.pyc
    - └─ test\_parquet.cpython-310.pyc
    - └─ test\_pickle.cpython-310.pyc
    - └─ test\_s3.cpython-310.pyc
    - └─ test\_spss.cpython-310.pyc
    - └─ test\_sql.cpython-310.pyc
    - └─ test\_stata.cpython-310.pyc
- excel/
  - ─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_odf.cpython-310.pyc
    - └─ test\_odswriter.cpython-310.pyc
    - └─ test\_openpyxl.cpython-310.pyc
    - └─ test\_readers.cpython-310.pyc
    - └─ test\_style.cpython-310.pyc
    - └─ test\_writers.cpython-310.pyc
    - └─ test\_xlrd.cpython-310.pyc
    - └─ test\_xlsxwriter.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ test\_odf.py
  - ─ test\_odswriter.py
  - ─ test\_openpyxl.py
  - ─ test\_readers.py
  - ─ test\_style.py
  - ─ test\_writers.py
  - ─ test\_xlrd.py
  - ─ test\_xlsxwriter.py
- formats/
  - ─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_console.cpython-310.pyc
    - └─ test\_css.cpython-310.pyc
    - └─ test\_eng\_formatting.cpython-310.pyc
    - └─ test\_format.cpython-310.pyc
    - └─ test\_ipython\_compat.cpython-310.pyc
    - └─ test\_printing.cpython-310.pyc
    - └─ test\_to\_csv.cpython-310.pyc
    - └─ test\_to\_excel.cpython-310.pyc
    - └─ test\_to\_html.cpython-310.pyc
    - └─ test\_to\_latex.cpython-310.pyc
    - └─ test\_to\_markdown.cpython-310.pyc
    - └─ test\_to\_string.cpython-310.pyc
- style/
  - ─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_bar.cpython-310.pyc
    - └─ test\_exceptions.cpython-310.pyc
    - └─ test\_format.cpython-310.pyc
    - └─ test\_highlight.cpython-310.pyc
    - └─ test\_html.cpython-310.pyc
    - └─ test\_matplotlib.cpython-310.pyc
    - └─ test\_non\_unique.cpython-310.pyc
    - └─ test\_style.cpython-310.pyc
    - └─ test\_to\_latex.cpython-310.pyc
    - └─ test\_to\_string.cpython-310.pyc
    - └─ test\_tooltip.cpython-310.pyc

- `__init__.py`
- `test_bar.py`
- `test_exceptions.py`
- `test_format.py`
- `test_highlight.py`
- `test_html.py`
- `test_matplotlib.py`
- `test_non_unique.py`
- `test_style.py`
- `test_to_latex.py`
- `test_to_string.py`
- `test_tooltip.py`
- `__init__.py`
- `test_console.py`
- `test_css.py`
- `test_eng_formatting.py`
- `test_format.py`
- `test_ipython_compat.py`
- `test_printing.py`
- `test_to_csv.py`
- `test_to_excel.py`
- `test_to_html.py`
- `test_to_latex.py`
- `test_to_markdown.py`
- `test_to_string.py`
- `json/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `confptest.cpython-310.pyc`
    - `test_compression.cpython-310.pyc`
    - `test_deprecated_kwargs.cpython-310.pyc`
    - `test_json_table_schema.cpython-310.pyc`
    - `test_json_table_schema_ext_dtype.cpython-310.pyc`
    - `test_normalize.cpython-310.pyc`
    - `test_pandas.cpython-310.pyc`
    - `test_readlines.cpython-310.pyc`
    - `test_ujson.cpython-310.pyc`
  - `__init__.py`
  - `confptest.py`
  - `test_compression.py`
  - `test_deprecated_kwargs.py`
  - `test_json_table_schema.py`
  - `test_json_table_schema_ext_dtype.py`
  - `test_normalize.py`
  - `test_pandas.py`
  - `test_readlines.py`
  - `test_ujson.py`
- `parser/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `confptest.cpython-310.pyc`
    - `test_c_parser_only.cpython-310.pyc`
    - `test_comment.cpython-310.pyc`
    - `test_compression.cpython-310.pyc`
    - `test_concatenate_chunks.cpython-310.pyc`
    - `test_converters.cpython-310.pyc`
    - `test_dialect.cpython-310.pyc`
    - `test_encoding.cpython-310.pyc`
    - `test_header.cpython-310.pyc`
    - `test_index_col.cpython-310.pyc`
    - `test_mangle_dupes.cpython-310.pyc`
    - `test_multi_thread.cpython-310.pyc`
    - `test_na_values.cpython-310.pyc`
    - `test_network.cpython-310.pyc`
    - `test_parse_dates.cpython-310.pyc`
    - `test_python_parser_only.cpython-310.pyc`
    - `test_quoting.cpython-310.pyc`
    - `test_read_fwf.cpython-310.pyc`
    - `test_skiprows.cpython-310.pyc`
    - `test_textreader.cpython-310.pyc`
    - `test_unsupported.cpython-310.pyc`
    - `test_upcast.cpython-310.pyc`
- `common/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_chunksize.cpython-310.pyc`
    - `test_common_basic.cpython-310.pyc`
    - `test_data_list.cpython-310.pyc`
    - `test_decimal.cpython-310.pyc`
    - `test_file_buffer_url.cpython-310.pyc`
    - `test_float.cpython-310.pyc`
    - `test_index.cpython-310.pyc`
    - `test_inf.cpython-310.pyc`
    - `test_ints.cpython-310.pyc`
    - `test_iterator.cpython-310.pyc`

- test\_read\_errors.cpython-310.pyc
  - test\_verbose.cpython-310.pyc
- \_\_init\_\_.py
- test\_chunksize.py
- test\_common\_basic.py
- test\_data\_list.py
- test\_decimal.py
- test\_file\_buffer\_url.py
- test\_float.py
- test\_index.py
- test\_inf.py
- test\_ints.py
- test\_iterator.py
- test\_read\_errors.py
- test\_verbose.py
- dtypes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_categorical.cpython-310.pyc
    - test\_dtypes\_basic.cpython-310.pyc
    - test\_empty.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_categorical.py
  - test\_dtypes\_basic.py
  - test\_empty.py
- usecols/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_parse\_dates.cpython-310.pyc
    - test\_strings.cpython-310.pyc
    - test\_usecols\_basic.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_parse\_dates.py
  - test\_strings.py
  - test\_usecols\_basic.py
- \_\_init\_\_.py
- confptest.py
- test\_c\_parser\_only.py
- test\_comment.py
- test\_compression.py
- test\_concatenate\_chunks.py
- test\_converters.py
- test\_dialect.py
- test\_encoding.py
- test\_header.py
- test\_index\_col.py
- test\_mangle\_dupes.py
- test\_multi\_thread.py
- test\_na\_values.py
- test\_network.py
- test\_parse\_dates.py
- test\_python\_parser\_only.py
- test\_quoting.py
- test\_read\_fwf.py
- test\_skiprows.py
- test\_textreader.py
- test\_unsupported.py
- test\_upcast.py
- pytables/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - common.cpython-310.pyc
    - confptest.cpython-310.pyc
    - test\_append.cpython-310.pyc
    - test\_categorical.cpython-310.pyc
    - test\_compat.cpython-310.pyc
    - test\_complex.cpython-310.pyc
    - test\_errors.cpython-310.pyc
    - test\_file\_handling.cpython-310.pyc
    - test\_keys.cpython-310.pyc
    - test\_put.cpython-310.pyc
    - test\_pytables\_missing.cpython-310.pyc
    - test\_read.cpython-310.pyc
    - test\_retain\_attributes.cpython-310.pyc
    - test\_round\_trip.cpython-310.pyc
    - test\_select.cpython-310.pyc
    - test\_store.cpython-310.pyc
    - test\_subclass.cpython-310.pyc
    - test\_time\_series.cpython-310.pyc
    - test\_timezones.cpython-310.pyc
  - \_\_init\_\_.py
  - common.py
  - confptest.py
  - test\_append.py
  - test\_categorical.py

- test\_compat.py
- test\_complex.py
- test\_errors.py
- test\_file\_handling.py
- test\_keys.py
- test\_put.py
- test\_pytables\_missing.py
- test\_read.py
- test\_retain\_attributes.py
- test\_round\_trip.py
- test\_select.py
- test\_store.py
- test\_subclass.py
- test\_time\_series.py
- test\_timezones.py
- sas/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_byteswap.cpython-310.pyc
    - test\_sas.cpython-310.pyc
    - test\_sas7bdatt.cpython-310.pyc
    - test\_xport.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_byteswap.py
  - test\_sas.py
  - test\_sas7bdatt.py
  - test\_xport.py
- xml/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_to\_xml.cpython-310.pyc
    - test\_xml.cpython-310.pyc
    - test\_xml\_dtypes.cpython-310.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_to\_xml.py
  - test\_xml.py
  - test\_xml\_dtypes.py
- \_\_init\_\_.py
- conftest.py
- generate\_legacy\_storage\_files.py
- test\_clipboard.py
- test\_common.py
- test\_compression.py
- test\_feather.py
- test\_fsspec.py
- test\_gbq.py
- test\_gcs.py
- test\_html.py
- test\_http\_headers.py
- test\_orc.py
- test\_parquet.py
- test\_pickle.py
- test\_s3.py
- test\_spss.py
- test\_sql.py
- test\_stata.py
- libs/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_hashtable.cpython-310.pyc
    - test\_join.cpython-310.pyc
    - test\_lib.cpython-310.pyc
    - test\_libalgos.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_hashtable.py
  - test\_join.py
  - test\_lib.py
  - test\_libalgos.py
- plotting/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - common.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_backend.cpython-310.pyc
    - test\_boxplot\_method.cpython-310.pyc
    - test\_common.cpython-310.pyc
    - test\_converter.cpython-310.pyc
    - test\_datetimelike.cpython-310.pyc
    - test\_groupby.cpython-310.pyc
    - test\_hist\_method.cpython-310.pyc
    - test\_misc.cpython-310.pyc
    - test\_series.cpython-310.pyc
    - test\_style.cpython-310.pyc

- frame/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_frame.cpython-310.pyc
    - test\_frame\_color.cpython-310.pyc
    - test\_frame\_groupby.cpython-310.pyc
    - test\_frame\_legend.cpython-310.pyc
    - test\_frame\_subplots.cpython-310.pyc
    - test\_hist\_box\_by.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_frame.py
  - test\_frame\_color.py
  - test\_frame\_groupby.py
  - test\_frame\_legend.py
  - test\_frame\_subplots.py
  - test\_hist\_box\_by.py
- \_\_init\_\_.py
- common.py
- conftest.py
- test\_backend.py
- test\_boxplot\_method.py
- test\_common.py
- test\_converter.py
- test\_datetimelike.py
- test\_groupby.py
- test\_hist\_method.py
- test\_misc.py
- test\_series.py
- test\_style.py
- reductions/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_reductions.cpython-310.pyc
    - test\_stat\_reductions.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_reductions.py
  - test\_stat\_reductions.py
- resample/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_base.cpython-310.pyc
    - test\_datetime\_index.cpython-310.pyc
    - test\_period\_index.cpython-310.pyc
    - test\_resample\_api.cpython-310.pyc
    - test\_resampler\_grouper.cpython-310.pyc
    - test\_time\_grouper.cpython-310.pyc
    - test\_timedelta.cpython-310.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_base.py
  - test\_datetime\_index.py
  - test\_period\_index.py
  - test\_resample\_api.py
  - test\_resampler\_grouper.py
  - test\_time\_grouper.py
  - test\_timedelta.py
- reshape/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_crosstab.cpython-310.pyc
    - test\_cut.cpython-310.pyc
    - test\_from\_dummies.cpython-310.pyc
    - test\_get\_dummies.cpython-310.pyc
    - test\_melt.cpython-310.pyc
    - test\_pivot.cpython-310.pyc
    - test\_pivot\_multilevel.cpython-310.pyc
    - test\_qcut.cpython-310.pyc
    - test\_union\_categoricals.cpython-310.pyc
    - test\_util.cpython-310.pyc
- concat/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_append.cpython-310.pyc
    - test\_append\_common.cpython-310.pyc
    - test\_categorical.cpython-310.pyc
    - test\_concat.cpython-310.pyc
    - test\_dataframe.cpython-310.pyc
    - test\_datetimes.cpython-310.pyc
    - test\_empty.cpython-310.pyc
    - test\_index.cpython-310.pyc
    - test\_invalid.cpython-310.pyc
    - test\_series.cpython-310.pyc
    - test\_sort.cpython-310.pyc

- `__init__.py`
- `conftest.py`
- `test_append.py`
- `test_append_common.py`
- `test_categorical.py`
- `test_concat.py`
- `test_dataframe.py`
- `test_datetimes.py`
- `test_empty.py`
- `test_index.py`
- `test_invalid.py`
- `test_series.py`
- `test_sort.py`
- `merge/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_join.cpython-310.pyc`
    - `test_merge.cpython-310.pyc`
    - `test_merge_asof.cpython-310.pyc`
    - `test_merge_cross.cpython-310.pyc`
    - `test_merge_index_as_string.cpython-310.pyc`
    - `test_merge_ordered.cpython-310.pyc`
    - `test_multi.cpython-310.pyc`
  - `__init__.py`
  - `test_join.py`
  - `test_merge.py`
  - `test_merge_asof.py`
  - `test_merge_cross.py`
  - `test_merge_index_as_string.py`
  - `test_merge_ordered.py`
  - `test_multi.py`
- `__init__.py`
- `test_crosstab.py`
- `test_cut.py`
- `test_from_dummies.py`
- `test_get_dummies.py`
- `test_melt.py`
- `test_pivot.py`
- `test_pivot_multilevel.py`
- `test_qcut.py`
- `test_union_categoricals.py`
- `test_util.py`
- `scalar/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_na_scalar.cpython-310.pyc`
    - `test_nat.cpython-310.pyc`
- `interval/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_arithmetic.cpython-310.pyc`
    - `test_constructors.cpython-310.pyc`
    - `test_contains.cpython-310.pyc`
    - `test_formats.cpython-310.pyc`
    - `test_interval.cpython-310.pyc`
    - `test_overlaps.cpython-310.pyc`
  - `__init__.py`
  - `test_arithmetic.py`
  - `test_constructors.py`
  - `test_contains.py`
  - `test_formats.py`
  - `test_interval.py`
  - `test_overlaps.py`
- `period/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_arithmetic.cpython-310.pyc`
    - `test_asfreq.cpython-310.pyc`
    - `test_period.cpython-310.pyc`
  - `__init__.py`
  - `test_arithmetic.py`
  - `test_asfreq.py`
  - `test_period.py`
- `timedelta/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_arithmetic.cpython-310.pyc`
    - `test_constructors.cpython-310.pyc`
    - `test_formats.cpython-310.pyc`
    - `test_timedelta.cpython-310.pyc`
- `methods/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_as_unit.cpython-310.pyc`
    - `test_round.cpython-310.pyc`



- `__init__.py`
  - `test_as_unit.py`
  - `test_round.py`
- `__init__.py`
- `test_arithmetic.py`
- `test_constructors.py`
- `test_formats.py`
- `test_timedelta.py`
- `timestamp/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_arithmetic.cpython-310.pyc`
    - `test_comparisons.cpython-310.pyc`
    - `test_constructors.cpython-310.pyc`
    - `test_formats.cpython-310.pyc`
    - `test_timestamp.cpython-310.pyc`
    - `test_timezones.cpython-310.pyc`
  - `methods/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
      - `test_as_unit.cpython-310.pyc`
      - `test_normalize.cpython-310.pyc`
      - `test_replace.cpython-310.pyc`
      - `test_round.cpython-310.pyc`
      - `test_timestamp_method.cpython-310.pyc`
      - `test_to_julian_date.cpython-310.pyc`
      - `test_to_pydatetime.cpython-310.pyc`
      - `test_tz_convert.cpython-310.pyc`
      - `test_tz_localize.cpython-310.pyc`
    - `__init__.py`
    - `test_as_unit.py`
    - `test_normalize.py`
    - `test_replace.py`
    - `test_round.py`
    - `test_timestamp_method.py`
    - `test_to_julian_date.py`
    - `test_to_pydatetime.py`
    - `test_tz_convert.py`
    - `test_tz_localize.py`
  - `__init__.py`
  - `test_arithmetic.py`
  - `test_comparisons.py`
  - `test_constructors.py`
  - `test_formats.py`
  - `test_timestamp.py`
  - `test_timezones.py`
- `__init__.py`
- `test_na_scalar.py`
- `test_nat.py`
- `series/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `test_api.cpython-310.pyc`
    - `test_arithmetic.cpython-310.pyc`
    - `test_constructors.cpython-310.pyc`
    - `test_cumulative.cpython-310.pyc`
    - `test_formats.cpython-310.pyc`
    - `test_iteration.cpython-310.pyc`
    - `test_logical_ops.cpython-310.pyc`
    - `test_missing.cpython-310.pyc`
    - `test_npfuncs.cpython-310.pyc`
    - `test_reductions.cpython-310.pyc`
    - `test_subclass.cpython-310.pyc`
    - `test_ufunc.cpython-310.pyc`
    - `test_unary.cpython-310.pyc`
    - `test_validate.cpython-310.pyc`
  - `accessors/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
      - `test_cat_accessor.cpython-310.pyc`
      - `test_dt_accessor.cpython-310.pyc`
      - `test_list_accessor.cpython-310.pyc`
      - `test_sparse_accessor.cpython-310.pyc`
      - `test_str_accessor.cpython-310.pyc`
      - `test_struct_accessor.cpython-310.pyc`
    - `__init__.py`
    - `test_cat_accessor.py`
    - `test_dt_accessor.py`
    - `test_list_accessor.py`
    - `test_sparse_accessor.py`
    - `test_str_accessor.py`
    - `test_struct_accessor.py`
- `indexing/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`

- test\_datetime.cpython-310.pyc
- test\_delitem.cpython-310.pyc
- test\_get.cpython-310.pyc
- test\_getitem.cpython-310.pyc
- test\_indexing.cpython-310.pyc
- test\_mask.cpython-310.pyc
- test\_set\_value.cpython-310.pyc
- test\_setitem.cpython-310.pyc
- test\_take.cpython-310.pyc
- test\_where.cpython-310.pyc
- test\_xs.cpython-310.pyc
- \_\_init\_\_.py
- test\_datetime.py
- test\_delitem.py
- test\_get.py
- test\_getitem.py
- test\_indexing.py
- test\_mask.py
- test\_set\_value.py
- test\_setitem.py
- test\_take.py
- test\_where.py
- test\_xs.py
- methods/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - test\_add\_prefix\_suffix.cpython-310.pyc
    - test\_align.cpython-310.pyc
    - test\_argsort.cpython-310.pyc
    - test\_asof.cpython-310.pyc
    - test\_astype.cpython-310.pyc
    - test\_autocorr.cpython-310.pyc
    - test\_between.cpython-310.pyc
    - test\_case\_when.cpython-310.pyc
    - test\_clip.cpython-310.pyc
    - test\_combine.cpython-310.pyc
    - test\_combine\_first.cpython-310.pyc
    - test\_compare.cpython-310.pyc
    - test\_convert\_dtypes.cpython-310.pyc
    - test\_copy.cpython-310.pyc
    - test\_count.cpython-310.pyc
    - test\_cov\_corr.cpython-310.pyc
    - test\_describe.cpython-310.pyc
    - test\_diff.cpython-310.pyc
    - test\_drop.cpython-310.pyc
    - test\_drop\_duplicates.cpython-310.pyc
    - test\_dropna.cpython-310.pyc
    - test\_dtypes.cpython-310.pyc
    - test\_duplicated.cpython-310.pyc
    - test\_equals.cpython-310.pyc
    - test\_explode.cpython-310.pyc
    - test\_fillna.cpython-310.pyc
    - test\_get\_numeric\_data.cpython-310.pyc
    - test\_head\_tail.cpython-310.pyc
    - test\_infer\_objects.cpython-310.pyc
    - test\_info.cpython-310.pyc
    - test\_interpolate.cpython-310.pyc
    - test\_is\_monotonic.cpython-310.pyc
    - test\_is\_unique.cpython-310.pyc
    - test\_isin.cpython-310.pyc
    - test\_isna.cpython-310.pyc
    - test\_item.cpython-310.pyc
    - test\_map.cpython-310.pyc
    - test\_matmul.cpython-310.pyc
    - test\_nlargest.cpython-310.pyc
    - test\_nunique.cpython-310.pyc
    - test\_pct\_change.cpython-310.pyc
    - test\_pop.cpython-310.pyc
    - test\_quantile.cpython-310.pyc
    - test\_rank.cpython-310.pyc
    - test\_reindex.cpython-310.pyc
    - test\_reindex\_like.cpython-310.pyc
    - test\_rename.cpython-310.pyc
    - test\_rename\_axis.cpython-310.pyc
    - test\_repeat.cpython-310.pyc
    - test\_replace.cpython-310.pyc
    - test\_reset\_index.cpython-310.pyc
    - test\_round.cpython-310.pyc
    - test\_searchsorted.cpython-310.pyc
    - test\_set\_name.cpython-310.pyc
    - test\_size.cpython-310.pyc
    - test\_sort\_index.cpython-310.pyc
    - test\_sort\_values.cpython-310.pyc
    - test\_to\_csv.cpython-310.pyc
    - test\_to\_dict.cpython-310.pyc

```
— test_to_frame.cpython-310.pyc
— test_to_numpy.cpython-310.pyc
— test_tolist.cpython-310.pyc
— test_truncate.cpython-310.pyc
— test_tz_localize.cpython-310.pyc
— test_unique.cpython-310.pyc
— test_unstack.cpython-310.pyc
— test_update.cpython-310.pyc
— test_value_counts.cpython-310.pyc
— test_values.cpython-310.pyc
— test_view.cpython-310.pyc
— __init__.py
— test_add_prefix_suffix.py
— test_align.py
— test_argsort.py
— test_asof.py
— test_astype.py
— test_autocorr.py
— test_between.py
— test_case_when.py
— test_clip.py
— test_combine.py
— test_combine_first.py
— test_compare.py
— test_convert_dtypes.py
— test_copy.py
— test_count.py
— test_cov_corr.py
— test_describe.py
— test_diff.py
— test_drop.py
— test_drop_duplicates.py
— test_dropna.py
— test_dtypes.py
— test_duplicated.py
— test_equals.py
— test_explode.py
— test_fillna.py
— test_get_numeric_data.py
— test_head_tail.py
— test_infer_objects.py
— test_info.py
— test_interpolate.py
— test_is_monotonic.py
— test_is_unique.py
— test_isin.py
— test_isna.py
— test_item.py
— test_map.py
— test_matmul.py
— test_nlargest.py
— test_nunique.py
— test_pct_change.py
— test_pop.py
— test_quantile.py
— test_rank.py
— test_reindex.py
— test_reindex_like.py
— test_rename.py
— test_rename_axis.py
— test_repeat.py
— test_replace.py
— test_reset_index.py
— test_round.py
— test_searchsorted.py
— test_set_name.py
— test_size.py
— test_sort_index.py
— test_sort_values.py
— test_to_csv.py
— test_to_dict.py
— test_to_frame.py
— test_to_numpy.py
— test_tolist.py
— test_truncate.py
— test_tz_localize.py
— test_unique.py
— test_unstack.py
— test_update.py
— test_value_counts.py
— test_values.py
— test_view.py
— __init__.py
— test_api.py
— test_arithmetic.py
```

- test\_constructors.py
- test\_cumulative.py
- test\_formats.py
- test\_iteration.py
- test\_logical\_ops.py
- test\_missing.py
- test\_npfuncs.py
- test\_reductions.py
- test\_subclass.py
- test\_ufunc.py
- test\_unary.py
- test\_validate.py
- strings/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_api.cpython-310.pyc
    - test\_case\_justify.cpython-310.pyc
    - test\_cat.cpython-310.pyc
    - test\_extract.cpython-310.pyc
    - test\_find\_replace.cpython-310.pyc
    - test\_get\_dummies.cpython-310.pyc
    - test\_split\_partition.cpython-310.pyc
    - test\_string\_array.cpython-310.pyc
    - test\_strings.cpython-310.pyc
  - \_\_init\_\_.py
  - conftest.py
  - test\_api.py
  - test\_case\_justify.py
  - test\_cat.py
  - test\_extract.py
  - test\_find\_replace.py
  - test\_get\_dummies.py
  - test\_split\_partition.py
  - test\_string\_array.py
  - test\_strings.py
- tools/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_to\_datetime.cpython-310.pyc
    - test\_to\_numeric.cpython-310.pyc
    - test\_to\_time.cpython-310.pyc
    - test\_to\_timedelta.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_to\_datetime.py
  - test\_to\_numeric.py
  - test\_to\_time.py
  - test\_to\_timedelta.py
- tseries/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - frequencies/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_freq\_code.cpython-310.pyc
      - test\_frequencies.cpython-310.pyc
      - test\_inference.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_freq\_code.py
    - test\_frequencies.py
    - test\_inference.py
  - holiday/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_calendar.cpython-310.pyc
      - test\_federal.cpython-310.pyc
      - test\_holiday.cpython-310.pyc
      - test\_observance.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_calendar.py
    - test\_federal.py
    - test\_holiday.py
    - test\_observance.py
  - offsets/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - common.cpython-310.pyc
      - test\_business\_day.cpython-310.pyc
      - test\_business\_hour.cpython-310.pyc
      - test\_business\_month.cpython-310.pyc
      - test\_business\_quarter.cpython-310.pyc
      - test\_business\_year.cpython-310.pyc
      - test\_common.cpython-310.pyc
      - test\_custom\_business\_day.cpython-310.pyc
      - test\_custom\_business\_hour.cpython-310.pyc

- test\_custom\_business\_month.cpython-310.pyc
- test\_dst.cpython-310.pyc
- test\_easter.cpython-310.pyc
- test\_fiscal.cpython-310.pyc
- test\_index.cpython-310.pyc
- test\_month.cpython-310.pyc
- test\_offsets.cpython-310.pyc
- test\_offsets\_properties.cpython-310.pyc
- test\_quarter.cpython-310.pyc
- test\_ticks.cpython-310.pyc
- test\_week.cpython-310.pyc
- test\_year.cpython-310.pyc
- \_\_init\_\_.py
- common.py
- test\_business\_day.py
- test\_business\_hour.py
- test\_business\_month.py
- test\_business\_quarter.py
- test\_business\_year.py
- test\_common.py
- test\_custom\_business\_day.py
- test\_custom\_business\_hour.py
- test\_custom\_business\_month.py
- test\_dst.py
- test\_easter.py
- test\_fiscal.py
- test\_index.py
- test\_month.py
- test\_offsets.py
- test\_offsets\_properties.py
- test\_quarter.py
- test\_ticks.py
- test\_week.py
- test\_year.py
- \_\_init\_\_.py
- tslibs/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_api.cpython-310.pyc
    - test\_array\_to\_datetime.cpython-310.pyc
    - test\_ccalendar.cpython-310.pyc
    - test\_conversion.cpython-310.pyc
    - test\_fields.cpython-310.pyc
    - test\_libfrequencies.cpython-310.pyc
    - test\_liboffsets.cpython-310.pyc
    - test\_np\_datetime.cpython-310.pyc
    - test\_npy\_units.cpython-310.pyc
    - test\_parse\_iso8601.cpython-310.pyc
    - test\_parsing.cpython-310.pyc
    - test\_period.cpython-310.pyc
    - test\_resolution.cpython-310.pyc
    - test\_strptime.cpython-310.pyc
    - test\_timedeltas.cpython-310.pyc
    - test\_timezones.cpython-310.pyc
    - test\_to\_offset.cpython-310.pyc
    - test\_tzconversion.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_api.py
  - test\_array\_to\_datetime.py
  - test\_ccalendar.py
  - test\_conversion.py
  - test\_fields.py
  - test\_libfrequencies.py
  - test\_liboffsets.py
  - test\_np\_datetime.py
  - test\_npy\_units.py
  - test\_parse\_iso8601.py
  - test\_parsing.py
  - test\_period.py
  - test\_resolution.py
  - test\_strptime.py
  - test\_timedeltas.py
  - test\_timezones.py
  - test\_to\_offset.py
  - test\_tzconversion.py
- util/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_assert\_almost\_equal.cpython-310.pyc
    - test\_assert\_attr\_equal.cpython-310.pyc
    - test\_assert\_categorical\_equal.cpython-310.pyc
    - test\_assert\_extension\_array\_equal.cpython-310.pyc
    - test\_assert\_frame\_equal.cpython-310.pyc
    - test\_assert\_index\_equal.cpython-310.pyc

- test\_assert\_interval\_array\_equal.cpython-310.pyc
- test\_assert\_numpy\_array\_equal.cpython-310.pyc
- test\_assert\_produces\_warning.cpython-310.pyc
- test\_assert\_series\_equal.cpython-310.pyc
- test\_deprecate.cpython-310.pyc
- test\_deprecate\_kwarg.cpython-310.pyc
- test\_deprecate\_nonkeyword\_arguments.cpython-310.pyc
- test\_doc.cpython-310.pyc
- test\_hashing.cpython-310.pyc
- test\_numba.cpython-310.pyc
- test\_rewrite\_warning.cpython-310.pyc
- test\_shares\_memory.cpython-310.pyc
- test\_show\_versions.cpython-310.pyc
- test\_util.cpython-310.pyc
- test\_validate\_args.cpython-310.pyc
- test\_validate\_args\_and\_kwargs.cpython-310.pyc
- test\_validate\_inclusive.cpython-310.pyc
- test\_validate\_kwargs.cpython-310.pyc
- \_\_init\_\_.py
- conftest.py
- test\_assert\_almost\_equal.py
- test\_assert\_attr\_equal.py
- test\_assert\_categorical\_equal.py
- test\_assert\_extension\_array\_equal.py
- test\_assert\_frame\_equal.py
- test\_assert\_index\_equal.py
- test\_assert\_interval\_array\_equal.py
- test\_assert\_numpy\_array\_equal.py
- test\_assert\_produces\_warning.py
- test\_assert\_series\_equal.py
- test\_deprecate.py
- test\_deprecate\_kwarg.py
- test\_deprecate\_nonkeyword\_arguments.py
- test\_doc.py
- test\_hashing.py
- test\_numba.py
- test\_rewrite\_warning.py
- test\_shares\_memory.py
- test\_show\_versions.py
- test\_util.py
- test\_validate\_args.py
- test\_validate\_args\_and\_kwargs.py
- test\_validate\_inclusive.py
- test\_validate\_kwargs.py
- window/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - conftest.cpython-310.pyc
    - test\_api.cpython-310.pyc
    - test\_apply.cpython-310.pyc
    - test\_base\_indexer.cpython-310.pyc
    - test\_cython\_aggregations.cpython-310.pyc
    - test\_dtypes.cpython-310.pyc
    - test\_ewm.cpython-310.pyc
    - test\_expanding.cpython-310.pyc
    - test\_groupby.cpython-310.pyc
    - test\_numba.cpython-310.pyc
    - test\_online.cpython-310.pyc
    - test\_pairwise.cpython-310.pyc
    - test\_rolling.cpython-310.pyc
    - test\_rolling\_functions.cpython-310.pyc
    - test\_rolling\_quantile.cpython-310.pyc
    - test\_rolling\_skew\_kurt.cpython-310.pyc
    - test\_timeseries\_window.cpython-310.pyc
    - test\_win\_type.cpython-310.pyc
  - moments/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - conftest.cpython-310.pyc
      - test\_moments\_consistency\_ewm.cpython-310.pyc
      - test\_moments\_consistency\_expanding.cpython-310.pyc
      - test\_moments\_consistency\_rolling.cpython-310.pyc
    - \_\_init\_\_.py
    - conftest.py
    - test\_moments\_consistency\_ewm.py
    - test\_moments\_consistency\_expanding.py
    - test\_moments\_consistency\_rolling.py
- \_\_init\_\_.py
- conftest.py
- test\_api.py
- test\_apply.py
- test\_base\_indexer.py
- test\_cython\_aggregations.py
- test\_dtypes.py
- test\_ewm.py

- test\_expanding.py
  - test\_groupby.py
  - test\_numba.py
  - test\_online.py
  - test\_pairwise.py
  - test\_rolling.py
  - test\_rolling\_functions.py
  - test\_rolling\_quantile.py
  - test\_rolling\_skew\_kurt.py
  - test\_timeseries\_window.py
  - test\_win\_type.py
- \_\_init\_\_.py
- test\_aggregation.py
- test\_algos.py
- test\_common.py
- test\_downstream.py
- test\_errors.py
- test\_expressions.py
- test\_flags.py
- test\_multilevel.py
- test\_nanops.py
- test\_optional\_dependency.py
- test\_register\_accessor.py
- test\_sorting.py
- test\_take.py
- tseries/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - api.cpython-310.pyc
    - frequencies.cpython-310.pyc
    - holiday.cpython-310.pyc
    - offsets.cpython-310.pyc
  - \_\_init\_\_.py
  - api.py
  - frequencies.py
  - holiday.py
  - offsets.py
- util/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - decorators.cpython-310.pyc
    - doctools.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - print\_versions.cpython-310.pyc
    - test\_decorators.cpython-310.pyc
    - tester.cpython-310.pyc
    - validators.cpython-310.pyc
  - version/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - \_\_init\_\_.py
  - \_decorators.py
  - \_doctools.py
  - \_exceptions.py
  - \_print\_versions.py
  - \_test\_decorators.py
  - \_tester.py
  - \_validators.py
- \_\_init\_\_.py
- \_typing.py
- \_version.py
- \_version\_meson.py
- conftest.py
- pyproject.toml
- testing.py
- pandas-2.3.3.dist-info/
  - DELVEWHEEL
  - entry\_points.txt
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- pandas.libs/
  - msvcp140-a4c2229bdc2a2a630acdc095b4d86008.d11
- PIL/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_main\_.cpython-310.pyc
    - \_binary.cpython-310.pyc
    - \_deprecate.cpython-310.pyc
    - \_tkinter\_finder.cpython-310.pyc
    - \_typing.cpython-310.pyc

— \_util.cpython-310.pyc  
— \_version.cpython-310.pyc  
— AvifImagePlugin.cpython-310.pyc  
— BdfFontFile.cpython-310.pyc  
— BlpImagePlugin.cpython-310.pyc  
— BmpImagePlugin.cpython-310.pyc  
— BufrStubImagePlugin.cpython-310.pyc  
— ContainerIO.cpython-310.pyc  
— CurImagePlugin.cpython-310.pyc  
— DcxImagePlugin.cpython-310.pyc  
— DdsImagePlugin.cpython-310.pyc  
— EpsImagePlugin.cpython-310.pyc  
— ExifTags.cpython-310.pyc  
— features.cpython-310.pyc  
— FitsImagePlugin.cpython-310.pyc  
— FliImagePlugin.cpython-310.pyc  
— FontFile.cpython-310.pyc  
— FpxImagePlugin.cpython-310.pyc  
— FtexImagePlugin.cpython-310.pyc  
— GbrImagePlugin.cpython-310.pyc  
— GdImageFile.cpython-310.pyc  
— GifImagePlugin.cpython-310.pyc  
— GimpGradientFile.cpython-310.pyc  
— GimpPaletteFile.cpython-310.pyc  
— GribStubImagePlugin.cpython-310.pyc  
— Hdf5StubImagePlugin.cpython-310.pyc  
— IcnsImagePlugin.cpython-310.pyc  
— IcoImagePlugin.cpython-310.pyc  
— Image.cpython-310.pyc  
— ImageChops.cpython-310.pyc  
— ImageCms.cpython-310.pyc  
— ImageColor.cpython-310.pyc  
— ImageDraw.cpython-310.pyc  
— ImageDraw2.cpython-310.pyc  
— ImageEnhance.cpython-310.pyc  
— ImageFile.cpython-310.pyc  
— ImageFilter.cpython-310.pyc  
— ImageFont.cpython-310.pyc  
— ImageGrab.cpython-310.pyc  
— ImageMath.cpython-310.pyc  
— ImageMode.cpython-310.pyc  
— ImageMorph.cpython-310.pyc  
— ImageOps.cpython-310.pyc  
— ImagePalette.cpython-310.pyc  
— ImagePath.cpython-310.pyc  
— ImageQt.cpython-310.pyc  
— ImageSequence.cpython-310.pyc  
— ImageShow.cpython-310.pyc  
— ImageStat.cpython-310.pyc  
— ImageText.cpython-310.pyc  
— ImageTk.cpython-310.pyc  
— ImageTransform.cpython-310.pyc  
— ImageWin.cpython-310.pyc  
— ImImagePlugin.cpython-310.pyc  
— ImtImagePlugin.cpython-310.pyc  
— IptcImagePlugin.cpython-310.pyc  
— Jpeg2KImagePlugin.cpython-310.pyc  
— JpegImagePlugin.cpython-310.pyc  
— JpegPresets.cpython-310.pyc  
— McIDASImagePlugin.cpython-310.pyc  
— MicImagePlugin.cpython-310.pyc  
— MpegImagePlugin.cpython-310.pyc  
— MpoImagePlugin.cpython-310.pyc  
— MspImagePlugin.cpython-310.pyc  
— PaletteFile.cpython-310.pyc  
— PalmImagePlugin.cpython-310.pyc  
— PcdImagePlugin.cpython-310.pyc  
— PcfFontFile.cpython-310.pyc  
— PcxImagePlugin.cpython-310.pyc  
— PdfImagePlugin.cpython-310.pyc  
— PdfParser.cpython-310.pyc  
— PixarImagePlugin.cpython-310.pyc  
— PngImagePlugin.cpython-310.pyc  
— PpmImagePlugin.cpython-310.pyc  
— PsdImagePlugin.cpython-310.pyc  
— PSDraw.cpython-310.pyc  
— QoiImagePlugin.cpython-310.pyc  
— report.cpython-310.pyc  
— SgiImagePlugin.cpython-310.pyc  
— SpiderImagePlugin.cpython-310.pyc  
— SunImagePlugin.cpython-310.pyc  
— TarIO.cpython-310.pyc  
— TgaImagePlugin.cpython-310.pyc  
— TiffImagePlugin.cpython-310.pyc  
— TiffTags.cpython-310.pyc



```
— WalImageFile.cpython-310.pyc
— WebPImagePlugin.cpython-310.pyc
— WmfImagePlugin.cpython-310.pyc
— XbmImagePlugin.cpython-310.pyc
— XpmImagePlugin.cpython-310.pyc
— XVThumbImagePlugin.cpython-310.pyc
— __init__.py
— __main__.py
— _avif.cp310-win_amd64.pyd
— _avif.pyi
— _binary.py
— _deprecate.py
— _imaging.cp310-win_amd64.pyd
— _imaging.pyi
— _imagingcms.cp310-win_amd64.pyd
— _imagingcms.pyi
— _imagingft.cp310-win_amd64.pyd
— _imagingft.pyi
— _imagingmath.cp310-win_amd64.pyd
— _imagingmath.pyi
— _imagingmorph.cp310-win_amd64.pyd
— _imagingmorph.pyi
— _imagingtk.cp310-win_amd64.pyd
— _imagingtk.pyi
— _tkinter_finder.py
— _typing.py
— _util.py
— _version.py
— _webp.cp310-win_amd64.pyd
— _webp.pyi
— AvifImagePlugin.py
— BdfFontFile.py
— BlpImagePlugin.py
— BmpImagePlugin.py
— BufrStubImagePlugin.py
— ContainerIO.py
— CurImagePlugin.py
— DcxImagePlugin.py
— DdsImagePlugin.py
— EpsImagePlugin.py
— ExifTags.py
— features.py
— FitsImagePlugin.py
— FliImagePlugin.py
— FontFile.py
— FpxImagePlugin.py
— FtexImagePlugin.py
— GbrImagePlugin.py
— GdImageFile.py
— GifImagePlugin.py
— GimpGradientFile.py
— GimpPaletteFile.py
— GribStubImagePlugin.py
— Hdf5StubImagePlugin.py
— IcnsImagePlugin.py
— IcoImagePlugin.py
— Image.py
— ImageChops.py
— ImageCms.py
— ImageColor.py
— ImageDraw.py
— ImageDraw2.py
— ImageEnhance.py
— ImageFile.py
— ImageFilter.py
— ImageFont.py
— ImageGrab.py
— ImageMath.py
— ImageMode.py
— ImageMorph.py
— ImageOps.py
— ImagePalette.py
— ImagePath.py
— ImageQt.py
— ImageSequence.py
— ImageShow.py
— ImageStat.py
— ImageText.py
— ImageTk.py
— ImageTransform.py
— ImageWin.py
— ImImagePlugin.py
— ImtImagePlugin.py
— IptcImagePlugin.py
— Jpeg2KImagePlugin.py
```

- JpegImagePlugin.py
- JpegPresets.py
- McIDASImagePlugin.py
- MicImagePlugin.py
- MpegImagePlugin.py
- MpoImagePlugin.py
- MspImagePlugin.py
- PaletteFile.py
- PalmImagePlugin.py
- PcdImagePlugin.py
- PcfFontFile.py
- PcxImagePlugin.py
- PdfImagePlugin.py
- PdfParser.py
- PixarImagePlugin.py
- PngImagePlugin.py
- PpmImagePlugin.py
- PsdImagePlugin.py
- PSDraw.py
- py.typed
- QoiImagePlugin.py
- report.py
- SgiImagePlugin.py
- SpiderImagePlugin.py
- SunImagePlugin.py
- TarIO.py
- TgaImagePlugin.py
- TiffImagePlugin.py
- TiffTags.py
- WallImageFile.py
- WebPImagePlugin.py
- WmfImagePlugin.py
- XbmImagePlugin.py
- XpmImagePlugin.py
- XVThumbImagePlugin.py
- pillow-12.3.0.dist-info/
  - licenses/
    - LICENSE
  - sboms/
    - pillow-12.3.0.cdx.json
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
  - zip-safe
- pip/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - \_\_pip-runner\_\_.cpython-310.pyc
  - internal/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - build\_env.cpython-310.pyc
      - cache.cpython-310.pyc
      - configuration.cpython-310.pyc
      - exceptions.cpython-310.pyc
      - main.cpython-310.pyc
      - pyproject.cpython-310.pyc
      - self\_outdated\_check.cpython-310.pyc
      - wheel\_builder.cpython-310.pyc
  - cli/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - autocompletion.cpython-310.pyc
      - base\_command.cpython-310.pyc
      - cmdoptions.cpython-310.pyc
      - command\_context.cpython-310.pyc
      - index\_command.cpython-310.pyc
      - main.cpython-310.pyc
      - main\_parser.cpython-310.pyc
      - parser.cpython-310.pyc
      - progressBars.cpython-310.pyc
      - req\_command.cpython-310.pyc
      - spinners.cpython-310.pyc
      - status\_codes.cpython-310.pyc
    - \_\_init\_\_.py
    - autocompletion.py
    - base\_command.py
    - cmdoptions.py
    - command\_context.py
    - index\_command.py
    - main.py
    - main\_parser.py

```
├── parser.py
├── progressBars.py
├── req_command.py
├── spinners.py
├── status_codes.py
├── commands/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── cache.cpython-310.pyc
│   │   ├── check.cpython-310.pyc
│   │   ├── completion.cpython-310.pyc
│   │   ├── configuration.cpython-310.pyc
│   │   ├── debug.cpython-310.pyc
│   │   ├── download.cpython-310.pyc
│   │   ├── freeze.cpython-310.pyc
│   │   ├── hash.cpython-310.pyc
│   │   ├── help.cpython-310.pyc
│   │   ├── index.cpython-310.pyc
│   │   ├── inspect.cpython-310.pyc
│   │   ├── install.cpython-310.pyc
│   │   ├── list.cpython-310.pyc
│   │   ├── lock.cpython-310.pyc
│   │   ├── search.cpython-310.pyc
│   │   ├── show.cpython-310.pyc
│   │   ├── uninstall.cpython-310.pyc
│   │   └── wheel.cpython-310.pyc
│   ├── __init__.py
│   ├── cache.py
│   ├── check.py
│   ├── completion.py
│   ├── configuration.py
│   ├── debug.py
│   ├── download.py
│   ├── freeze.py
│   ├── hash.py
│   ├── help.py
│   ├── index.py
│   ├── inspect.py
│   ├── install.py
│   ├── list.py
│   ├── lock.py
│   ├── search.py
│   ├── show.py
│   ├── uninstall.py
│   └── wheel.py
├── distributions/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── base.cpython-310.pyc
│   │   ├── installed.cpython-310.pyc
│   │   ├── sdist.cpython-310.pyc
│   │   └── wheel.cpython-310.pyc
│   ├── __init__.py
│   ├── base.py
│   ├── installed.py
│   ├── sdist.py
│   └── wheel.py
├── index/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── collector.cpython-310.pyc
│   │   ├── package_finder.cpython-310.pyc
│   │   └── sources.cpython-310.pyc
│   ├── __init__.py
│   ├── collector.py
│   ├── package_finder.py
│   └── sources.py
├── locations/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── _distutils.cpython-310.pyc
│   │   ├── _sysconfig.cpython-310.pyc
│   │   └── base.cpython-310.pyc
│   ├── __init__.py
│   ├── _distutils.py
│   ├── _sysconfig.py
│   └── base.py
├── metadata/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── _json.cpython-310.pyc
│   │   ├── base.cpython-310.pyc
│   │   └── pkg_resources.cpython-310.pyc
│   ├── __importlib/
│   │   └── __pycache__/
```

- \_\_init\_\_.cpython-310.pyc
    - \_compat.cpython-310.pyc
    - \_dists.cpython-310.pyc
    - \_envs.cpython-310.pyc
  - \_\_init\_\_.py
  - \_compat.py
  - \_dists.py
  - \_envs.py
- \_\_init\_\_.py
- \_json.py
- base.py
- pkg\_resources.py
- models/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - candidate.cpython-310.pyc
    - direct\_url.cpython-310.pyc
    - format\_control.cpython-310.pyc
    - index.cpython-310.pyc
    - installation\_report.cpython-310.pyc
    - link.cpython-310.pyc
    - release\_control.cpython-310.pyc
    - scheme.cpython-310.pyc
    - search\_scope.cpython-310.pyc
    - selection\_prefs.cpython-310.pyc
    - target\_python.cpython-310.pyc
    - wheel.cpython-310.pyc
  - \_\_init\_\_.py
  - candidate.py
  - direct\_url.py
  - format\_control.py
  - index.py
  - installation\_report.py
  - link.py
  - release\_control.py
  - scheme.py
  - search\_scope.py
  - selection\_prefs.py
  - target\_python.py
  - wheel.py
- network/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - auth.cpython-310.pyc
    - cache.cpython-310.pyc
    - download.cpython-310.pyc
    - lazy\_wheel.cpython-310.pyc
    - session.cpython-310.pyc
    - utils.cpython-310.pyc
    - xmlrpc.cpython-310.pyc
  - \_\_init\_\_.py
  - auth.py
  - cache.py
  - download.py
  - lazy\_wheel.py
  - session.py
  - utils.py
  - xmlrpc.py
- operations/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - check.cpython-310.pyc
    - freeze.cpython-310.pyc
    - prepare.cpython-310.pyc
  - build/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - build\_tracker.cpython-310.pyc
      - metadata.cpython-310.pyc
      - metadata\_editable.cpython-310.pyc
      - wheel.cpython-310.pyc
      - wheel\_editable.cpython-310.pyc
    - \_\_init\_\_.py
    - build\_tracker.py
    - metadata.py
    - metadata\_editable.py
    - wheel.py
    - wheel\_editable.py
  - install/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - wheel.cpython-310.pyc
    - \_\_init\_\_.py
    - wheel.py
- \_\_init\_\_.py

- check.py
- freeze.py
- prepare.py
- req/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - constructors.cpython-310.pyc
    - pep723.cpython-310.pyc
    - req\_dependency\_group.cpython-310.pyc
    - req\_file.cpython-310.pyc
    - req\_install.cpython-310.pyc
    - req\_set.cpython-310.pyc
    - req\_uninstall.cpython-310.pyc
  - \_\_init\_\_.py
  - constructors.py
  - pep723.py
  - req\_dependency\_group.py
  - req\_file.py
  - req\_install.py
  - req\_set.py
  - req\_uninstall.py
- resolution/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - base.cpython-310.pyc
  - legacy/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - resolver.cpython-310.pyc
    - \_\_init\_\_.py
    - resolver.py
  - resolveolib/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - base.cpython-310.pyc
      - candidates.cpython-310.pyc
      - factory.cpython-310.pyc
      - found\_candidates.cpython-310.pyc
      - provider.cpython-310.pyc
      - reporter.cpython-310.pyc
      - requirements.cpython-310.pyc
      - resolver.cpython-310.pyc
    - \_\_init\_\_.py
    - base.py
    - candidates.py
    - factory.py
    - found\_candidates.py
    - provider.py
    - reporter.py
    - requirements.py
    - resolver.py
  - \_\_init\_\_.py
  - base.py
- utils/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - jaraco\_text.cpython-310.pyc
    - \_log.cpython-310.pyc
    - appdirs.cpython-310.pyc
    - compat.cpython-310.pyc
    - compatibility\_tags.cpython-310.pyc
    - datetime.cpython-310.pyc
    - deprecation.cpython-310.pyc
    - direct\_url\_helpers.cpython-310.pyc
    - egg\_link.cpython-310.pyc
    - entrypoints.cpython-310.pyc
    - filesystem.cpython-310.pyc
    - filetypes.cpython-310.pyc
    - glibc.cpython-310.pyc
    - hashes.cpython-310.pyc
    - logging.cpython-310.pyc
    - misc.cpython-310.pyc
    - packaging.cpython-310.pyc
    - pylock.cpython-310.pyc
    - retry.cpython-310.pyc
    - subprocess.cpython-310.pyc
    - temp\_dir.cpython-310.pyc
    - unpacking.cpython-310.pyc
    - urls.cpython-310.pyc
    - virtualenv.cpython-310.pyc
    - wheel.cpython-310.pyc
  - \_\_init\_\_.py
  - jaraco\_text.py
  - \_log.py
  - appdirs.py

- compat.py
- compatibility\_tags.py
- datetime.py
- deprecation.py
- direct\_url\_helpers.py
- egg\_link.py
- entrypoints.py
- filesystem.py
- filetypes.py
- glibc.py
- hashes.py
- logging.py
- misc.py
- packaging.py
- pylock.py
- retry.py
- subprocess.py
- temp\_dir.py
- unpacking.py
- urls.py
- virtualenv.py
- wheel.py
- vcs/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - bazaar.cpython-310.pyc
    - git.cpython-310.pyc
    - mercurial.cpython-310.pyc
    - subversion.cpython-310.pyc
    - versioncontrol.cpython-310.pyc
  - \_\_init\_\_.py
  - bazaar.py
  - git.py
  - mercurial.py
  - subversion.py
  - versioncontrol.py
- \_\_init\_\_.py
- build\_env.py
- cache.py
- configuration.py
- exceptions.py
- main.py
- pyproject.py
- self\_outdated\_check.py
- wheel\_builder.py
- vendor/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - cachecontrol/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_cmd.cpython-310.pyc
      - adapter.cpython-310.pyc
      - cache.cpython-310.pyc
      - controller.cpython-310.pyc
      - filewrapper.cpython-310.pyc
      - heuristics.cpython-310.pyc
      - serialize.cpython-310.pyc
      - wrapper.cpython-310.pyc
  - caches/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - file\_cache.cpython-310.pyc
      - redis\_cache.cpython-310.pyc
    - \_\_init\_\_.py
    - file\_cache.py
    - redis\_cache.py
  - \_\_init\_\_.py
  - \_cmd.py
  - adapter.py
  - cache.py
  - controller.py
  - filewrapper.py
  - heuristics.py
  - LICENSE.txt
  - py.typed
  - serialize.py
  - wrapper.py
- certifi/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - core.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py

- cacert.pem
- core.py
- LICENSE
- py.typed
- distlib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - compat.cpython-310.pyc
    - resources.cpython-310.pyc
    - scripts.cpython-310.pyc
    - util.cpython-310.pyc
  - \_\_init\_\_.py
  - compat.py
  - LICENSE.txt
  - resources.py
  - scripts.py
  - t32.exe
  - t64-arm.exe
  - t64.exe
  - util.py
  - w32.exe
  - w64-arm.exe
  - w64.exe
- distro/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - distro.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - distro.py
  - LICENSE
  - py.typed
- idna/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - codec.cpython-310.pyc
    - compat.cpython-310.pyc
    - core.cpython-310.pyc
    - idnadata.cpython-310.pyc
    - intranges.cpython-310.pyc
    - package\_data.cpython-310.pyc
    - uts46data.cpython-310.pyc
  - \_\_init\_\_.py
  - codec.py
  - compat.py
  - core.py
  - idnadata.py
  - intranges.py
  - LICENSE.md
  - package\_data.py
  - py.typed
  - uts46data.py
- msgpack/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - ext.cpython-310.pyc
    - fallback.cpython-310.pyc
  - \_\_init\_\_.py
  - COPYING
  - exceptions.py
  - ext.py
  - fallback.py
- packaging/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_elffile.cpython-310.pyc
    - \_manylinux.cpython-310.pyc
    - \_musllinux.cpython-310.pyc
    - \_parser.cpython-310.pyc
    - \_structures.cpython-310.pyc
    - \_tokenizer.cpython-310.pyc
    - dependency\_groups.cpython-310.pyc
    - direct\_url.cpython-310.pyc
    - errors.cpython-310.pyc
    - markers.cpython-310.pyc
    - metadata.cpython-310.pyc
    - pylock.cpython-310.pyc
    - requirements.cpython-310.pyc
    - specifiers.cpython-310.pyc
    - tags.cpython-310.pyc
    - utils.cpython-310.pyc
    - version.cpython-310.pyc
  - licenses/

- \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_spdx.cpython-310.pyc
    - \_\_init\_\_.py
    - \_spdx.py
  - \_\_init\_\_.py
  - \_elffile.py
  - \_manylinux.py
  - \_musllinux.py
  - \_parser.py
  - \_structures.py
  - \_tokenizer.py
  - dependency\_groups.py
  - direct\_url.py
  - errors.py
  - LICENSE
  - LICENSE.APACHE
  - LICENSE.BSD
  - markers.py
  - metadata.py
  - py.typed
  - pylock.py
  - requirements.py
  - specifiers.py
  - tags.py
  - utils.py
  - version.py
- pkg\_resources/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - LICENSE
- platformdirs/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_\_main\_\_.cpython-310.pyc
      - android.cpython-310.pyc
      - api.cpython-310.pyc
      - macos.cpython-310.pyc
      - unix.cpython-310.pyc
      - version.cpython-310.pyc
      - windows.cpython-310.pyc
    - \_\_init\_\_.py
    - \_\_main\_\_.py
    - android.py
    - api.py
    - LICENSE
    - macos.py
    - py.typed
    - unix.py
    - version.py
    - windows.py
- pygments/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_\_main\_\_.cpython-310.pyc
      - console.cpython-310.pyc
      - filter.cpython-310.pyc
      - formatter.cpython-310.pyc
      - lexer.cpython-310.pyc
      - modeline.cpython-310.pyc
      - plugin.cpython-310.pyc
      - regexopt.cpython-310.pyc
      - scanner.cpython-310.pyc
      - sphinxext.cpython-310.pyc
      - style.cpython-310.pyc
      - token.cpython-310.pyc
      - unistring.cpython-310.pyc
      - util.cpython-310.pyc
  - filters/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
  - formatters/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_mapping.cpython-310.pyc
      - \_\_init\_\_.py
      - \_mapping.py
  - lexers/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_mapping.cpython-310.pyc
        - python.cpython-310.pyc
      - \_\_init\_\_.py



- \_mapping.py
    - python.py
  - styles/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_mapping.cpython-310.pyc
      - \_\_init\_\_.py
      - \_mapping.py
    - \_\_init\_\_.py
    - \_\_main\_\_.py
    - console.py
    - filter.py
    - formatter.py
    - lexer.py
    - LICENSE
    - modeline.py
    - plugin.py
    - regexopt.py
    - scanner.py
    - sphinxext.py
    - style.py
    - token.py
    - unistring.py
    - util.py
  - pyproject\_hooks/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_impl.cpython-310.pyc
      - \_in\_process/
        - \_\_pycache\_\_/
            - \_\_init\_\_.cpython-310.pyc
            - \_in\_process.cpython-310.pyc
          - \_\_init\_\_.py
          - \_in\_process.py
        - \_\_init\_\_.py
        - \_impl.py
        - LICENSE
        - py.typed
    - requests/
      - \_\_pycache\_\_/
          - \_\_init\_\_.cpython-310.pyc
          - \_\_version\_\_.cpython-310.pyc
          - \_internal\_utils.cpython-310.pyc
          - adapters.cpython-310.pyc
          - api.cpython-310.pyc
          - auth.cpython-310.pyc
          - certs.cpython-310.pyc
          - compat.cpython-310.pyc
          - cookies.cpython-310.pyc
          - exceptions.cpython-310.pyc
          - help.cpython-310.pyc
          - hooks.cpython-310.pyc
          - models.cpython-310.pyc
          - packages.cpython-310.pyc
          - sessions.cpython-310.pyc
          - status\_codes.cpython-310.pyc
          - structures.cpython-310.pyc
          - utils.cpython-310.pyc
        - \_\_init\_\_.py
        - \_\_version\_\_.py
        - \_internal\_utils.py
        - adapters.py
        - api.py
        - auth.py
        - certs.py
        - compat.py
        - cookies.py
        - exceptions.py
        - help.py
        - hooks.py
        - LICENSE
        - models.py
        - packages.py
        - sessions.py
        - status\_codes.py
        - structures.py
        - utils.py
      - resolvelib/
        - \_\_pycache\_\_/
            - \_\_init\_\_.cpython-310.pyc
            - providers.cpython-310.pyc
            - reporters.cpython-310.pyc
            - structs.cpython-310.pyc
          - resolvers/
            - \_\_pycache\_\_/

- `__init__.cpython-310.pyc`
  - `abstract.cpython-310.pyc`
  - `criterion.cpython-310.pyc`
  - `exceptions.cpython-310.pyc`
  - `resolution.cpython-310.pyc`
- `__init__.py`
- `abstract.py`
- `criterion.py`
- `exceptions.py`
- `resolution.py`
- `__init__.py`
- `LICENSE`
- `providers.py`
- `py.typed`
- `reporters.py`
- `structs.py`
- `rich/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `__main__.cpython-310.pyc`
    - `_cell_widths.cpython-310.pyc`
    - `_emoji_codes.cpython-310.pyc`
    - `_emoji_replace.cpython-310.pyc`
    - `_export_format.cpython-310.pyc`
    - `_extension.cpython-310.pyc`
    - `_fileno.cpython-310.pyc`
    - `_inspect.cpython-310.pyc`
    - `_log_render.cpython-310.pyc`
    - `_loop.cpython-310.pyc`
    - `_null_file.cpython-310.pyc`
    - `_palettes.cpython-310.pyc`
    - `_pick.cpython-310.pyc`
    - `_ratio.cpython-310.pyc`
    - `_spinners.cpython-310.pyc`
    - `_stack.cpython-310.pyc`
    - `_timer.cpython-310.pyc`
    - `_win32_console.cpython-310.pyc`
    - `_windows.cpython-310.pyc`
    - `_windows_renderer.cpython-310.pyc`
    - `_wrap.cpython-310.pyc`
    - `abc.cpython-310.pyc`
    - `align.cpython-310.pyc`
    - `ansi.cpython-310.pyc`
    - `bar.cpython-310.pyc`
    - `box.cpython-310.pyc`
    - `cells.cpython-310.pyc`
    - `color.cpython-310.pyc`
    - `color_triplet.cpython-310.pyc`
    - `columns.cpython-310.pyc`
    - `console.cpython-310.pyc`
    - `constrain.cpython-310.pyc`
    - `containers.cpython-310.pyc`
    - `control.cpython-310.pyc`
    - `default_styles.cpython-310.pyc`
    - `diagnose.cpython-310.pyc`
    - `emoji.cpython-310.pyc`
    - `errors.cpython-310.pyc`
    - `file_proxy.cpython-310.pyc`
    - `filesize.cpython-310.pyc`
    - `highlighter.cpython-310.pyc`
    - `json.cpython-310.pyc`
    - `jupyter.cpython-310.pyc`
    - `layout.cpython-310.pyc`
    - `live.cpython-310.pyc`
    - `live_render.cpython-310.pyc`
    - `logging.cpython-310.pyc`
    - `markup.cpython-310.pyc`
    - `measure.cpython-310.pyc`
    - `padding.cpython-310.pyc`
    - `pager.cpython-310.pyc`
    - `palette.cpython-310.pyc`
    - `panel.cpython-310.pyc`
    - `pretty.cpython-310.pyc`
    - `progress.cpython-310.pyc`
    - `progress_bar.cpython-310.pyc`
    - `prompt.cpython-310.pyc`
    - `protocol.cpython-310.pyc`
    - `region.cpython-310.pyc`
    - `repr.cpython-310.pyc`
    - `rule.cpython-310.pyc`
    - `scope.cpython-310.pyc`
    - `screen.cpython-310.pyc`
    - `segment.cpython-310.pyc`
    - `spinner.cpython-310.pyc`
    - `status.cpython-310.pyc`

```
— style.cpython-310.pyc
— styled.cpython-310.pyc
— syntax.cpython-310.pyc
— table.cpython-310.pyc
— terminal_theme.cpython-310.pyc
— text.cpython-310.pyc
— theme.cpython-310.pyc
— themes.cpython-310.pyc
— traceback.cpython-310.pyc
— tree.cpython-310.pyc
— _init__.py
— _main__.py
— _cell_widths.py
— _emoji_codes.py
— _emoji_replace.py
— _export_format.py
— _extension.py
— _fileno.py
— _inspect.py
— _log_render.py
— _loop.py
— _null_file.py
— _palettes.py
— _pick.py
— _ratio.py
— _spinners.py
— _stack.py
— _timer.py
— _win32_console.py
— _windows.py
— _windows_renderer.py
— _wrap.py
— abc.py
— align.py
— ansi.py
— bar.py
— box.py
— cells.py
— color.py
— color_triplet.py
— columns.py
— console.py
— constrain.py
— containers.py
— control.py
— default_styles.py
— diagnose.py
— emoji.py
— errors.py
— file_proxy.py
— filesize.py
— highlighter.py
— json.py
— jupyter.py
— layout.py
— LICENSE
— live.py
— live_render.py
— logging.py
— markup.py
— measure.py
— padding.py
— pager.py
— palette.py
— panel.py
— pretty.py
— progress.py
— progress_bar.py
— prompt.py
— protocol.py
— py.typed
— region.py
— repr.py
— rule.py
— scope.py
— screen.py
— segment.py
— spinner.py
— status.py
— style.py
— styled.py
— syntax.py
— table.py
— terminal_theme.py
— text.py
```

- theme.py
- themes.py
- traceback.py
- tree.py
- tomli/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_parser.cpython-310.pyc
    - \_re.cpython-310.pyc
    - \_types.cpython-310.pyc
  - \_\_init\_\_.py
  - \_parser.py
  - \_re.py
  - \_types.py
  - LICENSE
  - py.typed
- tomli\_w/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_writer.cpython-310.pyc
  - \_\_init\_\_.py
  - \_writer.py
  - LICENSE
  - py.typed
- truststore/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_api.cpython-310.pyc
    - \_macos.cpython-310.pyc
    - \_openssl.cpython-310.pyc
    - \_ssl\_constants.cpython-310.pyc
    - \_windows.cpython-310.pyc
  - \_\_init\_\_.py
  - \_api.py
  - \_macos.py
  - \_openssl.py
  - \_ssl\_constants.py
  - \_windows.py
  - LICENSE
  - py.typed
- urllib3/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_base\_connection.cpython-310.pyc
    - \_collections.cpython-310.pyc
    - \_request\_methods.cpython-310.pyc
    - \_version.cpython-310.pyc
    - connection.cpython-310.pyc
    - connectionpool.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - fields.cpython-310.pyc
    - filepost.cpython-310.pyc
    - poolmanager.cpython-310.pyc
    - response.cpython-310.pyc
- contrib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - pyopenssl.cpython-310.pyc
    - socks.cpython-310.pyc
  - emscripten/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - connection.cpython-310.pyc
      - fetch.cpython-310.pyc
      - request.cpython-310.pyc
      - response.cpython-310.pyc
    - \_\_init\_\_.py
    - connection.py
    - emscripten\_fetch\_worker.js
    - fetch.py
    - request.py
    - response.py
  - \_\_init\_\_.py
  - pyopenssl.py
  - socks.py
- http2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - connection.cpython-310.pyc
    - probe.cpython-310.pyc
  - \_\_init\_\_.py
  - connection.py
  - probe.py
- util/
  - pycache\_/

- \_\_init\_\_.cpython-310.pyc
      - connection.cpython-310.pyc
      - proxy.cpython-310.pyc
      - request.cpython-310.pyc
      - response.cpython-310.pyc
      - retry.cpython-310.pyc
      - ssl\_.cpython-310.pyc
      - ssl\_match\_hostname.cpython-310.pyc
      - ssltransport.cpython-310.pyc
      - timeout.cpython-310.pyc
      - url.cpython-310.pyc
      - util.cpython-310.pyc
      - wait.cpython-310.pyc
    - \_\_init\_\_.py
    - connection.py
    - proxy.py
    - request.py
    - response.py
    - retry.py
    - ssl\_.py
    - ssl\_match\_hostname.py
    - ssltransport.py
    - timeout.py
    - url.py
    - util.py
    - wait.py
  - \_\_init\_\_.py
  - \_base\_connection.py
  - \_collections.py
  - \_request\_methods.py
  - \_version.py
  - connection.py
  - connectionpool.py
  - exceptions.py
  - fields.py
  - filepost.py
  - LICENSE.txt
  - poolmanager.py
  - py.typed
  - response.py
- \_\_init\_\_.py
- README.rst
- vendor.txt

- \_\_init\_\_.py
- \_\_main\_\_.py
- \_\_pip-runner\_\_.py
- py.typed
- pip-26.1.2.dist-info/
- licenses/
- src/
  - pip/
    - vendor/
      - cachecontrol/
        - LICENSE.txt
      - certifi/
        - LICENSE
      - distlib/
        - LICENSE.txt
      - distro/
        - LICENSE
      - idna/
        - LICENSE.md
      - msgpack/
        - COPYING
      - packaging/
        - LICENSE
        - LICENSE.APACHE
        - LICENSE.BSD
      - pkg\_resources/
        - LICENSE
      - platformdirs/
        - LICENSE
      - pygments/
        - LICENSE
      - pyproject\_hooks/
        - LICENSE
      - requests/
        - LICENSE
      - resolvelib/
        - LICENSE
      - rich/
        - LICENSE
      - tomli/
        - LICENSE
      - tomli\_w/

- └─ LICENSE
    - truststore/
      - └─ LICENSE
    - urllib3/
      - └─ LICENSE.txt
  - AUTHORS.txt
  - LICENSE.txt
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
  - pkg\_resources/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
  - tests/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - test\_find\_distributions.cpython-310.pyc
      - test\_integration\_zope\_interface.cpython-310.pyc
      - test\_markers.cpython-310.pyc
      - test\_pkg\_resources.cpython-310.pyc
      - test\_resources.cpython-310.pyc
      - test\_working\_set.cpython-310.pyc
    - data/
      - my-test-package-source/
        - └─ pycache\_/
          - └─ setup.cpython-310.pyc
        - setup.cfg
        - setup.py
      - my-test-package-zip/
        - └─ my-test-package.zip
      - my-test-package\_unpacked-egg/
        - └─ my\_test\_package-1.0-py3.7.egg/
          - └─ EGG-INFO/
            - └─ dependency\_links.txt
            - PKG-INFO
            - SOURCES.txt
            - top\_level.txt
            - zip-safe
      - my-test-package\_zipped-egg/
        - └─ my\_test\_package-1.0-py3.7.egg
    - \_\_init\_\_.py
    - test\_find\_distributions.py
    - test\_integration\_zope\_interface.py
    - test\_markers.py
    - test\_pkg\_resources.py
    - test\_resources.py
    - test\_working\_set.py
  - \_\_init\_\_.py
  - api\_tests.txt
  - py.typed
  - platformdirs/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_\_main\_\_.cpython-310.pyc
      - └─ \_xdg.cpython-310.pyc
      - └─ android.cpython-310.pyc
      - └─ api.cpython-310.pyc
      - └─ macos.cpython-310.pyc
      - └─ unix.cpython-310.pyc
      - └─ version.cpython-310.pyc
      - └─ windows.cpython-310.pyc
    - \_\_init\_\_.py
    - \_\_main\_\_.py
    - \_xdg.py
    - android.py
    - api.py
    - macos.py
    - py.typed
    - unix.py
    - version.py
    - windows.py
  - platformdirs-4.10.0.dist-info/
    - └─ licenses/
      - └─ LICENSE
    - INSTALLER
    - METADATA
    - RECORD
    - WHEEL
  - pooch/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_version.cpython-310.pyc

- core.cpython-310.pyc
- downloaders.cpython-310.pyc
- hashes.cpython-310.pyc
- processors.cpython-310.pyc
- utils.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_core.cpython-310.pyc
    - test\_downloaders.cpython-310.pyc
    - test\_hashes.cpython-310.pyc
    - test\_integration.cpython-310.pyc
    - test\_processors.cpython-310.pyc
    - test\_utils.cpython-310.pyc
    - test\_version.cpython-310.pyc
    - utils.cpython-310.pyc
  - data/
    - store/
      - subdir/
        - tiny-data.txt
      - tiny-data.txt
    - large-data.txt
    - registry-custom-url.txt
    - registry-invalid.txt
    - registry-spaces.txt
    - registry.txt
    - registry\_comments.txt
    - store.tar.gz
    - store.zip
    - tiny-data.tar.gz
    - tiny-data.txt
    - tiny-data.txt.bz2
    - tiny-data.txt.gz
    - tiny-data.txt.xz
    - tiny-data.zip
  - \_\_init\_\_.py
  - test\_core.py
  - test\_downloaders.py
  - test\_hashes.py
  - test\_integration.py
  - test\_processors.py
  - test\_utils.py
  - test\_version.py
  - utils.py
- typing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- \_\_init\_\_.py
- \_version.py
- core.py
- downloaders.py
- hashes.py
- processors.py
- utils.py
- pooch-1.9.0.dist-info/
  - licenses/
    - AUTHORS.md
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- protobuf-7.35.1.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - WHEEL
- pycparser/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_ast\_gen.cpython-310.pyc
    - ast\_transforms.cpython-310.pyc
    - c\_ast.cpython-310.pyc
    - c\_generator.cpython-310.pyc
    - c\_lexer.cpython-310.pyc
    - c\_parser.cpython-310.pyc
  - \_\_init\_\_.py
  - \_ast\_gen.py
  - \_c\_ast.cfg
  - ast\_transforms.py
  - c\_ast.py
  - c\_generator.py

- └─ c\_lexer.py
- └─ c\_parser.py
- ─ pycparser-3.0.dist-info/
  - └─ licenses/
    - └─ LICENSE
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ top\_level.txt
  - └─ WHEEL
- ─ pygments/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_main\_\_.cpython-310.pyc
    - └─ cmdline.cpython-310.pyc
    - └─ console.cpython-310.pyc
    - └─ filter.cpython-310.pyc
    - └─ formatter.cpython-310.pyc
    - └─ lexer.cpython-310.pyc
    - └─ modeline.cpython-310.pyc
    - └─ plugin.cpython-310.pyc
    - └─ regexopt.cpython-310.pyc
    - └─ scanner.cpython-310.pyc
    - └─ sphinxext.cpython-310.pyc
    - └─ style.cpython-310.pyc
    - └─ token.cpython-310.pyc
    - └─ unistring.cpython-310.pyc
    - └─ util.cpython-310.pyc
  - └─ filters/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - └─ formatters/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_mapping.cpython-310.pyc
      - └─ bbcode.cpython-310.pyc
      - └─ groff.cpython-310.pyc
      - └─ html.cpython-310.pyc
      - └─ img.cpython-310.pyc
      - └─ irc.cpython-310.pyc
      - └─ latex.cpython-310.pyc
      - └─ other.cpython-310.pyc
      - └─ pangomarkup.cpython-310.pyc
      - └─ rtf.cpython-310.pyc
      - └─ svg.cpython-310.pyc
      - └─ terminal.cpython-310.pyc
      - └─ terminal256.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ \_mapping.py
    - └─ bbcode.py
    - └─ groff.py
    - └─ html.py
    - └─ img.py
    - └─ irc.py
    - └─ latex.py
    - └─ other.py
    - └─ pangomarkup.py
    - └─ rtf.py
    - └─ svg.py
    - └─ terminal.py
    - └─ terminal256.py
  - └─ lexers/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_ada\_builtins.cpython-310.pyc
      - └─ \_asy\_builtins.cpython-310.pyc
      - └─ \_cl\_builtins.cpython-310.pyc
      - └─ \_cocoa\_builtins.cpython-310.pyc
      - └─ \_csound\_builtins.cpython-310.pyc
      - └─ \_css\_builtins.cpython-310.pyc
      - └─ \_googleql\_builtins.cpython-310.pyc
      - └─ \_julia\_builtins.cpython-310.pyc
      - └─ \_lasso\_builtins.cpython-310.pyc
      - └─ \_lilypond\_builtins.cpython-310.pyc
      - └─ \_lua\_builtins.cpython-310.pyc
      - └─ \_luau\_builtins.cpython-310.pyc
      - └─ \_mapping.cpython-310.pyc
      - └─ \_mql\_builtins.cpython-310.pyc
      - └─ \_mysql\_builtins.cpython-310.pyc
      - └─ \_openedge\_builtins.cpython-310.pyc
      - └─ \_php\_builtins.cpython-310.pyc
      - └─ \_postgres\_builtins.cpython-310.pyc
      - └─ \_qlik\_builtins.cpython-310.pyc
      - └─ \_scheme\_builtins.cpython-310.pyc



— \_scilab\_builtins.cpython-310.pyc  
— \_sourcemod\_builtins.cpython-310.pyc  
— \_sql\_builtins.cpython-310.pyc  
— \_stan\_builtins.cpython-310.pyc  
— \_stata\_builtins.cpython-310.pyc  
— \_tsql\_builtins.cpython-310.pyc  
— \_usd\_builtins.cpython-310.pyc  
— \_vbscript\_builtins.cpython-310.pyc  
— \_vim\_builtins.cpython-310.pyc  
— actionscript.cpython-310.pyc  
— ada.cpython-310.pyc  
— agile.cpython-310.pyc  
— algebra.cpython-310.pyc  
— ambient.cpython-310.pyc  
— amdgpu.cpython-310.pyc  
— ampl.cpython-310.pyc  
— apdlexer.cpython-310.pyc  
— apl.cpython-310.pyc  
— archetype.cpython-310.pyc  
— arrow.cpython-310.pyc  
— arturo.cpython-310.pyc  
— asc.cpython-310.pyc  
— asm.cpython-310.pyc  
— asn1.cpython-310.pyc  
— automation.cpython-310.pyc  
— bare.cpython-310.pyc  
— basic.cpython-310.pyc  
— bdd.cpython-310.pyc  
— berry.cpython-310.pyc  
— bibtex.cpython-310.pyc  
— blueprint.cpython-310.pyc  
— boa.cpython-310.pyc  
— bqnx.cpython-310.pyc  
— business.cpython-310.pyc  
— c\_cpp.cpython-310.pyc  
— c\_like.cpython-310.pyc  
— capnproto.cpython-310.pyc  
— carbon.cpython-310.pyc  
— cddl.cpython-310.pyc  
— chapel.cpython-310.pyc  
— clean.cpython-310.pyc  
— codeql.cpython-310.pyc  
— comal.cpython-310.pyc  
— compiled.cpython-310.pyc  
— configs.cpython-310.pyc  
— console.cpython-310.pyc  
— cplint.cpython-310.pyc  
— crystal.cpython-310.pyc  
— csound.cpython-310.pyc  
— css.cpython-310.pyc  
— d.cpython-310.pyc  
— dalvik.cpython-310.pyc  
— data.cpython-310.pyc  
— dax.cpython-310.pyc  
— devicetree.cpython-310.pyc  
— diff.cpython-310.pyc  
— dns.cpython-310.pyc  
— dotnet.cpython-310.pyc  
— dsls.cpython-310.pyc  
— dylan.cpython-310.pyc  
— ecl.cpython-310.pyc  
— eiffel.cpython-310.pyc  
— elm.cpython-310.pyc  
— elpi.cpython-310.pyc  
— email.cpython-310.pyc  
— erlang.cpython-310.pyc  
— esoteric.cpython-310.pyc  
— ezhil.cpython-310.pyc  
— factor.cpython-310.pyc  
— fantom.cpython-310.pyc  
— felix.cpython-310.pyc  
— fift.cpython-310.pyc  
— floscript.cpython-310.pyc  
— forth.cpython-310.pyc  
— fortran.cpython-310.pyc  
— foxpro.cpython-310.pyc  
— freefem.cpython-310.pyc  
— func.cpython-310.pyc  
— functional.cpython-310.pyc  
— futhark.cpython-310.pyc  
— gcodelexer.cpython-310.pyc  
— gdscrip.cpython-310.pyc  
— gleam.cpython-310.pyc  
— go.cpython-310.pyc  
— grammar\_notation.cpython-310.pyc

|  |                             |
|--|-----------------------------|
|  | graph.cpython-310.pyc       |
|  | graphics.cpython-310.pyc    |
|  | graphql.cpython-310.pyc     |
|  | graphviz.cpython-310.pyc    |
|  | gsq1.cpython-310.pyc        |
|  | hare.cpython-310.pyc        |
|  | haskell1.cpython-310.pyc    |
|  | haxe.cpython-310.pyc        |
|  | hdl.cpython-310.pyc         |
|  | hexdump.cpython-310.pyc     |
|  | html.cpython-310.pyc        |
|  | idl.cpython-310.pyc         |
|  | igor.cpython-310.pyc        |
|  | inferno.cpython-310.pyc     |
|  | installers.cpython-310.pyc  |
|  | int_fiction.cpython-310.pyc |
|  | iolang.cpython-310.pyc      |
|  | j.cpython-310.pyc           |
|  | javascript.cpython-310.pyc  |
|  | jmespath.cpython-310.pyc    |
|  | jslt.cpython-310.pyc        |
|  | json5.cpython-310.pyc       |
|  | jsonnet.cpython-310.pyc     |
|  | jsx.cpython-310.pyc         |
|  | julia.cpython-310.pyc       |
|  | jvm.cpython-310.pyc         |
|  | kuin.cpython-310.pyc        |
|  | kusto.cpython-310.pyc       |
|  | ldap.cpython-310.pyc        |
|  | lean.cpython-310.pyc        |
|  | lilypond.cpython-310.pyc    |
|  | lisp.cpython-310.pyc        |
|  | macaulay2.cpython-310.pyc   |
|  | make.cpython-310.pyc        |
|  | maple.cpython-310.pyc       |
|  | markup.cpython-310.pyc      |
|  | math.cpython-310.pyc        |
|  | matlab.cpython-310.pyc      |
|  | maxima.cpython-310.pyc      |
|  | meson.cpython-310.pyc       |
|  | mime.cpython-310.pyc        |
|  | minecraft.cpython-310.pyc   |
|  | mips.cpython-310.pyc        |
|  | ml.cpython-310.pyc          |
|  | modeling.cpython-310.pyc    |
|  | modula2.cpython-310.pyc     |
|  | mojo.cpython-310.pyc        |
|  | monte.cpython-310.pyc       |
|  | mosel.cpython-310.pyc       |
|  | ncl.cpython-310.pyc         |
|  | nimrod.cpython-310.pyc      |
|  | nit.cpython-310.pyc         |
|  | nix.cpython-310.pyc         |
|  | numbair.cpython-310.pyc     |
|  | oberon.cpython-310.pyc      |
|  | objective.cpython-310.pyc   |
|  | ooc.cpython-310.pyc         |
|  | openscad.cpython-310.pyc    |
|  | other.cpython-310.pyc       |
|  | parasail.cpython-310.pyc    |
|  | parsers.cpython-310.pyc     |
|  | pascal.cpython-310.pyc      |
|  | pawn.cpython-310.pyc        |
|  | pddl.cpython-310.pyc        |
|  | perl.cpython-310.pyc        |
|  | phix.cpython-310.pyc        |
|  | php.cpython-310.pyc         |
|  | pointless.cpython-310.pyc   |
|  | pony.cpython-310.pyc        |
|  | praat.cpython-310.pyc       |
|  | procfile.cpython-310.pyc    |
|  | prolog.cpython-310.pyc      |
|  | promql.cpython-310.pyc      |
|  | prql.cpython-310.pyc        |
|  | ptx.cpython-310.pyc         |
|  | python.cpython-310.pyc      |
|  | q.cpython-310.pyc           |
|  | qlik.cpython-310.pyc        |
|  | qvt.cpython-310.pyc         |
|  | r.cpython-310.pyc           |
|  | rdf.cpython-310.pyc         |
|  | rebol.cpython-310.pyc       |
|  | rego.cpython-310.pyc        |
|  | rell.cpython-310.pyc        |
|  | resource.cpython-310.pyc    |

|  |                                  |
|--|----------------------------------|
|  | — ride.cpython-310.pyc           |
|  | — rita.cpython-310.pyc           |
|  | — rnc.cpython-310.pyc            |
|  | — roboconf.cpython-310.pyc       |
|  | — robotframework.cpython-310.pyc |
|  | — ruby.cpython-310.pyc           |
|  | — rust.cpython-310.pyc           |
|  | — sas.cpython-310.pyc            |
|  | — savi.cpython-310.pyc           |
|  | — scdoc.cpython-310.pyc          |
|  | — scripting.cpython-310.pyc      |
|  | — sgf.cpython-310.pyc            |
|  | — shell.cpython-310.pyc          |
|  | — sieve.cpython-310.pyc          |
|  | — slash.cpython-310.pyc          |
|  | — smalltalk.cpython-310.pyc      |
|  | — smithy.cpython-310.pyc         |
|  | — smv.cpython-310.pyc            |
|  | — snobol.cpython-310.pyc         |
|  | — solidity.cpython-310.pyc       |
|  | — soong.cpython-310.pyc          |
|  | — sophia.cpython-310.pyc         |
|  | — special.cpython-310.pyc        |
|  | — spice.cpython-310.pyc          |
|  | — sql.cpython-310.pyc            |
|  | — srcinfo.cpython-310.pyc        |
|  | — stata.cpython-310.pyc          |
|  | — supercollider.cpython-310.pyc  |
|  | — tablegen.cpython-310.pyc       |
|  | — tact.cpython-310.pyc           |
|  | — tal.cpython-310.pyc            |
|  | — tcl.cpython-310.pyc            |
|  | — teal.cpython-310.pyc           |
|  | — templates.cpython-310.pyc      |
|  | — teraterm.cpython-310.pyc       |
|  | — testing.cpython-310.pyc        |
|  | — text.cpython-310.pyc           |
|  | — textedit.cpython-310.pyc       |
|  | — textfmts.cpython-310.pyc       |
|  | — theorem.cpython-310.pyc        |
|  | — thingsdb.cpython-310.pyc       |
|  | — tlb.cpython-310.pyc            |
|  | — tls.cpython-310.pyc            |
|  | — tnt.cpython-310.pyc            |
|  | — trafficscript.cpython-310.pyc  |
|  | — typoscript.cpython-310.pyc     |
|  | — typst.cpython-310.pyc          |
|  | — ul4.cpython-310.pyc            |
|  | — unicon.cpython-310.pyc         |
|  | — urbi.cpython-310.pyc           |
|  | — usd.cpython-310.pyc            |
|  | — varnish.cpython-310.pyc        |
|  | — verification.cpython-310.pyc   |
|  | — verifpal.cpython-310.pyc       |
|  | — vip.cpython-310.pyc            |
|  | — vyper.cpython-310.pyc          |
|  | — web.cpython-310.pyc            |
|  | — webassembly.cpython-310.pyc    |
|  | — webidl.cpython-310.pyc         |
|  | — webmisc.cpython-310.pyc        |
|  | — wgs1.cpython-310.pyc           |
|  | — whiley.cpython-310.pyc         |
|  | — wowtoc.cpython-310.pyc         |
|  | — wren.cpython-310.pyc           |
|  | — x10.cpython-310.pyc            |
|  | — xorg.cpython-310.pyc           |
|  | — yang.cpython-310.pyc           |
|  | — yara.cpython-310.pyc           |
|  | — zig.cpython-310.pyc            |
|  | — _init_.py                      |
|  | — _ada_builtins.py               |
|  | — _asy_builtins.py               |
|  | — _cl_builtins.py                |
|  | — _cocoa_builtins.py             |
|  | — _csound_builtins.py            |
|  | — _css_builtins.py               |
|  | — _googlesql_builtins.py         |
|  | — _julia_builtins.py             |
|  | — _lasso_builtins.py             |
|  | — _lilypond_builtins.py          |
|  | — _lua_builtins.py               |
|  | — _luau_builtins.py              |
|  | — _mapping.py                    |
|  | — _mql_builtins.py               |
|  | — _mysql_builtins.py             |

```

_ _openedge_builtins.py
_php_builtins.py
_postgres_builtins.py
_qlik_builtins.py
_scheme_builtins.py
_scilab_builtins.py
_sourcemod_builtins.py
_sql_builtins.py
_stan_builtins.py
_stata_builtins.py
_tsq1_builtins.py
_usd_builtins.py
_vbscript_builtins.py
_vim_builtins.py
_actionscript.py
ada.py
agile.py
algebra.py
ambient.py
amdgpu.py
ampl.py
apdlexer.py
apl.py
archetype.py
arrow.py
arturo.py
asc.py
asm.py
asn1.py
automation.py
bare.py
basic.py
bdd.py
berry.py
bibtex.py
blueprint.py
boa.py
bqn.py
business.py
c_cpp.py
c_like.py
capnproto.py
carbon.py
cddl.py
chapel.py
clean.py
codeql.py
comal.py
compiled.py
configs.py
console.py
cplint.py
crystal.py
csound.py
css.py
d.py
dalvik.py
data.py
dax.py
devicetree.py
diff.py
dns.py
dotnet.py
ds1s.py
dylan.py
ecl.py
eiffel.py
elm.py
elpi.py
email.py
erlang.py
esoteric.py
ezhil.py
factor.py
fantom.py
felix.py
fift.py
floscript.py
forth.py
fortran.py
foxpro.py
freefem.py
func.py
functional.py
futhark.py

```

|  |                     |
|--|---------------------|
|  | gcodelexer.py       |
|  | gdscript.py         |
|  | gleam.py            |
|  | go.py               |
|  | grammar_notation.py |
|  | graph.py            |
|  | graphics.py         |
|  | graphql.py          |
|  | graphviz.py         |
|  | gresql.py           |
|  | hare.py             |
|  | haskell.py          |
|  | haxe.py             |
|  | hdl.py              |
|  | hexdump.py          |
|  | html.py             |
|  | idl.py              |
|  | igor.py             |
|  | inferno.py          |
|  | installers.py       |
|  | int_fiction.py      |
|  | iolang.py           |
|  | j.py                |
|  | javascript.py       |
|  | jmespath.py         |
|  | jslt.py             |
|  | json5.py            |
|  | jsonnet.py          |
|  | jsx.py              |
|  | julia.py            |
|  | jvm.py              |
|  | kuin.py             |
|  | kusto.py            |
|  | ldap.py             |
|  | lean.py             |
|  | lilypond.py         |
|  | lisp.py             |
|  | macaulay2.py        |
|  | make.py             |
|  | maple.py            |
|  | markup.py           |
|  | math.py             |
|  | matlab.py           |
|  | maxima.py           |
|  | meson.py            |
|  | mime.py             |
|  | minecraft.py        |
|  | mips.py             |
|  | ml.py               |
|  | modeling.py         |
|  | modula2.py          |
|  | mojo.py             |
|  | monte.py            |
|  | mosel.py            |
|  | ncl.py              |
|  | nimrod.py           |
|  | nit.py              |
|  | nix.py              |
|  | numbair.py          |
|  | oberon.py           |
|  | objective.py        |
|  | ooc.py              |
|  | openscad.py         |
|  | other.py            |
|  | parasail.py         |
|  | parsers.py          |
|  | pascal.py           |
|  | pawn.py             |
|  | pddl.py             |
|  | perl.py             |
|  | phix.py             |
|  | php.py              |
|  | pointless.py        |
|  | pony.py             |
|  | praat.py            |
|  | procfile.py         |
|  | prolog.py           |
|  | promql.py           |
|  | prql.py             |
|  | ptx.py              |
|  | python.py           |
|  | q.py                |
|  | qlik.py             |
|  | qvt.py              |
|  | r.py                |

- rdf.py
- rebol.py
- rego.py
- rell.py
- resource.py
- ride.py
- rita.py
- rnc.py
- roboconf.py
- robotframework.py
- ruby.py
- rust.py
- sas.py
- savi.py
- scdoc.py
- scripting.py
- sgf.py
- shell.py
- sieve.py
- slash.py
- smalltalk.py
- smithy.py
- smv.py
- snobol.py
- solidity.py
- soong.py
- sophia.py
- special.py
- spice.py
- sql.py
- srcinfo.py
- stata.py
- supercollider.py
- tablegen.py
- tact.py
- tal.py
- tcl.py
- teal.py
- templates.py
- teraterm.py
- testing.py
- text.py
- textedit.py
- textfmts.py
- theorem.py
- thingsdb.py
- tlb.py
- tls.py
- tnt.py
- trafficscript.py
- typoscript.py
- typst.py
- ul4.py
- unicon.py
- urbi.py
- usd.py
- varnish.py
- verification.py
- verifpal.py
- vip.py
- vyper.py
- web.py
- webassembly.py
- webidl.py
- webmisc.py
- wgs1.py
- whiley.py
- wowtoc.py
- wren.py
- x10.py
- xorg.py
- yang.py
- yara.py
- zig.py
- styles/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_mapping.cpython-310.pyc
    - abap.cpython-310.pyc
    - algol.cpython-310.pyc
    - algol\_nu.cpython-310.pyc
    - arduino.cpython-310.pyc
    - autumn.cpython-310.pyc
    - borland.cpython-310.pyc
    - bw.cpython-310.pyc

- coffee.cpython-310.pyc
- colorful.cpython-310.pyc
- default.cpython-310.pyc
- dracula.cpython-310.pyc
- emacs.cpython-310.pyc
- friendly.cpython-310.pyc
- friendly\_grayscale.cpython-310.pyc
- fruity.cpython-310.pyc
- gh\_dark.cpython-310.pyc
- gruvbox.cpython-310.pyc
- igor.cpython-310.pyc
- inkpot.cpython-310.pyc
- lightbulb.cpython-310.pyc
- lilypond.cpython-310.pyc
- lovelace.cpython-310.pyc
- manni.cpython-310.pyc
- material.cpython-310.pyc
- monokai.cpython-310.pyc
- murphy.cpython-310.pyc
- native.cpython-310.pyc
- nord.cpython-310.pyc
- onedark.cpython-310.pyc
- paraiso\_dark.cpython-310.pyc
- paraiso\_light.cpython-310.pyc
- pastie.cpython-310.pyc
- perldoc.cpython-310.pyc
- rainbow\_dash.cpython-310.pyc
- rrt.cpython-310.pyc
- sas.cpython-310.pyc
- solarized.cpython-310.pyc
- staroffice.cpython-310.pyc
- stata\_dark.cpython-310.pyc
- stata\_light.cpython-310.pyc
- tango.cpython-310.pyc
- trac.cpython-310.pyc
- vim.cpython-310.pyc
- vs.cpython-310.pyc
- xcode.cpython-310.pyc
- zenburn.cpython-310.pyc

- \_\_init\_\_.py
- \_mapping.py
- abap.py
- algal.py
- algal\_nu.py
- arduino.py
- autumn.py
- borland.py
- bw.py
- coffee.py
- colorful.py
- default.py
- dracula.py
- emacs.py
- friendly.py
- friendly\_grayscale.py
- fruity.py
- gh\_dark.py
- gruvbox.py
- igor.py
- inkpot.py
- lightbulb.py
- lilypond.py
- lovelace.py
- manni.py
- material.py
- monokai.py
- murphy.py
- native.py
- nord.py
- onedark.py
- paraiso\_dark.py
- paraiso\_light.py
- pastie.py
- perldoc.py
- rainbow\_dash.py
- rrt.py
- sas.py
- solarized.py
- staroffice.py
- stata\_dark.py
- stata\_light.py
- tango.py
- trac.py
- vim.py
- vs.py

- xcode.py
    - zenburn.py
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - cmdline.py
  - console.py
  - filter.py
  - formatter.py
  - lexer.py
  - modeline.py
  - plugin.py
  - regexopt.py
  - scanner.py
  - sphinxext.py
  - style.py
  - token.py
  - unistring.py
  - util.py
- pygments-2.20.0.dist-info/
  - licenses/
    - AUTHORS
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- pyparsing/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - actions.cpython-310.pyc
    - common.cpython-310.pyc
    - core.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - helpers.cpython-310.pyc
    - results.cpython-310.pyc
    - testing.cpython-310.pyc
    - unicode.cpython-310.pyc
    - util.cpython-310.pyc
    - warnings.cpython-310.pyc
- ai/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - show\_best\_practices/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_\_main\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - \_\_main\_\_.py
  - \_\_init\_\_.py
  - best\_practices.md
- diagram/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- tools/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - cvt\_pyparsing\_pep8\_names.cpython-310.pyc
  - \_\_init\_\_.py
  - cvt\_pyparsing\_pep8\_names.py
- \_\_init\_\_.py
- actions.py
- common.py
- core.py
- exceptions.py
- helpers.py
- py.typed
- results.py
- testing.py
- unicode.py
- util.py
- warnings.py

- pyparsing-3.3.2.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- python\_dateutil-2.9.0.post0.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD



- top\_level.txt
- WHEEL
- zip-safe
- pytz/
  - \_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - lazy.cpython-310.pyc
    - reference.cpython-310.pyc
    - tzfile.cpython-310.pyc
    - tzinfo.cpython-310.pyc
  - zoneinfo/
    - Africa/
      - Abidjan
      - Accra
      - Addis\_Ababa
      - Algiers
      - Asmara
      - Asmera
      - Bamako
      - Bangui
      - Banjul
      - Bissau
      - Blantyre
      - Brazzaville
      - Bujumbura
      - Cairo
      - Casablanca
      - Ceuta
      - Conakry
      - Dakar
      - Dar\_es\_Salaam
      - Djibouti
      - Douala
      - El\_Aaiun
      - Freetown
      - Gaborone
      - Harare
      - Johannesburg
      - Juba
      - Kampala
      - Khartoum
      - Kigali
      - Kinshasa
      - Lagos
      - Libreville
      - Lome
      - Luanda
      - Lubumbashi
      - Lusaka
      - Malabo
      - Maputo
      - Maseru
      - Mbabane
      - Mogadishu
      - Monrovia
      - Nairobi
      - Ndjamena
      - Niamey
      - Nouakchott
      - Ouagadougou
      - Porto-Novo
      - Sao\_Tome
      - Timbuktu
      - Tripoli
      - Tunis
      - Windhoek
    - America/
      - Argentina/
        - Buenos\_Aires
        - Catamarca
        - ComodRivadavia
        - Cordoba
        - Jujuy
        - La\_Rioja
        - Mendoza
        - Rio\_Gallegos
        - Salta
        - San\_Juan
        - San\_Luis
        - Tucuman
        - Ushuaia
      - Indiana/
        - Indianapolis
        - Knox

|   |                |            |
|---|----------------|------------|
|   | —              | Marengo    |
|   | —              | Petersburg |
|   | —              | Tell_City  |
|   | —              | Vevay      |
|   | —              | Vincennes  |
|   | —              | Winamac    |
| — | Kentucky/      |            |
|   | —              | Louisville |
|   | —              | Monticello |
| — | North_Dakota/  |            |
|   | —              | Beulah     |
|   | —              | Center     |
|   | —              | New_Salem  |
| — | Adak           |            |
| — | Anchorage      |            |
| — | Anguilla       |            |
| — | Antigua        |            |
| — | Araguaina      |            |
| — | Aruba          |            |
| — | Asuncion       |            |
| — | Atikokan       |            |
| — | Atka           |            |
| — | Bahia          |            |
| — | Bahia_Banderas |            |
| — | Barbados       |            |
| — | Belem          |            |
| — | Belize         |            |
| — | Blanc-Sablon   |            |
| — | Boa_Vista      |            |
| — | Bogota         |            |
| — | Boise          |            |
| — | Buenos_Aires   |            |
| — | Cambridge_Bay  |            |
| — | Campo_Grande   |            |
| — | Cancun         |            |
| — | Caracas        |            |
| — | Catamarca      |            |
| — | Cayenne        |            |
| — | Cayman         |            |
| — | Chicago        |            |
| — | Chihuahua      |            |
| — | Ciudad_Juarez  |            |
| — | Coral_Harbour  |            |
| — | Cordoba        |            |
| — | Costa_Rica     |            |
| — | Coyhaique      |            |
| — | Creston        |            |
| — | Cuiaba         |            |
| — | Curacao        |            |
| — | Danmarkshavn   |            |
| — | Dawson         |            |
| — | Dawson_Creek   |            |
| — | Denver         |            |
| — | Detroit        |            |
| — | Dominica       |            |
| — | Edmonton       |            |
| — | Eirunepe       |            |
| — | El_Salvador    |            |
| — | Ensenada       |            |
| — | Fort_Nelson    |            |
| — | Fort_Wayne     |            |
| — | Fortaleza      |            |
| — | Glace_Bay      |            |
| — | Godthab        |            |
| — | Goose_Bay      |            |
| — | Grand_Turk     |            |
| — | Grenada        |            |
| — | Guadeloupe     |            |
| — | Guatemala      |            |
| — | Guayaquil      |            |
| — | Guyana         |            |
| — | Halifax        |            |
| — | Havana         |            |
| — | Hermosillo     |            |
| — | Indianapolis   |            |
| — | Inuvik         |            |
| — | Iqaluit        |            |
| — | Jamaica        |            |
| — | Jujuy          |            |
| — | Juneau         |            |
| — | Knox_IN        |            |
| — | Kralendijk     |            |
| — | La_Paz         |            |
| — | Lima           |            |
| — | Los_Angeles    |            |

|  |   |                |
|--|---|----------------|
|  | — | Louisville     |
|  | — | Lower_Princes  |
|  | — | Maceio         |
|  | — | Managua        |
|  | — | Manaus         |
|  | — | Marigot        |
|  | — | Martinique     |
|  | — | Matamoros      |
|  | — | Mazatlan       |
|  | — | Mendoza        |
|  | — | Menominee      |
|  | — | Merida         |
|  | — | Metlakatla     |
|  | — | Mexico_City    |
|  | — | Miquelon       |
|  | — | Moncton        |
|  | — | Monterrey      |
|  | — | Montevideo     |
|  | — | Montreal       |
|  | — | Montserrat     |
|  | — | Nassau         |
|  | — | New_York       |
|  | — | Nipigon        |
|  | — | Nome           |
|  | — | Noronha        |
|  | — | Nuuk           |
|  | — | Ojinaga        |
|  | — | Panama         |
|  | — | Pangnirtung    |
|  | — | Paramaribo     |
|  | — | Phoenix        |
|  | — | Port-au-Prince |
|  | — | Port_of_Spain  |
|  | — | Porto_Acre     |
|  | — | Porto_Velho    |
|  | — | Puerto_Rico    |
|  | — | Punta_Arenas   |
|  | — | Rainy_River    |
|  | — | Rankin_Inlet   |
|  | — | Recife         |
|  | — | Regina         |
|  | — | Resolute       |
|  | — | Rio_Branco     |
|  | — | Rosario        |
|  | — | Santa_Isabel   |
|  | — | Santarem       |
|  | — | Santiago       |
|  | — | Santo_Domingo  |
|  | — | Sao_Paulo      |
|  | — | Scoresbysund   |
|  | — | Shiprock       |
|  | — | Sitka          |
|  | — | St_Barthelemy  |
|  | — | St_Johns       |
|  | — | St_Kitts       |
|  | — | St_Lucia       |
|  | — | St_Thomas      |
|  | — | St_Vincent     |
|  | — | Swift_Current  |
|  | — | Tegucigalpa    |
|  | — | Thule          |
|  | — | Thunder_Bay    |
|  | — | Tijuana        |
|  | — | Toronto        |
|  | — | Tortola        |
|  | — | Vancouver      |
|  | — | Virgin         |
|  | — | Whitehorse     |
|  | — | Winnipeg       |
|  | — | Yakutat        |
|  | — | Yellowknife    |
|  | — | Antarctica/    |
|  | — | Casey          |
|  | — | Davis          |
|  | — | DumontDURville |
|  | — | Macquarie      |
|  | — | Mawson         |
|  | — | McMurdo        |
|  | — | Palmer         |
|  | — | Rothera        |
|  | — | South_Pole     |
|  | — | Syowa          |
|  | — | Troll          |
|  | — | Vostok         |
|  | — | Arctic/        |

└─ Longyearbyen

─ Asia/

└─ Aden  
└─ Almaty  
└─ Amman  
└─ Anadyr  
└─ Aqtau  
└─ Aqtobe  
└─ Ashgabat  
└─ Ashkhabad  
└─ Atyrau  
└─ Baghdad  
└─ Bahrain  
└─ Baku  
└─ Bangkok  
└─ Barnaul  
└─ Beirut  
└─ Bishkek  
└─ Brunei  
└─ Calcutta  
└─ Chita  
└─ Choibalsan  
└─ Chongqing  
└─ Chungking  
└─ Colombo  
└─ Dacca  
└─ Damascus  
└─ Dhaka  
└─ Dili  
└─ Dubai  
└─ Dushanbe  
└─ Famagusta  
└─ Gaza  
└─ Harbin  
└─ Hebron  
└─ Ho\_Chi\_Minh  
└─ Hong\_Kong  
└─ Hovd  
└─ Irkutsk  
└─ Istanbul  
└─ Jakarta  
└─ Jayapura  
└─ Jerusalem  
└─ Kabul  
└─ Kamchatka  
└─ Karachi  
└─ Kashgar  
└─ Kathmandu  
└─ Katmandu  
└─ Khandyga  
└─ Kolkata  
└─ Krasnoyarsk  
└─ Kuala\_Lumpur  
└─ Kuching  
└─ Kuwait  
└─ Macao  
└─ Macau  
└─ Magadan  
└─ Makassar  
└─ Manila  
└─ Muscat  
└─ Nicosia  
└─ Novokuznetsk  
└─ Novosibirsk  
└─ Omsk  
└─ Oral  
└─ Phnom\_Penh  
└─ Pontianak  
└─ Pyongyang  
└─ Qatar  
└─ Qostanay  
└─ Qyzylorda  
└─ Rangoon  
└─ Riyadh  
└─ Saigon  
└─ Sakhalin  
└─ Samarkand  
└─ Seoul  
└─ Shanghai  
└─ Singapore  
└─ Srednekolymsk  
└─ Taipei  
└─ Tashkent  
└─ Tbilisi  
└─ Tehran

- Tel\_Aviv
- Thimbu
- Thimphu
- Tokyo
- Tomsk
- Ujung\_Pandang
- Ulaanbaatar
- Ulan\_Bator
- Urumqi
- Ust-Nera
- Vientiane
- Vladivostok
- Yakutsk
- Yangon
- Yekaterinburg
- Yerevan

— Atlantic/

- Azores
- Bermuda
- Canary
- Cape\_Verde
- Faeroe
- Faroe
- Jan\_Mayen
- Madeira
- Reykjavik
- South\_Georgia
- St\_Helena
- Stanley

— Australia/

- ACT
- Adelaide
- Brisbane
- Broken\_Hill
- Canberra
- Currie
- Darwin
- Eucla
- Hobart
- LHI
- Lindeman
- Lord\_Howe
- Melbourne
- North
- NSW
- Perth
- Queensland
- South
- Sydney
- Tasmania
- Victoria
- West
- Yancowinna

— Brazil/

- Acre
- DeNoronha
- East
- West

— Canada/

- Atlantic
- Central
- Eastern
- Mountain
- Newfoundland
- Pacific
- Saskatchewan
- Yukon

— Chile/

- Continental
- EasterIsland

— Etc/

- GMT
- GMT+0
- GMT+1
- GMT+10
- GMT+11
- GMT+12
- GMT+2
- GMT+3
- GMT+4
- GMT+5
- GMT+6
- GMT+7
- GMT+8
- GMT+9

— GMT-0  
— GMT-1  
— GMT-10  
— GMT-11  
— GMT-12  
— GMT-13  
— GMT-14  
— GMT-2  
— GMT-3  
— GMT-4  
— GMT-5  
— GMT-6  
— GMT-7  
— GMT-8  
— GMT-9  
— GMT0  
— Greenwich  
— UCT  
— Universal  
— UTC  
— Zulu  
— Europe/  
— Amsterdam  
— Andorra  
— Astrakhan  
— Athens  
— Belfast  
— Belgrade  
— Berlin  
— Bratislava  
— Brussels  
— Bucharest  
— Budapest  
— Busingen  
— Chisinau  
— Copenhagen  
— Dublin  
— Gibraltar  
— Guernsey  
— Helsinki  
— Isle\_of\_Man  
— Istanbul  
— Jersey  
— Kaliningrad  
— Kiev  
— Kirov  
— Kyiv  
— Lisbon  
— Ljubljana  
— London  
— Luxembourg  
— Madrid  
— Malta  
— Mariehamn  
— Minsk  
— Monaco  
— Moscow  
— Nicosia  
— Oslo  
— Paris  
— Podgorica  
— Prague  
— Riga  
— Rome  
— Samara  
— San\_Marino  
— Sarajevo  
— Saratov  
— Simferopol  
— Skopje  
— Sofia  
— Stockholm  
— Tallinn  
— Tirane  
— Tiraspol  
— Ulyanovsk  
— Uzhgorod  
— Vaduz  
— Vatican  
— Vienna  
— Vilnius  
— Volgograd  
— Warsaw  
— Zagreb  
— Zaporozhye

- └─ Zurich
- ─ Indian/
  - └─ Antananarivo
  - └─ Chagos
  - └─ Christmas
  - └─ Cocos
  - └─ Comoro
  - └─ Kerguelen
  - └─ Mahe
  - └─ Maldives
  - └─ Mauritius
  - └─ Mayotte
  - └─ Reunion
- ─ Mexico/
  - └─ BajaNorte
  - └─ BajaSur
  - └─ General
- ─ Pacific/
  - └─ Apia
  - └─ Auckland
  - └─ Bougainville
  - └─ Chatham
  - └─ Chuuk
  - └─ Easter
  - └─ Efate
  - └─ Enderbury
  - └─ Fakaofu
  - └─ Fiji
  - └─ Funafuti
  - └─ Galapagos
  - └─ Gambier
  - └─ Guadalcanal
  - └─ Guam
  - └─ Honolulu
  - └─ Johnston
  - └─ Kanton
  - └─ Kiritimati
  - └─ Kosrae
  - └─ Kwajalein
  - └─ Majuro
  - └─ Marquesas
  - └─ Midway
  - └─ Nauru
  - └─ Niue
  - └─ Norfolk
  - └─ Noumea
  - └─ Pago\_Pago
  - └─ Palau
  - └─ Pitcairn
  - └─ Pohnpei
  - └─ Ponape
  - └─ Port\_Moresby
  - └─ Rarotonga
  - └─ Saipan
  - └─ Samoa
  - └─ Tahiti
  - └─ Tarawa
  - └─ Tongatapu
  - └─ Truk
  - └─ Wake
  - └─ Wallis
  - └─ Yap
- ─ US/
  - └─ Alaska
  - └─ Aleutian
  - └─ Arizona
  - └─ Central
  - └─ East-Indiana
  - └─ Eastern
  - └─ Hawaii
  - └─ Indiana-Starke
  - └─ Michigan
  - └─ Mountain
  - └─ Pacific
  - └─ Samoa
- ─ CET
- ─ CST6CDT
- ─ Cuba
- ─ EET
- ─ Egypt
- ─ Eire
- ─ EST
- ─ EST5EDT
- ─ Factory
- ─ GB

- GB-Eire
- GMT
- GMT+0
- GMT-0
- GMT0
- Greenwich
- Hongkong
- HST
- Iceland
- Iran
- iso3166.tab
- Israel
- Jamaica
- Japan
- Kwajalein
- leapseconds
- Libya
- MET
- MST
- MST7MDT
- Navajo
- NZ
- NZ-CHAT
- Poland
- Portugal
- PRC
- PST8PDT
- ROC
- ROK
- Singapore
- Turkey
- tzdata.zi
- UCT
- Universal
- UTC
- W-SU
- WET
- zone.tab
- zone1970.tab
- zonenow.tab
- Zulu
- \_\_init\_\_.py
- exceptions.py
- lazy.py
- reference.py
- tzfile.py
- tzinfo.py
- pytz-2026.2.dist-info/
  - INSTALLER
  - LICENSE.txt
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
  - zip-safe
- pyyaml-6.0.3.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- regex/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_main.cpython-310.pyc
    - \_regex\_core.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - test\_regex.cpython-310.pyc
    - test\_regex.py
  - \_\_init\_\_.py
  - \_main.py
  - \_regex.cp310-win\_amd64.pyd
  - \_regex\_core.py
- regex-2026.6.28.dist-info/
  - licenses/
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL



```
requests/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── __version__.cpython-310.pyc
│   ├── _internal_utils.cpython-310.pyc
│   ├── _types.cpython-310.pyc
│   ├── adapters.cpython-310.pyc
│   ├── api.cpython-310.pyc
│   ├── auth.cpython-310.pyc
│   ├── certs.cpython-310.pyc
│   ├── compat.cpython-310.pyc
│   ├── cookies.cpython-310.pyc
│   ├── exceptions.cpython-310.pyc
│   ├── help.cpython-310.pyc
│   ├── hooks.cpython-310.pyc
│   ├── models.cpython-310.pyc
│   ├── packages.cpython-310.pyc
│   ├── sessions.cpython-310.pyc
│   ├── status_codes.cpython-310.pyc
│   ├── structures.cpython-310.pyc
│   └── utils.cpython-310.pyc
├── __init__.py
├── __version__.py
├── _internal_utils.py
├── _types.py
├── adapters.py
├── api.py
├── auth.py
├── certs.py
├── compat.py
├── cookies.py
├── exceptions.py
├── help.py
├── hooks.py
├── models.py
├── packages.py
├── py.typed
├── sessions.py
├── status_codes.py
├── structures.py
├── utils.py
├── requests-2.34.2.dist-info/
│   ├── licenses/
│   │   ├── LICENSE
│   │   └── NOTICE
│   ├── INSTALLER
│   ├── METADATA
│   ├── RECORD
│   ├── top_level.txt
│   └── WHEEL
├── rich/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── __main__.cpython-310.pyc
│   │   ├── _emoji_codes.cpython-310.pyc
│   │   ├── _emoji_replace.cpython-310.pyc
│   │   ├── _export_format.cpython-310.pyc
│   │   ├── _extension.cpython-310.pyc
│   │   ├── _fileno.cpython-310.pyc
│   │   ├── _inspect.cpython-310.pyc
│   │   ├── _log_render.cpython-310.pyc
│   │   ├── _loop.cpython-310.pyc
│   │   ├── _null_file.cpython-310.pyc
│   │   ├── _palettes.cpython-310.pyc
│   │   ├── _pick.cpython-310.pyc
│   │   ├── _ratio.cpython-310.pyc
│   │   ├── _spinners.cpython-310.pyc
│   │   ├── _stack.cpython-310.pyc
│   │   ├── _timer.cpython-310.pyc
│   │   ├── _win32_console.cpython-310.pyc
│   │   ├── _windows.cpython-310.pyc
│   │   ├── _windows_renderer.cpython-310.pyc
│   │   ├── _wrap.cpython-310.pyc
│   │   ├── abc.cpython-310.pyc
│   │   ├── align.cpython-310.pyc
│   │   ├── ansi.cpython-310.pyc
│   │   ├── bar.cpython-310.pyc
│   │   ├── box.cpython-310.pyc
│   │   ├── cells.cpython-310.pyc
│   │   ├── color.cpython-310.pyc
│   │   ├── color_triplet.cpython-310.pyc
│   │   ├── columns.cpython-310.pyc
│   │   ├── console.cpython-310.pyc
│   │   ├── constrain.cpython-310.pyc
│   │   └── containers.cpython-310.pyc
```

- control.cpython-310.pyc
- default\_styles.cpython-310.pyc
- diagnose.cpython-310.pyc
- emoji.cpython-310.pyc
- errors.cpython-310.pyc
- file\_proxy.cpython-310.pyc
- filesize.cpython-310.pyc
- highlighter.cpython-310.pyc
- json.cpython-310.pyc
- jupyter.cpython-310.pyc
- layout.cpython-310.pyc
- live.cpython-310.pyc
- live\_render.cpython-310.pyc
- logging.cpython-310.pyc
- markdown.cpython-310.pyc
- markup.cpython-310.pyc
- measure.cpython-310.pyc
- padding.cpython-310.pyc
- pager.cpython-310.pyc
- palette.cpython-310.pyc
- panel.cpython-310.pyc
- pretty.cpython-310.pyc
- progress.cpython-310.pyc
- progress\_bar.cpython-310.pyc
- prompt.cpython-310.pyc
- protocol.cpython-310.pyc
- region.cpython-310.pyc
- repr.cpython-310.pyc
- rule.cpython-310.pyc
- scope.cpython-310.pyc
- screen.cpython-310.pyc
- segment.cpython-310.pyc
- spinner.cpython-310.pyc
- status.cpython-310.pyc
- style.cpython-310.pyc
- styled.cpython-310.pyc
- syntax.cpython-310.pyc
- table.cpython-310.pyc
- terminal\_theme.cpython-310.pyc
- text.cpython-310.pyc
- theme.cpython-310.pyc
- themes.cpython-310.pyc
- traceback.cpython-310.pyc
- tree.cpython-310.pyc
- unicode\_data/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_versions.cpython-310.pyc
    - unicode10-0-0.cpython-310.pyc
    - unicode11-0-0.cpython-310.pyc
    - unicode12-0-0.cpython-310.pyc
    - unicode12-1-0.cpython-310.pyc
    - unicode13-0-0.cpython-310.pyc
    - unicode14-0-0.cpython-310.pyc
    - unicode15-0-0.cpython-310.pyc
    - unicode15-1-0.cpython-310.pyc
    - unicode16-0-0.cpython-310.pyc
    - unicode17-0-0.cpython-310.pyc
    - unicode4-1-0.cpython-310.pyc
    - unicode5-0-0.cpython-310.pyc
    - unicode5-1-0.cpython-310.pyc
    - unicode5-2-0.cpython-310.pyc
    - unicode6-0-0.cpython-310.pyc
    - unicode6-1-0.cpython-310.pyc
    - unicode6-2-0.cpython-310.pyc
    - unicode6-3-0.cpython-310.pyc
    - unicode7-0-0.cpython-310.pyc
    - unicode8-0-0.cpython-310.pyc
    - unicode9-0-0.cpython-310.pyc
- \_\_init\_\_.py
- \_versions.py
- unicode10-0-0.py
- unicode11-0-0.py
- unicode12-0-0.py
- unicode12-1-0.py
- unicode13-0-0.py
- unicode14-0-0.py
- unicode15-0-0.py
- unicode15-1-0.py
- unicode16-0-0.py
- unicode17-0-0.py
- unicode4-1-0.py
- unicode5-0-0.py
- unicode5-1-0.py
- unicode5-2-0.py

- unicode6-0-0.py
- unicode6-1-0.py
- unicode6-2-0.py
- unicode6-3-0.py
- unicode7-0-0.py
- unicode8-0-0.py
- unicode9-0-0.py
- \_\_init\_\_.py
- \_\_main\_\_.py
- \_emoji\_codes.py
- \_emoji\_replace.py
- \_export\_format.py
- \_extension.py
- \_fileno.py
- \_inspect.py
- \_log\_render.py
- \_loop.py
- \_null\_file.py
- \_palettes.py
- \_pick.py
- \_ratio.py
- \_spinners.py
- \_stack.py
- \_timer.py
- \_win32\_console.py
- \_windows.py
- \_windows\_renderer.py
- \_wrap.py
- abc.py
- align.py
- ansi.py
- bar.py
- box.py
- cells.py
- color.py
- color\_triplet.py
- columns.py
- console.py
- constrain.py
- containers.py
- control.py
- default\_styles.py
- diagnose.py
- emoji.py
- errors.py
- file\_proxy.py
- filesize.py
- highlighter.py
- json.py
- jupyter.py
- layout.py
- live.py
- live\_render.py
- logging.py
- markdown.py
- markup.py
- measure.py
- padding.py
- pager.py
- palette.py
- panel.py
- pretty.py
- progress.py
- progress\_bar.py
- prompt.py
- protocol.py
- py.typed
- region.py
- repr.py
- rule.py
- scope.py
- screen.py
- segment.py
- spinner.py
- status.py
- style.py
- styled.py
- syntax.py
- table.py
- terminal\_theme.py
- text.py
- theme.py
- themes.py
- traceback.py
- tree.py

- rich-15.0.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- safetensors/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - flax.cpython-310.pyc
    - mlx.cpython-310.pyc
    - numpy.cpython-310.pyc
    - paddle.cpython-310.pyc
    - tensorflow.cpython-310.pyc
    - torch.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - \_safetensors\_rust.pyd
  - flax.py
  - mlx.py
  - numpy.py
  - paddle.py
  - py.typed
  - tensorflow.py
  - torch.py
- safetensors-0.8.0.dist-info/
  - licenses/
    - LICENSE
  - sboms/
    - safetensors-python.cyclonedx.json
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- scikit\_learn-1.7.2.dist-info/
  - licenses/
    - COPYING
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- scipy/
  - \_\_pycache\_\_/
    - \_\_config\_\_.cpython-310.pyc
    - \_\_init\_\_.cpython-310.pyc
    - \_distributor\_init.cpython-310.pyc
    - conftest.cpython-310.pyc
    - version.cpython-310.pyc
  - \_lib/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_array\_api.cpython-310.pyc
      - \_array\_api\_no\_0d.cpython-310.pyc
      - \_bunch.cpython-310.pyc
      - \_ccallback.cpython-310.pyc
      - \_disjoint\_set.cpython-310.pyc
      - \_docsrape.cpython-310.pyc
      - \_elementwise\_iterative\_method.cpython-310.pyc
      - \_finite\_differences.cpython-310.pyc
      - \_gcutils.cpython-310.pyc
      - \_pep440.cpython-310.pyc
      - \_testutils.cpython-310.pyc
      - \_threadsafety.cpython-310.pyc
      - \_tmpdirs.cpython-310.pyc
      - \_util.cpython-310.pyc
      - decorator.cpython-310.pyc
      - deprecation.cpython-310.pyc
      - doccer.cpython-310.pyc
      - uarray.cpython-310.pyc
    - \_uarray/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_backend.cpython-310.pyc
      - \_\_init\_\_.py
      - \_backend.py
      - \_uarray.cp310-win\_amd64.dll.a
      - \_uarray.cp310-win\_amd64.pyd
      - LICENSE
    - array\_api\_compat/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_internal.cpython-310.pyc
      - common/
        - \_\_pycache\_\_/



- settings.cpython-310.pyc
- subsolvers/
  - pycache/
      - \_\_init\_\_.cpython-310.pyc
      - geometry.cpython-310.pyc
      - optim.cpython-310.pyc
    - \_\_init\_\_.py
    - geometry.py
    - optim.py
  - utils/
    - pycache/
        - \_\_init\_\_.cpython-310.pyc
        - exceptions.cpython-310.pyc
        - math.cpython-310.pyc
        - versions.cpython-310.pyc
      - \_\_init\_\_.py
      - exceptions.py
      - math.py
      - versions.py
  - \_\_init\_\_.py
  - framework.py
  - main.py
  - models.py
  - problem.py
  - settings.py
- tests/
  - pycache/
      - \_\_init\_\_.cpython-310.pyc
      - test\_gcutils.cpython-310.pyc
      - test\_pep440.cpython-310.pyc
      - test\_testutils.cpython-310.pyc
      - test\_threadafety.cpython-310.pyc
      - test\_util.cpython-310.pyc
      - test\_array\_api.cpython-310.pyc
      - test\_bunch.cpython-310.pyc
      - test\_ccallback.cpython-310.pyc
      - test\_config.cpython-310.pyc
      - test\_deprecation.cpython-310.pyc
      - test\_doccer.cpython-310.pyc
      - test\_import\_cycles.cpython-310.pyc
      - test\_public\_api.cpython-310.pyc
      - test\_scipy\_version.cpython-310.pyc
      - test\_tmpdirs.cpython-310.pyc
      - test\_warnings.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_gcutils.py
    - test\_pep440.py
    - test\_testutils.py
    - test\_threadafety.py
    - test\_util.py
    - test\_array\_api.py
    - test\_bunch.py
    - test\_ccallback.py
    - test\_config.py
    - test\_deprecation.py
    - test\_doccer.py
    - test\_import\_cycles.py
    - test\_public\_api.py
    - test\_scipy\_version.py
    - test\_tmpdirs.py
    - test\_warnings.py
  - \_\_init\_\_.py
  - \_array\_api.py
  - \_array\_api\_no\_0d.py
  - \_bunch.py
  - \_ccallback.py
  - \_ccallback\_c.cp310-win\_amd64.dll.a
  - \_ccallback\_c.cp310-win\_amd64.pyd
  - \_disjoint\_set.py
  - \_docscrape.py
  - \_elementwise\_iterative\_method.py
  - \_finite\_differences.py
  - \_fpumode.cp310-win\_amd64.dll.a
  - \_fpumode.cp310-win\_amd64.pyd
  - \_gcutils.py
  - \_pep440.py
  - \_test\_ccallback.cp310-win\_amd64.dll.a
  - \_test\_ccallback.cp310-win\_amd64.pyd
  - \_test\_deprecation\_call.cp310-win\_amd64.dll.a
  - \_test\_deprecation\_call.cp310-win\_amd64.pyd
  - \_test\_deprecation\_def.cp310-win\_amd64.dll.a
  - \_test\_deprecation\_def.cp310-win\_amd64.pyd
  - \_testutils.py
  - \_threadafety.py
  - \_tmpdirs.py

- \_util.py
- decorator.py
- deprecation.py
- doccer.py
- messagestream.cp310-win\_amd64.dll.a
- messagestream.cp310-win\_amd64.pyd
- uarray.py
- cluster/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - hierarchy.cpython-310.pyc
    - vq.cpython-310.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - hierarchy\_test\_data.cpython-310.pyc
      - test\_disjoint\_set.cpython-310.pyc
      - test\_hierarchy.cpython-310.pyc
      - test\_vq.cpython-310.pyc
    - \_\_init\_\_.py
    - hierarchy\_test\_data.py
    - test\_disjoint\_set.py
    - test\_hierarchy.py
    - test\_vq.py
  - \_\_init\_\_.py
  - hierarchy.cp310-win\_amd64.dll.a
  - hierarchy.cp310-win\_amd64.pyd
  - optimal\_leaf\_ordering.cp310-win\_amd64.dll.a
  - optimal\_leaf\_ordering.cp310-win\_amd64.pyd
  - vq.cp310-win\_amd64.dll.a
  - vq.cp310-win\_amd64.pyd
  - hierarchy.py
  - vq.py
- constants/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_codata.cpython-310.pyc
    - \_constants.cpython-310.pyc
    - codata.cpython-310.pyc
    - constants.cpython-310.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_codata.cpython-310.pyc
      - test\_constants.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_codata.py
    - test\_constants.py
  - \_\_init\_\_.py
  - \_codata.py
  - \_constants.py
  - codata.py
  - constants.py
- datasets/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - download\_all.cpython-310.pyc
    - fetchers.cpython-310.pyc
    - registry.cpython-310.pyc
    - utils.cpython-310.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_data.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_data.py
  - \_\_init\_\_.py
  - download\_all.py
  - \_fetchers.py
  - \_registry.py
  - \_utils.py
- differentiate/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_differentiate.cpython-310.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_differentiate.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_differentiate.py
  - \_\_init\_\_.py
  - \_differentiate.py
- fft/
  - \_pycache\_/

- \_\_init\_\_.cpython-310.pyc
- backend.cpython-310.pyc
- basic.cpython-310.pyc
- basic\_backend.cpython-310.pyc
- debug\_backends.cpython-310.pyc
- fftlog.cpython-310.pyc
- fftlog\_backend.cpython-310.pyc
- helper.cpython-310.pyc
- realtransforms.cpython-310.pyc
- realtransforms\_backend.cpython-310.pyc
- pocketfft/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - basic.cpython-310.pyc
    - helper.cpython-310.pyc
    - realtransforms.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_basic.cpython-310.pyc
      - test\_real\_transforms.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_basic.py
    - test\_real\_transforms.py
- \_\_init\_\_.py
- basic.py
- helper.py
- LICENSE.md
- pypocketfft.cp310-win\_amd64.dll.a
- pypocketfft.cp310-win\_amd64.pyd
- realtransforms.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - mock\_backend.cpython-310.pyc
    - test\_backend.cpython-310.pyc
    - test\_basic.cpython-310.pyc
    - test\_fftlog.cpython-310.pyc
    - test\_helper.cpython-310.pyc
    - test\_multithreading.cpython-310.pyc
    - test\_real\_transforms.cpython-310.pyc
  - \_\_init\_\_.py
  - mock\_backend.py
  - test\_backend.py
  - test\_basic.py
  - test\_fftlog.py
  - test\_helper.py
  - test\_multithreading.py
  - test\_real\_transforms.py
- \_\_init\_\_.py
- backend.py
- basic.py
- basic\_backend.py
- debug\_backends.py
- fftlog.py
- fftlog\_backend.py
- helper.py
- realtransforms.py
- realtransforms\_backend.py
- fftpack/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - basic.cpython-310.pyc
    - helper.cpython-310.pyc
    - pseudo\_diffs.cpython-310.pyc
    - realtransforms.cpython-310.pyc
    - basic.cpython-310.pyc
    - helper.cpython-310.pyc
    - pseudo\_diffs.cpython-310.pyc
    - realtransforms.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_basic.cpython-310.pyc
      - test\_helper.cpython-310.pyc
      - test\_import.cpython-310.pyc
      - test\_pseudo\_diffs.cpython-310.pyc
      - test\_real\_transforms.cpython-310.pyc
    - \_\_init\_\_.py
    - fftw\_double\_ref.npz
    - fftw\_longdouble\_ref.npz
    - fftw\_single\_ref.npz
    - test.npz
    - test\_basic.py
    - test\_helper.py



- test\_import.py
  - test\_pseudo\_diffs.py
  - test\_real\_transforms.py
- \_\_init\_\_.py
- \_basic.py
- \_helper.py
- \_pseudo\_diffs.py
- \_realtransforms.py
- basic.py
- convolve.cp310-win\_amd64.dll.a
- convolve.cp310-win\_amd64.pyd
- helper.py
- pseudo\_diffs.py
- realtransforms.py
- integrate/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_bvp.cpython-310.pyc
    - \_cubature.cpython-310.pyc
    - \_lebedev.cpython-310.pyc
    - \_ode.cpython-310.pyc
    - \_odepack\_py.cpython-310.pyc
    - \_quad\_vec.cpython-310.pyc
    - \_quadpack\_py.cpython-310.pyc
    - \_quadrature.cpython-310.pyc
    - \_tanhsinh.cpython-310.pyc
    - dop.cpython-310.pyc
    - lsoda.cpython-310.pyc
    - odepack.cpython-310.pyc
    - quadpack.cpython-310.pyc
    - vode.cpython-310.pyc
  - ivp/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - base.cpython-310.pyc
      - bdf.cpython-310.pyc
      - common.cpython-310.pyc
      - dop853\_coefficients.cpython-310.pyc
      - ivp.cpython-310.pyc
      - lsoda.cpython-310.pyc
      - radau.cpython-310.pyc
      - rk.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_ivp.cpython-310.pyc
      - test\_rk.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_ivp.py
    - test\_rk.py
  - \_\_init\_\_.py
  - base.py
  - bdf.py
  - common.py
  - dop853\_coefficients.py
  - ivp.py
  - lsoda.py
  - radau.py
  - rk.py
  - rules/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_base.cpython-310.pyc
      - \_gauss\_kronrod.cpython-310.pyc
      - \_gauss\_legendre.cpython-310.pyc
      - \_genz\_malik.cpython-310.pyc
    - \_\_init\_\_.py
    - \_base.py
    - \_gauss\_kronrod.py
    - \_gauss\_legendre.py
    - \_genz\_malik.py
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_\_quad\_vec.cpython-310.pyc
      - test\_banded\_ode\_solvers.cpython-310.pyc
      - test\_bvp.cpython-310.pyc
      - test\_cubature.cpython-310.pyc
      - test\_integrate.cpython-310.pyc
      - test\_odeint\_jac.cpython-310.pyc
      - test\_quadpack.cpython-310.pyc
      - test\_quadrature.cpython-310.pyc
      - test\_tanhsinh.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_\_quad\_vec.py

- test\_banded\_ode\_solvers.py
- test\_bvp.py
- test\_cubature.py
- test\_integrate.py
- test\_odeint\_jac.py
- test\_quadpack.py
- test\_quadrature.py
- test\_tanhsinh.py
- \_\_init\_\_.py
- bvp.py
- cubature.py
- dop.cp310-win\_amd64.dll.a
- dop.cp310-win\_amd64.pyd
- lebedev.py
- lsoda.cp310-win\_amd64.dll.a
- lsoda.cp310-win\_amd64.pyd
- ode.py
- odepack.cp310-win\_amd64.dll.a
- odepack.cp310-win\_amd64.pyd
- odepack\_py.py
- quad\_vec.py
- quadpack.cp310-win\_amd64.dll.a
- quadpack.cp310-win\_amd64.pyd
- quadpack\_py.py
- quadrature.py
- tanhsinh.py
- test\_multivariate.cp310-win\_amd64.dll.a
- test\_multivariate.cp310-win\_amd64.pyd
- test\_odeint\_banded.cp310-win\_amd64.dll.a
- test\_odeint\_banded.cp310-win\_amd64.pyd
- vode.cp310-win\_amd64.dll.a
- vode.cp310-win\_amd64.pyd
- dop.py
- lsoda.py
- odepack.py
- quadpack.py
- vode.py
- interpolate/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - bary\_rational.cpython-310.pyc
    - bsplines.cpython-310.pyc
    - cubic.cpython-310.pyc
    - fitpack2.cpython-310.pyc
    - fitpack\_impl.cpython-310.pyc
    - fitpack\_py.cpython-310.pyc
    - fitpack\_repro.cpython-310.pyc
    - interpolate.cpython-310.pyc
    - ndbspline.cpython-310.pyc
    - ndgriddata.cpython-310.pyc
    - pade.cpython-310.pyc
    - polyint.cpython-310.pyc
    - rbf.cpython-310.pyc
    - rbfinterp.cpython-310.pyc
    - rgi.cpython-310.pyc
    - dfitpack.cpython-310.pyc
    - fitpack.cpython-310.pyc
    - fitpack2.cpython-310.pyc
    - interpnd.cpython-310.pyc
    - interpolate.cpython-310.pyc
    - ndgriddata.cpython-310.pyc
    - polyint.cpython-310.pyc
    - rbf.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_bary\_rational.cpython-310.pyc
    - test\_bsplines.cpython-310.pyc
    - test\_fitpack.cpython-310.pyc
    - test\_fitpack2.cpython-310.pyc
    - test\_gil.cpython-310.pyc
    - test\_interpnd.cpython-310.pyc
    - test\_interpolate.cpython-310.pyc
    - test\_ndgriddata.cpython-310.pyc
    - test\_pade.cpython-310.pyc
    - test\_polyint.cpython-310.pyc
    - test\_rbf.cpython-310.pyc
    - test\_rbfinterp.cpython-310.pyc
    - test\_rgi.cpython-310.pyc
- data/
  - bug-1310.npz
  - estimate\_gradients\_hang.npy
  - gcvspl.npz
- \_\_init\_\_.py
- test\_bary\_rational.py

- test\_bsplines.py
- test\_fitpack.py
- test\_fitpack2.py
- test\_gil.py
- test\_interpnd.py
- test\_interpolate.py
- test\_ndgriddata.py
- test\_pade.py
- test\_polyint.py
- test\_rbf.py
- test\_rbfinterp.py
- test\_rgi.py
- \_\_init\_\_.py
- \_bary\_rational.py
- \_bspl.cp310-win\_amd64.dll.a
- \_bspl.cp310-win\_amd64.pyd
- \_bsplines.py
- \_cubic.py
- \_dfitpack.cp310-win\_amd64.dll.a
- \_dfitpack.cp310-win\_amd64.pyd
- \_dierckx.cp310-win\_amd64.dll.a
- \_dierckx.cp310-win\_amd64.pyd
- \_fitpack.cp310-win\_amd64.dll.a
- \_fitpack.cp310-win\_amd64.pyd
- \_fitpack2.py
- \_fitpack\_impl.py
- \_fitpack\_py.py
- \_fitpack\_repro.py
- \_interpnd.cp310-win\_amd64.dll.a
- \_interpnd.cp310-win\_amd64.pyd
- \_interpolate.py
- \_ndbspline.py
- \_ndgriddata.py
- \_pade.py
- \_polyint.py
- \_ppoly.cp310-win\_amd64.dll.a
- \_ppoly.cp310-win\_amd64.pyd
- \_rbf.py
- \_rbfinterp.py
- \_rbfinterp\_pythran.cp310-win\_amd64.dll.a
- \_rbfinterp\_pythran.cp310-win\_amd64.pyd
- \_rgi.py
- \_rgi\_cython.cp310-win\_amd64.dll.a
- \_rgi\_cython.cp310-win\_amd64.pyd
- dfitpack.py
- fitpack.py
- fitpack2.py
- interpnd.py
- interpolate.py
- ndgriddata.py
- polyint.py
- rbf.py
- io/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_fortran.cpython-310.pyc
    - \_idl.cpython-310.pyc
    - \_mmio.cpython-310.pyc
    - \_netcdf.cpython-310.pyc
    - harwell\_boeing.cpython-310.pyc
    - \_idl.cpython-310.pyc
    - \_mmio.cpython-310.pyc
    - \_netcdf.cpython-310.pyc
    - wavfile.cpython-310.pyc
  - \_fast\_matrix\_market/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - \_fmm\_core.cp310-win\_amd64.dll.a
    - \_fmm\_core.cp310-win\_amd64.pyd
  - \_harwell\_boeing/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_fortran\_format\_parser.cpython-310.pyc
      - \_hb.cpython-310.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_fortran\_format.cpython-310.pyc
      - test\_hb.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_fortran\_format.py
    - test\_hb.py
  - \_\_init\_\_.py
  - \_fortran\_format\_parser.py

```

└─ hb.py
arff/
├─ __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── _arffread.cpython-310.pyc
│   └─ _arffread.cpython-310.pyc
├─ tests/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   └─ test_arffread.cpython-310.pyc
│   └─ data/
│       ├── iris.arff
│       ├── missing.arff
│       ├── nodata.arff
│       ├── quoted_nominal.arff
│       ├── quoted_nominal_spaces.arff
│       ├── test1.arff
│       ├── test10.arff
│       ├── test11.arff
│       ├── test2.arff
│       ├── test3.arff
│       ├── test4.arff
│       ├── test5.arff
│       ├── test6.arff
│       ├── test7.arff
│       ├── test8.arff
│       └─ test9.arff
├─ __init__.py
├─ test_arffread.py
├─ __init__.py
├─ _arffread.py
└─ arffread.py
matlab/
├─ __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── _byteordercodes.cpython-310.pyc
│   ├── _mio.cpython-310.pyc
│   ├── _mio4.cpython-310.pyc
│   ├── _mio5.cpython-310.pyc
│   ├── _mio5_params.cpython-310.pyc
│   ├── _miobase.cpython-310.pyc
│   ├── _byteordercodes.cpython-310.pyc
│   ├── _mio.cpython-310.pyc
│   ├── _mio4.cpython-310.pyc
│   ├── _mio5.cpython-310.pyc
│   ├── _mio5_params.cpython-310.pyc
│   ├── _mio5_utils.cpython-310.pyc
│   ├── _mio_utils.cpython-310.pyc
│   ├── _miobase.cpython-310.pyc
│   └─ _streams.cpython-310.pyc
├─ tests/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── test_byteordercodes.cpython-310.pyc
│   │   ├── test_mio.cpython-310.pyc
│   │   ├── test_mio5_utils.cpython-310.pyc
│   │   ├── test_mio_funcs.cpython-310.pyc
│   │   ├── test_mio_utils.cpython-310.pyc
│   │   ├── test_miobase.cpython-310.pyc
│   │   ├── test_pathological.cpython-310.pyc
│   │   └─ test_streams.cpython-310.pyc
│   └─ data/
│       ├── bad_muint32.mat
│       ├── bad_miutf8_array_name.mat
│       ├── big_endian.mat
│       ├── broken_utf8.mat
│       ├── corrupted_zlib_checksum.mat
│       ├── corrupted_zlib_data.mat
│       ├── debugged_m4.mat
│       ├── japanese_utf8.txt
│       ├── little_endian.mat
│       ├── logical_sparse.mat
│       ├── malformed1.mat
│       ├── muint32_for_miint32.mat
│       ├── miutf8_array_name.mat
│       ├── nasty_duplicate_fieldnames.mat
│       ├── one_by_zero_char.mat
│       ├── parabola.mat
│       ├── single_empty_string.mat
│       ├── some_functions.mat
│       ├── sqr.mat
│       ├── test3dmatrix_6.1_SOL2.mat
│       ├── test3dmatrix_6.5.1_GLNx86.mat
│       ├── test3dmatrix_7.1_GLNx86.mat
│       └─ test3dmatrix_7.4_GLNx86.mat

```

```

- test_empty_struct.mat
- test_mat4_le_floats.mat
- test_skip_variable.mat
- testbool_8_WIN64.mat
- testcell_6.1_SOL2.mat
- testcell_6.5.1_GLNx86.mat
- testcell_7.1_GLNx86.mat
- testcell_7.4_GLNx86.mat
- testcellnest_6.1_SOL2.mat
- testcellnest_6.5.1_GLNx86.mat
- testcellnest_7.1_GLNx86.mat
- testcellnest_7.4_GLNx86.mat
- testcomplex_4.2c_SOL2.mat
- testcomplex_6.1_SOL2.mat
- testcomplex_6.5.1_GLNx86.mat
- testcomplex_7.1_GLNx86.mat
- testcomplex_7.4_GLNx86.mat
- testdouble_4.2c_SOL2.mat
- testdouble_6.1_SOL2.mat
- testdouble_6.5.1_GLNx86.mat
- testdouble_7.1_GLNx86.mat
- testdouble_7.4_GLNx86.mat
- testemptycell_5.3_SOL2.mat
- testemptycell_6.5.1_GLNx86.mat
- testemptycell_7.1_GLNx86.mat
- testemptycell_7.4_GLNx86.mat
- testfunc_7.4_GLNx86.mat
- testhdf5_7.4_GLNx86.mat
- testmatrix_4.2c_SOL2.mat
- testmatrix_6.1_SOL2.mat
- testmatrix_6.5.1_GLNx86.mat
- testmatrix_7.1_GLNx86.mat
- testmatrix_7.4_GLNx86.mat
- testminus_4.2c_SOL2.mat
- testminus_6.1_SOL2.mat
- testminus_6.5.1_GLNx86.mat
- testminus_7.1_GLNx86.mat
- testminus_7.4_GLNx86.mat
- testmulti_4.2c_SOL2.mat
- testmulti_7.1_GLNx86.mat
- testmulti_7.4_GLNx86.mat
- testobject_6.1_SOL2.mat
- testobject_6.5.1_GLNx86.mat
- testobject_7.1_GLNx86.mat
- testobject_7.4_GLNx86.mat
- testonechar_4.2c_SOL2.mat
- testonechar_6.1_SOL2.mat
- testonechar_6.5.1_GLNx86.mat
- testonechar_7.1_GLNx86.mat
- testonechar_7.4_GLNx86.mat
- testscalercell_7.4_GLNx86.mat
- testsimplecell.mat
- testspase_4.2c_SOL2.mat
- testspase_6.1_SOL2.mat
- testspase_6.5.1_GLNx86.mat
- testspase_7.1_GLNx86.mat
- testspase_7.4_GLNx86.mat
- testspasecomplex_4.2c_SOL2.mat
- testspasecomplex_6.1_SOL2.mat
- testspasecomplex_6.5.1_GLNx86.mat
- testspasecomplex_7.1_GLNx86.mat
- testspasecomplex_7.4_GLNx86.mat
- testspasefloat_7.4_GLNx86.mat
- teststring_4.2c_SOL2.mat
- teststring_6.1_SOL2.mat
- teststring_6.5.1_GLNx86.mat
- teststring_7.1_GLNx86.mat
- teststring_7.4_GLNx86.mat
- teststringarray_4.2c_SOL2.mat
- teststringarray_6.1_SOL2.mat
- teststringarray_6.5.1_GLNx86.mat
- teststringarray_7.1_GLNx86.mat
- teststringarray_7.4_GLNx86.mat
- teststruct_6.1_SOL2.mat
- teststruct_6.5.1_GLNx86.mat
- teststruct_7.1_GLNx86.mat
- teststruct_7.4_GLNx86.mat
- teststructarr_6.1_SOL2.mat
- teststructarr_6.5.1_GLNx86.mat
- teststructarr_7.1_GLNx86.mat
- teststructarr_7.4_GLNx86.mat
- teststructnest_6.1_SOL2.mat
- teststructnest_6.5.1_GLNx86.mat
- teststructnest_7.1_GLNx86.mat
- teststructnest_7.4_GLNx86.mat

```

- testunicode\_7.1\_GLNx86.mat
- testunicode\_7.4\_GLNx86.mat
- testvec\_4\_GLNx86.mat
- \_\_init\_\_.py
- test\_byteordercodes.py
- test\_mio.py
- test\_mio5\_utils.py
- test\_mio\_funcs.py
- test\_mio\_utils.py
- test\_miobase.py
- test\_pathological.py
- test\_streams.py
- \_\_init\_\_.py
- byteordercodes.py
- mio.py
- mio4.py
- mio5.py
- mio5\_params.py
- mio5\_utils.cp310-win\_amd64.dll.a
- mio5\_utils.cp310-win\_amd64.pyd
- mio\_utils.cp310-win\_amd64.dll.a
- mio\_utils.cp310-win\_amd64.pyd
- miobase.py
- streams.cp310-win\_amd64.dll.a
- streams.cp310-win\_amd64.pyd
- byteordercodes.py
- mio.py
- mio4.py
- mio5.py
- mio5\_params.py
- mio5\_utils.py
- mio\_utils.py
- miobase.py
- streams.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_fortran.cpython-310.pyc
    - test\_idl.cpython-310.pyc
    - test\_mmio.cpython-310.pyc
    - test\_netcdf.cpython-310.pyc
    - test\_paths.cpython-310.pyc
    - test\_wavfile.cpython-310.pyc
  - data/
    - array\_float32\_1d.sav
    - array\_float32\_2d.sav
    - array\_float32\_3d.sav
    - array\_float32\_4d.sav
    - array\_float32\_5d.sav
    - array\_float32\_6d.sav
    - array\_float32\_7d.sav
    - array\_float32\_8d.sav
    - array\_float32\_pointer\_1d.sav
    - array\_float32\_pointer\_2d.sav
    - array\_float32\_pointer\_3d.sav
    - array\_float32\_pointer\_4d.sav
    - array\_float32\_pointer\_5d.sav
    - array\_float32\_pointer\_6d.sav
    - array\_float32\_pointer\_7d.sav
    - array\_float32\_pointer\_8d.sav
    - example\_1.nc
    - example\_2.nc
    - example\_3\_maskedvals.nc
    - fortran-3x3d-2i.dat
    - fortran-mixed.dat
    - fortran-sf8-11x1x10.dat
    - fortran-sf8-15x10x22.dat
    - fortran-sf8-1x1x1.dat
    - fortran-sf8-1x1x5.dat
    - fortran-sf8-1x1x7.dat
    - fortran-sf8-1x3x5.dat
    - fortran-si4-11x1x10.dat
    - fortran-si4-15x10x22.dat
    - fortran-si4-1x1x1.dat
    - fortran-si4-1x1x5.dat
    - fortran-si4-1x1x7.dat
    - fortran-si4-1x3x5.dat
    - invalid\_pointer.sav
    - null\_pointer.sav
    - scalar\_byte.sav
    - scalar\_byte\_descr.sav
    - scalar\_complex32.sav
    - scalar\_complex64.sav
    - scalar\_float32.sav
    - scalar\_float64.sav

- scalar\_heap\_pointer.sav
- scalar\_int16.sav
- scalar\_int32.sav
- scalar\_int64.sav
- scalar\_string.sav
- scalar\_uint16.sav
- scalar\_uint32.sav
- scalar\_uint64.sav
- struct\_arrays.sav
- struct\_arrays\_byte\_idl80.sav
- struct\_arrays\_replicated.sav
- struct\_arrays\_replicated\_3d.sav
- struct\_inherit.sav
- struct\_pointer\_arrays.sav
- struct\_pointer\_arrays\_replicated.sav
- struct\_pointer\_arrays\_replicated\_3d.sav
- struct\_pointers.sav
- struct\_pointers\_replicated.sav
- struct\_pointers\_replicated\_3d.sav
- struct\_scalars.sav
- struct\_scalars\_replicated.sav
- struct\_scalars\_replicated\_3d.sav
- test-1234Hz-1e-1ch-10S-20bit-extra.wav
- test-44100Hz-2ch-32bit-float-be.wav
- test-44100Hz-2ch-32bit-float-le.wav
- test-44100Hz-be-1ch-4bytes.wav
- test-44100Hz-le-1ch-4bytes-early-eof-no-data.wav
- test-44100Hz-le-1ch-4bytes-early-eof.wav
- test-44100Hz-le-1ch-4bytes-incomplete-chunk.wav
- test-44100Hz-le-1ch-4bytes-rf64.wav
- test-44100Hz-le-1ch-4bytes.wav
- test-48000Hz-2ch-64bit-float-le-wavex.wav
- test-8000Hz-be-3ch-5S-24bit.wav
- test-8000Hz-le-1ch-1byte-ulaaw.wav
- test-8000Hz-le-2ch-1byteu.wav
- test-8000Hz-le-3ch-5S-24bit-inconsistent.wav
- test-8000Hz-le-3ch-5S-24bit-rf64.wav
- test-8000Hz-le-3ch-5S-24bit.wav
- test-8000Hz-le-3ch-5S-36bit.wav
- test-8000Hz-le-3ch-5S-45bit.wav
- test-8000Hz-le-3ch-5S-53bit.wav
- test-8000Hz-le-3ch-5S-64bit.wav
- test-8000Hz-le-4ch-9S-12bit.wav
- test-8000Hz-le-5ch-9S-5bit.wav
- Transparent Busy.ani
- various\_compressed.sav
- \_\_init\_\_.py
- test\_fortran.py
- test\_idl.py
- test\_mmio.py
- test\_netcdf.py
- test\_paths.py
- test\_wavfile.py
- \_\_init\_\_.py
- \_fortran.py
- \_idl.py
- \_mmio.py
- \_netcdf.py
- \_test\_fortran.cp310-win\_amd64.dll.a
- \_test\_fortran.cp310-win\_amd64.pyd
- harwell\_boeing.py
- idl.py
- mmio.py
- netcdf.py
- wavfile.py
- linalg/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_basic.cpython-310.pyc
    - \_decomp.cpython-310.pyc
    - \_decomp\_cholesky.cpython-310.pyc
    - \_decomp\_cossin.cpython-310.pyc
    - \_decomp\_ldl.cpython-310.pyc
    - \_decomp\_lu.cpython-310.pyc
    - \_decomp\_polar.cpython-310.pyc
    - \_decomp\_qr.cpython-310.pyc
    - \_decomp\_qz.cpython-310.pyc
    - \_decomp\_schur.cpython-310.pyc
    - \_decomp\_svd.cpython-310.pyc
    - \_expm\_frechet.cpython-310.pyc
    - \_matfuncs.cpython-310.pyc
    - \_matfuncs\_inv\_ssqr.cpython-310.pyc
    - \_matfuncs\_sqrtm.cpython-310.pyc
    - \_misc.cpython-310.pyc
    - \_procrustes.cpython-310.pyc

- \_sketches.cpython-310.pyc
- \_solvers.cpython-310.pyc
- \_special\_matrices.cpython-310.pyc
- \_testutils.cpython-310.pyc
- basic.cpython-310.pyc
- blas.cpython-310.pyc
- decomp.cpython-310.pyc
- decomp\_cholesky.cpython-310.pyc
- decomp\_lu.cpython-310.pyc
- decomp\_qr.cpython-310.pyc
- decomp\_schur.cpython-310.pyc
- decomp\_svd.cpython-310.pyc
- interpolative.cpython-310.pyc
- lapack.cpython-310.pyc
- matfuncs.cpython-310.pyc
- misc.cpython-310.pyc
- special\_matrices.cpython-310.pyc
- tests/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - test\_basic.cpython-310.pyc
    - test\_blas.cpython-310.pyc
    - test\_cython\_blas.cpython-310.pyc
    - test\_cython\_lapack.cpython-310.pyc
    - test\_cythonized\_array\_utils.cpython-310.pyc
    - test\_decomp.cpython-310.pyc
    - test\_decomp\_cholesky.cpython-310.pyc
    - test\_decomp\_cossin.cpython-310.pyc
    - test\_decomp\_ldl.cpython-310.pyc
    - test\_decomp\_lu.cpython-310.pyc
    - test\_decomp\_polar.cpython-310.pyc
    - test\_decomp\_update.cpython-310.pyc
    - test\_extending.cpython-310.pyc
    - test\_fblas.cpython-310.pyc
    - test\_interpolative.cpython-310.pyc
    - test\_lapack.cpython-310.pyc
    - test\_matfuncs.cpython-310.pyc
    - test\_matmul\_toeplitz.cpython-310.pyc
    - test\_procrustes.cpython-310.pyc
    - test\_sketches.cpython-310.pyc
    - test\_solve\_toeplitz.cpython-310.pyc
    - test\_solvers.cpython-310.pyc
    - test\_special\_matrices.cpython-310.pyc
  - cython\_examples/
    - extending.pyx
    - meson.build
  - data/
    - carex\_15\_data.npz
    - carex\_18\_data.npz
    - carex\_19\_data.npz
    - carex\_20\_data.npz
    - carex\_6\_data.npz
    - gendare\_20170120\_data.npz
  - \_\_init\_\_.py
  - test\_basic.py
  - test\_blas.py
  - test\_cython\_blas.py
  - test\_cython\_lapack.py
  - test\_cythonized\_array\_utils.py
  - test\_decomp.py
  - test\_decomp\_cholesky.py
  - test\_decomp\_cossin.py
  - test\_decomp\_ldl.py
  - test\_decomp\_lu.py
  - test\_decomp\_polar.py
  - test\_decomp\_update.py
  - test\_extending.py
  - test\_fblas.py
  - test\_interpolative.py
  - test\_lapack.py
  - test\_matfuncs.py
  - test\_matmul\_toeplitz.py
  - test\_procrustes.py
  - test\_sketches.py
  - test\_solve\_toeplitz.py
  - test\_solvers.py
  - test\_special\_matrices.py
- \_\_init\_\_.pxd
- \_\_init\_\_.py
- \_basic.py
- \_blas\_subroutines.h
- \_cythonized\_array\_utils.cp310-win\_amd64.dll.a
- \_cythonized\_array\_utils.cp310-win\_amd64.pyd
- \_cythonized\_array\_utils.pxd
- \_cythonized\_array\_utils.pyi



- \_decomp.py
- \_decomp\_cholesky.py
- \_decomp\_cossin.py
- \_decomp\_interpolative.cp310-win\_amd64.dll.a
- \_decomp\_interpolative.cp310-win\_amd64.pyd
- \_decomp\_ldl.py
- \_decomp\_lu.py
- \_decomp\_lu\_cython.cp310-win\_amd64.dll.a
- \_decomp\_lu\_cython.cp310-win\_amd64.pyd
- \_decomp\_lu\_cython.pyi
- \_decomp\_polar.py
- \_decomp\_qr.py
- \_decomp\_qz.py
- \_decomp\_schur.py
- \_decomp\_svd.py
- \_decomp\_update.cp310-win\_amd64.dll.a
- \_decomp\_update.cp310-win\_amd64.pyd
- \_expm\_frechet.py
- \_fblas.cp310-win\_amd64.dll.a
- \_fblas.cp310-win\_amd64.pyd
- \_flapack.cp310-win\_amd64.dll.a
- \_flapack.cp310-win\_amd64.pyd
- \_lapack\_subroutines.h
- \_linalg\_pythran.cp310-win\_amd64.dll.a
- \_linalg\_pythran.cp310-win\_amd64.pyd
- \_matfuncs.py
- \_matfuncs\_expm.cp310-win\_amd64.dll.a
- \_matfuncs\_expm.cp310-win\_amd64.pyd
- \_matfuncs\_expm.pyi
- \_matfuncs\_inv\_ssqr.py
- \_matfuncs\_sqrtm.py
- \_matfuncs\_sqrtm\_triu.cp310-win\_amd64.dll.a
- \_matfuncs\_sqrtm\_triu.cp310-win\_amd64.pyd
- \_misc.py
- \_procrustes.py
- \_sketches.py
- \_solve\_toeplitz.cp310-win\_amd64.dll.a
- \_solve\_toeplitz.cp310-win\_amd64.pyd
- \_solvers.py
- \_special\_matrices.py
- \_testutils.py
- basic.py
- blas.py
- cython\_blas.cp310-win\_amd64.dll.a
- cython\_blas.cp310-win\_amd64.pyd
- cython\_blas.pxd
- cython\_blas.pyx
- cython\_lapack.cp310-win\_amd64.dll.a
- cython\_lapack.cp310-win\_amd64.pyd
- cython\_lapack.pxd
- cython\_lapack.pyx
- decomp.py
- decomp\_cholesky.py
- decomp\_lu.py
- decomp\_qr.py
- decomp\_schur.py
- decomp\_svd.py
- interpolative.py
- lapack.py
- matfuncs.py
- misc.py
- special\_matrices.py
- misc/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - common.cpython-310.pyc
    - doccer.cpython-310.pyc
  - \_\_init\_\_.py
  - common.py
  - doccer.py
- ndimage/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - delegators.cpython-310.pyc
    - filters.cpython-310.pyc
    - fourier.cpython-310.pyc
    - interpolation.cpython-310.pyc
    - measurements.cpython-310.pyc
    - morphology.cpython-310.pyc
    - ndimage\_api.cpython-310.pyc
    - ni\_docstrings.cpython-310.pyc
    - ni\_support.cpython-310.pyc
    - support\_alternative\_backends.cpython-310.pyc
    - filters.cpython-310.pyc
    - fourier.cpython-310.pyc

- └─ interpolation.cpython-310.pyc
- └─ measurements.cpython-310.pyc
- └─ morphology.cpython-310.pyc
- └─ tests/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_c\_api.cpython-310.pyc
    - └─ test\_datatypes.cpython-310.pyc
    - └─ test\_filters.cpython-310.pyc
    - └─ test\_fourier.cpython-310.pyc
    - └─ test\_interpolation.cpython-310.pyc
    - └─ test\_measurements.cpython-310.pyc
    - └─ test\_morphology.cpython-310.pyc
    - └─ test\_ni\_support.cpython-310.pyc
    - └─ test\_splines.cpython-310.pyc
  - └─ data/
    - └─ label\_inputs.txt
    - └─ label\_results.txt
    - └─ label\_strels.txt
  - └─ \_\_init\_\_.py
  - └─ dots.png
  - └─ test\_c\_api.py
  - └─ test\_datatypes.py
  - └─ test\_filters.py
  - └─ test\_fourier.py
  - └─ test\_interpolation.py
  - └─ test\_measurements.py
  - └─ test\_morphology.py
  - └─ test\_ni\_support.py
  - └─ test\_splines.py
- └─ \_\_init\_\_.py
- └─ \_ctest.cp310-win\_amd64.dll.a
- └─ \_ctest.cp310-win\_amd64.pyd
- └─ \_cytest.cp310-win\_amd64.dll.a
- └─ \_cytest.cp310-win\_amd64.pyd
- └─ \_delegators.py
- └─ \_filters.py
- └─ \_fourier.py
- └─ \_interpolation.py
- └─ \_measurements.py
- └─ \_morphology.py
- └─ \_nd\_image.cp310-win\_amd64.dll.a
- └─ \_nd\_image.cp310-win\_amd64.pyd
- └─ \_ndimage\_api.py
- └─ \_ni\_docstrings.py
- └─ \_ni\_label.cp310-win\_amd64.dll.a
- └─ \_ni\_label.cp310-win\_amd64.pyd
- └─ \_ni\_support.py
- └─ \_rank\_filter\_1d.cp310-win\_amd64.dll.a
- └─ \_rank\_filter\_1d.cp310-win\_amd64.pyd
- └─ \_support\_alternative\_backends.py
- └─ filters.py
- └─ fourier.py
- └─ interpolation.py
- └─ measurements.py
- └─ morphology.py
- └─ odr/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_add\_newdocs.cpython-310.pyc
    - └─ \_models.cpython-310.pyc
    - └─ \_odrpack.cpython-310.pyc
    - └─ models.cpython-310.pyc
    - └─ odrpack.cpython-310.pyc
  - └─ tests/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ test\_odr.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_odr.py
  - └─ \_\_init\_\_.py
  - └─ \_odrpack.cp310-win\_amd64.dll.a
  - └─ \_odrpack.cp310-win\_amd64.pyd
  - └─ \_add\_newdocs.py
  - └─ \_models.py
  - └─ \_odrpack.py
  - └─ models.py
  - └─ odrpack.py
- └─ optimize/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_basinhopping.cpython-310.pyc
    - └─ \_bracket.cpython-310.pyc
    - └─ \_chandrupatla.cpython-310.pyc
    - └─ \_cobyla.py.cpython-310.pyc

- \_cobyqa\_py.cpython-310.pyc
- \_constraints.cpython-310.pyc
- \_dcsrch.cpython-310.pyc
- \_differentiable\_functions.cpython-310.pyc
- \_differentialevolution.cpython-310.pyc
- \_direct\_py.cpython-310.pyc
- \_dual\_annealing.cpython-310.pyc
- \_elementwise.cpython-310.pyc
- \_hessian\_update\_strategy.cpython-310.pyc
- \_isotonic.cpython-310.pyc
- \_lbfgsb\_py.cpython-310.pyc
- \_linesearch.cpython-310.pyc
- \_linprog.cpython-310.pyc
- \_linprog\_doc.cpython-310.pyc
- \_linprog\_highs.cpython-310.pyc
- \_linprog\_ip.cpython-310.pyc
- \_linprog\_rs.cpython-310.pyc
- \_linprog\_simplex.cpython-310.pyc
- \_linprog\_util.cpython-310.pyc
- \_milp.cpython-310.pyc
- \_minimize.cpython-310.pyc
- \_minpack\_py.cpython-310.pyc
- \_nnls.cpython-310.pyc
- \_nonlin.cpython-310.pyc
- \_numdiff.cpython-310.pyc
- \_optimize.cpython-310.pyc
- \_qap.cpython-310.pyc
- \_remove\_redundancy.cpython-310.pyc
- \_root.cpython-310.pyc
- \_root\_scalar.cpython-310.pyc
- \_shgo.cpython-310.pyc
- \_slsqp\_py.cpython-310.pyc
- \_spectral.cpython-310.pyc
- \_tnc.cpython-310.pyc
- \_trustregion.cpython-310.pyc
- \_trustregion\_dogleg.cpython-310.pyc
- \_trustregion\_exact.cpython-310.pyc
- \_trustregion\_krylov.cpython-310.pyc
- \_trustregion\_ncg.cpython-310.pyc
- \_tstutils.cpython-310.pyc
- \_zeros\_py.cpython-310.pyc
- \_cobyqa.cpython-310.pyc
- \_elementwise.cpython-310.pyc
- \_lbfgsb.cpython-310.pyc
- \_linesearch.cpython-310.pyc
- \_minpack.cpython-310.pyc
- \_minpack2.cpython-310.pyc
- \_moduleTNC.cpython-310.pyc
- \_nonlin.cpython-310.pyc
- \_optimize.cpython-310.pyc
- \_slsqp.cpython-310.pyc
- \_tnc.cpython-310.pyc
- \_zeros.cpython-310.pyc
- highs/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_highs\_wrapper.cpython-310.pyc
  - \_\_init\_\_.py
  - \_core.cp310-win\_amd64.dll.a
  - \_core.cp310-win\_amd64.pyd
  - \_highs\_options.cp310-win\_amd64.dll.a
  - \_highs\_options.cp310-win\_amd64.pyd
  - \_highs\_wrapper.py
- lsq/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - bvls.cpython-310.pyc
    - common.cpython-310.pyc
    - dogbox.cpython-310.pyc
    - least\_squares.cpython-310.pyc
    - lsq\_linear.cpython-310.pyc
    - trf.cpython-310.pyc
    - trf\_linear.cpython-310.pyc
  - \_\_init\_\_.py
  - bvls.py
  - common.py
  - dogbox.py
  - givens\_elimination.cp310-win\_amd64.dll.a
  - givens\_elimination.cp310-win\_amd64.pyd
  - least\_squares.py
  - lsq\_linear.py
  - trf.py
  - trf\_linear.py
- shgo\_lib/
  - \_pycache\_/

- `__init__.cpython-310.pyc`
  - `_complex.cpython-310.pyc`
  - `_vertex.cpython-310.pyc`
- `__init__.py`
- `_complex.py`
- `_vertex.py`
- `trlib/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `__init__.py`
  - `_trlib.cp310-win_amd64.dll.a`
  - `_trlib.cp310-win_amd64.pyd`
- `trustregion_constr/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `canonical_constraint.cpython-310.pyc`
    - `equality_constrained_sqp.cpython-310.pyc`
    - `minimize_trustregion_constr.cpython-310.pyc`
    - `projections.cpython-310.pyc`
    - `qp_subproblem.cpython-310.pyc`
    - `report.cpython-310.pyc`
    - `tr_interior_point.cpython-310.pyc`
- `tests/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `test_canonical_constraint.cpython-310.pyc`
    - `test_nested_minimize.cpython-310.pyc`
    - `test_projections.cpython-310.pyc`
    - `test_qp_subproblem.cpython-310.pyc`
    - `test_report.cpython-310.pyc`
  - `__init__.py`
  - `test_canonical_constraint.py`
  - `test_nested_minimize.py`
  - `test_projections.py`
  - `test_qp_subproblem.py`
  - `test_report.py`
- `__init__.py`
- `canonical_constraint.py`
- `equality_constrained_sqp.py`
- `minimize_trustregion_constr.py`
- `projections.py`
- `qp_subproblem.py`
- `report.py`
- `tr_interior_point.py`
- `cython_optimize/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
  - `__init__.py`
  - `_zeros.cp310-win_amd64.dll.a`
  - `_zeros.cp310-win_amd64.pyd`
  - `_zeros.pxd`
  - `c_zeros.pxd`
- `tests/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `test_basinhopping.cpython-310.pyc`
    - `test_differential_evolution.cpython-310.pyc`
    - `test_dual_annealing.cpython-310.pyc`
    - `test_linprog_clean_inputs.cpython-310.pyc`
    - `test_numdiff.cpython-310.pyc`
    - `test_remove_redundancy.cpython-310.pyc`
    - `test_root.cpython-310.pyc`
    - `test_shgo.cpython-310.pyc`
    - `test_spectral.cpython-310.pyc`
    - `test_bracket.cpython-310.pyc`
    - `test_chandrupatla.cpython-310.pyc`
    - `test_coby1a.cpython-310.pyc`
    - `test_cobyqa.cpython-310.pyc`
    - `test_constraint_conversion.cpython-310.pyc`
    - `test_constraints.cpython-310.pyc`
    - `test_cython_optimize.cpython-310.pyc`
    - `test_differentiable_functions.cpython-310.pyc`
    - `test_direct.cpython-310.pyc`
    - `test_extending.cpython-310.pyc`
    - `test_hessian_update_strategy.cpython-310.pyc`
    - `test_isotonic_regression.cpython-310.pyc`
    - `test_lbfgsb_hessinv.cpython-310.pyc`
    - `test_lbfgsb_setulb.cpython-310.pyc`
    - `test_least_squares.cpython-310.pyc`
    - `test_linear_assignment.cpython-310.pyc`
    - `test_linesearch.cpython-310.pyc`
    - `test_linprog.cpython-310.pyc`
    - `test_lsq_common.cpython-310.pyc`
    - `test_lsq_linear.cpython-310.pyc`
    - `test_milp.cpython-310.pyc`

- test\_minimize\_constrained.cpython-310.pyc
- test\_minpack.cpython-310.pyc
- test\_nnls.cpython-310.pyc
- test\_nonlin.cpython-310.pyc
- test\_optimize.cpython-310.pyc
- test\_quadratic\_assignment.cpython-310.pyc
- test\_regression.cpython-310.pyc
- test\_slsqp.cpython-310.pyc
- test\_tnc.cpython-310.pyc
- test\_trustregion.cpython-310.pyc
- test\_trustregion\_exact.cpython-310.pyc
- test\_trustregion\_krylov.cpython-310.pyc
- test\_zeros.cpython-310.pyc
- cython\_examples/
  - extending.pyx
  - meson.build
- \_init\_.py
- test\_basinhopping.py
- test\_\_differential\_evolution.py
- test\_dual\_annealing.py
- test\_linprog\_clean\_inputs.py
- test\_numdiff.py
- test\_remove\_redundancy.py
- test\_root.py
- test\_shgo.py
- test\_spectral.py
- test\_bracket.py
- test\_chandrupatla.py
- test\_cobyla.py
- test\_cobyqa.py
- test\_constraint\_conversion.py
- test\_constraints.py
- test\_cython\_optimize.py
- test\_differentiable\_functions.py
- test\_direct.py
- test\_extending.py
- test\_hessian\_update\_strategy.py
- test\_isotonic\_regression.py
- test\_lbfgsb\_hessinv.py
- test\_lbfgsb\_setulb.py
- test\_least\_squares.py
- test\_linear\_assignment.py
- test\_linesearch.py
- test\_linprog.py
- test\_lsq\_common.py
- test\_lsq\_linear.py
- test\_milp.py
- test\_minimize\_constrained.py
- test\_minpack.py
- test\_nnls.py
- test\_nonlin.py
- test\_optimize.py
- test\_quadratic\_assignment.py
- test\_regression.py
- test\_slsqp.py
- test\_tnc.py
- test\_trustregion.py
- test\_trustregion\_exact.py
- test\_trustregion\_krylov.py
- test\_zeros.py
- \_init\_.pxd
- \_init\_.py
- \_basinhopping.py
- \_bglu\_dense.cp310-win\_amd64.dll.a
- \_bglu\_dense.cp310-win\_amd64.pyd
- \_bracket.py
- \_chandrupatla.py
- \_cobyla.cp310-win\_amd64.dll.a
- \_cobyla.cp310-win\_amd64.pyd
- \_cobyla\_py.py
- \_cobyqa\_py.py
- \_constraints.py
- \_cython\_nnls.cp310-win\_amd64.dll.a
- \_cython\_nnls.cp310-win\_amd64.pyd
- \_dcsr.ch.py
- \_differentiable\_functions.py
- \_differential\_evolution.py
- \_direct.cp310-win\_amd64.dll.a
- \_direct.cp310-win\_amd64.pyd
- \_direct\_py.py
- \_dual\_annealing.py
- \_elementwise.py
- \_group\_columns.cp310-win\_amd64.dll.a
- \_group\_columns.cp310-win\_amd64.pyd
- \_hessian\_update\_strategy.py

- \_isotonic.py
- \_lbfgsb.cp310-win\_amd64.dll.a
- \_lbfgsb.cp310-win\_amd64.pyd
- \_lbfgsb\_py.py
- \_linesearch.py
- \_linprog.py
- \_linprog\_doc.py
- \_linprog\_highs.py
- \_linprog\_ip.py
- \_linprog\_rs.py
- \_linprog\_simplex.py
- \_linprog\_util.py
- \_lsap.cp310-win\_amd64.dll.a
- \_lsap.cp310-win\_amd64.pyd
- \_milp.py
- \_minimize.py
- \_minpack.cp310-win\_amd64.dll.a
- \_minpack.cp310-win\_amd64.pyd
- \_minpack\_py.py
- \_moduleTNC.cp310-win\_amd64.dll.a
- \_moduleTNC.cp310-win\_amd64.pyd
- \_nnls.py
- \_nonlin.py
- \_numdiff.py
- \_optimize.py
- \_pava\_pybind.cp310-win\_amd64.dll.a
- \_pava\_pybind.cp310-win\_amd64.pyd
- \_qap.py
- \_remove\_redundancy.py
- \_root.py
- \_root\_scalar.py
- \_shgo.py
- \_slsqp.cp310-win\_amd64.dll.a
- \_slsqp.cp310-win\_amd64.pyd
- \_slsqp\_py.py
- \_spectral.py
- \_tnc.py
- \_trustregion.py
- \_trustregion\_dogleg.py
- \_trustregion\_exact.py
- \_trustregion\_krylov.py
- \_trustregion\_ncg.py
- \_tstutils.py
- \_zeros.cp310-win\_amd64.dll.a
- \_zeros.cp310-win\_amd64.pyd
- \_zeros\_py.py
- cobyala.py
- cython\_optimize.pxd
- elementwise.py
- lbfgsb.py
- linesearch.py
- minpack.py
- minpack2.py
- moduleTNC.py
- nonlin.py
- optimize.py
- slsqp.py
- tnc.py
- zeros.py
- signal/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_arraytools.cpython-310.pyc
    - \_czt.cpython-310.pyc
    - \_filter\_design.cpython-310.pyc
    - \_fir\_filter\_design.cpython-310.pyc
    - \_lti\_conversion.cpython-310.pyc
    - \_ltisys.cpython-310.pyc
    - \_max\_len\_seq.cpython-310.pyc
    - \_peak\_finding.cpython-310.pyc
    - \_savitzky\_golay.cpython-310.pyc
    - \_short\_time\_fft.cpython-310.pyc
    - \_signaltools.cpython-310.pyc
    - \_spectral\_py.cpython-310.pyc
    - \_spline\_filters.cpython-310.pyc
    - \_upfirdn.cpython-310.pyc
    - \_waveforms.cpython-310.pyc
    - \_wavelets.cpython-310.pyc
    - \_bsplines.cpython-310.pyc
    - \_filter\_design.cpython-310.pyc
    - \_fir\_filter\_design.cpython-310.pyc
    - \_lti\_conversion.cpython-310.pyc
    - \_ltisys.cpython-310.pyc
    - \_signaltools.cpython-310.pyc
    - \_spectral.cpython-310.pyc

- spline.cpython-310.pyc
- waveforms.cpython-310.pyc
- wavelets.cpython-310.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_scipy\_spectral\_test\_shim.cpython-310.pyc
    - mpsig.cpython-310.pyc
    - test\_array\_tools.cpython-310.pyc
    - test\_bsplines.cpython-310.pyc
    - test\_cont2discrete.cpython-310.pyc
    - test\_czt.cpython-310.pyc
    - test\_dltisys.cpython-310.pyc
    - test\_filter\_design.cpython-310.pyc
    - test\_fir\_filter\_design.cpython-310.pyc
    - test\_ltisys.cpython-310.pyc
    - test\_max\_len\_seq.cpython-310.pyc
    - test\_peak\_finding.cpython-310.pyc
    - test\_result\_type.cpython-310.pyc
    - test\_savitzky\_golay.cpython-310.pyc
    - test\_short\_time\_fft.cpython-310.pyc
    - test\_signaltools.cpython-310.pyc
    - test\_spectral.cpython-310.pyc
    - test\_splines.cpython-310.pyc
    - test\_upfirdn.cpython-310.pyc
    - test\_waveforms.cpython-310.pyc
    - test\_wavelets.cpython-310.pyc
    - test\_windows.cpython-310.pyc
  - \_\_init\_\_.py
  - \_scipy\_spectral\_test\_shim.py
  - mpsig.py
  - test\_array\_tools.py
  - test\_bsplines.py
  - test\_cont2discrete.py
  - test\_czt.py
  - test\_dltisys.py
  - test\_filter\_design.py
  - test\_fir\_filter\_design.py
  - test\_ltisys.py
  - test\_max\_len\_seq.py
  - test\_peak\_finding.py
  - test\_result\_type.py
  - test\_savitzky\_golay.py
  - test\_short\_time\_fft.py
  - test\_signaltools.py
  - test\_spectral.py
  - test\_splines.py
  - test\_upfirdn.py
  - test\_waveforms.py
  - test\_wavelets.py
  - test\_windows.py
- windows/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_windows.cpython-310.pyc
    - windows.cpython-310.pyc
  - \_\_init\_\_.py
  - \_windows.py
  - windows.py
- \_\_init\_\_.py
- \_arraytools.py
- \_czt.py
- \_filter\_design.py
- \_fir\_filter\_design.py
- \_lti\_conversion.py
- \_ltisys.py
- \_max\_len\_seq.py
- \_max\_len\_seq\_inner.cp310-win\_amd64.dll.a
- \_max\_len\_seq\_inner.cp310-win\_amd64.pyd
- \_peak\_finding.py
- \_peak\_finding\_utils.cp310-win\_amd64.dll.a
- \_peak\_finding\_utils.cp310-win\_amd64.pyd
- \_savitzky\_golay.py
- \_short\_time\_fft.py
- \_signaltools.py
- \_sigtools.cp310-win\_amd64.dll.a
- \_sigtools.cp310-win\_amd64.pyd
- \_sosfilt.cp310-win\_amd64.dll.a
- \_sosfilt.cp310-win\_amd64.pyd
- \_spectral.py.py
- \_spline.cp310-win\_amd64.dll.a
- \_spline.cp310-win\_amd64.pyd
- \_spline.pyi
- \_spline\_filters.py
- \_upfirdn.py

- \_upfirdn\_apply.cp310-win\_amd64.dll.a
- \_upfirdn\_apply.cp310-win\_amd64.pyd
- \_waveforms.py
- \_wavelets.py
- bsplines.py
- filter\_design.py
- fir\_filter\_design.py
- lti\_conversion.py
- ltisys.py
- signaltools.py
- spectral.py
- spline.py
- waveforms.py
- wavelets.py
- sparse/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - base.cpython-310.pyc
    - bsr.cpython-310.pyc
    - compressed.cpython-310.pyc
    - construct.cpython-310.pyc
    - coo.cpython-310.pyc
    - csc.cpython-310.pyc
    - csr.cpython-310.pyc
    - data.cpython-310.pyc
    - dia.cpython-310.pyc
    - dok.cpython-310.pyc
    - extract.cpython-310.pyc
    - index.cpython-310.pyc
    - lil.cpython-310.pyc
    - matrix.cpython-310.pyc
    - matrix\_io.cpython-310.pyc
    - spfuncs.cpython-310.pyc
    - sputils.cpython-310.pyc
    - base.cpython-310.pyc
    - bsr.cpython-310.pyc
    - compressed.cpython-310.pyc
    - construct.cpython-310.pyc
    - coo.cpython-310.pyc
    - csc.cpython-310.pyc
    - csr.cpython-310.pyc
    - data.cpython-310.pyc
    - dia.cpython-310.pyc
    - dok.cpython-310.pyc
    - extract.cpython-310.pyc
    - lil.cpython-310.pyc
    - sparsetools.cpython-310.pyc
    - spfuncs.cpython-310.pyc
    - sputils.cpython-310.pyc
  - csgraph/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - laplacian.cpython-310.pyc
      - validation.cpython-310.pyc
    - tests/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - test\_connected\_components.cpython-310.pyc
        - test\_conversions.cpython-310.pyc
        - test\_flow.cpython-310.pyc
        - test\_graph\_laplacian.cpython-310.pyc
        - test\_matching.cpython-310.pyc
        - test\_pydata\_sparse.cpython-310.pyc
        - test\_reordering.cpython-310.pyc
        - test\_shortest\_path.cpython-310.pyc
        - test\_spanning\_tree.cpython-310.pyc
        - test\_traversal.cpython-310.pyc
      - \_\_init\_\_.py
      - test\_connected\_components.py
      - test\_conversions.py
      - test\_flow.py
      - test\_graph\_laplacian.py
      - test\_matching.py
      - test\_pydata\_sparse.py
      - test\_reordering.py
      - test\_shortest\_path.py
      - test\_spanning\_tree.py
      - test\_traversal.py
      - \_\_init\_\_.py
      - \_flow.cp310-win\_amd64.dll.a
      - \_flow.cp310-win\_amd64.pyd
      - laplacian.py
      - matching.cp310-win\_amd64.dll.a
      - matching.cp310-win\_amd64.pyd
      - min\_spanning\_tree.cp310-win\_amd64.dll.a



- \_min\_spanning\_tree.cp310-win\_amd64.pyd
- \_reordering.cp310-win\_amd64.dll.a
- \_reordering.cp310-win\_amd64.pyd
- \_shortest\_path.cp310-win\_amd64.dll.a
- \_shortest\_path.cp310-win\_amd64.pyd
- \_tools.cp310-win\_amd64.dll.a
- \_tools.cp310-win\_amd64.pyd
- \_traversal.cp310-win\_amd64.dll.a
- \_traversal.cp310-win\_amd64.pyd
- \_validation.py
- linalg/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_expm\_multiply.cpython-310.pyc
    - \_interface.cpython-310.pyc
    - \_matfuncs.cpython-310.pyc
    - \_norm.cpython-310.pyc
    - \_onenormest.cpython-310.pyc
    - \_special\_sparse\_arrays.cpython-310.pyc
    - \_svdp.cpython-310.pyc
    - \_dsolve.cpython-310.pyc
    - \_eigen.cpython-310.pyc
    - \_interface.cpython-310.pyc
    - \_isolve.cpython-310.pyc
    - \_matfuncs.cpython-310.pyc
  - dsolve/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_add\_newdocs.cpython-310.pyc
      - \_linsolve.cpython-310.pyc
    - tests/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_test\_linsolve.cpython-310.pyc
      - \_\_init\_\_.py
      - \_test\_linsolve.py
    - \_\_init\_\_.py
    - \_add\_newdocs.py
    - \_superlu.cp310-win\_amd64.dll.a
    - \_superlu.cp310-win\_amd64.pyd
    - \_linsolve.py
  - eigen/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_svds.cpython-310.pyc
      - \_svds\_doc.cpython-310.pyc
    - arpack/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_arpack.cpython-310.pyc
      - tests/
        - pycache\_/
          - \_\_init\_\_.cpython-310.pyc
          - \_test\_arpack.cpython-310.pyc
        - \_\_init\_\_.py
        - \_test\_arpack.py
      - \_\_init\_\_.py
      - \_arpack.cp310-win\_amd64.dll.a
      - \_arpack.cp310-win\_amd64.pyd
      - \_arpack.py
      - COPYING
    - lobpcg/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_lobpcg.cpython-310.pyc
      - tests/
        - pycache\_/
          - \_\_init\_\_.cpython-310.pyc
          - \_test\_lobpcg.cpython-310.pyc
        - \_\_init\_\_.py
        - \_test\_lobpcg.py
      - \_\_init\_\_.py
      - \_lobpcg.py
    - tests/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_test\_svds.cpython-310.pyc
      - \_\_init\_\_.py
      - \_test\_svds.py
    - \_\_init\_\_.py
    - \_svds.py
    - \_svds\_doc.py
  - isolve/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc

- \_gcrotmk.cpython-310.pyc
- iterative.cpython-310.pyc
- lgmr.cpython-310.pyc
- lsqr.cpython-310.pyc
- minres.cpython-310.pyc
- tfqmr.cpython-310.pyc
- utils.cpython-310.pyc
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_gcrotmk.cpython-310.pyc
    - test\_iterative.cpython-310.pyc
    - test\_lgmr.cpython-310.pyc
    - test\_lsqr.cpython-310.pyc
    - test\_minres.cpython-310.pyc
    - test\_utils.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_gcrotmk.py
  - test\_iterative.py
  - test\_lgmr.py
  - test\_lsqr.py
  - test\_minres.py
  - test\_utils.py
- \_init\_\_.py
- \_gcrotmk.py
- iterative.py
- lgmr.py
- lsqr.py
- minres.py
- tfqmr.py
- utils.py
- \_propack/
  - \_cpropack.cp310-win\_amd64.dll.a
  - \_cpropack.cp310-win\_amd64.pyd
  - \_dpropack.cp310-win\_amd64.dll.a
  - \_dpropack.cp310-win\_amd64.pyd
  - \_spropack.cp310-win\_amd64.dll.a
  - \_spropack.cp310-win\_amd64.pyd
  - \_zpropack.cp310-win\_amd64.dll.a
  - \_zpropack.cp310-win\_amd64.pyd
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_expm\_multiply.cpython-310.pyc
    - test\_interface.cpython-310.pyc
    - test\_matfuncs.cpython-310.pyc
    - test\_norm.cpython-310.pyc
    - test\_onenormest.cpython-310.pyc
    - test\_propack.cpython-310.pyc
    - test\_pydata\_sparse.cpython-310.pyc
    - test\_special\_sparse\_arrays.cpython-310.pyc
  - \_\_init\_\_.py
  - propack\_test\_data.npz
  - test\_expm\_multiply.py
  - test\_interface.py
  - test\_matfuncs.py
  - test\_norm.py
  - test\_onenormest.py
  - test\_propack.py
  - test\_pydata\_sparse.py
  - test\_special\_sparse\_arrays.py
- \_init\_\_.py
- \_expm\_multiply.py
- \_interface.py
- \_matfuncs.py
- \_norm.py
- \_onenormest.py
- \_special\_sparse\_arrays.py
- \_svdp.py
- \_dsolve.py
- \_eigen.py
- \_interface.py
- \_isolve.py
- \_matfuncs.py
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_arithmetic1d.cpython-310.pyc
    - test\_array\_api.cpython-310.pyc
    - test\_base.cpython-310.pyc
    - test\_common1d.cpython-310.pyc

- test\_construct.cpython-310.pyc
  - test\_coo.cpython-310.pyc
  - test\_csc.cpython-310.pyc
  - test\_csr.cpython-310.pyc
  - test\_dok.cpython-310.pyc
  - test\_extract.cpython-310.pyc
  - test\_indexing1d.cpython-310.pyc
  - test\_matrix\_io.cpython-310.pyc
  - test\_minmax1d.cpython-310.pyc
  - test\_sparsetools.cpython-310.pyc
  - test\_spfuncs.cpython-310.pyc
  - test\_sputils.cpython-310.pyc
- data/
  - csc\_py2.npz
  - csc\_py3.npz
- \_\_init\_\_.py
- test\_arithmetic1d.py
- test\_array\_api.py
- test\_base.py
- test\_common1d.py
- test\_construct.py
- test\_coo.py
- test\_csc.py
- test\_csr.py
- test\_dok.py
- test\_extract.py
- test\_indexing1d.py
- test\_matrix\_io.py
- test\_minmax1d.py
- test\_sparsetools.py
- test\_spfuncs.py
- test\_sputils.py
- \_\_init\_\_.py
- \_base.py
- \_bsr.py
- \_compressed.py
- \_construct.py
- \_coo.py
- \_csc.py
- \_csparsetools.cp310-win\_amd64.dll.a
- \_csparsetools.cp310-win\_amd64.pyd
- \_csr.py
- \_data.py
- \_dia.py
- \_dok.py
- \_extract.py
- \_index.py
- \_lil.py
- \_matrix.py
- \_matrix\_io.py
- \_sparsetools.cp310-win\_amd64.dll.a
- \_sparsetools.cp310-win\_amd64.pyd
- \_spfuncs.py
- \_sputils.py
- base.py
- bsr.py
- compressed.py
- construct.py
- coo.py
- csc.py
- csr.py
- data.py
- dia.py
- dok.py
- extract.py
- lil.py
- sparsetools.py
- spfuncs.py
- sputils.py
- spatial/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_geometric\_slerp.cpython-310.pyc
    - \_kdtree.cpython-310.pyc
    - \_plotutils.cpython-310.pyc
    - \_procrustes.cpython-310.pyc
    - \_spherical\_voronoi.cpython-310.pyc
    - ckdtree.cpython-310.pyc
    - distance.cpython-310.pyc
    - kdtree.cpython-310.pyc
    - qhull.cpython-310.pyc
- qhull\_src/
  - COPYING.txt
- tests/
  - \_\_pycache\_\_/

- `__init__.cpython-310.pyc`
- `test_plotutils.cpython-310.pyc`
- `test_procrustes.cpython-310.pyc`
- `test_distance.cpython-310.pyc`
- `test_hausdorff.cpython-310.pyc`
- `test_kdtree.cpython-310.pyc`
- `test_qhull.cpython-310.pyc`
- `test_slerp.cpython-310.pyc`
- `test_spherical_voronoi.cpython-310.pyc`
- `data/`
  - `cdist-X1.txt`
  - `cdist-X2.txt`
  - `degenerate_pointset.npz`
  - `iris.txt`
  - `pdist-boolean-inp.txt`
  - `pdist-chebyshev-ml-iris.txt`
  - `pdist-chebyshev-ml.txt`
  - `pdist-cityblock-ml-iris.txt`
  - `pdist-cityblock-ml.txt`
  - `pdist-correlation-ml-iris.txt`
  - `pdist-correlation-ml.txt`
  - `pdist-cosine-ml-iris.txt`
  - `pdist-cosine-ml.txt`
  - `pdist-double-inp.txt`
  - `pdist-euclidean-ml-iris.txt`
  - `pdist-euclidean-ml.txt`
  - `pdist-hamming-ml.txt`
  - `pdist-jaccard-ml.txt`
  - `pdist-jensenshannon-ml-iris.txt`
  - `pdist-jensenshannon-ml.txt`
  - `pdist-minkowski-3.2-ml-iris.txt`
  - `pdist-minkowski-3.2-ml.txt`
  - `pdist-minkowski-5.8-ml-iris.txt`
  - `pdist-seuclidean-ml-iris.txt`
  - `pdist-seuclidean-ml.txt`
  - `pdist-spearman-ml.txt`
  - `random-bool-data.txt`
  - `random-double-data.txt`
  - `random-int-data.txt`
  - `random-uint-data.txt`
  - `selfdual-4d-polytope.txt`
- `__init__.py`
- `test_plotutils.py`
- `test_procrustes.py`
- `test_distance.py`
- `test_hausdorff.py`
- `test_kdtree.py`
- `test_qhull.py`
- `test_slerp.py`
- `test_spherical_voronoi.py`
- `transform/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `_rotation_groups.cpython-310.pyc`
    - `_rotation_spline.cpython-310.pyc`
    - `rotation.cpython-310.pyc`
  - `tests/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
      - `test_rotation.cpython-310.pyc`
      - `test_rotation_groups.cpython-310.pyc`
      - `test_rotation_spline.cpython-310.pyc`
    - `__init__.py`
    - `test_rotation.py`
    - `test_rotation_groups.py`
    - `test_rotation_spline.py`
  - `__init__.py`
  - `_rotation.cp310-win_amd64.dll.a`
  - `_rotation.cp310-win_amd64.pyd`
  - `_rotation_groups.py`
  - `_rotation_spline.py`
  - `rotation.py`
- `__init__.py`
- `_ckdtree.cp310-win_amd64.dll.a`
- `_ckdtree.cp310-win_amd64.pyd`
- `_distance_pybind.cp310-win_amd64.dll.a`
- `_distance_pybind.cp310-win_amd64.pyd`
- `_distance_wrap.cp310-win_amd64.dll.a`
- `_distance_wrap.cp310-win_amd64.pyd`
- `_geometric_slerp.py`
- `_hausdorff.cp310-win_amd64.dll.a`
- `_hausdorff.cp310-win_amd64.pyd`
- `_kdtree.py`
- `_plotutils.py`
- `_procrustes.py`

- \_qhull.cp310-win\_amd64.dll.a
- \_qhull.cp310-win\_amd64.pyd
- \_qhull.pyi
- \_spherical\_voronoi.py
- voronoi.cp310-win\_amd64.dll.a
- voronoi.cp310-win\_amd64.pyd
- voronoi.pyi
- ckdtree.py
- distance.py
- distance.pyi
- kdtree.py
- qhull.py
- special/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - add\_newdocs.cpython-310.pyc
    - basic.cpython-310.pyc
    - ellip\_harm.cpython-310.pyc
    - input\_validation.cpython-310.pyc
    - lambertw.cpython-310.pyc
    - logsumexp.cpython-310.pyc
    - mptestutils.cpython-310.pyc
    - multiufuncs.cpython-310.pyc
    - orthogonal.cpython-310.pyc
    - sf\_error.cpython-310.pyc
    - spfun\_stats.cpython-310.pyc
    - spherical\_bessel.cpython-310.pyc
    - support\_alternative\_backends.cpython-310.pyc
    - testutils.cpython-310.pyc
    - add\_newdocs.cpython-310.pyc
    - basic.cpython-310.pyc
    - orthogonal.cpython-310.pyc
    - sf\_error.cpython-310.pyc
    - specfun.cpython-310.pyc
    - spfun\_stats.cpython-310.pyc
  - precompute/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - cosine\_cdf.cpython-310.pyc
      - expn\_asy.cpython-310.pyc
      - gammainc\_asy.cpython-310.pyc
      - gammainc\_data.cpython-310.pyc
      - hyp2f1\_data.cpython-310.pyc
      - lambertw.cpython-310.pyc
      - loggamma.cpython-310.pyc
      - struve\_convergence.cpython-310.pyc
      - utils.cpython-310.pyc
      - wright\_bessel.cpython-310.pyc
      - wright\_bessel\_data.cpython-310.pyc
      - wrightomega.cpython-310.pyc
      - zetac.cpython-310.pyc
    - \_\_init\_\_.py
    - cosine\_cdf.py
    - expn\_asy.py
    - gammainc\_asy.py
    - gammainc\_data.py
    - hyp2f1\_data.py
    - lambertw.py
    - loggamma.py
    - struve\_convergence.py
    - utils.py
    - wright\_bessel.py
    - wright\_bessel\_data.py
    - wrightomega.py
    - zetac.py
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_basic.cpython-310.pyc
      - test\_bdtr.cpython-310.pyc
      - test\_boost\_ufuncs.cpython-310.pyc
      - test\_boxcox.cpython-310.pyc
      - test\_cdflib.cpython-310.pyc
      - test\_cdft\_asymptotic.cpython-310.pyc
      - test\_cephes\_intp\_cast.cpython-310.pyc
      - test\_cosine\_distr.cpython-310.pyc
      - test\_cython\_special.cpython-310.pyc
      - test\_data.cpython-310.pyc
      - test\_dd.cpython-310.pyc
      - test\_digamma.cpython-310.pyc
      - test\_ellip\_harm.cpython-310.pyc
      - test\_erfinv.cpython-310.pyc
      - test\_exponential\_integrals.cpython-310.pyc
      - test\_extending.cpython-310.pyc
      - test\_faddeeva.cpython-310.pyc

- test\_gamma.cpython-310.pyc
- test\_gammainc.cpython-310.pyc
- test\_hyp2f1.cpython-310.pyc
- test\_hypergeometric.cpython-310.pyc
- test\_iv\_ratio.cpython-310.pyc
- test\_kolmogorov.cpython-310.pyc
- test\_lambertw.cpython-310.pyc
- test\_legendre.cpython-310.pyc
- test\_log\_softmax.cpython-310.pyc
- test\_loggamma.cpython-310.pyc
- test\_logit.cpython-310.pyc
- test\_logsumexp.cpython-310.pyc
- test\_mpmath.cpython-310.pyc
- test\_nan\_inputs.cpython-310.pyc
- test\_ndtr.cpython-310.pyc
- test\_ndtri\_exp.cpython-310.pyc
- test\_orthogonal.cpython-310.pyc
- test\_orthogonal\_eval.cpython-310.pyc
- test\_owens\_t.cpython-310.pyc
- test\_pcf.cpython-310.pyc
- test\_pdtr.cpython-310.pyc
- test\_powm1.cpython-310.pyc
- test\_precompute\_expn\_asy.cpython-310.pyc
- test\_precompute\_gammainc.cpython-310.pyc
- test\_precompute\_utils.cpython-310.pyc
- test\_round.cpython-310.pyc
- test\_sf\_error.cpython-310.pyc
- test\_sici.cpython-310.pyc
- test\_specfun.cpython-310.pyc
- test\_spence.cpython-310.pyc
- test\_spfun\_stats.cpython-310.pyc
- test\_sph\_harm.cpython-310.pyc
- test\_spherical\_bessel.cpython-310.pyc
- test\_support\_alternative\_backends.cpython-310.pyc
- test\_trig.cpython-310.pyc
- test\_ufunc\_signatures.cpython-310.pyc
- test\_wright\_bessel.cpython-310.pyc
- test\_wrightomega.cpython-310.pyc
- test\_xsf\_cuda.cpython-310.pyc
- test\_zeta.cpython-310.pyc
- cython\_examples/
  - extending.pyx
  - meson.build
- data/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - boost.npz
  - gsl.npz
  - local.npz
- \_\_init\_\_.py
- test\_basic.py
- test\_bdtr.py
- test\_boost\_ufuncs.py
- test\_boxcox.py
- test\_cdflib.py
- test\_cdft\_asymptotic.py
- test\_cephes\_intp\_cast.py
- test\_cosine\_distr.py
- test\_cython\_special.py
- test\_data.py
- test\_dd.py
- test\_digamma.py
- test\_ellip\_harm.py
- test\_erfinv.py
- test\_exponential\_integrals.py
- test\_extending.py
- test\_faddeeva.py
- test\_gamma.py
- test\_gammainc.py
- test\_hyp2f1.py
- test\_hypergeometric.py
- test\_iv\_ratio.py
- test\_kolmogorov.py
- test\_lambertw.py
- test\_legendre.py
- test\_log\_softmax.py
- test\_loggamma.py
- test\_logit.py
- test\_logsumexp.py
- test\_mpmath.py
- test\_nan\_inputs.py
- test\_ndtr.py
- test\_ndtri\_exp.py
- test\_orthogonal.py

- test\_orthogonal\_eval.py
- test\_owens\_t.py
- test\_pcf.py
- test\_pdtr.py
- test\_powm1.py
- test\_precompute\_expn\_asy.py
- test\_precompute\_gammainc.py
- test\_precompute\_utils.py
- test\_round.py
- test\_sf\_error.py
- test\_sici.py
- test\_specfun.py
- test\_spence.py
- test\_spfun\_stats.py
- test\_sph\_harm.py
- test\_spherical\_bessel.py
- test\_support\_alternative\_backends.py
- test\_trig.py
- test\_ufunc\_signatures.py
- test\_wright\_bessel.py
- test\_wrightomega.py
- test\_xsf\_cuda.py
- test\_zeta.py
- xsf/
  - cephes/
    - airy.h
    - besselpoly.h
    - beta.h
    - cbrt.h
    - chbevl.h
    - chdtr.h
    - const.h
    - ellie.h
    - ellik.h
    - ellpe.h
    - ellpk.h
    - expn.h
    - gamma.h
    - hyp2f1.h
    - hyperg.h
    - i0.h
    - i1.h
    - igam.h
    - igam\_asymp\_coeff.h
    - igami.h
    - j0.h
    - j1.h
    - jv.h
    - k0.h
    - k1.h
    - kn.h
    - lanczos.h
    - ndtr.h
    - poch.h
    - polevl.h
    - psi.h
    - rgamma.h
    - scipy\_iv.h
    - shichi.h
    - sici.h
    - sindg.h
    - tandg.h
    - trig.h
    - unity.h
    - zeta.h
  - binom.h
  - cdflib.h
  - config.h
  - digamma.h
  - error.h
  - evalpoly.h
  - expint.h
  - hyp2f1.h
  - iv\_ratio.h
  - lambertw.h
  - loggamma.h
  - sici.h
  - tools.h
  - trig.h
  - wright\_bessel.h
  - zlog1.h
- \_\_init\_\_.pxd
- \_\_init\_\_.py
- \_add\_newdocs.py
- \_basic.py

- \_comb.cp310-win\_amd64.dll.a
- \_comb.cp310-win\_amd64.pyd
- \_ellip\_harm.py
- \_ellip\_harm\_2.cp310-win\_amd64.dll.a
- \_ellip\_harm\_2.cp310-win\_amd64.pyd
- \_gufuncs.cp310-win\_amd64.dll.a
- \_gufuncs.cp310-win\_amd64.pyd
- \_input\_validation.py
- \_lambertw.py
- \_logsumexp.py
- \_mptestutils.py
- \_multiufuncs.py
- \_orthogonal.py
- \_orthogonal.pyi
- \_sf\_error.py
- \_specfun.cp310-win\_amd64.dll.a
- \_specfun.cp310-win\_amd64.pyd
- \_special\_ufuncs.cp310-win\_amd64.dll.a
- \_special\_ufuncs.cp310-win\_amd64.pyd
- \_spfun\_stats.py
- \_spherical\_bessel.py
- \_support\_alternative\_backends.py
- \_test\_internal.cp310-win\_amd64.dll.a
- \_test\_internal.cp310-win\_amd64.pyd
- \_test\_internal.pyi
- \_testutils.py
- \_ufuncs.cp310-win\_amd64.dll.a
- \_ufuncs.cp310-win\_amd64.pyd
- \_ufuncs.pyi
- \_ufuncs.pyx
- \_ufuncs\_cxx.cp310-win\_amd64.dll.a
- \_ufuncs\_cxx.cp310-win\_amd64.pyd
- \_ufuncs\_cxx.pxd
- \_ufuncs\_cxx.pyx
- \_ufuncs\_cxx\_defs.h
- \_ufuncs\_defs.h
- add\_newdocs.py
- basic.py
- cython\_special.cp310-win\_amd64.dll.a
- cython\_special.cp310-win\_amd64.pyd
- cython\_special.pxd
- cython\_special.pyi
- libsf\_error\_state.dll
- libsf\_error\_state.dll.a
- orthogonal.py
- sf\_error.py
- specfun.py
- spfun\_stats.py
- stats/
  - \_pycache\_/
    - \_init\_.cpython-310.pyc
    - \_axis\_nan\_policy.cpython-310.pyc
    - \_binned\_statistic.cpython-310.pyc
    - \_binomtest.cpython-310.pyc
    - \_bws\_test.cpython-310.pyc
    - \_censored\_data.cpython-310.pyc
    - \_common.cpython-310.pyc
    - \_constants.cpython-310.pyc
    - \_continuous\_distns.cpython-310.pyc
    - \_correlation.cpython-310.pyc
    - \_covariance.cpython-310.pyc
    - \_crosstab.cpython-310.pyc
    - \_discrete\_distns.cpython-310.pyc
    - \_distn\_infrastructure.cpython-310.pyc
    - \_distr\_params.cpython-310.pyc
    - \_distribution\_infrastructure.cpython-310.pyc
    - \_entropy.cpython-310.pyc
    - \_fit.cpython-310.pyc
    - \_hypotests.cpython-310.pyc
    - \_kde.cpython-310.pyc
    - \_ksstats.cpython-310.pyc
    - \_mannwhitneyu.cpython-310.pyc
    - \_mgc.cpython-310.pyc
    - \_morestats.cpython-310.pyc
    - \_mstats\_basic.cpython-310.pyc
    - \_mstats\_extras.cpython-310.pyc
    - \_multicomp.cpython-310.pyc
    - \_multivariate.cpython-310.pyc
    - \_new\_distributions.cpython-310.pyc
    - \_odds\_ratio.cpython-310.pyc
    - \_page\_trend\_test.cpython-310.pyc
    - \_probability\_distribution.cpython-310.pyc
    - \_qmc.cpython-310.pyc
    - \_qmvnt.cpython-310.pyc
    - \_relative\_risk.cpython-310.pyc



- \_resampling.cpython-310.pyc
- result\_classes.cpython-310.pyc
- sampling.cpython-310.pyc
- sensitivity\_analysis.cpython-310.pyc
- stats\_mstats\_common.cpython-310.pyc
- stats\_py.cpython-310.pyc
- survival.cpython-310.pyc
- tukeylambda\_stats.cpython-310.pyc
- variation.cpython-310.pyc
- warnings\_errors.cpython-310.pyc
- wilcoxon.cpython-310.pyc
- biasedurn.cpython-310.pyc
- contingency.cpython-310.pyc
- distributions.cpython-310.pyc
- kde.cpython-310.pyc
- morestats.cpython-310.pyc
- mstats.cpython-310.pyc
- mstats\_basic.cpython-310.pyc
- mstats\_extras.cpython-310.pyc
- mvn.cpython-310.pyc
- qmc.cpython-310.pyc
- sampling.cpython-310.pyc
- stats.cpython-310.pyc
- levy\_stable/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - levyst.cp310-win\_amd64.dll.a
  - levyst.cp310-win\_amd64.pyd
- rcont/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - rcont.cp310-win\_amd64.dll.a
  - rcont.cp310-win\_amd64.pyd
- unuran/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - unuran\_wrapper.cp310-win\_amd64.dll.a
  - unuran\_wrapper.cp310-win\_amd64.pyd
  - unuran\_wrapper.pyi
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - common\_tests.cpython-310.pyc
  - test\_axis\_nan\_policy.cpython-310.pyc
  - test\_binned\_statistic.cpython-310.pyc
  - test\_censored\_data.cpython-310.pyc
  - test\_contingency.cpython-310.pyc
  - test\_continuous.cpython-310.pyc
  - test\_continuous\_basic.cpython-310.pyc
  - test\_continuous\_fit\_censored.cpython-310.pyc
  - test\_correlation.cpython-310.pyc
  - test\_crosstab.cpython-310.pyc
  - test\_discrete\_basic.cpython-310.pyc
  - test\_discrete\_distns.cpython-310.pyc
  - test\_distributions.cpython-310.pyc
  - test\_entropy.cpython-310.pyc
  - test\_fast\_gen\_inversion.cpython-310.pyc
  - test\_fit.cpython-310.pyc
  - test\_hypotests.cpython-310.pyc
  - test\_kdeoth.cpython-310.pyc
  - test\_mgc.cpython-310.pyc
  - test\_morestats.cpython-310.pyc
  - test\_mstats\_basic.cpython-310.pyc
  - test\_mstats\_extras.cpython-310.pyc
  - test\_multicomp.cpython-310.pyc
  - test\_multivariate.cpython-310.pyc
  - test\_odds\_ratio.cpython-310.pyc
  - test\_qmc.cpython-310.pyc
  - test\_rank.cpython-310.pyc
  - test\_relative\_risk.cpython-310.pyc
  - test\_resampling.cpython-310.pyc
  - test\_sampling.cpython-310.pyc
  - test\_sensitivity\_analysis.cpython-310.pyc
  - test\_stats.cpython-310.pyc
  - test\_survival.cpython-310.pyc
  - test\_tukeylambda\_stats.cpython-310.pyc
  - test\_variation.cpython-310.pyc
- data/
  - pycache\_/
    - \_mvt.cpython-310.pyc
    - fisher\_exact\_results\_from\_r.cpython-310.pyc
  - levy\_stable/

- stable-loc-scale-sample-data.npy
- stable-Z1-cdf-sample-data.npy
- stable-Z1-pdf-sample-data.npy
- nist\_anova/
  - AtmWtAg.dat
  - SiRstv.dat
  - SmLs01.dat
  - SmLs02.dat
  - SmLs03.dat
  - SmLs04.dat
  - SmLs05.dat
  - SmLs06.dat
  - SmLs07.dat
  - SmLs08.dat
  - SmLs09.dat
- nist\_linregress/
  - Norris.dat
- \_mvt.py
- fisher\_exact\_results\_from\_r.py
- jf\_skew\_t\_gamlss\_pdf\_data.npy
- rel\_breitwigner\_pdf\_sample\_data\_ROOT.npy
- studentized\_range\_mpmath\_ref.json
- \_init\_.py
- common\_tests.py
- test\_axis\_nan\_policy.py
- test\_binned\_statistic.py
- test\_censored\_data.py
- test\_contingency.py
- test\_continuous.py
- test\_continuous\_basic.py
- test\_continuous\_fit\_censored.py
- test\_correlation.py
- test\_crosstab.py
- test\_discrete\_basic.py
- test\_discrete\_distns.py
- test\_distributions.py
- test\_entropy.py
- test\_fast\_gen\_inversion.py
- test\_fit.py
- test\_hypotests.py
- test\_kdeoth.py
- test\_mgc.py
- test\_morestats.py
- test\_mstats\_basic.py
- test\_mstats\_extras.py
- test\_multicomp.py
- test\_multivariate.py
- test\_odds\_ratio.py
- test\_qmc.py
- test\_rank.py
- test\_relative\_risk.py
- test\_resampling.py
- test\_sampling.py
- test\_sensitivity\_analysis.py
- test\_stats.py
- test\_survival.py
- test\_tukeylambda\_stats.py
- test\_variation.py
- \_init\_.py
- \_ansari\_swilk\_statistics.cp310-win\_amd64.dll.a
- \_ansari\_swilk\_statistics.cp310-win\_amd64.pyd
- \_axis\_nan\_policy.py
- \_biasedurn.cp310-win\_amd64.dll.a
- \_biasedurn.cp310-win\_amd64.pyd
- \_biasedurn.pxd
- \_binned\_statistic.py
- \_binomtest.py
- \_bws\_test.py
- \_censored\_data.py
- \_common.py
- \_constants.py
- \_continuous\_distns.py
- \_correlation.py
- \_covariance.py
- \_crosstab.py
- \_discrete\_distns.py
- \_distn\_infrastructure.py
- \_distr\_params.py
- \_distribution\_infrastructure.py
- \_entropy.py
- \_fit.py
- \_hypotests.py
- \_kde.py
- \_ksstats.py
- \_mannwhitneyu.py

- \_mgc.py
- \_morestats.py
- \_mstats\_basic.py
- \_mstats\_extras.py
- \_multicomp.py
- \_multivariate.py
- \_mvn.cp310-win\_amd64.dll.a
- \_mvn.cp310-win\_amd64.pyd
- \_new\_distributions.py
- \_odds\_ratio.py
- \_page\_trend\_test.py
- \_probability\_distribution.py
- \_qmc.py
- \_qmc\_cy.cp310-win\_amd64.dll.a
- \_qmc\_cy.cp310-win\_amd64.pyd
- \_qmc\_cy.pyi
- \_qmvnt.py
- \_relative\_risk.py
- \_resampling.py
- \_result\_classes.py
- \_sampling.py
- \_sensitivity\_analysis.py
- \_sobol.cp310-win\_amd64.dll.a
- \_sobol.cp310-win\_amd64.pyd
- \_sobol.pyi
- \_sobol\_direction\_numbers.npz
- \_stats.cp310-win\_amd64.dll.a
- \_stats.cp310-win\_amd64.pyd
- \_stats.pxd
- \_stats\_mstats\_common.py
- \_stats\_py.py
- \_stats\_pythran.cp310-win\_amd64.dll.a
- \_stats\_pythran.cp310-win\_amd64.pyd
- \_survival.py
- \_tukeylambda\_stats.py
- \_variation.py
- \_warnings\_errors.py
- \_wilcoxon.py
- biasedurn.py
- contingency.py
- distributions.py
- kde.py
- morestats.py
- mstats.py
- mstats\_basic.py
- mstats\_extras.py
- mvn.py
- qmc.py
- sampling.py
- stats.py
- \_\_config\_\_.py
- \_\_init\_\_.py
- \_distributor\_init.py
- conftest.py
- version.py
- scipy-1.15.3.dist-info/
  - DELVEWHEEL
  - INSTALLER
  - LICENSE.txt
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- scipy.libs/
  - libscipy\_openblas-f07f5a5d207a3a47104dca54d6d0c86a.dll
- setuptools/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_core\_metadata.cpython-310.pyc
    - \_discovery.cpython-310.pyc
    - \_entry\_points.cpython-310.pyc
    - \_imp.cpython-310.pyc
    - \_importlib.cpython-310.pyc
    - \_itertools.cpython-310.pyc
    - \_normalization.cpython-310.pyc
    - \_path.cpython-310.pyc
    - \_reqs.cpython-310.pyc
    - \_scripts.cpython-310.pyc
    - \_shutil.cpython-310.pyc
    - \_static.cpython-310.pyc
    - \_archive\_util.cpython-310.pyc
    - \_build\_meta.cpython-310.pyc
    - \_depends.cpython-310.pyc
    - \_discovery.cpython-310.pyc
    - \_dist.cpython-310.pyc

- errors.cpython-310.pyc
- extension.cpython-310.pyc
- glob.cpython-310.pyc
- installer.cpython-310.pyc
- launch.cpython-310.pyc
- logging.cpython-310.pyc
- modified.cpython-310.pyc
- monkey.cpython-310.pyc
- msvc.cpython-310.pyc
- namespaces.cpython-310.pyc
- unicode\_utils.cpython-310.pyc
- version.cpython-310.pyc
- warnings.cpython-310.pyc
- wheel.cpython-310.pyc
- windows\_support.cpython-310.pyc
- distutils/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_log.cpython-310.pyc
    - \_macos\_compat.cpython-310.pyc
    - \_modified.cpython-310.pyc
    - \_msvccompiler.cpython-310.pyc
    - archive\_util.cpython-310.pyc
    - ccompiler.cpython-310.pyc
    - cmd.cpython-310.pyc
    - core.cpython-310.pyc
    - cygwinccompiler.cpython-310.pyc
    - debug.cpython-310.pyc
    - dep\_util.cpython-310.pyc
    - dir\_util.cpython-310.pyc
    - dist.cpython-310.pyc
    - errors.cpython-310.pyc
    - extension.cpython-310.pyc
    - fancy\_getopt.cpython-310.pyc
    - file\_util.cpython-310.pyc
    - filelist.cpython-310.pyc
    - log.cpython-310.pyc
    - spawn.cpython-310.pyc
    - sysconfig.cpython-310.pyc
    - text\_file.cpython-310.pyc
    - unixccompiler.cpython-310.pyc
    - util.cpython-310.pyc
    - version.cpython-310.pyc
    - versionpredicate.cpython-310.pyc
    - zosccompiler.cpython-310.pyc
- command/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_framework\_compat.cpython-310.pyc
    - bdist.cpython-310.pyc
    - bdist\_dumb.cpython-310.pyc
    - bdist\_rpm.cpython-310.pyc
    - build.cpython-310.pyc
    - build\_clib.cpython-310.pyc
    - build\_ext.cpython-310.pyc
    - build\_py.cpython-310.pyc
    - build\_scripts.cpython-310.pyc
    - check.cpython-310.pyc
    - clean.cpython-310.pyc
    - config.cpython-310.pyc
    - install.cpython-310.pyc
    - install\_data.cpython-310.pyc
    - install\_egg\_info.cpython-310.pyc
    - install\_headers.cpython-310.pyc
    - install\_lib.cpython-310.pyc
    - install\_scripts.cpython-310.pyc
    - sdist.cpython-310.pyc
  - \_\_init\_\_.py
  - \_framework\_compat.py
  - bdist.py
  - bdist\_dumb.py
  - bdist\_rpm.py
  - build.py
  - build\_clib.py
  - build\_ext.py
  - build\_py.py
  - build\_scripts.py
  - check.py
  - clean.py
  - config.py
  - install.py
  - install\_data.py
  - install\_egg\_info.py
  - install\_headers.py
  - install\_lib.py

```

└─ install_scripts.py
└─ sdist.py
compat/
└─ pycache_/
└─ __init__.cpython-310.pyc
└─ numpy.cpython-310.pyc
└─ py39.cpython-310.pyc
└─ __init__.py
└─ numpy.py
└─ py39.py
compilers/
└─ C/
└─ pycache_/
└─ base.cpython-310.pyc
└─ cygwin.cpython-310.pyc
└─ errors.cpython-310.pyc
└─ msvc.cpython-310.pyc
└─ unix.cpython-310.pyc
└─ zos.cpython-310.pyc
└─ tests/
└─ pycache_/
└─ test_base.cpython-310.pyc
└─ test_cygwin.cpython-310.pyc
└─ test_mingw.cpython-310.pyc
└─ test_msvc.cpython-310.pyc
└─ test_unix.cpython-310.pyc
└─ test_base.py
└─ test_cygwin.py
└─ test_mingw.py
└─ test_msvc.py
└─ test_unix.py
└─ base.py
└─ cygwin.py
└─ errors.py
└─ msvc.py
└─ unix.py
└─ zos.py
tests/
└─ pycache_/
└─ __init__.cpython-310.pyc
└─ support.cpython-310.pyc
└─ test_archive_util.cpython-310.pyc
└─ test_bdist.cpython-310.pyc
└─ test_bdist_dumb.cpython-310.pyc
└─ test_bdist_rpm.cpython-310.pyc
└─ test_build.cpython-310.pyc
└─ test_build_clib.cpython-310.pyc
└─ test_build_ext.cpython-310.pyc
└─ test_build_py.cpython-310.pyc
└─ test_build_scripts.cpython-310.pyc
└─ test_check.cpython-310.pyc
└─ test_clean.cpython-310.pyc
└─ test_cmd.cpython-310.pyc
└─ test_config_cmd.cpython-310.pyc
└─ test_core.cpython-310.pyc
└─ test_dir_util.cpython-310.pyc
└─ test_dist.cpython-310.pyc
└─ test_extension.cpython-310.pyc
└─ test_file_util.cpython-310.pyc
└─ test_filelist.cpython-310.pyc
└─ test_install.cpython-310.pyc
└─ test_install_data.cpython-310.pyc
└─ test_install_headers.cpython-310.pyc
└─ test_install_lib.cpython-310.pyc
└─ test_install_scripts.cpython-310.pyc
└─ test_log.cpython-310.pyc
└─ test_modified.cpython-310.pyc
└─ test_sdist.cpython-310.pyc
└─ test_spawn.cpython-310.pyc
└─ test_sysconfig.cpython-310.pyc
└─ test_text_file.cpython-310.pyc
└─ test_util.cpython-310.pyc
└─ test_version.cpython-310.pyc
└─ test_versionpredicate.cpython-310.pyc
└─ unix_compat.cpython-310.pyc
└─ compat/
└─ pycache_/
└─ __init__.cpython-310.pyc
└─ py39.cpython-310.pyc
└─ __init__.py
└─ py39.py
└─ __init__.py
└─ support.py
└─ test_archive_util.py
└─ test_bdist.py

```

- test\_bdist\_dumb.py
- test\_bdist\_rpm.py
- test\_build.py
- test\_build\_clib.py
- test\_build\_ext.py
- test\_build\_py.py
- test\_build\_scripts.py
- test\_check.py
- test\_clean.py
- test\_cmd.py
- test\_config\_cmd.py
- test\_core.py
- test\_dir\_util.py
- test\_dist.py
- test\_extension.py
- test\_file\_util.py
- test\_filelist.py
- test\_install.py
- test\_install\_data.py
- test\_install\_headers.py
- test\_install\_lib.py
- test\_install\_scripts.py
- test\_log.py
- test\_modified.py
- test\_sdist.py
- test\_spawn.py
- test\_sysconfig.py
- test\_text\_file.py
- test\_util.py
- test\_version.py
- test\_versionpredicate.py
- unix\_compat.py
- \_\_init\_\_.py
- \_log.py
- \_macos\_compat.py
- \_modified.py
- \_msvccompiler.py
- archive\_util.py
- ccompiler.py
- cmd.py
- core.py
- cygwinccompiler.py
- debug.py
- dep\_util.py
- dir\_util.py
- dist.py
- errors.py
- extension.py
- fancy\_getopt.py
- file\_util.py
- filelist.py
- log.py
- spawn.py
- sysconfig.py
- text\_file.py
- unixccompiler.py
- util.py
- version.py
- versionpredicate.py
- zosccompiler.py
- vendor/
  - autocommand/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - autoasync.cpython-310.pyc
      - autocommand.cpython-310.pyc
      - automain.cpython-310.pyc
      - autoparse.cpython-310.pyc
      - errors.cpython-310.pyc
    - \_\_init\_\_.py
    - autoasync.py
    - autocommand.py
    - automain.py
    - autoparse.py
    - errors.py
  - autocommand-2.2.2.dist-info/
    - INSTALLER
    - LICENSE
    - METADATA
    - RECORD
    - REQUESTED
    - top\_level.txt
    - WHEEL
- backports/
  - \_\_pycache\_\_/

- └─ \_\_init\_\_.cpython-310.pyc
- ─ tarfile/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_main\_\_.cpython-310.pyc
  - └─ compat/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ py38.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ py38.py
    - └─ \_\_init\_\_.py
    - └─ \_\_main\_\_.py
    - └─ \_\_init\_\_.py
  - ─ backports.tarfile-1.2.0.dist-info/
    - ─ INSTALLER
    - ─ LICENSE
    - ─ METADATA
    - ─ RECORD
    - ─ REQUESTED
    - ─ top\_level.txt
    - ─ WHEEL
  - ─ importlib\_metadata/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_adapters.cpython-310.pyc
      - └─ \_collections.cpython-310.pyc
      - └─ \_compat.cpython-310.pyc
      - └─ \_functools.cpython-310.pyc
      - └─ \_itertools.cpython-310.pyc
      - └─ \_meta.cpython-310.pyc
      - └─ \_text.cpython-310.pyc
      - └─ \_typing.cpython-310.pyc
      - └─ diagnose.cpython-310.pyc
    - └─ compat/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
        - └─ py311.cpython-310.pyc
        - └─ py39.cpython-310.pyc
      - └─ \_\_init\_\_.py
      - └─ py311.py
      - └─ py39.py
      - └─ \_\_init\_\_.py
      - └─ \_adapters.py
      - └─ \_collections.py
      - └─ \_compat.py
      - └─ \_functools.py
      - └─ \_itertools.py
      - └─ \_meta.py
      - └─ \_text.py
      - └─ \_typing.py
      - └─ diagnose.py
      - └─ py.typed
    - ─ importlib\_metadata-8.7.1.dist-info/
      - └─ licenses/
        - └─ LICENSE
      - ─ INSTALLER
      - ─ METADATA
      - ─ RECORD
      - ─ REQUESTED
      - ─ top\_level.txt
      - ─ WHEEL
    - ─ jaraco/
      - └─ context/
        - └─ pycache\_/
          - └─ \_\_init\_\_.cpython-310.pyc
        - └─ \_\_init\_\_.py
        - └─ py.typed
      - └─ functools/
        - └─ pycache\_/
          - └─ \_\_init\_\_.cpython-310.pyc
        - └─ \_\_init\_\_.py
        - └─ \_\_init\_\_.pyi
        - └─ py.typed
      - └─ text/
        - └─ pycache\_/
          - └─ \_\_init\_\_.cpython-310.pyc
          - └─ layouts.cpython-310.pyc
          - └─ show-newlines.cpython-310.pyc
          - └─ strip-prefix.cpython-310.pyc
          - └─ to-dvorak.cpython-310.pyc
          - └─ to-qwerty.cpython-310.pyc
        - └─ \_\_init\_\_.py
        - └─ layouts.py
        - └─ Lorem ipsum.txt

- show-newlines.py
  - strip-prefix.py
  - to-dvorak.py
  - to-qwerty.py
- jaraco.text-4.0.0.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- jaraco\_context-6.1.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- jaraco\_functools-4.4.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- more\_itertools/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - more.cpython-310.pyc
    - recipes.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - more.py
  - more.pyi
  - py.typed
  - recipes.py
  - recipes.pyi
- more\_itertools-10.8.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- packaging/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - elffile.cpython-310.pyc
    - manylinux.cpython-310.pyc
    - musllinux.cpython-310.pyc
    - parser.cpython-310.pyc
    - structures.cpython-310.pyc
    - tokenizer.cpython-310.pyc
    - markers.cpython-310.pyc
    - metadata.cpython-310.pyc
    - pylock.cpython-310.pyc
    - requirements.cpython-310.pyc
    - specifiers.cpython-310.pyc
    - tags.cpython-310.pyc
    - utils.cpython-310.pyc
    - version.cpython-310.pyc
  - licenses/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_spdx.cpython-310.pyc
    - \_\_init\_\_.py
    - \_spdx.py
    - \_\_init\_\_.py
    - elffile.py
    - manylinux.py
    - musllinux.py
    - parser.py
    - structures.py
    - tokenizer.py
    - markers.py
    - metadata.py
    - py.typed
    - pylock.py
    - requirements.py



- specifiers.py
- tags.py
- utils.py
- version.py
- packaging-26.0.dist-info/
  - licenses/
    - LICENSE
    - LICENSE.APACHE
    - LICENSE.BSD
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- platformdirs/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - android.cpython-310.pyc
    - api.cpython-310.pyc
    - macos.cpython-310.pyc
    - unix.cpython-310.pyc
    - version.cpython-310.pyc
    - windows.cpython-310.pyc
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - android.py
  - api.py
  - macos.py
  - py.typed
  - unix.py
  - version.py
  - windows.py
- platformdirs-4.4.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- tomli/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_parser.cpython-310.pyc
    - \_re.cpython-310.pyc
    - \_types.cpython-310.pyc
  - \_\_init\_\_.py
  - \_parser.py
  - \_re.py
  - \_types.py
  - py.typed
- tomli-2.4.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- wheel/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - \_bdist\_wheel.cpython-310.pyc
    - \_metadata.cpython-310.pyc
    - \_setuptools\_logging.cpython-310.pyc
    - \_bdist\_wheel.cpython-310.pyc
    - \_macosx\_libfile.cpython-310.pyc
    - \_metadata.cpython-310.pyc
    - \_wheelfile.cpython-310.pyc
  - commands/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - convert.cpython-310.pyc
      - pack.cpython-310.pyc
      - tags.cpython-310.pyc
      - unpack.cpython-310.pyc
    - \_\_init\_\_.py
    - convert.py
    - pack.py
    - tags.py
    - unpack.py
  - \_\_init\_\_.py
  - \_\_main\_\_.py

- \_bdist\_wheel.py
- \_metadata.py
- \_setuptools\_logging.py
- bdist\_wheel.py
- macosx\_libfile.py
- metadata.py
- wheelfile.py
- wheel-0.46.3.dist-info/
  - licenses/
    - LICENSE.txt
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- zipp/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_functools.cpython-310.pyc
    - glob.cpython-310.pyc
  - compat/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - overlay.cpython-310.pyc
      - py310.cpython-310.pyc
      - py313.cpython-310.pyc
    - \_\_init\_\_.py
    - overlay.py
    - py310.py
    - py313.py
  - \_\_init\_\_.py
  - \_functools.py
  - glob.py
- zipp-3.23.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- .lock
- command/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_requirestxt.cpython-310.pyc
    - alias.cpython-310.pyc
    - bdist\_egg.cpython-310.pyc
    - bdist\_rpm.cpython-310.pyc
    - bdist\_wheel.cpython-310.pyc
    - build.cpython-310.pyc
    - build\_clib.cpython-310.pyc
    - build\_ext.cpython-310.pyc
    - build\_py.cpython-310.pyc
    - develop.cpython-310.pyc
    - dist\_info.cpython-310.pyc
    - easy\_install.cpython-310.pyc
    - editable\_wheel.cpython-310.pyc
    - egg\_info.cpython-310.pyc
    - install.cpython-310.pyc
    - install\_egg\_info.cpython-310.pyc
    - install\_lib.cpython-310.pyc
    - install\_scripts.cpython-310.pyc
    - rotate.cpython-310.pyc
    - saveopts.cpython-310.pyc
    - sdist.cpython-310.pyc
    - setopt.cpython-310.pyc
    - test.cpython-310.pyc
  - \_\_init\_\_.py
  - \_requirestxt.py
  - alias.py
  - bdist\_egg.py
  - bdist\_rpm.py
  - bdist\_wheel.py
  - build.py
  - build\_clib.py
  - build\_ext.py
  - build\_py.py
  - develop.py
  - dist\_info.py
  - easy\_install.py
  - editable\_wheel.py
  - egg\_info.py

- install.py
- install\_egg\_info.py
- install\_lib.py
- install\_scripts.py
- launcher\_manifest.xml
- rotate.py
- saveopts.py
- sdist.py
- setopt.py
- test.py
- compat/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - py310.cpython-310.pyc
    - py311.cpython-310.pyc
    - py312.cpython-310.pyc
    - py39.cpython-310.pyc
  - \_\_init\_\_.py
  - py310.py
  - py311.py
  - py312.py
  - py39.py
- config/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_apply\_pyprojecttoml.cpython-310.pyc
    - expand.cpython-310.pyc
    - pyprojecttoml.cpython-310.pyc
    - setupcfg.cpython-310.pyc
  - validate\_pyproject/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - error\_reporting.cpython-310.pyc
      - extra\_validations.cpython-310.pyc
      - fastjsonschema\_exceptions.cpython-310.pyc
      - fastjsonschema\_validations.cpython-310.pyc
      - formats.cpython-310.pyc
    - \_\_init\_\_.py
    - error\_reporting.py
    - extra\_validations.py
    - fastjsonschema\_exceptions.py
    - fastjsonschema\_validations.py
    - formats.py
    - NOTICE
  - \_\_init\_\_.py
  - \_apply\_pyprojecttoml.py
  - distutils.schema.json
  - expand.py
  - NOTICE
  - pyprojecttoml.py
  - setupcfg.py
  - setuptools.schema.json
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - contexts.cpython-310.pyc
    - environment.cpython-310.pyc
    - fixtures.cpython-310.pyc
    - mod\_with\_constant.cpython-310.pyc
    - namespaces.cpython-310.pyc
    - script-with-bom.cpython-310.pyc
    - test\_archive\_util.cpython-310.pyc
    - test\_bdist\_deprecations.cpython-310.pyc
    - test\_bdist\_egg.cpython-310.pyc
    - test\_bdist\_wheel.cpython-310.pyc
    - test\_build.cpython-310.pyc
    - test\_build\_clib.cpython-310.pyc
    - test\_build\_ext.cpython-310.pyc
    - test\_build\_meta.cpython-310.pyc
    - test\_build\_py.cpython-310.pyc
    - test\_config\_discovery.cpython-310.pyc
    - test\_core\_metadata.cpython-310.pyc
    - test\_depends.cpython-310.pyc
    - test\_develop.cpython-310.pyc
    - test\_dist.cpython-310.pyc
    - test\_dist\_info.cpython-310.pyc
    - test\_distutils\_adoption.cpython-310.pyc
    - test\_editable\_install.cpython-310.pyc
    - test\_egg\_info.cpython-310.pyc
    - test\_extern.cpython-310.pyc
    - test\_find\_packages.cpython-310.pyc
    - test\_find\_py\_modules.cpython-310.pyc
    - test\_glob.cpython-310.pyc
    - test\_install\_scripts.cpython-310.pyc
    - test\_logging.cpython-310.pyc

- test\_manifest.cpython-310.pyc
- test\_namespaces.cpython-310.pyc
- test\_scripts.cpython-310.pyc
- test\_sdist.cpython-310.pyc
- test\_setopt.cpython-310.pyc
- test\_setuptools.cpython-310.pyc
- test\_shutil\_wrapper.cpython-310.pyc
- test\_unicode\_utils.cpython-310.pyc
- test\_virtualenv.cpython-310.pyc
- test\_warnings.cpython-310.pyc
- test\_wheel.cpython-310.pyc
- test\_windows\_wrappers.cpython-310.pyc
- text.cpython-310.pyc
- textwrap.cpython-310.pyc
- compat/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - py39.cpython-310.pyc
  - \_\_init\_\_.py
  - py39.py
- config/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - test\_apply\_pyprojecttoml.cpython-310.pyc
  - test\_expand.cpython-310.pyc
  - test\_pyprojecttoml.cpython-310.pyc
  - test\_pyprojecttoml\_dynamic\_deps.cpython-310.pyc
  - test\_setupcfg.cpython-310.pyc
- downloads/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - preload.cpython-310.pyc
  - \_\_init\_\_.py
  - preload.py
  - \_\_init\_\_.py
  - setupcfg\_examples.txt
  - test\_apply\_pyprojecttoml.py
  - test\_expand.py
  - test\_pyprojecttoml.py
  - test\_pyprojecttoml\_dynamic\_deps.py
  - test\_setupcfg.py
- indexes/
  - test\_links\_priority/
    - simple/
      - foobar/
        - index.html
    - external.html
- integration/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - helpers.cpython-310.pyc
  - test\_pbr.cpython-310.pyc
  - test\_pip\_install\_sdist.cpython-310.pyc
  - \_\_init\_\_.py
  - helpers.py
  - test\_pbr.py
  - test\_pip\_install\_sdist.py
- \_\_init\_\_.py
- contexts.py
- environment.py
- fixtures.py
- mod\_with\_constant.py
- namespaces.py
- script-with-bom.py
- test\_archive\_util.py
- test\_bdist\_deprecations.py
- test\_bdist\_egg.py
- test\_bdist\_wheel.py
- test\_build.py
- test\_build\_clib.py
- test\_build\_ext.py
- test\_build\_meta.py
- test\_build\_py.py
- test\_config\_discovery.py
- test\_core\_metadata.py
- test\_depends.py
- test\_develop.py
- test\_dist.py
- test\_dist\_info.py
- test\_distutils\_adoption.py
- test\_editable\_install.py
- test\_egg\_info.py
- test\_extern.py
- test\_find\_packages.py
- test\_find\_py\_modules.py

- test\_glob.py
- test\_install\_scripts.py
- test\_logging.py
- test\_manifest.py
- test\_namespaces.py
- test\_scripts.py
- test\_sdist.py
- test\_setopt.py
- test\_setuptools.py
- test\_shutil\_wrapper.py
- test\_unicode\_utils.py
- test\_virtualenv.py
- test\_warnings.py
- test\_wheel.py
- test\_windows\_wrappers.py
- text.py
- textwrap.py
- \_\_init\_\_.py
- \_core\_metadata.py
- \_discovery.py
- \_entry\_points.py
- \_imp.py
- \_importlib.py
- \_itertools.py
- \_normalization.py
- \_path.py
- \_reqs.py
- \_scripts.py
- \_shutil.py
- \_static.py
- archive\_util.py
- build\_meta.py
- cli-32.exe
- cli-64.exe
- cli-arm64.exe
- cli.exe
- depends.py
- discovery.py
- dist.py
- errors.py
- extension.py
- glob.py
- gui-32.exe
- gui-64.exe
- gui-arm64.exe
- gui.exe
- installer.py
- launch.py
- logging.py
- modified.py
- monkey.py
- msvc.py
- namespaces.py
- script (dev).tmpl
- script.tmpl
- unicode\_utils.py
- version.py
- warnings.py
- wheel.py
- windows\_support.py
- setuptools-81.0.0.dist-info/
  - licenses/
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- shellingham/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_core.cpython-310.pyc
    - nt.cpython-310.pyc
  - posix/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_core.cpython-310.pyc
      - proc.cpython-310.pyc
      - ps.cpython-310.pyc
    - \_\_init\_\_.py
    - \_core.py
    - proc.py
    - ps.py
    - \_\_init\_\_.py

- \_core.py
  - nt.py
- shellingham-1.5.4.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
  - zip-safe
- six-1.17.0.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- sklearn/
  - .libs/
    - msvcp140.dll
    - vcomp140.dll
  - check\_build/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - \_check\_build.cp310-win\_amd64.lib
    - \_check\_build.cp310-win\_amd64.pyd
    - \_check\_build.pyx
    - meson.build
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_built\_with\_meson.cpython-310.pyc
    - \_config.cpython-310.pyc
    - \_distributor\_init.cpython-310.pyc
    - \_min\_dependencies.cpython-310.pyc
    - base.cpython-310.pyc
    - calibration.cpython-310.pyc
    - conftest.cpython-310.pyc
    - discriminant\_analysis.cpython-310.pyc
    - dummy.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - isotonic.cpython-310.pyc
    - kernel\_approximation.cpython-310.pyc
    - kernel\_ridge.cpython-310.pyc
    - multiclass.cpython-310.pyc
    - multioutput.cpython-310.pyc
    - naive\_bayes.cpython-310.pyc
    - pipeline.cpython-310.pyc
    - random\_projection.cpython-310.pyc
  - build\_utils/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - tempita.cpython-310.pyc
      - version.cpython-310.pyc
    - \_\_init\_\_.py
    - tempita.py
    - version.py
  - \_loss/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - link.cpython-310.pyc
      - loss.cpython-310.pyc
    - tests/
      - \_pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - test\_link.cpython-310.pyc
        - test\_loss.cpython-310.pyc
      - \_\_init\_\_.py
      - test\_link.py
      - test\_loss.py
    - \_\_init\_\_.py
    - \_loss.cp310-win\_amd64.lib
    - \_loss.cp310-win\_amd64.pyd
    - \_loss.pxd
    - \_loss.pyx.tp
    - link.py
    - loss.py
    - meson.build
  - cluster/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_affinity\_propagation.cpython-310.pyc
      - \_agglomerative.cpython-310.pyc
      - \_bicluster.cpython-310.pyc
      - \_birch.cpython-310.pyc

- \_bisect\_k\_means.cpython-310.pyc
- \_dbscan.cpython-310.pyc
- \_feature\_agglomeration.cpython-310.pyc
- \_kmeans.cpython-310.pyc
- \_mean\_shift.cpython-310.pyc
- \_optics.cpython-310.pyc
- \_spectral.cpython-310.pyc
- hdbscan/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - hdbscan.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_reachability.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_reachability.py
  - \_init\_.py
  - \_linkage.cp310-win\_amd64.lib
  - \_linkage.cp310-win\_amd64.pyd
  - \_linkage.pyx
  - \_reachability.cp310-win\_amd64.lib
  - \_reachability.cp310-win\_amd64.pyd
  - \_reachability.pyx
  - \_tree.cp310-win\_amd64.lib
  - \_tree.cp310-win\_amd64.pyd
  - \_tree.pxd
  - \_tree.pyx
  - hdbscan.py
  - meson.build
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - common.cpython-310.pyc
    - test\_affinity\_propagation.cpython-310.pyc
    - test\_bicluster.cpython-310.pyc
    - test\_birch.cpython-310.pyc
    - test\_bisect\_k\_means.cpython-310.pyc
    - test\_dbscan.cpython-310.pyc
    - test\_feature\_agglomeration.cpython-310.pyc
    - test\_hdbscan.cpython-310.pyc
    - test\_hierarchical.cpython-310.pyc
    - test\_k\_means.cpython-310.pyc
    - test\_mean\_shift.cpython-310.pyc
    - test\_optics.cpython-310.pyc
    - test\_spectral.cpython-310.pyc
  - \_\_init\_\_.py
  - common.py
  - test\_affinity\_propagation.py
  - test\_bicluster.py
  - test\_birch.py
  - test\_bisect\_k\_means.py
  - test\_dbscan.py
  - test\_feature\_agglomeration.py
  - test\_hdbscan.py
  - test\_hierarchical.py
  - test\_k\_means.py
  - test\_mean\_shift.py
  - test\_optics.py
  - test\_spectral.py
- \_init\_.py
- \_affinity\_propagation.py
- \_agglomerative.py
- \_bicluster.py
- \_birch.py
- \_bisect\_k\_means.py
- \_dbscan.py
- \_dbscan\_inner.cp310-win\_amd64.lib
- \_dbscan\_inner.cp310-win\_amd64.pyd
- \_dbscan\_inner.pyx
- \_feature\_agglomeration.py
- \_hierarchical\_fast.cp310-win\_amd64.lib
- \_hierarchical\_fast.cp310-win\_amd64.pyd
- \_hierarchical\_fast.pxd
- \_hierarchical\_fast.pyx
- \_k\_means\_common.cp310-win\_amd64.lib
- \_k\_means\_common.cp310-win\_amd64.pyd
- \_k\_means\_common.pxd
- \_k\_means\_common.pyx
- \_k\_means\_elkan.cp310-win\_amd64.lib
- \_k\_means\_elkan.cp310-win\_amd64.pyd
- \_k\_means\_elkan.pyx
- \_k\_means\_lloyd.cp310-win\_amd64.lib
- \_k\_means\_lloyd.cp310-win\_amd64.pyd
- \_k\_means\_lloyd.pyx

- `_k_means_minibatch.cp310-win_amd64.lib`
- `_k_means_minibatch.cp310-win_amd64.pyd`
- `_k_means_minibatch.pyx`
- `_kmeans.py`
- `_mean_shift.py`
- `_optics.py`
- `_spectral.py`
- `meson.build`
- `compose/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `_column_transformer.cpython-310.pyc`
    - `_target.cpython-310.pyc`
  - `tests/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
      - `test_column_transformer.cpython-310.pyc`
      - `test_target.cpython-310.pyc`
    - `__init__.py`
    - `test_column_transformer.py`
    - `test_target.py`
  - `__init__.py`
  - `_column_transformer.py`
  - `_target.py`
- `covariance/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `_elliptic_envelope.cpython-310.pyc`
    - `_empirical_covariance.cpython-310.pyc`
    - `_graph_lasso.cpython-310.pyc`
    - `_robust_covariance.cpython-310.pyc`
    - `_shrunk_covariance.cpython-310.pyc`
  - `tests/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
      - `test_covariance.cpython-310.pyc`
      - `test_elliptic_envelope.cpython-310.pyc`
      - `test_graphical_lasso.cpython-310.pyc`
      - `test_robust_covariance.cpython-310.pyc`
    - `__init__.py`
    - `test_covariance.py`
    - `test_elliptic_envelope.py`
    - `test_graphical_lasso.py`
    - `test_robust_covariance.py`
  - `__init__.py`
  - `_elliptic_envelope.py`
  - `_empirical_covariance.py`
  - `_graph_lasso.py`
  - `_robust_covariance.py`
  - `_shrunk_covariance.py`
- `cross_decomposition/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `_pls.cpython-310.pyc`
  - `tests/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
      - `test_pls.cpython-310.pyc`
    - `__init__.py`
    - `test_pls.py`
  - `__init__.py`
  - `_pls.py`
- `datasets/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `_arff_parser.cpython-310.pyc`
    - `_base.cpython-310.pyc`
    - `_california_housing.cpython-310.pyc`
    - `_covtype.cpython-310.pyc`
    - `_kddcup99.cpython-310.pyc`
    - `_lfw.cpython-310.pyc`
    - `_olivetti_faces.cpython-310.pyc`
    - `_openml.cpython-310.pyc`
    - `_rcv1.cpython-310.pyc`
    - `_samples_generator.cpython-310.pyc`
    - `_species_distributions.cpython-310.pyc`
    - `_svmlight_format_io.cpython-310.pyc`
    - `_twenty_newsgroups.cpython-310.pyc`
  - `data/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
    - `__init__.py`
    - `breast_cancer.csv`
    - `diabetes_data_raw.csv.gz`
    - `diabetes_target.csv.gz`



- digits.csv.gz
- iris.csv
- linnerud\_exercise.csv
- linnerud\_physiological.csv
- wine\_data.csv
- descr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - breast\_cancer.rst
  - california\_housing.rst
  - covtype.rst
  - diabetes.rst
  - digits.rst
  - iris.rst
  - kddcup99.rst
  - lfw.rst
  - linnerud.rst
  - olivetti\_faces.rst
  - rcv1.rst
  - species\_distributions.rst
  - twenty\_newsgroups.rst
  - wine\_data.rst
- images/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - china.jpg
  - flower.jpg
  - README.txt
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - test\_20news.cpython-310.pyc
  - test\_arff\_parser.cpython-310.pyc
  - test\_base.cpython-310.pyc
  - test\_california\_housing.cpython-310.pyc
  - test\_common.cpython-310.pyc
  - test\_covtype.cpython-310.pyc
  - test\_kddcup99.cpython-310.pyc
  - test\_lfw.cpython-310.pyc
  - test\_olivetti\_faces.cpython-310.pyc
  - test\_openml.cpython-310.pyc
  - test\_rcv1.cpython-310.pyc
  - test\_samples\_generator.cpython-310.pyc
  - test\_svmlight\_format.cpython-310.pyc
- data/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - openml/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - id\_1/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
      - api-v1-jd-1.json.gz
      - api-v1-jdf-1.json.gz
      - api-v1-jdq-1.json.gz
      - data-v1-dl-1.arff.gz
    - id\_1119/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
      - api-v1-jd-1119.json.gz
      - api-v1-jdf-1119.json.gz
      - api-v1-jdl-dn-adult-census-1-2-dv-1.json.gz
      - api-v1-jdl-dn-adult-census-1-2-s-act-.json.gz
      - api-v1-jdq-1119.json.gz
      - data-v1-dl-54002.arff.gz
    - id\_1590/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
      - api-v1-jd-1590.json.gz
      - api-v1-jdf-1590.json.gz
      - api-v1-jdq-1590.json.gz
      - data-v1-dl-1595261.arff.gz
    - id\_2/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
      - api-v1-jd-2.json.gz
      - api-v1-jdf-2.json.gz
      - api-v1-jdl-dn-anneal-1-2-dv-1.json.gz

- └─ api-v1-jdl-dn-anneal-1-2-s-act-.json.gz
- └─ api-v1-jdq-2.json.gz
- └─ data-v1-dl-1666876.arff.gz
- id\_292/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ api-v1-jd-292.json.gz
  - └─ api-v1-jd-40981.json.gz
  - └─ api-v1-jdf-292.json.gz
  - └─ api-v1-jdf-40981.json.gz
  - └─ api-v1-jdl-dn-australian-1-2-dv-1-s-dact.json.gz
  - └─ api-v1-jdl-dn-australian-1-2-dv-1.json.gz
  - └─ api-v1-jdl-dn-australian-1-2-s-act-.json.gz
  - └─ data-v1-dl-49822.arff.gz
- id\_3/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ api-v1-jd-3.json.gz
  - └─ api-v1-jdf-3.json.gz
  - └─ api-v1-jdq-3.json.gz
  - └─ data-v1-dl-3.arff.gz
- id\_40589/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ api-v1-jd-40589.json.gz
  - └─ api-v1-jdf-40589.json.gz
  - └─ api-v1-jdl-dn-emotions-1-2-dv-3.json.gz
  - └─ api-v1-jdl-dn-emotions-1-2-s-act-.json.gz
  - └─ api-v1-jdq-40589.json.gz
  - └─ data-v1-dl-4644182.arff.gz
- id\_40675/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ api-v1-jd-40675.json.gz
  - └─ api-v1-jdf-40675.json.gz
  - └─ api-v1-jdl-dn-glass2-1-2-dv-1-s-dact.json.gz
  - └─ api-v1-jdl-dn-glass2-1-2-dv-1.json.gz
  - └─ api-v1-jdl-dn-glass2-1-2-s-act-.json.gz
  - └─ api-v1-jdq-40675.json.gz
  - └─ data-v1-dl-4965250.arff.gz
- id\_40945/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ api-v1-jd-40945.json.gz
  - └─ api-v1-jdf-40945.json.gz
  - └─ api-v1-jdq-40945.json.gz
  - └─ data-v1-dl-16826755.arff.gz
- id\_40966/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ api-v1-jd-40966.json.gz
  - └─ api-v1-jdf-40966.json.gz
  - └─ api-v1-jdl-dn-miceprotein-1-2-dv-4.json.gz
  - └─ api-v1-jdl-dn-miceprotein-1-2-s-act-.json.gz
  - └─ api-v1-jdq-40966.json.gz
  - └─ data-v1-dl-17928620.arff.gz
- id\_42074/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ api-v1-jd-42074.json.gz
  - └─ api-v1-jdf-42074.json.gz
  - └─ api-v1-jdq-42074.json.gz
  - └─ data-v1-dl-21552912.arff.gz
- id\_42585/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ api-v1-jd-42585.json.gz
  - └─ api-v1-jdf-42585.json.gz
  - └─ api-v1-jdq-42585.json.gz
  - └─ data-v1-dl-21854866.arff.gz
- id\_561/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ api-v1-jd-561.json.gz
  - └─ api-v1-jdf-561.json.gz
  - └─ api-v1-jdl-dn-cpu-1-2-dv-1.json.gz

- api-v1-jdl-dn-cpu-1-2-s-act-.json.gz
  - api-v1-jdq-561.json.gz
  - data-v1-dl-52739.arff.gz
  - id\_61/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - api-v1-jd-61.json.gz
    - api-v1-jdf-61.json.gz
    - api-v1-jdl-dn-iris-1-2-dv-1.json.gz
    - api-v1-jdl-dn-iris-1-2-s-act-.json.gz
    - api-v1-jdq-61.json.gz
    - data-v1-dl-61.arff.gz
  - id\_62/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - api-v1-jd-62.json.gz
    - api-v1-jdf-62.json.gz
    - api-v1-jdq-62.json.gz
    - data-v1-dl-52352.arff.gz
  - \_\_init\_\_.py
  - svmlight\_classification.txt
  - svmlight\_invalid.txt
  - svmlight\_invalid\_order.txt
  - svmlight\_multilabel.txt
- \_\_init\_\_.py
- test\_20news.py
- test\_arff\_parser.py
- test\_base.py
- test\_california\_housing.py
- test\_common.py
- test\_covtype.py
- test\_kddcup99.py
- test\_lfw.py
- test\_olivetti\_faces.py
- test\_openml.py
- test\_rcv1.py
- test\_samples\_generator.py
- test\_svmlight\_format.py
- \_\_init\_\_.py
- arff\_parser.py
- base.py
- california\_housing.py
- covtype.py
- kddcup99.py
- lfw.py
- olivetti\_faces.py
- openml.py
- rcv1.py
- samples\_generator.py
- species\_distributions.py
- svmlight\_format\_fast.cp310-win\_amd64.lib
- svmlight\_format\_fast.cp310-win\_amd64.pyd
- svmlight\_format\_fast.pyx
- svmlight\_format\_io.py
- twenty\_newsgroups.py
- meson.build
- decomposition/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - base.cpython-310.pyc
  - dict\_learning.cpython-310.pyc
  - factor\_analysis.cpython-310.pyc
  - fastica.cpython-310.pyc
  - incremental\_pca.cpython-310.pyc
  - kernel\_pca.cpython-310.pyc
  - lda.cpython-310.pyc
  - nmf.cpython-310.pyc
  - pca.cpython-310.pyc
  - sparse\_pca.cpython-310.pyc
  - truncated\_svd.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - test\_dict\_learning.cpython-310.pyc
  - test\_factor\_analysis.cpython-310.pyc
  - test\_fastica.cpython-310.pyc
  - test\_incremental\_pca.cpython-310.pyc
  - test\_kernel\_pca.cpython-310.pyc
  - test\_nmf.cpython-310.pyc
  - test\_online\_lda.cpython-310.pyc
  - test\_pca.cpython-310.pyc
  - test\_sparse\_pca.cpython-310.pyc

- └─ test\_truncated\_svd.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ test\_dict\_learning.py
  - ─ test\_factor\_analysis.py
  - ─ test\_fastica.py
  - ─ test\_incremental\_pca.py
  - ─ test\_kernel\_pca.py
  - ─ test\_nmf.py
  - ─ test\_online\_lda.py
  - ─ test\_pca.py
  - ─ test\_sparse\_pca.py
  - ─ test\_truncated\_svd.py
- ─ \_\_init\_\_.py
- ─ base.py
- ─ \_cdnmf\_fast.cp310-win\_amd64.lib
- ─ \_cdnmf\_fast.cp310-win\_amd64.pyd
- ─ \_cdnmf\_fast.pyx
- ─ \_dict\_learning.py
- ─ \_factor\_analysis.py
- ─ \_fastica.py
- ─ \_incremental\_pca.py
- ─ \_kernel\_pca.py
- ─ \_lda.py
- ─ \_nmf.py
- ─ \_online\_lda\_fast.cp310-win\_amd64.lib
- ─ \_online\_lda\_fast.cp310-win\_amd64.pyd
- ─ \_online\_lda\_fast.pyx
- ─ \_pca.py
- ─ \_sparse\_pca.py
- ─ \_truncated\_svd.py
- ─ meson.build
- ─ ensemble/
  - ─ \_\_pycache\_\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ bagging.cpython-310.pyc
    - ─ base.cpython-310.pyc
    - ─ forest.cpython-310.pyc
    - ─ gb.cpython-310.pyc
    - ─ iforest.cpython-310.pyc
    - ─ stacking.cpython-310.pyc
    - ─ voting.cpython-310.pyc
    - ─ weight\_boosting.cpython-310.pyc
  - ─ \_hist\_gradient\_boosting/
    - ─ \_\_pycache\_\_/
      - ─ \_\_init\_\_.cpython-310.pyc
      - ─ binning.cpython-310.pyc
      - ─ gradient\_boosting.cpython-310.pyc
      - ─ grower.cpython-310.pyc
      - ─ predictor.cpython-310.pyc
      - ─ utils.cpython-310.pyc
    - ─ tests/
      - ─ \_\_pycache\_\_/
        - ─ \_\_init\_\_.cpython-310.pyc
        - ─ test\_binning.cpython-310.pyc
        - ─ test\_bitset.cpython-310.pyc
        - ─ test\_compare\_lightgbm.cpython-310.pyc
        - ─ test\_gradient\_boosting.cpython-310.pyc
        - ─ test\_grower.cpython-310.pyc
        - ─ test\_histogram.cpython-310.pyc
        - ─ test\_monotonic\_constraints.cpython-310.pyc
        - ─ test\_predictor.cpython-310.pyc
        - ─ test\_splitting.cpython-310.pyc
        - ─ test\_warm\_start.cpython-310.pyc
      - ─ \_\_init\_\_.py
      - ─ test\_binning.py
      - ─ test\_bitset.py
      - ─ test\_compare\_lightgbm.py
      - ─ test\_gradient\_boosting.py
      - ─ test\_grower.py
      - ─ test\_histogram.py
      - ─ test\_monotonic\_constraints.py
      - ─ test\_predictor.py
      - ─ test\_splitting.py
      - ─ test\_warm\_start.py
  - ─ \_\_init\_\_.py
  - ─ \_binning.cp310-win\_amd64.lib
  - ─ \_binning.cp310-win\_amd64.pyd
  - ─ \_binning.pyx
  - ─ \_bitset.cp310-win\_amd64.lib
  - ─ \_bitset.cp310-win\_amd64.pyd
  - ─ \_bitset.pxd
  - ─ \_bitset.pyx
  - ─ \_gradient\_boosting.cp310-win\_amd64.lib
  - ─ \_gradient\_boosting.cp310-win\_amd64.pyd
  - ─ \_gradient\_boosting.pyx

- \_predictor.cp310-win\_amd64.lib
- \_predictor.cp310-win\_amd64.pyd
- \_predictor.pyx
- binning.py
- common.cp310-win\_amd64.lib
- common.cp310-win\_amd64.pyd
- common.pxd
- common.pyx
- gradient\_boosting.py
- grower.py
- histogram.cp310-win\_amd64.lib
- histogram.cp310-win\_amd64.pyd
- histogram.pyx
- meson.build
- predictor.py
- splitting.cp310-win\_amd64.lib
- splitting.cp310-win\_amd64.pyd
- splitting.pyx
- utils.py

tests/

- \_pycache\_\_/
- \_\_init\_\_.cpython-310.pyc
- test\_bagging.cpython-310.pyc
- test\_base.cpython-310.pyc
- test\_common.cpython-310.pyc
- test\_forest.cpython-310.pyc
- test\_gradient\_boosting.cpython-310.pyc
- test\_iforest.cpython-310.pyc
- test\_stacking.cpython-310.pyc
- test\_voting.cpython-310.pyc
- test\_weight\_boosting.cpython-310.pyc
- \_\_init\_\_.py
- test\_bagging.py
- test\_base.py
- test\_common.py
- test\_forest.py
- test\_gradient\_boosting.py
- test\_iforest.py
- test\_stacking.py
- test\_voting.py
- test\_weight\_boosting.py

- \_\_init\_\_.py
- \_bagging.py
- \_base.py
- \_forest.py
- \_gb.py
- \_gradient\_boosting.cp310-win\_amd64.lib
- \_gradient\_boosting.cp310-win\_amd64.pyd
- \_gradient\_boosting.pyx
- \_iforest.py
- \_stacking.py
- \_voting.py
- \_weight\_boosting.py
- meson.build

experimental/

- \_pycache\_\_/
- \_\_init\_\_.cpython-310.pyc
- enable\_halving\_search\_cv.cpython-310.pyc
- enable\_hist\_gradient\_boosting.cpython-310.pyc
- enable\_iterative\_imputer.cpython-310.pyc

tests/

- \_pycache\_\_/
- \_\_init\_\_.cpython-310.pyc
- test\_enable\_hist\_gradient\_boosting.cpython-310.pyc
- test\_enable\_iterative\_imputer.cpython-310.pyc
- test\_enable\_successive\_halving.cpython-310.pyc
- \_\_init\_\_.py
- test\_enable\_hist\_gradient\_boosting.py
- test\_enable\_iterative\_imputer.py
- test\_enable\_successive\_halving.py

- \_\_init\_\_.py
- enable\_halving\_search\_cv.py
- enable\_hist\_gradient\_boosting.py
- enable\_iterative\_imputer.py

externals/

- \_pycache\_\_/
- \_\_init\_\_.cpython-310.pyc
- \_arff.cpython-310.pyc
- \_array\_api\_compat\_vendor.cpython-310.pyc
- conftest.cpython-310.pyc

\_packaging/

- \_pycache\_\_/
- \_\_init\_\_.cpython-310.pyc
- \_structures.cpython-310.pyc
- version.cpython-310.pyc



- fft.cpython-310.pyc
    - linalg.cpython-310.pyc
  - \_\_init\_\_.py
  - \_aliases.py
  - \_info.py
  - \_typing.py
  - fft.py
  - linalg.py
- \_\_init\_\_.py
- \_internal.py
- LICENSE
- py.typed
- README.md
- array\_api\_extra/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_delegation.cpython-310.pyc
    - testing.cpython-310.pyc
  - lib/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_at.cpython-310.pyc
      - \_backends.cpython-310.pyc
      - \_funcs.cpython-310.pyc
      - \_lazy.cpython-310.pyc
      - \_testing.cpython-310.pyc
    - \_utils/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_compat.cpython-310.pyc
        - \_helpers.cpython-310.pyc
        - \_typing.cpython-310.pyc
      - \_\_init\_\_.py
      - \_compat.py
      - \_compat.pyi
      - \_helpers.py
      - \_typing.py
      - \_typing.pyi
    - \_\_init\_\_.py
    - \_at.py
    - \_backends.py
    - \_funcs.py
    - \_lazy.py
    - \_testing.py
  - \_\_init\_\_.py
  - \_delegation.py
  - LICENSE
  - py.typed
  - README.md
  - testing.py
- \_\_init\_\_.py
- \_arff.py
- \_array\_api\_compat\_vendor.py
- confstest.py
- README
- feature\_extraction/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_dict\_vectorizer.cpython-310.pyc
    - \_hash.cpython-310.pyc
    - \_stop\_words.cpython-310.pyc
    - image.cpython-310.pyc
    - text.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_dict\_vectorizer.cpython-310.pyc
    - test\_feature\_hasher.cpython-310.pyc
    - test\_image.cpython-310.pyc
    - test\_text.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_dict\_vectorizer.py
  - test\_feature\_hasher.py
  - test\_image.py
  - test\_text.py
- \_\_init\_\_.py
- \_dict\_vectorizer.py
- \_hash.py
- \_hashing\_fast.cp310-win\_amd64.lib
- \_hashing\_fast.cp310-win\_amd64.pyd
- \_hashing\_fast.pyx
- \_stop\_words.py
- image.py
- meson.build
- text.py

- feature\_selection/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - base.cpython-310.pyc
    - from\_model.cpython-310.pyc
    - mutual\_info.cpython-310.pyc
    - rfe.cpython-310.pyc
    - sequential.cpython-310.pyc
    - univariate\_selection.cpython-310.pyc
    - variance\_threshold.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_base.cpython-310.pyc
      - test\_chi2.cpython-310.pyc
      - test\_feature\_select.cpython-310.pyc
      - test\_from\_model.cpython-310.pyc
      - test\_mutual\_info.cpython-310.pyc
      - test\_rfe.cpython-310.pyc
      - test\_sequential.cpython-310.pyc
      - test\_variance\_threshold.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_base.py
    - test\_chi2.py
    - test\_feature\_select.py
    - test\_from\_model.py
    - test\_mutual\_info.py
    - test\_rfe.py
    - test\_sequential.py
    - test\_variance\_threshold.py
  - \_\_init\_\_.py
  - base.py
  - from\_model.py
  - mutual\_info.py
  - rfe.py
  - sequential.py
  - univariate\_selection.py
  - variance\_threshold.py
- frozen/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - frozen.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_frozen.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_frozen.py
  - \_\_init\_\_.py
  - frozen.py
- gaussian\_process/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - gpc.cpython-310.pyc
    - gpr.cpython-310.pyc
    - kernels.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_mini\_sequence\_kernel.cpython-310.pyc
      - test\_gpc.cpython-310.pyc
      - test\_gpr.cpython-310.pyc
      - test\_kernels.cpython-310.pyc
    - \_\_init\_\_.py
    - \_mini\_sequence\_kernel.py
    - test\_gpc.py
    - test\_gpr.py
    - test\_kernels.py
  - \_\_init\_\_.py
  - gpc.py
  - gpr.py
  - kernels.py
- impute/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - base.cpython-310.pyc
    - iterative.cpython-310.pyc
    - knn.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_base.cpython-310.pyc
      - test\_common.cpython-310.pyc
      - test\_impute.cpython-310.pyc
      - test\_knn.cpython-310.pyc



```

├── __init__.py
├── test_base.py
├── test_common.py
├── test_impute.py
├── test_knn.py
├── __init__.py
├── _base.py
├── _iterative.py
├── _knn.py
├── inspection/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── _partial_dependence.cpython-310.pyc
│   │   ├── _pd_utils.cpython-310.pyc
│   │   └── _permutation_importance.cpython-310.pyc
│   ├── plot/
│   │   ├── __pycache__/
│   │   │   ├── __init__.cpython-310.pyc
│   │   │   ├── decision_boundary.cpython-310.pyc
│   │   │   └── partial_dependence.cpython-310.pyc
│   │   ├── tests/
│   │   │   ├── __pycache__/
│   │   │   │   ├── __init__.cpython-310.pyc
│   │   │   │   ├── test_boundary_decision_display.cpython-310.pyc
│   │   │   │   └── test_plot_partial_dependence.cpython-310.pyc
│   │   │   ├── __init__.py
│   │   │   ├── test_boundary_decision_display.py
│   │   │   └── test_plot_partial_dependence.py
│   │   ├── __init__.py
│   │   ├── decision_boundary.py
│   │   └── partial_dependence.py
│   └── tests/
│       ├── __pycache__/
│       │   ├── __init__.cpython-310.pyc
│       │   ├── test_partial_dependence.cpython-310.pyc
│       │   ├── test_pd_utils.cpython-310.pyc
│       │   └── test_permutation_importance.cpython-310.pyc
│       ├── __init__.py
│       ├── test_partial_dependence.py
│       ├── test_pd_utils.py
│       └── test_permutation_importance.py
├── __init__.py
├── _partial_dependence.py
├── _pd_utils.py
├── _permutation_importance.py
├── linear_model/
│   ├── __pycache__/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── _base.cpython-310.pyc
│   │   ├── _bayes.cpython-310.pyc
│   │   ├── _coordinate_descent.cpython-310.pyc
│   │   ├── _huber.cpython-310.pyc
│   │   ├── _least_angle.cpython-310.pyc
│   │   ├── _linear_loss.cpython-310.pyc
│   │   ├── _logistic.cpython-310.pyc
│   │   ├── _omp.cpython-310.pyc
│   │   ├── _passive_aggressive.cpython-310.pyc
│   │   ├── _perceptron.cpython-310.pyc
│   │   ├── _quantile.cpython-310.pyc
│   │   ├── _ransac.cpython-310.pyc
│   │   ├── _ridge.cpython-310.pyc
│   │   ├── _sag.cpython-310.pyc
│   │   ├── _stochastic_gradient.cpython-310.pyc
│   │   └── _theil_sen.cpython-310.pyc
│   ├── _glm/
│   │   ├── __pycache__/
│   │   │   ├── __init__.cpython-310.pyc
│   │   │   ├── _newton_solver.cpython-310.pyc
│   │   │   └── glm.cpython-310.pyc
│   │   ├── tests/
│   │   │   ├── __pycache__/
│   │   │   │   ├── __init__.cpython-310.pyc
│   │   │   │   └── test_glm.cpython-310.pyc
│   │   │   ├── __init__.py
│   │   │   └── test_glm.py
│   │   ├── __init__.py
│   │   ├── _newton_solver.py
│   │   └── glm.py
│   └── tests/
│       ├── __pycache__/
│       │   ├── __init__.cpython-310.pyc
│       │   ├── test_base.cpython-310.pyc
│       │   ├── test_bayes.cpython-310.pyc
│       │   ├── test_common.cpython-310.pyc
│       │   └── test_coordinate_descent.cpython-310.pyc

```

- test\_huber.cpython-310.pyc
- test\_least\_angle.cpython-310.pyc
- test\_linear\_loss.cpython-310.pyc
- test\_logistic.cpython-310.pyc
- test\_omp.cpython-310.pyc
- test\_passive\_aggressive.cpython-310.pyc
- test\_perceptron.cpython-310.pyc
- test\_quantile.cpython-310.pyc
- test\_ransac.cpython-310.pyc
- test\_ridge.cpython-310.pyc
- test\_sag.cpython-310.pyc
- test\_sgd.cpython-310.pyc
- test\_sparse\_coordinate\_descent.cpython-310.pyc
- test\_theil\_sen.cpython-310.pyc
- \_\_init\_\_.py
- test\_base.py
- test\_bayes.py
- test\_common.py
- test\_coordinate\_descent.py
- test\_huber.py
- test\_least\_angle.py
- test\_linear\_loss.py
- test\_logistic.py
- test\_omp.py
- test\_passive\_aggressive.py
- test\_perceptron.py
- test\_quantile.py
- test\_ransac.py
- test\_ridge.py
- test\_sag.py
- test\_sgd.py
- test\_sparse\_coordinate\_descent.py
- test\_theil\_sen.py
- \_\_init\_\_.py
- \_base.py
- \_bayes.py
- \_cd\_fast.cp310-win\_amd64.lib
- \_cd\_fast.cp310-win\_amd64.pyd
- \_cd\_fast.pyx
- \_coordinate\_descent.py
- \_huber.py
- \_least\_angle.py
- \_linear\_loss.py
- \_logistic.py
- \_omp.py
- \_passive\_aggressive.py
- \_perceptron.py
- \_quantile.py
- \_ransac.py
- \_ridge.py
- \_sag.py
- \_sag\_fast.cp310-win\_amd64.lib
- \_sag\_fast.cp310-win\_amd64.pyd
- \_sag\_fast.pyx.tp
- \_sgd\_fast.cp310-win\_amd64.lib
- \_sgd\_fast.cp310-win\_amd64.pyd
- \_sgd\_fast.pyx.tp
- \_stochastic\_gradient.py
- \_theil\_sen.py
- meson.build
- manifold/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_isomap.cpython-310.pyc
    - \_locally\_linear.cpython-310.pyc
    - \_mds.cpython-310.pyc
    - \_spectral\_embedding.cpython-310.pyc
    - \_t\_sne.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_isomap.cpython-310.pyc
      - test\_locally\_linear.cpython-310.pyc
      - test\_mds.cpython-310.pyc
      - test\_spectral\_embedding.cpython-310.pyc
      - test\_t\_sne.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_isomap.py
    - test\_locally\_linear.py
    - test\_mds.py
    - test\_spectral\_embedding.py
    - test\_t\_sne.py
- \_\_init\_\_.py
- \_barnes\_hut\_tsne.cp310-win\_amd64.lib
- \_barnes\_hut\_tsne.cp310-win\_amd64.pyd

- \_barnes\_hut\_tsne.pyx
- \_isomap.py
- \_locally\_linear.py
- \_mds.py
- \_spectral\_embedding.py
- \_t\_sne.py
- \_utils.cp310-win\_amd64.lib
- \_utils.cp310-win\_amd64.pyd
- \_utils.pyx
- meson.build
- metrics/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_base.cpython-310.pyc
    - \_classification.cpython-310.pyc
    - \_ranking.cpython-310.pyc
    - \_regression.cpython-310.pyc
    - \_scorer.cpython-310.pyc
    - \_pairwise.cpython-310.pyc
  - pairwise\_distances\_reduction/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_dispatcher.cpython-310.pyc
    - \_init\_.py
    - \_argkmin.cp310-win\_amd64.lib
    - \_argkmin.cp310-win\_amd64.pyd
    - \_argkmin.pxd.tp
    - \_argkmin.pyx.tp
    - \_argkmin\_classmode.cp310-win\_amd64.lib
    - \_argkmin\_classmode.cp310-win\_amd64.pyd
    - \_argkmin\_classmode.pyx.tp
    - \_base.cp310-win\_amd64.lib
    - \_base.cp310-win\_amd64.pyd
    - \_base.pxd.tp
    - \_base.pyx.tp
    - \_classmode.pxd
    - \_datasets\_pair.cp310-win\_amd64.lib
    - \_datasets\_pair.cp310-win\_amd64.pyd
    - \_datasets\_pair.pxd.tp
    - \_datasets\_pair.pyx.tp
    - \_dispatcher.py
    - \_middle\_term\_computer.cp310-win\_amd64.lib
    - \_middle\_term\_computer.cp310-win\_amd64.pyd
    - \_middle\_term\_computer.pxd.tp
    - \_middle\_term\_computer.pyx.tp
    - \_radius\_neighbors.cp310-win\_amd64.lib
    - \_radius\_neighbors.cp310-win\_amd64.pyd
    - \_radius\_neighbors.pxd.tp
    - \_radius\_neighbors.pyx.tp
    - \_radius\_neighbors\_classmode.cp310-win\_amd64.lib
    - \_radius\_neighbors\_classmode.cp310-win\_amd64.pyd
    - \_radius\_neighbors\_classmode.pyx.tp
  - meson.build
- plot/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_confusion\_matrix.cpython-310.pyc
    - \_det\_curve.cpython-310.pyc
    - \_precision\_recall\_curve.cpython-310.pyc
    - \_regression.cpython-310.pyc
    - \_roc\_curve.cpython-310.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_test\_common\_curve\_display.cpython-310.pyc
      - \_test\_confusion\_matrix\_display.cpython-310.pyc
      - \_test\_det\_curve\_display.cpython-310.pyc
      - \_test\_precision\_recall\_display.cpython-310.pyc
      - \_test\_predict\_error\_display.cpython-310.pyc
      - \_test\_roc\_curve\_display.cpython-310.pyc
    - \_init\_.py
    - \_test\_common\_curve\_display.py
    - \_test\_confusion\_matrix\_display.py
    - \_test\_det\_curve\_display.py
    - \_test\_precision\_recall\_display.py
    - \_test\_predict\_error\_display.py
    - \_test\_roc\_curve\_display.py
  - \_init\_.py
  - \_confusion\_matrix.py
  - \_det\_curve.py
  - \_precision\_recall\_curve.py
  - \_regression.py
  - \_roc\_curve.py
- cluster/
  - \_pycache\_/

- \_\_init\_\_.cpython-310.pyc
    - \_bicluster.cpython-310.pyc
    - \_supervised.cpython-310.pyc
    - \_unsupervised.cpython-310.pyc
  - tests/
    - \_\_init\_\_.py
      - test\_bicluster.py
      - test\_common.py
      - test\_supervised.py
      - test\_unsupervised.py
    - \_\_init\_\_.py
    - \_bicluster.py
    - \_expected\_mutual\_info\_fast.cp310-win\_amd64.lib
    - \_expected\_mutual\_info\_fast.cp310-win\_amd64.pyd
    - \_expected\_mutual\_info\_fast.pyx
    - \_supervised.py
    - \_unsupervised.py
    - meson.build
- tests/
  - \_\_init\_\_.py
    - test\_classification.py
    - test\_common.py
    - test\_dist\_metrics.py
    - test\_pairwise.py
    - test\_pairwise\_distances\_reduction.py
    - test\_ranking.py
    - test\_regression.py
    - test\_score\_objects.py
  - \_\_init\_\_.py
  - \_base.py
  - \_classification.py
  - \_dist\_metrics.cp310-win\_amd64.lib
  - \_dist\_metrics.cp310-win\_amd64.pyd
  - \_dist\_metrics.pxd
  - \_dist\_metrics.pxd.tp
  - \_dist\_metrics.pyx.tp
  - \_pairwise\_fast.cp310-win\_amd64.lib
  - \_pairwise\_fast.cp310-win\_amd64.pyd
  - \_pairwise\_fast.pyx
  - \_ranking.py
  - \_regression.py
  - \_scorer.py
  - meson.build
  - pairwise.py

- mixture/
- \_\_init\_\_.cpython-310.pyc
  - \_base.cpython-310.pyc
  - \_bayesian\_mixture.cpython-310.pyc
  - \_gaussian\_mixture.cpython-310.pyc
- tests/
  - \_\_init\_\_.py
    - test\_bayesian\_mixture.py
    - test\_gaussian\_mixture.py
    - test\_mixture.py
  - \_\_init\_\_.py
  - \_base.py
  - \_bayesian\_mixture.py
  - \_gaussian\_mixture.py
- model\_selection/
- \_\_init\_\_.cpython-310.pyc
  - \_classification\_threshold.cpython-310.pyc
  - \_plot.cpython-310.pyc

- \_search.cpython-310.pyc
- \_search\_successive\_halving.cpython-310.pyc
- \_split.cpython-310.pyc
- \_validation.cpython-310.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - common.cpython-310.pyc
    - test\_classification\_threshold.cpython-310.pyc
    - test\_plot.cpython-310.pyc
    - test\_search.cpython-310.pyc
    - test\_split.cpython-310.pyc
    - test\_successive\_halving.cpython-310.pyc
    - test\_validation.cpython-310.pyc
  - \_\_init\_\_.py
  - common.py
  - test\_classification\_threshold.py
  - test\_plot.py
  - test\_search.py
  - test\_split.py
  - test\_successive\_halving.py
  - test\_validation.py
- \_\_init\_\_.py
- \_classification\_threshold.py
- \_plot.py
- \_search.py
- \_search\_successive\_halving.py
- \_split.py
- \_validation.py
- neighbors/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_base.cpython-310.pyc
    - \_classification.cpython-310.pyc
    - \_graph.cpython-310.pyc
    - \_kde.cpython-310.pyc
    - \_lof.cpython-310.pyc
    - \_nca.cpython-310.pyc
    - \_nearest\_centroid.cpython-310.pyc
    - \_regression.cpython-310.pyc
    - \_unsupervised.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_ball\_tree.cpython-310.pyc
      - test\_graph.cpython-310.pyc
      - test\_kd\_tree.cpython-310.pyc
      - test\_kde.cpython-310.pyc
      - test\_lof.cpython-310.pyc
      - test\_nca.cpython-310.pyc
      - test\_nearest\_centroid.cpython-310.pyc
      - test\_neighbors.cpython-310.pyc
      - test\_neighbors\_pipeline.cpython-310.pyc
      - test\_neighbors\_tree.cpython-310.pyc
      - test\_quad\_tree.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_ball\_tree.py
    - test\_graph.py
    - test\_kd\_tree.py
    - test\_kde.py
    - test\_lof.py
    - test\_nca.py
    - test\_nearest\_centroid.py
    - test\_neighbors.py
    - test\_neighbors\_pipeline.py
    - test\_neighbors\_tree.py
    - test\_quad\_tree.py
  - \_\_init\_\_.py
  - \_ball\_tree.cp310-win\_amd64.lib
  - \_ball\_tree.cp310-win\_amd64.pyd
  - \_ball\_tree.pyx.tp
  - \_base.py
  - \_binary\_tree.pxi.tp
  - \_classification.py
  - \_graph.py
  - \_kd\_tree.cp310-win\_amd64.lib
  - \_kd\_tree.cp310-win\_amd64.pyd
  - \_kd\_tree.pyx.tp
  - \_kde.py
  - \_lof.py
  - \_nca.py
  - \_nearest\_centroid.py
  - \_partition\_nodes.cp310-win\_amd64.lib
  - \_partition\_nodes.cp310-win\_amd64.pyd
  - \_partition\_nodes.pxd

- \_partition\_nodes.pyx
- \_quad\_tree.cp310-win\_amd64.lib
- \_quad\_tree.cp310-win\_amd64.pyd
- \_quad\_tree.pxd
- \_quad\_tree.pyx
- \_regression.py
- \_unsupervised.py
- meson.build
- neural\_network/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_base.cpython-310.pyc
    - \_multilayer\_perceptron.cpython-310.pyc
    - \_rbm.cpython-310.pyc
    - \_stochastic\_optimizers.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_base.cpython-310.pyc
      - test\_mlp.cpython-310.pyc
      - test\_rbm.cpython-310.pyc
      - test\_stochastic\_optimizers.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_base.py
    - test\_mlp.py
    - test\_rbm.py
    - test\_stochastic\_optimizers.py
  - \_\_init\_\_.py
  - \_base.py
  - \_multilayer\_perceptron.py
  - \_rbm.py
  - \_stochastic\_optimizers.py
- preprocessing/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_data.cpython-310.pyc
    - \_discretization.cpython-310.pyc
    - \_encoders.cpython-310.pyc
    - \_function\_transformer.cpython-310.pyc
    - \_label.cpython-310.pyc
    - \_polynomial.cpython-310.pyc
    - \_target\_encoder.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_common.cpython-310.pyc
      - test\_data.cpython-310.pyc
      - test\_discretization.cpython-310.pyc
      - test\_encoders.cpython-310.pyc
      - test\_function\_transformer.cpython-310.pyc
      - test\_label.cpython-310.pyc
      - test\_polynomial.cpython-310.pyc
      - test\_target\_encoder.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_common.py
    - test\_data.py
    - test\_discretization.py
    - test\_encoders.py
    - test\_function\_transformer.py
    - test\_label.py
    - test\_polynomial.py
    - test\_target\_encoder.py
  - \_\_init\_\_.py
  - \_csr\_polynomial\_expansion.cp310-win\_amd64.lib
  - \_csr\_polynomial\_expansion.cp310-win\_amd64.pyd
  - \_csr\_polynomial\_expansion.pyx
  - \_data.py
  - \_discretization.py
  - \_encoders.py
  - \_function\_transformer.py
  - \_label.py
  - \_polynomial.py
  - \_target\_encoder.py
  - \_target\_encoder\_fast.cp310-win\_amd64.lib
  - \_target\_encoder\_fast.cp310-win\_amd64.pyd
  - \_target\_encoder\_fast.pyx
  - meson.build
  - semi\_supervised/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_label\_propagation.cpython-310.pyc
      - \_self\_training.cpython-310.pyc
    - tests/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc

- test\_label\_propagation.cpython-310.pyc
    - test\_self\_training.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_label\_propagation.py
  - test\_self\_training.py
- \_\_init\_\_.py
- \_label\_propagation.py
- \_self\_training.py
- svm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_base.cpython-310.pyc
    - \_bounds.cpython-310.pyc
    - \_classes.cpython-310.pyc
  - src/
    - liblinear/
      - \_cython\_blas\_helpers.h
      - COPYRIGHT
      - liblinear\_helper.c
      - linear.cpp
      - linear.h
      - tron.cpp
      - tron.h
    - libsvm/
      - \_svm\_cython\_blas\_helpers.h
      - LIBSVM\_CHANGES
      - libsvm\_helper.c
      - libsvm\_sparse\_helper.c
      - libsvm\_template.cpp
      - svm.cpp
      - svm.h
  - newrand/
    - newrand.h
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_bounds.cpython-310.pyc
    - test\_sparse.cpython-310.pyc
    - test\_svm.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_bounds.py
  - test\_sparse.py
  - test\_svm.py
- \_\_init\_\_.py
- \_base.py
- \_bounds.py
- \_classes.py
- \_liblinear.cp310-win\_amd64.lib
- \_liblinear.cp310-win\_amd64.pyd
- \_liblinear.pxi
- \_liblinear.pyx
- \_libsvm.cp310-win\_amd64.lib
- \_libsvm.cp310-win\_amd64.pyd
- \_libsvm.pxi
- \_libsvm.pyx
- \_libsvm\_sparse.cp310-win\_amd64.lib
- \_libsvm\_sparse.cp310-win\_amd64.pyd
- \_libsvm\_sparse.pyx
- \_newrand.cp310-win\_amd64.lib
- \_newrand.cp310-win\_amd64.pyd
- \_newrand.pyx
- meson.build

- tests/
- \_\_pycache\_\_/
  - \_\_init\_\_.cpython-310.pyc
  - metadata\_routing\_common.cpython-310.pyc
  - test\_base.cpython-310.pyc
  - test\_build.cpython-310.pyc
  - test\_calibration.cpython-310.pyc
  - test\_check\_build.cpython-310.pyc
  - test\_common.cpython-310.pyc
  - test\_config.cpython-310.pyc
  - test\_discriminant\_analysis.cpython-310.pyc
  - test\_docstring\_parameters.cpython-310.pyc
  - test\_docstring\_parameters\_consistency.cpython-310.pyc
  - test\_docstrings.cpython-310.pyc
  - test\_dummy.cpython-310.pyc
  - test\_init.cpython-310.pyc
  - test\_isotonic.cpython-310.pyc
  - test\_kernel\_approximation.cpython-310.pyc
  - test\_kernel\_ridge.cpython-310.pyc
  - test\_metadata\_routing.cpython-310.pyc
  - test\_metaestimators.cpython-310.pyc
  - test\_metaestimators\_metadata\_routing.cpython-310.pyc
  - test\_min\_dependencies\_readme.cpython-310.pyc

- test\_multiclass.cpython-310.pyc
- test\_multioutput.cpython-310.pyc
- test\_naive\_bayes.cpython-310.pyc
- test\_pipeline.cpython-310.pyc
- test\_public\_functions.cpython-310.pyc
- test\_random\_projection.cpython-310.pyc
- \_\_init\_\_.py
- metadata\_routing\_common.py
- test\_base.py
- test\_build.py
- test\_calibration.py
- test\_check\_build.py
- test\_common.py
- test\_config.py
- test\_discriminant\_analysis.py
- test\_docstring\_parameters.py
- test\_docstring\_parameters\_consistency.py
- test\_docstrings.py
- test\_dummy.py
- test\_init.py
- test\_isotonic.py
- test\_kernel\_approximation.py
- test\_kernel\_ridge.py
- test\_metadata\_routing.py
- test\_metaestimators.py
- test\_metaestimators\_metadata\_routing.py
- test\_min\_dependencies\_readme.py
- test\_multiclass.py
- test\_multioutput.py
- test\_naive\_bayes.py
- test\_pipeline.py
- test\_public\_functions.py
- test\_random\_projection.py
- tree/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_classes.cpython-310.pyc
    - \_export.cpython-310.pyc
    - \_reingold\_tilford.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_export.cpython-310.pyc
      - test\_monotonic\_tree.cpython-310.pyc
      - test\_reingold\_tilford.cpython-310.pyc
      - test\_tree.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_export.py
    - test\_monotonic\_tree.py
    - test\_reingold\_tilford.py
    - test\_tree.py
- \_\_init\_\_.py
- \_classes.py
- \_criterion.cp310-win\_amd64.lib
- \_criterion.cp310-win\_amd64.pyd
- \_criterion.pxd
- \_criterion.pyx
- \_export.py
- \_partitioner.cp310-win\_amd64.lib
- \_partitioner.cp310-win\_amd64.pyd
- \_partitioner.pxd
- \_partitioner.pyx
- \_reingold\_tilford.py
- \_splitter.cp310-win\_amd64.lib
- \_splitter.cp310-win\_amd64.pyd
- \_splitter.pxd
- \_splitter.pyx
- \_tree.cp310-win\_amd64.lib
- \_tree.cp310-win\_amd64.pyd
- \_tree.pxd
- \_tree.pyx
- \_utils.cp310-win\_amd64.lib
- \_utils.cp310-win\_amd64.pyd
- \_utils.pxd
- \_utils.pyx
- meson.build
- utils/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_arpack.cpython-310.pyc
    - \_array\_api.cpython-310.pyc
    - \_available\_if.cpython-310.pyc
    - \_bunch.cpython-310.pyc
    - \_chunking.cpython-310.pyc
    - \_encode.cpython-310.pyc



- \_estimator\_html\_repr.cpython-310.pyc
- indexing.cpython-310.pyc
- mask.cpython-310.pyc
- metadata\_requests.cpython-310.pyc
- missing.cpython-310.pyc
- mocking.cpython-310.pyc
- optional\_dependencies.cpython-310.pyc
- param\_validation.cpython-310.pyc
- plotting.cpython-310.pyc
- pprint.cpython-310.pyc
- response.cpython-310.pyc
- set\_output.cpython-310.pyc
- show\_versions.cpython-310.pyc
- tags.cpython-310.pyc
- testing.cpython-310.pyc
- unique.cpython-310.pyc
- user\_interface.cpython-310.pyc
- class\_weight.cpython-310.pyc
- deprecation.cpython-310.pyc
- discovery.cpython-310.pyc
- estimator\_checks.cpython-310.pyc
- extmath.cpython-310.pyc
- fixes.cpython-310.pyc
- graph.cpython-310.pyc
- metadata\_routing.cpython-310.pyc
- metaestimators.cpython-310.pyc
- multiclass.cpython-310.pyc
- optimize.cpython-310.pyc
- parallel.cpython-310.pyc
- random.cpython-310.pyc
- sparsefuncs.cpython-310.pyc
- stats.cpython-310.pyc
- validation.cpython-310.pyc
- repr\_html/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - base.cpython-310.pyc
    - estimator.cpython-310.pyc
    - params.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_estimator.cpython-310.pyc
      - test\_params.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_estimator.py
    - test\_params.py
  - \_\_init\_\_.py
  - base.py
  - estimator.css
  - estimator.js
  - estimator.py
  - params.css
  - params.py
- \_test\_common/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - instance\_generator.cpython-310.pyc
  - \_\_init\_\_.py
  - instance\_generator.py
- src/
  - MurmurHash3.cpp
  - MurmurHash3.h
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_arpack.cpython-310.pyc
    - test\_array\_api.cpython-310.pyc
    - test\_arrayfuncs.cpython-310.pyc
    - test\_bunch.cpython-310.pyc
    - test\_chunking.cpython-310.pyc
    - test\_class\_weight.cpython-310.pyc
    - test\_cython\_blas.cpython-310.pyc
    - test\_deprecation.cpython-310.pyc
    - test\_encode.cpython-310.pyc
    - test\_estimator\_checks.cpython-310.pyc
    - test\_estimator\_html\_repr.cpython-310.pyc
    - test\_extmath.cpython-310.pyc
    - test\_fast\_dict.cpython-310.pyc
    - test\_fixes.cpython-310.pyc
    - test\_graph.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_mask.cpython-310.pyc
    - test\_metaestimators.cpython-310.pyc
    - test\_missing.cpython-310.pyc

- test\_mocking.cpython-310.pyc
- test\_multiclass.cpython-310.pyc
- test\_murmurhash.cpython-310.pyc
- test\_optimize.cpython-310.pyc
- test\_parallel.cpython-310.pyc
- test\_param\_validation.cpython-310.pyc
- test\_plotting.cpython-310.pyc
- test\_pprint.cpython-310.pyc
- test\_random.cpython-310.pyc
- test\_response.cpython-310.pyc
- test\_seq\_dataset.cpython-310.pyc
- test\_set\_output.cpython-310.pyc
- test\_shortest\_path.cpython-310.pyc
- test\_show\_versions.cpython-310.pyc
- test\_sparsefuncs.cpython-310.pyc
- test\_stats.cpython-310.pyc
- test\_tags.cpython-310.pyc
- test\_testing.cpython-310.pyc
- test\_typedefs.cpython-310.pyc
- test\_unique.cpython-310.pyc
- test\_user\_interface.cpython-310.pyc
- test\_validation.cpython-310.pyc
- test\_weight\_vector.cpython-310.pyc
- \_init\_\_.py
- test\_arpack.py
- test\_array\_api.py
- test\_arrayfuncs.py
- test\_bunch.py
- test\_chunking.py
- test\_class\_weight.py
- test\_cython\_blas.py
- test\_deprecation.py
- test\_encode.py
- test\_estimator\_checks.py
- test\_estimator\_html\_repr.py
- test\_extmath.py
- test\_fast\_dict.py
- test\_fixes.py
- test\_graph.py
- test\_indexing.py
- test\_mask.py
- test\_metaestimators.py
- test\_missing.py
- test\_mocking.py
- test\_multiclass.py
- test\_murmurhash.py
- test\_optimize.py
- test\_parallel.py
- test\_param\_validation.py
- test\_plotting.py
- test\_pprint.py
- test\_random.py
- test\_response.py
- test\_seq\_dataset.py
- test\_set\_output.py
- test\_shortest\_path.py
- test\_show\_versions.py
- test\_sparsefuncs.py
- test\_stats.py
- test\_tags.py
- test\_testing.py
- test\_typedefs.py
- test\_unique.py
- test\_user\_interface.py
- test\_validation.py
- test\_weight\_vector.py
- \_init\_\_.py
- \_arpack.py
- \_array\_api.py
- \_available\_if.py
- \_bunch.py
- \_chunking.py
- \_cython\_blas.cp310-win\_amd64.lib
- \_cython\_blas.cp310-win\_amd64.pyd
- \_cython\_blas.pxd
- \_cython\_blas.pyx
- \_encode.py
- \_estimator\_html\_repr.py
- \_fast\_dict.cp310-win\_amd64.lib
- \_fast\_dict.cp310-win\_amd64.pyd
- \_fast\_dict.pxd
- \_fast\_dict.pyx
- \_heap.cp310-win\_amd64.lib
- \_heap.cp310-win\_amd64.pyd
- \_heap.pxd

```

__heap.pyx
__indexing.py
__isfinite.cp310-win_amd64.lib
__isfinite.cp310-win_amd64.pyd
__isfinite.pyx
__mask.py
__metadata_requests.py
__missing.py
__mocking.py
__openmp_helpers.cp310-win_amd64.lib
__openmp_helpers.cp310-win_amd64.pyd
__openmp_helpers.pxd
__openmp_helpers.pyx
__optional_dependencies.py
__param_validation.py
__plotting.py
__pprint.py
__random.cp310-win_amd64.lib
__random.cp310-win_amd64.pyd
__random.pxd
__random.pyx
__response.py
__seq_dataset.cp310-win_amd64.lib
__seq_dataset.cp310-win_amd64.pyd
__seq_dataset.pxd.tp
__seq_dataset.pyx.tp
__set_output.py
__show_versions.py
__sorting.cp310-win_amd64.lib
__sorting.cp310-win_amd64.pyd
__sorting.pxd
__sorting.pyx
__tags.py
__testing.py
__typedefs.cp310-win_amd64.lib
__typedefs.cp310-win_amd64.pyd
__typedefs.pxd
__typedefs.pyx
__unique.py
__user_interface.py
__vector_sentinel.cp310-win_amd64.lib
__vector_sentinel.cp310-win_amd64.pyd
__vector_sentinel.pxd
__vector_sentinel.pyx
__weight_vector.cp310-win_amd64.lib
__weight_vector.cp310-win_amd64.pyd
__weight_vector.pxd.tp
__weight_vector.pyx.tp
arrayfuncs.cp310-win_amd64.lib
arrayfuncs.cp310-win_amd64.pyd
arrayfuncs.pyx
class_weight.py
deprecation.py
discovery.py
estimator_checks.py
extmath.py
fixes.py
graph.py
meson.build
metadata_routing.py
metaestimators.py
multiclass.py
murmurhash.cp310-win_amd64.lib
murmurhash.cp310-win_amd64.pyd
murmurhash.pxd
murmurhash.pyx
optimize.py
parallel.py
random.py
sparsefuncs.py
sparsefuncs_fast.cp310-win_amd64.lib
sparsefuncs_fast.cp310-win_amd64.pyd
sparsefuncs_fast.pyx
stats.py
validation.py
__init__.py
__built_with_meson.py
__config.py
__cyutility.cp310-win_amd64.lib
__cyutility.cp310-win_amd64.pyd
__distributor_init.py
__isotonic.cp310-win_amd64.lib
__isotonic.cp310-win_amd64.pyd
__isotonic.pyx
__min_dependencies.py

```

- base.py
- calibration.py
- conftest.py
- discriminant\_analysis.py
- dummy.py
- exceptions.py
- isotonic.py
- kernel\_approximation.py
- kernel\_ridge.py
- meson.build
- multiclass.py
- multioutput.py
- naive\_bayes.py
- pipeline.py
- random\_projection.py
- soundfile-0.14.0.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- soxr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_version.cpython-310.pyc
  - \_\_init\_\_.py
  - \_version.py
  - soxr\_ext.cp310-win\_amd64.pyd
  - soxr\_ext.pyi
- soxr-1.1.0.dist-info/
  - licenses/
    - COPYING.LGPL
    - LICENSE-libsoxr.txt
    - LICENSE-PFFFT.txt
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- sympy/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - abc.cpython-310.pyc
    - conftest.cpython-310.pyc
    - galgebra.cpython-310.pyc
    - release.cpython-310.pyc
    - this.cpython-310.pyc
  - algebras/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - quaternion.cpython-310.pyc
    - tests/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - test\_quaternion.cpython-310.pyc
      - \_\_init\_\_.py
      - test\_quaternion.py
    - \_\_init\_\_.py
    - quaternion.py
  - assumptions/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - ask.cpython-310.pyc
      - ask\_generated.cpython-310.pyc
      - assume.cpython-310.pyc
      - cnf.cpython-310.pyc
      - facts.cpython-310.pyc
      - lra\_satask.cpython-310.pyc
      - refine.cpython-310.pyc
      - satask.cpython-310.pyc
      - sathandlers.cpython-310.pyc
      - wrapper.cpython-310.pyc
  - handlers/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - calculus.cpython-310.pyc
      - common.cpython-310.pyc
      - matrices.cpython-310.pyc
      - ntheory.cpython-310.pyc
      - order.cpython-310.pyc
      - sets.cpython-310.pyc
    - \_\_init\_\_.py
    - calculus.py

- common.py
- matrices.py
- ntheory.py
- order.py
- sets.py
- predicates/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - calculus.cpython-310.pyc
    - common.cpython-310.pyc
    - matrices.cpython-310.pyc
    - ntheory.cpython-310.pyc
    - order.cpython-310.pyc
    - sets.cpython-310.pyc
  - \_\_init\_\_.py
  - calculus.py
  - common.py
  - matrices.py
  - ntheory.py
  - order.py
  - sets.py
- relation/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - binrel.cpython-310.pyc
    - equality.cpython-310.pyc
  - \_\_init\_\_.py
  - binrel.py
  - equality.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_assumptions\_2.cpython-310.pyc
    - test\_context.cpython-310.pyc
    - test\_matrices.cpython-310.pyc
    - test\_query.cpython-310.pyc
    - test\_refine.cpython-310.pyc
    - test\_rel\_queries.cpython-310.pyc
    - test\_satask.cpython-310.pyc
    - test\_sathandlers.cpython-310.pyc
    - test\_wrapper.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_assumptions\_2.py
  - test\_context.py
  - test\_matrices.py
  - test\_query.py
  - test\_refine.py
  - test\_rel\_queries.py
  - test\_satask.py
  - test\_sathandlers.py
  - test\_wrapper.py
- \_\_init\_\_.py
- ask.py
- ask\_generated.py
- assume.py
- cnf.py
- facts.py
- lra\_satask.py
- refine.py
- satask.py
- sathandlers.py
- wrapper.py
- benchmarks/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - bench\_discrete\_log.cpython-310.pyc
    - bench\_meijerint.cpython-310.pyc
    - bench\_symbench.cpython-310.pyc
  - \_\_init\_\_.py
  - bench\_discrete\_log.py
  - bench\_meijerint.py
  - bench\_symbench.py
- calculus/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - accumulationbounds.cpython-310.pyc
    - euler.cpython-310.pyc
    - finite\_diff.cpython-310.pyc
    - singularities.cpython-310.pyc
    - util.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_accumulationbounds.cpython-310.pyc
    - test\_euler.cpython-310.pyc

- test\_finite\_diff.cpython-310.pyc
    - test\_singularities.cpython-310.pyc
    - test\_util.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_accumulationbounds.py
  - test\_euler.py
  - test\_finite\_diff.py
  - test\_singularities.py
  - test\_util.py
- \_\_init\_\_.py
- accumulationbounds.py
- euler.py
- finite\_diff.py
- singularities.py
- util.py
- categories/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - baseclasses.cpython-310.pyc
    - diagram\_drawing.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_baseclasses.cpython-310.pyc
      - test\_drawing.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_baseclasses.py
    - test\_drawing.py
  - \_\_init\_\_.py
  - baseclasses.py
  - diagram\_drawing.py
- codegen/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - abstract\_nodes.cpython-310.pyc
    - algorithms.cpython-310.pyc
    - approximations.cpython-310.pyc
    - ast.cpython-310.pyc
    - cfunctions.cpython-310.pyc
    - cnodes.cpython-310.pyc
    - cutils.cpython-310.pyc
    - cxxnodes.cpython-310.pyc
    - fnodes.cpython-310.pyc
    - futils.cpython-310.pyc
    - matrix\_nodes.cpython-310.pyc
    - numpy\_nodes.cpython-310.pyc
    - pynodes.cpython-310.pyc
    - pyutils.cpython-310.pyc
    - rewriting.cpython-310.pyc
    - scipy\_nodes.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_abstract\_nodes.cpython-310.pyc
      - test\_algorithms.cpython-310.pyc
      - test\_applications.cpython-310.pyc
      - test\_approximations.cpython-310.pyc
      - test\_ast.cpython-310.pyc
      - test\_cfunctions.cpython-310.pyc
      - test\_cnodes.cpython-310.pyc
      - test\_cxxnodes.cpython-310.pyc
      - test\_fnodes.cpython-310.pyc
      - test\_matrix\_nodes.cpython-310.pyc
      - test\_numpy\_nodes.cpython-310.pyc
      - test\_pynodes.cpython-310.pyc
      - test\_pyutils.cpython-310.pyc
      - test\_rewriting.cpython-310.pyc
      - test\_scipy\_nodes.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_abstract\_nodes.py
    - test\_algorithms.py
    - test\_applications.py
    - test\_approximations.py
    - test\_ast.py
    - test\_cfunctions.py
    - test\_cnodes.py
    - test\_cxxnodes.py
    - test\_fnodes.py
    - test\_matrix\_nodes.py
    - test\_numpy\_nodes.py
    - test\_pynodes.py
    - test\_pyutils.py
    - test\_rewriting.py
    - test\_scipy\_nodes.py
  - \_\_init\_\_.py

- abstract\_nodes.py
- algorithms.py
- approximations.py
- ast.py
- cfunctions.py
- cnodes.py
- cutils.py
- cxxnodes.py
- fnodes.py
- futils.py
- matrix\_nodes.py
- numpy\_nodes.py
- pynodes.py
- pyutils.py
- rewriting.py
- scipy\_nodes.py
- combinatorics/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - coset\_table.cpython-310.pyc
    - fp\_groups.cpython-310.pyc
    - free\_groups.cpython-310.pyc
    - galois.cpython-310.pyc
    - generators.cpython-310.pyc
    - graycode.cpython-310.pyc
    - group\_constructs.cpython-310.pyc
    - group\_numbers.cpython-310.pyc
    - homomorphisms.cpython-310.pyc
    - named\_groups.cpython-310.pyc
    - partitions.cpython-310.pyc
    - pc\_groups.cpython-310.pyc
    - perm\_groups.cpython-310.pyc
    - permutations.cpython-310.pyc
    - polyhedron.cpython-310.pyc
    - prufer.cpython-310.pyc
    - rewritesystem.cpython-310.pyc
    - rewritesystem\_fsm.cpython-310.pyc
    - schur\_number.cpython-310.pyc
    - subsets.cpython-310.pyc
    - tensor\_can.cpython-310.pyc
    - testutil.cpython-310.pyc
    - util.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_coset\_table.cpython-310.pyc
      - test\_fp\_groups.cpython-310.pyc
      - test\_free\_groups.cpython-310.pyc
      - test\_galois.cpython-310.pyc
      - test\_generators.cpython-310.pyc
      - test\_graycode.cpython-310.pyc
      - test\_group\_constructs.cpython-310.pyc
      - test\_group\_numbers.cpython-310.pyc
      - test\_homomorphisms.cpython-310.pyc
      - test\_named\_groups.cpython-310.pyc
      - test\_partitions.cpython-310.pyc
      - test\_pc\_groups.cpython-310.pyc
      - test\_perm\_groups.cpython-310.pyc
      - test\_permutations.cpython-310.pyc
      - test\_polyhedron.cpython-310.pyc
      - test\_prufer.cpython-310.pyc
      - test\_rewriting.cpython-310.pyc
      - test\_schur\_number.cpython-310.pyc
      - test\_subsets.cpython-310.pyc
      - test\_tensor\_can.cpython-310.pyc
      - test\_testutil.cpython-310.pyc
      - test\_util.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_coset\_table.py
    - test\_fp\_groups.py
    - test\_free\_groups.py
    - test\_galois.py
    - test\_generators.py
    - test\_graycode.py
    - test\_group\_constructs.py
    - test\_group\_numbers.py
    - test\_homomorphisms.py
    - test\_named\_groups.py
    - test\_partitions.py
    - test\_pc\_groups.py
    - test\_perm\_groups.py
    - test\_permutations.py
    - test\_polyhedron.py
    - test\_prufer.py
    - test\_rewriting.py

- test\_schur\_number.py
- test\_subsets.py
- test\_tensor\_can.py
- test\_testutil.py
- test\_util.py
- \_\_init\_\_.py
- coset\_table.py
- fp\_groups.py
- free\_groups.py
- galois.py
- generators.py
- graycode.py
- group\_constructs.py
- group\_numbers.py
- homomorphisms.py
- named\_groups.py
- partitions.py
- pc\_groups.py
- perm\_groups.py
- permutations.py
- polyhedron.py
- prufer.py
- rewritingsystem.py
- rewritingsystem\_fsm.py
- schur\_number.py
- subsets.py
- tensor\_can.py
- testutil.py
- util.py
- concrete/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - delta.cpython-310.pyc
    - expr\_with\_intlimits.cpython-310.pyc
    - expr\_with\_limits.cpython-310.pyc
    - gosper.cpython-310.pyc
    - guess.cpython-310.pyc
    - products.cpython-310.pyc
    - summations.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_delta.cpython-310.pyc
      - test\_gosper.cpython-310.pyc
      - test\_guess.cpython-310.pyc
      - test\_products.cpython-310.pyc
      - test\_sums\_products.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_delta.py
    - test\_gosper.py
    - test\_guess.py
    - test\_products.py
    - test\_sums\_products.py
  - \_\_init\_\_.py
  - delta.py
  - expr\_with\_intlimits.py
  - expr\_with\_limits.py
  - gosper.py
  - guess.py
  - products.py
  - summations.py
- core/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_print\_helpers.cpython-310.pyc
    - add.cpython-310.pyc
    - alphabets.cpython-310.pyc
    - assumptions.cpython-310.pyc
    - assumptions\_generated.cpython-310.pyc
    - backend.cpython-310.pyc
    - basic.cpython-310.pyc
    - cache.cpython-310.pyc
    - compatibility.cpython-310.pyc
    - containers.cpython-310.pyc
    - core.cpython-310.pyc
    - coreerrors.cpython-310.pyc
    - decorators.cpython-310.pyc
    - evalf.cpython-310.pyc
    - expr.cpython-310.pyc
    - exprtools.cpython-310.pyc
    - facts.cpython-310.pyc
    - function.cpython-310.pyc
    - intfunc.cpython-310.pyc
    - kind.cpython-310.pyc
    - logic.cpython-310.pyc



- mod.cpython-310.pyc
- mul.cpython-310.pyc
- multidimensional.cpython-310.pyc
- numbers.cpython-310.pyc
- operations.cpython-310.pyc
- parameters.cpython-310.pyc
- power.cpython-310.pyc
- random.cpython-310.pyc
- relational.cpython-310.pyc
- rules.cpython-310.pyc
- singleton.cpython-310.pyc
- sorting.cpython-310.pyc
- symbol.cpython-310.pyc
- sympify.cpython-310.pyc
- trace.cpython-310.pyc
- traversal.cpython-310.pyc
- benchmarks/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - bench\_arit.cpython-310.pyc
    - bench\_assumptions.cpython-310.pyc
    - bench\_basic.cpython-310.pyc
    - bench\_expand.cpython-310.pyc
    - bench\_numbers.cpython-310.pyc
    - bench\_sympify.cpython-310.pyc
  - \_\_init\_\_.py
  - bench\_arit.py
  - bench\_assumptions.py
  - bench\_basic.py
  - bench\_expand.py
  - bench\_numbers.py
  - bench\_sympify.py
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_args.cpython-310.pyc
    - test\_arit.cpython-310.pyc
    - test\_assumptions.cpython-310.pyc
    - test\_basic.cpython-310.pyc
    - test\_cache.cpython-310.pyc
    - test\_compatibility.cpython-310.pyc
    - test\_complex.cpython-310.pyc
    - test\_constructor\_postprocessor.cpython-310.pyc
    - test\_containers.cpython-310.pyc
    - test\_count\_ops.cpython-310.pyc
    - test\_diff.cpython-310.pyc
    - test\_equal.cpython-310.pyc
    - test\_eval.cpython-310.pyc
    - test\_evalf.cpython-310.pyc
    - test\_expand.cpython-310.pyc
    - test\_expr.cpython-310.pyc
    - test\_exprtools.cpython-310.pyc
    - test\_facts.cpython-310.pyc
    - test\_function.cpython-310.pyc
    - test\_kind.cpython-310.pyc
    - test\_logic.cpython-310.pyc
    - test\_match.cpython-310.pyc
    - test\_multidimensional.cpython-310.pyc
    - test\_noncommutative.cpython-310.pyc
    - test\_numbers.cpython-310.pyc
    - test\_operations.cpython-310.pyc
    - test\_parameters.cpython-310.pyc
    - test\_power.cpython-310.pyc
    - test\_priority.cpython-310.pyc
    - test\_random.cpython-310.pyc
    - test\_relational.cpython-310.pyc
    - test\_rules.cpython-310.pyc
    - test\_singleton.cpython-310.pyc
    - test\_sorting.cpython-310.pyc
    - test\_subs.cpython-310.pyc
    - test\_symbol.cpython-310.pyc
    - test\_sympify.cpython-310.pyc
    - test\_traversal.cpython-310.pyc
    - test\_truediv.cpython-310.pyc
    - test\_var.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_args.py
  - test\_arit.py
  - test\_assumptions.py
  - test\_basic.py
  - test\_cache.py
  - test\_compatibility.py
  - test\_complex.py
  - test\_constructor\_postprocessor.py
  - test\_containers.py

- test\_count\_ops.py
- test\_diff.py
- test\_equal.py
- test\_eval.py
- test\_evalf.py
- test\_expand.py
- test\_expr.py
- test\_exprtools.py
- test\_facts.py
- test\_function.py
- test\_kind.py
- test\_logic.py
- test\_match.py
- test\_multidimensional.py
- test\_noncommutative.py
- test\_numbers.py
- test\_operations.py
- test\_parameters.py
- test\_power.py
- test\_priority.py
- test\_random.py
- test\_relational.py
- test\_rules.py
- test\_singleton.py
- test\_sorting.py
- test\_subs.py
- test\_symbol.py
- test\_sympify.py
- test\_traversal.py
- test\_truediv.py
- test\_var.py
- \_\_init\_\_.py
- \_print\_helpers.py
- add.py
- alphabets.py
- assumptions.py
- assumptions\_generated.py
- backend.py
- basic.py
- cache.py
- compatibility.py
- containers.py
- core.py
- coreerrors.py
- decorators.py
- evalf.py
- expr.py
- exprtools.py
- facts.py
- function.py
- intfunc.py
- kind.py
- logic.py
- mod.py
- mul.py
- multidimensional.py
- numbers.py
- operations.py
- parameters.py
- power.py
- random.py
- relational.py
- rules.py
- singleton.py
- sorting.py
- symbol.py
- sympify.py
- trace.py
- traversal.py
- crypto/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - crypto.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_crypto.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_crypto.py
  - \_\_init\_\_.py
  - crypto.py
- diffgeom/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - diffgeom.cpython-310.pyc

- └─ rn.cpython-310.pyc
- tests/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_class\_structure.cpython-310.pyc
    - └─ test\_diffgeom.cpython-310.pyc
    - └─ test\_function\_diffgeom\_book.cpython-310.pyc
    - └─ test\_hyperbolic\_space.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_class\_structure.py
  - └─ test\_diffgeom.py
  - └─ test\_function\_diffgeom\_book.py
  - └─ test\_hyperbolic\_space.py
- └─ \_\_init\_\_.py
- └─ diffgeom.py
- └─ rn.py
- discrete/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ convolutions.cpython-310.pyc
    - └─ recurrences.cpython-310.pyc
    - └─ transforms.cpython-310.pyc
  - tests/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ test\_convolutions.cpython-310.pyc
      - └─ test\_recurrences.cpython-310.pyc
      - └─ test\_transforms.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_convolutions.py
    - └─ test\_recurrences.py
    - └─ test\_transforms.py
  - └─ \_\_init\_\_.py
  - └─ convolutions.py
  - └─ recurrences.py
  - └─ transforms.py
- external/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ gmpy.cpython-310.pyc
    - └─ importtools.cpython-310.pyc
    - └─ ntheory.cpython-310.pyc
    - └─ pythonmpq.cpython-310.pyc
  - tests/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ test\_autowrap.cpython-310.pyc
      - └─ test\_codegen.cpython-310.pyc
      - └─ test\_gmpy.cpython-310.pyc
      - └─ test\_importtools.cpython-310.pyc
      - └─ test\_ntheory.cpython-310.pyc
      - └─ test\_numpy.cpython-310.pyc
      - └─ test\_pythonmpq.cpython-310.pyc
      - └─ test\_scipy.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_autowrap.py
    - └─ test\_codegen.py
    - └─ test\_gmpy.py
    - └─ test\_importtools.py
    - └─ test\_ntheory.py
    - └─ test\_numpy.py
    - └─ test\_pythonmpq.py
    - └─ test\_scipy.py
  - └─ \_\_init\_\_.py
  - └─ gmpy.py
  - └─ importtools.py
  - └─ ntheory.py
  - └─ pythonmpq.py
- functions/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - combinatorial/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ factorials.cpython-310.pyc
      - └─ numbers.cpython-310.pyc
    - tests/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
        - └─ test\_comb\_factorials.cpython-310.pyc
        - └─ test\_comb\_numbers.cpython-310.pyc
      - └─ \_\_init\_\_.py
      - └─ test\_comb\_factorials.py
      - └─ test\_comb\_numbers.py
    - └─ \_\_init\_\_.py

- factorials.py
- numbers.py
- elementary/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_trigonometric\_special.cpython-310.pyc
    - complexes.cpython-310.pyc
    - exponential.cpython-310.pyc
    - hyperbolic.cpython-310.pyc
    - integers.cpython-310.pyc
    - miscellaneous.cpython-310.pyc
    - piecewise.cpython-310.pyc
    - trigonometric.cpython-310.pyc
  - benchmarks/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - bench\_exp.cpython-310.pyc
    - \_\_init\_\_.py
    - bench\_exp.py
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_complexes.cpython-310.pyc
      - test\_exponential.cpython-310.pyc
      - test\_hyperbolic.cpython-310.pyc
      - test\_integers.cpython-310.pyc
      - test\_interface.cpython-310.pyc
      - test\_miscellaneous.cpython-310.pyc
      - test\_piecewise.cpython-310.pyc
      - test\_trigonometric.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_complexes.py
    - test\_exponential.py
    - test\_hyperbolic.py
    - test\_integers.py
    - test\_interface.py
    - test\_miscellaneous.py
    - test\_piecewise.py
    - test\_trigonometric.py
- \_\_init\_\_.py
- \_trigonometric\_special.py
- complexes.py
- exponential.py
- hyperbolic.py
- integers.py
- miscellaneous.py
- piecewise.py
- trigonometric.py
- special/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - bessel.cpython-310.pyc
    - beta\_functions.cpython-310.pyc
    - bsplines.cpython-310.pyc
    - delta\_functions.cpython-310.pyc
    - elliptic\_integrals.cpython-310.pyc
    - error\_functions.cpython-310.pyc
    - gamma\_functions.cpython-310.pyc
    - hyper.cpython-310.pyc
    - mathieu\_functions.cpython-310.pyc
    - polynomials.cpython-310.pyc
    - singularity\_functions.cpython-310.pyc
    - spherical\_harmonics.cpython-310.pyc
    - tensor\_functions.cpython-310.pyc
    - zeta\_functions.cpython-310.pyc
  - benchmarks/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - bench\_special.cpython-310.pyc
    - \_\_init\_\_.py
    - bench\_special.py
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_bessel.cpython-310.pyc
      - test\_beta\_functions.cpython-310.pyc
      - test\_bsplines.cpython-310.pyc
      - test\_delta\_functions.cpython-310.pyc
      - test\_elliptic\_integrals.cpython-310.pyc
      - test\_error\_functions.cpython-310.pyc
      - test\_gamma\_functions.cpython-310.pyc
      - test\_hyper.cpython-310.pyc
      - test\_mathieu.cpython-310.pyc
      - test\_singularity\_functions.cpython-310.pyc
      - test\_spec\_polynomials.cpython-310.pyc

- test\_spherical\_harmonics.cpython-310.pyc
    - test\_tensor\_functions.cpython-310.pyc
    - test\_zeta\_functions.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_bessel.py
  - test\_beta\_functions.py
  - test\_bsplines.py
  - test\_delta\_functions.py
  - test\_elliptic\_integrals.py
  - test\_error\_functions.py
  - test\_gamma\_functions.py
  - test\_hyper.py
  - test\_mathieu.py
  - test\_singularity\_functions.py
  - test\_spec\_polynomials.py
  - test\_spherical\_harmonics.py
  - test\_tensor\_functions.py
  - test\_zeta\_functions.py
- \_\_init\_\_.py
- bessel.py
- beta\_functions.py
- bsplines.py
- delta\_functions.py
- elliptic\_integrals.py
- error\_functions.py
- gamma\_functions.py
- hyper.py
- mathieu\_functions.py
- polynomials.py
- singularity\_functions.py
- spherical\_harmonics.py
- tensor\_functions.py
- zeta\_functions.py

- geometry/
- \_\_pycache\_\_/
  - \_\_init\_\_.cpython-310.pyc
  - curve.cpython-310.pyc
  - ellipse.cpython-310.pyc
  - entity.cpython-310.pyc
  - exceptions.cpython-310.pyc
  - line.cpython-310.pyc
  - parabola.cpython-310.pyc
  - plane.cpython-310.pyc
  - point.cpython-310.pyc
  - polygon.cpython-310.pyc
  - util.cpython-310.pyc
- tests/
- \_\_pycache\_\_/
  - \_\_init\_\_.cpython-310.pyc
  - test\_curve.cpython-310.pyc
  - test\_ellipse.cpython-310.pyc
  - test\_entity.cpython-310.pyc
  - test\_geometrysets.cpython-310.pyc
  - test\_line.cpython-310.pyc
  - test\_parabola.cpython-310.pyc
  - test\_plane.cpython-310.pyc
  - test\_point.cpython-310.pyc
  - test\_polygon.cpython-310.pyc
  - test\_util.cpython-310.pyc
- \_\_init\_\_.py
- test\_curve.py
- test\_ellipse.py
- test\_entity.py
- test\_geometrysets.py
- test\_line.py
- test\_parabola.py
- test\_plane.py
- test\_point.py
- test\_polygon.py
- test\_util.py
- \_\_init\_\_.py
- curve.py
- ellipse.py
- entity.py
- exceptions.py
- line.py
- parabola.py
- plane.py
- point.py
- polygon.py
- util.py
- holonomic/
- \_\_pycache\_\_/
  - \_\_init\_\_.cpython-310.pyc

- holonomic.cpython-310.pyc
- holonomicerrors.cpython-310.pyc
- numerical.cpython-310.pyc
- recurrence.cpython-310.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_holonomic.cpython-310.pyc
    - test\_recurrence.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_holonomic.py
  - test\_recurrence.py
- \_\_init\_\_.py
- holonomic.py
- holonomicerrors.py
- numerical.py
- recurrence.py
- integrals/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - deltafunctions.cpython-310.pyc
    - heurisch.cpython-310.pyc
    - integrals.cpython-310.pyc
    - intpoly.cpython-310.pyc
    - laplace.cpython-310.pyc
    - manualintegrate.cpython-310.pyc
    - meijerint.cpython-310.pyc
    - meijerint\_doc.cpython-310.pyc
    - prde.cpython-310.pyc
    - quadrature.cpython-310.pyc
    - rationaltools.cpython-310.pyc
    - rde.cpython-310.pyc
    - risch.cpython-310.pyc
    - singularityfunctions.cpython-310.pyc
    - transforms.cpython-310.pyc
    - trigonometry.cpython-310.pyc
- benchmarks/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - bench\_integrate.cpython-310.pyc
    - bench\_trigintegrate.cpython-310.pyc
  - \_\_init\_\_.py
  - bench\_integrate.py
  - bench\_trigintegrate.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_deltafunctions.cpython-310.pyc
    - test\_failing\_integrals.cpython-310.pyc
    - test\_heurisch.cpython-310.pyc
    - test\_integrals.cpython-310.pyc
    - test\_intpoly.cpython-310.pyc
    - test\_laplace.cpython-310.pyc
    - test\_lineintegrals.cpython-310.pyc
    - test\_manual.cpython-310.pyc
    - test\_meijerint.cpython-310.pyc
    - test\_prde.cpython-310.pyc
    - test\_quadrature.cpython-310.pyc
    - test\_rationaltools.cpython-310.pyc
    - test\_rde.cpython-310.pyc
    - test\_risch.cpython-310.pyc
    - test\_singularityfunctions.cpython-310.pyc
    - test\_transforms.cpython-310.pyc
    - test\_trigonometry.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_deltafunctions.py
  - test\_failing\_integrals.py
  - test\_heurisch.py
  - test\_integrals.py
  - test\_intpoly.py
  - test\_laplace.py
  - test\_lineintegrals.py
  - test\_manual.py
  - test\_meijerint.py
  - test\_prde.py
  - test\_quadrature.py
  - test\_rationaltools.py
  - test\_rde.py
  - test\_risch.py
  - test\_singularityfunctions.py
  - test\_transforms.py
  - test\_trigonometry.py
- \_\_init\_\_.py
- deltafunctions.py
- heurisch.py

- integrals.py
- intpoly.py
- laplace.py
- manualintegrate.py
- meijerint.py
- meijerint\_doc.py
- prde.py
- quadrature.py
- rationaltools.py
- rde.py
- risch.py
- singularityfunctions.py
- transforms.py
- trigonometry.py
- interactive/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - printing.cpython-310.pyc
    - session.cpython-310.pyc
    - traversal.cpython-310.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_interactive.cpython-310.pyc
      - test\_ipython.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_interactive.py
    - test\_ipython.py
  - \_\_init\_\_.py
  - printing.py
  - session.py
  - traversal.py
- liealgebras/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - cartan\_matrix.cpython-310.pyc
    - cartan\_type.cpython-310.pyc
    - dynkin\_diagram.cpython-310.pyc
    - root\_system.cpython-310.pyc
    - type\_a.cpython-310.pyc
    - type\_b.cpython-310.pyc
    - type\_c.cpython-310.pyc
    - type\_d.cpython-310.pyc
    - type\_e.cpython-310.pyc
    - type\_f.cpython-310.pyc
    - type\_g.cpython-310.pyc
    - weyl\_group.cpython-310.pyc
  - tests/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_cartan\_matrix.cpython-310.pyc
      - test\_cartan\_type.cpython-310.pyc
      - test\_dynkin\_diagram.cpython-310.pyc
      - test\_root\_system.cpython-310.pyc
      - test\_type\_A.cpython-310.pyc
      - test\_type\_B.cpython-310.pyc
      - test\_type\_C.cpython-310.pyc
      - test\_type\_D.cpython-310.pyc
      - test\_type\_E.cpython-310.pyc
      - test\_type\_F.cpython-310.pyc
      - test\_type\_G.cpython-310.pyc
      - test\_weyl\_group.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_cartan\_matrix.py
    - test\_cartan\_type.py
    - test\_dynkin\_diagram.py
    - test\_root\_system.py
    - test\_type\_A.py
    - test\_type\_B.py
    - test\_type\_C.py
    - test\_type\_D.py
    - test\_type\_E.py
    - test\_type\_F.py
    - test\_type\_G.py
    - test\_weyl\_group.py
  - \_\_init\_\_.py
  - cartan\_matrix.py
  - cartan\_type.py
  - dynkin\_diagram.py
  - root\_system.py
  - type\_a.py
  - type\_b.py
  - type\_c.py
  - type\_d.py
  - type\_e.py

- type\_f.py
- type\_g.py
- weyl\_group.py
- logic/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - boolalg.cpython-310.pyc
    - inference.cpython-310.pyc
  - algorithms/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - dpll.cpython-310.pyc
      - dpll2.cpython-310.pyc
      - lra\_theory.cpython-310.pyc
      - minisat22\_wrapper.cpython-310.pyc
      - pycosat\_wrapper.cpython-310.pyc
      - z3\_wrapper.cpython-310.pyc
    - \_\_init\_\_.py
    - dpll.py
    - dpll2.py
    - lra\_theory.py
    - minisat22\_wrapper.py
    - pycosat\_wrapper.py
    - z3\_wrapper.py
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_boolalg.cpython-310.pyc
      - test\_dimacs.cpython-310.pyc
      - test\_inference.cpython-310.pyc
      - test\_lra\_theory.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_boolalg.py
    - test\_dimacs.py
    - test\_inference.py
    - test\_lra\_theory.py
  - utilities/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - dimacs.cpython-310.pyc
    - \_\_init\_\_.py
    - dimacs.py
  - \_\_init\_\_.py
  - boolalg.py
  - inference.py
- matrices/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - common.cpython-310.pyc
    - decompositions.cpython-310.pyc
    - dense.cpython-310.pyc
    - determinant.cpython-310.pyc
    - eigen.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - graph.cpython-310.pyc
    - immutable.cpython-310.pyc
    - inverse.cpython-310.pyc
    - kind.cpython-310.pyc
    - matrices.cpython-310.pyc
    - matrixbase.cpython-310.pyc
    - normalforms.cpython-310.pyc
    - reductions.cpython-310.pyc
    - repmatrix.cpython-310.pyc
    - solvers.cpython-310.pyc
    - sparse.cpython-310.pyc
    - sparsetools.cpython-310.pyc
    - subspaces.cpython-310.pyc
    - utilities.cpython-310.pyc
- benchmarks/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - bench\_matrix.cpython-310.pyc
  - \_\_init\_\_.py
  - bench\_matrix.py
- expressions/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_shape.cpython-310.pyc
    - adjoint.cpython-310.pyc
    - applyfunc.cpython-310.pyc
    - blockmatrix.cpython-310.pyc
    - companion.cpython-310.pyc
    - determinant.cpython-310.pyc
    - diagonal.cpython-310.pyc
    - dotproduct.cpython-310.pyc



- factorizations.cpython-310.pyc
- fourier.cpython-310.pyc
- funcmatrix.cpython-310.pyc
- hadamard.cpython-310.pyc
- inverse.cpython-310.pyc
- kronecker.cpython-310.pyc
- matadd.cpython-310.pyc
- matexpr.cpython-310.pyc
- matmul.cpython-310.pyc
- matpow.cpython-310.pyc
- permutation.cpython-310.pyc
- sets.cpython-310.pyc
- slice.cpython-310.pyc
- special.cpython-310.pyc
- trace.cpython-310.pyc
- transpose.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_adjoint.cpython-310.pyc
    - test\_applyfunc.cpython-310.pyc
    - test\_blockmatrix.cpython-310.pyc
    - test\_companion.cpython-310.pyc
    - test\_derivatives.cpython-310.pyc
    - test\_determinant.cpython-310.pyc
    - test\_diagonal.cpython-310.pyc
    - test\_dotproduct.cpython-310.pyc
    - test\_factorizations.cpython-310.pyc
    - test\_fourier.cpython-310.pyc
    - test\_funcmatrix.cpython-310.pyc
    - test\_hadamard.cpython-310.pyc
    - test\_indexing.cpython-310.pyc
    - test\_inverse.cpython-310.pyc
    - test\_kronecker.cpython-310.pyc
    - test\_matadd.cpython-310.pyc
    - test\_matexpr.cpython-310.pyc
    - test\_matmul.cpython-310.pyc
    - test\_matpow.cpython-310.pyc
    - test\_permutation.cpython-310.pyc
    - test\_sets.cpython-310.pyc
    - test\_slice.cpython-310.pyc
    - test\_special.cpython-310.pyc
    - test\_trace.cpython-310.pyc
    - test\_transpose.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_adjoint.py
  - test\_applyfunc.py
  - test\_blockmatrix.py
  - test\_companion.py
  - test\_derivatives.py
  - test\_determinant.py
  - test\_diagonal.py
  - test\_dotproduct.py
  - test\_factorizations.py
  - test\_fourier.py
  - test\_funcmatrix.py
  - test\_hadamard.py
  - test\_indexing.py
  - test\_inverse.py
  - test\_kronecker.py
  - test\_matadd.py
  - test\_matexpr.py
  - test\_matmul.py
  - test\_matpow.py
  - test\_permutation.py
  - test\_sets.py
  - test\_slice.py
  - test\_special.py
  - test\_trace.py
  - test\_transpose.py
- \_\_init\_\_.py
- \_shape.py
- adjoint.py
- applyfunc.py
- blockmatrix.py
- companion.py
- determinant.py
- diagonal.py
- dotproduct.py
- factorizations.py
- fourier.py
- funcmatrix.py
- hadamard.py
- inverse.py
- kronecker.py

- matadd.py
- matexpr.py
- matmul.py
- matpow.py
- permutation.py
- sets.py
- slice.py
- special.py
- trace.py
- transpose.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_commonmatrix.cpython-310.pyc
    - test\_decompositions.cpython-310.pyc
    - test\_determinant.cpython-310.pyc
    - test\_domains.cpython-310.pyc
    - test\_eigen.cpython-310.pyc
    - test\_graph.cpython-310.pyc
    - test\_immutable.cpython-310.pyc
    - test\_interactions.cpython-310.pyc
    - test\_matrices.cpython-310.pyc
    - test\_matrixbase.cpython-310.pyc
    - test\_normalforms.cpython-310.pyc
    - test\_reductions.cpython-310.pyc
    - test\_repmatrix.cpython-310.pyc
    - test\_solvers.cpython-310.pyc
    - test\_sparse.cpython-310.pyc
    - test\_sparsetools.cpython-310.pyc
    - test\_subspaces.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_commonmatrix.py
  - test\_decompositions.py
  - test\_determinant.py
  - test\_domains.py
  - test\_eigen.py
  - test\_graph.py
  - test\_immutable.py
  - test\_interactions.py
  - test\_matrices.py
  - test\_matrixbase.py
  - test\_normalforms.py
  - test\_reductions.py
  - test\_repmatrix.py
  - test\_solvers.py
  - test\_sparse.py
  - test\_sparsetools.py
  - test\_subspaces.py
- \_\_init\_\_.py
- common.py
- decompositions.py
- dense.py
- determinant.py
- eigen.py
- exceptions.py
- graph.py
- immutable.py
- inverse.py
- kind.py
- matrices.py
- matrixbase.py
- normalforms.py
- reductions.py
- repmatrix.py
- solvers.py
- sparse.py
- sparsetools.py
- subspaces.py
- utilities.py
- multipliedispatch/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - conflict.cpython-310.pyc
    - core.cpython-310.pyc
    - dispatcher.cpython-310.pyc
    - utils.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_conflict.cpython-310.pyc
      - test\_core.cpython-310.pyc
      - test\_dispatcher.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_conflict.py
    - test\_core.py

- └─ test\_dispatcher.py
- └─ \_\_init\_\_.py
- └─ conflict.py
- └─ core.py
- └─ dispatcher.py
- └─ utils.py
- ─ nththeory/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ bbp\_pi.cpython-310.pyc
    - └─ continued\_fraction.cpython-310.pyc
    - └─ digits.cpython-310.pyc
    - └─ ecm.cpython-310.pyc
    - └─ egyptian\_fraction.cpython-310.pyc
    - └─ elliptic\_curve.cpython-310.pyc
    - └─ factor\_.cpython-310.pyc
    - └─ generate.cpython-310.pyc
    - └─ modular.cpython-310.pyc
    - └─ multinomial.cpython-310.pyc
    - └─ partitions\_.cpython-310.pyc
    - └─ primetest.cpython-310.pyc
    - └─ qs.cpython-310.pyc
    - └─ residue\_nththeory.cpython-310.pyc
- ─ tests/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_bbp\_pi.cpython-310.pyc
    - └─ test\_continued\_fraction.cpython-310.pyc
    - └─ test\_digits.cpython-310.pyc
    - └─ test\_ecm.cpython-310.pyc
    - └─ test\_egyptian\_fraction.cpython-310.pyc
    - └─ test\_elliptic\_curve.cpython-310.pyc
    - └─ test\_factor\_.cpython-310.pyc
    - └─ test\_generate.cpython-310.pyc
    - └─ test\_hypothesis.cpython-310.pyc
    - └─ test\_modular.cpython-310.pyc
    - └─ test\_multinomial.cpython-310.pyc
    - └─ test\_partitions.cpython-310.pyc
    - └─ test\_primetest.cpython-310.pyc
    - └─ test\_qs.cpython-310.pyc
    - └─ test\_residue.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_bbp\_pi.py
  - └─ test\_continued\_fraction.py
  - └─ test\_digits.py
  - └─ test\_ecm.py
  - └─ test\_egyptian\_fraction.py
  - └─ test\_elliptic\_curve.py
  - └─ test\_factor\_.py
  - └─ test\_generate.py
  - └─ test\_hypothesis.py
  - └─ test\_modular.py
  - └─ test\_multinomial.py
  - └─ test\_partitions.py
  - └─ test\_primetest.py
  - └─ test\_qs.py
  - └─ test\_residue.py
- ─ \_\_init\_\_.py
- ─ bbp\_pi.py
- ─ continued\_fraction.py
- ─ digits.py
- ─ ecm.py
- ─ egyptian\_fraction.py
- ─ elliptic\_curve.py
- ─ factor\_.py
- ─ generate.py
- ─ modular.py
- ─ multinomial.py
- ─ partitions\_.py
- ─ primetest.py
- ─ qs.py
- ─ residue\_nththeory.py
- ─ parsing/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ ast\_parser.cpython-310.pyc
    - └─ mathematica.cpython-310.pyc
    - └─ maxima.cpython-310.pyc
    - └─ sym\_expr.cpython-310.pyc
    - └─ sympy\_parser.cpython-310.pyc
- ─ autolev/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_build\_autolev\_antlr.cpython-310.pyc
    - └─ \_listener\_autolev\_antlr.cpython-310.pyc

- \_parse\_autolev\_antlr.cpython-310.pyc
  - antlr/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - autolevlexer.cpython-310.pyc
      - autolevlistener.cpython-310.pyc
      - autolevparser.cpython-310.pyc
    - \_\_init\_\_.py
    - autolevlexer.py
    - autolevlistener.py
    - autolevparser.py
  - test-examples/
    - pycache\_/
      - ruletest1.cpython-310.pyc
      - ruletest10.cpython-310.pyc
      - ruletest11.cpython-310.pyc
      - ruletest12.cpython-310.pyc
      - ruletest2.cpython-310.pyc
      - ruletest3.cpython-310.pyc
      - ruletest4.cpython-310.pyc
      - ruletest5.cpython-310.pyc
      - ruletest6.cpython-310.pyc
      - ruletest7.cpython-310.pyc
      - ruletest8.cpython-310.pyc
      - ruletest9.cpython-310.pyc
  - pydy-example-repo/
    - pycache\_/
      - chaos\_pendulum.cpython-310.pyc
      - double\_pendulum.cpython-310.pyc
      - mass\_spring\_damper.cpython-310.pyc
      - non\_min\_pendulum.cpython-310.pyc
    - chaos\_pendulum.al
    - chaos\_pendulum.py
    - double\_pendulum.al
    - double\_pendulum.py
    - mass\_spring\_damper.al
    - mass\_spring\_damper.py
    - non\_min\_pendulum.al
    - non\_min\_pendulum.py
  - README.txt
  - ruletest1.al
  - ruletest1.py
  - ruletest10.al
  - ruletest10.py
  - ruletest11.al
  - ruletest11.py
  - ruletest12.al
  - ruletest12.py
  - ruletest2.al
  - ruletest2.py
  - ruletest3.al
  - ruletest3.py
  - ruletest4.al
  - ruletest4.py
  - ruletest5.al
  - ruletest5.py
  - ruletest6.al
  - ruletest6.py
  - ruletest7.al
  - ruletest7.py
  - ruletest8.al
  - ruletest8.py
  - ruletest9.al
  - ruletest9.py
  - \_\_init\_\_.py
  - \_build\_autolev\_antlr.py
  - \_listener\_autolev\_antlr.py
  - \_parse\_autolev\_antlr.py
  - Autolev.g4
- c/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - c\_parser.cpython-310.pyc
  - \_\_init\_\_.py
  - c\_parser.py
- fortran/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - fortran\_parser.cpython-310.pyc
  - \_\_init\_\_.py
  - fortran\_parser.py
- latex/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_build\_latex\_antlr.cpython-310.pyc

- \_parse\_latex\_antlr.cpython-310.pyc
    - errors.cpython-310.pyc
  - antlr/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - latexlexer.cpython-310.pyc
      - latexparser.cpython-310.pyc
    - \_\_init\_\_.py
    - latexlexer.py
    - latexparser.py
  - lark/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - latex\_parser.cpython-310.pyc
      - transformer.cpython-310.pyc
    - grammar/
      - greek\_symbols.lark
      - latex.lark
    - \_\_init\_\_.py
    - latex\_parser.py
    - transformer.py
  - \_\_init\_\_.py
  - \_build\_latex\_antlr.py
  - \_parse\_latex\_antlr.py
  - errors.py
  - LaTeX.g4
  - LICENSE.txt
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_ast\_parser.cpython-310.pyc
    - test\_autolev.cpython-310.pyc
    - test\_c\_parser.cpython-310.pyc
    - test\_custom\_latex.cpython-310.pyc
    - test\_fortran\_parser.cpython-310.pyc
    - test\_implicit\_multiplication\_application.cpython-310.pyc
    - test\_latex.cpython-310.pyc
    - test\_latex\_deps.cpython-310.pyc
    - test\_latex\_lark.cpython-310.pyc
    - test\_mathematica.cpython-310.pyc
    - test\_maxima.cpython-310.pyc
    - test\_sym\_expr.cpython-310.pyc
    - test\_sympy\_parser.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_ast\_parser.py
  - test\_autolev.py
  - test\_c\_parser.py
  - test\_custom\_latex.py
  - test\_fortran\_parser.py
  - test\_implicit\_multiplication\_application.py
  - test\_latex.py
  - test\_latex\_deps.py
  - test\_latex\_lark.py
  - test\_mathematica.py
  - test\_maxima.py
  - test\_sym\_expr.py
  - test\_sympy\_parser.py
- \_\_init\_\_.py
- ast\_parser.py
- mathematica.py
- maxima.py
- sym\_expr.py
- sympy\_parser.py

- physics/
- pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - hydrogen.cpython-310.pyc
  - matrices.cpython-310.pyc
  - paulialgebra.cpython-310.pyc
  - pring.cpython-310.pyc
  - qho\_1d.cpython-310.pyc
  - secondquant.cpython-310.pyc
  - sho.cpython-310.pyc
  - wigner.cpython-310.pyc
- biomechanics/
- pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - \_mixin.cpython-310.pyc
  - activation.cpython-310.pyc
  - curve.cpython-310.pyc
  - musculotendon.cpython-310.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_activation.cpython-310.pyc

- test\_curve.cpython-310.pyc
    - test\_mixin.cpython-310.pyc
    - test\_musculotendon.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_activation.py
  - test\_curve.py
  - test\_mixin.py
  - test\_musculotendon.py
- \_\_init\_\_.py
- \_mixin.py
- activation.py
- curve.py
- musculotendon.py
- continuum\_mechanics/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - arch.cpython-310.pyc
    - beam.cpython-310.pyc
    - cable.cpython-310.pyc
    - truss.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_arch.cpython-310.pyc
      - test\_beam.cpython-310.pyc
      - test\_cable.cpython-310.pyc
      - test\_truss.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_arch.py
    - test\_beam.py
    - test\_cable.py
    - test\_truss.py
  - \_\_init\_\_.py
  - arch.py
  - beam.py
  - cable.py
  - truss.py
- control/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - control\_plots.cpython-310.pyc
    - lti.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_control\_plots.cpython-310.pyc
      - test\_lti.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_control\_plots.py
    - test\_lti.py
  - \_\_init\_\_.py
  - control\_plots.py
  - lti.py
- hep/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - gamma\_matrices.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_gamma\_matrices.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_gamma\_matrices.py
  - \_\_init\_\_.py
  - gamma\_matrices.py
- mechanics/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - actuator.cpython-310.pyc
    - body.cpython-310.pyc
    - body\_base.cpython-310.pyc
    - functions.cpython-310.pyc
    - inertia.cpython-310.pyc
    - joint.cpython-310.pyc
    - jointsmethod.cpython-310.pyc
    - kane.cpython-310.pyc
    - lagrange.cpython-310.pyc
    - linearize.cpython-310.pyc
    - loads.cpython-310.pyc
    - method.cpython-310.pyc
    - models.cpython-310.pyc
    - particle.cpython-310.pyc
    - pathway.cpython-310.pyc
    - rigidbody.cpython-310.pyc
    - system.cpython-310.pyc

```

└─ wrapping_geometry.cpython-310.pyc
tests/
└─ __pycache__/
    └─ __init__.cpython-310.pyc
    └─ test_actuator.cpython-310.pyc
    └─ test_body.cpython-310.pyc
    └─ test_functions.cpython-310.pyc
    └─ test_inertia.cpython-310.pyc
    └─ test_joint.cpython-310.pyc
    └─ test_jointsmethod.cpython-310.pyc
    └─ test_kane.cpython-310.pyc
    └─ test_kane2.cpython-310.pyc
    └─ test_kane3.cpython-310.pyc
    └─ test_kane4.cpython-310.pyc
    └─ test_kane5.cpython-310.pyc
    └─ test_lagrange.cpython-310.pyc
    └─ test_lagrange2.cpython-310.pyc
    └─ test_linearity_of_velocity_constraints.cpython-310.pyc
    └─ test_linearize.cpython-310.pyc
    └─ test_loads.cpython-310.pyc
    └─ test_method.cpython-310.pyc
    └─ test_models.cpython-310.pyc
    └─ test_particle.cpython-310.pyc
    └─ test_pathway.cpython-310.pyc
    └─ test_rigidbody.cpython-310.pyc
    └─ test_system.cpython-310.pyc
    └─ test_system_class.cpython-310.pyc
    └─ test_wrapping_geometry.cpython-310.pyc
└─ __init__.py
└─ test_actuator.py
└─ test_body.py
└─ test_functions.py
└─ test_inertia.py
└─ test_joint.py
└─ test_jointsmethod.py
└─ test_kane.py
└─ test_kane2.py
└─ test_kane3.py
└─ test_kane4.py
└─ test_kane5.py
└─ test_lagrange.py
└─ test_lagrange2.py
└─ test_linearity_of_velocity_constraints.py
└─ test_linearize.py
└─ test_loads.py
└─ test_method.py
└─ test_models.py
└─ test_particle.py
└─ test_pathway.py
└─ test_rigidbody.py
└─ test_system.py
└─ test_system_class.py
└─ test_wrapping_geometry.py
__init__.py
actuator.py
body.py
body_base.py
functions.py
inertia.py
joint.py
jointsmethod.py
kane.py
lagrange.py
linearize.py
loads.py
method.py
models.py
particle.py
pathway.py
rigidbody.py
system.py
wrapping_geometry.py
optics/
└─ __pycache__/
    └─ __init__.cpython-310.pyc
    └─ gaussopt.cpython-310.pyc
    └─ medium.cpython-310.pyc
    └─ polarization.cpython-310.pyc
    └─ utils.cpython-310.pyc
    └─ waves.cpython-310.pyc
└─ tests/
    └─ __pycache__/
        └─ __init__.cpython-310.pyc
        └─ test_gaussopt.cpython-310.pyc
        └─ test_medium.cpython-310.pyc

```

- test\_polarization.cpython-310.pyc
  - test\_utils.cpython-310.pyc
  - test\_waves.cpython-310.pyc
- \_\_init\_\_.py
- test\_gaussopt.py
- test\_medium.py
- test\_polarization.py
- test\_utils.py
- test\_waves.py
- \_\_init\_\_.py
- gaussopt.py
- medium.py
- polarization.py
- utils.py
- waves.py
- quantum/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - anticommulator.cpython-310.pyc
    - boson.cpython-310.pyc
    - cartesian.cpython-310.pyc
    - cg.cpython-310.pyc
    - circuitplot.cpython-310.pyc
    - circuitutils.cpython-310.pyc
    - commutator.cpython-310.pyc
    - constants.cpython-310.pyc
    - dagger.cpython-310.pyc
    - density.cpython-310.pyc
    - fermion.cpython-310.pyc
    - gate.cpython-310.pyc
    - grover.cpython-310.pyc
    - hilbert.cpython-310.pyc
    - identitysearch.cpython-310.pyc
    - innerproduct.cpython-310.pyc
    - kind.cpython-310.pyc
    - matrixcache.cpython-310.pyc
    - matrixutils.cpython-310.pyc
    - operator.cpython-310.pyc
    - operatorordering.cpython-310.pyc
    - operatorset.cpython-310.pyc
    - pauli.cpython-310.pyc
    - piab.cpython-310.pyc
    - qapply.cpython-310.pyc
    - qasm.cpython-310.pyc
    - qexpr.cpython-310.pyc
    - qft.cpython-310.pyc
    - qubit.cpython-310.pyc
    - represent.cpython-310.pyc
    - sho1d.cpython-310.pyc
    - shor.cpython-310.pyc
    - spin.cpython-310.pyc
    - state.cpython-310.pyc
    - tensorproduct.cpython-310.pyc
    - trace.cpython-310.pyc
    - transforms.cpython-310.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_anticommulator.cpython-310.pyc
    - test\_boson.cpython-310.pyc
    - test\_cartesian.cpython-310.pyc
    - test\_cg.cpython-310.pyc
    - test\_circuitplot.cpython-310.pyc
    - test\_circuitutils.cpython-310.pyc
    - test\_commutator.cpython-310.pyc
    - test\_constants.cpython-310.pyc
    - test\_dagger.cpython-310.pyc
    - test\_density.cpython-310.pyc
    - test\_fermion.cpython-310.pyc
    - test\_gate.cpython-310.pyc
    - test\_grover.cpython-310.pyc
    - test\_hilbert.cpython-310.pyc
    - test\_identitysearch.cpython-310.pyc
    - test\_innerproduct.cpython-310.pyc
    - test\_kind.cpython-310.pyc
    - test\_matrixutils.cpython-310.pyc
    - test\_operator.cpython-310.pyc
    - test\_operatorordering.cpython-310.pyc
    - test\_operatorset.cpython-310.pyc
    - test\_pauli.cpython-310.pyc
    - test\_piab.cpython-310.pyc
    - test\_printing.cpython-310.pyc
    - test\_qapply.cpython-310.pyc
    - test\_qasm.cpython-310.pyc
    - test\_qexpr.cpython-310.pyc



```
— test_qft.cpython-310.pyc
— test_qubit.cpython-310.pyc
— test_represent.cpython-310.pyc
— test_sho1d.cpython-310.pyc
— test_shor.cpython-310.pyc
— test_spin.cpython-310.pyc
— test_state.cpython-310.pyc
— test_tensorproduct.cpython-310.pyc
— test_trace.cpython-310.pyc
— test_transforms.cpython-310.pyc
```

```
— __init__.py
— test_anticommutator.py
— test_boson.py
— test_cartesian.py
— test_cg.py
— test_circuitplot.py
— test_circuitutils.py
— test_commutator.py
— test_constants.py
— test_dagger.py
— test_density.py
— test_fermion.py
— test_gate.py
— test_grover.py
— test_hilbert.py
— test_identitysearch.py
— test_innerproduct.py
— test_kind.py
— test_matrixutils.py
— test_operator.py
— test_operatorordering.py
— test_operatorset.py
— test_pauli.py
— test_piab.py
— test_printing.py
— test_qapply.py
— test_qasm.py
— test_qexpr.py
— test_qft.py
— test_qubit.py
— test_represent.py
— test_sho1d.py
— test_shor.py
— test_spin.py
— test_state.py
— test_tensorproduct.py
— test_trace.py
— test_transforms.py
```

```
— __init__.py
— anticommutator.py
— boson.py
— cartesian.py
— cg.py
— circuitplot.py
— circuitutils.py
— commutator.py
— constants.py
— dagger.py
— density.py
— fermion.py
— gate.py
— grover.py
— hilbert.py
— identitysearch.py
— innerproduct.py
— kind.py
— matrixcache.py
— matrixutils.py
— operator.py
— operatorordering.py
— operatorset.py
— pauli.py
— piab.py
— qapply.py
— qasm.py
— qexpr.py
— qft.py
— qubit.py
— represent.py
— sho1d.py
— shor.py
— spin.py
— state.py
— tensorproduct.py
— trace.py
```

- └─ transforms.py
- tests/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ test\_clebsch\_gordan.cpython-310.pyc
    - └─ test\_hydrogen.cpython-310.pyc
    - └─ test\_paulialgebra.cpython-310.pyc
    - └─ test\_physics\_matrices.cpython-310.pyc
    - └─ test\_pring.cpython-310.pyc
    - └─ test\_qho\_1d.cpython-310.pyc
    - └─ test\_secondquant.cpython-310.pyc
    - └─ test\_sho.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ test\_clebsch\_gordan.py
  - └─ test\_hydrogen.py
  - └─ test\_paulialgebra.py
  - └─ test\_physics\_matrices.py
  - └─ test\_pring.py
  - └─ test\_qho\_1d.py
  - └─ test\_secondquant.py
  - └─ test\_sho.py
- units/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ dimensions.cpython-310.pyc
    - └─ prefixes.cpython-310.pyc
    - └─ quantities.cpython-310.pyc
    - └─ unitsystem.cpython-310.pyc
    - └─ util.cpython-310.pyc
  - └─ definitions/
    - └─ pycache/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ dimension\_definitions.cpython-310.pyc
      - └─ unit\_definitions.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ dimension\_definitions.py
    - └─ unit\_definitions.py
  - └─ systems/
    - └─ pycache/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ cgs.cpython-310.pyc
      - └─ length\_weight\_time.cpython-310.pyc
      - └─ mks.cpython-310.pyc
      - └─ mksa.cpython-310.pyc
      - └─ natural.cpython-310.pyc
      - └─ si.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ cgs.py
    - └─ length\_weight\_time.py
    - └─ mks.py
    - └─ mksa.py
    - └─ natural.py
    - └─ si.py
  - └─ tests/
    - └─ pycache/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ test\_dimensions.cpython-310.pyc
      - └─ test\_dimensionssystem.cpython-310.pyc
      - └─ test\_prefixes.cpython-310.pyc
      - └─ test\_quantities.cpython-310.pyc
      - └─ test\_unit\_system\_cgs\_gauss.cpython-310.pyc
      - └─ test\_unitsystem.cpython-310.pyc
      - └─ test\_util.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_dimensions.py
    - └─ test\_dimensionssystem.py
    - └─ test\_prefixes.py
    - └─ test\_quantities.py
    - └─ test\_unit\_system\_cgs\_gauss.py
    - └─ test\_unitsystem.py
    - └─ test\_util.py
  - └─ \_\_init\_\_.py
  - └─ dimensions.py
  - └─ prefixes.py
  - └─ quantities.py
  - └─ unitsystem.py
  - └─ util.py
- vector/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ dyadic.cpython-310.pyc
    - └─ fieldfunctions.cpython-310.pyc
    - └─ frame.cpython-310.pyc
    - └─ functions.cpython-310.pyc
    - └─ point.cpython-310.pyc

- printing.cpython-310.pyc
  - vector.cpython-310.pyc
- tests/
  - \_\_init\_\_.cpython-310.pyc
    - test\_dyadic.cpython-310.pyc
    - test\_fieldfunctions.cpython-310.pyc
    - test\_frame.cpython-310.pyc
    - test\_functions.cpython-310.pyc
    - test\_output.cpython-310.pyc
    - test\_point.cpython-310.pyc
    - test\_printing.cpython-310.pyc
    - test\_vector.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_dyadic.py
  - test\_fieldfunctions.py
  - test\_frame.py
  - test\_functions.py
  - test\_output.py
  - test\_point.py
  - test\_printing.py
  - test\_vector.py
- \_\_init\_\_.py
- dyadic.py
- fieldfunctions.py
- frame.py
- functions.py
- point.py
- printing.py
- vector.py
- \_\_init\_\_.py
- hydrogen.py
- matrices.py
- paulialgebra.py
- pring.py
- qho\_1d.py
- secondquant.py
- sho.py
- wigner.py
- plotting/
  - \_\_init\_\_.cpython-310.pyc
    - experimental\_lambdify.cpython-310.pyc
    - plot.cpython-310.pyc
    - plot\_implicit.cpython-310.pyc
    - plotgrid.cpython-310.pyc
    - series.cpython-310.pyc
    - textplot.cpython-310.pyc
    - utils.cpython-310.pyc
- backends/
  - \_\_init\_\_.cpython-310.pyc
    - base\_backend.cpython-310.pyc
  - matplotlibbackend/
    - \_\_init\_\_.cpython-310.pyc
      - matplotlib.cpython-310.pyc
    - \_\_init\_\_.py
    - matplotlib.py
  - textbackend/
    - \_\_init\_\_.cpython-310.pyc
      - text.cpython-310.pyc
    - \_\_init\_\_.py
    - text.py
  - \_\_init\_\_.py
  - base\_backend.py
- intervalmath/
  - \_\_init\_\_.cpython-310.pyc
    - interval\_arithmetic.cpython-310.pyc
    - interval\_membership.cpython-310.pyc
    - lib\_interval.cpython-310.pyc
  - tests/
    - \_\_init\_\_.cpython-310.pyc
      - test\_interval\_functions.cpython-310.pyc
      - test\_interval\_membership.cpython-310.pyc
      - test\_intervalmath.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_interval\_functions.py
    - test\_interval\_membership.py
    - test\_intervalmath.py
  - \_\_init\_\_.py
  - interval\_arithmetic.py

- interval\_membership.py
- lib\_interval.py
- pygletplot/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - color\_scheme.cpython-310.pyc
    - managed\_window.cpython-310.pyc
    - plot.cpython-310.pyc
    - plot\_axes.cpython-310.pyc
    - plot\_camera.cpython-310.pyc
    - plot\_controller.cpython-310.pyc
    - plot\_curve.cpython-310.pyc
    - plot\_interval.cpython-310.pyc
    - plot\_mode.cpython-310.pyc
    - plot\_mode\_base.cpython-310.pyc
    - plot\_modes.cpython-310.pyc
    - plot\_object.cpython-310.pyc
    - plot\_rotation.cpython-310.pyc
    - plot\_surface.cpython-310.pyc
    - plot\_window.cpython-310.pyc
    - util.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_plotting.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_plotting.py
  - \_\_init\_\_.py
  - color\_scheme.py
  - managed\_window.py
  - plot.py
  - plot\_axes.py
  - plot\_camera.py
  - plot\_controller.py
  - plot\_curve.py
  - plot\_interval.py
  - plot\_mode.py
  - plot\_mode\_base.py
  - plot\_modes.py
  - plot\_object.py
  - plot\_rotation.py
  - plot\_surface.py
  - plot\_window.py
  - util.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_experimental\_lambdify.cpython-310.pyc
    - test\_plot.cpython-310.pyc
    - test\_plot\_implicit.cpython-310.pyc
    - test\_series.cpython-310.pyc
    - test\_textplot.cpython-310.pyc
    - test\_utils.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_experimental\_lambdify.py
  - test\_plot.py
  - test\_plot\_implicit.py
  - test\_region\_and.png
  - test\_region\_not.png
  - test\_region\_or.png
  - test\_region\_xor.png
  - test\_series.py
  - test\_textplot.py
  - test\_utils.py
- \_\_init\_\_.py
- experimental\_lambdify.py
- plot.py
- plot\_implicit.py
- plotgrid.py
- series.py
- textplot.py
- utils.py

- polys/
- pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - appellseqs.cpython-310.pyc
  - compatibility.cpython-310.pyc
  - constructor.cpython-310.pyc
  - densearith.cpython-310.pyc
  - densebasic.cpython-310.pyc
  - densetools.cpython-310.pyc
  - dispersion.cpython-310.pyc
  - distributedmodules.cpython-310.pyc
  - domainmatrix.cpython-310.pyc
  - euclidtools.cpython-310.pyc

- factortools.cpython-310.pyc
- fglmttools.cpython-310.pyc
- fields.cpython-310.pyc
- galoistools.cpython-310.pyc
- groebnertools.cpython-310.pyc
- heuristicgcd.cpython-310.pyc
- modulargcd.cpython-310.pyc
- monomials.cpython-310.pyc
- multivariate\_resultants.cpython-310.pyc
- orderings.cpython-310.pyc
- orthopolys.cpython-310.pyc
- partfrac.cpython-310.pyc
- polyclasses.cpython-310.pyc
- polyconfig.cpython-310.pyc
- polyerrors.cpython-310.pyc
- polyfuncs.cpython-310.pyc
- polymatrix.cpython-310.pyc
- polyoptions.cpython-310.pyc
- polyquinticconst.cpython-310.pyc
- polyroots.cpython-310.pyc
- polytools.cpython-310.pyc
- polyutils.cpython-310.pyc
- puioux.cpython-310.pyc
- rationaltools.cpython-310.pyc
- ring\_series.cpython-310.pyc
- rings.cpython-310.pyc
- rootisolation.cpython-310.pyc
- rootoftools.cpython-310.pyc
- solvers.cpython-310.pyc
- specialpolys.cpython-310.pyc
- sqfreetools.cpython-310.pyc
- subresultants\_qq\_zz.cpython-310.pyc
- agca/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - extensions.cpython-310.pyc
    - homomorphisms.cpython-310.pyc
    - ideals.cpython-310.pyc
    - modules.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_extensions.cpython-310.pyc
      - test\_homomorphisms.cpython-310.pyc
      - test\_ideals.cpython-310.pyc
      - test\_modules.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_extensions.py
    - test\_homomorphisms.py
    - test\_ideals.py
    - test\_modules.py
  - \_\_init\_\_.py
  - extensions.py
  - homomorphisms.py
  - ideals.py
  - modules.py
- benchmarks/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - bench\_galoispolys.cpython-310.pyc
    - bench\_groebnertools.cpython-310.pyc
    - bench\_solvers.cpython-310.pyc
  - \_\_init\_\_.py
  - bench\_galoispolys.py
  - bench\_groebnertools.py
  - bench\_solvers.py
- domains/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - algebraicfield.cpython-310.pyc
    - characteristiczero.cpython-310.pyc
    - complexfield.cpython-310.pyc
    - compositedomain.cpython-310.pyc
    - domain.cpython-310.pyc
    - domainelement.cpython-310.pyc
    - expressiondomain.cpython-310.pyc
    - expressionrawdomain.cpython-310.pyc
    - field.cpython-310.pyc
    - finitefield.cpython-310.pyc
    - fractionfield.cpython-310.pyc
    - gaussiandomains.cpython-310.pyc
    - gmpyfinitefield.cpython-310.pyc
    - gmpyintegerring.cpython-310.pyc
    - gmpyrationalfield.cpython-310.pyc
    - groundtypes.cpython-310.pyc

- integerring.cpython-310.pyc
- modularinteger.cpython-310.pyc
- mpelements.cpython-310.pyc
- old\_fractionfield.cpython-310.pyc
- old\_polynomialring.cpython-310.pyc
- polynomialring.cpython-310.pyc
- pythonfinitefield.cpython-310.pyc
- pythonintegerring.cpython-310.pyc
- pythonrational.cpython-310.pyc
- pythonrationalfield.cpython-310.pyc
- quotientring.cpython-310.pyc
- rationalfield.cpython-310.pyc
- realfield.cpython-310.pyc
- ring.cpython-310.pyc
- simpledomain.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_domains.cpython-310.pyc
    - test\_polynomialring.cpython-310.pyc
    - test\_quotientring.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_domains.py
  - test\_polynomialring.py
  - test\_quotientring.py
- \_\_init\_\_.py
- algebraicfield.py
- characteristiczero.py
- complexfield.py
- compositedomain.py
- domain.py
- domainelement.py
- expressiondomain.py
- expressionrawdomain.py
- field.py
- finitefield.py
- fractionfield.py
- gaussiandomains.py
- gmpyfinitefield.py
- gmpyintegerring.py
- gmpyrationalfield.py
- groundtypes.py
- integerring.py
- modularinteger.py
- mpelements.py
- old\_fractionfield.py
- old\_polynomialring.py
- polynomialring.py
- pythonfinitefield.py
- pythonintegerring.py
- pythonrational.py
- pythonrationalfield.py
- quotientring.py
- rationalfield.py
- realfield.py
- ring.py
- simpledomain.py
- matrices/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_dfm.cpython-310.pyc
    - \_typing.cpython-310.pyc
    - ddm.cpython-310.pyc
    - dense.cpython-310.pyc
    - dfm.cpython-310.pyc
    - domainmatrix.cpython-310.pyc
    - domainscalar.cpython-310.pyc
    - eigen.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - linsolve.cpython-310.pyc
    - lll.cpython-310.pyc
    - normalforms.cpython-310.pyc
    - rref.cpython-310.pyc
    - sdm.cpython-310.pyc
- tests/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_ddm.cpython-310.pyc
    - test\_dense.cpython-310.pyc
    - test\_domainmatrix.cpython-310.pyc
    - test\_domainscalar.cpython-310.pyc
    - test\_eigen.cpython-310.pyc
    - test\_fflu.cpython-310.pyc
    - test\_inverse.cpython-310.pyc
    - test\_linsolve.cpython-310.pyc

- test\_lll.cpython-310.pyc
- test\_normalforms.cpython-310.pyc
- test\_nullspace.cpython-310.pyc
- test\_rref.cpython-310.pyc
- test\_sdm.cpython-310.pyc
- test\_xxm.cpython-310.pyc
- \_\_init\_\_.py
- test\_ddm.py
- test\_dense.py
- test\_domainmatrix.py
- test\_domainscalar.py
- test\_eigen.py
- test\_fflu.py
- test\_inverse.py
- test\_linsolve.py
- test\_lll.py
- test\_normalforms.py
- test\_nullspace.py
- test\_rref.py
- test\_sdm.py
- test\_xxm.py
- \_\_init\_\_.py
- dfm.py
- \_typing.py
- ddm.py
- dense.py
- dfm.py
- domainmatrix.py
- domainscalar.py
- eigen.py
- exceptions.py
- linsolve.py
- lll.py
- normalforms.py
- rref.py
- sdm.py
- numberfields/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - basis.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - galois\_resolvents.cpython-310.pyc
    - galoisgroups.cpython-310.pyc
    - minpoly.cpython-310.pyc
    - modules.cpython-310.pyc
    - primes.cpython-310.pyc
    - resolvent\_lookup.cpython-310.pyc
    - subfield.cpython-310.pyc
    - utilities.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_basis.cpython-310.pyc
      - test\_galoisgroups.cpython-310.pyc
      - test\_minpoly.cpython-310.pyc
      - test\_modules.cpython-310.pyc
      - test\_numbers.cpython-310.pyc
      - test\_primes.cpython-310.pyc
      - test\_subfield.cpython-310.pyc
      - test\_utilities.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_basis.py
    - test\_galoisgroups.py
    - test\_minpoly.py
    - test\_modules.py
    - test\_numbers.py
    - test\_primes.py
    - test\_subfield.py
    - test\_utilities.py
- \_\_init\_\_.py
- basis.py
- exceptions.py
- galois\_resolvents.py
- galoisgroups.py
- minpoly.py
- modules.py
- primes.py
- resolvent\_lookup.py
- subfield.py
- utilities.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_appellseqs.cpython-310.pyc
    - test\_constructor.cpython-310.pyc

|  |                                              |
|--|----------------------------------------------|
|  | test_densearith.cpython-310.pyc              |
|  | test_densebasic.cpython-310.pyc              |
|  | test_densetools.cpython-310.pyc              |
|  | test_dispersion.cpython-310.pyc              |
|  | test_distributedmodules.cpython-310.pyc      |
|  | test_euclidtools.cpython-310.pyc             |
|  | test_factortools.cpython-310.pyc             |
|  | test_fields.cpython-310.pyc                  |
|  | test_galoistools.cpython-310.pyc             |
|  | test_groebnertools.cpython-310.pyc           |
|  | test_heuristicgcd.cpython-310.pyc            |
|  | test_hypothesis.cpython-310.pyc              |
|  | test_injections.cpython-310.pyc              |
|  | test_modulargcd.cpython-310.pyc              |
|  | test_monomials.cpython-310.pyc               |
|  | test_multivariate_resultants.cpython-310.pyc |
|  | test_orderings.cpython-310.pyc               |
|  | test_orthopolys.cpython-310.pyc              |
|  | test_partfrac.cpython-310.pyc                |
|  | test_polyclasses.cpython-310.pyc             |
|  | test_polyfuncs.cpython-310.pyc               |
|  | test_polymatrix.cpython-310.pyc              |
|  | test_polyoptions.cpython-310.pyc             |
|  | test_polyroots.cpython-310.pyc               |
|  | test_polytools.cpython-310.pyc               |
|  | test_polyutils.cpython-310.pyc               |
|  | test_puiseux.cpython-310.pyc                 |
|  | test_pythonrational.cpython-310.pyc          |
|  | test_rationaltools.cpython-310.pyc           |
|  | test_ring_series.cpython-310.pyc             |
|  | test_rings.cpython-310.pyc                   |
|  | test_rootisolation.cpython-310.pyc           |
|  | test_rootoftools.cpython-310.pyc             |
|  | test_solvers.cpython-310.pyc                 |
|  | test_specialpolys.cpython-310.pyc            |
|  | test_sqfreetools.cpython-310.pyc             |
|  | test_subresultants_qq_zz.cpython-310.pyc     |
|  | __init__.py                                  |
|  | test_appellseqs.py                           |
|  | test_constructor.py                          |
|  | test_densearith.py                           |
|  | test_densebasic.py                           |
|  | test_densetools.py                           |
|  | test_dispersion.py                           |
|  | test_distributedmodules.py                   |
|  | test_euclidtools.py                          |
|  | test_factortools.py                          |
|  | test_fields.py                               |
|  | test_galoistools.py                          |
|  | test_groebnertools.py                        |
|  | test_heuristicgcd.py                         |
|  | test_hypothesis.py                           |
|  | test_injections.py                           |
|  | test_modulargcd.py                           |
|  | test_monomials.py                            |
|  | test_multivariate_resultants.py              |
|  | test_orderings.py                            |
|  | test_orthopolys.py                           |
|  | test_partfrac.py                             |
|  | test_polyclasses.py                          |
|  | test_polyfuncs.py                            |
|  | test_polymatrix.py                           |
|  | test_polyoptions.py                          |
|  | test_polyroots.py                            |
|  | test_polytools.py                            |
|  | test_polyutils.py                            |
|  | test_puiseux.py                              |
|  | test_pythonrational.py                       |
|  | test_rationaltools.py                        |
|  | test_ring_series.py                          |
|  | test_rings.py                                |
|  | test_rootisolation.py                        |
|  | test_rootoftools.py                          |
|  | test_solvers.py                              |
|  | test_specialpolys.py                         |
|  | test_sqfreetools.py                          |
|  | test_subresultants_qq_zz.py                  |
|  | __init__.py                                  |
|  | appellseqs.py                                |
|  | compatibility.py                             |
|  | constructor.py                               |
|  | densearith.py                                |
|  | densebasic.py                                |
|  | densetools.py                                |
|  | dispersion.py                                |



- distributedmodules.py
- domainmatrix.py
- euclidtools.py
- factortools.py
- fglmttools.py
- fields.py
- galoistools.py
- groebnertools.py
- heuristicgcd.py
- modulargcd.py
- monomials.py
- multivariate\_resultants.py
- orderings.py
- orthopolys.py
- partfrac.py
- polyclasses.py
- polyconfig.py
- polyerrors.py
- polyfuncs.py
- polymatrix.py
- polyoptions.py
- polyquinticconst.py
- polyroots.py
- polytools.py
- polyutils.py
- puioux.py
- rationaltools.py
- ring\_series.py
- rings.py
- rootisolation.py
- rootoftools.py
- solvers.py
- specialpolys.py
- sqfreetools.py
- subresultants\_qq\_zz.py
- printing/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - aesaracode.cpython-310.pyc
    - c.cpython-310.pyc
    - codeprinter.cpython-310.pyc
    - conventions.cpython-310.pyc
    - cxx.cpython-310.pyc
    - defaults.cpython-310.pyc
    - dot.cpython-310.pyc
    - fortran.cpython-310.pyc
    - glsl.cpython-310.pyc
    - gtk.cpython-310.pyc
    - jscode.cpython-310.pyc
    - julia.cpython-310.pyc
    - lambdarepr.cpython-310.pyc
    - latex.cpython-310.pyc
    - llvmitcode.cpython-310.pyc
    - maple.cpython-310.pyc
    - mathematica.cpython-310.pyc
    - mathml.cpython-310.pyc
    - numpy.cpython-310.pyc
    - octave.cpython-310.pyc
    - precedence.cpython-310.pyc
    - preview.cpython-310.pyc
    - printer.cpython-310.pyc
    - pycode.cpython-310.pyc
    - python.cpython-310.pyc
    - pytorch.cpython-310.pyc
    - rcode.cpython-310.pyc
    - repr.cpython-310.pyc
    - rust.cpython-310.pyc
    - smtlib.cpython-310.pyc
    - str.cpython-310.pyc
    - tableform.cpython-310.pyc
    - tensorflow.cpython-310.pyc
    - theano.cpython-310.pyc
    - tree.cpython-310.pyc
  - pretty/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - pretty.cpython-310.pyc
      - pretty\_symbolology.cpython-310.pyc
      - stringpict.cpython-310.pyc
    - tests/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - test\_pretty.cpython-310.pyc
      - \_\_init\_\_.py
      - test\_pretty.py

- `__init__.py`
- `pretty.py`
- `pretty_symbology.py`
- `stringpict.py`
- `tests/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `test_aesaracode.cpython-310.pyc`
    - `test_c.cpython-310.pyc`
    - `test_codeprinter.cpython-310.pyc`
    - `test_conventions.cpython-310.pyc`
    - `test_cupy.cpython-310.pyc`
    - `test_cxx.cpython-310.pyc`
    - `test_dot.cpython-310.pyc`
    - `test_fortran.cpython-310.pyc`
    - `test_gls1.cpython-310.pyc`
    - `test_gtk.cpython-310.pyc`
    - `test_jax.cpython-310.pyc`
    - `test_jscode.cpython-310.pyc`
    - `test_julia.cpython-310.pyc`
    - `test_lambdarepr.cpython-310.pyc`
    - `test_latex.cpython-310.pyc`
    - `test_llvmjit.cpython-310.pyc`
    - `test_maple.cpython-310.pyc`
    - `test_mathematica.cpython-310.pyc`
    - `test_mathml.cpython-310.pyc`
    - `test_numpy.cpython-310.pyc`
    - `test_octave.cpython-310.pyc`
    - `test_precedence.cpython-310.pyc`
    - `test_preview.cpython-310.pyc`
    - `test_pycode.cpython-310.pyc`
    - `test_python.cpython-310.pyc`
    - `test_rcode.cpython-310.pyc`
    - `test_repr.cpython-310.pyc`
    - `test_rust.cpython-310.pyc`
    - `test_smtlib.cpython-310.pyc`
    - `test_str.cpython-310.pyc`
    - `test_tableform.cpython-310.pyc`
    - `test_tensorflow.cpython-310.pyc`
    - `test_theanocode.cpython-310.pyc`
    - `test_torch.cpython-310.pyc`
    - `test_tree.cpython-310.pyc`
  - `__init__.py`
  - `test_aesaracode.py`
  - `test_c.py`
  - `test_codeprinter.py`
  - `test_conventions.py`
  - `test_cupy.py`
  - `test_cxx.py`
  - `test_dot.py`
  - `test_fortran.py`
  - `test_gls1.py`
  - `test_gtk.py`
  - `test_jax.py`
  - `test_jscode.py`
  - `test_julia.py`
  - `test_lambdarepr.py`
  - `test_latex.py`
  - `test_llvmjit.py`
  - `test_maple.py`
  - `test_mathematica.py`
  - `test_mathml.py`
  - `test_numpy.py`
  - `test_octave.py`
  - `test_precedence.py`
  - `test_preview.py`
  - `test_pycode.py`
  - `test_python.py`
  - `test_rcode.py`
  - `test_repr.py`
  - `test_rust.py`
  - `test_smtlib.py`
  - `test_str.py`
  - `test_tableform.py`
  - `test_tensorflow.py`
  - `test_theanocode.py`
  - `test_torch.py`
  - `test_tree.py`
- `__init__.py`
- `aesaracode.py`
- `c.py`
- `codeprinter.py`
- `conventions.py`
- `cxx.py`
- `defaults.py`

- dot.py
- fortran.py
- glsl.py
- gtk.py
- jscode.py
- julia.py
- lambdarepr.py
- latex.py
- llvmjitcode.py
- maple.py
- mathematica.py
- mathml.py
- numpy.py
- octave.py
- precedence.py
- preview.py
- printer.py
- pycode.py
- python.py
- pytorch.py
- rcode.py
- repr.py
- rust.py
- smtlib.py
- str.py
- tableform.py
- tensorflow.py
- theano.py
- tree.py
- sandbox/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - indexed\_integrals.cpython-310.pyc
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_indexed\_integrals.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_indexed\_integrals.py
    - \_\_init\_\_.py
    - indexed\_integrals.py
- series/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - acceleration.cpython-310.pyc
    - approximants.cpython-310.pyc
    - aseries.cpython-310.pyc
    - formal.cpython-310.pyc
    - fourier.cpython-310.pyc
    - gruntz.cpython-310.pyc
    - kauers.cpython-310.pyc
    - limits.cpython-310.pyc
    - limitseq.cpython-310.pyc
    - order.cpython-310.pyc
    - residues.cpython-310.pyc
    - sequences.cpython-310.pyc
    - series.cpython-310.pyc
    - series\_class.cpython-310.pyc
  - benchmarks/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - bench\_limit.cpython-310.pyc
      - bench\_order.cpython-310.pyc
    - \_\_init\_\_.py
    - bench\_limit.py
    - bench\_order.py
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_approximants.cpython-310.pyc
      - test\_aseries.cpython-310.pyc
      - test\_demidovich.cpython-310.pyc
      - test\_formal.cpython-310.pyc
      - test\_fourier.cpython-310.pyc
      - test\_gruntz.cpython-310.pyc
      - test\_kauers.cpython-310.pyc
      - test\_limits.cpython-310.pyc
      - test\_limitseq.cpython-310.pyc
      - test\_lseries.cpython-310.pyc
      - test\_nseries.cpython-310.pyc
      - test\_order.cpython-310.pyc
      - test\_residues.cpython-310.pyc
      - test\_sequences.cpython-310.pyc
      - test\_series.cpython-310.pyc
    - \_\_init\_\_.py

- test\_approximants.py
- test\_aseries.py
- test\_demidovich.py
- test\_formal.py
- test\_fourier.py
- test\_gruntz.py
- test\_kauers.py
- test\_limits.py
- test\_limitseq.py
- test\_lseries.py
- test\_nseries.py
- test\_order.py
- test\_residues.py
- test\_sequences.py
- test\_series.py
- \_\_init\_\_.py
- acceleration.py
- approximants.py
- aseries.py
- formal.py
- fourier.py
- gruntz.py
- kauers.py
- limits.py
- limitseq.py
- order.py
- residues.py
- sequences.py
- series.py
- series\_class.py
- sets/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - conditionset.cpython-310.pyc
    - contains.cpython-310.pyc
    - fancysets.cpython-310.pyc
    - ordinals.cpython-310.pyc
    - powerset.cpython-310.pyc
    - setexpr.cpython-310.pyc
    - sets.cpython-310.pyc
  - handlers/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - add.cpython-310.pyc
      - comparison.cpython-310.pyc
      - functions.cpython-310.pyc
      - intersection.cpython-310.pyc
      - issubset.cpython-310.pyc
      - mul.cpython-310.pyc
      - power.cpython-310.pyc
      - union.cpython-310.pyc
    - \_\_init\_\_.py
    - add.py
    - comparison.py
    - functions.py
    - intersection.py
    - issubset.py
    - mul.py
    - power.py
    - union.py
  - tests/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_conditionset.cpython-310.pyc
      - test\_contains.cpython-310.pyc
      - test\_fancysets.cpython-310.pyc
      - test\_ordinals.cpython-310.pyc
      - test\_powerset.cpython-310.pyc
      - test\_setexpr.cpython-310.pyc
      - test\_sets.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_conditionset.py
    - test\_contains.py
    - test\_fancysets.py
    - test\_ordinals.py
    - test\_powerset.py
    - test\_setexpr.py
    - test\_sets.py
- \_\_init\_\_.py
- conditionset.py
- contains.py
- fancysets.py
- ordinals.py
- powerset.py
- setexpr.py

- └─ sets.py
- ─ simplify/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_cse\_diff.cpython-310.pyc
    - └─ combsimp.cpython-310.pyc
    - └─ cse\_main.cpython-310.pyc
    - └─ cse\_opts.cpython-310.pyc
    - └─ epathtools.cpython-310.pyc
    - └─ fu.cpython-310.pyc
    - └─ gammasimp.cpython-310.pyc
    - └─ hyperexpand.cpython-310.pyc
    - └─ hyperexpand\_doc.cpython-310.pyc
    - └─ powsimp.cpython-310.pyc
    - └─ radsimp.cpython-310.pyc
    - └─ ratsimp.cpython-310.pyc
    - └─ simplify.cpython-310.pyc
    - └─ sqrtddenest.cpython-310.pyc
    - └─ traversaltools.cpython-310.pyc
    - └─ trigsimp.cpython-310.pyc
  - └─ tests/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ test\_combsimp.cpython-310.pyc
      - └─ test\_cse.cpython-310.pyc
      - └─ test\_cse\_diff.cpython-310.pyc
      - └─ test\_epathtools.cpython-310.pyc
      - └─ test\_fu.cpython-310.pyc
      - └─ test\_function.cpython-310.pyc
      - └─ test\_gammasimp.cpython-310.pyc
      - └─ test\_hyperexpand.cpython-310.pyc
      - └─ test\_powsimp.cpython-310.pyc
      - └─ test\_radsimp.cpython-310.pyc
      - └─ test\_ratsimp.cpython-310.pyc
      - └─ test\_rewrite.cpython-310.pyc
      - └─ test\_simplify.cpython-310.pyc
      - └─ test\_sqrtddenest.cpython-310.pyc
      - └─ test\_trigsimp.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ test\_combsimp.py
    - └─ test\_cse.py
    - └─ test\_cse\_diff.py
    - └─ test\_epathtools.py
    - └─ test\_fu.py
    - └─ test\_function.py
    - └─ test\_gammasimp.py
    - └─ test\_hyperexpand.py
    - └─ test\_powsimp.py
    - └─ test\_radsimp.py
    - └─ test\_ratsimp.py
    - └─ test\_rewrite.py
    - └─ test\_simplify.py
    - └─ test\_sqrtddenest.py
    - └─ test\_trigsimp.py
  - └─ \_\_init\_\_.py
  - └─ \_cse\_diff.py
  - └─ combsimp.py
  - └─ cse\_main.py
  - └─ cse\_opts.py
  - └─ epathtools.py
  - └─ fu.py
  - └─ gammasimp.py
  - └─ hyperexpand.py
  - └─ hyperexpand\_doc.py
  - └─ powsimp.py
  - └─ radsimp.py
  - └─ ratsimp.py
  - └─ simplify.py
  - └─ sqrtddenest.py
  - └─ traversaltools.py
  - └─ trigsimp.py
- ─ solvers/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ bivariate.cpython-310.pyc
    - └─ decompogen.cpython-310.pyc
    - └─ deutils.cpython-310.pyc
    - └─ inequalities.cpython-310.pyc
    - └─ pde.cpython-310.pyc
    - └─ polysys.cpython-310.pyc
    - └─ recurr.cpython-310.pyc
    - └─ simplex.cpython-310.pyc
    - └─ solvers.cpython-310.pyc
    - └─ solveset.cpython-310.pyc
- ─ benchmarks/

- pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - bench\_solvers.cpython-310.pyc
- \_\_init\_\_.py
- bench\_solvers.py
- diophantine/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - diophantine.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_diophantine.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_diophantine.py
  - \_\_init\_\_.py
  - diophantine.py
- ode/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - hypergeometric.cpython-310.pyc
    - lie\_group.cpython-310.pyc
    - nonhomogeneous.cpython-310.pyc
    - ode.cpython-310.pyc
    - riccati.cpython-310.pyc
    - single.cpython-310.pyc
    - subscheck.cpython-310.pyc
    - systems.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_lie\_group.cpython-310.pyc
      - test\_ode.cpython-310.pyc
      - test\_riccati.cpython-310.pyc
      - test\_single.cpython-310.pyc
      - test\_subscheck.cpython-310.pyc
      - test\_systems.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_lie\_group.py
    - test\_ode.py
    - test\_riccati.py
    - test\_single.py
    - test\_subscheck.py
    - test\_systems.py
  - \_\_init\_\_.py
  - hypergeometric.py
  - lie\_group.py
  - nonhomogeneous.py
  - ode.py
  - riccati.py
  - single.py
  - subscheck.py
  - systems.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_constantsimp.cpython-310.pyc
    - test\_decompogen.cpython-310.pyc
    - test\_inequalities.cpython-310.pyc
    - test\_numeric.cpython-310.pyc
    - test\_pde.cpython-310.pyc
    - test\_polysys.cpython-310.pyc
    - test\_recurr.cpython-310.pyc
    - test\_simplex.cpython-310.pyc
    - test\_solvers.cpython-310.pyc
    - test\_solveiset.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_constantsimp.py
  - test\_decompogen.py
  - test\_inequalities.py
  - test\_numeric.py
  - test\_pde.py
  - test\_polysys.py
  - test\_recurr.py
  - test\_simplex.py
  - test\_solvers.py
  - test\_solveiset.py
- \_\_init\_\_.py
- bivariate.py
- decompogen.py
- deutils.py
- inequalities.py
- pde.py
- polysys.py
- recurr.py

- simplex.py
- solvers.py
- solveset.py
- stats/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - compound\_rv.cpython-310.pyc
    - crv.cpython-310.pyc
    - crv\_types.cpython-310.pyc
    - drv.cpython-310.pyc
    - drv\_types.cpython-310.pyc
    - error\_prop.cpython-310.pyc
    - frv.cpython-310.pyc
    - frv\_types.cpython-310.pyc
    - joint\_rv.cpython-310.pyc
    - joint\_rv\_types.cpython-310.pyc
    - matrix\_distributions.cpython-310.pyc
    - random\_matrix.cpython-310.pyc
    - random\_matrix\_models.cpython-310.pyc
    - rv.cpython-310.pyc
    - rv\_interface.cpython-310.pyc
    - stochastic\_process.cpython-310.pyc
    - stochastic\_process\_types.cpython-310.pyc
    - symbolic\_multivariate\_probability.cpython-310.pyc
    - symbolic\_probability.cpython-310.pyc
  - sampling/
    - pycache/
      - \_\_init\_\_.cpython-310.pyc
      - sample\_numpy.cpython-310.pyc
      - sample\_pymc.cpython-310.pyc
      - sample\_scipy.cpython-310.pyc
    - tests/
      - pycache/
        - \_\_init\_\_.cpython-310.pyc
        - test\_sample\_continuous\_rv.cpython-310.pyc
        - test\_sample\_discrete\_rv.cpython-310.pyc
        - test\_sample\_finite\_rv.cpython-310.pyc
      - \_\_init\_\_.py
      - test\_sample\_continuous\_rv.py
      - test\_sample\_discrete\_rv.py
      - test\_sample\_finite\_rv.py
    - \_\_init\_\_.py
    - sample\_numpy.py
    - sample\_pymc.py
    - sample\_scipy.py
  - tests/
    - pycache/
      - \_\_init\_\_.cpython-310.pyc
      - test\_compound\_rv.cpython-310.pyc
      - test\_continuous\_rv.cpython-310.pyc
      - test\_discrete\_rv.cpython-310.pyc
      - test\_error\_prop.cpython-310.pyc
      - test\_finite\_rv.cpython-310.pyc
      - test\_joint\_rv.cpython-310.pyc
      - test\_matrix\_distributions.cpython-310.pyc
      - test\_mix.cpython-310.pyc
      - test\_random\_matrix.cpython-310.pyc
      - test\_rv.cpython-310.pyc
      - test\_stochastic\_process.cpython-310.pyc
      - test\_symbolic\_multivariate.cpython-310.pyc
      - test\_symbolic\_probability.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_compound\_rv.py
    - test\_continuous\_rv.py
    - test\_discrete\_rv.py
    - test\_error\_prop.py
    - test\_finite\_rv.py
    - test\_joint\_rv.py
    - test\_matrix\_distributions.py
    - test\_mix.py
    - test\_random\_matrix.py
    - test\_rv.py
    - test\_stochastic\_process.py
    - test\_symbolic\_multivariate.py
    - test\_symbolic\_probability.py
- \_\_init\_\_.py
- compound\_rv.py
- crv.py
- crv\_types.py
- drv.py
- drv\_types.py
- error\_prop.py
- frv.py
- frv\_types.py
- joint\_rv.py

- joint\_rv\_types.py
- matrix\_distributions.py
- random\_matrix.py
- random\_matrix\_models.py
- rv.py
- rv\_interface.py
- stochastic\_process.py
- stochastic\_process\_types.py
- symbolic\_multivariate\_probability.py
- symbolic\_probability.py
- strategies/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - core.cpython-310.pyc
    - rl.cpython-310.pyc
    - tools.cpython-310.pyc
    - traverse.cpython-310.pyc
    - tree.cpython-310.pyc
    - util.cpython-310.pyc
- branch/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - core.cpython-310.pyc
    - tools.cpython-310.pyc
    - traverse.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_core.cpython-310.pyc
      - test\_tools.cpython-310.pyc
      - test\_traverse.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_core.py
    - test\_tools.py
    - test\_traverse.py
  - \_\_init\_\_.py
  - core.py
  - tools.py
  - traverse.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_core.cpython-310.pyc
    - test\_rl.cpython-310.pyc
    - test\_tools.cpython-310.pyc
    - test\_traverse.cpython-310.pyc
    - test\_tree.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_core.py
  - test\_rl.py
  - test\_tools.py
  - test\_traverse.py
  - test\_tree.py
- \_\_init\_\_.py
- core.py
- rl.py
- tools.py
- traverse.py
- tree.py
- util.py
- tensor/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - functions.cpython-310.pyc
    - index\_methods.cpython-310.pyc
    - indexed.cpython-310.pyc
    - tensor.cpython-310.pyc
    - toperators.cpython-310.pyc
- array/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - array\_comprehension.cpython-310.pyc
    - array\_derivatives.cpython-310.pyc
    - arrayop.cpython-310.pyc
    - dense\_ndim\_array.cpython-310.pyc
    - mutable\_ndim\_array.cpython-310.pyc
    - ndim\_array.cpython-310.pyc
    - sparse\_ndim\_array.cpython-310.pyc
  - expressions/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - array\_expressions.cpython-310.pyc
      - arrayexpr\_derivatives.cpython-310.pyc
      - conv\_array\_to\_indexed.cpython-310.pyc
      - conv\_array\_to\_matrix.cpython-310.pyc



- conv\_indexed\_to\_array.cpython-310.pyc
- conv\_matrix\_to\_array.cpython-310.pyc
- from\_array\_to\_indexed.cpython-310.pyc
- from\_array\_to\_matrix.cpython-310.pyc
- from\_indexed\_to\_array.cpython-310.pyc
- from\_matrix\_to\_array.cpython-310.pyc
- utils.cpython-310.pyc
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_array\_expressions.cpython-310.pyc
    - test\_arrayexpr\_derivatives.cpython-310.pyc
    - test\_as\_explicit.cpython-310.pyc
    - test\_convert\_array\_to\_indexed.cpython-310.pyc
    - test\_convert\_array\_to\_matrix.cpython-310.pyc
    - test\_convert\_indexed\_to\_array.cpython-310.pyc
    - test\_convert\_matrix\_to\_array.cpython-310.pyc
    - test\_deprecated\_conv\_modules.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_array\_expressions.py
  - test\_arrayexpr\_derivatives.py
  - test\_as\_explicit.py
  - test\_convert\_array\_to\_indexed.py
  - test\_convert\_array\_to\_matrix.py
  - test\_convert\_indexed\_to\_array.py
  - test\_convert\_matrix\_to\_array.py
  - test\_deprecated\_conv\_modules.py
- \_\_init\_\_.py
- array\_expressions.py
- arrayexpr\_derivatives.py
- conv\_array\_to\_indexed.py
- conv\_array\_to\_matrix.py
- conv\_indexed\_to\_array.py
- conv\_matrix\_to\_array.py
- from\_array\_to\_indexed.py
- from\_array\_to\_matrix.py
- from\_indexed\_to\_array.py
- from\_matrix\_to\_array.py
- utils.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_array\_comprehension.cpython-310.pyc
    - test\_array\_derivatives.cpython-310.pyc
    - test\_arrayop.cpython-310.pyc
    - test\_immutable\_ndim\_array.cpython-310.pyc
    - test\_mutable\_ndim\_array.cpython-310.pyc
    - test\_ndim\_array.cpython-310.pyc
    - test\_ndim\_array\_conversions.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_array\_comprehension.py
  - test\_array\_derivatives.py
  - test\_arrayop.py
  - test\_immutable\_ndim\_array.py
  - test\_mutable\_ndim\_array.py
  - test\_ndim\_array.py
  - test\_ndim\_array\_conversions.py
- \_\_init\_\_.py
- array\_comprehension.py
- array\_derivatives.py
- arrayop.py
- dense\_ndim\_array.py
- mutable\_ndim\_array.py
- ndim\_array.py
- sparse\_ndim\_array.py
- tests/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_functions.cpython-310.pyc
    - test\_index\_methods.cpython-310.pyc
    - test\_indexed.cpython-310.pyc
    - test\_printing.cpython-310.pyc
    - test\_tensor.cpython-310.pyc
    - test\_tensor\_element.cpython-310.pyc
    - test\_tensor\_operators.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_functions.py
  - test\_index\_methods.py
  - test\_indexed.py
  - test\_printing.py
  - test\_tensor.py
  - test\_tensor\_element.py
  - test\_tensor\_operators.py
- \_\_init\_\_.py
- functions.py

- index\_methods.py
- indexed.py
- tensor.py
- toperators.py
- testing/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - matrices.cpython-310.pyc
    - pytest.cpython-310.pyc
    - quality\_unicode.cpython-310.pyc
    - randtest.cpython-310.pyc
    - runtests.cpython-310.pyc
    - runtests\_pytest.cpython-310.pyc
    - tmpfiles.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - diagnose\_imports.cpython-310.pyc
      - test\_code\_quality.cpython-310.pyc
      - test\_deprecated.cpython-310.pyc
      - test\_module\_imports.cpython-310.pyc
      - test\_pytest.cpython-310.pyc
      - test\_runtests\_pytest.cpython-310.pyc
    - \_\_init\_\_.py
    - diagnose\_imports.py
    - test\_code\_quality.py
    - test\_deprecated.py
    - test\_module\_imports.py
    - test\_pytest.py
    - test\_runtests\_pytest.py
  - \_\_init\_\_.py
  - matrices.py
  - pytest.py
  - quality\_unicode.py
  - randtest.py
  - runtests.py
  - runtests\_pytest.py
  - tmpfiles.py
- unify/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - core.cpython-310.pyc
    - rewrite.cpython-310.pyc
    - usympy.cpython-310.pyc
  - tests/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_rewrite.cpython-310.pyc
      - test\_sympy.cpython-310.pyc
      - test\_unify.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_rewrite.py
    - test\_sympy.py
    - test\_unify.py
  - \_\_init\_\_.py
  - core.py
  - rewrite.py
  - usympy.py
- utilities/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - autowrap.cpython-310.pyc
    - codegen.cpython-310.pyc
    - decorator.cpython-310.pyc
    - enumerative.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - iterables.cpython-310.pyc
    - lambdify.cpython-310.pyc
    - magic.cpython-310.pyc
    - matchpy\_connector.cpython-310.pyc
    - memoization.cpython-310.pyc
    - misc.cpython-310.pyc
    - pkgdata.cpython-310.pyc
    - pytest.cpython-310.pyc
    - randtest.cpython-310.pyc
    - runtests.cpython-310.pyc
    - source.cpython-310.pyc
    - timeutils.cpython-310.pyc
    - tmpfiles.cpython-310.pyc
  - compilation/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - availability.cpython-310.pyc
      - compilation.cpython-310.pyc
      - runners.cpython-310.pyc

- util.cpython-310.pyc
- tests/
  - pycache/
      - \_\_init\_\_.cpython-310.pyc
      - test\_compilation.cpython-310.pyc
    - \_\_init\_\_.py
    - test\_compilation.py
  - \_\_init\_\_.py
  - availability.py
  - compilation.py
  - runners.py
  - util.py
- mathml/
  - pycache/
      - \_\_init\_\_.cpython-310.pyc
    - data/
      - pycache/
          - \_\_init\_\_.cpython-310.pyc
        - \_\_init\_\_.py
        - mmlctop.xml
        - mmltex.xml
        - simple\_mmlctop.xml
      - \_\_init\_\_.py
  - tests/
    - pycache/
        - \_\_init\_\_.cpython-310.pyc
        - test\_autowrap.cpython-310.pyc
        - test\_codegen.cpython-310.pyc
        - test\_codegen\_julia.cpython-310.pyc
        - test\_codegen\_octave.cpython-310.pyc
        - test\_codegen\_rust.cpython-310.pyc
        - test\_decorator.cpython-310.pyc
        - test\_deprecated.cpython-310.pyc
        - test\_enumerative.cpython-310.pyc
        - test\_exceptions.cpython-310.pyc
        - test\_iterables.cpython-310.pyc
        - test\_lambdify.cpython-310.pyc
        - test\_matchpy\_connector.cpython-310.pyc
        - test\_mathml.cpython-310.pyc
        - test\_misc.cpython-310.pyc
        - test\_pickling.cpython-310.pyc
        - test\_source.cpython-310.pyc
        - test\_timeutils.cpython-310.pyc
        - test\_wester.cpython-310.pyc
        - test\_xxe.cpython-310.pyc
      - \_\_init\_\_.py
      - test\_autowrap.py
      - test\_codegen.py
      - test\_codegen\_julia.py
      - test\_codegen\_octave.py
      - test\_codegen\_rust.py
      - test\_decorator.py
      - test\_deprecated.py
      - test\_enumerative.py
      - test\_exceptions.py
      - test\_iterables.py
      - test\_lambdify.py
      - test\_matchpy\_connector.py
      - test\_mathml.py
      - test\_misc.py
      - test\_pickling.py
      - test\_source.py
      - test\_timeutils.py
      - test\_wester.py
      - test\_xxe.py
    - \_\_init\_\_.py
    - autowrap.py
    - codegen.py
    - decorator.py
    - enumerative.py
    - exceptions.py
    - iterables.py
    - lambdify.py
    - magic.py
    - matchpy\_connector.py
    - memoization.py
    - misc.py
    - pkgdata.py
    - pytest.py
    - randtest.py
    - runtests.py
    - source.py
    - timeutils.py
    - tmpfiles.py
  - vector/

- \_pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - basisdependent.cpython-310.pyc
  - coordsysrect.cpython-310.pyc
  - deloperator.cpython-310.pyc
  - dyadic.cpython-310.pyc
  - functions.cpython-310.pyc
  - implicitregion.cpython-310.pyc
  - integrals.cpython-310.pyc
  - kind.cpython-310.pyc
  - operators.cpython-310.pyc
  - orienters.cpython-310.pyc
  - parametricregion.cpython-310.pyc
  - point.cpython-310.pyc
  - scalar.cpython-310.pyc
  - vector.cpython-310.pyc
- tests/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - test\_coordsysrect.cpython-310.pyc
    - test\_dyadic.cpython-310.pyc
    - test\_field\_functions.cpython-310.pyc
    - test\_functions.cpython-310.pyc
    - test\_implicitregion.cpython-310.pyc
    - test\_integrals.cpython-310.pyc
    - test\_operators.cpython-310.pyc
    - test\_parametricregion.cpython-310.pyc
    - test\_printing.cpython-310.pyc
    - test\_vector.cpython-310.pyc
  - \_\_init\_\_.py
  - test\_coordsysrect.py
  - test\_dyadic.py
  - test\_field\_functions.py
  - test\_functions.py
  - test\_implicitregion.py
  - test\_integrals.py
  - test\_operators.py
  - test\_parametricregion.py
  - test\_printing.py
  - test\_vector.py
- \_\_init\_\_.py
- basisdependent.py
- coordsysrect.py
- deloperator.py
- dyadic.py
- functions.py
- implicitregion.py
- integrals.py
- kind.py
- operators.py
- orienters.py
- parametricregion.py
- point.py
- scalar.py
- vector.py
- \_\_init\_\_.py
- abc.py
- conftest.py
- galgebra.py
- release.py
- this.py
- sympy-1.14.0.dist-info/
  - licenses/
    - AUTHORS
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - top\_level.txt
  - WHEEL
- tensorboard/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - assets.cpython-310.pyc
    - auth.cpython-310.pyc
    - context.cpython-310.pyc
    - data\_compat.cpython-310.pyc
    - dataclass\_compat.cpython-310.pyc
    - default.cpython-310.pyc
    - errors.cpython-310.pyc
    - lazy.cpython-310.pyc
    - main.cpython-310.pyc
    - main\_lib.cpython-310.pyc
    - manager.cpython-310.pyc

- notebook.cpython-310.pyc
- plugin\_util.cpython-310.pyc
- program.cpython-310.pyc
- version.cpython-310.pyc
- vendor/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - bleach/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - callbacks.cpython-310.pyc
      - html5lib\_shim.cpython-310.pyc
      - linkifier.cpython-310.pyc
      - parse\_shim.cpython-310.pyc
      - sanitizer.cpython-310.pyc
      - six\_shim.cpython-310.pyc
    - vendor/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - parse.cpython-310.pyc
    - html5lib/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_ihatexml.cpython-310.pyc
        - \_inputstream.cpython-310.pyc
        - \_tokenizer.cpython-310.pyc
        - \_utils.cpython-310.pyc
        - constants.cpython-310.pyc
        - html5parser.cpython-310.pyc
        - serializer.cpython-310.pyc
      - trie/
        - pycache\_/
          - \_\_init\_\_.cpython-310.pyc
          - \_base.cpython-310.pyc
          - py.cpython-310.pyc
        - \_\_init\_\_.py
        - \_base.py
        - py.py
      - filters/
        - pycache\_/
          - \_\_init\_\_.cpython-310.pyc
          - alphabeticalattributes.cpython-310.pyc
          - base.cpython-310.pyc
          - inject\_meta\_charset.cpython-310.pyc
          - lint.cpython-310.pyc
          - optionaltags.cpython-310.pyc
          - sanitizer.cpython-310.pyc
          - whitespace.cpython-310.pyc
        - \_\_init\_\_.py
        - alphabeticalattributes.py
        - base.py
        - inject\_meta\_charset.py
        - lint.py
        - optionaltags.py
        - sanitizer.py
        - whitespace.py
      - treeadapters/
        - pycache\_/
          - \_\_init\_\_.cpython-310.pyc
          - genshi.cpython-310.pyc
          - sax.cpython-310.pyc
        - \_\_init\_\_.py
        - genshi.py
        - sax.py
      - treebuilders/
        - pycache\_/
          - \_\_init\_\_.cpython-310.pyc
          - base.cpython-310.pyc
          - dom.cpython-310.pyc
          - etree.cpython-310.pyc
          - etree\_lxml.cpython-310.pyc
        - \_\_init\_\_.py
        - base.py
        - dom.py
        - etree.py
        - etree\_lxml.py
      - treewalkers/
        - pycache\_/
          - \_\_init\_\_.cpython-310.pyc
          - base.cpython-310.pyc
          - dom.cpython-310.pyc
          - etree.cpython-310.pyc
          - etree\_lxml.cpython-310.pyc
          - genshi.cpython-310.pyc
        - \_\_init\_\_.py

- base.py
    - dom.py
    - etree.py
    - etree\_lxml.py
    - genshi.py
  - \_\_init\_\_.py
    - ihatexml.py
    - inputstream.py
    - tokenizer.py
    - utils.py
    - constants.py
    - html5parser.py
    - serializer.py
  - \_\_init\_\_.py
  - parse.py
- \_\_init\_\_.py
- callbacks.py
- html5lib\_shim.py
- linkifier.py
- parse\_shim.py
- sanitizer.py
- six\_shim.py
- webencodings/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - labels.cpython-310.pyc
    - mklabels.cpython-310.pyc
    - x\_user\_defined.cpython-310.pyc
  - \_\_init\_\_.py
  - labels.py
  - mklabels.py
  - x\_user\_defined.py
- \_\_init\_\_.py
- backend/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - application.cpython-310.pyc
    - auth\_context\_middleware.cpython-310.pyc
    - client\_feature\_flags.cpython-310.pyc
    - empty\_path\_redirect.cpython-310.pyc
    - experiment\_id.cpython-310.pyc
    - experimental\_plugin.cpython-310.pyc
    - http\_util.cpython-310.pyc
    - json\_util.cpython-310.pyc
    - path\_prefix.cpython-310.pyc
    - process\_graph.cpython-310.pyc
    - security\_validator.cpython-310.pyc
  - event\_processing/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - data\_ingester.cpython-310.pyc
      - data\_provider.cpython-310.pyc
      - directory\_loader.cpython-310.pyc
      - directory\_watcher.cpython-310.pyc
      - event\_accumulator.cpython-310.pyc
      - event\_file\_inspector.cpython-310.pyc
      - event\_file\_loader.cpython-310.pyc
      - event\_muxlexer.cpython-310.pyc
      - event\_util.cpython-310.pyc
      - io\_wrapper.cpython-310.pyc
      - plugin\_asset\_util.cpython-310.pyc
      - plugin\_event\_accumulator.cpython-310.pyc
      - plugin\_event\_muxlexer.cpython-310.pyc
      - reservoir.cpython-310.pyc
      - tag\_types.cpython-310.pyc
    - \_\_init\_\_.py
    - data\_ingester.py
    - data\_provider.py
    - directory\_loader.py
    - directory\_watcher.py
    - event\_accumulator.py
    - event\_file\_inspector.py
    - event\_file\_loader.py
    - event\_muxlexer.py
    - event\_util.py
    - io\_wrapper.py
    - plugin\_asset\_util.py
    - plugin\_event\_accumulator.py
    - plugin\_event\_muxlexer.py
    - reservoir.py
    - tag\_types.py
  - \_\_init\_\_.py
  - application.py
  - auth\_context\_middleware.py
  - client\_feature\_flags.py

- empty\_path\_redirect.py
- experiment\_id.py
- experimental\_plugin.py
- http\_util.py
- json\_util.py
- path\_prefix.py
- process\_graph.py
- security\_validator.py
- compat/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - proto/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - allocation\_description\_pb2.cpython-310.pyc
      - api\_def\_pb2.cpython-310.pyc
      - attr\_value\_pb2.cpython-310.pyc
      - cluster\_pb2.cpython-310.pyc
      - config\_pb2.cpython-310.pyc
      - coordination\_config\_pb2.cpython-310.pyc
      - cost\_graph\_pb2.cpython-310.pyc
      - cpp\_shape\_inference\_pb2.cpython-310.pyc
      - debug\_pb2.cpython-310.pyc
      - event\_pb2.cpython-310.pyc
      - full\_type\_pb2.cpython-310.pyc
      - function\_pb2.cpython-310.pyc
      - graph\_debug\_info\_pb2.cpython-310.pyc
      - graph\_pb2.cpython-310.pyc
      - histogram\_pb2.cpython-310.pyc
      - meta\_graph\_pb2.cpython-310.pyc
      - node\_def\_pb2.cpython-310.pyc
      - op\_def\_pb2.cpython-310.pyc
      - resource\_handle\_pb2.cpython-310.pyc
      - rewriter\_config\_pb2.cpython-310.pyc
      - rpc\_options\_pb2.cpython-310.pyc
      - saved\_object\_graph\_pb2.cpython-310.pyc
      - saver\_pb2.cpython-310.pyc
      - step\_stats\_pb2.cpython-310.pyc
      - struct\_pb2.cpython-310.pyc
      - summary\_pb2.cpython-310.pyc
      - tensor\_description\_pb2.cpython-310.pyc
      - tensor\_pb2.cpython-310.pyc
      - tensor\_shape\_pb2.cpython-310.pyc
      - tfprof\_log\_pb2.cpython-310.pyc
      - trackable\_object\_graph\_pb2.cpython-310.pyc
      - types\_pb2.cpython-310.pyc
      - variable\_pb2.cpython-310.pyc
      - verifier\_config\_pb2.cpython-310.pyc
      - versions\_pb2.cpython-310.pyc
  - \_\_init\_\_.py
  - allocation\_description\_pb2.py
  - api\_def\_pb2.py
  - attr\_value\_pb2.py
  - cluster\_pb2.py
  - config\_pb2.py
  - coordination\_config\_pb2.py
  - cost\_graph\_pb2.py
  - cpp\_shape\_inference\_pb2.py
  - debug\_pb2.py
  - event\_pb2.py
  - full\_type\_pb2.py
  - function\_pb2.py
  - graph\_debug\_info\_pb2.py
  - graph\_pb2.py
  - histogram\_pb2.py
  - meta\_graph\_pb2.py
  - node\_def\_pb2.py
  - op\_def\_pb2.py
  - resource\_handle\_pb2.py
  - rewriter\_config\_pb2.py
  - rpc\_options\_pb2.py
  - saved\_object\_graph\_pb2.py
  - saver\_pb2.py
  - step\_stats\_pb2.py
  - struct\_pb2.py
  - summary\_pb2.py
  - tensor\_description\_pb2.py
  - tensor\_pb2.py
  - tensor\_shape\_pb2.py
  - tfprof\_log\_pb2.py
  - trackable\_object\_graph\_pb2.py
  - types\_pb2.py
  - variable\_pb2.py
  - verifier\_config\_pb2.py
  - versions\_pb2.py

```
tensorflow_stub/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── app.cpython-310.pyc
│   ├── dtypes.cpython-310.pyc
│   ├── error_codes.cpython-310.pyc
│   ├── errors.cpython-310.pyc
│   ├── flags.cpython-310.pyc
│   ├── pywrap_tensorflow.cpython-310.pyc
│   └── tensor_shape.cpython-310.pyc
├── compat/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   └── v1/
│       ├── pycache_/
│       │   ├── __init__.cpython-310.pyc
│       │   └── __init__.py
│       └── __init__.py
├── io/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   └── gfile.cpython-310.pyc
│   ├── __init__.py
│   └── gfile.py
├── __init__.py
├── app.py
├── dtypes.py
├── error_codes.py
├── errors.py
├── flags.py
├── pywrap_tensorflow.py
├── tensor_shape.py
└── __init__.py
data/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── grpc_provider.cpython-310.pyc
│   ├── ingester.cpython-310.pyc
│   ├── provider.cpython-310.pyc
│   └── server_ingester.cpython-310.pyc
├── proto/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── data_provider_pb2.cpython-310.pyc
│   │   └── data_provider_pb2_grpc.cpython-310.pyc
│   ├── __init__.py
│   ├── data_provider_pb2.py
│   ├── data_provider_pb2_grpc.py
│   ├── __init__.py
│   ├── grpc_provider.py
│   ├── ingester.py
│   ├── provider.py
│   └── server_ingester.py
├── plugins/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   └── base_plugin.cpython-310.pyc
│   └── audio/
│       ├── pycache_/
│       │   ├── __init__.cpython-310.pyc
│       │   ├── audio_plugin.cpython-310.pyc
│       │   ├── metadata.cpython-310.pyc
│       │   ├── plugin_data_pb2.cpython-310.pyc
│       │   ├── summary.cpython-310.pyc
│       │   └── summary_v2.cpython-310.pyc
│       ├── __init__.py
│       ├── audio_plugin.py
│       ├── metadata.py
│       ├── plugin_data_pb2.py
│       ├── summary.py
│       └── summary_v2.py
├── core/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   └── core_plugin.cpython-310.pyc
│   ├── __init__.py
│   └── core_plugin.py
├── custom_scalar/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── custom_scalars_plugin.cpython-310.pyc
│   │   ├── layout_pb2.cpython-310.pyc
│   │   ├── metadata.cpython-310.pyc
│   │   └── summary.cpython-310.pyc
│   ├── __init__.py
```



- custom\_scalars\_plugin.py
- layout\_pb2.py
- metadata.py
- summary.py
- debugger\_v2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - debug\_data\_muxplexer.cpython-310.pyc
    - debug\_data\_provider.cpython-310.pyc
    - debugger\_v2\_plugin.cpython-310.pyc
  - \_\_init\_\_.py
  - debug\_data\_muxplexer.py
  - debug\_data\_provider.py
  - debugger\_v2\_plugin.py
- distribution/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - compressor.cpython-310.pyc
    - distributions\_plugin.cpython-310.pyc
    - metadata.cpython-310.pyc
  - \_\_init\_\_.py
  - compressor.py
  - distributions\_plugin.py
  - metadata.py
- graph/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - graph\_util.cpython-310.pyc
    - graphs\_plugin.cpython-310.pyc
    - keras\_util.cpython-310.pyc
    - metadata.cpython-310.pyc
  - \_\_init\_\_.py
  - graph\_util.py
  - graphs\_plugin.py
  - keras\_util.py
  - metadata.py
- histogram/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - histograms\_plugin.cpython-310.pyc
    - metadata.cpython-310.pyc
    - plugin\_data\_pb2.cpython-310.pyc
    - summary.cpython-310.pyc
    - summary\_v2.cpython-310.pyc
  - \_\_init\_\_.py
  - histograms\_plugin.py
  - metadata.py
  - plugin\_data\_pb2.py
  - summary.py
  - summary\_v2.py
- hparams/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_keras.cpython-310.pyc
    - api.cpython-310.pyc
    - api\_pb2.cpython-310.pyc
    - backend\_context.cpython-310.pyc
    - download\_data.cpython-310.pyc
    - error.cpython-310.pyc
    - get\_experiment.cpython-310.pyc
    - hparams\_plugin.cpython-310.pyc
    - hparams\_util\_pb2.cpython-310.pyc
    - json\_format\_compat.cpython-310.pyc
    - list\_metric\_evals.cpython-310.pyc
    - list\_session\_groups.cpython-310.pyc
    - metadata.cpython-310.pyc
    - metrics.cpython-310.pyc
    - plugin\_data\_pb2.cpython-310.pyc
    - summary.cpython-310.pyc
    - summary\_v2.cpython-310.pyc
  - \_\_init\_\_.py
  - \_keras.py
  - api.py
  - api\_pb2.py
  - backend\_context.py
  - download\_data.py
  - error.py
  - get\_experiment.py
  - hparams\_plugin.py
  - hparams\_util\_pb2.py
  - json\_format\_compat.py
  - list\_metric\_evals.py
  - list\_session\_groups.py
  - metadata.py
  - metrics.py

- plugin\_data\_pb2.py
- summary.py
- summary\_v2.py
- image/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - images\_plugin.cpython-310.pyc
    - metadata.cpython-310.pyc
    - plugin\_data\_pb2.cpython-310.pyc
    - summary.cpython-310.pyc
    - summary\_v2.cpython-310.pyc
  - \_\_init\_\_.py
  - images\_plugin.py
  - metadata.py
  - plugin\_data\_pb2.py
  - summary.py
  - summary\_v2.py
- mesh/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - mesh\_plugin.cpython-310.pyc
    - metadata.cpython-310.pyc
    - plugin\_data\_pb2.cpython-310.pyc
    - summary.cpython-310.pyc
    - summary\_v2.cpython-310.pyc
  - \_\_init\_\_.py
  - mesh\_plugin.py
  - metadata.py
  - plugin\_data\_pb2.py
  - summary.py
  - summary\_v2.py
- metrics/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - metadata.cpython-310.pyc
    - metrics\_plugin.cpython-310.pyc
  - \_\_init\_\_.py
  - metadata.py
  - metrics\_plugin.py
- pr\_curve/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - metadata.cpython-310.pyc
    - plugin\_data\_pb2.cpython-310.pyc
    - pr\_curves\_plugin.cpython-310.pyc
    - summary.cpython-310.pyc
  - \_\_init\_\_.py
  - metadata.py
  - plugin\_data\_pb2.py
  - pr\_curves\_plugin.py
  - summary.py
- profile\_redirect/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - profile\_redirect\_plugin.cpython-310.pyc
  - \_\_init\_\_.py
  - profile\_redirect\_plugin.py
- projector/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - metadata.cpython-310.pyc
    - projector\_config\_pb2.cpython-310.pyc
    - projector\_plugin.cpython-310.pyc
  - tf\_projector\_plugin/
    - index.js
    - projector\_binary.html
    - projector\_binary.js
  - \_\_init\_\_.py
  - metadata.py
  - projector\_config\_pb2.py
  - projector\_plugin.py
- scalar/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - metadata.cpython-310.pyc
    - plugin\_data\_pb2.cpython-310.pyc
    - scalars\_plugin.cpython-310.pyc
    - summary.cpython-310.pyc
    - summary\_v2.cpython-310.pyc
  - \_\_init\_\_.py
  - metadata.py
  - plugin\_data\_pb2.py
  - scalars\_plugin.py
  - summary.py
  - summary\_v2.py

- text/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - metadata.cpython-310.pyc
    - plugin\_data\_pb2.cpython-310.pyc
    - summary.cpython-310.pyc
    - summary\_v2.cpython-310.pyc
    - text\_plugin.cpython-310.pyc
  - \_\_init\_\_.py
  - metadata.py
  - plugin\_data\_pb2.py
  - summary.py
  - summary\_v2.py
  - text\_plugin.py
- wit\_redirect/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - wit\_redirect\_plugin.cpython-310.pyc
  - \_\_init\_\_.py
  - wit\_redirect\_plugin.py
- \_\_init\_\_.py
- base\_plugin.py
- summary/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_output.cpython-310.pyc
    - \_writer.cpython-310.pyc
    - v1.cpython-310.pyc
    - v2.cpython-310.pyc
  - tf/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - summary/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
    - \_\_init\_\_.py
  - writer/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - event\_file\_writer.cpython-310.pyc
      - record\_writer.cpython-310.pyc
    - \_\_init\_\_.py
    - event\_file\_writer.py
    - record\_writer.py
  - \_\_init\_\_.py
  - \_output.py
  - \_writer.py
  - v1.py
  - v2.py
  - util/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - encoder.cpython-310.pyc
      - grpc\_util.cpython-310.pyc
      - img\_mime\_type\_detector.cpython-310.pyc
      - io\_util.cpython-310.pyc
      - lazy\_tensor\_creator.cpython-310.pyc
      - op\_evaluator.cpython-310.pyc
      - platform\_util.cpython-310.pyc
      - tb\_logging.cpython-310.pyc
      - tensor\_util.cpython-310.pyc
      - timing.cpython-310.pyc
    - \_\_init\_\_.py
    - encoder.py
    - grpc\_util.py
    - img\_mime\_type\_detector.py
    - io\_util.py
    - lazy\_tensor\_creator.py
    - op\_evaluator.py
    - platform\_util.py
    - tb\_logging.py
    - tensor\_util.py
    - timing.py
  - \_\_init\_\_.py
  - assets.py
  - auth.py
  - context.py
  - data\_compat.py
  - dataclass\_compat.py
  - default.py
  - errors.py
  - lazy.py
  - main.py
  - main\_lib.py

- └─ manager.py
- └─ notebook.py
- └─ plugin\_util.py
- └─ program.py
- └─ version.py
- └─ webfiles.zip
- ─ tensorboard-2.21.0.dist-info/
  - └─ licenses/
    - └─ LICENSE
  - └─ entry\_points.txt
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ REQUESTED
  - └─ top\_level.txt
  - └─ WHEEL
- ─ tensorboard\_data\_server/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
- ─ tensorboard\_data\_server-0.7.2.dist-info/
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ top\_level.txt
  - └─ WHEEL
- ─ threadpoolctl-3.6.0.dist-info/
  - └─ licenses/
    - └─ LICENSE
  - └─ INSTALLER
  - └─ METADATA
  - └─ RECORD
  - └─ WHEEL
- ─ tokenizers/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ decoders/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ \_\_init\_\_.pyi
  - └─ implementations/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ base\_tokenizer.cpython-310.pyc
      - └─ bert\_wordpiece.cpython-310.pyc
      - └─ byte\_level\_bpe.cpython-310.pyc
      - └─ char\_level\_bpe.cpython-310.pyc
      - └─ sentencepiece\_bpe.cpython-310.pyc
      - └─ sentencepiece\_unigram.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ base\_tokenizer.py
    - └─ bert\_wordpiece.py
    - └─ byte\_level\_bpe.py
    - └─ char\_level\_bpe.py
    - └─ sentencepiece\_bpe.py
    - └─ sentencepiece\_unigram.py
  - └─ models/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ \_\_init\_\_.pyi
  - └─ normalizers/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ \_\_init\_\_.pyi
  - └─ pre\_tokenizers/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ \_\_init\_\_.pyi
  - └─ processors/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ \_\_init\_\_.pyi
  - └─ tools/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ visualizer.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ visualizer-styles.css
    - └─ visualizer.py
  - └─ trainers/

- \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - \_\_init\_\_.pyi
  - \_\_init\_\_.py
  - \_\_init\_\_.pyi
  - tokenizers.pyd
  - tokenizers.pyi
- tokenizers-0.22.2.dist-info/
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- torch/
  - \_\_pycache\_\_/
    - \_\_config\_\_.cpython-310.pyc
    - \_\_future\_\_.cpython-310.pyc
    - \_\_init\_\_.cpython-310.pyc
    - \_\_appdirs\_\_.cpython-310.pyc
    - \_\_classes\_\_.cpython-310.pyc
    - \_\_compile\_\_.cpython-310.pyc
    - \_\_custom\_ops\_\_.cpython-310.pyc
    - \_\_environment\_\_.cpython-310.pyc
    - \_\_guards\_\_.cpython-310.pyc
    - \_\_jit\_internal\_\_.cpython-310.pyc
    - \_\_linalg\_utils\_\_.cpython-310.pyc
    - \_\_lobpcg\_\_.cpython-310.pyc
    - \_\_lowrank\_\_.cpython-310.pyc
    - \_\_meta\_registrations\_\_.cpython-310.pyc
    - \_\_namedtensor\_internals\_\_.cpython-310.pyc
    - \_\_opaque\_base\_\_.cpython-310.pyc
    - \_\_ops\_\_.cpython-310.pyc
    - \_\_python\_dispatcher\_\_.cpython-310.pyc
    - \_\_size\_docs\_\_.cpython-310.pyc
    - \_\_sources\_\_.cpython-310.pyc
    - \_\_storage\_docs\_\_.cpython-310.pyc
    - \_\_streambase\_\_.cpython-310.pyc
    - \_\_tensor\_\_.cpython-310.pyc
    - \_\_tensor\_docs\_\_.cpython-310.pyc
    - \_\_tensor\_str\_\_.cpython-310.pyc
    - \_\_thread\_safe\_fork\_\_.cpython-310.pyc
    - \_\_torch\_docs\_\_.cpython-310.pyc
    - \_\_utils\_\_.cpython-310.pyc
    - \_\_utils\_internal\_\_.cpython-310.pyc
    - \_\_VF\_\_.cpython-310.pyc
    - \_\_vmap\_internals\_\_.cpython-310.pyc
    - \_\_weights\_only\_unpickler\_\_.cpython-310.pyc
    - functional.cpython-310.pyc
    - hub.cpython-310.pyc
    - library.cpython-310.pyc
    - overrides.cpython-310.pyc
    - quasirandom.cpython-310.pyc
    - random.cpython-310.pyc
    - return\_types.cpython-310.pyc
    - serialization.cpython-310.pyc
    - storage.cpython-310.pyc
    - torch\_version.cpython-310.pyc
    - types.cpython-310.pyc
    - version.cpython-310.pyc
  - awaits/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - C/
    - \_\_acc/
      - \_\_init\_\_.pyi
    - \_\_dynamo/
      - \_\_init\_\_.pyi
      - compiled\_autograd.pyi
      - eval\_frame.pyi
      - guards.pyi
    - \_\_export/
      - \_\_init\_\_.pyi
      - pt2\_archive\_constants.pyi
    - \_\_init\_\_.pyi
    - \_\_aoti.pyi
    - \_\_autograd.pyi
    - \_\_cpu.pyi
    - \_\_cudnn.pyi
    - \_\_cusparselt.pyi
    - \_\_distributed.pyi
    - \_\_distributed\_autograd.pyi
    - \_\_distributed\_c10d.pyi
    - \_\_distributed\_rpc.pyi
    - \_\_distributed\_rpc\_testing.pyi

- \_functionalization.pyi
- \_functions.pyi
- \_functorch.pyi
- \_instruction\_counter.pyi
- \_itt.pyi
- \_jit\_tree\_views.pyi
- \_lazy.pyi
- \_lazy\_ts\_backend.pyi
- \_monitor.pyi
- \_nn.pyi
- \_nvtx.pyi
- \_onnx.pyi
- \_profiler.pyi
- \_VariableFunctions.pyi
- \_verbose.pyi
- C\_flatbuffer/
  - \_\_init\_\_.pyi
- custom\_op/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - autograd.cpython-310.pyc
    - impl.cpython-310.pyc
  - \_\_init\_\_.py
  - autograd.py
  - impl.py
- decomp/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - decompositions.cpython-310.pyc
    - decompositions\_for\_jvp.cpython-310.pyc
    - decompositions\_for\_rng.cpython-310.pyc
  - \_\_init\_\_.py
  - decompositions.py
  - decompositions\_for\_jvp.py
  - decompositions\_for\_rng.py
- dispatch/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - python.cpython-310.pyc
  - \_\_init\_\_.py
  - python.py
- dynamo/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_trace\_wrapped\_higher\_order\_op.cpython-310.pyc
    - aot\_compile.cpython-310.pyc
    - aot\_compile\_types.cpython-310.pyc
    - bytecode\_analysis.cpython-310.pyc
    - bytecode\_debugger.cpython-310.pyc
    - bytecode\_transformation.cpython-310.pyc
    - cache\_size.cpython-310.pyc
    - callback.cpython-310.pyc
    - code\_context.cpython-310.pyc
    - codegen.cpython-310.pyc
    - compiled\_autograd.cpython-310.pyc
    - comprehension\_graph\_break.cpython-310.pyc
    - comptime.cpython-310.pyc
    - config.cpython-310.pyc
    - convert\_frame.cpython-310.pyc
    - create\_parameter\_op.cpython-310.pyc
    - current\_scope\_id.cpython-310.pyc
    - dce\_extra\_outputs.cpython-310.pyc
    - debug\_utils.cpython-310.pyc
    - decorators.cpython-310.pyc
    - device\_interface.cpython-310.pyc
    - distributed.cpython-310.pyc
    - dynamo\_profiler.cpython-310.pyc
    - eval\_frame.cpython-310.pyc
    - exc.cpython-310.pyc
    - external\_utils.cpython-310.pyc
    - funcname\_cache.cpython-310.pyc
    - functional\_export.cpython-310.pyc
    - graph\_break\_hints.cpython-310.pyc
    - graph\_bytecode\_inputs.cpython-310.pyc
    - graph\_deduplication.cpython-310.pyc
    - graph\_id\_filter.cpython-310.pyc
    - graph\_region\_tracker.cpython-310.pyc
    - graph\_utils.cpython-310.pyc
    - guards.cpython-310.pyc
    - hooks.cpython-310.pyc
    - logging.cpython-310.pyc
    - metrics\_context.cpython-310.pyc
    - mutation\_guard.cpython-310.pyc
    - output\_graph.cpython-310.pyc
    - package.cpython-310.pyc

- pgo.cpython-310.pyc
- precompile\_context.cpython-310.pyc
- profiler.cpython-310.pyc
- replay\_record.cpython-310.pyc
- resume\_execution.cpython-310.pyc
- side\_effects.cpython-310.pyc
- source.cpython-310.pyc
- symbolic\_convert.cpython-310.pyc
- tensor\_version\_op.cpython-310.pyc
- test\_case.cpython-310.pyc
- test\_dont\_skip\_tracing\_functions.cpython-310.pyc
- test\_minifier\_common.cpython-310.pyc
- testing.cpython-310.pyc
- trace\_rules.cpython-310.pyc
- types.cpython-310.pyc
- utils.cpython-310.pyc

— backends/

- \_pycache\_\_/
  - \_\_init\_\_.cpython-310.pyc
  - common.cpython-310.pyc
  - cudagraphs.cpython-310.pyc
  - debugging.cpython-310.pyc
  - distributed.cpython-310.pyc
  - inductor.cpython-310.pyc
  - onnxrt.cpython-310.pyc
  - registry.cpython-310.pyc
  - tensorrt.cpython-310.pyc
  - torchxla.cpython-310.pyc
  - tvn.cpython-310.pyc
- \_\_init\_\_.py
- common.py
- cudagraphs.py
- debugging.py
- distributed.py
- inductor.py
- onnxrt.py
- registry.py
- tensorrt.py
- torchxla.py
- tvn.py

— polyfills/

- \_pycache\_\_/
  - \_\_init\_\_.cpython-310.pyc
  - \_collections.cpython-310.pyc
  - builtins.cpython-310.pyc
  - copy.cpython-310.pyc
  - functools.cpython-310.pyc
  - fx.cpython-310.pyc
  - heapq.cpython-310.pyc
  - itertools.cpython-310.pyc
  - loader.cpython-310.pyc
  - operator.cpython-310.pyc
  - os.cpython-310.pyc
  - pytree.cpython-310.pyc
  - struct.cpython-310.pyc
  - sys.cpython-310.pyc
  - tensor.cpython-310.pyc
  - torch\_c\_nn.cpython-310.pyc
  - traceback.cpython-310.pyc

- \_\_init\_\_.py
- \_collections.py
- builtins.py
- copy.py
- functools.py
- fx.py
- heapq.py
- itertools.py
- loader.py
- operator.py
- os.py
- pytree.py
- struct.py
- sys.py
- tensor.py
- torch\_c\_nn.py
- traceback.py

— repro/

- \_pycache\_\_/
  - \_\_init\_\_.cpython-310.pyc
  - after\_aot.cpython-310.pyc
  - after\_dynamo.cpython-310.pyc
  - aoti.cpython-310.pyc
- \_\_init\_\_.py
- after\_aot.py
- after\_dynamo.py

- └─ aoti.py
- ─ variables/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ base.cpython-310.pyc
    - └─ builder.cpython-310.pyc
    - └─ builtin.cpython-310.pyc
    - └─ constant.cpython-310.pyc
    - └─ ctx\_manager.cpython-310.pyc
    - └─ dicts.cpython-310.pyc
    - └─ distributed.cpython-310.pyc
    - └─ functions.cpython-310.pyc
    - └─ hashable.cpython-310.pyc
    - └─ higher\_order\_ops.cpython-310.pyc
    - └─ invoke\_subgraph.cpython-310.pyc
    - └─ iter.cpython-310.pyc
    - └─ lazy.cpython-310.pyc
    - └─ lists.cpython-310.pyc
    - └─ misc.cpython-310.pyc
    - └─ nn\_module.cpython-310.pyc
    - └─ object\_protocol.cpython-310.pyc
    - └─ optimizer.cpython-310.pyc
    - └─ script\_object.cpython-310.pyc
    - └─ sdpa.cpython-310.pyc
    - └─ sets.cpython-310.pyc
    - └─ streams.cpython-310.pyc
    - └─ tensor.cpython-310.pyc
    - └─ torch.cpython-310.pyc
    - └─ torch\_function.cpython-310.pyc
    - └─ user\_defined.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ base.py
  - └─ builder.py
  - └─ builtin.py
  - └─ constant.py
  - └─ ctx\_manager.py
  - └─ dicts.py
  - └─ distributed.py
  - └─ functions.py
  - └─ hashable.py
  - └─ higher\_order\_ops.py
  - └─ invoke\_subgraph.py
  - └─ iter.py
  - └─ lazy.py
  - └─ lists.py
  - └─ misc.py
  - └─ nn\_module.py
  - └─ object\_protocol.py
  - └─ optimizer.py
  - └─ script\_object.py
  - └─ sdpa.py
  - └─ sets.py
  - └─ streams.py
  - └─ tensor.py
  - └─ torch.py
  - └─ torch\_function.py
  - └─ user\_defined.py
- ─ \_\_init\_\_.py
- ─ \_trace\_wrapped\_higher\_order\_op.py
- ─ aot\_compile.py
- ─ aot\_compile\_types.py
- ─ bytecode\_analysis.py
- ─ bytecode\_debugger.py
- ─ bytecode\_transformation.py
- ─ cache\_size.py
- ─ callback.py
- ─ code\_context.py
- ─ codegen.py
- ─ compiled\_autograd.py
- ─ comprehension\_graph\_break.py
- ─ comptime.py
- ─ config.py
- ─ convert\_frame.py
- ─ create\_parameter\_op.py
- ─ current\_scope\_id.py
- ─ dce\_extra\_outputs.py
- ─ debug\_utils.py
- ─ decorators.py
- ─ device\_interface.py
- ─ distributed.py
- ─ dynamo\_profiler.py
- ─ eval\_frame.py
- ─ exc.py
- ─ external\_utils.py
- ─ funcname\_cache.py



- functional\_export.py
- graph\_break\_hints.py
- graph\_break\_registry.json
- graph\_bytecode\_inputs.py
- graph\_deduplication.py
- graph\_id\_filter.py
- graph\_region\_tracker.py
- graph\_utils.py
- guards.py
- hooks.py
- logging.py
- metrics\_context.py
- mutation\_guard.py
- output\_graph.py
- package.py
- pgo.py
- precompile\_context.py
- profiler.py
- replay\_record.py
- resume\_execution.py
- side\_effects.py
- source.py
- symbolic\_convert.py
- tensor\_version\_op.py
- test\_case.py
- test\_dont\_skip\_tracing\_functions.py
- test\_minifier\_common.py
- testing.py
- trace\_rules.py
- types.py
- utils.py
- export/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - config.cpython-310.pyc
    - converter.cpython-310.pyc
    - error.cpython-310.pyc
    - non\_strict\_utils.cpython-310.pyc
    - pass\_base.cpython-310.pyc
    - tools.cpython-310.pyc
    - utils.cpython-310.pyc
    - verifier.cpython-310.pyc
    - wrappers.cpython-310.pyc
- db/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - case.cpython-310.pyc
    - gen\_example.cpython-310.pyc
    - logging.cpython-310.pyc
  - examples/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - assume\_constant\_result.cpython-310.pyc
      - autograd\_function.cpython-310.pyc
      - class\_method.cpython-310.pyc
      - cond\_branch\_class\_method.cpython-310.pyc
      - cond\_branch\_nested\_function.cpython-310.pyc
      - cond\_branch\_nonlocal\_variables.cpython-310.pyc
      - cond\_closed\_over\_variable.cpython-310.pyc
      - cond\_operands.cpython-310.pyc
      - cond\_predicate.cpython-310.pyc
      - constrain\_as\_size\_example.cpython-310.pyc
      - constrain\_as\_value\_example.cpython-310.pyc
      - decorator.cpython-310.pyc
      - dictionary.cpython-310.pyc
      - dynamic\_shape\_assert.cpython-310.pyc
      - dynamic\_shape\_constructor.cpython-310.pyc
      - dynamic\_shape\_if\_guard.cpython-310.pyc
      - dynamic\_shape\_map.cpython-310.pyc
      - dynamic\_shape\_round.cpython-310.pyc
      - dynamic\_shape\_slicing.cpython-310.pyc
      - dynamic\_shape\_view.cpython-310.pyc
      - fn\_with\_kwargs.cpython-310.pyc
      - list\_contains.cpython-310.pyc
      - list\_unpack.cpython-310.pyc
      - model\_attr\_mutation.cpython-310.pyc
      - nested\_function.cpython-310.pyc
      - null\_context\_manager.cpython-310.pyc
      - optional\_input.cpython-310.pyc
      - pytree\_flatten.cpython-310.pyc
      - scalar\_output.cpython-310.pyc
      - specialized\_attribute.cpython-310.pyc
      - static\_for\_loop.cpython-310.pyc
      - static\_if.cpython-310.pyc
      - tensor\_setattr.cpython-310.pyc

- type\_reflection\_method.cpython-310.pyc
  - unsupported\_operator.cpython-310.pyc
  - user\_input\_mutation.cpython-310.pyc
- \_\_init\_\_.py
- assume\_constant\_result.py
- autograd\_function.py
- class\_method.py
- cond\_branch\_class\_method.py
- cond\_branch\_nested\_function.py
- cond\_branch\_nonlocal\_variables.py
- cond\_closed\_over\_variable.py
- cond\_operands.py
- cond\_predicate.py
- constrain\_as\_size\_example.py
- constrain\_as\_value\_example.py
- decorator.py
- dictionary.py
- dynamic\_shape\_assert.py
- dynamic\_shape\_constructor.py
- dynamic\_shape\_if\_guard.py
- dynamic\_shape\_map.py
- dynamic\_shape\_round.py
- dynamic\_shape\_slicing.py
- dynamic\_shape\_view.py
- fn\_with\_kwargs.py
- list\_contains.py
- list\_unpack.py
- model\_attr\_mutation.py
- nested\_function.py
- null\_context\_manager.py
- optional\_input.py
- pytree\_flatten.py
- scalar\_output.py
- specialized\_attribute.py
- static\_for\_loop.py
- static\_if.py
- tensor\_setattr.py
- type\_reflection\_method.py
- unsupported\_operator.py
- user\_input\_mutation.py
- \_\_init\_\_.py
- case.py
- gen\_example.py
- logging.py
- pass\_infra/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - node\_metadata.cpython-310.pyc
    - proxy\_value.cpython-310.pyc
  - \_\_init\_\_.py
  - node\_metadata.py
  - proxy\_value.py
- passes/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_node\_metadata\_hook.cpython-310.pyc
    - add\_runtime\_assertions\_for\_constraints\_pass.cpython-310.pyc
    - collect\_tracepoints\_pass.cpython-310.pyc
    - constant\_folding.cpython-310.pyc
    - functionalize\_side\_effectful\_ops\_pass.cpython-310.pyc
    - insert\_custom\_op\_guards.cpython-310.pyc
    - lift\_constants\_pass.cpython-310.pyc
    - remove\_runtime\_assertions.cpython-310.pyc
    - replace\_autocast\_with\_hop\_pass.cpython-310.pyc
    - replace\_quantized\_ops\_with\_standard\_ops\_pass.cpython-310.pyc
    - replace\_set\_grad\_with\_hop\_pass.cpython-310.pyc
    - replace\_view\_ops\_with\_view\_copy\_ops\_pass.cpython-310.pyc
    - replace\_with\_hop\_pass\_util.cpython-310.pyc
  - \_\_init\_\_.py
  - \_node\_metadata\_hook.py
  - add\_runtime\_assertions\_for\_constraints\_pass.py
  - collect\_tracepoints\_pass.py
  - constant\_folding.py
  - functionalize\_side\_effectful\_ops\_pass.py
  - insert\_custom\_op\_guards.py
  - lift\_constants\_pass.py
  - remove\_runtime\_assertions.py
  - replace\_autocast\_with\_hop\_pass.py
  - replace\_quantized\_ops\_with\_standard\_ops\_pass.py
  - replace\_set\_grad\_with\_hop\_pass.py
  - replace\_view\_ops\_with\_view\_copy\_ops\_pass.py
  - replace\_with\_hop\_pass\_util.py
- serde/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc

- dynamic\_shapes.cpython-310.pyc
  - schema.cpython-310.pyc
  - schema\_check.cpython-310.pyc
  - serialize.cpython-310.pyc
  - union.cpython-310.pyc
- \_\_init\_\_.py
- dynamic\_shapes.py
- export\_schema.thrift
- schema.py
- schema.yaml
- schema\_check.py
- serialize.py
- union.py
- \_\_init\_\_.py
- config.py
- converter.py
- error.py
- non\_strict\_utils.py
- pass\_base.py
- tools.py
- utils.py
- verifier.py
- wrappers.py
- functorch/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - aot\_autograd.cpython-310.pyc
    - apis.cpython-310.pyc
    - autograd\_function.cpython-310.pyc
    - batch\_norm\_replacement.cpython-310.pyc
    - benchmark\_utils.cpython-310.pyc
    - compile\_utils.cpython-310.pyc
    - compilers.cpython-310.pyc
    - config.cpython-310.pyc
    - deprecated.cpython-310.pyc
    - eager\_transforms.cpython-310.pyc
    - functional\_call.cpython-310.pyc
    - fx\_minifier.cpython-310.pyc
    - make\_functional.cpython-310.pyc
    - partitioners.cpython-310.pyc
    - predispach.cpython-310.pyc
    - pyfunctorch.cpython-310.pyc
    - python\_key.cpython-310.pyc
    - pytree\_hacks.cpython-310.pyc
    - top\_operators\_github\_usage.cpython-310.pyc
    - utils.cpython-310.pyc
    - vmap.cpython-310.pyc
- activation\_checkpointing/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - ac\_logging\_utils.cpython-310.pyc
    - graph\_info\_provider.cpython-310.pyc
    - knapsack.cpython-310.pyc
    - knapsack\_evaluator.cpython-310.pyc
    - remat\_using\_tags\_for\_fwd\_loss\_bwd\_graph\_pass.cpython-310.pyc
  - \_\_init\_\_.py
  - ac\_logging\_utils.py
  - graph\_info\_provider.py
  - knapsack.py
  - knapsack\_evaluator.py
  - remat\_using\_tags\_for\_fwd\_loss\_bwd\_graph\_pass.py
- activation\_offloading/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - activation\_offloading.cpython-310.pyc
    - offload\_ops.cpython-310.pyc
  - \_\_init\_\_.py
  - activation\_offloading.py
  - offload\_ops.py
- aot\_autograd/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - aot\_autograd\_result.cpython-310.pyc
    - autograd\_cache.cpython-310.pyc
    - collect\_metadata\_analysis.cpython-310.pyc
    - descriptors.cpython-310.pyc
    - frontend\_utils.cpython-310.pyc
    - functional\_utils.cpython-310.pyc
    - fx\_utils.cpython-310.pyc
    - graph\_capture.cpython-310.pyc
    - graph\_capture\_wrappers.cpython-310.pyc
    - graph\_compile.cpython-310.pyc
    - indexed\_dict.cpython-310.pyc
    - input\_output\_analysis.cpython-310.pyc
    - logging\_utils.cpython-310.pyc

- runtime\_wrappers.cpython-310.pyc
- schemas.cpython-310.pyc
- streams.cpython-310.pyc
- subclass\_codegen.cpython-310.pyc
- subclass\_parametrization.cpython-310.pyc
- subclass\_utils.cpython-310.pyc
- utils.cpython-310.pyc
- \_\_init\_\_.py
- aot\_autograd\_result.py
- autograd\_cache.py
- collect\_metadata\_analysis.py
- descriptors.py
- frontend\_utils.py
- functional\_utils.py
- fx\_utils.py
- graph\_capture.py
- graph\_capture\_wrappers.py
- graph\_compile.py
- indexed\_dict.py
- input\_output\_analysis.py
- logging\_utils.py
- runtime\_wrappers.py
- schemas.py
- streams.py
- subclass\_codegen.py
- subclass\_parametrization.py
- subclass\_utils.py
- utils.py
- \_\_init\_\_.py
- aot\_autograd.py
- apis.py
- autograd\_function.py
- batch\_norm\_replacement.py
- benchmark\_utils.py
- compile\_utils.py
- compilers.py
- config.py
- deprecated.py
- eager\_transforms.py
- functional\_call.py
- fx\_minifier.py
- make\_functional.py
- partitioners.py
- predispach.py
- pyfunctorch.py
- python\_key.py
- pytree\_hacks.py
- top\_operators\_github\_usage.py
- utils.py
- vmap.py
- higher\_order\_ops/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - invoke\_quant.cpython-310.pyc
    - aoti\_call\_delegate.cpython-310.pyc
    - associative\_scan.cpython-310.pyc
    - auto\_functionalize.cpython-310.pyc
    - base\_hop.cpython-310.pyc
    - cond.cpython-310.pyc
    - cudagraph\_conditional\_nodes.cpython-310.pyc
    - effects.cpython-310.pyc
    - executorch\_call\_delegate.cpython-310.pyc
    - flat\_apply.cpython-310.pyc
    - flex\_attention.cpython-310.pyc
    - foreach\_map.cpython-310.pyc
    - hints\_wrap.cpython-310.pyc
    - inline\_asm\_elementwise.cpython-310.pyc
    - invoke\_leaf\_function.cpython-310.pyc
    - invoke\_subgraph.cpython-310.pyc
    - local\_map.cpython-310.pyc
    - map.cpython-310.pyc
    - out\_dtype.cpython-310.pyc
    - partitioner.cpython-310.pyc
    - print.cpython-310.pyc
    - run\_const\_graph.cpython-310.pyc
    - scan.cpython-310.pyc
    - schema.cpython-310.pyc
    - strict\_mode.cpython-310.pyc
    - torchbind.cpython-310.pyc
    - triton\_kernel\_wrap.cpython-310.pyc
    - utils.cpython-310.pyc
    - while\_loop.cpython-310.pyc
    - wrap.cpython-310.pyc
- passes/
  - \_\_pycache\_\_/

- \_\_init\_\_.cpython-310.pyc
    - inline\_invoke\_subgraph.cpython-310.pyc
  - \_\_init\_\_.py
  - inline\_invoke\_subgraph.py
- \_\_init\_\_.py
- \_invoke\_quant.py
- aoti\_call\_delegate.py
- associative\_scan.py
- auto\_functionalize.py
- base\_hop.py
- cond.py
- cudagraph\_conditional\_nodes.py
- effects.py
- executorch\_call\_delegate.py
- flat\_apply.py
- flex\_attention.py
- foreach\_map.py
- hints\_wrap.py
- inline\_asm\_elementwise.py
- invoke\_leaf\_function.py
- invoke\_subgraph.py
- local\_map.py
- map.py
- out\_dtype.py
- partitioner.py
- print.py
- run\_const\_graph.py
- scan.py
- schema.py
- strict\_mode.py
- torchbind.py
- triton\_kernel\_wrap.py
- utils.py
- while\_loop.py
- wrap.py
- inductor/
  - \_\_pycache\_\_/
    - \_\_autotune\_main\_\_.cpython-310.pyc
    - \_\_init\_\_.cpython-310.pyc
    - analyze\_preserves\_zero\_mask.cpython-310.pyc
    - aoti\_eager.cpython-310.pyc
    - async\_compile.cpython-310.pyc
    - augmented\_graph\_helper.cpython-310.pyc
    - autotune\_process.cpython-310.pyc
    - await\_utils.cpython-310.pyc
    - bounds.cpython-310.pyc
    - cache.cpython-310.pyc
    - choices.cpython-310.pyc
    - codecache.cpython-310.pyc
    - comm\_analysis.cpython-310.pyc
    - comm\_lowering.cpython-310.pyc
    - comms.cpython-310.pyc
    - comms\_debug.cpython-310.pyc
    - compile\_fx.cpython-310.pyc
    - compile\_fx\_async.cpython-310.pyc
    - compile\_fx\_ext.cpython-310.pyc
    - compile\_fx\_subproc.cpython-310.pyc
    - compiler\_bisector.cpython-310.pyc
    - config.cpython-310.pyc
    - config\_comms.cpython-310.pyc
    - constant\_folding.cpython-310.pyc
    - cpp\_builder.cpython-310.pyc
    - cpu\_vec\_isa.cpython-310.pyc
    - cudagraph\_trees.cpython-310.pyc
    - cudagraph\_utils.cpython-310.pyc
    - custom\_graph\_pass.cpython-310.pyc
    - debug.cpython-310.pyc
    - decomposition.cpython-310.pyc
    - dependencies.cpython-310.pyc
    - distributed\_autotune.cpython-310.pyc
    - dtype\_propagation.cpython-310.pyc
    - exc.cpython-310.pyc
    - extern\_node\_serializer.cpython-310.pyc
    - freezing.cpython-310.pyc
    - freezing\_utils.cpython-310.pyc
    - fuzzer.cpython-310.pyc
    - fx\_utils.cpython-310.pyc
    - graph.cpython-310.pyc
    - hooks.cpython-310.pyc
    - index\_propagation.cpython-310.pyc
    - inductor\_prims.cpython-310.pyc
    - invert\_expr\_analysis.cpython-310.pyc
    - ir.cpython-310.pyc
    - jagged\_lowerings.cpython-310.pyc
    - kernel\_inputs.cpython-310.pyc

- kernel\_template\_choice.cpython-310.pyc
- loop\_body.cpython-310.pyc
- lowering.cpython-310.pyc
- memory.cpython-310.pyc
- metrics.cpython-310.pyc
- mkl\_dnn\_ir.cpython-310.pyc
- mkl\_dnn\_lowerings.cpython-310.pyc
- mock\_cache.cpython-310.pyc
- ops\_handler.cpython-310.pyc
- optimize\_indexing.cpython-310.pyc
- output\_code.cpython-310.pyc
- pattern\_matcher.cpython-310.pyc
- quantized\_lowerings.cpython-310.pyc
- remote\_cache.cpython-310.pyc
- remote\_gemm\_autotune\_cache.cpython-310.pyc
- rocm\_multiarch\_utils.cpython-310.pyc
- scheduler.cpython-310.pyc
- select\_algorithm.cpython-310.pyc
- shape\_propagation.cpython-310.pyc
- sizevars.cpython-310.pyc
- standalone\_compile.cpython-310.pyc
- stream\_constants.cpython-310.pyc
- stream\_utils.cpython-310.pyc
- subgraph\_lowering.cpython-310.pyc
- test\_case.cpython-310.pyc
- test\_operators.cpython-310.pyc
- tiling\_utils.cpython-310.pyc
- triton\_bundler.cpython-310.pyc
- utils.cpython-310.pyc
- virtualized.cpython-310.pyc
- wrapper\_benchmark.cpython-310.pyc
- analysis/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - device\_info.cpython-310.pyc
    - profile\_analysis.cpython-310.pyc
  - \_\_init\_\_.py
  - device\_info.py
  - profile\_analysis.py
- autoheuristic/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - autoheuristic.cpython-310.pyc
    - autoheuristic\_utils.cpython-310.pyc
    - learned\_heuristic\_controller.cpython-310.pyc
    - learnedheuristic\_interface.cpython-310.pyc
  - artifacts/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - MixedMMA100.cpython-310.pyc
      - MixedMMH100.cpython-310.pyc
      - MMRankingA100.cpython-310.pyc
      - MMRankingH100.cpython-310.pyc
      - PadMMA100.cpython-310.pyc
      - PadMMH200.cpython-310.pyc
    - \_\_init\_\_.py
    - MixedMMA100.py
    - MixedMMH100.py
    - MMRankingA100.py
    - MMRankingH100.py
    - PadMMA100.py
    - PadMMH200.py
  - \_\_init\_\_.py
  - autoheuristic.py
  - autoheuristic\_utils.py
  - learned\_heuristic\_controller.py
  - learnedheuristic\_interface.py
- codegen/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - aoti\_hipify\_utils.cpython-310.pyc
    - block\_analysis.cpython-310.pyc
    - common.cpython-310.pyc
    - cpp.cpython-310.pyc
    - cpp\_bmm\_template.cpython-310.pyc
    - cpp\_flex\_attention\_template.cpython-310.pyc
    - cpp\_gemm\_template.cpython-310.pyc
    - cpp\_grouped\_gemm\_template.cpython-310.pyc
    - cpp\_micro\_gemm.cpython-310.pyc
    - cpp\_template.cpython-310.pyc
    - cpp\_template\_kernel.cpython-310.pyc
    - cpp\_utils.cpython-310.pyc
    - cpp\_wrapper\_cpu.cpython-310.pyc
    - cpp\_wrapper\_cpu\_array\_ref.cpython-310.pyc
    - cpp\_wrapper\_gpu.cpython-310.pyc

- `cpp_wrapper_mps.cpython-310.pyc`
- `cpu_device_op_overrides.cpython-310.pyc`
- `cuda_combined_scheduling.cpython-310.pyc`
- `custom_extern_kernel_codegen.cpython-310.pyc`
- `debug_utils.cpython-310.pyc`
- `halide.cpython-310.pyc`
- `memory_planning.cpython-310.pyc`
- `mps.cpython-310.pyc`
- `mps_device_op_overrides.cpython-310.pyc`
- `multi_kernel.cpython-310.pyc`
- `pallas.cpython-310.pyc`
- `python_wrapper_mtia.cpython-310.pyc`
- `segmented_tree.cpython-310.pyc`
- `simd.cpython-310.pyc`
- `simd_kernel_features.cpython-310.pyc`
- `subgraph.cpython-310.pyc`
- `triton.cpython-310.pyc`
- `triton_combo_kernel.cpython-310.pyc`
- `triton_split_scan.cpython-310.pyc`
- `triton_utils.cpython-310.pyc`
- `wrapper.cpython-310.pyc`
- `wrapper_fxir.cpython-310.pyc`
- `aoti_runtime/`
  - `interface.cpp`
- `cuda/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `compile_utils.cpython-310.pyc`
    - `cuda_env.cpython-310.pyc`
    - `device_op_overrides.cpython-310.pyc`
  - `__init__.py`
  - `compile_utils.py`
  - `cuda_env.py`
  - `device_op_overrides.py`
- `cutedsl/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `_cutedsl_utils.cpython-310.pyc`
    - `cutedsl_kernel.cpython-310.pyc`
    - `cutedsl_op_overrides.cpython-310.pyc`
    - `cutedsl_scheduling.cpython-310.pyc`
    - `cutedsl_template.cpython-310.pyc`
  - `__init__.py`
  - `_cutedsl_utils.py`
  - `cutedsl_kernel.py`
  - `cutedsl_op_overrides.py`
  - `cutedsl_scheduling.py`
  - `cutedsl_template.py`
- `cutlass/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `cache.cpython-310.pyc`
    - `gemm_template.cpython-310.pyc`
    - `kernel.cpython-310.pyc`
    - `python_evt.cpython-310.pyc`
    - `scheduling.cpython-310.pyc`
    - `serialization.cpython-310.pyc`
    - `template.cpython-310.pyc`
    - `utils.cpython-310.pyc`
- `lib_extensions/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `evt_extensions.cpython-310.pyc`
    - `gemm_operation_extensions.cpython-310.pyc`
- `cutlass_mock_imports/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
  - `cuda/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
      - `cuda.cpython-310.pyc`
      - `cudart.cpython-310.pyc`
    - `__init__.py`
    - `cuda.py`
    - `cudart.py`
  - `pydot/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
    - `__init__.py`
  - `scipy/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
      - `special.cpython-310.pyc`
    - `__init__.py`
    - `special.py`

- └─ \_\_init\_\_.py
- └─ \_\_init\_\_.py
- └─ evt\_extensions.py
- └─ gemm\_operation\_extensions.py
- └─ \_\_init\_\_.py
- └─ cache.py
- └─ gemm\_template.py
- └─ kernel.py
- └─ python\_evt.py
- └─ scheduling.py
- └─ serialization.py
- └─ template.py
- └─ utils.py
- mtia/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ device\_op\_overrides.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ device\_op\_overrides.py
- nv\_universal\_gemm/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ kernel\_cache.cpython-310.pyc
    - └─ nv\_universal\_gemm.cpython-310.pyc
    - └─ nv\_universal\_gemm\_kernel.cpython-310.pyc
    - └─ nv\_universal\_gemm\_scheduling.cpython-310.pyc
    - └─ nv\_universal\_gemm\_utils.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ kernel\_cache.py
  - └─ nv\_universal\_gemm.py
  - └─ nv\_universal\_gemm\_kernel.py
  - └─ nv\_universal\_gemm\_scheduling.py
  - └─ nv\_universal\_gemm\_utils.py
- rocm/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ ck\_conv\_template.cpython-310.pyc
    - └─ ck\_template.cpython-310.pyc
    - └─ ck\_tile\_template.cpython-310.pyc
    - └─ ck\_tile\_universal\_gemm\_template.cpython-310.pyc
    - └─ ck\_universal\_gemm\_template.cpython-310.pyc
    - └─ compile\_command.cpython-310.pyc
    - └─ rocm\_benchmark\_request.cpython-310.pyc
    - └─ rocm\_cpp\_scheduling.cpython-310.pyc
    - └─ rocm\_kernel.cpython-310.pyc
    - └─ rocm\_template.cpython-310.pyc
    - └─ rocm\_template\_buffer.cpython-310.pyc
    - └─ rocm\_utils.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ ck\_conv\_template.py
  - └─ ck\_template.py
  - └─ ck\_tile\_template.py
  - └─ ck\_tile\_universal\_gemm\_template.py
  - └─ ck\_universal\_gemm\_template.py
  - └─ compile\_command.py
  - └─ rocm\_benchmark\_request.py
  - └─ rocm\_cpp\_scheduling.py
  - └─ rocm\_kernel.py
  - └─ rocm\_template.py
  - └─ rocm\_template\_buffer.py
  - └─ rocm\_utils.py
- xpu/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ compile\_utils.cpython-310.pyc
    - └─ device\_op\_overrides.cpython-310.pyc
    - └─ xpu\_combined\_scheduling.cpython-310.pyc
    - └─ xpu\_env.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ compile\_utils.py
  - └─ device\_op\_overrides.py
  - └─ xpu\_combined\_scheduling.py
  - └─ xpu\_env.py
- └─ \_\_init\_\_.py
- └─ aoti\_hipify\_utils.py
- └─ block\_analysis.py
- └─ common.py
- └─ cpp.py
- └─ cpp\_bmm\_template.py
- └─ cpp\_flex\_attention\_template.py
- └─ cpp\_gemm\_template.py
- └─ cpp\_grouped\_gemm\_template.py
- └─ cpp\_micro\_gemm.py
- └─ cpp\_template.py
- └─ cpp\_template\_kernel.py



- `cpp_utils.py`
- `cpp_wrapper_cpu.py`
- `cpp_wrapper_cpu_array_ref.py`
- `cpp_wrapper_gpu.py`
- `cpp_wrapper_mps.py`
- `cpu_device_op_overrides.py`
- `cuda_combined_scheduling.py`
- `custom_extern_kernel_codegen.py`
- `debug_utils.py`
- `halide.py`
- `memory_planning.py`
- `mps.py`
- `mps_device_op_overrides.py`
- `multi_kernel.py`
- `pallas.py`
- `python_wrapper_mtia.py`
- `segmented_tree.py`
- `simd.py`
- `simd_kernel_features.py`
- `subgraph.py`
- `triton.py`
- `triton_combo_kernel.py`
- `triton_split_scan.py`
- `triton_utils.py`
- `wrapper.py`
- `wrapper_fxir.py`
- `compile_worker/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `__main__.cpython-310.pyc`
    - `subproc_pool.cpython-310.pyc`
    - `timer.cpython-310.pyc`
    - `tracked_process_pool.cpython-310.pyc`
    - `utils.cpython-310.pyc`
  - `__init__.py`
  - `__main__.py`
  - `subproc_pool.py`
  - `timer.py`
  - `tracked_process_pool.py`
  - `utils.py`
- `fx_passes/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `apply_gumbel_max_trick.cpython-310.pyc`
    - `b2b_gemm.cpython-310.pyc`
    - `binary_folding.cpython-310.pyc`
    - `bucketing.cpython-310.pyc`
    - `control_dependencies.cpython-310.pyc`
    - `ddp_fusion.cpython-310.pyc`
    - `decompose_mem_bound_mm.cpython-310.pyc`
    - `dedupe_symint_uses.cpython-310.pyc`
    - `efficient_conv_bn_eval.cpython-310.pyc`
    - `freezing_patterns.cpython-310.pyc`
    - `fsdp.cpython-310.pyc`
    - `fuse_attention.cpython-310.pyc`
    - `fusion_regions.cpython-310.pyc`
    - `graph_view.cpython-310.pyc`
    - `group_batch_fusion.cpython-310.pyc`
    - `joint_graph.cpython-310.pyc`
    - `memory_estimator.cpython-310.pyc`
    - `micro_pipeline_tp.cpython-310.pyc`
    - `misc_patterns.cpython-310.pyc`
    - `mkldnn_fusion.cpython-310.pyc`
    - `node_runtime_estimation.cpython-310.pyc`
    - `numeric_utils.cpython-310.pyc`
    - `overlap_manual_scheduling.cpython-310.pyc`
    - `overlap_preserving_bucketeter.cpython-310.pyc`
    - `overlap_scheduling.cpython-310.pyc`
    - `pad_mm.cpython-310.pyc`
    - `post_grad.cpython-310.pyc`
    - `pre_grad.cpython-310.pyc`
    - `quantization.cpython-310.pyc`
    - `reduced_atomic_contention.cpython-310.pyc`
    - `reinplace.cpython-310.pyc`
    - `replace_random.cpython-310.pyc`
    - `split_cat.cpython-310.pyc`
    - `spmd_check.cpython-310.pyc`
  - `auto_chunker/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
      - `applier.cpython-310.pyc`
      - `common.cpython-310.pyc`
      - `core.cpython-310.pyc`
      - `propagate_scale_by.cpython-310.pyc`
      - `propagator.cpython-310.pyc`

- └─ utils.cpython-310.pyc
- ─ \_\_init\_\_.py
- ─ applier.py
- ─ common.py
- ─ core.py
- ─ propagate\_scale\_by.py
- ─ propagator.py
- ─ utils.py
- ─ serialized\_patterns/
  - ─ \_\_pycache\_\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ \_sfdp\_pattern\_1.cpython-310.pyc
    - ─ \_sfdp\_pattern\_10.cpython-310.pyc
    - ─ \_sfdp\_pattern\_11.cpython-310.pyc
    - ─ \_sfdp\_pattern\_12.cpython-310.pyc
    - ─ \_sfdp\_pattern\_13.cpython-310.pyc
    - ─ \_sfdp\_pattern\_14.cpython-310.pyc
    - ─ \_sfdp\_pattern\_15.cpython-310.pyc
    - ─ \_sfdp\_pattern\_16.cpython-310.pyc
    - ─ \_sfdp\_pattern\_17.cpython-310.pyc
    - ─ \_sfdp\_pattern\_18.cpython-310.pyc
    - ─ \_sfdp\_pattern\_19.cpython-310.pyc
    - ─ \_sfdp\_pattern\_2.cpython-310.pyc
    - ─ \_sfdp\_pattern\_20.cpython-310.pyc
    - ─ \_sfdp\_pattern\_21.cpython-310.pyc
    - ─ \_sfdp\_pattern\_22.cpython-310.pyc
    - ─ \_sfdp\_pattern\_23.cpython-310.pyc
    - ─ \_sfdp\_pattern\_24.cpython-310.pyc
    - ─ \_sfdp\_pattern\_25.cpython-310.pyc
    - ─ \_sfdp\_pattern\_26.cpython-310.pyc
    - ─ \_sfdp\_pattern\_27.cpython-310.pyc
    - ─ \_sfdp\_pattern\_28.cpython-310.pyc
    - ─ \_sfdp\_pattern\_3.cpython-310.pyc
    - ─ \_sfdp\_pattern\_4.cpython-310.pyc
    - ─ \_sfdp\_pattern\_5.cpython-310.pyc
    - ─ \_sfdp\_pattern\_6.cpython-310.pyc
    - ─ \_sfdp\_pattern\_7.cpython-310.pyc
    - ─ \_sfdp\_pattern\_8.cpython-310.pyc
    - ─ \_sfdp\_pattern\_9.cpython-310.pyc
    - ─ addmm\_pattern.cpython-310.pyc
    - ─ bmm\_pattern.cpython-310.pyc
    - ─ mm\_pattern.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ \_sfdp\_pattern\_1.py
  - ─ \_sfdp\_pattern\_10.py
  - ─ \_sfdp\_pattern\_11.py
  - ─ \_sfdp\_pattern\_12.py
  - ─ \_sfdp\_pattern\_13.py
  - ─ \_sfdp\_pattern\_14.py
  - ─ \_sfdp\_pattern\_15.py
  - ─ \_sfdp\_pattern\_16.py
  - ─ \_sfdp\_pattern\_17.py
  - ─ \_sfdp\_pattern\_18.py
  - ─ \_sfdp\_pattern\_19.py
  - ─ \_sfdp\_pattern\_2.py
  - ─ \_sfdp\_pattern\_20.py
  - ─ \_sfdp\_pattern\_21.py
  - ─ \_sfdp\_pattern\_22.py
  - ─ \_sfdp\_pattern\_23.py
  - ─ \_sfdp\_pattern\_24.py
  - ─ \_sfdp\_pattern\_25.py
  - ─ \_sfdp\_pattern\_26.py
  - ─ \_sfdp\_pattern\_27.py
  - ─ \_sfdp\_pattern\_28.py
  - ─ \_sfdp\_pattern\_3.py
  - ─ \_sfdp\_pattern\_4.py
  - ─ \_sfdp\_pattern\_5.py
  - ─ \_sfdp\_pattern\_6.py
  - ─ \_sfdp\_pattern\_7.py
  - ─ \_sfdp\_pattern\_8.py
  - ─ \_sfdp\_pattern\_9.py
  - ─ addmm\_pattern.py
  - ─ bmm\_pattern.py
  - ─ mm\_pattern.py
- ─ \_\_init\_\_.py
- ─ apply\_gumbel\_max\_trick.py
- ─ b2b\_gemm.py
- ─ binary\_folding.py
- ─ bucketing.py
- ─ control\_dependencies.py
- ─ ddp\_fusion.py
- ─ decompose\_mem\_bound\_mm.py
- ─ dedupe\_symint\_uses.py
- ─ efficient\_conv\_bn\_eval.py
- ─ freezing\_patterns.py

- fsdp.py
- fuse\_attention.py
- fusion\_regions.py
- graph\_view.py
- group\_batch\_fusion.py
- joint\_graph.py
- memory\_estimator.py
- micro\_pipeline\_tp.py
- misc\_patterns.py
- mkldnn\_fusion.py
- node\_runtime\_estimation.py
- numeric\_utils.py
- overlap\_manual\_scheduling.py
- overlap\_preserving\_bucketizer.py
- overlap\_scheduling.py
- pad\_mm.py
- post\_grad.py
- pre\_grad.py
- quantization.py
- reduced\_atomic\_contention.py
- reinplace.py
- replace\_random.py
- split\_cat.py
- spmd\_check.py
- kernel/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - bmm.cpython-310.pyc
    - conv.cpython-310.pyc
    - custom\_op.cpython-310.pyc
    - mm.cpython-310.pyc
    - mm\_common.cpython-310.pyc
    - mm\_grouped.cpython-310.pyc
    - mm\_plus\_mm.cpython-310.pyc
  - flex/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - common.cpython-310.pyc
      - flex\_attention.cpython-310.pyc
      - flex\_cpu.cpython-310.pyc
      - flex\_decoding.cpython-310.pyc
      - flex\_flash\_attention.cpython-310.pyc
    - templates/
      - common.py.jinja
      - flash\_attention.py.jinja
      - flash\_attention\_backward.py.jinja
      - flex\_attention.py.jinja
      - flex\_backwards.py.jinja
      - flex\_decode.py.jinja
      - utilities.py.jinja
    - \_\_init\_\_.py
    - common.py
    - flex\_attention.py
    - flex\_cpu.py
    - flex\_decoding.py
    - flex\_flash\_attention.py
  - templates/
    - cutedsl\_mm\_grouped.py.jinja
    - triton\_blackwell\_ws\_persistent\_device\_tma\_mm.py.jinja
    - triton\_bmm.py.jinja
    - triton\_depthwise\_conv.py.jinja
    - triton\_epilogue\_scaled\_mm.py.jinja
    - triton\_main\_loop\_scaled\_mm.py.jinja
    - triton\_mm.py.jinja
    - triton\_mm\_grouped.py.jinja
    - triton\_mm\_rocm.py.jinja
    - triton\_persistent\_mm.py.jinja
    - triton\_persistent\_tma\_mm.py.jinja
  - vendored\_templates/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - cutedsl/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - dense\_blockscaled\_gemm\_persistent.cpython-310.pyc
      - kernels/
        - pycache\_/
          - \_\_init\_\_.cpython-310.pyc
          - cutedsl\_grouped\_gemm.cpython-310.pyc
        - \_\_init\_\_.py
        - cutedsl\_grouped\_gemm.py
      - wrappers/
        - pycache\_/
          - \_\_init\_\_.cpython-310.pyc
          - dense\_blockscaled\_gemm\_kernel.cpython-310.pyc



- `__init__.cpython-310.pyc`
- `aten.cpython-310.pyc`
- `base.cpython-310.pyc`
- `contiguous_mm.cpython-310.pyc`
- `cutedsl.cpython-310.pyc`
- `decompose_k.cpython-310.pyc`
- `gemm.cpython-310.pyc`
- `nv_universal_gemm.cpython-310.pyc`
- `params.cpython-310.pyc`
- `registry.cpython-310.pyc`
- `tlx.cpython-310.pyc`
- `triton.cpython-310.pyc`
- `triton_addmm.cpython-310.pyc`
- `__init__.py`
- `aten.py`
- `base.py`
- `contiguous_mm.py`
- `cutedsl.py`
- `decompose_k.py`
- `gemm.py`
- `nv_universal_gemm.py`
- `params.py`
- `registry.py`
- `tlx.py`
- `triton.py`
- `triton_addmm.py`
- `__autotune_main__.py`
- `__init__.py`
- `analyze_preserves_zero_mask.py`
- `aoti_eager.py`
- `async_compile.py`
- `augmented_graph_helper.py`
- `autotune_process.py`
- `await_utils.py`
- `bounds.py`
- `cache.py`
- `choices.py`
- `codecache.py`
- `comm_analysis.py`
- `comm_lowering.py`
- `comms.py`
- `comms_debug.py`
- `compile_fx.py`
- `compile_fx_async.py`
- `compile_fx_ext.py`
- `compile_fx_subproc.py`
- `compiler_bisector.py`
- `config.py`
- `config_comms.py`
- `constant_folding.py`
- `cpp_builder.py`
- `cpu_vec_isa.py`
- `cuda_graph_trees.py`
- `cuda_graph_utils.py`
- `custom_graph_pass.py`
- `debug.py`
- `decomposition.py`
- `dependencies.py`
- `distributed_autotune.py`
- `dtype_propagation.py`
- `exc.py`
- `extern_node_serializer.py`
- `freezing.py`
- `freezing_utils.py`
- `fuzzer.py`
- `fx_utils.py`
- `graph.py`
- `hooks.py`
- `index_propagation.py`
- `inductor_prims.py`
- `invert_expr_analysis.py`
- `ir.py`
- `jagged_lowerings.py`
- `kernel_inputs.py`
- `kernel_template_choice.py`
- `loop_body.py`
- `lowering.py`
- `memory.py`
- `metrics.py`
- `mkldnn_ir.py`
- `mkldnn_lowerings.py`
- `mock_cache.py`
- `ops_handler.py`
- `optimize_indexing.py`
- `output_code.py`

- pattern\_matcher.py
- quantized\_lowerings.py
- remote\_cache.py
- remote\_gemm\_autotune\_cache.py
- rocm\_multiarch\_utils.py
- scheduler.py
- script.ld
- select\_algorithm.py
- shape\_propagation.py
- sizevars.py
- standalone\_compile.py
- stream\_constants.py
- stream\_utils.py
- subgraph\_lowering.py
- test\_case.py
- test\_operators.py
- tiling\_utils.py
- triton\_bundler.py
- utils.py
- virtualized.py
- wrapper\_benchmark.py
- lazy/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - closure.cpython-310.pyc
    - computation.cpython-310.pyc
    - config.cpython-310.pyc
    - debug.cpython-310.pyc
    - device\_context.cpython-310.pyc
    - extract\_compiled\_graph.cpython-310.pyc
    - ir\_cache.cpython-310.pyc
    - metrics.cpython-310.pyc
    - tensor\_factory\_functions.cpython-310.pyc
    - ts\_backend.cpython-310.pyc
  - \_\_init\_\_.py
  - closure.py
  - computation.py
  - config.py
  - debug.py
  - device\_context.py
  - extract\_compiled\_graph.py
  - ir\_cache.py
  - metrics.py
  - tensor\_factory\_functions.py
  - ts\_backend.py
- library/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_out\_variant.cpython-310.pyc
    - autograd.cpython-310.pyc
    - custom\_ops.cpython-310.pyc
    - effects.cpython-310.pyc
    - fake\_class\_registry.cpython-310.pyc
    - fake\_impl.cpython-310.pyc
    - fake\_profile.cpython-310.pyc
    - infer\_schema.cpython-310.pyc
    - opaque\_object.cpython-310.pyc
    - simple\_registry.cpython-310.pyc
    - triton.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_\_init\_\_.py
  - \_out\_variant.py
  - autograd.py
  - custom\_ops.py
  - effects.py
  - fake\_class\_registry.py
  - fake\_impl.py
  - fake\_profile.py
  - infer\_schema.py
  - opaque\_object.py
  - simple\_registry.py
  - triton.py
  - utils.py
- logging/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_internal.cpython-310.pyc
    - \_registrations.cpython-310.pyc
    - scribe.cpython-310.pyc
    - structured.cpython-310.pyc
  - \_\_init\_\_.py
  - \_internal.py
  - \_registrations.py
  - scribe.py
  - structured.py

- native/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - common\_utils.cpython-310.pyc
    - cutedsl\_utils.cpython-310.pyc
    - dsl\_registry.cpython-310.pyc
    - registry.cpython-310.pyc
    - triton\_utils.cpython-310.pyc
  - ops/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - common\_utils.py
    - cutedsl\_utils.py
    - dsl\_registry.py
    - registry.py
    - triton\_utils.py
- numpy/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - binary\_ufuncs\_impl.cpython-310.pyc
    - casting\_dicts.cpython-310.pyc
    - dtypes.cpython-310.pyc
    - dtypes\_impl.cpython-310.pyc
    - funcs.cpython-310.pyc
    - funcs\_impl.cpython-310.pyc
    - getlimits.cpython-310.pyc
    - ndarray.cpython-310.pyc
    - normalizations.cpython-310.pyc
    - reductions\_impl.cpython-310.pyc
    - ufuncs.cpython-310.pyc
    - unary\_ufuncs\_impl.cpython-310.pyc
    - util.cpython-310.pyc
    - fft.cpython-310.pyc
    - linalg.cpython-310.pyc
    - random.cpython-310.pyc
  - testing/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - utils.cpython-310.pyc
    - \_\_init\_\_.py
    - utils.py
    - \_\_init\_\_.py
    - binary\_ufuncs\_impl.py
    - casting\_dicts.py
    - dtypes.py
    - dtypes\_impl.py
    - funcs.py
    - funcs\_impl.py
    - getlimits.py
    - ndarray.py
    - normalizations.py
    - reductions\_impl.py
    - ufuncs.py
    - unary\_ufuncs\_impl.py
    - util.py
    - fft.py
    - linalg.py
    - random.py
- prims/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - context.cpython-310.pyc
    - debug\_prims.cpython-310.pyc
    - executor.cpython-310.pyc
    - rng\_prims.cpython-310.pyc
  - \_\_init\_\_.py
  - context.py
  - debug\_prims.py
  - executor.py
  - rng\_prims.py
- prims\_common/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - wrappers.cpython-310.pyc
  - \_\_init\_\_.py
  - wrappers.py
- refs/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - conversions.cpython-310.pyc
    - fft.cpython-310.pyc
  - linalg/
    - pycache\_/

- \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - nn/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - functional/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
    - \_\_init\_\_.py
  - special/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - \_\_init\_\_.py
  - \_conversions.py
  - fft.py
- strobelight/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - cli\_function\_profiler.cpython-310.pyc
    - compile\_time\_profiler.cpython-310.pyc
  - \_\_init\_\_.py
  - cli\_function\_profiler.py
  - compile\_time\_profiler.py
- subclasses/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_fake\_tensor\_utils.cpython-310.pyc
    - fake\_impls.cpython-310.pyc
    - fake\_tensor.cpython-310.pyc
    - fake\_utils.cpython-310.pyc
    - functional\_tensor.cpython-310.pyc
    - meta\_utils.cpython-310.pyc
    - schema\_check\_mode.cpython-310.pyc
- complex\_tensor/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_core.cpython-310.pyc
  - ops/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - aten.cpython-310.pyc
      - common.cpython-310.pyc
      - prims.cpython-310.pyc
    - \_\_init\_\_.py
    - aten.py
    - common.py
    - prims.py
  - \_\_init\_\_.py
  - \_core.py
- \_\_init\_\_.py
- \_fake\_tensor\_utils.py
- fake\_impls.py
- fake\_tensor.py
- fake\_utils.py
- functional\_tensor.py
- meta\_utils.py
- schema\_check\_mode.py

- vendor/
- pycache\_/
  - \_\_init\_\_.cpython-310.pyc
- packaging/
- pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - \_structures.cpython-310.pyc
  - version.cpython-310.pyc
- \_\_init\_\_.py
- \_structures.py
- version.py
- \_\_init\_\_.py
- accelerator/
- pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - \_utils.cpython-310.pyc
  - graphs.cpython-310.pyc
  - memory.cpython-310.pyc
- \_\_init\_\_.py
- \_utils.py
- graphs.py
- memory.py
- amp/
- pycache\_/
  - \_\_init\_\_.cpython-310.pyc
- autocast\_mode.cpython-310.pyc



- └─ grad\_scaler.cpython-310.pyc
- └─ \_\_init\_\_.py
- └─ autocast\_mode.py
- └─ grad\_scaler.py
- ─ ao/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
- ─ nn/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ intrinsic/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
  - └─ modules/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ fused.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ fused.py
  - └─ qat/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ modules/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
        - └─ conv\_fused.cpython-310.pyc
        - └─ linear\_fused.cpython-310.pyc
        - └─ linear\_relu.cpython-310.pyc
      - └─ \_\_init\_\_.py
      - └─ conv\_fused.py
      - └─ linear\_fused.py
      - └─ linear\_relu.py
      - └─ \_\_init\_\_.py
  - └─ quantized/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ dynamic/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
      - └─ modules/
        - └─ pycache\_/
          - └─ \_\_init\_\_.cpython-310.pyc
          - └─ linear\_relu.cpython-310.pyc
        - └─ \_\_init\_\_.py
        - └─ linear\_relu.py
        - └─ \_\_init\_\_.py
    - └─ modules/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
        - └─ bn\_relu.cpython-310.pyc
        - └─ conv\_add.cpython-310.pyc
        - └─ conv\_relu.cpython-310.pyc
        - └─ linear\_relu.cpython-310.pyc
      - └─ \_\_init\_\_.py
      - └─ bn\_relu.py
      - └─ conv\_add.py
      - └─ conv\_relu.py
      - └─ linear\_relu.py
      - └─ \_\_init\_\_.py
  - └─ \_\_init\_\_.py
- ─ qat/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ dynamic/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ modules/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
        - └─ linear.cpython-310.pyc
      - └─ \_\_init\_\_.py
      - └─ linear.py
      - └─ \_\_init\_\_.py
    - └─ modules/
      - └─ pycache\_/
        - └─ \_\_init\_\_.cpython-310.pyc
        - └─ conv.cpython-310.pyc
        - └─ embedding\_ops.cpython-310.pyc
        - └─ linear.cpython-310.pyc
      - └─ \_\_init\_\_.py
      - └─ conv.py
      - └─ embedding\_ops.py
      - └─ linear.py
      - └─ \_\_init\_\_.py
  - ─ quantizable/

- \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
  - modules/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - activation.cpython-310.pyc
        - rnn.cpython-310.pyc
      - \_\_init\_\_.py
      - activation.py
      - rnn.py
    - \_\_init\_\_.py
- quantized/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - functional.cpython-310.pyc
  - dynamic/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
      - modules/
        - \_\_pycache\_\_/
            - \_\_init\_\_.cpython-310.pyc
            - conv.cpython-310.pyc
            - linear.cpython-310.pyc
            - rnn.cpython-310.pyc
          - \_\_init\_\_.py
          - conv.py
          - linear.py
          - rnn.py
        - \_\_init\_\_.py
    - modules/
      - \_\_pycache\_\_/
          - \_\_init\_\_.cpython-310.pyc
          - activation.cpython-310.pyc
          - batchnorm.cpython-310.pyc
          - conv.cpython-310.pyc
          - dropout.cpython-310.pyc
          - embedding\_ops.cpython-310.pyc
          - functional\_modules.cpython-310.pyc
          - linear.cpython-310.pyc
          - normalization.cpython-310.pyc
          - rnn.cpython-310.pyc
          - utils.cpython-310.pyc
        - \_\_init\_\_.py
        - activation.py
        - batchnorm.py
        - conv.py
        - dropout.py
        - embedding\_ops.py
        - functional\_modules.py
        - linear.py
        - normalization.py
        - rnn.py
        - utils.py
    - reference/
      - \_\_pycache\_\_/
          - \_\_init\_\_.cpython-310.pyc
        - modules/
          - \_\_pycache\_\_/
              - \_\_init\_\_.cpython-310.pyc
              - conv.cpython-310.pyc
              - linear.cpython-310.pyc
              - rnn.cpython-310.pyc
              - sparse.cpython-310.pyc
              - utils.cpython-310.pyc
            - \_\_init\_\_.py
            - conv.py
            - linear.py
            - rnn.py
            - sparse.py
            - utils.py
          - \_\_init\_\_.py
        - \_\_init\_\_.py
        - functional.py
      - sparse/
        - \_\_pycache\_\_/
            - \_\_init\_\_.cpython-310.pyc
        - quantized/
          - \_\_pycache\_\_/
              - \_\_init\_\_.cpython-310.pyc
              - linear.cpython-310.pyc
              - utils.cpython-310.pyc
          - dynamic/
            - \_\_pycache\_\_/
                - \_\_init\_\_.cpython-310.pyc
                - linear.cpython-310.pyc

```

├── _init_.py
├── linear.py
├── _init_.py
├── linear.py
├── utils.py
├── _init_.py
├── _init_.py
├── ns/
│   ├── pycache_/
│   │   ├── _init_.cpython-310.pyc
│   │   ├── numeric_suite.cpython-310.pyc
│   │   └── numeric_suite_fx.cpython-310.pyc
│   ├── fx/
│   │   ├── pycache_/
│   │   │   ├── _init_.cpython-310.pyc
│   │   │   ├── graph_matcher.cpython-310.pyc
│   │   │   ├── graph_passes.cpython-310.pyc
│   │   │   ├── mappings.cpython-310.pyc
│   │   │   ├── n_shadows_utils.cpython-310.pyc
│   │   │   ├── ns_types.cpython-310.pyc
│   │   │   ├── pattern_utils.cpython-310.pyc
│   │   │   ├── qconfig_multi_mapping.cpython-310.pyc
│   │   │   ├── utils.cpython-310.pyc
│   │   │   └── weight_utils.cpython-310.pyc
│   │   ├── _init_.py
│   │   ├── graph_matcher.py
│   │   ├── graph_passes.py
│   │   ├── mappings.py
│   │   ├── n_shadows_utils.py
│   │   ├── ns_types.py
│   │   ├── pattern_utils.py
│   │   ├── qconfig_multi_mapping.py
│   │   ├── utils.py
│   │   └── weight_utils.py
│   ├── _init_.py
│   ├── numeric_suite.py
│   └── numeric_suite_fx.py
├── pruning/
│   ├── pycache_/
│   │   ├── _init_.cpython-310.pyc
│   │   └── mappings.cpython-310.pyc
│   ├── experimental/
│   │   ├── pycache_/
│   │   │   ├── _init_.cpython-310.pyc
│   │   ├── activation_sparsifier/
│   │   │   ├── pycache_/
│   │   │   │   ├── _init_.cpython-310.pyc
│   │   │   │   └── activation_sparsifier.cpython-310.pyc
│   │   │   ├── _init_.py
│   │   │   └── activation_sparsifier.py
│   │   ├── data_scheduler/
│   │   │   ├── pycache_/
│   │   │   │   ├── _init_.cpython-310.pyc
│   │   │   │   └── base_data_scheduler.cpython-310.pyc
│   │   │   ├── _init_.py
│   │   │   └── base_data_scheduler.py
│   │   ├── data_sparsifier/
│   │   │   ├── pycache_/
│   │   │   │   ├── _init_.cpython-310.pyc
│   │   │   │   ├── base_data_sparsifier.cpython-310.pyc
│   │   │   │   ├── data_norm_sparsifier.cpython-310.pyc
│   │   │   │   └── quantization_utils.cpython-310.pyc
│   │   ├── lightning/
│   │   │   ├── pycache_/
│   │   │   │   ├── _init_.cpython-310.pyc
│   │   │   ├── callbacks/
│   │   │   │   ├── pycache_/
│   │   │   │   │   ├── _init_.cpython-310.pyc
│   │   │   │   │   ├── data_sparsity_utils.cpython-310.pyc
│   │   │   │   │   └── data_sparsity.cpython-310.pyc
│   │   │   │   ├── _init_.py
│   │   │   │   ├── data_sparsity_utils.py
│   │   │   │   └── data_sparsity.py
│   │   │   ├── _init_.py
│   │   ├── _init_.py
│   │   ├── base_data_sparsifier.py
│   │   ├── data_norm_sparsifier.py
│   │   └── quantization_utils.py
│   ├── pruner/
│   │   ├── pycache_/
│   │   │   ├── _init_.cpython-310.pyc
│   │   │   ├── base_structured_sparsifier.cpython-310.pyc
│   │   │   ├── FPGM_pruner.cpython-310.pyc
│   │   │   ├── lstm_saliency_pruner.cpython-310.pyc
│   │   │   └── match_utils.cpython-310.pyc

```

- parametrization.cpython-310.pyc
    - prune\_functions.cpython-310.pyc
    - saliency\_pruner.cpython-310.pyc
  - \_\_init\_\_.py
  - base\_structured\_sparsifier.py
  - FPGM\_pruner.py
  - lstm\_saliency\_pruner.py
  - match\_utils.py
  - parametrization.py
  - prune\_functions.py
  - saliency\_pruner.py
- \_\_init\_\_.py
- scheduler/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - base\_scheduler.cpython-310.pyc
    - cubic\_scheduler.cpython-310.pyc
    - lambda\_scheduler.cpython-310.pyc
  - \_\_init\_\_.py
  - base\_scheduler.py
  - cubic\_scheduler.py
  - lambda\_scheduler.py
- sparsifier/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - base\_sparsifier.cpython-310.pyc
    - nearly\_diagonal\_sparsifier.cpython-310.pyc
    - utils.cpython-310.pyc
    - weight\_norm\_sparsifier.cpython-310.pyc
  - \_\_init\_\_.py
  - base\_sparsifier.py
  - nearly\_diagonal\_sparsifier.py
  - utils.py
  - weight\_norm\_sparsifier.py
- \_\_init\_\_.py
- \_mappings.py
- quantization/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_correct\_bias.cpython-310.pyc
    - \_equalize.cpython-310.pyc
    - \_learnable\_fake\_quantize.cpython-310.pyc
    - fake\_quantize.cpython-310.pyc
    - fuse\_modules.cpython-310.pyc
    - fuser\_method\_mappings.cpython-310.pyc
    - observer.cpython-310.pyc
    - qconfig.cpython-310.pyc
    - qconfig\_mapping.cpython-310.pyc
    - quant\_type.cpython-310.pyc
    - quantization\_mappings.cpython-310.pyc
    - quantize.cpython-310.pyc
    - quantize\_fx.cpython-310.pyc
    - quantize\_jit.cpython-310.pyc
    - stubs.cpython-310.pyc
    - utils.cpython-310.pyc
- backend\_config/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_common\_operator\_config\_utils.cpython-310.pyc
    - \_qnnpack\_pt2e.cpython-310.pyc
    - backend\_config.cpython-310.pyc
    - executorch.cpython-310.pyc
    - fbgemm.cpython-310.pyc
    - native.cpython-310.pyc
    - onednn.cpython-310.pyc
    - qnnpack.cpython-310.pyc
    - tensorrt.cpython-310.pyc
    - utils.cpython-310.pyc
    - x86.cpython-310.pyc
  - \_\_init\_\_.py
  - \_common\_operator\_config\_utils.py
  - \_qnnpack\_pt2e.py
  - backend\_config.py
  - executorch.py
  - fbgemm.py
  - native.py
  - onednn.py
  - qnnpack.py
  - tensorrt.py
  - utils.py
  - x86.py
- fx/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_decomposed.cpython-310.pyc

- \_equalize.cpython-310.pyc
- \_lower\_to\_native\_backend.cpython-310.pyc
- convert.cpython-310.pyc
- custom\_config.cpython-310.pyc
- fuse.cpython-310.pyc
- fuse\_handler.cpython-310.pyc
- graph\_module.cpython-310.pyc
- lower\_to\_fbgemm.cpython-310.pyc
- lower\_to\_qnnpack.cpython-310.pyc
- lstm\_utils.cpython-310.pyc
- match\_utils.cpython-310.pyc
- pattern\_utils.cpython-310.pyc
- prepare.cpython-310.pyc
- qconfig\_mapping\_utils.cpython-310.pyc
- quantize\_handler.cpython-310.pyc
- tracer.cpython-310.pyc
- utils.cpython-310.pyc
- model\_report/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - detector.cpython-310.pyc
    - model\_report.cpython-310.pyc
    - model\_report\_observer.cpython-310.pyc
    - model\_report\_visualizer.cpython-310.pyc
  - \_\_init\_\_.py
  - detector.py
  - model\_report.py
  - model\_report\_observer.py
  - model\_report\_visualizer.py
- \_\_init\_\_.py
- \_decomposed.py
- \_equalize.py
- \_lower\_to\_native\_backend.py
- convert.py
- custom\_config.py
- fuse.py
- fuse\_handler.py
- graph\_module.py
- lower\_to\_fbgemm.py
- lower\_to\_qnnpack.py
- lstm\_utils.py
- match\_utils.py
- pattern\_utils.py
- prepare.py
- qconfig\_mapping\_utils.py
- quantize\_handler.py
- tracer.py
- utils.py
- \_\_init\_\_.py
- \_correct\_bias.py
- \_equalize.py
- \_learnable\_fake\_quantize.py
- fake\_quantize.py
- fuse\_modules.py
- fuser\_method\_mappings.py
- observer.py
- qconfig.py
- qconfig\_mapping.py
- quant\_type.py
- quantization\_mappings.py
- quantize.py
- quantize\_fx.py
- quantize\_jit.py
- stubs.py
- utils.py
- \_\_init\_\_.py
- autograd/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - anomaly\_mode.cpython-310.pyc
    - forward\_ad.cpython-310.pyc
    - function.cpython-310.pyc
    - functional.cpython-310.pyc
    - grad\_mode.cpython-310.pyc
    - gradcheck.cpython-310.pyc
    - graph.cpython-310.pyc
    - profiler.cpython-310.pyc
    - profiler\_legacy.cpython-310.pyc
    - profiler\_util.cpython-310.pyc
    - variable.cpython-310.pyc
- functions/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - tensor.cpython-310.pyc
    - utils.cpython-310.pyc

- └─ \_\_init\_\_.py
- └─ tensor.py
- └─ utils.py
- ─ \_\_init\_\_.py
- ─ anomaly\_mode.py
- ─ forward\_ad.py
- ─ function.py
- ─ functional.py
- ─ grad\_mode.py
- ─ gradcheck.py
- ─ graph.py
- ─ profiler.py
- ─ profiler\_legacy.py
- ─ profiler\_util.py
- ─ variable.py
- ─ backends/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - ─ coreml/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ preprocess.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ preprocess.py
  - ─ nnapi/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ prepare.cpython-310.pyc
      - └─ serializer.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ prepare.py
    - └─ serializer.py
  - ─ cpu/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - ─ cuda/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - ─ cudnn/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ rnn.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ rnn.py
  - ─ cusparselt/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - ─ kleidiai/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - ─ mha/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - ─ miopen/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - ─ mkl/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - ─ mkldnn/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - ─ mps/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - ─ nnpack/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - ─ openmp/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - ─ opt\_einsum/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc

- \_\_init\_\_.py
- python\_native/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- quantized/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- xeon/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - run\_cpu.cpython-310.pyc
  - \_\_init\_\_.py
  - run\_cpu.py
- xnnpack/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- \_\_init\_\_.py
- bin/
  - protoc.exe
- compiler/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_cache.cpython-310.pyc
    - config.cpython-310.pyc
  - \_\_init\_\_.py
  - \_cache.py
  - config.py
- contrib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_tensorboard\_vis.cpython-310.pyc
  - \_\_init\_\_.py
  - \_tensorboard\_vis.py
- cpu/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
- amp/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - autocast\_mode.cpython-310.pyc
    - grad\_scaler.cpython-310.pyc
  - \_\_init\_\_.py
  - autocast\_mode.py
  - grad\_scaler.py
  - \_\_init\_\_.py
- csrc/
  - inductor/
    - aoti\_runtime/
      - model.h
- cuda/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_annotate\_cuda\_graph\_trace.cpython-310.pyc
    - \_device\_limits.cpython-310.pyc
    - \_gpu\_trace.cpython-310.pyc
    - \_graph\_annotations.cpython-310.pyc
    - \_memory\_viz.cpython-310.pyc
    - \_pin\_memory\_utils.cpython-310.pyc
    - \_sanitizer.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - comm.cpython-310.pyc
    - gds.cpython-310.pyc
    - graphs.cpython-310.pyc
    - green\_contexts.cpython-310.pyc
    - jiterator.cpython-310.pyc
    - memory.cpython-310.pyc
    - nccl.cpython-310.pyc
    - nvtx.cpython-310.pyc
    - profiler.cpython-310.pyc
    - random.cpython-310.pyc
    - sparse.cpython-310.pyc
    - streams.cpython-310.pyc
    - tunable.cpython-310.pyc
- amp/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - autocast\_mode.cpython-310.pyc
    - common.cpython-310.pyc
    - grad\_scaler.cpython-310.pyc
  - \_\_init\_\_.py
  - autocast\_mode.py
  - common.py

- └─ grad\_scaler.py
- ─ \_\_init\_\_.py
- ─ annotate\_cuda\_graph\_trace.py
- ─ device\_limits.py
- ─ gpu\_trace.py
- ─ graph\_annotations.py
- ─ memory\_viz.py
- ─ pin\_memory\_utils.py
- ─ sanitizer.py
- ─ utils.py
- ─ comm.py
- ─ gds.py
- ─ graphs.py
- ─ green\_contexts.py
- ─ jiterator.py
- ─ memory.py
- ─ nccl.py
- ─ nvtx.py
- ─ profiler.py
- ─ random.py
- ─ sparse.py
- ─ streams.py
- ─ tunable.py
- ─ distributed/
  - ─ \_\_pycache\_\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ checkpointable.cpython-310.pyc
    - ─ composable\_state.cpython-310.pyc
    - ─ dist2.cpython-310.pyc
    - ─ functional\_collectives.cpython-310.pyc
    - ─ functional\_collectives\_impl.cpython-310.pyc
    - ─ mesh\_layout.cpython-310.pyc
    - ─ meta\_registrations.cpython-310.pyc
    - ─ serialization.cpython-310.pyc
    - ─ state\_dict\_utils.cpython-310.pyc
    - ─ argparse\_util.cpython-310.pyc
    - ─ c10d\_logger.cpython-310.pyc
    - ─ collective\_utils.cpython-310.pyc
    - ─ config.cpython-310.pyc
    - ─ constants.cpython-310.pyc
    - ─ device\_mesh.cpython-310.pyc
    - ─ distributed\_c10d.cpython-310.pyc
    - ─ launch.cpython-310.pyc
    - ─ logging\_handlers.cpython-310.pyc
    - ─ remote\_device.cpython-310.pyc
    - ─ rendezvous.cpython-310.pyc
    - ─ run.cpython-310.pyc
    - ─ utils.cpython-310.pyc
  - ─ composable/
    - ─ \_\_pycache\_\_/
      - ─ \_\_init\_\_.cpython-310.pyc
      - ─ checkpoint\_activation.cpython-310.pyc
      - ─ contract.cpython-310.pyc
      - ─ replicate.cpython-310.pyc
      - ─ replicate\_with\_fsdp.cpython-310.pyc
    - ─ fsdp/
      - ─ \_\_pycache\_\_/
        - ─ \_\_init\_\_.cpython-310.pyc
        - ─ fully\_shard.cpython-310.pyc
      - ─ \_\_init\_\_.py
      - ─ fully\_shard.py
      - ─ \_\_init\_\_.py
      - ─ checkpoint\_activation.py
      - ─ contract.py
      - ─ replicate.py
      - ─ replicate\_with\_fsdp.py
  - ─ local\_tensor/
    - ─ \_\_pycache\_\_/
      - ─ \_\_init\_\_.cpython-310.pyc
      - ─ \_c10d.cpython-310.pyc
    - ─ \_\_init\_\_.py
    - ─ \_c10d.py
  - ─ ops/
    - ─ \_\_pycache\_\_/
      - ─ \_\_init\_\_.cpython-310.pyc
      - ─ device\_mesh.cpython-310.pyc
    - ─ \_\_init\_\_.py
    - ─ device\_mesh.py
  - ─ pycute/
    - ─ \_\_pycache\_\_/
      - ─ \_\_init\_\_.cpython-310.pyc
      - ─ int\_tuple.cpython-310.pyc
      - ─ layout.cpython-310.pyc
      - ─ typing.cpython-310.pyc
    - ─ \_\_init\_\_.py



- └─ int\_tuple.py
- └─ layout.py
- └─ typing.py
- └─ shard/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_utils.cpython-310.pyc
    - └─ api.cpython-310.pyc
    - └─ common\_op\_utils.cpython-310.pyc
    - └─ metadata.cpython-310.pyc
    - └─ op\_registry\_utils.cpython-310.pyc
    - └─ sharder.cpython-310.pyc
  - └─ checkpoint/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_init\_\_.py
  - └─ sharded\_optim/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ api.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ api.py
  - └─ sharded\_tensor/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ api.cpython-310.pyc
      - └─ logger.cpython-310.pyc
      - └─ logging\_handlers.cpython-310.pyc
      - └─ metadata.cpython-310.pyc
      - └─ reshard.cpython-310.pyc
      - └─ shard.cpython-310.pyc
      - └─ utils.cpython-310.pyc
  - └─ ops/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_common.cpython-310.pyc
      - └─ binary\_cmp.cpython-310.pyc
      - └─ init.cpython-310.pyc
      - └─ misc\_ops.cpython-310.pyc
      - └─ tensor\_ops.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ \_common.py
    - └─ binary\_cmp.py
    - └─ init.py
    - └─ misc\_ops.py
    - └─ tensor\_ops.py
  - └─ \_\_init\_\_.py
  - └─ api.py
  - └─ logger.py
  - └─ logging\_handlers.py
  - └─ metadata.py
  - └─ reshard.py
  - └─ shard.py
  - └─ utils.py
- └─ sharding\_plan/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ api.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ api.py
- └─ sharding\_spec/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_internals.cpython-310.pyc
    - └─ api.cpython-310.pyc
    - └─ chunk\_sharding\_spec.cpython-310.pyc
  - └─ chunk\_sharding\_spec\_ops/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ \_common.cpython-310.pyc
      - └─ embedding.cpython-310.pyc
      - └─ embedding\_bag.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ \_common.py
    - └─ embedding.py
    - └─ embedding\_bag.py
  - └─ \_\_init\_\_.py
  - └─ \_internals.py
  - └─ api.py
  - └─ chunk\_sharding\_spec.py
- └─ \_\_init\_\_.py
- └─ \_utils.py
- └─ api.py
- └─ common\_op\_utils.py
- └─ metadata.py

- op\_registry\_utils.py
  - sharder.py
- sharded\_tensor/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- sharding\_spec/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- symmetric\_memory/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_nvshmem\_triton.cpython-310.pyc
  - \_\_init\_\_.py
  - \_nvshmem\_triton.py
- tensor/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - api.cpython-310.pyc
    - placement\_types.cpython-310.pyc
  - \_\_init\_\_.py
  - api.py
  - placement\_types.py
- tools/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - common\_utils.cpython-310.pyc
    - fake\_collectives.cpython-310.pyc
    - fsdp2\_mem\_tracker.cpython-310.pyc
    - ilp\_utils.cpython-310.pyc
    - mem\_tracker.cpython-310.pyc
    - memory\_tracker.cpython-310.pyc
    - mod\_tracker.cpython-310.pyc
    - runtime\_estimator.cpython-310.pyc
    - sac\_estimator.cpython-310.pyc
    - sac\_ilp.cpython-310.pyc
  - \_\_init\_\_.py
  - common\_utils.py
  - fake\_collectives.py
  - fsdp2\_mem\_tracker.py
  - ilp\_utils.py
  - mem\_tracker.py
  - memory\_tracker.py
  - mod\_tracker.py
  - runtime\_estimator.py
  - sac\_estimator.py
  - sac\_ilp.py
- algorithms/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - join.cpython-310.pyc
  - \_\_init\_\_.py
  - join.py
  - checkpoint/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - checkpoint\_wrapper.cpython-310.pyc
    - \_\_init\_\_.py
    - checkpoint\_wrapper.py
  - comm\_hooks/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - default\_hooks.cpython-310.pyc
    - \_\_init\_\_.py
    - default\_hooks.py
  - optimizer\_overlap/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - optimizer\_overlap.cpython-310.pyc
    - \_\_init\_\_.py
    - optimizer\_overlap.py
  - quantization/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - quantization.cpython-310.pyc
    - \_\_init\_\_.py
    - quantization.py
  - ddp\_comm\_hooks/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - ddp\_zero\_hook.cpython-310.pyc
      - debugging\_hooks.cpython-310.pyc
      - default\_hooks.cpython-310.pyc
      - mixed\_precision\_hooks.cpython-310.pyc
      - optimizer\_overlap\_hooks.cpython-310.pyc
      - post\_localSGD\_hook.cpython-310.pyc
    - \_\_init\_\_.py
    - ddp\_zero\_hook.py
    - debugging\_hooks.py
    - default\_hooks.py
    - mixed\_precision\_hooks.py
    - optimizer\_overlap\_hooks.py
    - post\_localSGD\_hook.py

- powerSGD\_hook.cpython-310.pyc
  - quantization\_hooks.cpython-310.pyc
- \_\_init\_\_.py
- ddp\_zero\_hook.py
- debugging\_hooks.py
- default\_hooks.py
- mixed\_precision\_hooks.py
- optimizer\_overlap\_hooks.py
- post\_localSGD\_hook.py
- powerSGD\_hook.py
- quantization\_hooks.py
- model\_averaging/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - averagers.cpython-310.pyc
    - hierarchical\_model\_averager.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_\_init\_\_.py
  - averagers.py
  - hierarchical\_model\_averager.py
  - utils.py
- \_\_init\_\_.py
- join.py
- autograd/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- checkpoint/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_async\_executor.cpython-310.pyc
    - \_async\_process\_executor.cpython-310.pyc
    - \_async\_thread\_executor.cpython-310.pyc
    - \_checkpointinter.cpython-310.pyc
    - \_consolidate\_hf\_safetensors.cpython-310.pyc
    - \_dedup\_save\_plans.cpython-310.pyc
    - \_dedup\_tensors.cpython-310.pyc
    - \_extension.cpython-310.pyc
    - \_fsspec\_filesystem.cpython-310.pyc
    - \_hf\_utils.cpython-310.pyc
    - \_nested\_dict.cpython-310.pyc
    - \_pg\_transport.cpython-310.pyc
    - \_sharded\_tensor\_utils.cpython-310.pyc
    - \_state\_dict\_stager.cpython-310.pyc
    - \_storage\_utils.cpython-310.pyc
    - \_traverse.cpython-310.pyc
    - \_version.cpython-310.pyc
    - api.cpython-310.pyc
    - default\_planner.cpython-310.pyc
    - filesystem.cpython-310.pyc
    - format\_utils.cpython-310.pyc
    - hf\_storage.cpython-310.pyc
    - logger.cpython-310.pyc
    - logging\_handlers.cpython-310.pyc
    - metadata.cpython-310.pyc
    - optimizer.cpython-310.pyc
    - planner.cpython-310.pyc
    - planner\_helpers.cpython-310.pyc
    - quantized\_hf\_storage.cpython-310.pyc
    - resharding.cpython-310.pyc
    - staging.cpython-310.pyc
    - state\_dict.cpython-310.pyc
    - state\_dict\_loader.cpython-310.pyc
    - state\_dict\_saver.cpython-310.pyc
    - stateful.cpython-310.pyc
    - storage.cpython-310.pyc
    - utils.cpython-310.pyc
  - experimental/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - barriers.cpython-310.pyc
      - builder.cpython-310.pyc
      - checkpoint\_process.cpython-310.pyc
      - checkpoint\_reader.cpython-310.pyc
      - checkpoint\_writer.cpython-310.pyc
      - checkpointinter.cpython-310.pyc
      - config.cpython-310.pyc
      - staging.cpython-310.pyc
      - types.cpython-310.pyc
      - utils.cpython-310.pyc
    - \_\_init\_\_.py
    - barriers.py
    - builder.py
    - checkpoint\_process.py
    - checkpoint\_reader.py

- checkpoint\_writer.py
- checkpointer.py
- config.py
- staging.py
- types.py
- utils.py
- \_\_init\_\_.py
- \_async\_executor.py
- \_async\_process\_executor.py
- \_async\_thread\_executor.py
- \_checkpointer.py
- \_consolidate\_hf\_safetensors.py
- \_dedup\_save\_plans.py
- \_dedup\_tensors.py
- \_extension.py
- \_fsspec\_filesystem.py
- \_hf\_utils.py
- \_nested\_dict.py
- \_pg\_transport.py
- \_sharded\_tensor\_utils.py
- \_state\_dict\_stager.py
- \_storage\_utils.py
- \_traverse.py
- \_version.py
- api.py
- default\_planner.py
- filesystem.py
- format\_utils.py
- hf\_storage.py
- logger.py
- logging\_handlers.py
- metadata.py
- optimizer.py
- planner.py
- planner\_helpers.py
- quantized\_hf\_storage.py
- resharding.py
- staging.py
- state\_dict.py
- state\_dict\_loader.py
- state\_dict\_saver.py
- stateful.py
- storage.py
- utils.py
- debug/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_debug\_handlers.cpython-310.pyc
    - \_frontend.cpython-310.pyc
    - \_handlers.cpython-310.pyc
    - \_store.cpython-310.pyc
  - \_\_init\_\_.py
  - \_debug\_handlers.py
  - \_frontend.py
  - \_handlers.py
  - \_store.py
- elastic/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - control\_plane.cpython-310.pyc
  - agent/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - server/
      - \_pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - api.cpython-310.pyc
        - health\_check\_server.cpython-310.pyc
        - local\_elastic\_agent.cpython-310.pyc
      - \_\_init\_\_.py
      - api.py
      - health\_check\_server.py
      - local\_elastic\_agent.py
    - \_\_init\_\_.py
  - events/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - api.cpython-310.pyc
      - handlers.cpython-310.pyc
    - \_\_init\_\_.py
    - api.py
    - handlers.py
- metrics/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc

- └─ api.cpython-310.pyc
- └─ \_\_init\_\_.py
- └─ api.py
- ─ multiprocessing/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ api.cpython-310.pyc
    - └─ redirects.cpython-310.pyc
    - └─ tail\_log.cpython-310.pyc
  - └─ errors/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ error\_handler.cpython-310.pyc
      - └─ handlers.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ error\_handler.py
    - └─ handlers.py
  - └─ subprocess\_handler/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ handlers.cpython-310.pyc
      - └─ subprocess\_handler.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ handlers.py
    - └─ subprocess\_handler.py
  - └─ \_\_init\_\_.py
  - └─ api.py
  - └─ redirects.py
  - └─ tail\_log.py
- ─ rendezvous/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ etcd\_stub.cpython-310.pyc
    - └─ api.cpython-310.pyc
    - └─ c10d\_rendezvous\_backend.cpython-310.pyc
    - └─ dynamic\_rendezvous.cpython-310.pyc
    - └─ etcd\_rendezvous.cpython-310.pyc
    - └─ etcd\_rendezvous\_backend.cpython-310.pyc
    - └─ etcd\_server.cpython-310.pyc
    - └─ etcd\_store.cpython-310.pyc
    - └─ registry.cpython-310.pyc
    - └─ static\_tcp\_rendezvous.cpython-310.pyc
    - └─ utils.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ etcd\_stub.py
  - └─ api.py
  - └─ c10d\_rendezvous\_backend.py
  - └─ dynamic\_rendezvous.py
  - └─ etcd\_rendezvous.py
  - └─ etcd\_rendezvous\_backend.py
  - └─ etcd\_server.py
  - └─ etcd\_store.py
  - └─ registry.py
  - └─ static\_tcp\_rendezvous.py
  - └─ utils.py
- ─ timer/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ api.cpython-310.pyc
    - └─ debug\_info\_logging.cpython-310.pyc
    - └─ file\_based\_local\_timer.cpython-310.pyc
    - └─ local\_timer.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ api.py
  - └─ debug\_info\_logging.py
  - └─ file\_based\_local\_timer.py
  - └─ local\_timer.py
- ─ utils/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ api.cpython-310.pyc
    - └─ distributed.cpython-310.pyc
    - └─ log\_level.cpython-310.pyc
    - └─ logging.cpython-310.pyc
    - └─ store.cpython-310.pyc
- ─ data/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ cycling\_iterator.cpython-310.pyc
    - └─ elastic\_distributed\_sampler.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ cycling\_iterator.py
  - └─ elastic\_distributed\_sampler.py
  - └─ \_\_init\_\_.py
  - └─ api.py

- distributed.py
- log\_level.py
- logging.py
- store.py
- \_\_init\_\_.py
- control\_plane.py
- flight\_recorder/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - fr\_trace.cpython-310.pyc
  - components/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - builder.cpython-310.pyc
      - config\_manager.cpython-310.pyc
      - fr\_logger.cpython-310.pyc
      - loader.cpython-310.pyc
      - types.cpython-310.pyc
      - utils.cpython-310.pyc
    - \_\_init\_\_.py
    - builder.py
    - config\_manager.py
    - fr\_logger.py
    - loader.py
    - types.py
    - utils.py
  - \_\_init\_\_.py
  - fr\_trace.py
- fsdp/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_common\_utils.cpython-310.pyc
    - \_debug\_utils.cpython-310.pyc
    - \_dynamo\_utils.cpython-310.pyc
    - \_exec\_order\_utils.cpython-310.pyc
    - \_flat\_param.cpython-310.pyc
    - \_fsdp\_extensions.cpython-310.pyc
    - \_init\_utils.cpython-310.pyc
    - \_limiter\_utils.cpython-310.pyc
    - \_optim\_utils.cpython-310.pyc
    - \_runtime\_utils.cpython-310.pyc
    - \_shard\_utils.cpython-310.pyc
    - \_state\_dict\_utils.cpython-310.pyc
    - \_trace\_utils.cpython-310.pyc
    - \_traversal\_utils.cpython-310.pyc
    - \_unshard\_param\_utils.cpython-310.pyc
    - \_wrap\_utils.cpython-310.pyc
    - api.cpython-310.pyc
    - fully\_sharded\_data\_parallel.cpython-310.pyc
    - sharded\_grad\_scaler.cpython-310.pyc
    - wrap.cpython-310.pyc
  - fully\_shard/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_fsdp\_api.cpython-310.pyc
      - \_fsdp\_collectives.cpython-310.pyc
      - \_fsdp\_common.cpython-310.pyc
      - \_fsdp\_init.cpython-310.pyc
      - \_fsdp\_param.cpython-310.pyc
      - \_fsdp\_param\_group.cpython-310.pyc
      - \_fsdp\_state.cpython-310.pyc
      - \_fully\_shard.cpython-310.pyc
    - \_\_init\_\_.py
    - \_fsdp\_api.py
    - \_fsdp\_collectives.py
    - \_fsdp\_common.py
    - \_fsdp\_init.py
    - \_fsdp\_param.py
    - \_fsdp\_param\_group.py
    - \_fsdp\_state.py
    - \_fully\_shard.py
  - \_\_init\_\_.py
  - \_common\_utils.py
  - \_debug\_utils.py
  - \_dynamo\_utils.py
  - \_exec\_order\_utils.py
  - \_flat\_param.py
  - \_fsdp\_extensions.py
  - \_init\_utils.py
  - \_limiter\_utils.py
  - \_optim\_utils.py
  - \_runtime\_utils.py
  - \_shard\_utils.py
  - \_state\_dict\_utils.py
  - \_trace\_utils.py

- \_traversal\_utils.py
- unshard\_param\_utils.py
- wrap\_utils.py
- api.py
- fully\_sharded\_data\_parallel.py
- sharded\_grad\_scaler.py
- wrap.py
- launcher/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - api.cpython-310.pyc
  - \_\_init\_\_.py
  - api.py
- nn/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - functional.cpython-310.pyc
  - api/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - remote\_module.cpython-310.pyc
    - \_\_init\_\_.py
    - remote\_module.py
  - jit/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - instantiator.cpython-310.pyc
    - templates/
      - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - remote\_module\_template.cpython-310.pyc
      - \_\_init\_\_.py
      - remote\_module\_template.py
    - \_\_init\_\_.py
    - instantiator.py
  - \_\_init\_\_.py
  - functional.py
- optim/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - deprecation\_warning.cpython-310.pyc
    - apply\_optimizer\_in\_backward.cpython-310.pyc
    - functional\_adadelata.cpython-310.pyc
    - functional\_adagrad.cpython-310.pyc
    - functional\_adam.cpython-310.pyc
    - functional\_adamax.cpython-310.pyc
    - functional\_adamw.cpython-310.pyc
    - functional\_rmsprop.cpython-310.pyc
    - functional\_rprop.cpython-310.pyc
    - functional\_sgd.cpython-310.pyc
    - named\_optimizer.cpython-310.pyc
    - optimizer.cpython-310.pyc
    - post\_localSGD\_optimizer.cpython-310.pyc
    - utils.cpython-310.pyc
    - zero\_redundancy\_optimizer.cpython-310.pyc
  - \_\_init\_\_.py
  - deprecation\_warning.py
  - apply\_optimizer\_in\_backward.py
  - functional\_adadelata.py
  - functional\_adagrad.py
  - functional\_adam.py
  - functional\_adamax.py
  - functional\_adamw.py
  - functional\_rmsprop.py
  - functional\_rprop.py
  - functional\_sgd.py
  - named\_optimizer.py
  - optimizer.py
  - post\_localSGD\_optimizer.py
  - utils.py
  - zero\_redundancy\_optimizer.py
  - zero\_redundancy\_optimizer.pyi
- pipelining/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_backward.cpython-310.pyc
    - \_debug.cpython-310.pyc
    - \_IR.cpython-310.pyc
    - \_schedule\_visualizer.cpython-310.pyc
    - \_unflatten.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - microbatch.cpython-310.pyc
    - schedules.cpython-310.pyc
    - stage.cpython-310.pyc
  - \_\_init\_\_.py

- \_backward.py
- \_debug.py
- \_IR.py
- \_schedule\_visualizer.py
- \_unflatten.py
- \_utils.py
- microbatch.py
- schedules.py
- stage.py
- rpc/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - api.cpython-310.pyc
    - backend\_registry.cpython-310.pyc
    - constants.cpython-310.pyc
    - functions.cpython-310.pyc
    - internal.cpython-310.pyc
    - options.cpython-310.pyc
    - rref\_proxy.cpython-310.pyc
    - server\_process\_global\_profiler.cpython-310.pyc
  - testing/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - faulty\_agent\_backend\_registry.cpython-310.pyc
    - \_\_init\_\_.py
    - faulty\_agent\_backend\_registry.py
  - \_\_init\_\_.py
  - \_utils.py
  - api.py
  - backend\_registry.py
  - constants.py
  - functions.py
  - internal.py
  - options.py
  - rref\_proxy.py
  - server\_process\_global\_profiler.py
- tensor/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_api.cpython-310.pyc
    - \_collective\_utils.cpython-310.pyc
    - \_decompositions.cpython-310.pyc
    - \_dispatch.cpython-310.pyc
    - \_dtensor\_spec.cpython-310.pyc
    - \_nonlinear\_redux.cpython-310.pyc
    - \_op\_schema.cpython-310.pyc
    - \_random.cpython-310.pyc
    - \_redistribute.cpython-310.pyc
    - \_sharding\_prop.cpython-310.pyc
    - \_shards\_wrapper.cpython-310.pyc
    - \_tp\_conv.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - \_device\_mesh.cpython-310.pyc
    - \_placement\_types.cpython-310.pyc
  - ops/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_common\_rules.cpython-310.pyc
      - \_conv\_ops.cpython-310.pyc
      - \_einsum\_strategy.cpython-310.pyc
      - \_embedding\_ops.cpython-310.pyc
      - \_mask\_buffer.cpython-310.pyc
      - \_math\_ops.cpython-310.pyc
      - \_matrix\_ops.cpython-310.pyc
      - \_pointwise\_ops.cpython-310.pyc
      - \_random\_ops.cpython-310.pyc
      - \_tensor\_ops.cpython-310.pyc
      - \_view\_ops.cpython-310.pyc
      - \_single\_dim\_strategy.cpython-310.pyc
      - \_strategy\_validation.cpython-310.pyc
      - \_utils.cpython-310.pyc
    - \_\_init\_\_.py
    - \_common\_rules.py
    - \_conv\_ops.py
    - \_einsum\_strategy.py
    - \_embedding\_ops.py
    - \_mask\_buffer.py
    - \_math\_ops.py
    - \_matrix\_ops.py
    - \_pointwise\_ops.py
    - \_random\_ops.py
    - \_tensor\_ops.py
    - \_view\_ops.py
    - \_single\_dim\_strategy.py



- strategy\_validation.py
  - utils.py
- debug/
  - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_comm\_mode.cpython-310.pyc
      - \_op\_coverage.cpython-310.pyc
      - \_visualize\_sharding.cpython-310.pyc
    - \_\_init\_\_.py
    - \_comm\_mode.py
    - \_op\_coverage.py
    - \_visualize\_sharding.py
  - experimental/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_attention.cpython-310.pyc
        - \_func\_map.cpython-310.pyc
        - \_register\_sharding.cpython-310.pyc
        - \_tp\_transform.cpython-310.pyc
      - \_\_init\_\_.py
      - \_attention.py
      - \_func\_map.py
      - \_register\_sharding.py
      - \_tp\_transform.py
    - context\_parallel/
      - pycache\_/
          - \_\_init\_\_.cpython-310.pyc
          - \_attention.cpython-310.pyc
          - \_cp\_custom\_ops.cpython-310.pyc
          - \_load\_balancer.cpython-310.pyc
          - \_sharding\_rules.cpython-310.pyc
        - \_\_init\_\_.py
        - \_attention.py
        - \_cp\_custom\_ops.py
        - \_load\_balancer.py
        - \_sharding\_rules.py
      - \_\_init\_\_.py
      - \_attention.py
      - \_func\_map.py
      - \_register\_sharding.py
      - \_tp\_transform.py
  - parallel/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_data\_parallel\_utils.cpython-310.pyc
        - api.cpython-310.pyc
        - ddp.cpython-310.pyc
        - fsdp.cpython-310.pyc
        - input\_reshard.cpython-310.pyc
        - loss.cpython-310.pyc
        - style.cpython-310.pyc
      - \_\_init\_\_.py
      - \_data\_parallel\_utils.py
      - api.py
      - ddp.py
      - fsdp.py
      - input\_reshard.py
      - loss.py
      - style.py
- \_\_init\_\_.py
- \_api.py
- \_collective\_utils.py
- \_decompositions.py
- \_dispatch.py
- \_dtensor\_spec.py
- \_nonlinear\_redux.py
- \_op\_schema.py
- \_random.py
- \_redistribute.py
- \_sharding\_prop.py
- \_shards\_wrapper.py
- \_tp\_conv.py
- \_utils.py
- device\_mesh.py
- placement\_types.py
- \_\_init\_\_.py
- \_checkpointable.py
- \_composable\_state.py
- \_dist2.py
- \_functional\_collectives.py
- \_functional\_collectives\_impl.py
- \_mesh\_layout.py
- \_meta\_registrations.py
- \_serialization.py
- \_state\_dict\_utils.py
- argparse\_util.py
- c10d\_logger.py
- collective\_utils.py
- config.py
- constants.py

- device\_mesh.py
- distributed\_c10d.py
- launch.py
- logging\_handlers.py
- remote\_device.py
- rendezvous.py
- run.py
- utils.py
- distributions/
  - pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - bernoulli.cpython-310.pyc
    - beta.cpython-310.pyc
    - binomial.cpython-310.pyc
    - categorical.cpython-310.pyc
    - cauchy.cpython-310.pyc
    - chi2.cpython-310.pyc
    - constraint\_registry.cpython-310.pyc
    - constraints.cpython-310.pyc
    - continuous\_bernoulli.cpython-310.pyc
    - dirichlet.cpython-310.pyc
    - distribution.cpython-310.pyc
    - exp\_family.cpython-310.pyc
    - exponential.cpython-310.pyc
    - fishersnedecor.cpython-310.pyc
    - gamma.cpython-310.pyc
    - generalized\_pareto.cpython-310.pyc
    - geometric.cpython-310.pyc
    - gumbel.cpython-310.pyc
    - half\_cauchy.cpython-310.pyc
    - half\_normal.cpython-310.pyc
    - independent.cpython-310.pyc
    - inverse\_gamma.cpython-310.pyc
    - kl.cpython-310.pyc
    - kumaraswamy.cpython-310.pyc
    - laplace.cpython-310.pyc
    - lkj\_cholesky.cpython-310.pyc
    - log\_normal.cpython-310.pyc
    - logistic\_normal.cpython-310.pyc
    - lowrank\_multivariate\_normal.cpython-310.pyc
    - mixture\_same\_family.cpython-310.pyc
    - multinomial.cpython-310.pyc
    - multivariate\_normal.cpython-310.pyc
    - negative\_binomial.cpython-310.pyc
    - normal.cpython-310.pyc
    - one\_hot\_categorical.cpython-310.pyc
    - pareto.cpython-310.pyc
    - poisson.cpython-310.pyc
    - relaxed\_bernoulli.cpython-310.pyc
    - relaxed\_categorical.cpython-310.pyc
    - studentT.cpython-310.pyc
    - transformed\_distribution.cpython-310.pyc
    - transforms.cpython-310.pyc
    - uniform.cpython-310.pyc
    - utils.cpython-310.pyc
    - von\_mises.cpython-310.pyc
    - weibull.cpython-310.pyc
    - wishart.cpython-310.pyc
  - \_\_init\_\_.py
  - bernoulli.py
  - beta.py
  - binomial.py
  - categorical.py
  - cauchy.py
  - chi2.py
  - constraint\_registry.py
  - constraints.py
  - continuous\_bernoulli.py
  - dirichlet.py
  - distribution.py
  - exp\_family.py
  - exponential.py
  - fishersnedecor.py
  - gamma.py
  - generalized\_pareto.py
  - geometric.py
  - gumbel.py
  - half\_cauchy.py
  - half\_normal.py
  - independent.py
  - inverse\_gamma.py
  - kl.py
  - kumaraswamy.py
  - laplace.py
  - lkj\_cholesky.py

- log\_normal.py
- logistic\_normal.py
- lowrank\_multivariate\_normal.py
- mixture\_same\_family.py
- multinomial.py
- multivariate\_normal.py
- negative\_binomial.py
- normal.py
- one\_hot\_categorical.py
- pareto.py
- poisson.py
- relaxed\_bernoulli.py
- relaxed\_categorical.py
- studentT.py
- transformed\_distribution.py
- transforms.py
- uniform.py
- utils.py
- von\_mises.py
- weibull.py
- wishart.py
- export/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - draft\_export.cpython-310.pyc
    - leakage\_detection\_utils.cpython-310.pyc
    - patches.cpython-310.pyc
    - remove\_auto\_functionalized\_pass.cpython-310.pyc
    - remove\_effect\_tokens\_pass.cpython-310.pyc
    - safeguard.cpython-310.pyc
    - state\_dict\_utils.cpython-310.pyc
    - swap.cpython-310.pyc
    - trace.cpython-310.pyc
    - tree\_utils.cpython-310.pyc
    - unlift.cpython-310.pyc
    - wrapper\_utils.cpython-310.pyc
    - custom\_obj.cpython-310.pyc
    - custom\_ops.cpython-310.pyc
    - decomp\_utils.cpython-310.pyc
    - dynamic\_shapes.cpython-310.pyc
    - exported\_program.cpython-310.pyc
    - graph\_signature.cpython-310.pyc
    - unflatten.cpython-310.pyc
  - experimental/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_utils.cpython-310.pyc
    - \_\_init\_\_.py
    - \_utils.py
  - passes/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - pt2\_archive/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_package.cpython-310.pyc
      - \_package\_weights.cpython-310.pyc
      - constants.cpython-310.pyc
    - \_\_init\_\_.py
    - \_package.py
    - \_package\_weights.py
    - constants.py
  - \_\_init\_\_.py
  - \_draft\_export.py
  - \_leakage\_detection\_utils.py
  - \_patches.py
  - \_remove\_auto\_functionalized\_pass.py
  - \_remove\_effect\_tokens\_pass.py
  - \_safeguard.py
  - \_state\_dict\_utils.py
  - \_swap.py
  - \_trace.py
  - \_tree\_utils.py
  - \_unlift.py
  - \_wrapper\_utils.py
  - custom\_obj.py
  - custom\_ops.py
  - decomp\_utils.py
  - dynamic\_shapes.py
  - exported\_program.py
  - graph\_signature.py
  - unflatten.py
- fft/
  - \_pycache\_/

- └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
- func/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ random.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ random.py
- futures/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
- fx/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ compatibility.cpython-310.pyc
    - └─ graph\_pickler.cpython-310.pyc
    - └─ lazy\_graph\_module.cpython-310.pyc
    - └─ pytree.cpython-310.pyc
    - └─ symbolic\_trace.cpython-310.pyc
    - └─ utils.cpython-310.pyc
    - └─ annotate.cpython-310.pyc
    - └─ config.cpython-310.pyc
    - └─ graph.cpython-310.pyc
    - └─ graph\_module.cpython-310.pyc
    - └─ immutable\_collections.cpython-310.pyc
    - └─ interpreter.cpython-310.pyc
    - └─ node.cpython-310.pyc
    - └─ operator\_schemas.cpython-310.pyc
    - └─ proxy.cpython-310.pyc
    - └─ subgraph\_rewriter.cpython-310.pyc
    - └─ tensor\_type.cpython-310.pyc
    - └─ traceback.cpython-310.pyc
- experimental/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ backward\_state.cpython-310.pyc
    - └─ config.cpython-310.pyc
    - └─ constant\_symnode.cpython-310.pyc
    - └─ dynamism.cpython-310.pyc
    - └─ size\_hinting.cpython-310.pyc
    - └─ accelerator\_partitioner.cpython-310.pyc
    - └─ const\_fold.cpython-310.pyc
    - └─ debug.cpython-310.pyc
    - └─ graph\_gradual\_typechecker.cpython-310.pyc
    - └─ merge\_matmul.cpython-310.pyc
    - └─ meta\_tracer.cpython-310.pyc
    - └─ normalize.cpython-310.pyc
    - └─ optimization.cpython-310.pyc
    - └─ partitioner\_utils.cpython-310.pyc
    - └─ proxy\_tensor.cpython-310.pyc
    - └─ recording.cpython-310.pyc
    - └─ refinement\_types.cpython-310.pyc
    - └─ rewriter.cpython-310.pyc
    - └─ schema\_type\_annotation.cpython-310.pyc
    - └─ sym\_node.cpython-310.pyc
    - └─ symbolic\_shapes.cpython-310.pyc
    - └─ unify\_refinements.cpython-310.pyc
    - └─ validator.cpython-310.pyc
  - migrate\_gradual\_types/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ constraint.cpython-310.pyc
      - └─ constraint\_generator.cpython-310.pyc
      - └─ constraint\_transformation.cpython-310.pyc
      - └─ operation.cpython-310.pyc
      - └─ transform\_to\_z3.cpython-310.pyc
      - └─ util.cpython-310.pyc
      - └─ z3\_types.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ constraint.py
    - └─ constraint\_generator.py
    - └─ constraint\_transformation.py
    - └─ operation.py
    - └─ transform\_to\_z3.py
    - └─ util.py
    - └─ z3\_types.py
  - unification/
    - └─ pycache\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ core.cpython-310.pyc
      - └─ dispatch.cpython-310.pyc
      - └─ match.cpython-310.pyc
      - └─ more.cpython-310.pyc
      - └─ unification\_tools.cpython-310.pyc

- utils.cpython-310.pyc
  - variable.cpython-310.pyc
- multipliedispatch/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - conflict.cpython-310.pyc
      - core.cpython-310.pyc
      - dispatcher.cpython-310.pyc
      - utils.cpython-310.pyc
      - variadic.cpython-310.pyc
    - \_\_init\_\_.py
    - conflict.py
    - core.py
    - dispatcher.py
    - utils.py
    - variadic.py
  - \_\_init\_\_.py
  - core.py
  - dispatch.py
  - match.py
  - more.py
  - unification\_tools.py
  - utils.py
  - variable.py
- \_\_init\_\_.py
- \_backward\_state.py
- \_config.py
- \_constant\_symnode.py
- \_dynamism.py
- \_size\_hinting.py
- accelerator\_partitioner.py
- const\_fold.py
- debug.py
- graph\_gradual\_typechecker.py
- merge\_matmul.py
- meta\_tracer.py
- normalize.py
- optimization.py
- partitioner\_utils.py
- proxy\_tensor.py
- recording.py
- refinement\_types.py
- rewriter.py
- schema\_type\_annotation.py
- sym\_node.py
- symbolic\_shapes.py
- unify\_refinements.py
- validator.py

passes/

- \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_tensorify\_python\_scalars.cpython-310.pyc
    - annotate\_getitem\_nodes.cpython-310.pyc
    - fake\_tensor\_prop.cpython-310.pyc
    - graph\_drawer.cpython-310.pyc
    - graph\_manipulation.cpython-310.pyc
    - graph\_transform\_observer.cpython-310.pyc
    - net\_min\_base.cpython-310.pyc
    - operator\_support.cpython-310.pyc
    - param\_fetch.cpython-310.pyc
    - pass\_manager.cpython-310.pyc
    - regional\_inductor.cpython-310.pyc
    - regional\_inductor\_invoke\_subgraph.cpython-310.pyc
    - reinplace.cpython-310.pyc
    - runtime\_assert.cpython-310.pyc
    - shape\_prop.cpython-310.pyc
    - split\_module.cpython-310.pyc
    - split\_utils.cpython-310.pyc
    - splitter\_base.cpython-310.pyc
    - tools\_common.cpython-310.pyc
- backends/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - cudagraphs.cpython-310.pyc
    - \_\_init\_\_.py
    - cudagraphs.py
- dialect/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
  - common/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - cse\_pass.cpython-310.pyc
      - \_\_init\_\_.py
      - cse\_pass.py

- └─ \_\_init\_\_.py
- └─ infra/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ partitioner.cpython-310.pyc
    - └─ pass\_base.cpython-310.pyc
    - └─ pass\_manager.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ partitioner.py
  - └─ pass\_base.py
  - └─ pass\_manager.py
- └─ tests/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_test\_split\_utils.cpython-310.pyc
    - └─ test\_pass\_manager.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ \_test\_split\_utils.py
  - └─ test\_pass\_manager.py
- └─ utils/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ common.cpython-310.pyc
    - └─ fuser\_utils.cpython-310.pyc
    - └─ matcher\_utils.cpython-310.pyc
    - └─ matcher\_with\_name\_node\_map\_utils.cpython-310.pyc
    - └─ source\_matcher\_utils.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ common.py
  - └─ fuser\_utils.py
  - └─ matcher\_utils.py
  - └─ matcher\_with\_name\_node\_map\_utils.py
  - └─ source\_matcher\_utils.py
- └─ \_\_init\_\_.py
- └─ \_tensorify\_python\_scalars.py
- └─ annotate\_getitem\_nodes.py
- └─ fake\_tensor\_prop.py
- └─ graph\_drawer.py
- └─ graph\_manipulation.py
- └─ graph\_transform\_observer.py
- └─ net\_min\_base.py
- └─ operator\_support.py
- └─ param\_fetch.py
- └─ pass\_manager.py
- └─ regional\_inductor.py
- └─ regional\_inductor\_invoke\_subgraph.py
- └─ reinplace.py
- └─ runtime\_assert.py
- └─ shape\_prop.py
- └─ split\_module.py
- └─ split\_utils.py
- └─ splitter\_base.py
- └─ tools\_common.py
- └─ \_\_init\_\_.py
- └─ \_compatibility.py
- └─ \_graph\_pickler.py
- └─ \_lazy\_graph\_module.py
- └─ \_pytree.py
- └─ \_symbolic\_trace.py
- └─ \_utils.py
- └─ annotate.py
- └─ config.py
- └─ graph.py
- └─ graph\_module.py
- └─ immutable\_collections.py
- └─ interpreter.py
- └─ node.py
- └─ operator\_schemas.py
- └─ proxy.py
- └─ subgraph\_rewriter.py
- └─ tensor\_type.py
- └─ traceback.py
- └─ include/
  - └─ ATen/
    - └─ accelerator/
      - └─ Graph.h
    - └─ core/
      - └─ boxing/
        - └─ impl/
          - └─ boxing.h
          - └─ make\_boxed\_from\_unboxed\_functor.h
          - └─ test\_helpers.h
          - └─ WrapFunctionIntoFunctor.h
          - └─ WrapFunctionIntoRuntimeFunctor.h
        - └─ BoxedKernel.h

- BoxedKernel\_impl.h
- KernelFunction.h
- KernelFunction\_impl.h
- OperatorKernel.h
- dispatch/
  - CppSignature.h
  - Dispatcher.h
  - DispatchKeyExtractor.h
  - ObservedOperators.h
  - OperatorEntry.h
  - OperatorOptions.h
  - RegistrationHandleRAII.h
- op\_registration/
  - adaption.h
  - infer\_schema.h
  - op\_allowlist.h
  - op\_registration.h
- alias\_info.h
- Array.h
- ATen\_fwd.h
- aten\_interned\_strings.h
- ATen\_pch.h
- ATenGeneral.h
- ATenOpList.h
- Backtrace.h
- blob.h
- builtin\_function.h
- CachingHostAllocator.h
- CheckMemoryFormat.h
- class\_type.h
- custom\_class.h
- DeprecatedTypeProperties.h
- DeprecatedTypePropertiesRegistry.h
- Dict.h
- Dict\_inl.h
- Dimname.h
- DimVector.h
- DistributionsHelper.h
- dynamic\_type.h
- enum\_tag.h
- enum\_type.h
- Formatting.h
- function.h
- function\_schema.h
- function\_schema\_inl.h
- functional.h
- Generator.h
- GeneratorForPrivateuseone.h
- grad\_mode.h
- GraphImplInterface.h
- IListRef.h
- IListRef\_inl.h
- interned\_strings.h
- interned\_strings\_class.h
- ivalue.h
- ivalue\_inl.h
- ivalue\_to.h
- jit\_type.h
- jit\_type\_base.h
- LegacyTypeDispatch.h
- List.h
- List\_inl.h
- MT19937RNGEngine.h
- NamedTensor.h
- NestedIntSymNodeImpl.h
- operator\_name.h
- PhiloxRNGEngine.h
- PythonFallbackKernel.h
- PythonOpRegistrationTrampoline.h
- qualified\_name.h
- QuantizerBase.h
- Range.h
- Reduction.h
- rref\_interface.h
- Scalar.h
- ScalarType.h
- stack.h
- symbol.h
- Tensor.h
- TensorAccessor.h
- TensorBase.h
- TensorBody.h
- TorchDispatchUtils.h
- TransformationHelper.h
- type\_factory.h

- type\_ptr.h
- typeid.h
- UndefinedTensorImpl.h
- UnsafeFromTH.h
- VariableHooksInterface.h
- Variadic.h
- cpu/
  - vec/
    - sve/
      - sve\_helper.h
      - vec\_bfloat16.h
      - vec\_common\_sve.h
      - vec\_double.h
      - vec\_float.h
      - vec\_int.h
      - vec\_qint.h
    - vec128/
      - vec128.h
      - vec128\_bfloat16\_neon.h
      - vec128\_convert.h
      - vec128\_double\_neon.h
      - vec128\_float\_neon.h
      - vec128\_half\_neon.h
      - vec128\_int\_aarch64.h
      - vec128\_reduced\_precision\_common\_neon.h
      - vec128\_uint\_aarch64.h
    - vec256/
      - vsx/
        - vec256\_bfloat16\_vsx.h
        - vec256\_common\_vsx.h
        - vec256\_complex\_double\_vsx.h
        - vec256\_complex\_float\_vsx.h
        - vec256\_double\_vsx.h
        - vec256\_float\_vsx.h
        - vec256\_int16\_vsx.h
        - vec256\_int32\_vsx.h
        - vec256\_int64\_vsx.h
        - vec256\_mask\_vsx.h
        - vec256\_qint32\_vsx.h
        - vec256\_qint8\_vsx.h
        - vec256\_qint8\_vsx.h
        - vsx\_helpers.h
      - zarch/
        - vec256\_zarch.h
      - vec256.h
      - vec256\_16bit\_float.h
      - vec256\_bfloat16.h
      - vec256\_complex\_double.h
      - vec256\_complex\_float.h
      - vec256\_convert.h
      - vec256\_double.h
      - vec256\_float.h
      - vec256\_half.h
      - vec256\_int.h
      - vec256\_mask.h
      - vec256\_qint.h
    - vec512/
      - vec512.h
      - vec512\_bfloat16.h
      - vec512\_complex\_double.h
      - vec512\_complex\_float.h
      - vec512\_convert.h
      - vec512\_double.h
      - vec512\_float.h
      - vec512\_float8.h
      - vec512\_int.h
      - vec512\_mask.h
      - vec512\_qint.h
    - functional.h
    - functional\_base.h
    - functional\_bfloat16.h
    - intrinsics.h
    - vec.h
    - vec\_base.h
    - vec\_convert.h
    - vec\_half.h
    - vec\_mask.h
    - vec\_n.h
    - vec\_quant.h
  - FlushDenormal.h
  - Utils.h
  - vml.h
- cuda/
  - detail/
    - BLASConstants.h



- CUDAHooks.h
- DeviceThreadHandles.h
- IndexUtils.cuh
- IntegerDivider.cuh
- KernelUtils.h
- LazyNVRTC.h
- OffsetCalculator.cuh
- PhiloxCudaStateRaw.cuh
- TensorInfo.cuh
- UnpackRaw.cuh
- tunable/
  - GemmCommon.h
  - GemmHipblasLt.h
  - GemmRocblas.h
  - StreamTimer.h
  - Tunable.h
  - TunableGemm.h
  - TunableOp.h
- ApplyGridUtils.cuh
- AsmUtils.cuh
- ATenCUDAGeneral.h
- Atomic.cuh
- CachingHostAllocator.h
- cub-RadixSortPairs.cuh
- cub.cuh
- cub.h
- cub\_definitions.cuh
- CUDAAppllyUtils.cuh
- CUDABlas.h
- CUDAContext.h
- CUDAContextLight.h
- CUDADatatype.h
- CUDADevice.h
- CUDAEvent.h
- CUDAGeneratorImpl.h
- CUDAGraph.h
- CUDAGraphsUtils.cuh
- CUDAGreenContext.h
- CUDASparse.h
- CUDASparseBlas.h
- CUDASparseDescriptors.h
- CUDATensorMethods.cuh
- CUDAUtils.h
- DeviceUtils.cuh
- EmptyTensor.h
- Exceptions.h
- jiterator.h
- jiterator\_impl.h
- llvm\_jit\_strings.h
- MemPool.h
- NumericLimits.cuh
- PeerToPeerAccess.h
- PhiloxCudaState.h
- PhiloxUtils.cuh
- PinnedMemoryAllocator.h
- ScanUtils.cuh
- Sleep.h
- StatelessPhilox4x32.cuh
- ThrustAllocator.h
- cudnn/
  - cudnn-wrapper.h
  - Descriptors.h
  - Handle.h
  - Handles.h
  - Types.h
  - Utils.h
- detail/
  - AcceleratorHooksInterface.h
  - CUDAHooksInterface.h
  - FunctionTraits.h
  - HIPHooksInterface.h
  - HPUHooksInterface.h
  - IPUHooksInterface.h
  - MAIAHooksInterface.h
  - MPSHooksInterface.h
  - MTIAHooksInterface.h
  - PrivateUse1HooksInterface.h
  - XLAHooksInterface.h
  - XPUHooksInterface.h
- functorch/
  - ADInterpreters.h
  - BatchedFallback.h
  - BatchedTensorImpl.h
  - BatchingMetaprogramming.h
  - BatchRulesHelper.h

- DynamicLayer.h
- FunctionalizeInterpreter.h
- Interpreter.h
- LegacyVmapTransforms.h
- Macros.h
- PlumbingHelper.h
- TensorWrapper.h
- VmapInterpreter.h
- hip/
  - impl/
    - HIPAllocatorMasqueradingAsCUDA.h
    - HIPCachingAllocatorMasqueradingAsCUDA.h
    - HIPGuardImplMasqueradingAsCUDA.h
    - HIPStreamMasqueradingAsCUDA.h
- metal/
  - Context.h
- miopen/
  - Descriptors.h
  - Exceptions.h
  - Handle.h
  - miopen-wrapper.h
  - Types.h
  - Utils.h
- mps/
  - EmptyTensor.h
  - IndexKernels.h
  - MPSAllocator.h
  - MPSAllocatorInterface.h
  - MPSDevice.h
  - MPSEvent.h
  - MPSGeneratorImpl.h
  - MPSGuardImpl.h
  - MPSHooks.h
  - MPSProfiler.h
  - MPSStream.h
- native/
  - ao\_sparse/
    - quantized/
      - cpu/
        - fbgemm\_utils.h
        - packed\_params.h
        - qnnpack\_utils.h
  - cpu/
    - AtomicAddFloat.h
    - avx\_mathfun.h
    - CatKernel.h
    - ChannelShuffleKernel.h
    - CopyKernel.h
    - DepthwiseConvKernel.h
    - DistributionTemplates.h
    - Elu.h
    - Gelu.h
    - GridSamplerKernel.h
    - IndexKernelUtils.h
    - int\_mm\_kernel.h
    - Intrinsics.h
    - IsContiguous.h
    - LogAddExp.h
    - LogSoftmaxKernelImpl.h
    - Loops.h
    - MaxUnpoolKernel.h
    - mixed\_data\_type.h
    - moments\_utils.h
    - PixelShuffleKernel.h
    - Reduce.h
    - ReducedPrecisionFloatGemvFastPathKernel.h
    - ReduceUtils.h
    - SampledAddmmKernel.h
    - SerialStackImpl.h
    - SoftmaxKernel.h
    - SpmmReduceKernel.h
    - StackKernel.h
    - UpSampleKernelAVXAntialias.h
    - UpSampleKernelNEONAntialias.h
    - utils.h
    - WeightNormKernel.h
    - zmath.h
  - cuda/
    - Activation.h
    - BinaryInternal.h
    - block\_reduce.cuh
    - CompositeRandomAccessor.h
    - Copy.h
    - cuBlasCommonArgs.h
    - CUDAjitLoops.cuh

- CUDALoops.cuh
- CuFFTPlanCache.h
- CuFFTUtils.h
- cutlass\_common.cuh
- DeviceAddCmulCdiv.cuh
- DeviceSqrt.cuh
- Distributions.h
- DistributionTemplates.h
- EmbeddingBackwardKernel.cuh
- ForeachFunctors.cuh
- ForeachMinMaxFunctors.cuh
- fused\_adagrad\_impl.cuh
- fused\_adagrad\_utils.cuh
- fused\_adam\_amsgrad\_impl.cuh
- fused\_adam\_impl.cuh
- fused\_adam\_utils.cuh
- fused\_adamw\_amsgrad\_impl.cuh
- fused\_adamw\_impl.cuh
- GridSampler.cuh
- GridSampler.h
- GroupMM.h
- GroupMMCommon.cuh
- im2col.cuh
- IndexKernel.h
- IndexKernelUtils.h
- jit\_utils.h
- JitLoops.cuh
- KernelUtils.cuh
- LaunchUtils.h
- Loops.cuh
- Math.cuh
- MemoryAccess.cuh
- MiscUtils.h
- MultiTensorApply.cuh
- Normalization.cuh
- PersistentSoftmax.cuh
- Pow.cuh
- Randperm.cuh
- Reduce.cuh
- ReduceOps.h
- reduction\_template.cuh
- Resize.h
- RowwiseScaledMM.h
- ScaledGroupMM.h
- ScanKernels.h
- ScanUtils.cuh
- Sort.h
- Sorting.h
- SortingCommon.cuh
- SortingRadixSelect.cuh
- SortStable.h
- SortUtils.cuh
- TensorModeKernel.cuh
- TensorModeKernel.h
- TensorTopK.h
- thread\_constants.h
- UniqueCub.cuh
- UpSample.cuh
- vol2col.cuh
- hip/
  - bgemm\_kernels/
    - bgemm\_kernel\_collection.h
    - bgemm\_kernel\_template.h
  - ck\_bgemm.h
  - ck\_gemm.h
  - ck\_gemm\_template.h
  - ck\_group\_gemm.h
  - ck\_types.h
- kleidiai/
  - kai\_kernels.h
  - kai\_pack.h
  - kai\_ukernel\_interface.h
- mps/
  - kernels/
    - Activation.h
    - EmbeddingBag.h
    - GridSampler.h
    - Indexing.h
    - LinearAlgebra.h
    - Pooling.h
    - ReduceOps.h
    - SamplingHelpers.h
    - Shape.h
    - TensorCompare.h
    - UpSample.h

- operations/
  - BinaryKernel.h
  - FusedAdamAmsgradKernelImpl.h
  - FusedAdamKernelImpl.h
  - FusedAdamWAmsgradKernelImpl.h
  - FusedAdamWKernelImpl.h
  - MultiTensorApply.h
  - ScanKernel.h
- Copy.h
- MetalShaderLibrary.h
- MPSGraphSequoiaOps.h
- OperationUtils.h
- TensorFactory.h
- nested/
  - NestedTensorBinaryOps.h
  - NestedTensorMath.h
  - NestedTensorTransformerFunctions.h
  - NestedTensorTransformerUtils.h
  - NestedTensorUtils.h
- quantized/
  - cpu/
    - ACLUtils.h
    - BinaryOps.h
    - conv\_serialization.h
    - EmbeddingPackedParams.h
    - fbgemm\_utils.h
    - init\_qnnpack.h
    - OnednnUtils.h
    - qconv.h
    - qembeddingbag.h
    - qembeddingbag\_prepack.h
    - qlinear.h
    - QnnpackUtils.h
    - QuantizedOps.h
    - QuantUtils.h
    - RuyUtils.h
    - XnnpackUtils.h
  - cudnn/
    - utils.h
  - AffineQuantizer.h
  - AffineQuantizerBase.h
  - ConvUtils.h
  - Copy.h
  - FakeQuantAffine.h
  - IndexKernel.h
  - library.h
  - PackedParams.h
- transformers/
  - cuda/
    - flash\_attn/
      - flash\_api.h
      - static\_switch.h
    - mem\_eff\_attention/
      - epilogue/
        - epilogue\_pipelined.h
        - epilogue\_rescale\_output.h
        - epilogue\_thread\_apply\_logsumexp.h
      - gemm/
        - custom\_mma.h
        - custom\_mma\_base.h
        - custom\_mma\_multistage.h
        - custom\_mma\_pipelined.h
        - find\_default\_mma.h
        - mma\_accum\_lambda\_iterator.h
        - mma\_from\_smem.h
      - iterators/
        - default\_warp\_iterator\_from\_smem.h
        - epilogue\_predicated\_tile\_iterator.h
        - make\_residual\_last.h
        - predicated\_tile\_access\_iterator\_residual\_last.h
        - predicated\_tile\_iterator\_residual\_last.h
        - transpose\_warp\_iterator.h
        - warp\_iterator\_from\_smem.h
      - kernels/
        - cutlassB.h
        - cutlassF.h
      - transform/
        - tile\_smem\_loader.h
    - debug\_utils.h
    - gemm\_kernel\_utils.h
    - kernel\_backward.h
    - kernel\_forward.h
    - pytorch\_utils.h
    - sdp\_utils.h
- hip/

- flash\_attn/
  - ck/
    - me\_ck\_api.h
  - flash\_api.h
- aotriton\_adapter.h
- aotriton\_versions.h
- gemm\_kernel\_utils.h
- xpu/
  - sdp\_utils.h
- attention.h
- sdp\_utils.h
- sdp\_utils\_cpp.h
- utils/
  - Factory.h
  - ParamsHash.h
  - ParamUtils.h
- Activation.h
- AdaptivePooling.h
- AmpKernels.h
- batch\_norm.h
- BatchLinearAlgebra.h
- BinaryOps.h
- BucketizationUtils.h
- CanUse32BitIndexMath.h
- ComplexHelper.h
- CompositeRandomAccessor.h
- CompositeRandomAccessorCommon.h
- ConvolutionMM3d.h
- ConvUtils.h
- Copy.h
- CPUBlas.h
- CPUFallback.h
- Cross.h
- DilatedConvolutionUtils.h
- DispatchStub.h
- Distance.h
- Distributions.h
- DistributionTemplates.h
- EmbeddingBag.h
- Fill.h
- ForeachUtils.h
- FractionalMaxPooling.h
- FunctionOfAMatrixUtils.h
- FusedAdagrad.h
- FusedAdam.h
- FusedSGD.h
- Gelu.h
- GridSampler.h
- GridSamplerUtils.h
- group\_norm.h
- GroupedMMUtils.h
- Histogram.h
- im2col.h
- im2col\_shape\_check.h
- IndexingUtils.h
- IndexKernel.h
- layer\_norm.h
- Lerp.h
- LinearAlgebra.h
- LinearAlgebraUtils.h
- LossMulti.h
- Math.h
- MathBitFallThroughLists.h
- MathBitsFallback.h
- MaxPooling.h
- NonEmptyUtils.h
- NonSymbolicBC.h
- Normalization.h
- Padding.h
- PixelShuffle.h
- PointwiseOps.h
- Pool.h
- Pow.h
- RangeFactories.h
- RangeUtils.h
- ReduceAllOps.h
- ReduceOps.h
- ReduceOpsUtils.h
- ReductionType.h
- Repeat.h
- Resize.h
- ResizeCommon.h
- RNN.h
- ScaledBlasUtils.h
- ScatterGatherChecks.h

- SegmentReduce.h
- SharedReduceOps.h
- SobolEngineOpsUtils.h
- Sorting.h
- SortingUtils.h
- SparseTensorUtils.h
- SpectralOpsUtils.h
- StridedRandomAccessor.h
- TensorAdvancedIndexing.h
- TensorAdvancedIndexingUtils.h
- TensorCompare.h
- TensorConversions.h
- TensorDimApply.h
- TensorFactories.h
- TensorIterator.h
- TensorIteratorDynamicCasting.h
- TensorProperties.h
- TensorShape.h
- TensorTransformations.h
- TopKImpl.h
- TransposeType.h
- TriangularOpsUtils.h
- TypeProperties.h
- UnaryOps.h
- Unfold2d.h
- Unfold3d.h
- UnfoldBackward.h
- UpSample.h
- verbose\_wrapper.h
- vol2col.h
- ops/
  - \_adaptive\_avg\_pool2d.h
  - \_adaptive\_avg\_pool2d\_backward.h
  - \_adaptive\_avg\_pool2d\_backward\_compositeexplicitautograd\_dispatch.h
  - \_adaptive\_avg\_pool2d\_backward\_cpu\_dispatch.h
  - \_adaptive\_avg\_pool2d\_backward\_cuda\_dispatch.h
  - \_adaptive\_avg\_pool2d\_backward\_native.h
  - \_adaptive\_avg\_pool2d\_backward\_ops.h
  - \_adaptive\_avg\_pool2d\_compositeexplicitautograd\_dispatch.h
  - \_adaptive\_avg\_pool2d\_cpu\_dispatch.h
  - \_adaptive\_avg\_pool2d\_cuda\_dispatch.h
  - \_adaptive\_avg\_pool2d\_native.h
  - \_adaptive\_avg\_pool2d\_ops.h
  - \_adaptive\_avg\_pool3d.h
  - \_adaptive\_avg\_pool3d\_backward.h
  - \_adaptive\_avg\_pool3d\_backward\_compositeexplicitautograd\_dispatch.h
  - \_adaptive\_avg\_pool3d\_backward\_cpu\_dispatch.h
  - \_adaptive\_avg\_pool3d\_backward\_cuda\_dispatch.h
  - \_adaptive\_avg\_pool3d\_backward\_native.h
  - \_adaptive\_avg\_pool3d\_backward\_ops.h
  - \_adaptive\_avg\_pool3d\_compositeexplicitautograd\_dispatch.h
  - \_adaptive\_avg\_pool3d\_cpu\_dispatch.h
  - \_adaptive\_avg\_pool3d\_cuda\_dispatch.h
  - \_adaptive\_avg\_pool3d\_native.h
  - \_adaptive\_avg\_pool3d\_ops.h
  - \_add\_batch\_dim.h
  - \_add\_batch\_dim\_compositeimplicitautograd\_dispatch.h
  - \_add\_batch\_dim\_native.h
  - \_add\_batch\_dim\_ops.h
  - \_add\_relu.h
  - \_add\_relu\_compositeexplicitautograd\_dispatch.h
  - \_add\_relu\_cpu\_dispatch.h
  - \_add\_relu\_meta\_dispatch.h
  - \_add\_relu\_native.h
  - \_add\_relu\_ops.h
  - \_addmm\_activation.h
  - \_addmm\_activation\_compositeexplicitautogradnonfunctional\_dispatch.h
  - \_addmm\_activation\_cpu\_dispatch.h
  - \_addmm\_activation\_cuda\_dispatch.h
  - \_addmm\_activation\_meta.h
  - \_addmm\_activation\_meta\_dispatch.h
  - \_addmm\_activation\_native.h
  - \_addmm\_activation\_ops.h
  - \_aminmax.h
  - \_aminmax\_compositeexplicitautograd\_dispatch.h
  - \_aminmax\_cpu\_dispatch.h
  - \_aminmax\_cuda\_dispatch.h
  - \_aminmax\_native.h
  - \_aminmax\_ops.h
  - \_amp\_foreach\_non\_finite\_check\_and\_unscale.h
  - \_amp\_foreach\_non\_finite\_check\_and\_unscale\_compositeexplicitautograd\_dispatch.h
  - \_amp\_foreach\_non\_finite\_check\_and\_unscale\_cpu\_dispatch.h
  - \_amp\_foreach\_non\_finite\_check\_and\_unscale\_cuda\_dispatch.h
  - \_amp\_foreach\_non\_finite\_check\_and\_unscale\_native.h
  - \_amp\_foreach\_non\_finite\_check\_and\_unscale\_ops.h

- \_amp\_update\_scale.h
- \_amp\_update\_scale\_compositeexplicitautograd\_dispatch.h
- \_amp\_update\_scale\_cpu\_dispatch.h
- \_amp\_update\_scale\_cuda\_dispatch.h
- \_amp\_update\_scale\_meta\_dispatch.h
- \_amp\_update\_scale\_native.h
- \_amp\_update\_scale\_ops.h
- \_assert\_async.h
- \_assert\_async\_cpu\_dispatch.h
- \_assert\_async\_cuda\_dispatch.h
- \_assert\_async\_native.h
- \_assert\_async\_ops.h
- \_assert\_scalar.h
- \_assert\_scalar\_compositeexplicitautograd\_dispatch.h
- \_assert\_scalar\_native.h
- \_assert\_scalar\_ops.h
- \_assert\_tensor\_metadata.h
- \_assert\_tensor\_metadata\_compositeexplicitautograd\_dispatch.h
- \_assert\_tensor\_metadata\_meta\_dispatch.h
- \_assert\_tensor\_metadata\_native.h
- \_assert\_tensor\_metadata\_ops.h
- \_autocast\_to\_full\_precision.h
- \_autocast\_to\_full\_precision\_compositeimplicitautograd\_dispatch.h
- \_autocast\_to\_full\_precision\_native.h
- \_autocast\_to\_full\_precision\_ops.h
- \_autocast\_to\_reduced\_precision.h
- \_autocast\_to\_reduced\_precision\_compositeimplicitautograd\_dispatch.h
- \_autocast\_to\_reduced\_precision\_native.h
- \_autocast\_to\_reduced\_precision\_ops.h
- \_backward.h
- \_backward\_compositeimplicitautograd\_dispatch.h
- \_backward\_native.h
- \_backward\_ops.h
- \_batch\_norm\_impl\_index.h
- \_batch\_norm\_impl\_index\_backward.h
- \_batch\_norm\_impl\_index\_backward\_compositeimplicitautograd\_dispatch.h
- \_batch\_norm\_impl\_index\_backward\_native.h
- \_batch\_norm\_impl\_index\_backward\_ops.h
- \_batch\_norm\_impl\_index\_compositeimplicitautograd\_dispatch.h
- \_batch\_norm\_impl\_index\_native.h
- \_batch\_norm\_impl\_index\_ops.h
- \_batch\_norm\_no\_update.h
- \_batch\_norm\_no\_update\_compositeexplicitautograd\_dispatch.h
- \_batch\_norm\_no\_update\_native.h
- \_batch\_norm\_no\_update\_ops.h
- \_batch\_norm\_with\_update.h
- \_batch\_norm\_with\_update\_compositeexplicitautograd\_dispatch.h
- \_batch\_norm\_with\_update\_cpu\_dispatch.h
- \_batch\_norm\_with\_update\_cuda\_dispatch.h
- \_batch\_norm\_with\_update\_native.h
- \_batch\_norm\_with\_update\_ops.h
- \_cast\_Byte.h
- \_cast\_Byte\_compositeimplicitautograd\_dispatch.h
- \_cast\_Byte\_native.h
- \_cast\_Byte\_ops.h
- \_cast\_Char.h
- \_cast\_Char\_compositeimplicitautograd\_dispatch.h
- \_cast\_Char\_native.h
- \_cast\_Char\_ops.h
- \_cast\_Double.h
- \_cast\_Double\_compositeimplicitautograd\_dispatch.h
- \_cast\_Double\_native.h
- \_cast\_Double\_ops.h
- \_cast\_Float.h
- \_cast\_Float\_compositeimplicitautograd\_dispatch.h
- \_cast\_Float\_native.h
- \_cast\_Float\_ops.h
- \_cast\_Half.h
- \_cast\_Half\_compositeimplicitautograd\_dispatch.h
- \_cast\_Half\_native.h
- \_cast\_Half\_ops.h
- \_cast\_Int.h
- \_cast\_Int\_compositeimplicitautograd\_dispatch.h
- \_cast\_Int\_native.h
- \_cast\_Int\_ops.h
- \_cast\_Long.h
- \_cast\_Long\_compositeimplicitautograd\_dispatch.h
- \_cast\_Long\_native.h
- \_cast\_Long\_ops.h
- \_cast\_Short.h
- \_cast\_Short\_compositeimplicitautograd\_dispatch.h
- \_cast\_Short\_native.h
- \_cast\_Short\_ops.h
- \_cdist\_backward.h
- \_cdist\_backward\_compositeexplicitautograd\_dispatch.h

```

_cdist_backward_cpu_dispatch.h
_cdist_backward_cuda_dispatch.h
_cdist_backward_native.h
_cdist_backward_ops.h
_cdist_forward.h
_cdist_forward_compositeexplicitautograd_dispatch.h
_cdist_forward_cpu_dispatch.h
_cdist_forward_cuda_dispatch.h
_cdist_forward_native.h
_cdist_forward_ops.h
_cholesky_solve_helper.h
_cholesky_solve_helper_compositeexplicitautograd_dispatch.h
_cholesky_solve_helper_cpu_dispatch.h
_cholesky_solve_helper_cuda_dispatch.h
_cholesky_solve_helper_native.h
_cholesky_solve_helper_ops.h
_choose_qparams_per_tensor.h
_choose_qparams_per_tensor_compositeimplicitautograd_dispatch.h
_choose_qparams_per_tensor_native.h
_choose_qparams_per_tensor_ops.h
_chunk_cat.h
_chunk_cat_compositeexplicitautograd_dispatch.h
_chunk_cat_cuda_dispatch.h
_chunk_cat_native.h
_chunk_cat_ops.h
_coalesce.h
_coalesce_compositeexplicitautograd_dispatch.h
_coalesce_native.h
_coalesce_ops.h
_coalesced.h
_coalesced_compositeexplicitautograd_dispatch.h
_coalesced_meta_dispatch.h
_coalesced_native.h
_coalesced_ops.h
_compute_linear_combination.h
_compute_linear_combination_cpu_dispatch.h
_compute_linear_combination_cuda_dispatch.h
_compute_linear_combination_native.h
_compute_linear_combination_ops.h
_conj.h
_conj_compositeexplicitautograd_dispatch.h
_conj_copy.h
_conj_copy_compositeexplicitautograd_dispatch.h
_conj_copy_compositeexplicitautogradnonfunctional_dispatch.h
_conj_copy_native.h
_conj_copy_ops.h
_conj_native.h
_conj_ops.h
_conj_physical.h
_conj_physical_compositeexplicitautograd_dispatch.h
_conj_physical_native.h
_conj_physical_ops.h
_conv_depthwise2d.h
_conv_depthwise2d_cuda_dispatch.h
_conv_depthwise2d_native.h
_conv_depthwise2d_ops.h
_convert_indices_from_coo_to_csr.h
_convert_indices_from_coo_to_csr_compositeexplicitautogradnonfunctional_dispatch.h
_convert_indices_from_coo_to_csr_cpu_dispatch.h
_convert_indices_from_coo_to_csr_cuda_dispatch.h
_convert_indices_from_coo_to_csr_meta.h
_convert_indices_from_coo_to_csr_meta_dispatch.h
_convert_indices_from_coo_to_csr_native.h
_convert_indices_from_coo_to_csr_ops.h
_convert_indices_from_csr_to_coo.h
_convert_indices_from_csr_to_coo_compositeexplicitautogradnonfunctional_dispatch.h
_convert_indices_from_csr_to_coo_cpu_dispatch.h
_convert_indices_from_csr_to_coo_cuda_dispatch.h
_convert_indices_from_csr_to_coo_meta.h
_convert_indices_from_csr_to_coo_meta_dispatch.h
_convert_indices_from_csr_to_coo_native.h
_convert_indices_from_csr_to_coo_ops.h
_convert_weight_to_int4pack.h
_convert_weight_to_int4pack_cuda_dispatch.h
_convert_weight_to_int4pack_for_cpu.h
_convert_weight_to_int4pack_for_cpu_cpu_dispatch.h
_convert_weight_to_int4pack_for_cpu_native.h
_convert_weight_to_int4pack_for_cpu_ops.h
_convert_weight_to_int4pack_native.h
_convert_weight_to_int4pack_ops.h
_convolution.h
_convolution_compositeexplicitautograd_dispatch.h
_convolution_compositeimplicitautograd_dispatch.h
_convolution_double_backward.h
_convolution_double_backward_compositeimplicitautograd_dispatch.h

```



```

— _convolution_double_backward_native.h
— _convolution_double_backward_ops.h
— _convolution_mode.h
— _convolution_mode_compositeimplicitautograd_dispatch.h
— _convolution_mode_native.h
— _convolution_mode_ops.h
— _convolution_native.h
— _convolution_ops.h
— _copy_from.h
— _copy_from_and_resize.h
— _copy_from_and_resize_compositeexplicitautograd_dispatch.h
— _copy_from_and_resize_native.h
— _copy_from_and_resize_ops.h
— _copy_from_compositeexplicitautograd_dispatch.h
— _copy_from_native.h
— _copy_from_ops.h
— _cslt_compress.h
— _cslt_compress_cuda_dispatch.h
— _cslt_compress_native.h
— _cslt_compress_ops.h
— _cslt_sparse_mm.h
— _cslt_sparse_mm_cuda_dispatch.h
— _cslt_sparse_mm_native.h
— _cslt_sparse_mm_ops.h
— _cslt_sparse_mm_search.h
— _cslt_sparse_mm_search_cuda_dispatch.h
— _cslt_sparse_mm_search_native.h
— _cslt_sparse_mm_search_ops.h
— _ctc_loss.h
— _ctc_loss_backward.h
— _ctc_loss_backward_compositeexplicitautograd_dispatch.h
— _ctc_loss_backward_cpu_dispatch.h
— _ctc_loss_backward_cuda_dispatch.h
— _ctc_loss_backward_native.h
— _ctc_loss_backward_ops.h
— _ctc_loss_compositeexplicitautograd_dispatch.h
— _ctc_loss_cpu_dispatch.h
— _ctc_loss_cuda_dispatch.h
— _ctc_loss_meta_dispatch.h
— _ctc_loss_native.h
— _ctc_loss_ops.h
— _cudnn_attention_backward.h
— _cudnn_attention_backward_cuda_dispatch.h
— _cudnn_attention_backward_native.h
— _cudnn_attention_backward_ops.h
— _cudnn_attention_forward.h
— _cudnn_attention_forward_cuda_dispatch.h
— _cudnn_attention_forward_native.h
— _cudnn_attention_forward_ops.h
— _cudnn_ctc_loss.h
— _cudnn_ctc_loss_compositeexplicitautograd_dispatch.h
— _cudnn_ctc_loss_cuda_dispatch.h
— _cudnn_ctc_loss_native.h
— _cudnn_ctc_loss_ops.h
— _cudnn_init_dropout_state.h
— _cudnn_init_dropout_state_compositeexplicitautograd_dispatch.h
— _cudnn_init_dropout_state_cuda_dispatch.h
— _cudnn_init_dropout_state_native.h
— _cudnn_init_dropout_state_ops.h
— _cudnn_rnn.h
— _cudnn_rnn_backward.h
— _cudnn_rnn_backward_compositeexplicitautograd_dispatch.h
— _cudnn_rnn_backward_cuda_dispatch.h
— _cudnn_rnn_backward_native.h
— _cudnn_rnn_backward_ops.h
— _cudnn_rnn_compositeexplicitautograd_dispatch.h
— _cudnn_rnn_cuda_dispatch.h
— _cudnn_rnn_flatten_weight.h
— _cudnn_rnn_flatten_weight_compositeexplicitautograd_dispatch.h
— _cudnn_rnn_flatten_weight_cuda_dispatch.h
— _cudnn_rnn_flatten_weight_native.h
— _cudnn_rnn_flatten_weight_ops.h
— _cudnn_rnn_native.h
— _cudnn_rnn_ops.h
— _cufft_clear_plan_cache.h
— _cufft_clear_plan_cache_compositeimplicitautograd_dispatch.h
— _cufft_clear_plan_cache_native.h
— _cufft_clear_plan_cache_ops.h
— _cufft_get_plan_cache_max_size.h
— _cufft_get_plan_cache_max_size_compositeimplicitautograd_dispatch.h
— _cufft_get_plan_cache_max_size_native.h
— _cufft_get_plan_cache_max_size_ops.h
— _cufft_get_plan_cache_size.h
— _cufft_get_plan_cache_size_compositeimplicitautograd_dispatch.h
— _cufft_get_plan_cache_size_native.h

```

```

— _cufft_get_plan_cache_size_ops.h
— _cufft_set_plan_cache_max_size.h
— _cufft_set_plan_cache_max_size_compositeimplicitautograd_dispatch.h
— _cufft_set_plan_cache_max_size_native.h
— _cufft_set_plan_cache_max_size_ops.h
— cummax_helper.h
— cummax_helper_cpu_dispatch.h
— cummax_helper_cuda_dispatch.h
— cummax_helper_native.h
— cummax_helper_ops.h
— cummin_helper.h
— cummin_helper_cpu_dispatch.h
— cummin_helper_cuda_dispatch.h
— cummin_helper_native.h
— cummin_helper_ops.h
— debug_has_internal_overlap.h
— debug_has_internal_overlap_compositeimplicitautograd_dispatch.h
— debug_has_internal_overlap_native.h
— debug_has_internal_overlap_ops.h
— dim_arange.h
— dim_arange_compositeimplicitautograd_dispatch.h
— dim_arange_native.h
— dim_arange_ops.h
— dimI.h
— dimI_native.h
— dimI_ops.h
— dimV.h
— dimV_native.h
— dimV_ops.h
— dirichlet_grad.h
— dirichlet_grad_compositeexplicitautograd_dispatch.h
— dirichlet_grad_cpu_dispatch.h
— dirichlet_grad_cuda_dispatch.h
— dirichlet_grad_native.h
— dirichlet_grad_ops.h
— dyn_quant_matmul_4bit.h
— dyn_quant_matmul_4bit_cpu_dispatch.h
— dyn_quant_matmul_4bit_native.h
— dyn_quant_matmul_4bit_ops.h
— dyn_quant_pack_4bit_weight.h
— dyn_quant_pack_4bit_weight_cpu_dispatch.h
— dyn_quant_pack_4bit_weight_native.h
— dyn_quant_pack_4bit_weight_ops.h
— efficient_attention_backward.h
— efficient_attention_backward_cuda_dispatch.h
— efficient_attention_backward_native.h
— efficient_attention_backward_ops.h
— efficient_attention_forward.h
— efficient_attention_forward_cuda_dispatch.h
— efficient_attention_forward_native.h
— efficient_attention_forward_ops.h
— efficientzerotensor.h
— efficientzerotensor_compositeexplicitautograd_dispatch.h
— efficientzerotensor_cpu_dispatch.h
— efficientzerotensor_cuda_dispatch.h
— efficientzerotensor_meta_dispatch.h
— efficientzerotensor_native.h
— efficientzerotensor_ops.h
— embedding_bag.h
— embedding_bag_backward.h
— embedding_bag_backward_cpu_dispatch.h
— embedding_bag_backward_cuda_dispatch.h
— embedding_bag_backward_native.h
— embedding_bag_backward_ops.h
— embedding_bag_compositeexplicitautograd_dispatch.h
— embedding_bag_cpu_dispatch.h
— embedding_bag_cuda_dispatch.h
— embedding_bag_dense_backward.h
— embedding_bag_dense_backward_compositeexplicitautograd_dispatch.h
— embedding_bag_dense_backward_cpu_dispatch.h
— embedding_bag_dense_backward_cuda_dispatch.h
— embedding_bag_dense_backward_native.h
— embedding_bag_dense_backward_ops.h
— embedding_bag_forward_only.h
— embedding_bag_forward_only_compositeexplicitautograd_dispatch.h
— embedding_bag_forward_only_cpu_dispatch.h
— embedding_bag_forward_only_cuda_dispatch.h
— embedding_bag_forward_only_native.h
— embedding_bag_forward_only_ops.h
— embedding_bag_native.h
— embedding_bag_ops.h
— embedding_bag_per_sample_weights_backward.h
— embedding_bag_per_sample_weights_backward_compositeexplicitautograd_dispatch.h
— embedding_bag_per_sample_weights_backward_cpu_dispatch.h
— embedding_bag_per_sample_weights_backward_cuda_dispatch.h

```



— \_foobar\_ops.h  
— \_foreach\_abs.h  
— \_foreach\_abs\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_abs\_cuda\_dispatch.h  
— \_foreach\_abs\_native.h  
— \_foreach\_abs\_ops.h  
— \_foreach\_acos.h  
— \_foreach\_acos\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_acos\_cuda\_dispatch.h  
— \_foreach\_acos\_native.h  
— \_foreach\_acos\_ops.h  
— \_foreach\_add.h  
— \_foreach\_add\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_add\_cuda\_dispatch.h  
— \_foreach\_add\_native.h  
— \_foreach\_add\_ops.h  
— \_foreach\_addcdiv.h  
— \_foreach\_addcdiv\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_addcdiv\_cuda\_dispatch.h  
— \_foreach\_addcdiv\_native.h  
— \_foreach\_addcdiv\_ops.h  
— \_foreach\_addcmul.h  
— \_foreach\_addcmul\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_addcmul\_cuda\_dispatch.h  
— \_foreach\_addcmul\_native.h  
— \_foreach\_addcmul\_ops.h  
— \_foreach\_asin.h  
— \_foreach\_asin\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_asin\_cuda\_dispatch.h  
— \_foreach\_asin\_native.h  
— \_foreach\_asin\_ops.h  
— \_foreach\_atan.h  
— \_foreach\_atan\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_atan\_cuda\_dispatch.h  
— \_foreach\_atan\_native.h  
— \_foreach\_atan\_ops.h  
— \_foreach\_ceil.h  
— \_foreach\_ceil\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_ceil\_cuda\_dispatch.h  
— \_foreach\_ceil\_native.h  
— \_foreach\_ceil\_ops.h  
— \_foreach\_clamp\_max.h  
— \_foreach\_clamp\_max\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_clamp\_max\_cuda\_dispatch.h  
— \_foreach\_clamp\_max\_native.h  
— \_foreach\_clamp\_max\_ops.h  
— \_foreach\_clamp\_min.h  
— \_foreach\_clamp\_min\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_clamp\_min\_cuda\_dispatch.h  
— \_foreach\_clamp\_min\_native.h  
— \_foreach\_clamp\_min\_ops.h  
— \_foreach\_clone.h  
— \_foreach\_clone\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_clone\_cuda\_dispatch.h  
— \_foreach\_clone\_native.h  
— \_foreach\_clone\_ops.h  
— \_foreach\_copy.h  
— \_foreach\_copy\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_copy\_cuda\_dispatch.h  
— \_foreach\_copy\_native.h  
— \_foreach\_copy\_ops.h  
— \_foreach\_cos.h  
— \_foreach\_cos\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_cos\_cuda\_dispatch.h  
— \_foreach\_cos\_native.h  
— \_foreach\_cos\_ops.h  
— \_foreach\_cosh.h  
— \_foreach\_cosh\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_cosh\_cuda\_dispatch.h  
— \_foreach\_cosh\_native.h  
— \_foreach\_cosh\_ops.h  
— \_foreach\_div.h  
— \_foreach\_div\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_div\_cuda\_dispatch.h  
— \_foreach\_div\_native.h  
— \_foreach\_div\_ops.h  
— \_foreach\_erf.h  
— \_foreach\_erf\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_erf\_cuda\_dispatch.h  
— \_foreach\_erf\_native.h  
— \_foreach\_erf\_ops.h  
— \_foreach\_erfc.h  
— \_foreach\_erfc\_compositeexplicitautograd\_dispatch.h  
— \_foreach\_erfc\_cuda\_dispatch.h  
— \_foreach\_erfc\_native.h

—\_foreach\_erfc\_ops.h  
—\_foreach\_exp.h  
—\_foreach\_exp\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_exp\_cuda\_dispatch.h  
—\_foreach\_exp\_native.h  
—\_foreach\_exp\_ops.h  
—\_foreach\_expm1.h  
—\_foreach\_expm1\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_expm1\_cuda\_dispatch.h  
—\_foreach\_expm1\_native.h  
—\_foreach\_expm1\_ops.h  
—\_foreach\_floor.h  
—\_foreach\_floor\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_floor\_cuda\_dispatch.h  
—\_foreach\_floor\_native.h  
—\_foreach\_floor\_ops.h  
—\_foreach\_frac.h  
—\_foreach\_frac\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_frac\_cuda\_dispatch.h  
—\_foreach\_frac\_native.h  
—\_foreach\_frac\_ops.h  
—\_foreach\_lerp.h  
—\_foreach\_lerp\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_lerp\_cuda\_dispatch.h  
—\_foreach\_lerp\_native.h  
—\_foreach\_lerp\_ops.h  
—\_foreach\_lgamma.h  
—\_foreach\_lgamma\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_lgamma\_cuda\_dispatch.h  
—\_foreach\_lgamma\_native.h  
—\_foreach\_lgamma\_ops.h  
—\_foreach\_log.h  
—\_foreach\_log10.h  
—\_foreach\_log10\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_log10\_cuda\_dispatch.h  
—\_foreach\_log10\_native.h  
—\_foreach\_log10\_ops.h  
—\_foreach\_log1p.h  
—\_foreach\_log1p\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_log1p\_cuda\_dispatch.h  
—\_foreach\_log1p\_native.h  
—\_foreach\_log1p\_ops.h  
—\_foreach\_log2.h  
—\_foreach\_log2\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_log2\_cuda\_dispatch.h  
—\_foreach\_log2\_native.h  
—\_foreach\_log2\_ops.h  
—\_foreach\_log\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_log\_cuda\_dispatch.h  
—\_foreach\_log\_native.h  
—\_foreach\_log\_ops.h  
—\_foreach\_max.h  
—\_foreach\_max\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_max\_cuda\_dispatch.h  
—\_foreach\_max\_native.h  
—\_foreach\_max\_ops.h  
—\_foreach\_maximum.h  
—\_foreach\_maximum\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_maximum\_cuda\_dispatch.h  
—\_foreach\_maximum\_native.h  
—\_foreach\_maximum\_ops.h  
—\_foreach\_minimum.h  
—\_foreach\_minimum\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_minimum\_cuda\_dispatch.h  
—\_foreach\_minimum\_native.h  
—\_foreach\_minimum\_ops.h  
—\_foreach\_mul.h  
—\_foreach\_mul\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_mul\_cuda\_dispatch.h  
—\_foreach\_mul\_native.h  
—\_foreach\_mul\_ops.h  
—\_foreach\_neg.h  
—\_foreach\_neg\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_neg\_cuda\_dispatch.h  
—\_foreach\_neg\_native.h  
—\_foreach\_neg\_ops.h  
—\_foreach\_norm.h  
—\_foreach\_norm\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_norm\_cuda\_dispatch.h  
—\_foreach\_norm\_native.h  
—\_foreach\_norm\_ops.h  
—\_foreach\_pow.h  
—\_foreach\_pow\_compositeexplicitautograd\_dispatch.h  
—\_foreach\_pow\_cuda\_dispatch.h  
—\_foreach\_pow\_native.h

```

— _foreach_pow_ops.h
— _foreach_powsum.h
— _foreach_powsum_compositeexplicitautograd_dispatch.h
— _foreach_powsum_cuda_dispatch.h
— _foreach_powsum_native.h
— _foreach_powsum_ops.h
— _foreach_reciprocal.h
— _foreach_reciprocal_compositeexplicitautograd_dispatch.h
— _foreach_reciprocal_cuda_dispatch.h
— _foreach_reciprocal_native.h
— _foreach_reciprocal_ops.h
— _foreach_round.h
— _foreach_round_compositeexplicitautograd_dispatch.h
— _foreach_round_cuda_dispatch.h
— _foreach_round_native.h
— _foreach_round_ops.h
— _foreach_rsqrtd.h
— _foreach_rsqrtd_compositeexplicitautograd_dispatch.h
— _foreach_rsqrtd_cuda_dispatch.h
— _foreach_rsqrtd_native.h
— _foreach_rsqrtd_ops.h
— _foreach_sigmoid.h
— _foreach_sigmoid_compositeexplicitautograd_dispatch.h
— _foreach_sigmoid_cuda_dispatch.h
— _foreach_sigmoid_native.h
— _foreach_sigmoid_ops.h
— _foreach_sign.h
— _foreach_sign_compositeexplicitautograd_dispatch.h
— _foreach_sign_cuda_dispatch.h
— _foreach_sign_native.h
— _foreach_sign_ops.h
— _foreach_sin.h
— _foreach_sin_compositeexplicitautograd_dispatch.h
— _foreach_sin_cuda_dispatch.h
— _foreach_sin_native.h
— _foreach_sin_ops.h
— _foreach_sinh.h
— _foreach_sinh_compositeexplicitautograd_dispatch.h
— _foreach_sinh_cuda_dispatch.h
— _foreach_sinh_native.h
— _foreach_sinh_ops.h
— _foreach_sqrt.h
— _foreach_sqrt_compositeexplicitautograd_dispatch.h
— _foreach_sqrt_cuda_dispatch.h
— _foreach_sqrt_native.h
— _foreach_sqrt_ops.h
— _foreach_sub.h
— _foreach_sub_compositeexplicitautograd_dispatch.h
— _foreach_sub_cuda_dispatch.h
— _foreach_sub_native.h
— _foreach_sub_ops.h
— _foreach_tan.h
— _foreach_tan_compositeexplicitautograd_dispatch.h
— _foreach_tan_cuda_dispatch.h
— _foreach_tan_native.h
— _foreach_tan_ops.h
— _foreach_tanh.h
— _foreach_tanh_compositeexplicitautograd_dispatch.h
— _foreach_tanh_cuda_dispatch.h
— _foreach_tanh_native.h
— _foreach_tanh_ops.h
— _foreach_trunc.h
— _foreach_trunc_compositeexplicitautograd_dispatch.h
— _foreach_trunc_cuda_dispatch.h
— _foreach_trunc_native.h
— _foreach_trunc_ops.h
— _foreach_zero.h
— _foreach_zero_compositeexplicitautograd_dispatch.h
— _foreach_zero_cuda_dispatch.h
— _foreach_zero_native.h
— _foreach_zero_ops.h
— _functional_assert_async.h
— _functional_assert_async_cpu_dispatch.h
— _functional_assert_async_native.h
— _functional_assert_async_ops.h
— _functional_assert_scalar.h
— _functional_assert_scalar_compositeexplicitautograd_dispatch.h
— _functional_assert_scalar_native.h
— _functional_assert_scalar_ops.h
— _functional_sym_constrain_range.h
— _functional_sym_constrain_range_compositeexplicitautograd_dispatch.h
— _functional_sym_constrain_range_for_size.h
— _functional_sym_constrain_range_for_size_compositeexplicitautograd_dispatch.h
— _functional_sym_constrain_range_for_size_native.h
— _functional_sym_constrain_range_for_size_ops.h

```

- \_functional\_sym\_constrain\_range\_native.h
- \_functional\_sym\_constrain\_range\_ops.h
- \_fused\_adagrad.h
- \_fused\_adagrad\_compositeexplicitautograd\_dispatch.h
- \_fused\_adagrad\_cpu\_dispatch.h
- \_fused\_adagrad\_cuda\_dispatch.h
- \_fused\_adagrad\_native.h
- \_fused\_adagrad\_ops.h
- \_fused\_adam.h
- \_fused\_adam\_compositeexplicitautograd\_dispatch.h
- \_fused\_adam\_cpu\_dispatch.h
- \_fused\_adam\_cuda\_dispatch.h
- \_fused\_adam\_native.h
- \_fused\_adam\_ops.h
- \_fused\_adamw.h
- \_fused\_adamw\_compositeexplicitautograd\_dispatch.h
- \_fused\_adamw\_cpu\_dispatch.h
- \_fused\_adamw\_cuda\_dispatch.h
- \_fused\_adamw\_native.h
- \_fused\_adamw\_ops.h
- \_fused\_dropout.h
- \_fused\_dropout\_compositeexplicitautograd\_dispatch.h
- \_fused\_dropout\_cuda\_dispatch.h
- \_fused\_dropout\_native.h
- \_fused\_dropout\_ops.h
- \_fused\_moving\_avg\_obs\_fq\_helper.h
- \_fused\_moving\_avg\_obs\_fq\_helper\_compositeexplicitautograd\_dispatch.h
- \_fused\_moving\_avg\_obs\_fq\_helper\_cpu\_dispatch.h
- \_fused\_moving\_avg\_obs\_fq\_helper\_cuda\_dispatch.h
- \_fused\_moving\_avg\_obs\_fq\_helper\_native.h
- \_fused\_moving\_avg\_obs\_fq\_helper\_ops.h
- \_fused\_rms\_norm.h
- \_fused\_rms\_norm\_backward.h
- \_fused\_rms\_norm\_backward\_cuda\_dispatch.h
- \_fused\_rms\_norm\_backward\_native.h
- \_fused\_rms\_norm\_backward\_ops.h
- \_fused\_rms\_norm\_compositeimplicitautograd\_dispatch.h
- \_fused\_rms\_norm\_cuda\_dispatch.h
- \_fused\_rms\_norm\_native.h
- \_fused\_rms\_norm\_ops.h
- \_fused\_sdp\_choice.h
- \_fused\_sdp\_choice\_cpu\_dispatch.h
- \_fused\_sdp\_choice\_cuda\_dispatch.h
- \_fused\_sdp\_choice\_meta\_dispatch.h
- \_fused\_sdp\_choice\_native.h
- \_fused\_sdp\_choice\_ops.h
- \_fused\_sgd.h
- \_fused\_sgd\_compositeexplicitautograd\_dispatch.h
- \_fused\_sgd\_cpu\_dispatch.h
- \_fused\_sgd\_cuda\_dispatch.h
- \_fused\_sgd\_native.h
- \_fused\_sgd\_ops.h
- \_fw\_primal.h
- \_fw\_primal\_compositeexplicitautograd\_dispatch.h
- \_fw\_primal\_copy.h
- \_fw\_primal\_copy\_compositeexplicitautograd\_dispatch.h
- \_fw\_primal\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- \_fw\_primal\_copy\_native.h
- \_fw\_primal\_copy\_ops.h
- \_fw\_primal\_native.h
- \_fw\_primal\_ops.h
- \_gather\_sparse\_backward.h
- \_gather\_sparse\_backward\_compositeimplicitautograd\_dispatch.h
- \_gather\_sparse\_backward\_native.h
- \_gather\_sparse\_backward\_ops.h
- \_grid\_sampler\_2d\_cpu\_fallback.h
- \_grid\_sampler\_2d\_cpu\_fallback\_backward.h
- \_grid\_sampler\_2d\_cpu\_fallback\_backward\_compositeexplicitautograd\_dispatch.h
- \_grid\_sampler\_2d\_cpu\_fallback\_backward\_native.h
- \_grid\_sampler\_2d\_cpu\_fallback\_backward\_ops.h
- \_grid\_sampler\_2d\_cpu\_fallback\_compositeexplicitautograd\_dispatch.h
- \_grid\_sampler\_2d\_cpu\_fallback\_native.h
- \_grid\_sampler\_2d\_cpu\_fallback\_ops.h
- \_grouped\_mm.h
- \_grouped\_mm\_compositeexplicitautograd\_dispatch.h
- \_grouped\_mm\_cuda\_dispatch.h
- \_grouped\_mm\_native.h
- \_grouped\_mm\_ops.h
- \_has\_compatible\_shallow\_copy\_type.h
- \_has\_compatible\_shallow\_copy\_type\_compositeimplicitautograd\_dispatch.h
- \_has\_compatible\_shallow\_copy\_type\_native.h
- \_has\_compatible\_shallow\_copy\_type\_ops.h
- \_has\_same\_storage\_numel.h
- \_has\_same\_storage\_numel\_compositeexplicitautograd\_dispatch.h
- \_has\_same\_storage\_numel\_native.h

- \_has\_same\_storage\_numel\_ops.h
- histogramdd\_bin\_edges.h
- histogramdd\_bin\_edges\_compositeexplicitautograd\_dispatch.h
- histogramdd\_bin\_edges\_cpu\_dispatch.h
- histogramdd\_bin\_edges\_native.h
- histogramdd\_bin\_edges\_ops.h
- histogramdd\_from\_bin\_cts.h
- histogramdd\_from\_bin\_cts\_compositeexplicitautograd\_dispatch.h
- histogramdd\_from\_bin\_cts\_cpu\_dispatch.h
- histogramdd\_from\_bin\_cts\_native.h
- histogramdd\_from\_bin\_cts\_ops.h
- histogramdd\_from\_bin\_tensors.h
- histogramdd\_from\_bin\_tensors\_compositeexplicitautograd\_dispatch.h
- histogramdd\_from\_bin\_tensors\_cpu\_dispatch.h
- histogramdd\_from\_bin\_tensors\_native.h
- histogramdd\_from\_bin\_tensors\_ops.h
- index\_put\_impl.h
- index\_put\_impl\_compositeexplicitautograd\_dispatch.h
- index\_put\_impl\_cpu\_dispatch.h
- index\_put\_impl\_cuda\_dispatch.h
- index\_put\_impl\_meta\_dispatch.h
- index\_put\_impl\_native.h
- index\_put\_impl\_ops.h
- indices.h
- indices\_copy.h
- indices\_copy\_compositeexplicitautograd\_dispatch.h
- indices\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- indices\_copy\_native.h
- indices\_copy\_ops.h
- indices\_native.h
- indices\_ops.h
- int\_mm.h
- int\_mm\_cpu\_dispatch.h
- int\_mm\_cuda\_dispatch.h
- int\_mm\_native.h
- int\_mm\_ops.h
- is\_all\_true.h
- is\_all\_true\_compositeexplicitautograd\_dispatch.h
- is\_all\_true\_native.h
- is\_all\_true\_ops.h
- is\_any\_true.h
- is\_any\_true\_compositeexplicitautograd\_dispatch.h
- is\_any\_true\_native.h
- is\_any\_true\_ops.h
- is\_zerotensor.h
- is\_zerotensor\_compositeimplicitautograd\_dispatch.h
- is\_zerotensor\_native.h
- is\_zerotensor\_ops.h
- jagged\_to\_padded\_dense\_forward.h
- jagged\_to\_padded\_dense\_forward\_cpu\_dispatch.h
- jagged\_to\_padded\_dense\_forward\_cuda\_dispatch.h
- jagged\_to\_padded\_dense\_forward\_native.h
- jagged\_to\_padded\_dense\_forward\_ops.h
- lazy\_clone.h
- lazy\_clone\_compositeexplicitautograd\_dispatch.h
- lazy\_clone\_native.h
- lazy\_clone\_ops.h
- linalg\_check\_errors.h
- linalg\_check\_errors\_compositeexplicitautograd\_dispatch.h
- linalg\_check\_errors\_native.h
- linalg\_check\_errors\_ops.h
- linalg\_det.h
- linalg\_det\_compositeexplicitautogradnonfunctional\_dispatch.h
- linalg\_det\_cpu\_dispatch.h
- linalg\_det\_cuda\_dispatch.h
- linalg\_det\_meta.h
- linalg\_det\_meta\_dispatch.h
- linalg\_det\_native.h
- linalg\_det\_ops.h
- linalg\_eigh.h
- linalg\_eigh\_compositeexplicitautogradnonfunctional\_dispatch.h
- linalg\_eigh\_cpu\_dispatch.h
- linalg\_eigh\_cuda\_dispatch.h
- linalg\_eigh\_meta.h
- linalg\_eigh\_meta\_dispatch.h
- linalg\_eigh\_native.h
- linalg\_eigh\_ops.h
- linalg\_eigvals.h
- linalg\_eigvals\_cpu\_dispatch.h
- linalg\_eigvals\_cuda\_dispatch.h
- linalg\_eigvals\_native.h
- linalg\_eigvals\_ops.h
- linalg\_slogdet.h
- linalg\_slogdet\_compositeexplicitautogradnonfunctional\_dispatch.h
- linalg\_slogdet\_cpu\_dispatch.h



```

_linalg_slogdet_cuda_dispatch.h
_linalg_slogdet_meta.h
_linalg_slogdet_meta_dispatch.h
_linalg_slogdet_native.h
_linalg_slogdet_ops.h
_linalg_solve_ex.h
_linalg_solve_ex_compositeexplicitautogradnonfunctional_dispatch.h
_linalg_solve_ex_cpu_dispatch.h
_linalg_solve_ex_cuda_dispatch.h
_linalg_solve_ex_meta.h
_linalg_solve_ex_meta_dispatch.h
_linalg_solve_ex_native.h
_linalg_solve_ex_ops.h
_linalg_svd.h
_linalg_svd_compositeexplicitautogradnonfunctional_dispatch.h
_linalg_svd_cpu_dispatch.h
_linalg_svd_cuda_dispatch.h
_linalg_svd_meta.h
_linalg_svd_meta_dispatch.h
_linalg_svd_native.h
_linalg_svd_ops.h
_local_scalar_dense.h
_local_scalar_dense_cpu_dispatch.h
_local_scalar_dense_cuda_dispatch.h
_local_scalar_dense_native.h
_local_scalar_dense_ops.h
_log_softmax.h
_log_softmax_backward_data.h
_log_softmax_backward_data_compositeexplicitautogradnonfunctional_dispatch.h
_log_softmax_backward_data_cpu_dispatch.h
_log_softmax_backward_data_cuda_dispatch.h
_log_softmax_backward_data_meta.h
_log_softmax_backward_data_meta_dispatch.h
_log_softmax_backward_data_native.h
_log_softmax_backward_data_ops.h
_log_softmax_compositeexplicitautogradnonfunctional_dispatch.h
_log_softmax_cpu_dispatch.h
_log_softmax_cuda_dispatch.h
_log_softmax_meta.h
_log_softmax_meta_dispatch.h
_log_softmax_native.h
_log_softmax_ops.h
_logcumsumexp.h
_logcumsumexp_cpu_dispatch.h
_logcumsumexp_cuda_dispatch.h
_logcumsumexp_native.h
_logcumsumexp_ops.h
_lstm_mps.h
_lstm_mps_compositeexplicitautograd_dispatch.h
_lstm_mps_native.h
_lstm_mps_ops.h
_lu_with_info.h
_lu_with_info_compositeimplicitautograd_dispatch.h
_lu_with_info_native.h
_lu_with_info_ops.h
_make_dep_token.h
_make_dep_token_cpu_dispatch.h
_make_dep_token_native.h
_make_dep_token_ops.h
_make_dual.h
_make_dual_compositeexplicitautograd_dispatch.h
_make_dual_copy.h
_make_dual_copy_compositeexplicitautograd_dispatch.h
_make_dual_copy_compositeexplicitautogradnonfunctional_dispatch.h
_make_dual_copy_native.h
_make_dual_copy_ops.h
_make_dual_native.h
_make_dual_ops.h
_make_per_channel_quantized_tensor.h
_make_per_channel_quantized_tensor_compositeexplicitautograd_dispatch.h
_make_per_channel_quantized_tensor_cpu_dispatch.h
_make_per_channel_quantized_tensor_cuda_dispatch.h
_make_per_channel_quantized_tensor_native.h
_make_per_channel_quantized_tensor_ops.h
_make_per_tensor_quantized_tensor.h
_make_per_tensor_quantized_tensor_compositeexplicitautograd_dispatch.h
_make_per_tensor_quantized_tensor_cpu_dispatch.h
_make_per_tensor_quantized_tensor_cuda_dispatch.h
_make_per_tensor_quantized_tensor_native.h
_make_per_tensor_quantized_tensor_ops.h
_masked_scale.h
_masked_scale_compositeexplicitautograd_dispatch.h
_masked_scale_cuda_dispatch.h
_masked_scale_native.h
_masked_scale_ops.h

```

```

_masked_softmax.h
_masked_softmax_backward.h
_masked_softmax_backward_compositeexplicitautograd_dispatch.h
_masked_softmax_backward_cpu_dispatch.h
_masked_softmax_backward_cuda_dispatch.h
_masked_softmax_backward_native.h
_masked_softmax_backward_ops.h
_masked_softmax_compositeexplicitautograd_dispatch.h
_masked_softmax_cpu_dispatch.h
_masked_softmax_cuda_dispatch.h
_masked_softmax_native.h
_masked_softmax_ops.h
_mixed_dtypes_linear.h
_mixed_dtypes_linear_cuda_dispatch.h
_mixed_dtypes_linear_native.h
_mixed_dtypes_linear_ops.h
_mkldnn_reshape.h
_mkldnn_reshape_compositeexplicitautograd_dispatch.h
_mkldnn_reshape_native.h
_mkldnn_reshape_ops.h
_mkldnn_transpose.h
_mkldnn_transpose_compositeexplicitautograd_dispatch.h
_mkldnn_transpose_meta_dispatch.h
_mkldnn_transpose_native.h
_mkldnn_transpose_ops.h
_mps_convolution.h
_mps_convolution_compositeexplicitautograd_dispatch.h
_mps_convolution_native.h
_mps_convolution_ops.h
_mps_convolution_transpose.h
_mps_convolution_transpose_compositeexplicitautograd_dispatch.h
_mps_convolution_transpose_native.h
_mps_convolution_transpose_ops.h
_native_batch_norm_legit.h
_native_batch_norm_legit_compositeexplicitautograd_dispatch.h
_native_batch_norm_legit_cpu_dispatch.h
_native_batch_norm_legit_cuda_dispatch.h
_native_batch_norm_legit_native.h
_native_batch_norm_legit_no_training.h
_native_batch_norm_legit_no_training_compositeexplicitautograd_dispatch.h
_native_batch_norm_legit_no_training_native.h
_native_batch_norm_legit_no_training_ops.h
_native_batch_norm_legit_ops.h
_native_multi_head_attention.h
_native_multi_head_attention_compositeexplicitautograd_dispatch.h
_native_multi_head_attention_cpu_dispatch.h
_native_multi_head_attention_cuda_dispatch.h
_native_multi_head_attention_native.h
_native_multi_head_attention_ops.h
_neg_view.h
_neg_view_compositeexplicitautograd_dispatch.h
_neg_view_copy.h
_neg_view_copy_compositeexplicitautograd_dispatch.h
_neg_view_copy_compositeexplicitautogradnonfunctional_dispatch.h
_neg_view_copy_native.h
_neg_view_copy_ops.h
_neg_view_native.h
_neg_view_ops.h
_nested_compute_contiguous_strides_offsets.h
_nested_compute_contiguous_strides_offsets_cpu_dispatch.h
_nested_compute_contiguous_strides_offsets_cuda_dispatch.h
_nested_compute_contiguous_strides_offsets_native.h
_nested_compute_contiguous_strides_offsets_ops.h
_nested_from_padded.h
_nested_from_padded_and_nested_example.h
_nested_from_padded_and_nested_example_compositeexplicitautograd_dispatch.h
_nested_from_padded_and_nested_example_native.h
_nested_from_padded_and_nested_example_ops.h
_nested_from_padded_compositeexplicitautograd_dispatch.h
_nested_from_padded_cpu_dispatch.h
_nested_from_padded_cuda_dispatch.h
_nested_from_padded_native.h
_nested_from_padded_ops.h
_nested_from_padded_tensor.h
_nested_from_padded_tensor_native.h
_nested_from_padded_tensor_ops.h
_nested_get_jagged_dummy.h
_nested_get_jagged_dummy_native.h
_nested_get_jagged_dummy_ops.h
_nested_get_lengths.h
_nested_get_lengths_native.h
_nested_get_lengths_ops.h
_nested_get_max_seqlen.h
_nested_get_max_seqlen_native.h
_nested_get_max_seqlen_ops.h

```

- \_nested\_get\_min\_seqlen.h
- \_nested\_get\_min\_seqlen\_native.h
- \_nested\_get\_min\_seqlen\_ops.h
- \_nested\_get\_offsets.h
- \_nested\_get\_offsets\_native.h
- \_nested\_get\_offsets\_ops.h
- \_nested\_get\_ragged\_idx.h
- \_nested\_get\_ragged\_idx\_native.h
- \_nested\_get\_ragged\_idx\_ops.h
- \_nested\_get\_values.h
- \_nested\_get\_values\_copy.h
- \_nested\_get\_values\_copy\_compositeexplicitautograd\_dispatch.h
- \_nested\_get\_values\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- \_nested\_get\_values\_copy\_native.h
- \_nested\_get\_values\_copy\_ops.h
- \_nested\_get\_values\_native.h
- \_nested\_get\_values\_ops.h
- \_nested\_select\_backward.h
- \_nested\_select\_backward\_native.h
- \_nested\_select\_backward\_ops.h
- \_nested\_sum\_backward.h
- \_nested\_sum\_backward\_native.h
- \_nested\_sum\_backward\_ops.h
- \_nested\_tensor\_from\_mask.h
- \_nested\_tensor\_from\_mask\_compositeexplicitautograd\_dispatch.h
- \_nested\_tensor\_from\_mask\_cpu\_dispatch.h
- \_nested\_tensor\_from\_mask\_cuda\_dispatch.h
- \_nested\_tensor\_from\_mask\_left\_aligned.h
- \_nested\_tensor\_from\_mask\_left\_aligned\_cpu\_dispatch.h
- \_nested\_tensor\_from\_mask\_left\_aligned\_cuda\_dispatch.h
- \_nested\_tensor\_from\_mask\_left\_aligned\_native.h
- \_nested\_tensor\_from\_mask\_left\_aligned\_ops.h
- \_nested\_tensor\_from\_mask\_native.h
- \_nested\_tensor\_from\_mask\_ops.h
- \_nested\_tensor\_from\_tensor\_list.h
- \_nested\_tensor\_from\_tensor\_list\_compositeexplicitautograd\_dispatch.h
- \_nested\_tensor\_from\_tensor\_list\_native.h
- \_nested\_tensor\_from\_tensor\_list\_ops.h
- \_nested\_tensor\_size.h
- \_nested\_tensor\_size\_compositeexplicitautograd\_dispatch.h
- \_nested\_tensor\_size\_native.h
- \_nested\_tensor\_size\_ops.h
- \_nested\_tensor\_softmax\_with\_shape.h
- \_nested\_tensor\_softmax\_with\_shape\_native.h
- \_nested\_tensor\_softmax\_with\_shape\_ops.h
- \_nested\_tensor\_storage\_offsets.h
- \_nested\_tensor\_storage\_offsets\_compositeexplicitautograd\_dispatch.h
- \_nested\_tensor\_storage\_offsets\_native.h
- \_nested\_tensor\_storage\_offsets\_ops.h
- \_nested\_tensor\_strides.h
- \_nested\_tensor\_strides\_compositeexplicitautograd\_dispatch.h
- \_nested\_tensor\_strides\_native.h
- \_nested\_tensor\_strides\_ops.h
- \_nested\_view\_from\_buffer.h
- \_nested\_view\_from\_buffer\_copy.h
- \_nested\_view\_from\_buffer\_copy\_compositeexplicitautograd\_dispatch.h
- \_nested\_view\_from\_buffer\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- \_nested\_view\_from\_buffer\_copy\_native.h
- \_nested\_view\_from\_buffer\_copy\_ops.h
- \_nested\_view\_from\_buffer\_cpu\_dispatch.h
- \_nested\_view\_from\_buffer\_cuda\_dispatch.h
- \_nested\_view\_from\_buffer\_native.h
- \_nested\_view\_from\_buffer\_ops.h
- \_nested\_view\_from\_jagged.h
- \_nested\_view\_from\_jagged\_copy.h
- \_nested\_view\_from\_jagged\_copy\_compositeexplicitautograd\_dispatch.h
- \_nested\_view\_from\_jagged\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- \_nested\_view\_from\_jagged\_copy\_native.h
- \_nested\_view\_from\_jagged\_copy\_ops.h
- \_nested\_view\_from\_jagged\_native.h
- \_nested\_view\_from\_jagged\_ops.h
- \_new\_zeros\_with\_same\_feature\_meta.h
- \_new\_zeros\_with\_same\_feature\_meta\_compositeexplicitautograd\_dispatch.h
- \_new\_zeros\_with\_same\_feature\_meta\_native.h
- \_new\_zeros\_with\_same\_feature\_meta\_ops.h
- \_nnpack\_available.h
- \_nnpack\_available\_compositeimplicitautograd\_dispatch.h
- \_nnpack\_available\_native.h
- \_nnpack\_available\_ops.h
- \_nnpack\_spatial\_convolution.h
- \_nnpack\_spatial\_convolution\_compositeexplicitautograd\_dispatch.h
- \_nnpack\_spatial\_convolution\_native.h
- \_nnpack\_spatial\_convolution\_ops.h
- \_nnz.h
- \_nnz\_native.h

```

--_nnz_ops.h
--_pack_padded_sequence.h
--_pack_padded_sequence_backward.h
--_pack_padded_sequence_backward_compositeimplicitautograd_dispatch.h
--_pack_padded_sequence_backward_native.h
--_pack_padded_sequence_backward_ops.h
--_pack_padded_sequence_compositeexplicitautograd_dispatch.h
--_pack_padded_sequence_native.h
--_pack_padded_sequence_ops.h
--_pad_circular.h
--_pad_circular_compositeimplicitautograd_dispatch.h
--_pad_circular_native.h
--_pad_circular_ops.h
--_pad_enum.h
--_pad_enum_compositeimplicitautograd_dispatch.h
--_pad_enum_native.h
--_pad_enum_ops.h
--_pad_packed_sequence.h
--_pad_packed_sequence_compositeimplicitautograd_dispatch.h
--_pad_packed_sequence_native.h
--_pad_packed_sequence_ops.h
--_padded_dense_to_jagged_forward.h
--_padded_dense_to_jagged_forward_cpu_dispatch.h
--_padded_dense_to_jagged_forward_cuda_dispatch.h
--_padded_dense_to_jagged_forward_native.h
--_padded_dense_to_jagged_forward_ops.h
--_pdist_backward.h
--_pdist_backward_compositeexplicitautograd_dispatch.h
--_pdist_backward_cpu_dispatch.h
--_pdist_backward_cuda_dispatch.h
--_pdist_backward_native.h
--_pdist_backward_ops.h
--_pdist_forward.h
--_pdist_forward_compositeexplicitautograd_dispatch.h
--_pdist_forward_cpu_dispatch.h
--_pdist_forward_cuda_dispatch.h
--_pdist_forward_native.h
--_pdist_forward_ops.h
--_philox_key_fold_in.h
--_philox_key_fold_in_cuda_dispatch.h
--_philox_key_fold_in_native.h
--_philox_key_fold_in_ops.h
--_philox_key_split.h
--_philox_key_split_cuda_dispatch.h
--_philox_key_split_native.h
--_philox_key_split_ops.h
--_philox_normal.h
--_philox_normal_compositeexplicitautograd_dispatch.h
--_philox_normal_cuda_dispatch.h
--_philox_normal_meta_dispatch.h
--_philox_normal_native.h
--_philox_normal_ops.h
--_philox_uniform.h
--_philox_uniform_compositeexplicitautograd_dispatch.h
--_philox_uniform_cuda_dispatch.h
--_philox_uniform_meta_dispatch.h
--_philox_uniform_native.h
--_philox_uniform_ops.h
--_pin_memory.h
--_pin_memory_compositeexplicitautograd_dispatch.h
--_pin_memory_native.h
--_pin_memory_ops.h
--_prelu_kernel.h
--_prelu_kernel_backward.h
--_prelu_kernel_backward_cpu_dispatch.h
--_prelu_kernel_backward_cuda_dispatch.h
--_prelu_kernel_backward_native.h
--_prelu_kernel_backward_ops.h
--_prelu_kernel_cpu_dispatch.h
--_prelu_kernel_cuda_dispatch.h
--_prelu_kernel_native.h
--_prelu_kernel_ops.h
--_print.h
--_print_compositeexplicitautograd_dispatch.h
--_print_native.h
--_print_ops.h
--_propagate_xla_data.h
--_propagate_xla_data_compositeimplicitautograd_dispatch.h
--_propagate_xla_data_native.h
--_propagate_xla_data_ops.h
--_remove_batch_dim.h
--_remove_batch_dim_compositeimplicitautograd_dispatch.h
--_remove_batch_dim_native.h
--_remove_batch_dim_ops.h
--_reshape_alias.h

```

|  |  |  |  |  |                                                                                                |
|--|--|--|--|--|------------------------------------------------------------------------------------------------|
|  |  |  |  |  | _reshape_alias_copy.h                                                                          |
|  |  |  |  |  | _reshape_alias_copy_compositeexplicitautograd_dispatch.h                                       |
|  |  |  |  |  | _reshape_alias_copy_compositeexplicitautogradnonfunctional_dispatch.h                          |
|  |  |  |  |  | _reshape_alias_copy_native.h                                                                   |
|  |  |  |  |  | _reshape_alias_copy_ops.h                                                                      |
|  |  |  |  |  | _reshape_alias_cpu_dispatch.h                                                                  |
|  |  |  |  |  | _reshape_alias_cuda_dispatch.h                                                                 |
|  |  |  |  |  | _reshape_alias_meta_dispatch.h                                                                 |
|  |  |  |  |  | _reshape_alias_native.h                                                                        |
|  |  |  |  |  | _reshape_alias_ops.h                                                                           |
|  |  |  |  |  | _reshape_copy.h                                                                                |
|  |  |  |  |  | _reshape_copy_compositeexplicitautograd_dispatch.h                                             |
|  |  |  |  |  | _reshape_copy_native.h                                                                         |
|  |  |  |  |  | _reshape_copy_ops.h                                                                            |
|  |  |  |  |  | _reshape_from_tensor.h                                                                         |
|  |  |  |  |  | _reshape_from_tensor_compositeimplicitautograd_dispatch.h                                      |
|  |  |  |  |  | _reshape_from_tensor_native.h                                                                  |
|  |  |  |  |  | _reshape_from_tensor_ops.h                                                                     |
|  |  |  |  |  | _resize_output.h                                                                               |
|  |  |  |  |  | _resize_output_compositeexplicitautograd_dispatch.h                                            |
|  |  |  |  |  | _resize_output_meta_dispatch.h                                                                 |
|  |  |  |  |  | _resize_output_native.h                                                                        |
|  |  |  |  |  | _resize_output_ops.h                                                                           |
|  |  |  |  |  | _rowwise_prune.h                                                                               |
|  |  |  |  |  | _rowwise_prune_compositeimplicitautograd_dispatch.h                                            |
|  |  |  |  |  | _rowwise_prune_native.h                                                                        |
|  |  |  |  |  | _rowwise_prune_ops.h                                                                           |
|  |  |  |  |  | _safe_softmax.h                                                                                |
|  |  |  |  |  | _safe_softmax_compositeexplicitautograd_dispatch.h                                             |
|  |  |  |  |  | _safe_softmax_native.h                                                                         |
|  |  |  |  |  | _safe_softmax_ops.h                                                                            |
|  |  |  |  |  | _sample_dirichlet.h                                                                            |
|  |  |  |  |  | _sample_dirichlet_compositeexplicitautograd_dispatch.h                                         |
|  |  |  |  |  | _sample_dirichlet_cpu_dispatch.h                                                               |
|  |  |  |  |  | _sample_dirichlet_cuda_dispatch.h                                                              |
|  |  |  |  |  | _sample_dirichlet_native.h                                                                     |
|  |  |  |  |  | _sample_dirichlet_ops.h                                                                        |
|  |  |  |  |  | _saturate_weight_to_fp16.h                                                                     |
|  |  |  |  |  | _saturate_weight_to_fp16_compositeimplicitautograd_dispatch.h                                  |
|  |  |  |  |  | _saturate_weight_to_fp16_native.h                                                              |
|  |  |  |  |  | _saturate_weight_to_fp16_ops.h                                                                 |
|  |  |  |  |  | _scaled_dot_product_attention_math.h                                                           |
|  |  |  |  |  | _scaled_dot_product_attention_math_compositeimplicitautograd_dispatch.h                        |
|  |  |  |  |  | _scaled_dot_product_attention_math_for_mps.h                                                   |
|  |  |  |  |  | _scaled_dot_product_attention_math_for_mps_native.h                                            |
|  |  |  |  |  | _scaled_dot_product_attention_math_for_mps_ops.h                                               |
|  |  |  |  |  | _scaled_dot_product_attention_math_native.h                                                    |
|  |  |  |  |  | _scaled_dot_product_attention_math_ops.h                                                       |
|  |  |  |  |  | _scaled_dot_product_cudnn_attention.h                                                          |
|  |  |  |  |  | _scaled_dot_product_cudnn_attention_backward.h                                                 |
|  |  |  |  |  | _scaled_dot_product_cudnn_attention_backward_cuda_dispatch.h                                   |
|  |  |  |  |  | _scaled_dot_product_cudnn_attention_backward_native.h                                          |
|  |  |  |  |  | _scaled_dot_product_cudnn_attention_backward_ops.h                                             |
|  |  |  |  |  | _scaled_dot_product_cudnn_attention_cuda_dispatch.h                                            |
|  |  |  |  |  | _scaled_dot_product_cudnn_attention_native.h                                                   |
|  |  |  |  |  | _scaled_dot_product_cudnn_attention_ops.h                                                      |
|  |  |  |  |  | _scaled_dot_product_efficient_attention.h                                                      |
|  |  |  |  |  | _scaled_dot_product_efficient_attention_backward.h                                             |
|  |  |  |  |  | _scaled_dot_product_efficient_attention_backward_cuda_dispatch.h                               |
|  |  |  |  |  | _scaled_dot_product_efficient_attention_backward_native.h                                      |
|  |  |  |  |  | _scaled_dot_product_efficient_attention_backward_ops.h                                         |
|  |  |  |  |  | _scaled_dot_product_efficient_attention_cuda_dispatch.h                                        |
|  |  |  |  |  | _scaled_dot_product_efficient_attention_native.h                                               |
|  |  |  |  |  | _scaled_dot_product_efficient_attention_ops.h                                                  |
|  |  |  |  |  | _scaled_dot_product_flash_attention.h                                                          |
|  |  |  |  |  | _scaled_dot_product_flash_attention_backward.h                                                 |
|  |  |  |  |  | _scaled_dot_product_flash_attention_backward_cuda_dispatch.h                                   |
|  |  |  |  |  | _scaled_dot_product_flash_attention_backward_native.h                                          |
|  |  |  |  |  | _scaled_dot_product_flash_attention_backward_ops.h                                             |
|  |  |  |  |  | _scaled_dot_product_flash_attention_cuda_dispatch.h                                            |
|  |  |  |  |  | _scaled_dot_product_flash_attention_for_cpu.h                                                  |
|  |  |  |  |  | _scaled_dot_product_flash_attention_for_cpu_backward.h                                         |
|  |  |  |  |  | _scaled_dot_product_flash_attention_for_cpu_backward_cpu_dispatch.h                            |
|  |  |  |  |  | _scaled_dot_product_flash_attention_for_cpu_backward_native.h                                  |
|  |  |  |  |  | _scaled_dot_product_flash_attention_for_cpu_backward_ops.h                                     |
|  |  |  |  |  | _scaled_dot_product_flash_attention_for_cpu_cpu_dispatch.h                                     |
|  |  |  |  |  | _scaled_dot_product_flash_attention_for_cpu_native.h                                           |
|  |  |  |  |  | _scaled_dot_product_flash_attention_for_cpu_ops.h                                              |
|  |  |  |  |  | _scaled_dot_product_flash_attention_native.h                                                   |
|  |  |  |  |  | _scaled_dot_product_flash_attention_ops.h                                                      |
|  |  |  |  |  | _scaled_dot_product_fused_attention_overrideable.h                                             |
|  |  |  |  |  | _scaled_dot_product_fused_attention_overrideable_backward.h                                    |
|  |  |  |  |  | _scaled_dot_product_fused_attention_overrideable_backward_compositeexplicitautograd_dispatch.h |
|  |  |  |  |  | _scaled_dot_product_fused_attention_overrideable_backward_native.h                             |

—\_scaled\_dot\_product\_fused\_attention\_overrideable\_backward\_ops.h  
—\_scaled\_dot\_product\_fused\_attention\_overrideable\_compositeexplicitautograd\_dispatch.h  
—\_scaled\_dot\_product\_fused\_attention\_overrideable\_native.h  
—\_scaled\_dot\_product\_fused\_attention\_overrideable\_ops.h  
—\_scaled\_grouped\_mm.h  
—\_scaled\_grouped\_mm\_cuda\_dispatch.h  
—\_scaled\_grouped\_mm\_native.h  
—\_scaled\_grouped\_mm\_ops.h  
—\_scaled\_grouped\_mm\_v2.h  
—\_scaled\_grouped\_mm\_v2\_cuda\_dispatch.h  
—\_scaled\_grouped\_mm\_v2\_native.h  
—\_scaled\_grouped\_mm\_v2\_ops.h  
—\_scaled\_mm.h  
—\_scaled\_mm\_cpu\_dispatch.h  
—\_scaled\_mm\_cuda\_dispatch.h  
—\_scaled\_mm\_native.h  
—\_scaled\_mm\_ops.h  
—\_scaled\_mm\_v2.h  
—\_scaled\_mm\_v2\_cpu\_dispatch.h  
—\_scaled\_mm\_v2\_cuda\_dispatch.h  
—\_scaled\_mm\_v2\_native.h  
—\_scaled\_mm\_v2\_ops.h  
—\_segment\_reduce\_backward.h  
—\_segment\_reduce\_backward\_compositeexplicitautograd\_dispatch.h  
—\_segment\_reduce\_backward\_cpu\_dispatch.h  
—\_segment\_reduce\_backward\_cuda\_dispatch.h  
—\_segment\_reduce\_backward\_native.h  
—\_segment\_reduce\_backward\_ops.h  
—\_shape\_as\_tensor.h  
—\_shape\_as\_tensor\_compositeimplicitautograd\_dispatch.h  
—\_shape\_as\_tensor\_native.h  
—\_shape\_as\_tensor\_ops.h  
—\_slow\_conv2d\_backward.h  
—\_slow\_conv2d\_backward\_compositeexplicitautograd\_dispatch.h  
—\_slow\_conv2d\_backward\_cpu\_dispatch.h  
—\_slow\_conv2d\_backward\_cuda\_dispatch.h  
—\_slow\_conv2d\_backward\_native.h  
—\_slow\_conv2d\_backward\_ops.h  
—\_slow\_conv2d\_forward.h  
—\_slow\_conv2d\_forward\_cpu\_dispatch.h  
—\_slow\_conv2d\_forward\_cuda\_dispatch.h  
—\_slow\_conv2d\_forward\_native.h  
—\_slow\_conv2d\_forward\_ops.h  
—\_sobol\_engine\_draw.h  
—\_sobol\_engine\_draw\_compositeimplicitautograd\_dispatch.h  
—\_sobol\_engine\_draw\_native.h  
—\_sobol\_engine\_draw\_ops.h  
—\_sobol\_engine\_ff.h  
—\_sobol\_engine\_ff\_compositeimplicitautograd\_dispatch.h  
—\_sobol\_engine\_ff\_native.h  
—\_sobol\_engine\_ff\_ops.h  
—\_sobol\_engine\_initialize\_state.h  
—\_sobol\_engine\_initialize\_state\_compositeimplicitautograd\_dispatch.h  
—\_sobol\_engine\_initialize\_state\_native.h  
—\_sobol\_engine\_initialize\_state\_ops.h  
—\_sobol\_engine\_scramble.h  
—\_sobol\_engine\_scramble\_compositeimplicitautograd\_dispatch.h  
—\_sobol\_engine\_scramble\_native.h  
—\_sobol\_engine\_scramble\_ops.h  
—\_softmax.h  
—\_softmax\_backward\_data.h  
—\_softmax\_backward\_data\_compositeexplicitautogradnonfunctional\_dispatch.h  
—\_softmax\_backward\_data\_cpu\_dispatch.h  
—\_softmax\_backward\_data\_cuda\_dispatch.h  
—\_softmax\_backward\_data\_meta.h  
—\_softmax\_backward\_data\_meta\_dispatch.h  
—\_softmax\_backward\_data\_native.h  
—\_softmax\_backward\_data\_ops.h  
—\_softmax\_compositeexplicitautogradnonfunctional\_dispatch.h  
—\_softmax\_cpu\_dispatch.h  
—\_softmax\_cuda\_dispatch.h  
—\_softmax\_meta.h  
—\_softmax\_meta\_dispatch.h  
—\_softmax\_native.h  
—\_softmax\_ops.h  
—\_sparse\_addmm.h  
—\_sparse\_addmm\_compositeexplicitautograd\_dispatch.h  
—\_sparse\_addmm\_native.h  
—\_sparse\_addmm\_ops.h  
—\_sparse\_broadcast\_to.h  
—\_sparse\_broadcast\_to\_copy.h  
—\_sparse\_broadcast\_to\_copy\_compositeexplicitautograd\_dispatch.h  
—\_sparse\_broadcast\_to\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
—\_sparse\_broadcast\_to\_copy\_native.h  
—\_sparse\_broadcast\_to\_copy\_ops.h

—\_sparse\_broadcast\_to\_native.h  
—\_sparse\_broadcast\_to\_ops.h  
—\_sparse\_bsc\_tensor\_unsafe.h  
—\_sparse\_bsc\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
—\_sparse\_bsc\_tensor\_unsafe\_native.h  
—\_sparse\_bsc\_tensor\_unsafe\_ops.h  
—\_sparse\_bsr\_tensor\_unsafe.h  
—\_sparse\_bsr\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
—\_sparse\_bsr\_tensor\_unsafe\_native.h  
—\_sparse\_bsr\_tensor\_unsafe\_ops.h  
—\_sparse\_compressed\_tensor\_unsafe.h  
—\_sparse\_compressed\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
—\_sparse\_compressed\_tensor\_unsafe\_native.h  
—\_sparse\_compressed\_tensor\_unsafe\_ops.h  
—\_sparse\_compressed\_tensor\_with\_dims.h  
—\_sparse\_compressed\_tensor\_with\_dims\_compositeexplicitautograd\_dispatch.h  
—\_sparse\_compressed\_tensor\_with\_dims\_native.h  
—\_sparse\_compressed\_tensor\_with\_dims\_ops.h  
—\_sparse\_coo\_tensor\_unsafe.h  
—\_sparse\_coo\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
—\_sparse\_coo\_tensor\_unsafe\_native.h  
—\_sparse\_coo\_tensor\_unsafe\_ops.h  
—\_sparse\_coo\_tensor\_with\_dims.h  
—\_sparse\_coo\_tensor\_with\_dims\_and\_tensors.h  
—\_sparse\_coo\_tensor\_with\_dims\_and\_tensors\_compositeexplicitautograd\_dispatch.h  
—\_sparse\_coo\_tensor\_with\_dims\_and\_tensors\_meta\_dispatch.h  
—\_sparse\_coo\_tensor\_with\_dims\_and\_tensors\_native.h  
—\_sparse\_coo\_tensor\_with\_dims\_and\_tensors\_ops.h  
—\_sparse\_coo\_tensor\_with\_dims\_compositeexplicitautograd\_dispatch.h  
—\_sparse\_coo\_tensor\_with\_dims\_meta\_dispatch.h  
—\_sparse\_coo\_tensor\_with\_dims\_native.h  
—\_sparse\_coo\_tensor\_with\_dims\_ops.h  
—\_sparse\_csc\_tensor\_unsafe.h  
—\_sparse\_csc\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
—\_sparse\_csc\_tensor\_unsafe\_native.h  
—\_sparse\_csc\_tensor\_unsafe\_ops.h  
—\_sparse\_csr\_prod.h  
—\_sparse\_csr\_prod\_compositeexplicitautograd\_dispatch.h  
—\_sparse\_csr\_prod\_native.h  
—\_sparse\_csr\_prod\_ops.h  
—\_sparse\_csr\_sum.h  
—\_sparse\_csr\_sum\_compositeexplicitautograd\_dispatch.h  
—\_sparse\_csr\_sum\_native.h  
—\_sparse\_csr\_sum\_ops.h  
—\_sparse\_csr\_tensor\_unsafe.h  
—\_sparse\_csr\_tensor\_unsafe\_compositeimplicitautograd\_dispatch.h  
—\_sparse\_csr\_tensor\_unsafe\_native.h  
—\_sparse\_csr\_tensor\_unsafe\_ops.h  
—\_sparse\_log\_softmax.h  
—\_sparse\_log\_softmax\_backward\_data.h  
—\_sparse\_log\_softmax\_backward\_data\_compositeexplicitautograd\_dispatch.h  
—\_sparse\_log\_softmax\_backward\_data\_native.h  
—\_sparse\_log\_softmax\_backward\_data\_ops.h  
—\_sparse\_log\_softmax\_compositeexplicitautograd\_dispatch.h  
—\_sparse\_log\_softmax\_compositeimplicitautograd\_dispatch.h  
—\_sparse\_log\_softmax\_native.h  
—\_sparse\_log\_softmax\_ops.h  
—\_sparse\_mask\_projection.h  
—\_sparse\_mask\_projection\_compositeexplicitautograd\_dispatch.h  
—\_sparse\_mask\_projection\_native.h  
—\_sparse\_mask\_projection\_ops.h  
—\_sparse\_mm.h  
—\_sparse\_mm\_compositeimplicitautograd\_dispatch.h  
—\_sparse\_mm\_native.h  
—\_sparse\_mm\_ops.h  
—\_sparse\_mm\_reduce\_impl.h  
—\_sparse\_mm\_reduce\_impl\_backward.h  
—\_sparse\_mm\_reduce\_impl\_backward\_native.h  
—\_sparse\_mm\_reduce\_impl\_backward\_ops.h  
—\_sparse\_mm\_reduce\_impl\_native.h  
—\_sparse\_mm\_reduce\_impl\_ops.h  
—\_sparse\_semi\_structured\_addmm.h  
—\_sparse\_semi\_structured\_addmm\_cuda\_dispatch.h  
—\_sparse\_semi\_structured\_addmm\_native.h  
—\_sparse\_semi\_structured\_addmm\_ops.h  
—\_sparse\_semi\_structured\_apply.h  
—\_sparse\_semi\_structured\_apply\_cuda\_dispatch.h  
—\_sparse\_semi\_structured\_apply\_dense.h  
—\_sparse\_semi\_structured\_apply\_dense\_cuda\_dispatch.h  
—\_sparse\_semi\_structured\_apply\_dense\_native.h  
—\_sparse\_semi\_structured\_apply\_dense\_ops.h  
—\_sparse\_semi\_structured\_apply\_native.h  
—\_sparse\_semi\_structured\_apply\_ops.h  
—\_sparse\_semi\_structured\_linear.h  
—\_sparse\_semi\_structured\_linear\_cuda\_dispatch.h

[illegible]



```

_test_optional_filled_intlist.h
_test_optional_filled_intlist_compositeexplicitautograd_dispatch.h
_test_optional_filled_intlist_cpu_dispatch.h
_test_optional_filled_intlist_native.h
_test_optional_filled_intlist_ops.h
_test_optional_floatlist.h
_test_optional_floatlist_compositeexplicitautograd_dispatch.h
_test_optional_floatlist_cpu_dispatch.h
_test_optional_floatlist_native.h
_test_optional_floatlist_ops.h
_test_optional_intlist.h
_test_optional_intlist_compositeexplicitautograd_dispatch.h
_test_optional_intlist_cpu_dispatch.h
_test_optional_intlist_native.h
_test_optional_intlist_ops.h
_test_parallel_materialize.h
_test_parallel_materialize_compositeexplicitautograd_dispatch.h
_test_parallel_materialize_native.h
_test_parallel_materialize_ops.h
_test_serialization_subcmul.h
_test_serialization_subcmul_compositeimplicitautograd_dispatch.h
_test_serialization_subcmul_native.h
_test_serialization_subcmul_ops.h
_test_string_default.h
_test_string_default_compositeimplicitautograd_dispatch.h
_test_string_default_native.h
_test_string_default_ops.h
_test_warn_in_autograd.h
_test_warn_in_autograd_compositeexplicitautograd_dispatch.h
_test_warn_in_autograd_native.h
_test_warn_in_autograd_ops.h
_thnn_differentiable_gru_cell_backward.h
_thnn_differentiable_gru_cell_backward_compositeimplicitautograd_dispatch.h
_thnn_differentiable_gru_cell_backward_native.h
_thnn_differentiable_gru_cell_backward_ops.h
_thnn_differentiable_lstm_cell_backward.h
_thnn_differentiable_lstm_cell_backward_compositeimplicitautograd_dispatch.h
_thnn_differentiable_lstm_cell_backward_native.h
_thnn_differentiable_lstm_cell_backward_ops.h
_thnn_fused_gru_cell.h
_thnn_fused_gru_cell_backward.h
_thnn_fused_gru_cell_backward_compositeexplicitautograd_dispatch.h
_thnn_fused_gru_cell_backward_cuda_dispatch.h
_thnn_fused_gru_cell_backward_native.h
_thnn_fused_gru_cell_backward_ops.h
_thnn_fused_gru_cell_compositeexplicitautograd_dispatch.h
_thnn_fused_gru_cell_cuda_dispatch.h
_thnn_fused_gru_cell_native.h
_thnn_fused_gru_cell_ops.h
_thnn_fused_lstm_cell.h
_thnn_fused_lstm_cell_backward.h
_thnn_fused_lstm_cell_backward_compositeimplicitautograd_dispatch.h
_thnn_fused_lstm_cell_backward_impl.h
_thnn_fused_lstm_cell_backward_impl_compositeexplicitautograd_dispatch.h
_thnn_fused_lstm_cell_backward_impl_cuda_dispatch.h
_thnn_fused_lstm_cell_backward_impl_native.h
_thnn_fused_lstm_cell_backward_impl_ops.h
_thnn_fused_lstm_cell_backward_native.h
_thnn_fused_lstm_cell_backward_ops.h
_thnn_fused_lstm_cell_compositeexplicitautograd_dispatch.h
_thnn_fused_lstm_cell_cuda_dispatch.h
_thnn_fused_lstm_cell_native.h
_thnn_fused_lstm_cell_ops.h
_to_copy.h
_to_copy_compositeexplicitautograd_dispatch.h
_to_copy_native.h
_to_copy_ops.h
_to_cpu.h
_to_cpu_compositeimplicitautograd_dispatch.h
_to_cpu_native.h
_to_cpu_ops.h
_to_dense.h
_to_dense_compositeexplicitautograd_dispatch.h
_to_dense_native.h
_to_dense_ops.h
_to_sparse.h
_to_sparse_bsc.h
_to_sparse_bsc_compositeexplicitautograd_dispatch.h
_to_sparse_bsc_cpu_dispatch.h
_to_sparse_bsc_cuda_dispatch.h
_to_sparse_bsc_native.h
_to_sparse_bsc_ops.h
_to_sparse_bsr.h
_to_sparse_bsr_compositeexplicitautograd_dispatch.h
_to_sparse_bsr_cpu_dispatch.h

```

```

—to_sparse_bsr_cuda_dispatch.h
—to_sparse_bsr_native.h
—to_sparse_bsr_ops.h
—to_sparse_compositeexplicitautograd_dispatch.h
—to_sparse_cpu_dispatch.h
—to_sparse_csc.h
—to_sparse_csc_compositeexplicitautograd_dispatch.h
—to_sparse_csc_cpu_dispatch.h
—to_sparse_csc_cuda_dispatch.h
—to_sparse_csc_native.h
—to_sparse_csc_ops.h
—to_sparse_csr.h
—to_sparse_csr_compositeexplicitautograd_dispatch.h
—to_sparse_csr_cpu_dispatch.h
—to_sparse_csr_cuda_dispatch.h
—to_sparse_csr_native.h
—to_sparse_csr_ops.h
—to_sparse_cuda_dispatch.h
—to_sparse_native.h
—to_sparse_ops.h
—to_sparse_semi_structured.h
—to_sparse_semi_structured_cuda_dispatch.h
—to_sparse_semi_structured_native.h
—to_sparse_semi_structured_ops.h
—transform_bias_rescale_qkv.h
—transform_bias_rescale_qkv_compositeexplicitautograd_dispatch.h
—transform_bias_rescale_qkv_cpu_dispatch.h
—transform_bias_rescale_qkv_cuda_dispatch.h
—transform_bias_rescale_qkv_native.h
—transform_bias_rescale_qkv_ops.h
—transformer_encoder_layer_fwd.h
—transformer_encoder_layer_fwd_compositeexplicitautograd_dispatch.h
—transformer_encoder_layer_fwd_cpu_dispatch.h
—transformer_encoder_layer_fwd_cuda_dispatch.h
—transformer_encoder_layer_fwd_native.h
—transformer_encoder_layer_fwd_ops.h
—trilinear.h
—trilinear_compositeexplicitautograd_dispatch.h
—trilinear_compositeexplicitautogradnonfunctional_dispatch.h
—trilinear_native.h
—trilinear_ops.h
—triton_multi_head_attention.h
—triton_multi_head_attention_compositeexplicitautograd_dispatch.h
—triton_multi_head_attention_cuda_dispatch.h
—triton_multi_head_attention_native.h
—triton_multi_head_attention_ops.h
—triton_scaled_dot_attention.h
—triton_scaled_dot_attention_compositeexplicitautograd_dispatch.h
—triton_scaled_dot_attention_cuda_dispatch.h
—triton_scaled_dot_attention_native.h
—triton_scaled_dot_attention_ops.h
—unique.h
—unique2.h
—unique2_compositeexplicitautograd_dispatch.h
—unique2_cpu_dispatch.h
—unique2_cuda_dispatch.h
—unique2_native.h
—unique2_ops.h
—unique_compositeexplicitautograd_dispatch.h
—unique_cpu_dispatch.h
—unique_cuda_dispatch.h
—unique_native.h
—unique_ops.h
—unpack_dual.h
—unpack_dual_compositeimplicitautograd_dispatch.h
—unpack_dual_native.h
—unpack_dual_ops.h
—unsafe_index.h
—unsafe_index_compositeexplicitautograd_dispatch.h
—unsafe_index_native.h
—unsafe_index_ops.h
—unsafe_index_put.h
—unsafe_index_put_compositeexplicitautograd_dispatch.h
—unsafe_index_put_native.h
—unsafe_index_put_ops.h
—unsafe_masked_index.h
—unsafe_masked_index_compositeexplicitautograd_dispatch.h
—unsafe_masked_index_native.h
—unsafe_masked_index_ops.h
—unsafe_masked_index_put_accumulate.h
—unsafe_masked_index_put_accumulate_compositeexplicitautograd_dispatch.h
—unsafe_masked_index_put_accumulate_native.h
—unsafe_masked_index_put_accumulate_ops.h
—unsafe_view.h
—unsafe_view_compositeexplicitautograd_dispatch.h

```

—\_unsafe\_view\_native.h  
—\_unsafe\_view\_ops.h  
—upsample\_bicubic2d\_aa.h  
—upsample\_bicubic2d\_aa\_backward.h  
—upsample\_bicubic2d\_aa\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
—upsample\_bicubic2d\_aa\_backward\_cpu\_dispatch.h  
—upsample\_bicubic2d\_aa\_backward\_cuda\_dispatch.h  
—upsample\_bicubic2d\_aa\_backward\_meta.h  
—upsample\_bicubic2d\_aa\_backward\_meta\_dispatch.h  
—upsample\_bicubic2d\_aa\_backward\_native.h  
—upsample\_bicubic2d\_aa\_backward\_ops.h  
—upsample\_bicubic2d\_aa\_compositeexplicitautogradnonfunctional\_dispatch.h  
—upsample\_bicubic2d\_aa\_compositeimplicitautograd\_dispatch.h  
—upsample\_bicubic2d\_aa\_cpu\_dispatch.h  
—upsample\_bicubic2d\_aa\_cuda\_dispatch.h  
—upsample\_bicubic2d\_aa\_meta.h  
—upsample\_bicubic2d\_aa\_meta\_dispatch.h  
—upsample\_bicubic2d\_aa\_native.h  
—upsample\_bicubic2d\_aa\_ops.h  
—upsample\_bilinear2d\_aa.h  
—upsample\_bilinear2d\_aa\_backward.h  
—upsample\_bilinear2d\_aa\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
—upsample\_bilinear2d\_aa\_backward\_cpu\_dispatch.h  
—upsample\_bilinear2d\_aa\_backward\_cuda\_dispatch.h  
—upsample\_bilinear2d\_aa\_backward\_meta.h  
—upsample\_bilinear2d\_aa\_backward\_meta\_dispatch.h  
—upsample\_bilinear2d\_aa\_backward\_native.h  
—upsample\_bilinear2d\_aa\_backward\_ops.h  
—upsample\_bilinear2d\_aa\_compositeexplicitautogradnonfunctional\_dispatch.h  
—upsample\_bilinear2d\_aa\_compositeimplicitautograd\_dispatch.h  
—upsample\_bilinear2d\_aa\_cpu\_dispatch.h  
—upsample\_bilinear2d\_aa\_cuda\_dispatch.h  
—upsample\_bilinear2d\_aa\_meta.h  
—upsample\_bilinear2d\_aa\_meta\_dispatch.h  
—upsample\_bilinear2d\_aa\_native.h  
—upsample\_bilinear2d\_aa\_ops.h  
—upsample\_lanczos2d\_aa.h  
—upsample\_lanczos2d\_aa\_backward.h  
—upsample\_lanczos2d\_aa\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
—upsample\_lanczos2d\_aa\_backward\_cpu\_dispatch.h  
—upsample\_lanczos2d\_aa\_backward\_meta.h  
—upsample\_lanczos2d\_aa\_backward\_meta\_dispatch.h  
—upsample\_lanczos2d\_aa\_backward\_native.h  
—upsample\_lanczos2d\_aa\_backward\_ops.h  
—upsample\_lanczos2d\_aa\_compositeexplicitautogradnonfunctional\_dispatch.h  
—upsample\_lanczos2d\_aa\_compositeimplicitautograd\_dispatch.h  
—upsample\_lanczos2d\_aa\_cpu\_dispatch.h  
—upsample\_lanczos2d\_aa\_meta.h  
—upsample\_lanczos2d\_aa\_meta\_dispatch.h  
—upsample\_lanczos2d\_aa\_native.h  
—upsample\_lanczos2d\_aa\_ops.h  
—upsample\_nearest\_exact1d.h  
—upsample\_nearest\_exact1d\_backward.h  
—upsample\_nearest\_exact1d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
—upsample\_nearest\_exact1d\_backward\_cpu\_dispatch.h  
—upsample\_nearest\_exact1d\_backward\_cuda\_dispatch.h  
—upsample\_nearest\_exact1d\_backward\_meta.h  
—upsample\_nearest\_exact1d\_backward\_meta\_dispatch.h  
—upsample\_nearest\_exact1d\_backward\_native.h  
—upsample\_nearest\_exact1d\_backward\_ops.h  
—upsample\_nearest\_exact1d\_compositeexplicitautogradnonfunctional\_dispatch.h  
—upsample\_nearest\_exact1d\_compositeimplicitautograd\_dispatch.h  
—upsample\_nearest\_exact1d\_cpu\_dispatch.h  
—upsample\_nearest\_exact1d\_cuda\_dispatch.h  
—upsample\_nearest\_exact1d\_meta.h  
—upsample\_nearest\_exact1d\_meta\_dispatch.h  
—upsample\_nearest\_exact1d\_native.h  
—upsample\_nearest\_exact1d\_ops.h  
—upsample\_nearest\_exact2d.h  
—upsample\_nearest\_exact2d\_backward.h  
—upsample\_nearest\_exact2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
—upsample\_nearest\_exact2d\_backward\_cpu\_dispatch.h  
—upsample\_nearest\_exact2d\_backward\_cuda\_dispatch.h  
—upsample\_nearest\_exact2d\_backward\_meta.h  
—upsample\_nearest\_exact2d\_backward\_meta\_dispatch.h  
—upsample\_nearest\_exact2d\_backward\_native.h  
—upsample\_nearest\_exact2d\_backward\_ops.h  
—upsample\_nearest\_exact2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
—upsample\_nearest\_exact2d\_compositeimplicitautograd\_dispatch.h  
—upsample\_nearest\_exact2d\_cpu\_dispatch.h  
—upsample\_nearest\_exact2d\_cuda\_dispatch.h  
—upsample\_nearest\_exact2d\_meta.h  
—upsample\_nearest\_exact2d\_meta\_dispatch.h  
—upsample\_nearest\_exact2d\_native.h  
—upsample\_nearest\_exact2d\_ops.h

— \_upsample\_nearest\_exact3d.h  
— \_upsample\_nearest\_exact3d\_backward.h  
— \_upsample\_nearest\_exact3d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— \_upsample\_nearest\_exact3d\_backward\_cpu\_dispatch.h  
— \_upsample\_nearest\_exact3d\_backward\_cuda\_dispatch.h  
— \_upsample\_nearest\_exact3d\_backward\_meta.h  
— \_upsample\_nearest\_exact3d\_backward\_meta\_dispatch.h  
— \_upsample\_nearest\_exact3d\_backward\_native.h  
— \_upsample\_nearest\_exact3d\_backward\_ops.h  
— \_upsample\_nearest\_exact3d\_compositeexplicitautogradnonfunctional\_dispatch.h  
— \_upsample\_nearest\_exact3d\_compositeimplicitautograd\_dispatch.h  
— \_upsample\_nearest\_exact3d\_cpu\_dispatch.h  
— \_upsample\_nearest\_exact3d\_cuda\_dispatch.h  
— \_upsample\_nearest\_exact3d\_meta.h  
— \_upsample\_nearest\_exact3d\_meta\_dispatch.h  
— \_upsample\_nearest\_exact3d\_native.h  
— \_upsample\_nearest\_exact3d\_ops.h  
— \_use\_cudnn\_ctc\_loss.h  
— \_use\_cudnn\_ctc\_loss\_cuda\_dispatch.h  
— \_use\_cudnn\_ctc\_loss\_native.h  
— \_use\_cudnn\_ctc\_loss\_ops.h  
— \_use\_cudnn\_rnn\_flatten\_weight.h  
— \_use\_cudnn\_rnn\_flatten\_weight\_compositeimplicitautograd\_dispatch.h  
— \_use\_cudnn\_rnn\_flatten\_weight\_native.h  
— \_use\_cudnn\_rnn\_flatten\_weight\_ops.h  
— \_use\_miopen\_ctc\_loss.h  
— \_use\_miopen\_ctc\_loss\_cuda\_dispatch.h  
— \_use\_miopen\_ctc\_loss\_native.h  
— \_use\_miopen\_ctc\_loss\_ops.h  
— \_validate\_compressed\_sparse\_indices.h  
— \_validate\_compressed\_sparse\_indices\_cpu\_dispatch.h  
— \_validate\_compressed\_sparse\_indices\_cuda\_dispatch.h  
— \_validate\_compressed\_sparse\_indices\_native.h  
— \_validate\_compressed\_sparse\_indices\_ops.h  
— \_validate\_sparse\_bsc\_tensor\_args.h  
— \_validate\_sparse\_bsc\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
— \_validate\_sparse\_bsc\_tensor\_args\_native.h  
— \_validate\_sparse\_bsc\_tensor\_args\_ops.h  
— \_validate\_sparse\_bsr\_tensor\_args.h  
— \_validate\_sparse\_bsr\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
— \_validate\_sparse\_bsr\_tensor\_args\_native.h  
— \_validate\_sparse\_bsr\_tensor\_args\_ops.h  
— \_validate\_sparse\_compressed\_tensor\_args.h  
— \_validate\_sparse\_compressed\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
— \_validate\_sparse\_compressed\_tensor\_args\_native.h  
— \_validate\_sparse\_compressed\_tensor\_args\_ops.h  
— \_validate\_sparse\_coo\_tensor\_args.h  
— \_validate\_sparse\_coo\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
— \_validate\_sparse\_coo\_tensor\_args\_native.h  
— \_validate\_sparse\_coo\_tensor\_args\_ops.h  
— \_validate\_sparse\_csc\_tensor\_args.h  
— \_validate\_sparse\_csc\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
— \_validate\_sparse\_csc\_tensor\_args\_native.h  
— \_validate\_sparse\_csc\_tensor\_args\_ops.h  
— \_validate\_sparse\_csr\_tensor\_args.h  
— \_validate\_sparse\_csr\_tensor\_args\_compositeimplicitautograd\_dispatch.h  
— \_validate\_sparse\_csr\_tensor\_args\_native.h  
— \_validate\_sparse\_csr\_tensor\_args\_ops.h  
— \_values.h  
— \_values\_copy.h  
— \_values\_copy\_compositeexplicitautograd\_dispatch.h  
— \_values\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
— \_values\_copy\_native.h  
— \_values\_copy\_ops.h  
— \_values\_native.h  
— \_values\_ops.h  
— \_version.h  
— \_version\_compositeimplicitautograd\_dispatch.h  
— \_version\_native.h  
— \_version\_ops.h  
— \_weight\_int4pack\_mm.h  
— \_weight\_int4pack\_mm\_cuda\_dispatch.h  
— \_weight\_int4pack\_mm\_for\_cpu.h  
— \_weight\_int4pack\_mm\_for\_cpu\_cpu\_dispatch.h  
— \_weight\_int4pack\_mm\_for\_cpu\_native.h  
— \_weight\_int4pack\_mm\_for\_cpu\_ops.h  
— \_weight\_int4pack\_mm\_native.h  
— \_weight\_int4pack\_mm\_ops.h  
— \_weight\_int4pack\_mm\_with\_scales\_and\_zeros.h  
— \_weight\_int4pack\_mm\_with\_scales\_and\_zeros\_native.h  
— \_weight\_int4pack\_mm\_with\_scales\_and\_zeros\_ops.h  
— \_weight\_int8pack\_mm.h  
— \_weight\_int8pack\_mm\_cpu\_dispatch.h  
— \_weight\_int8pack\_mm\_cuda\_dispatch.h  
— \_weight\_int8pack\_mm\_native.h

```

— _weight_int8pack_mm_ops.h
— _weight_norm.h
— _weight_norm_compositeimplicitautograd_dispatch.h
— _weight_norm_differentiable_backward.h
— _weight_norm_differentiable_backward_compositeimplicitautograd_dispatch.h
— _weight_norm_differentiable_backward_native.h
— _weight_norm_differentiable_backward_ops.h
— _weight_norm_interface.h
— _weight_norm_interface_backward.h
— _weight_norm_interface_backward_compositeexplicitautograd_dispatch.h
— _weight_norm_interface_backward_cpu_dispatch.h
— _weight_norm_interface_backward_cuda_dispatch.h
— _weight_norm_interface_backward_native.h
— _weight_norm_interface_backward_ops.h
— _weight_norm_interface_compositeexplicitautograd_dispatch.h
— _weight_norm_interface_cpu_dispatch.h
— _weight_norm_interface_cuda_dispatch.h
— _weight_norm_interface_native.h
— _weight_norm_interface_ops.h
— _weight_norm_native.h
— _weight_norm_ops.h
— _wrapped_linear_prepack.h
— _wrapped_linear_prepack_compositeimplicitautograd_dispatch.h
— _wrapped_linear_prepack_native.h
— _wrapped_linear_prepack_ops.h
— _wrapped_quantized_linear_prepacked.h
— _wrapped_quantized_linear_prepacked_compositeimplicitautograd_dispatch.h
— _wrapped_quantized_linear_prepacked_native.h
— _wrapped_quantized_linear_prepacked_ops.h
abs.h
abs_compositeexplicitautograd_dispatch.h
abs_cpu_dispatch.h
abs_cuda_dispatch.h
abs_native.h
abs_ops.h
absolute.h
absolute_compositeimplicitautograd_dispatch.h
absolute_native.h
absolute_ops.h
acos.h
acos_compositeexplicitautogradnonfunctional_dispatch.h
acos_cpu_dispatch.h
acos_cuda_dispatch.h
acos_meta.h
acos_meta_dispatch.h
acos_native.h
acos_ops.h
acosh.h
acosh_compositeexplicitautogradnonfunctional_dispatch.h
acosh_cpu_dispatch.h
acosh_cuda_dispatch.h
acosh_meta.h
acosh_meta_dispatch.h
acosh_native.h
acosh_ops.h
adaptive_avg_pool1d.h
adaptive_avg_pool1d_compositeexplicitautograd_dispatch.h
adaptive_avg_pool1d_compositeimplicitautograd_dispatch.h
adaptive_avg_pool1d_native.h
adaptive_avg_pool1d_ops.h
adaptive_avg_pool2d.h
adaptive_avg_pool2d_compositeimplicitautograd_dispatch.h
adaptive_avg_pool2d_cpu_dispatch.h
adaptive_avg_pool2d_cuda_dispatch.h
adaptive_avg_pool2d_native.h
adaptive_avg_pool2d_ops.h
adaptive_avg_pool3d.h
adaptive_avg_pool3d_backward.h
adaptive_avg_pool3d_backward_cpu_dispatch.h
adaptive_avg_pool3d_backward_cuda_dispatch.h
adaptive_avg_pool3d_backward_native.h
adaptive_avg_pool3d_backward_ops.h
adaptive_avg_pool3d_compositeimplicitautograd_dispatch.h
adaptive_avg_pool3d_cpu_dispatch.h
adaptive_avg_pool3d_cuda_dispatch.h
adaptive_avg_pool3d_native.h
adaptive_avg_pool3d_ops.h
adaptive_max_pool1d.h
adaptive_max_pool1d_compositeimplicitautograd_dispatch.h
adaptive_max_pool1d_native.h
adaptive_max_pool1d_ops.h
adaptive_max_pool2d.h
adaptive_max_pool2d_backward.h
adaptive_max_pool2d_backward_compositeexplicitautogradnonfunctional_dispatch.h
adaptive_max_pool2d_backward_cpu_dispatch.h

```

```

— adaptive_max_pool2d_backward_cuda_dispatch.h
— adaptive_max_pool2d_backward_meta.h
— adaptive_max_pool2d_backward_meta_dispatch.h
— adaptive_max_pool2d_backward_native.h
— adaptive_max_pool2d_backward_ops.h
— adaptive_max_pool2d_compositeexplicitautogradnonfunctional_dispatch.h
— adaptive_max_pool2d_cpu_dispatch.h
— adaptive_max_pool2d_cuda_dispatch.h
— adaptive_max_pool2d_meta.h
— adaptive_max_pool2d_meta_dispatch.h
— adaptive_max_pool2d_native.h
— adaptive_max_pool2d_ops.h
— adaptive_max_pool3d.h
— adaptive_max_pool3d_backward.h
— adaptive_max_pool3d_backward_compositeexplicitautogradnonfunctional_dispatch.h
— adaptive_max_pool3d_backward_cpu_dispatch.h
— adaptive_max_pool3d_backward_cuda_dispatch.h
— adaptive_max_pool3d_backward_meta.h
— adaptive_max_pool3d_backward_meta_dispatch.h
— adaptive_max_pool3d_backward_native.h
— adaptive_max_pool3d_backward_ops.h
— adaptive_max_pool3d_compositeexplicitautogradnonfunctional_dispatch.h
— adaptive_max_pool3d_cpu_dispatch.h
— adaptive_max_pool3d_cuda_dispatch.h
— adaptive_max_pool3d_meta.h
— adaptive_max_pool3d_meta_dispatch.h
— adaptive_max_pool3d_native.h
— adaptive_max_pool3d_ops.h
— add.h
— add_compositeexplicitautograd_dispatch.h
— add_compositeexplicitautogradnonfunctional_dispatch.h
— add_cpu_dispatch.h
— add_cuda_dispatch.h
— add_meta.h
— add_meta_dispatch.h
— add_native.h
— add_ops.h
— addbmm.h
— addbmm_cpu_dispatch.h
— addbmm_cuda_dispatch.h
— addbmm_meta_dispatch.h
— addbmm_native.h
— addbmm_ops.h
— addcddiv.h
— addcddiv_compositeexplicitautogradnonfunctional_dispatch.h
— addcddiv_cpu_dispatch.h
— addcddiv_cuda_dispatch.h
— addcddiv_meta.h
— addcddiv_meta_dispatch.h
— addcddiv_native.h
— addcddiv_ops.h
— addcmul.h
— addcmul_compositeexplicitautogradnonfunctional_dispatch.h
— addcmul_cpu_dispatch.h
— addcmul_cuda_dispatch.h
— addcmul_meta.h
— addcmul_meta_dispatch.h
— addcmul_native.h
— addcmul_ops.h
— addmm.h
— addmm_compositeexplicitautogradnonfunctional_dispatch.h
— addmm_cpu_dispatch.h
— addmm_cuda_dispatch.h
— addmm_meta.h
— addmm_meta_dispatch.h
— addmm_native.h
— addmm_ops.h
— addmv.h
— addmv_compositeexplicitautogradnonfunctional_dispatch.h
— addmv_cpu_dispatch.h
— addmv_cuda_dispatch.h
— addmv_meta.h
— addmv_meta_dispatch.h
— addmv_native.h
— addmv_ops.h
— addr.h
— addr_compositeexplicitautograd_dispatch.h
— addr_cpu_dispatch.h
— addr_cuda_dispatch.h
— addr_native.h
— addr_ops.h
— adjoint.h
— adjoint_compositeimplicitautograd_dispatch.h
— adjoint_native.h
— adjoint_ops.h

```

- affine\_grid\_generator.h
- affine\_grid\_generator\_backward.h
- affine\_grid\_generator\_backward\_compositeimplicitautograd\_dispatch.h
- affine\_grid\_generator\_backward\_native.h
- affine\_grid\_generator\_backward\_ops.h
- affine\_grid\_generator\_compositeexplicitautograd\_dispatch.h
- affine\_grid\_generator\_native.h
- affine\_grid\_generator\_ops.h
- alias.h
- alias\_compositeexplicitautograd\_dispatch.h
- alias\_copy.h
- alias\_copy\_compositeexplicitautograd\_dispatch.h
- alias\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- alias\_copy\_native.h
- alias\_copy\_ops.h
- alias\_native.h
- alias\_ops.h
- align\_as.h
- align\_as\_compositeimplicitautograd\_dispatch.h
- align\_as\_native.h
- align\_as\_ops.h
- align\_tensors.h
- align\_tensors\_compositeimplicitautograd\_dispatch.h
- align\_tensors\_native.h
- align\_tensors\_ops.h
- align\_to.h
- align\_to\_compositeimplicitautograd\_dispatch.h
- align\_to\_native.h
- align\_to\_ops.h
- all.h
- all\_compositeexplicitautograd\_dispatch.h
- all\_compositeexplicitautogradnonfunctional\_dispatch.h
- all\_compositeimplicitautograd\_dispatch.h
- all\_cpu\_dispatch.h
- all\_cuda\_dispatch.h
- all\_meta.h
- all\_meta\_dispatch.h
- all\_native.h
- all\_ops.h
- allclose.h
- allclose\_compositeexplicitautograd\_dispatch.h
- allclose\_native.h
- allclose\_ops.h
- alpha\_dropout.h
- alpha\_dropout\_compositeimplicitautograd\_dispatch.h
- alpha\_dropout\_native.h
- alpha\_dropout\_ops.h
- amax.h
- amax\_compositeexplicitautogradnonfunctional\_dispatch.h
- amax\_cpu\_dispatch.h
- amax\_cuda\_dispatch.h
- amax\_meta.h
- amax\_meta\_dispatch.h
- amax\_native.h
- amax\_ops.h
- amin.h
- amin\_compositeexplicitautogradnonfunctional\_dispatch.h
- amin\_cpu\_dispatch.h
- amin\_cuda\_dispatch.h
- amin\_meta.h
- amin\_meta\_dispatch.h
- amin\_native.h
- amin\_ops.h
- aminmax.h
- aminmax\_compositeexplicitautogradnonfunctional\_dispatch.h
- aminmax\_cpu\_dispatch.h
- aminmax\_cuda\_dispatch.h
- aminmax\_meta.h
- aminmax\_meta\_dispatch.h
- aminmax\_native.h
- aminmax\_ops.h
- and.h
- and\_compositeimplicitautograd\_dispatch.h
- and\_native.h
- and\_ops.h
- angle.h
- angle\_cpu\_dispatch.h
- angle\_cuda\_dispatch.h
- angle\_native.h
- angle\_ops.h
- any.h
- any\_compositeexplicitautograd\_dispatch.h
- any\_compositeexplicitautogradnonfunctional\_dispatch.h
- any\_compositeimplicitautograd\_dispatch.h
- any\_cpu\_dispatch.h

```

— any_cuda_dispatch.h
— any_meta.h
— any_meta_dispatch.h
— any_native.h
— any_ops.h
— arange.h
— arange_compositeexplicitautograd_dispatch.h
— arange_cpu_dispatch.h
— arange_cuda_dispatch.h
— arange_meta_dispatch.h
— arange_native.h
— arange_ops.h
— arccos.h
— arccos_compositeimplicitautograd_dispatch.h
— arccos_native.h
— arccos_ops.h
— arccosh.h
— arccosh_compositeimplicitautograd_dispatch.h
— arccosh_native.h
— arccosh_ops.h
— arcsin.h
— arcsin_compositeimplicitautograd_dispatch.h
— arcsin_native.h
— arcsin_ops.h
— arsinh.h
— arsinh_compositeimplicitautograd_dispatch.h
— arsinh_native.h
— arsinh_ops.h
— arctan.h
— arctan2.h
— arctan2_compositeimplicitautograd_dispatch.h
— arctan2_native.h
— arctan2_ops.h
— arctan_compositeimplicitautograd_dispatch.h
— arctan_native.h
— arctan_ops.h
— arctanh.h
— arctanh_compositeimplicitautograd_dispatch.h
— arctanh_native.h
— arctanh_ops.h
— argmax.h
— argmax_compositeexplicitautogradnonfunctional_dispatch.h
— argmax_cpu_dispatch.h
— argmax_cuda_dispatch.h
— argmax_meta.h
— argmax_meta_dispatch.h
— argmax_native.h
— argmax_ops.h
— argmin.h
— argmin_compositeexplicitautogradnonfunctional_dispatch.h
— argmin_cpu_dispatch.h
— argmin_cuda_dispatch.h
— argmin_meta.h
— argmin_meta_dispatch.h
— argmin_native.h
— argmin_ops.h
— argsort.h
— argsort_compositeimplicitautograd_dispatch.h
— argsort_native.h
— argsort_ops.h
— argwhere.h
— argwhere_compositeimplicitautograd_dispatch.h
— argwhere_native.h
— argwhere_ops.h
— as_strided.h
— as_strided_compositeexplicitautogradnonfunctional_dispatch.h
— as_strided_copy.h
— as_strided_copy_compositeexplicitautograd_dispatch.h
— as_strided_copy_compositeexplicitautogradnonfunctional_dispatch.h
— as_strided_copy_native.h
— as_strided_copy_ops.h
— as_strided_cpu_dispatch.h
— as_strided_cuda_dispatch.h
— as_strided_meta_dispatch.h
— as_strided_native.h
— as_strided_ops.h
— as_strided_scatter.h
— as_strided_scatter_compositeexplicitautograd_dispatch.h
— as_strided_scatter_compositeexplicitautogradnonfunctional_dispatch.h
— as_strided_scatter_native.h
— as_strided_scatter_ops.h
— asin.h
— asin_compositeexplicitautogradnonfunctional_dispatch.h
— asin_cpu_dispatch.h
— asin_cuda_dispatch.h

```



— asin\_meta.h  
— asin\_meta\_dispatch.h  
— asin\_native.h  
— asin\_ops.h  
— asinh.h  
— asinh\_compositeexplicitautogradnonfunctional\_dispatch.h  
— asinh\_cpu\_dispatch.h  
— asinh\_cuda\_dispatch.h  
— asinh\_meta.h  
— asinh\_meta\_dispatch.h  
— asinh\_native.h  
— asinh\_ops.h  
— atan.h  
— atan2.h  
— atan2\_compositeexplicitautogradnonfunctional\_dispatch.h  
— atan2\_cpu\_dispatch.h  
— atan2\_cuda\_dispatch.h  
— atan2\_meta.h  
— atan2\_meta\_dispatch.h  
— atan2\_native.h  
— atan2\_ops.h  
— atan\_compositeexplicitautogradnonfunctional\_dispatch.h  
— atan\_cpu\_dispatch.h  
— atan\_cuda\_dispatch.h  
— atan\_meta.h  
— atan\_meta\_dispatch.h  
— atan\_native.h  
— atan\_ops.h  
— atanh.h  
— atanh\_compositeexplicitautogradnonfunctional\_dispatch.h  
— atanh\_cpu\_dispatch.h  
— atanh\_cuda\_dispatch.h  
— atanh\_meta.h  
— atanh\_meta\_dispatch.h  
— atanh\_native.h  
— atanh\_ops.h  
— atleast\_1d.h  
— atleast\_1d\_compositeimplicitautograd\_dispatch.h  
— atleast\_1d\_native.h  
— atleast\_1d\_ops.h  
— atleast\_2d.h  
— atleast\_2d\_compositeimplicitautograd\_dispatch.h  
— atleast\_2d\_native.h  
— atleast\_2d\_ops.h  
— atleast\_3d.h  
— atleast\_3d\_compositeimplicitautograd\_dispatch.h  
— atleast\_3d\_native.h  
— atleast\_3d\_ops.h  
— avg\_pool1d.h  
— avg\_pool1d\_compositeexplicitautograd\_dispatch.h  
— avg\_pool1d\_compositeimplicitautograd\_dispatch.h  
— avg\_pool1d\_native.h  
— avg\_pool1d\_ops.h  
— avg\_pool2d.h  
— avg\_pool2d\_backward.h  
— avg\_pool2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— avg\_pool2d\_backward\_cpu\_dispatch.h  
— avg\_pool2d\_backward\_cuda\_dispatch.h  
— avg\_pool2d\_backward\_meta.h  
— avg\_pool2d\_backward\_meta\_dispatch.h  
— avg\_pool2d\_backward\_native.h  
— avg\_pool2d\_backward\_ops.h  
— avg\_pool2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
— avg\_pool2d\_cpu\_dispatch.h  
— avg\_pool2d\_cuda\_dispatch.h  
— avg\_pool2d\_meta.h  
— avg\_pool2d\_meta\_dispatch.h  
— avg\_pool2d\_native.h  
— avg\_pool2d\_ops.h  
— avg\_pool3d.h  
— avg\_pool3d\_backward.h  
— avg\_pool3d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— avg\_pool3d\_backward\_cpu\_dispatch.h  
— avg\_pool3d\_backward\_cuda\_dispatch.h  
— avg\_pool3d\_backward\_meta.h  
— avg\_pool3d\_backward\_meta\_dispatch.h  
— avg\_pool3d\_backward\_native.h  
— avg\_pool3d\_backward\_ops.h  
— avg\_pool3d\_compositeexplicitautogradnonfunctional\_dispatch.h  
— avg\_pool3d\_cpu\_dispatch.h  
— avg\_pool3d\_cuda\_dispatch.h  
— avg\_pool3d\_meta.h  
— avg\_pool3d\_meta\_dispatch.h  
— avg\_pool3d\_native.h  
— avg\_pool3d\_ops.h

- baddbmm.h
- baddbmm\_compositeexplicitautogradnonfunctional\_dispatch.h
- baddbmm\_cpu\_dispatch.h
- baddbmm\_cuda\_dispatch.h
- baddbmm\_meta.h
- baddbmm\_meta\_dispatch.h
- baddbmm\_native.h
- baddbmm\_ops.h
- bartlett\_window.h
- bartlett\_window\_compositeexplicitautograd\_dispatch.h
- bartlett\_window\_native.h
- bartlett\_window\_ops.h
- batch\_norm.h
- batch\_norm\_backward.h
- batch\_norm\_backward\_cpu\_dispatch.h
- batch\_norm\_backward\_cuda\_dispatch.h
- batch\_norm\_backward\_elemt.h
- batch\_norm\_backward\_elemt\_compositeexplicitautograd\_dispatch.h
- batch\_norm\_backward\_elemt\_cuda\_dispatch.h
- batch\_norm\_backward\_elemt\_native.h
- batch\_norm\_backward\_elemt\_ops.h
- batch\_norm\_backward\_native.h
- batch\_norm\_backward\_ops.h
- batch\_norm\_backward\_reduce.h
- batch\_norm\_backward\_reduce\_compositeexplicitautograd\_dispatch.h
- batch\_norm\_backward\_reduce\_cuda\_dispatch.h
- batch\_norm\_backward\_reduce\_native.h
- batch\_norm\_backward\_reduce\_ops.h
- batch\_norm\_compositeimplicitautograd\_dispatch.h
- batch\_norm\_elemt.h
- batch\_norm\_elemt\_cuda\_dispatch.h
- batch\_norm\_elemt\_native.h
- batch\_norm\_elemt\_ops.h
- batch\_norm\_gather\_stats.h
- batch\_norm\_gather\_stats\_compositeexplicitautograd\_dispatch.h
- batch\_norm\_gather\_stats\_cuda\_dispatch.h
- batch\_norm\_gather\_stats\_native.h
- batch\_norm\_gather\_stats\_ops.h
- batch\_norm\_gather\_stats\_with\_counts.h
- batch\_norm\_gather\_stats\_with\_counts\_compositeexplicitautograd\_dispatch.h
- batch\_norm\_gather\_stats\_with\_counts\_cuda\_dispatch.h
- batch\_norm\_gather\_stats\_with\_counts\_native.h
- batch\_norm\_gather\_stats\_with\_counts\_ops.h
- batch\_norm\_native.h
- batch\_norm\_ops.h
- batch\_norm\_stats.h
- batch\_norm\_stats\_compositeexplicitautograd\_dispatch.h
- batch\_norm\_stats\_cuda\_dispatch.h
- batch\_norm\_stats\_native.h
- batch\_norm\_stats\_ops.h
- batch\_norm\_update\_stats.h
- batch\_norm\_update\_stats\_compositeexplicitautograd\_dispatch.h
- batch\_norm\_update\_stats\_cpu\_dispatch.h
- batch\_norm\_update\_stats\_cuda\_dispatch.h
- batch\_norm\_update\_stats\_native.h
- batch\_norm\_update\_stats\_ops.h
- bernoulli.h
- bernoulli\_compositeexplicitautograd\_dispatch.h
- bernoulli\_compositeexplicitautogradnonfunctional\_dispatch.h
- bernoulli\_cpu\_dispatch.h
- bernoulli\_cuda\_dispatch.h
- bernoulli\_meta\_dispatch.h
- bernoulli\_native.h
- bernoulli\_ops.h
- bilinear.h
- bilinear\_compositeimplicitautograd\_dispatch.h
- bilinear\_native.h
- bilinear\_ops.h
- binary\_cross\_entropy.h
- binary\_cross\_entropy\_backward.h
- binary\_cross\_entropy\_backward\_cpu\_dispatch.h
- binary\_cross\_entropy\_backward\_cuda\_dispatch.h
- binary\_cross\_entropy\_backward\_native.h
- binary\_cross\_entropy\_backward\_ops.h
- binary\_cross\_entropy\_cpu\_dispatch.h
- binary\_cross\_entropy\_cuda\_dispatch.h
- binary\_cross\_entropy\_native.h
- binary\_cross\_entropy\_ops.h
- binary\_cross\_entropy\_with\_logits.h
- binary\_cross\_entropy\_with\_logits\_compositeexplicitautograd\_dispatch.h
- binary\_cross\_entropy\_with\_logits\_native.h
- binary\_cross\_entropy\_with\_logits\_ops.h
- bincount.h
- bincount\_compositeexplicitautograd\_dispatch.h
- bincount\_cpu\_dispatch.h

- bincount\_cuda\_dispatch.h
- bincount\_native.h
- bincount\_ops.h
- binomial.h
- binomial\_compositeexplicitautograd\_dispatch.h
- binomial\_cpu\_dispatch.h
- binomial\_cuda\_dispatch.h
- binomial\_native.h
- binomial\_ops.h
- bitwise\_and.h
- bitwise\_and\_compositeexplicitautograd\_dispatch.h
- bitwise\_and\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_and\_cpu\_dispatch.h
- bitwise\_and\_cuda\_dispatch.h
- bitwise\_and\_meta.h
- bitwise\_and\_meta\_dispatch.h
- bitwise\_and\_native.h
- bitwise\_and\_ops.h
- bitwise\_left\_shift.h
- bitwise\_left\_shift\_compositeexplicitautograd\_dispatch.h
- bitwise\_left\_shift\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_left\_shift\_cpu\_dispatch.h
- bitwise\_left\_shift\_cuda\_dispatch.h
- bitwise\_left\_shift\_meta.h
- bitwise\_left\_shift\_meta\_dispatch.h
- bitwise\_left\_shift\_native.h
- bitwise\_left\_shift\_ops.h
- bitwise\_not.h
- bitwise\_not\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_not\_cpu\_dispatch.h
- bitwise\_not\_cuda\_dispatch.h
- bitwise\_not\_meta.h
- bitwise\_not\_meta\_dispatch.h
- bitwise\_not\_native.h
- bitwise\_not\_ops.h
- bitwise\_or.h
- bitwise\_or\_compositeexplicitautograd\_dispatch.h
- bitwise\_or\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_or\_cpu\_dispatch.h
- bitwise\_or\_cuda\_dispatch.h
- bitwise\_or\_meta.h
- bitwise\_or\_meta\_dispatch.h
- bitwise\_or\_native.h
- bitwise\_or\_ops.h
- bitwise\_right\_shift.h
- bitwise\_right\_shift\_compositeexplicitautograd\_dispatch.h
- bitwise\_right\_shift\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_right\_shift\_cpu\_dispatch.h
- bitwise\_right\_shift\_cuda\_dispatch.h
- bitwise\_right\_shift\_meta.h
- bitwise\_right\_shift\_meta\_dispatch.h
- bitwise\_right\_shift\_native.h
- bitwise\_right\_shift\_ops.h
- bitwise\_xor.h
- bitwise\_xor\_compositeexplicitautograd\_dispatch.h
- bitwise\_xor\_compositeexplicitautogradnonfunctional\_dispatch.h
- bitwise\_xor\_cpu\_dispatch.h
- bitwise\_xor\_cuda\_dispatch.h
- bitwise\_xor\_meta.h
- bitwise\_xor\_meta\_dispatch.h
- bitwise\_xor\_native.h
- bitwise\_xor\_ops.h
- blackman\_window.h
- blackman\_window\_compositeexplicitautograd\_dispatch.h
- blackman\_window\_native.h
- blackman\_window\_ops.h
- block\_diag.h
- block\_diag\_compositeexplicitautograd\_dispatch.h
- block\_diag\_native.h
- block\_diag\_ops.h
- bmm.h
- bmm\_compositeexplicitautogradnonfunctional\_dispatch.h
- bmm\_cpu\_dispatch.h
- bmm\_cuda\_dispatch.h
- bmm\_meta.h
- bmm\_meta\_dispatch.h
- bmm\_native.h
- bmm\_ops.h
- broadcast\_tensors.h
- broadcast\_tensors\_compositeimplicitautograd\_dispatch.h
- broadcast\_tensors\_native.h
- broadcast\_tensors\_ops.h
- broadcast\_to.h
- broadcast\_to\_compositeimplicitautograd\_dispatch.h
- broadcast\_to\_native.h

broadcast\_to\_ops.h  
 bucketize.h  
 bucketize\_compositeexplicitautograd\_dispatch.h  
 bucketize\_cpu\_dispatch.h  
 bucketize\_cuda\_dispatch.h  
 bucketize\_native.h  
 bucketize\_ops.h  
 can\_cast.h  
 can\_cast\_compositeimplicitautograd\_dispatch.h  
 can\_cast\_native.h  
 can\_cast\_ops.h  
 cartesian\_prod.h  
 cartesian\_prod\_compositeimplicitautograd\_dispatch.h  
 cartesian\_prod\_native.h  
 cartesian\_prod\_ops.h  
 cat.h  
 cat\_compositeexplicitautogradnonfunctional\_dispatch.h  
 cat\_compositeimplicitautograd\_dispatch.h  
 cat\_cpu\_dispatch.h  
 cat\_cuda\_dispatch.h  
 cat\_meta.h  
 cat\_meta\_dispatch.h  
 cat\_native.h  
 cat\_ops.h  
 cauchy.h  
 cauchy\_compositeexplicitautograd\_dispatch.h  
 cauchy\_cpu\_dispatch.h  
 cauchy\_cuda\_dispatch.h  
 cauchy\_meta\_dispatch.h  
 cauchy\_native.h  
 cauchy\_ops.h  
 ccol\_indices.h  
 ccol\_indices\_compositeexplicitautograd\_dispatch.h  
 ccol\_indices\_copy.h  
 ccol\_indices\_copy\_compositeexplicitautograd\_dispatch.h  
 ccol\_indices\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
 ccol\_indices\_copy\_native.h  
 ccol\_indices\_copy\_ops.h  
 ccol\_indices\_native.h  
 ccol\_indices\_ops.h  
 cdist.h  
 cdist\_compositeimplicitautograd\_dispatch.h  
 cdist\_native.h  
 cdist\_ops.h  
 ceil.h  
 ceil\_compositeexplicitautogradnonfunctional\_dispatch.h  
 ceil\_cpu\_dispatch.h  
 ceil\_cuda\_dispatch.h  
 ceil\_meta.h  
 ceil\_meta\_dispatch.h  
 ceil\_native.h  
 ceil\_ops.h  
 celu.h  
 celu\_compositeexplicitautograd\_dispatch.h  
 celu\_native.h  
 celu\_ops.h  
 chain\_matmul.h  
 chain\_matmul\_compositeimplicitautograd\_dispatch.h  
 chain\_matmul\_native.h  
 chain\_matmul\_ops.h  
 chalf.h  
 chalf\_compositeimplicitautograd\_dispatch.h  
 chalf\_native.h  
 chalf\_ops.h  
 channel\_shuffle.h  
 channel\_shuffle\_compositeexplicitautograd\_dispatch.h  
 channel\_shuffle\_cpu\_dispatch.h  
 channel\_shuffle\_cuda\_dispatch.h  
 channel\_shuffle\_native.h  
 channel\_shuffle\_ops.h  
 cholesky.h  
 cholesky\_cpu\_dispatch.h  
 cholesky\_cuda\_dispatch.h  
 cholesky\_inverse.h  
 cholesky\_inverse\_cpu\_dispatch.h  
 cholesky\_inverse\_cuda\_dispatch.h  
 cholesky\_inverse\_native.h  
 cholesky\_inverse\_ops.h  
 cholesky\_native.h  
 cholesky\_ops.h  
 cholesky\_solve.h  
 cholesky\_solve\_compositeexplicitautograd\_dispatch.h  
 cholesky\_solve\_native.h  
 cholesky\_solve\_ops.h  
 choose\_qparams\_optimized.h

- choose\_qparams\_optimized\_compositeimplicitautograd\_dispatch.h
- choose\_qparams\_optimized\_native.h
- choose\_qparams\_optimized\_ops.h
- chunk.h
- chunk\_compositeimplicitautograd\_dispatch.h
- chunk\_native.h
- chunk\_ops.h
- clamp.h
- clamp\_compositeexplicitautogradnonfunctional\_dispatch.h
- clamp\_cpu\_dispatch.h
- clamp\_cuda\_dispatch.h
- clamp\_max.h
- clamp\_max\_compositeexplicitautogradnonfunctional\_dispatch.h
- clamp\_max\_cpu\_dispatch.h
- clamp\_max\_cuda\_dispatch.h
- clamp\_max\_meta.h
- clamp\_max\_meta\_dispatch.h
- clamp\_max\_native.h
- clamp\_max\_ops.h
- clamp\_meta.h
- clamp\_meta\_dispatch.h
- clamp\_min.h
- clamp\_min\_compositeexplicitautogradnonfunctional\_dispatch.h
- clamp\_min\_cpu\_dispatch.h
- clamp\_min\_cuda\_dispatch.h
- clamp\_min\_meta.h
- clamp\_min\_meta\_dispatch.h
- clamp\_min\_native.h
- clamp\_min\_ops.h
- clamp\_native.h
- clamp\_ops.h
- clip.h
- clip\_compositeimplicitautograd\_dispatch.h
- clip\_native.h
- clip\_ops.h
- clone.h
- clone\_compositeexplicitautograd\_dispatch.h
- clone\_native.h
- clone\_ops.h
- coalesce.h
- coalesce\_compositeimplicitautograd\_dispatch.h
- coalesce\_native.h
- coalesce\_ops.h
- col2im.h
- col2im\_cpu\_dispatch.h
- col2im\_cuda\_dispatch.h
- col2im\_native.h
- col2im\_ops.h
- col\_indices.h
- col\_indices\_compositeexplicitautograd\_dispatch.h
- col\_indices\_copy.h
- col\_indices\_copy\_compositeexplicitautograd\_dispatch.h
- col\_indices\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- col\_indices\_copy\_native.h
- col\_indices\_copy\_ops.h
- col\_indices\_native.h
- col\_indices\_ops.h
- column\_stack.h
- column\_stack\_compositeimplicitautograd\_dispatch.h
- column\_stack\_native.h
- column\_stack\_ops.h
- combinations.h
- combinations\_compositeimplicitautograd\_dispatch.h
- combinations\_native.h
- combinations\_ops.h
- complex.h
- complex\_compositeexplicitautograd\_dispatch.h
- complex\_cpu\_dispatch.h
- complex\_cuda\_dispatch.h
- complex\_native.h
- complex\_ops.h
- concat.h
- concat\_compositeimplicitautograd\_dispatch.h
- concat\_native.h
- concat\_ops.h
- concatenate.h
- concatenate\_compositeimplicitautograd\_dispatch.h
- concatenate\_native.h
- concatenate\_ops.h
- conj.h
- conj\_compositeimplicitautograd\_dispatch.h
- conj\_native.h
- conj\_ops.h
- conj\_physical.h
- conj\_physical\_compositeexplicitautograd\_dispatch.h

- conj\_physical\_compositeimplicitautograd\_dispatch.h
- conj\_physical\_cpu\_dispatch.h
- conj\_physical\_cuda\_dispatch.h
- conj\_physical\_native.h
- conj\_physical\_ops.h
- constant\_pad\_nd.h
- constant\_pad\_nd\_compositeexplicitautograd\_dispatch.h
- constant\_pad\_nd\_native.h
- constant\_pad\_nd\_ops.h
- contiguous.h
- contiguous\_compositeimplicitautograd\_dispatch.h
- contiguous\_native.h
- contiguous\_ops.h
- conv1d.h
- conv1d\_compositeimplicitautograd\_dispatch.h
- conv1d\_native.h
- conv1d\_ops.h
- conv2d.h
- conv2d\_compositeimplicitautograd\_dispatch.h
- conv2d\_native.h
- conv2d\_ops.h
- conv3d.h
- conv3d\_compositeimplicitautograd\_dispatch.h
- conv3d\_native.h
- conv3d\_ops.h
- conv\_depthwise3d.h
- conv\_depthwise3d\_compositeexplicitautograd\_dispatch.h
- conv\_depthwise3d\_cuda\_dispatch.h
- conv\_depthwise3d\_native.h
- conv\_depthwise3d\_ops.h
- conv\_tbc.h
- conv\_tbc\_backward.h
- conv\_tbc\_backward\_compositeimplicitautograd\_dispatch.h
- conv\_tbc\_backward\_native.h
- conv\_tbc\_backward\_ops.h
- conv\_tbc\_compositeexplicitautograd\_dispatch.h
- conv\_tbc\_native.h
- conv\_tbc\_ops.h
- conv\_transpose1d.h
- conv\_transpose1d\_compositeimplicitautograd\_dispatch.h
- conv\_transpose1d\_native.h
- conv\_transpose1d\_ops.h
- conv\_transpose2d.h
- conv\_transpose2d\_compositeimplicitautograd\_dispatch.h
- conv\_transpose2d\_native.h
- conv\_transpose2d\_ops.h
- conv\_transpose3d.h
- conv\_transpose3d\_compositeimplicitautograd\_dispatch.h
- conv\_transpose3d\_native.h
- conv\_transpose3d\_ops.h
- convolution.h
- convolution\_backward.h
- convolution\_backward\_compositeexplicitautograd\_dispatch.h
- convolution\_backward\_cuda\_dispatch.h
- convolution\_backward\_native.h
- convolution\_backward\_ops.h
- convolution\_backward\_overrideable.h
- convolution\_backward\_overrideable\_compositeexplicitautograd\_dispatch.h
- convolution\_backward\_overrideable\_native.h
- convolution\_backward\_overrideable\_ops.h
- convolution\_compositeexplicitautograd\_dispatch.h
- convolution\_native.h
- convolution\_ops.h
- convolution\_overrideable.h
- convolution\_overrideable\_compositeexplicitautograd\_dispatch.h
- convolution\_overrideable\_native.h
- convolution\_overrideable\_ops.h
- copy.h
- copy\_compositeexplicitautograd\_dispatch.h
- copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- copy\_meta\_dispatch.h
- copy\_native.h
- copy\_ops.h
- copy\_sparse\_to\_sparse.h
- copy\_sparse\_to\_sparse\_compositeexplicitautograd\_dispatch.h
- copy\_sparse\_to\_sparse\_meta\_dispatch.h
- copy\_sparse\_to\_sparse\_native.h
- copy\_sparse\_to\_sparse\_ops.h
- copysign.h
- copysign\_compositeexplicitautograd\_dispatch.h
- copysign\_compositeexplicitautogradnonfunctional\_dispatch.h
- copysign\_cpu\_dispatch.h
- copysign\_cuda\_dispatch.h
- copysign\_meta.h
- copysign\_meta\_dispatch.h

- copysign\_native.h
- copysign\_ops.h
- corrcoeff.h
- corrcoeff\_compositeimplicitautograd\_dispatch.h
- corrcoeff\_native.h
- corrcoeff\_ops.h
- cos.h
- cos\_compositeexplicitautogradnonfunctional\_dispatch.h
- cos\_cpu\_dispatch.h
- cos\_cuda\_dispatch.h
- cos\_meta.h
- cos\_meta\_dispatch.h
- cos\_native.h
- cos\_ops.h
- cosh.h
- cosh\_compositeexplicitautogradnonfunctional\_dispatch.h
- cosh\_cpu\_dispatch.h
- cosh\_cuda\_dispatch.h
- cosh\_meta.h
- cosh\_meta\_dispatch.h
- cosh\_native.h
- cosh\_ops.h
- cosine\_embedding\_loss.h
- cosine\_embedding\_loss\_compositeimplicitautograd\_dispatch.h
- cosine\_embedding\_loss\_native.h
- cosine\_embedding\_loss\_ops.h
- cosine\_similarity.h
- cosine\_similarity\_compositeimplicitautograd\_dispatch.h
- cosine\_similarity\_native.h
- cosine\_similarity\_ops.h
- count\_nonzero.h
- count\_nonzero\_compositeexplicitautograd\_dispatch.h
- count\_nonzero\_cpu\_dispatch.h
- count\_nonzero\_cuda\_dispatch.h
- count\_nonzero\_native.h
- count\_nonzero\_ops.h
- cov.h
- cov\_compositeimplicitautograd\_dispatch.h
- cov\_native.h
- cov\_ops.h
- cross.h
- cross\_compositeimplicitautograd\_dispatch.h
- cross\_entropy\_loss.h
- cross\_entropy\_loss\_compositeimplicitautograd\_dispatch.h
- cross\_entropy\_loss\_native.h
- cross\_entropy\_loss\_ops.h
- cross\_native.h
- cross\_ops.h
- crow\_indices.h
- crow\_indices\_compositeexplicitautograd\_dispatch.h
- crow\_indices\_copy.h
- crow\_indices\_copy\_compositeexplicitautograd\_dispatch.h
- crow\_indices\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- crow\_indices\_copy\_native.h
- crow\_indices\_copy\_ops.h
- crow\_indices\_native.h
- crow\_indices\_ops.h
- ctc\_loss.h
- ctc\_loss\_compositeimplicitautograd\_dispatch.h
- ctc\_loss\_native.h
- ctc\_loss\_ops.h
- cudnn\_affine\_grid\_generator.h
- cudnn\_affine\_grid\_generator\_backward.h
- cudnn\_affine\_grid\_generator\_backward\_compositeexplicitautograd\_dispatch.h
- cudnn\_affine\_grid\_generator\_backward\_cuda\_dispatch.h
- cudnn\_affine\_grid\_generator\_backward\_native.h
- cudnn\_affine\_grid\_generator\_backward\_ops.h
- cudnn\_affine\_grid\_generator\_compositeexplicitautograd\_dispatch.h
- cudnn\_affine\_grid\_generator\_cuda\_dispatch.h
- cudnn\_affine\_grid\_generator\_native.h
- cudnn\_affine\_grid\_generator\_ops.h
- cudnn\_batch\_norm.h
- cudnn\_batch\_norm\_backward.h
- cudnn\_batch\_norm\_backward\_compositeexplicitautograd\_dispatch.h
- cudnn\_batch\_norm\_backward\_cuda\_dispatch.h
- cudnn\_batch\_norm\_backward\_native.h
- cudnn\_batch\_norm\_backward\_ops.h
- cudnn\_batch\_norm\_cuda\_dispatch.h
- cudnn\_batch\_norm\_native.h
- cudnn\_batch\_norm\_ops.h
- cudnn\_convolution.h
- cudnn\_convolution\_add\_relu.h
- cudnn\_convolution\_add\_relu\_compositeexplicitautograd\_dispatch.h
- cudnn\_convolution\_add\_relu\_cuda\_dispatch.h
- cudnn\_convolution\_add\_relu\_native.h

cudnn\_convolution\_add\_relu\_ops.h  
 cudnn\_convolution\_cuda\_dispatch.h  
 cudnn\_convolution\_native.h  
 cudnn\_convolution\_ops.h  
 cudnn\_convolution\_relu.h  
 cudnn\_convolution\_relu\_compositeexplicitautograd\_dispatch.h  
 cudnn\_convolution\_relu\_cuda\_dispatch.h  
 cudnn\_convolution\_relu\_native.h  
 cudnn\_convolution\_relu\_ops.h  
 cudnn\_convolution\_transpose.h  
 cudnn\_convolution\_transpose\_compositeexplicitautograd\_dispatch.h  
 cudnn\_convolution\_transpose\_cuda\_dispatch.h  
 cudnn\_convolution\_transpose\_native.h  
 cudnn\_convolution\_transpose\_ops.h  
 cudnn\_grid\_sampler.h  
 cudnn\_grid\_sampler\_backward.h  
 cudnn\_grid\_sampler\_backward\_compositeexplicitautograd\_dispatch.h  
 cudnn\_grid\_sampler\_backward\_cuda\_dispatch.h  
 cudnn\_grid\_sampler\_backward\_native.h  
 cudnn\_grid\_sampler\_backward\_ops.h  
 cudnn\_grid\_sampler\_compositeexplicitautograd\_dispatch.h  
 cudnn\_grid\_sampler\_cuda\_dispatch.h  
 cudnn\_grid\_sampler\_native.h  
 cudnn\_grid\_sampler\_ops.h  
 cudnn\_is\_acceptable.h  
 cudnn\_is\_acceptable\_compositeimplicitautograd\_dispatch.h  
 cudnn\_is\_acceptable\_native.h  
 cudnn\_is\_acceptable\_ops.h  
 cummax.h  
 cummax\_compositeexplicitautograd\_dispatch.h  
 cummax\_compositeimplicitautograd\_dispatch.h  
 cummax\_native.h  
 cummax\_ops.h  
 cummaxmin\_backward.h  
 cummaxmin\_backward\_compositeimplicitautograd\_dispatch.h  
 cummaxmin\_backward\_native.h  
 cummaxmin\_backward\_ops.h  
 cummin.h  
 cummin\_compositeexplicitautograd\_dispatch.h  
 cummin\_compositeimplicitautograd\_dispatch.h  
 cummin\_native.h  
 cummin\_ops.h  
 cumprod.h  
 cumprod\_backward.h  
 cumprod\_backward\_compositeimplicitautograd\_dispatch.h  
 cumprod\_backward\_native.h  
 cumprod\_backward\_ops.h  
 cumprod\_compositeexplicitautogradnonfunctional\_dispatch.h  
 cumprod\_compositeimplicitautograd\_dispatch.h  
 cumprod\_cpu\_dispatch.h  
 cumprod\_cuda\_dispatch.h  
 cumprod\_meta.h  
 cumprod\_meta\_dispatch.h  
 cumprod\_native.h  
 cumprod\_ops.h  
 cumsum.h  
 cumsum\_compositeexplicitautogradnonfunctional\_dispatch.h  
 cumsum\_compositeimplicitautograd\_dispatch.h  
 cumsum\_cpu\_dispatch.h  
 cumsum\_cuda\_dispatch.h  
 cumsum\_meta.h  
 cumsum\_meta\_dispatch.h  
 cumsum\_native.h  
 cumsum\_ops.h  
 cumulative\_trapezoid.h  
 cumulative\_trapezoid\_compositeimplicitautograd\_dispatch.h  
 cumulative\_trapezoid\_native.h  
 cumulative\_trapezoid\_ops.h  
 data.h  
 data\_compositeimplicitautograd\_dispatch.h  
 data\_native.h  
 data\_ops.h  
 deg2rad.h  
 deg2rad\_compositeexplicitautograd\_dispatch.h  
 deg2rad\_native.h  
 deg2rad\_ops.h  
 dense\_dim.h  
 dense\_dim\_compositeexplicitautograd\_dispatch.h  
 dense\_dim\_native.h  
 dense\_dim\_ops.h  
 dequantize.h  
 dequantize\_compositeexplicitautograd\_dispatch.h  
 dequantize\_cpu\_dispatch.h  
 dequantize\_cuda\_dispatch.h  
 dequantize\_native.h



- dequantize\_ops.h
- det.h
- det\_compositeimplicitautograd\_dispatch.h
- det\_native.h
- det\_ops.h
- detach.h
- detach\_compositeexplicitautograd\_dispatch.h
- detach\_copy.h
- detach\_copy\_compositeexplicitautograd\_dispatch.h
- detach\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- detach\_copy\_native.h
- detach\_copy\_ops.h
- detach\_native.h
- detach\_ops.h
- diag.h
- diag\_compositeimplicitautograd\_dispatch.h
- diag\_embed.h
- diag\_embed\_compositeexplicitautograd\_dispatch.h
- diag\_embed\_compositeexplicitautogradnonfunctional\_dispatch.h
- diag\_embed\_native.h
- diag\_embed\_ops.h
- diag\_native.h
- diag\_ops.h
- diagflat.h
- diagflat\_compositeimplicitautograd\_dispatch.h
- diagflat\_native.h
- diagflat\_ops.h
- diagonal.h
- diagonal\_backward.h
- diagonal\_backward\_compositeexplicitautograd\_dispatch.h
- diagonal\_backward\_native.h
- diagonal\_backward\_ops.h
- diagonal\_compositeexplicitautograd\_dispatch.h
- diagonal\_compositeimplicitautograd\_dispatch.h
- diagonal\_copy.h
- diagonal\_copy\_compositeexplicitautograd\_dispatch.h
- diagonal\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- diagonal\_copy\_native.h
- diagonal\_copy\_ops.h
- diagonal\_native.h
- diagonal\_ops.h
- diagonal\_scatter.h
- diagonal\_scatter\_compositeexplicitautograd\_dispatch.h
- diagonal\_scatter\_compositeexplicitautogradnonfunctional\_dispatch.h
- diagonal\_scatter\_native.h
- diagonal\_scatter\_ops.h
- diff.h
- diff\_compositeimplicitautograd\_dispatch.h
- diff\_native.h
- diff\_ops.h
- digamma.h
- digamma\_compositeexplicitautogradnonfunctional\_dispatch.h
- digamma\_cpu\_dispatch.h
- digamma\_cuda\_dispatch.h
- digamma\_meta.h
- digamma\_meta\_dispatch.h
- digamma\_native.h
- digamma\_ops.h
- dim.h
- dim\_compositeimplicitautograd\_dispatch.h
- dim\_native.h
- dim\_ops.h
- dist.h
- dist\_compositeexplicitautograd\_dispatch.h
- dist\_native.h
- dist\_ops.h
- div.h
- div\_compositeexplicitautograd\_dispatch.h
- div\_compositeexplicitautogradnonfunctional\_dispatch.h
- div\_cpu\_dispatch.h
- div\_cuda\_dispatch.h
- div\_meta.h
- div\_meta\_dispatch.h
- div\_native.h
- div\_ops.h
- divide.h
- divide\_compositeimplicitautograd\_dispatch.h
- divide\_native.h
- divide\_ops.h
- dot.h
- dot\_compositeexplicitautograd\_dispatch.h
- dot\_cpu\_dispatch.h
- dot\_cuda\_dispatch.h
- dot\_native.h
- dot\_ops.h

dropout.h  
dropout\_compositeimplicitautograd\_dispatch.h  
dropout\_native.h  
dropout\_ops.h  
dsplit.h  
dsplit\_compositeimplicitautograd\_dispatch.h  
dsplit\_native.h  
dsplit\_ops.h  
dstack.h  
dstack\_compositeimplicitautograd\_dispatch.h  
dstack\_native.h  
dstack\_ops.h  
einsum.h  
einsum\_compositeimplicitautograd\_dispatch.h  
einsum\_native.h  
einsum\_ops.h  
elu.h  
elu\_backward.h  
elu\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
elu\_backward\_cpu\_dispatch.h  
elu\_backward\_cuda\_dispatch.h  
elu\_backward\_meta.h  
elu\_backward\_meta\_dispatch.h  
elu\_backward\_native.h  
elu\_backward\_ops.h  
elu\_compositeexplicitautogradnonfunctional\_dispatch.h  
elu\_cpu\_dispatch.h  
elu\_cuda\_dispatch.h  
elu\_meta.h  
elu\_meta\_dispatch.h  
elu\_native.h  
elu\_ops.h  
embedding.h  
embedding\_backward.h  
embedding\_backward\_compositeimplicitautograd\_dispatch.h  
embedding\_backward\_native.h  
embedding\_backward\_ops.h  
embedding\_bag.h  
embedding\_bag\_compositeimplicitautograd\_dispatch.h  
embedding\_bag\_native.h  
embedding\_bag\_ops.h  
embedding\_compositeexplicitautograd\_dispatch.h  
embedding\_dense\_backward.h  
embedding\_dense\_backward\_compositeexplicitautograd\_dispatch.h  
embedding\_dense\_backward\_cpu\_dispatch.h  
embedding\_dense\_backward\_cuda\_dispatch.h  
embedding\_dense\_backward\_native.h  
embedding\_dense\_backward\_ops.h  
embedding\_native.h  
embedding\_ops.h  
embedding\_renorm.h  
embedding\_renorm\_compositeexplicitautograd\_dispatch.h  
embedding\_renorm\_cpu\_dispatch.h  
embedding\_renorm\_cuda\_dispatch.h  
embedding\_renorm\_meta\_dispatch.h  
embedding\_renorm\_native.h  
embedding\_renorm\_ops.h  
embedding\_sparse\_backward.h  
embedding\_sparse\_backward\_compositeimplicitautograd\_dispatch.h  
embedding\_sparse\_backward\_native.h  
embedding\_sparse\_backward\_ops.h  
empty.h  
empty\_compositeexplicitautograd\_dispatch.h  
empty\_compositeimplicitautograd\_dispatch.h  
empty\_cpu\_dispatch.h  
empty\_cuda\_dispatch.h  
empty\_like.h  
empty\_like\_compositeexplicitautograd\_dispatch.h  
empty\_like\_native.h  
empty\_like\_ops.h  
empty\_meta\_dispatch.h  
empty\_native.h  
empty\_ops.h  
empty\_permuted.h  
empty\_permuted\_compositeexplicitautograd\_dispatch.h  
empty\_permuted\_native.h  
empty\_permuted\_ops.h  
empty\_quantized.h  
empty\_quantized\_compositeexplicitautograd\_dispatch.h  
empty\_quantized\_native.h  
empty\_quantized\_ops.h  
empty\_strided.h  
empty\_strided\_compositeexplicitautograd\_dispatch.h  
empty\_strided\_cpu\_dispatch.h  
empty\_strided\_cuda\_dispatch.h

```

empty_strided_meta_dispatch.h
empty_strided_native.h
empty_strided_ops.h
eq.h
eq_compositeexplicitautogradnonfunctional_dispatch.h
eq_cpu_dispatch.h
eq_cuda_dispatch.h
eq_meta.h
eq_meta_dispatch.h
eq_native.h
eq_ops.h
equal.h
equal_cpu_dispatch.h
equal_cuda_dispatch.h
equal_native.h
equal_ops.h
erf.h
erf_compositeexplicitautogradnonfunctional_dispatch.h
erf_cpu_dispatch.h
erf_cuda_dispatch.h
erf_meta.h
erf_meta_dispatch.h
erf_native.h
erf_ops.h
erfc.h
erfc_compositeexplicitautogradnonfunctional_dispatch.h
erfc_cpu_dispatch.h
erfc_cuda_dispatch.h
erfc_meta.h
erfc_meta_dispatch.h
erfc_native.h
erfc_ops.h
erfinv.h
erfinv_compositeexplicitautogradnonfunctional_dispatch.h
erfinv_cpu_dispatch.h
erfinv_cuda_dispatch.h
erfinv_meta.h
erfinv_meta_dispatch.h
erfinv_native.h
erfinv_ops.h
exp.h
exp2.h
exp2_compositeexplicitautogradnonfunctional_dispatch.h
exp2_cpu_dispatch.h
exp2_cuda_dispatch.h
exp2_meta.h
exp2_meta_dispatch.h
exp2_native.h
exp2_ops.h
exp_compositeexplicitautogradnonfunctional_dispatch.h
exp_cpu_dispatch.h
exp_cuda_dispatch.h
exp_meta.h
exp_meta_dispatch.h
exp_native.h
exp_ops.h
expand.h
expand_as.h
expand_as_compositeimplicitautograd_dispatch.h
expand_as_native.h
expand_as_ops.h
expand_compositeexplicitautograd_dispatch.h
expand_copy.h
expand_copy_compositeexplicitautograd_dispatch.h
expand_copy_compositeexplicitautogradnonfunctional_dispatch.h
expand_copy_native.h
expand_copy_ops.h
expand_native.h
expand_ops.h
expm1.h
expm1_compositeexplicitautogradnonfunctional_dispatch.h
expm1_cpu_dispatch.h
expm1_cuda_dispatch.h
expm1_meta.h
expm1_meta_dispatch.h
expm1_native.h
expm1_ops.h
exponential.h
exponential_compositeexplicitautograd_dispatch.h
exponential_cpu_dispatch.h
exponential_cuda_dispatch.h
exponential_meta_dispatch.h
exponential_native.h
exponential_ops.h
eye.h

```



— fft\_fftn\_native.h  
— fft\_fftn\_ops.h  
— fft\_fftshift.h  
— fft\_fftshift\_compositeimplicitautograd\_dispatch.h  
— fft\_fftshift\_native.h  
— fft\_fftshift\_ops.h  
— fft\_hfft.h  
— fft\_hfft2.h  
— fft\_hfft2\_compositeimplicitautograd\_dispatch.h  
— fft\_hfft2\_native.h  
— fft\_hfft2\_ops.h  
— fft\_hfft\_compositeimplicitautograd\_dispatch.h  
— fft\_hfft\_native.h  
— fft\_hfft\_ops.h  
— fft\_hfftn.h  
— fft\_hfftn\_compositeimplicitautograd\_dispatch.h  
— fft\_hfftn\_native.h  
— fft\_hfftn\_ops.h  
— fft\_ifft.h  
— fft\_ifft2.h  
— fft\_ifft2\_compositeimplicitautograd\_dispatch.h  
— fft\_ifft2\_native.h  
— fft\_ifft2\_ops.h  
— fft\_ifft\_compositeimplicitautograd\_dispatch.h  
— fft\_ifft\_native.h  
— fft\_ifft\_ops.h  
— fft\_ifftn.h  
— fft\_ifftn\_compositeimplicitautograd\_dispatch.h  
— fft\_ifftn\_native.h  
— fft\_ifftn\_ops.h  
— fft\_ifftshift.h  
— fft\_ifftshift\_compositeimplicitautograd\_dispatch.h  
— fft\_ifftshift\_native.h  
— fft\_ifftshift\_ops.h  
— fft\_ihfft.h  
— fft\_ihfft2.h  
— fft\_ihfft2\_compositeimplicitautograd\_dispatch.h  
— fft\_ihfft2\_native.h  
— fft\_ihfft2\_ops.h  
— fft\_ihfft\_compositeimplicitautograd\_dispatch.h  
— fft\_ihfft\_native.h  
— fft\_ihfft\_ops.h  
— fft\_ihfftn.h  
— fft\_ihfftn\_compositeimplicitautograd\_dispatch.h  
— fft\_ihfftn\_native.h  
— fft\_ihfftn\_ops.h  
— fft\_irfft.h  
— fft\_irfft2.h  
— fft\_irfft2\_compositeimplicitautograd\_dispatch.h  
— fft\_irfft2\_native.h  
— fft\_irfft2\_ops.h  
— fft\_irfft\_compositeimplicitautograd\_dispatch.h  
— fft\_irfft\_native.h  
— fft\_irfft\_ops.h  
— fft\_irfftn.h  
— fft\_irfftn\_compositeimplicitautograd\_dispatch.h  
— fft\_irfftn\_native.h  
— fft\_irfftn\_ops.h  
— fft\_rfft.h  
— fft\_rfft2.h  
— fft\_rfft2\_compositeimplicitautograd\_dispatch.h  
— fft\_rfft2\_native.h  
— fft\_rfft2\_ops.h  
— fft\_rfft\_compositeimplicitautograd\_dispatch.h  
— fft\_rfft\_native.h  
— fft\_rfft\_ops.h  
— fft\_rfftfreq.h  
— fft\_rfftfreq\_compositeexplicitautograd\_dispatch.h  
— fft\_rfftfreq\_native.h  
— fft\_rfftfreq\_ops.h  
— fft\_rfftn.h  
— fft\_rfftn\_compositeimplicitautograd\_dispatch.h  
— fft\_rfftn\_native.h  
— fft\_rfftn\_ops.h  
— fill.h  
— fill\_compositeexplicitautograd\_dispatch.h  
— fill\_cpu\_dispatch.h  
— fill\_cuda\_dispatch.h  
— fill\_diagonal.h  
— fill\_diagonal\_compositeimplicitautograd\_dispatch.h  
— fill\_diagonal\_native.h  
— fill\_diagonal\_ops.h  
— fill\_meta\_dispatch.h  
— fill\_native.h  
— fill\_ops.h

- fix.h
- fix\_compositeimplicitautograd\_dispatch.h
- fix\_native.h
- fix\_ops.h
- flatten.h
- flatten\_compositeimplicitautograd\_dispatch.h
- flatten\_dense\_tensors.h
- flatten\_dense\_tensors\_compositeimplicitautograd\_dispatch.h
- flatten\_dense\_tensors\_native.h
- flatten\_dense\_tensors\_ops.h
- flatten\_native.h
- flatten\_ops.h
- flip.h
- flip\_compositeexplicitautograd\_dispatch.h
- flip\_cpu\_dispatch.h
- flip\_cuda\_dispatch.h
- flip\_native.h
- flip\_ops.h
- flipplr.h
- flipplr\_compositeimplicitautograd\_dispatch.h
- flipplr\_native.h
- flipplr\_ops.h
- flipud.h
- flipud\_compositeimplicitautograd\_dispatch.h
- flipud\_native.h
- flipud\_ops.h
- float\_power.h
- float\_power\_compositeimplicitautograd\_dispatch.h
- float\_power\_native.h
- float\_power\_ops.h
- floor.h
- floor\_compositeexplicitautogradnonfunctional\_dispatch.h
- floor\_cpu\_dispatch.h
- floor\_cuda\_dispatch.h
- floor\_divide.h
- floor\_divide\_compositeexplicitautograd\_dispatch.h
- floor\_divide\_cpu\_dispatch.h
- floor\_divide\_cuda\_dispatch.h
- floor\_divide\_meta\_dispatch.h
- floor\_divide\_native.h
- floor\_divide\_ops.h
- floor\_meta.h
- floor\_meta\_dispatch.h
- floor\_native.h
- floor\_ops.h
- fmax.h
- fmax\_compositeexplicitautogradnonfunctional\_dispatch.h
- fmax\_cpu\_dispatch.h
- fmax\_cuda\_dispatch.h
- fmax\_meta.h
- fmax\_meta\_dispatch.h
- fmax\_native.h
- fmax\_ops.h
- fmin.h
- fmin\_compositeexplicitautogradnonfunctional\_dispatch.h
- fmin\_cpu\_dispatch.h
- fmin\_cuda\_dispatch.h
- fmin\_meta.h
- fmin\_meta\_dispatch.h
- fmin\_native.h
- fmin\_ops.h
- fmod.h
- fmod\_compositeexplicitautograd\_dispatch.h
- fmod\_compositeexplicitautogradnonfunctional\_dispatch.h
- fmod\_cpu\_dispatch.h
- fmod\_cuda\_dispatch.h
- fmod\_meta.h
- fmod\_meta\_dispatch.h
- fmod\_native.h
- fmod\_ops.h
- frac.h
- frac\_compositeexplicitautogradnonfunctional\_dispatch.h
- frac\_cpu\_dispatch.h
- frac\_cuda\_dispatch.h
- frac\_meta.h
- frac\_meta\_dispatch.h
- frac\_native.h
- frac\_ops.h
- fractional\_max\_pool2d.h
- fractional\_max\_pool2d\_backward.h
- fractional\_max\_pool2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- fractional\_max\_pool2d\_backward\_cpu\_dispatch.h
- fractional\_max\_pool2d\_backward\_cuda\_dispatch.h
- fractional\_max\_pool2d\_backward\_meta.h
- fractional\_max\_pool2d\_backward\_meta\_dispatch.h

fractional\_max\_pool2d\_backward\_native.h  
fractional\_max\_pool2d\_backward\_ops.h  
fractional\_max\_pool2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
fractional\_max\_pool2d\_cpu\_dispatch.h  
fractional\_max\_pool2d\_cuda\_dispatch.h  
fractional\_max\_pool2d\_meta.h  
fractional\_max\_pool2d\_meta\_dispatch.h  
fractional\_max\_pool2d\_native.h  
fractional\_max\_pool2d\_ops.h  
fractional\_max\_pool3d.h  
fractional\_max\_pool3d\_backward.h  
fractional\_max\_pool3d\_backward\_cpu\_dispatch.h  
fractional\_max\_pool3d\_backward\_cuda\_dispatch.h  
fractional\_max\_pool3d\_backward\_native.h  
fractional\_max\_pool3d\_backward\_ops.h  
fractional\_max\_pool3d\_compositeexplicitautogradnonfunctional\_dispatch.h  
fractional\_max\_pool3d\_cpu\_dispatch.h  
fractional\_max\_pool3d\_cuda\_dispatch.h  
fractional\_max\_pool3d\_meta.h  
fractional\_max\_pool3d\_meta\_dispatch.h  
fractional\_max\_pool3d\_native.h  
fractional\_max\_pool3d\_ops.h  
frexp.h  
frexp\_compositeexplicitautograd\_dispatch.h  
frexp\_cpu\_dispatch.h  
frexp\_cuda\_dispatch.h  
frexp\_native.h  
frexp\_ops.h  
frobenius\_norm.h  
frobenius\_norm\_compositeimplicitautograd\_dispatch.h  
frobenius\_norm\_native.h  
frobenius\_norm\_ops.h  
from\_blob.h  
from\_file.h  
from\_file\_compositeexplicitautograd\_dispatch.h  
from\_file\_cpu\_dispatch.h  
from\_file\_native.h  
from\_file\_ops.h  
full.h  
full\_compositeexplicitautograd\_dispatch.h  
full\_like.h  
full\_like\_compositeexplicitautograd\_dispatch.h  
full\_like\_native.h  
full\_like\_ops.h  
full\_native.h  
full\_ops.h  
fused\_moving\_avg\_obs\_fake\_quant.h  
fused\_moving\_avg\_obs\_fake\_quant\_compositeimplicitautograd\_dispatch.h  
fused\_moving\_avg\_obs\_fake\_quant\_native.h  
fused\_moving\_avg\_obs\_fake\_quant\_ops.h  
gather.h  
gather\_backward.h  
gather\_backward\_compositeimplicitautograd\_dispatch.h  
gather\_backward\_native.h  
gather\_backward\_ops.h  
gather\_compositeexplicitautogradnonfunctional\_dispatch.h  
gather\_compositeimplicitautograd\_dispatch.h  
gather\_cpu\_dispatch.h  
gather\_cuda\_dispatch.h  
gather\_meta.h  
gather\_meta\_dispatch.h  
gather\_native.h  
gather\_ops.h  
gcd.h  
gcd\_compositeexplicitautogradnonfunctional\_dispatch.h  
gcd\_cpu\_dispatch.h  
gcd\_cuda\_dispatch.h  
gcd\_meta.h  
gcd\_meta\_dispatch.h  
gcd\_native.h  
gcd\_ops.h  
ge.h  
ge\_compositeexplicitautogradnonfunctional\_dispatch.h  
ge\_cpu\_dispatch.h  
ge\_cuda\_dispatch.h  
ge\_meta.h  
ge\_meta\_dispatch.h  
ge\_native.h  
ge\_ops.h  
gelu.h  
gelu\_backward.h  
gelu\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
gelu\_backward\_cpu\_dispatch.h  
gelu\_backward\_cuda\_dispatch.h  
gelu\_backward\_meta.h

- gelu\_backward\_meta\_dispatch.h
- gelu\_backward\_native.h
- gelu\_backward\_ops.h
- gelu\_compositeexplicitautogradnonfunctional\_dispatch.h
- gelu\_cpu\_dispatch.h
- gelu\_cuda\_dispatch.h
- gelu\_meta.h
- gelu\_meta\_dispatch.h
- gelu\_native.h
- gelu\_ops.h
- geometric.h
- geometric\_compositeexplicitautograd\_dispatch.h
- geometric\_cpu\_dispatch.h
- geometric\_cuda\_dispatch.h
- geometric\_meta\_dispatch.h
- geometric\_native.h
- geometric\_ops.h
- geqrf.h
- geqrf\_cpu\_dispatch.h
- geqrf\_cuda\_dispatch.h
- geqrf\_native.h
- geqrf\_ops.h
- ger.h
- ger\_compositeimplicitautograd\_dispatch.h
- ger\_native.h
- ger\_ops.h
- get\_device.h
- get\_device\_compositeimplicitautograd\_dispatch.h
- get\_device\_native.h
- get\_device\_ops.h
- glu.h
- glu\_backward.h
- glu\_backward\_cpu\_dispatch.h
- glu\_backward\_cuda\_dispatch.h
- glu\_backward\_jvp.h
- glu\_backward\_jvp\_compositeexplicitautograd\_dispatch.h
- glu\_backward\_jvp\_cpu\_dispatch.h
- glu\_backward\_jvp\_cuda\_dispatch.h
- glu\_backward\_jvp\_native.h
- glu\_backward\_jvp\_ops.h
- glu\_backward\_native.h
- glu\_backward\_ops.h
- glu\_compositeexplicitautogradnonfunctional\_dispatch.h
- glu\_cpu\_dispatch.h
- glu\_cuda\_dispatch.h
- glu\_jvp.h
- glu\_jvp\_compositeexplicitautograd\_dispatch.h
- glu\_jvp\_cpu\_dispatch.h
- glu\_jvp\_cuda\_dispatch.h
- glu\_jvp\_native.h
- glu\_jvp\_ops.h
- glu\_meta.h
- glu\_meta\_dispatch.h
- glu\_native.h
- glu\_ops.h
- gradient.h
- gradient\_compositeimplicitautograd\_dispatch.h
- gradient\_native.h
- gradient\_ops.h
- greater.h
- greater\_compositeimplicitautograd\_dispatch.h
- greater\_equal.h
- greater\_equal\_compositeimplicitautograd\_dispatch.h
- greater\_equal\_native.h
- greater\_equal\_ops.h
- greater\_native.h
- greater\_ops.h
- grid\_sampler.h
- grid\_sampler\_2d.h
- grid\_sampler\_2d\_backward.h
- grid\_sampler\_2d\_backward\_compositeexplicitautograd\_dispatch.h
- grid\_sampler\_2d\_backward\_cpu\_dispatch.h
- grid\_sampler\_2d\_backward\_cuda\_dispatch.h
- grid\_sampler\_2d\_backward\_native.h
- grid\_sampler\_2d\_backward\_ops.h
- grid\_sampler\_2d\_compositeexplicitautograd\_dispatch.h
- grid\_sampler\_2d\_cpu\_dispatch.h
- grid\_sampler\_2d\_cuda\_dispatch.h
- grid\_sampler\_2d\_native.h
- grid\_sampler\_2d\_ops.h
- grid\_sampler\_3d.h
- grid\_sampler\_3d\_backward.h
- grid\_sampler\_3d\_backward\_compositeexplicitautograd\_dispatch.h
- grid\_sampler\_3d\_backward\_cpu\_dispatch.h
- grid\_sampler\_3d\_backward\_cuda\_dispatch.h



```

grid_sampler_3d_backward_native.h
grid_sampler_3d_backward_ops.h
grid_sampler_3d_compositeexplicitautograd_dispatch.h
grid_sampler_3d_cpu_dispatch.h
grid_sampler_3d_cuda_dispatch.h
grid_sampler_3d_native.h
grid_sampler_3d_ops.h
grid_sampler_compositeimplicitautograd_dispatch.h
grid_sampler_native.h
grid_sampler_ops.h
group_norm.h
group_norm_compositeimplicitautograd_dispatch.h
group_norm_native.h
group_norm_ops.h
gru.h
gru_cell.h
gru_cell_compositeimplicitautograd_dispatch.h
gru_cell_native.h
gru_cell_ops.h
gru_compositeimplicitautograd_dispatch.h
gru_native.h
gru_ops.h
gt.h
gt_compositeexplicitautogradnonfunctional_dispatch.h
gt_cpu_dispatch.h
gt_cuda_dispatch.h
gt_meta.h
gt_meta_dispatch.h
gt_native.h
gt_ops.h
hamming_window.h
hamming_window_compositeexplicitautograd_dispatch.h
hamming_window_native.h
hamming_window_ops.h
hann_window.h
hann_window_compositeexplicitautograd_dispatch.h
hann_window_native.h
hann_window_ops.h
hardshrink.h
hardshrink_backward.h
hardshrink_backward_compositeexplicitautogradnonfunctional_dispatch.h
hardshrink_backward_cpu_dispatch.h
hardshrink_backward_cuda_dispatch.h
hardshrink_backward_meta.h
hardshrink_backward_meta_dispatch.h
hardshrink_backward_native.h
hardshrink_backward_ops.h
hardshrink_compositeexplicitautogradnonfunctional_dispatch.h
hardshrink_cpu_dispatch.h
hardshrink_cuda_dispatch.h
hardshrink_meta.h
hardshrink_meta_dispatch.h
hardshrink_native.h
hardshrink_ops.h
hardsigmoid.h
hardsigmoid_backward.h
hardsigmoid_backward_compositeexplicitautogradnonfunctional_dispatch.h
hardsigmoid_backward_cpu_dispatch.h
hardsigmoid_backward_cuda_dispatch.h
hardsigmoid_backward_meta.h
hardsigmoid_backward_meta_dispatch.h
hardsigmoid_backward_native.h
hardsigmoid_backward_ops.h
hardsigmoid_compositeexplicitautogradnonfunctional_dispatch.h
hardsigmoid_cpu_dispatch.h
hardsigmoid_cuda_dispatch.h
hardsigmoid_meta.h
hardsigmoid_meta_dispatch.h
hardsigmoid_native.h
hardsigmoid_ops.h
hardswish.h
hardswish_backward.h
hardswish_backward_compositeexplicitautograd_dispatch.h
hardswish_backward_cpu_dispatch.h
hardswish_backward_cuda_dispatch.h
hardswish_backward_native.h
hardswish_backward_ops.h
hardswish_cpu_dispatch.h
hardswish_cuda_dispatch.h
hardswish_meta_dispatch.h
hardswish_native.h
hardswish_ops.h
hardtanh.h
hardtanh_backward.h
hardtanh_backward_cpu_dispatch.h

```

```

— hardtanh_backward_cuda_dispatch.h
— hardtanh_backward_native.h
— hardtanh_backward_ops.h
— hardtanh_cpu_dispatch.h
— hardtanh_cuda_dispatch.h
— hardtanh_meta_dispatch.h
— hardtanh_native.h
— hardtanh_ops.h
— hash_tensor.h
— hash_tensor_compositeexplicitautogradnonfunctional_dispatch.h
— hash_tensor_cpu_dispatch.h
— hash_tensor_cuda_dispatch.h
— hash_tensor_meta.h
— hash_tensor_meta_dispatch.h
— hash_tensor_native.h
— hash_tensor_ops.h
— heaviside.h
— heaviside_compositeexplicitautogradnonfunctional_dispatch.h
— heaviside_cpu_dispatch.h
— heaviside_cuda_dispatch.h
— heaviside_meta.h
— heaviside_meta_dispatch.h
— heaviside_native.h
— heaviside_ops.h
— hinge_embedding_loss.h
— hinge_embedding_loss_compositeimplicitautograd_dispatch.h
— hinge_embedding_loss_native.h
— hinge_embedding_loss_ops.h
— histc.h
— histc_cpu_dispatch.h
— histc_cuda_dispatch.h
— histc_native.h
— histc_ops.h
— histogram.h
— histogram_cpu_dispatch.h
— histogram_native.h
— histogram_ops.h
— histogramdd.h
— histogramdd_compositeimplicitautograd_dispatch.h
— histogramdd_native.h
— histogramdd_ops.h
— hsplit.h
— hsplit_compositeimplicitautograd_dispatch.h
— hsplit_native.h
— hsplit_ops.h
— hspmm.h
— hspmm_native.h
— hspmm_ops.h
— hstack.h
— hstack_compositeimplicitautograd_dispatch.h
— hstack_native.h
— hstack_ops.h
— huber_loss.h
— huber_loss_backward.h
— huber_loss_backward_compositeexplicitautograd_dispatch.h
— huber_loss_backward_cpu_dispatch.h
— huber_loss_backward_cuda_dispatch.h
— huber_loss_backward_native.h
— huber_loss_backward_ops.h
— huber_loss_cpu_dispatch.h
— huber_loss_cuda_dispatch.h
— huber_loss_native.h
— huber_loss_ops.h
— hypot.h
— hypot_compositeexplicitautogradnonfunctional_dispatch.h
— hypot_cpu_dispatch.h
— hypot_cuda_dispatch.h
— hypot_meta.h
— hypot_meta_dispatch.h
— hypot_native.h
— hypot_ops.h
— i0.h
— i0_compositeexplicitautogradnonfunctional_dispatch.h
— i0_cpu_dispatch.h
— i0_cuda_dispatch.h
— i0_meta.h
— i0_meta_dispatch.h
— i0_native.h
— i0_ops.h
— igamma.h
— igamma_compositeexplicitautogradnonfunctional_dispatch.h
— igamma_cpu_dispatch.h
— igamma_cuda_dispatch.h
— igamma_meta.h
— igamma meta dispatch.h

```

- igamma\_native.h
- igamma\_ops.h
- igammac.h
- igammac\_compositeexplicitautogradnonfunctional\_dispatch.h
- igammac\_cpu\_dispatch.h
- igammac\_cuda\_dispatch.h
- igammac\_meta.h
- igammac\_meta\_dispatch.h
- igammac\_native.h
- igammac\_ops.h
- im2col.h
- im2col\_cpu\_dispatch.h
- im2col\_cuda\_dispatch.h
- im2col\_native.h
- im2col\_ops.h
- imag.h
- imag\_compositeimplicitautograd\_dispatch.h
- imag\_native.h
- imag\_ops.h
- index.h
- index\_add.h
- index\_add\_compositeexplicitautogradnonfunctional\_dispatch.h
- index\_add\_compositeimplicitautograd\_dispatch.h
- index\_add\_cpu\_dispatch.h
- index\_add\_cuda\_dispatch.h
- index\_add\_meta.h
- index\_add\_meta\_dispatch.h
- index\_add\_native.h
- index\_add\_ops.h
- index\_compositeexplicitautogradnonfunctional\_dispatch.h
- index\_copy.h
- index\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- index\_copy\_compositeimplicitautograd\_dispatch.h
- index\_copy\_cpu\_dispatch.h
- index\_copy\_cuda\_dispatch.h
- index\_copy\_meta.h
- index\_copy\_meta\_dispatch.h
- index\_copy\_native.h
- index\_copy\_ops.h
- index\_cpu\_dispatch.h
- index\_cuda\_dispatch.h
- index\_fill.h
- index\_fill\_compositeexplicitautograd\_dispatch.h
- index\_fill\_compositeimplicitautograd\_dispatch.h
- index\_fill\_cpu\_dispatch.h
- index\_fill\_cuda\_dispatch.h
- index\_fill\_meta\_dispatch.h
- index\_fill\_native.h
- index\_fill\_ops.h
- index\_meta.h
- index\_meta\_dispatch.h
- index\_native.h
- index\_ops.h
- index\_put.h
- index\_put\_compositeexplicitautograd\_dispatch.h
- index\_put\_native.h
- index\_put\_ops.h
- index\_reduce.h
- index\_reduce\_compositeexplicitautogradnonfunctional\_dispatch.h
- index\_reduce\_cpu\_dispatch.h
- index\_reduce\_cuda\_dispatch.h
- index\_reduce\_meta.h
- index\_reduce\_meta\_dispatch.h
- index\_reduce\_native.h
- index\_reduce\_ops.h
- index\_select.h
- index\_select\_backward.h
- index\_select\_backward\_compositeimplicitautograd\_dispatch.h
- index\_select\_backward\_native.h
- index\_select\_backward\_ops.h
- index\_select\_compositeimplicitautograd\_dispatch.h
- index\_select\_cpu\_dispatch.h
- index\_select\_cuda\_dispatch.h
- index\_select\_native.h
- index\_select\_ops.h
- indices.h
- indices\_compositeexplicitautograd\_dispatch.h
- indices\_copy.h
- indices\_copy\_compositeexplicitautograd\_dispatch.h
- indices\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- indices\_copy\_native.h
- indices\_copy\_ops.h
- indices\_native.h
- indices\_ops.h
- infinitely\_differentiable\_gelu\_backward.h

- infinitely\_differentiable\_gelu\_backward\_compositeimplicitautograd\_dispatch.h
- infinitely\_differentiable\_gelu\_backward\_native.h
- infinitely\_differentiable\_gelu\_backward\_ops.h
- inner.h
- inner\_compositeimplicitautograd\_dispatch.h
- inner\_native.h
- inner\_ops.h
- instance\_norm.h
- instance\_norm\_compositeimplicitautograd\_dispatch.h
- instance\_norm\_native.h
- instance\_norm\_ops.h
- int\_repr.h
- int\_repr\_compositeexplicitautograd\_dispatch.h
- int\_repr\_native.h
- int\_repr\_ops.h
- inverse.h
- inverse\_compositeimplicitautograd\_dispatch.h
- inverse\_native.h
- inverse\_ops.h
- is\_coalesced.h
- is\_coalesced\_compositeexplicitautograd\_dispatch.h
- is\_coalesced\_native.h
- is\_coalesced\_ops.h
- is\_complex.h
- is\_complex\_compositeimplicitautograd\_dispatch.h
- is\_complex\_native.h
- is\_complex\_ops.h
- is\_conj.h
- is\_conj\_compositeimplicitautograd\_dispatch.h
- is\_conj\_native.h
- is\_conj\_ops.h
- is\_contiguous.h
- is\_contiguous\_compositeimplicitautograd\_dispatch.h
- is\_contiguous\_native.h
- is\_contiguous\_ops.h
- is\_distributed.h
- is\_distributed\_compositeimplicitautograd\_dispatch.h
- is\_distributed\_native.h
- is\_distributed\_ops.h
- is\_floating\_point.h
- is\_floating\_point\_compositeimplicitautograd\_dispatch.h
- is\_floating\_point\_native.h
- is\_floating\_point\_ops.h
- is\_inference.h
- is\_inference\_compositeimplicitautograd\_dispatch.h
- is\_inference\_native.h
- is\_inference\_ops.h
- is\_leaf.h
- is\_leaf\_compositeimplicitautograd\_dispatch.h
- is\_leaf\_native.h
- is\_leaf\_ops.h
- is\_neg.h
- is\_neg\_compositeimplicitautograd\_dispatch.h
- is\_neg\_native.h
- is\_neg\_ops.h
- is\_nonzero.h
- is\_nonzero\_compositeimplicitautograd\_dispatch.h
- is\_nonzero\_native.h
- is\_nonzero\_ops.h
- is\_pinned.h
- is\_pinned\_compositeexplicitautograd\_dispatch.h
- is\_pinned\_native.h
- is\_pinned\_ops.h
- is\_same\_size.h
- is\_same\_size\_compositeexplicitautograd\_dispatch.h
- is\_same\_size\_native.h
- is\_same\_size\_ops.h
- is\_set\_to.h
- is\_set\_to\_cpu\_dispatch.h
- is\_set\_to\_cuda\_dispatch.h
- is\_set\_to\_native.h
- is\_set\_to\_ops.h
- is\_signed.h
- is\_signed\_compositeimplicitautograd\_dispatch.h
- is\_signed\_native.h
- is\_signed\_ops.h
- is\_vulkan\_available.h
- is\_vulkan\_available\_compositeimplicitautograd\_dispatch.h
- is\_vulkan\_available\_native.h
- is\_vulkan\_available\_ops.h
- isclose.h
- isclose\_compositeimplicitautograd\_dispatch.h
- isclose\_native.h
- isclose\_ops.h
- isfinite.h

- isfinite\_compositeimplicitautograd\_dispatch.h
- isfinite\_native.h
- isfinite\_ops.h
- isin.h
- isin\_compositeexplicitautogradnonfunctional\_dispatch.h
- isin\_cpu\_dispatch.h
- isin\_cuda\_dispatch.h
- isin\_meta.h
- isin\_meta\_dispatch.h
- isin\_native.h
- isin\_ops.h
- isinf.h
- isinf\_compositeexplicitautograd\_dispatch.h
- isinf\_native.h
- isinf\_ops.h
- isnan.h
- isnan\_compositeexplicitautograd\_dispatch.h
- isnan\_cpu\_dispatch.h
- isnan\_cuda\_dispatch.h
- isnan\_native.h
- isnan\_ops.h
- isneginf.h
- isneginf\_compositeexplicitautogradnonfunctional\_dispatch.h
- isneginf\_cpu\_dispatch.h
- isneginf\_cuda\_dispatch.h
- isneginf\_meta.h
- isneginf\_meta\_dispatch.h
- isneginf\_native.h
- isneginf\_ops.h
- isposinf.h
- isposinf\_compositeexplicitautogradnonfunctional\_dispatch.h
- isposinf\_cpu\_dispatch.h
- isposinf\_cuda\_dispatch.h
- isposinf\_meta.h
- isposinf\_meta\_dispatch.h
- isposinf\_native.h
- isposinf\_ops.h
- isreal.h
- isreal\_compositeimplicitautograd\_dispatch.h
- isreal\_native.h
- isreal\_ops.h
- istft.h
- istft\_compositeimplicitautograd\_dispatch.h
- istft\_native.h
- istft\_ops.h
- item.h
- item\_compositeimplicitautograd\_dispatch.h
- item\_native.h
- item\_ops.h
- kaiser\_window.h
- kaiser\_window\_compositeexplicitautograd\_dispatch.h
- kaiser\_window\_native.h
- kaiser\_window\_ops.h
- kl\_div.h
- kl\_div\_compositeimplicitautograd\_dispatch.h
- kl\_div\_native.h
- kl\_div\_ops.h
- kron.h
- kron\_compositeimplicitautograd\_dispatch.h
- kron\_native.h
- kron\_ops.h
- kthvalue.h
- kthvalue\_compositeexplicitautograd\_dispatch.h
- kthvalue\_compositeimplicitautograd\_dispatch.h
- kthvalue\_cpu\_dispatch.h
- kthvalue\_cuda\_dispatch.h
- kthvalue\_native.h
- kthvalue\_ops.h
- l1\_loss.h
- l1\_loss\_compositeimplicitautograd\_dispatch.h
- l1\_loss\_native.h
- l1\_loss\_ops.h
- layer\_norm.h
- layer\_norm\_compositeimplicitautograd\_dispatch.h
- layer\_norm\_native.h
- layer\_norm\_ops.h
- lcm.h
- lcm\_compositeexplicitautogradnonfunctional\_dispatch.h
- lcm\_cpu\_dispatch.h
- lcm\_cuda\_dispatch.h
- lcm\_meta.h
- lcm\_meta\_dispatch.h
- lcm\_native.h
- lcm\_ops.h
- ldexp.h

- ldexp\_compositeexplicitautograd\_dispatch.h
- ldexp\_native.h
- ldexp\_ops.h
- le.h
- le\_compositeexplicitautogradnonfunctional\_dispatch.h
- le\_cpu\_dispatch.h
- le\_cuda\_dispatch.h
- le\_meta.h
- le\_meta\_dispatch.h
- le\_native.h
- le\_ops.h
- leaky\_relu.h
- leaky\_relu\_backward.h
- leaky\_relu\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- leaky\_relu\_backward\_cpu\_dispatch.h
- leaky\_relu\_backward\_cuda\_dispatch.h
- leaky\_relu\_backward\_meta.h
- leaky\_relu\_backward\_meta\_dispatch.h
- leaky\_relu\_backward\_native.h
- leaky\_relu\_backward\_ops.h
- leaky\_relu\_compositeexplicitautogradnonfunctional\_dispatch.h
- leaky\_relu\_cpu\_dispatch.h
- leaky\_relu\_cuda\_dispatch.h
- leaky\_relu\_meta.h
- leaky\_relu\_meta\_dispatch.h
- leaky\_relu\_native.h
- leaky\_relu\_ops.h
- lerp.h
- lerp\_compositeexplicitautogradnonfunctional\_dispatch.h
- lerp\_cpu\_dispatch.h
- lerp\_cuda\_dispatch.h
- lerp\_meta.h
- lerp\_meta\_dispatch.h
- lerp\_native.h
- lerp\_ops.h
- less.h
- less\_compositeimplicitautograd\_dispatch.h
- less\_equal.h
- less\_equal\_compositeimplicitautograd\_dispatch.h
- less\_equal\_native.h
- less\_equal\_ops.h
- less\_native.h
- less\_ops.h
- lgamma.h
- lgamma\_compositeexplicitautogradnonfunctional\_dispatch.h
- lgamma\_cpu\_dispatch.h
- lgamma\_cuda\_dispatch.h
- lgamma\_meta.h
- lgamma\_meta\_dispatch.h
- lgamma\_native.h
- lgamma\_ops.h
- lift.h
- lift\_compositeexplicitautograd\_dispatch.h
- lift\_fresh.h
- lift\_fresh\_compositeexplicitautograd\_dispatch.h
- lift\_fresh\_copy.h
- lift\_fresh\_copy\_compositeexplicitautograd\_dispatch.h
- lift\_fresh\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- lift\_fresh\_copy\_native.h
- lift\_fresh\_copy\_ops.h
- lift\_fresh\_native.h
- lift\_fresh\_ops.h
- lift\_native.h
- lift\_ops.h
- linalg\_powsum.h
- linalg\_powsum\_compositeexplicitautograd\_dispatch.h
- linalg\_powsum\_cpu\_dispatch.h
- linalg\_powsum\_cuda\_dispatch.h
- linalg\_powsum\_native.h
- linalg\_powsum\_ops.h
- linalg\_cholesky.h
- linalg\_cholesky\_compositeimplicitautograd\_dispatch.h
- linalg\_cholesky\_ex.h
- linalg\_cholesky\_ex\_compositeexplicitautogradnonfunctional\_dispatch.h
- linalg\_cholesky\_ex\_cpu\_dispatch.h
- linalg\_cholesky\_ex\_cuda\_dispatch.h
- linalg\_cholesky\_ex\_meta.h
- linalg\_cholesky\_ex\_meta\_dispatch.h
- linalg\_cholesky\_ex\_native.h
- linalg\_cholesky\_ex\_ops.h
- linalg\_cholesky\_native.h
- linalg\_cholesky\_ops.h
- linalg\_cond.h
- linalg\_cond\_compositeimplicitautograd\_dispatch.h
- linalg\_cond\_native.h

```

— linalg_cond_ops.h
— linalg_cross.h
— linalg_cross_compositeexplicitautogradnonfunctional_dispatch.h
— linalg_cross_cpu_dispatch.h
— linalg_cross_cuda_dispatch.h
— linalg_cross_meta.h
— linalg_cross_meta_dispatch.h
— linalg_cross_native.h
— linalg_cross_ops.h
— linalg_det.h
— linalg_det_compositeimplicitautograd_dispatch.h
— linalg_det_native.h
— linalg_det_ops.h
— linalg_diagonal.h
— linalg_diagonal_compositeimplicitautograd_dispatch.h
— linalg_diagonal_native.h
— linalg_diagonal_ops.h
— linalg_eig.h
— linalg_eig_cpu_dispatch.h
— linalg_eig_cuda_dispatch.h
— linalg_eig_native.h
— linalg_eig_ops.h
— linalg_eigh.h
— linalg_eigh_compositeimplicitautograd_dispatch.h
— linalg_eigh_native.h
— linalg_eigh_ops.h
— linalg_eigvals.h
— linalg_eigvals_compositeimplicitautograd_dispatch.h
— linalg_eigvals_cpu_dispatch.h
— linalg_eigvals_cuda_dispatch.h
— linalg_eigvals_native.h
— linalg_eigvals_ops.h
— linalg_eigvalsh.h
— linalg_eigvalsh_compositeimplicitautograd_dispatch.h
— linalg_eigvalsh_native.h
— linalg_eigvalsh_ops.h
— linalg_householder_product.h
— linalg_householder_product_cpu_dispatch.h
— linalg_householder_product_cuda_dispatch.h
— linalg_householder_product_native.h
— linalg_householder_product_ops.h
— linalg_inv.h
— linalg_inv_compositeimplicitautograd_dispatch.h
— linalg_inv_ex.h
— linalg_inv_ex_compositeexplicitautogradnonfunctional_dispatch.h
— linalg_inv_ex_cpu_dispatch.h
— linalg_inv_ex_cuda_dispatch.h
— linalg_inv_ex_meta.h
— linalg_inv_ex_meta_dispatch.h
— linalg_inv_ex_native.h
— linalg_inv_ex_ops.h
— linalg_inv_native.h
— linalg_inv_ops.h
— linalg_ldl_factor.h
— linalg_ldl_factor_compositeimplicitautograd_dispatch.h
— linalg_ldl_factor_ex.h
— linalg_ldl_factor_ex_compositeexplicitautogradnonfunctional_dispatch.h
— linalg_ldl_factor_ex_cpu_dispatch.h
— linalg_ldl_factor_ex_cuda_dispatch.h
— linalg_ldl_factor_ex_meta.h
— linalg_ldl_factor_ex_meta_dispatch.h
— linalg_ldl_factor_ex_native.h
— linalg_ldl_factor_ex_ops.h
— linalg_ldl_factor_native.h
— linalg_ldl_factor_ops.h
— linalg_ldl_solve.h
— linalg_ldl_solve_compositeexplicitautogradnonfunctional_dispatch.h
— linalg_ldl_solve_cpu_dispatch.h
— linalg_ldl_solve_cuda_dispatch.h
— linalg_ldl_solve_meta.h
— linalg_ldl_solve_meta_dispatch.h
— linalg_ldl_solve_native.h
— linalg_ldl_solve_ops.h
— linalg_lstsq.h
— linalg_lstsq_compositeexplicitautograd_dispatch.h
— linalg_lstsq_cpu_dispatch.h
— linalg_lstsq_cuda_dispatch.h
— linalg_lstsq_native.h
— linalg_lstsq_ops.h
— linalg_lu.h
— linalg_lu_compositeexplicitautogradnonfunctional_dispatch.h
— linalg_lu_cpu_dispatch.h
— linalg_lu_cuda_dispatch.h
— linalg_lu_factor.h
— linalg_lu_factor_compositeimplicitautograd_dispatch.h

```

```

— linalg_lu_factor_ex.h
— linalg_lu_factor_ex_compositeexplicitautogradnonfunctional_dispatch.h
— linalg_lu_factor_ex_cpu_dispatch.h
— linalg_lu_factor_ex_cuda_dispatch.h
— linalg_lu_factor_ex_meta.h
— linalg_lu_factor_ex_meta_dispatch.h
— linalg_lu_factor_ex_native.h
— linalg_lu_factor_ex_ops.h
— linalg_lu_factor_native.h
— linalg_lu_factor_ops.h
— linalg_lu_meta.h
— linalg_lu_meta_dispatch.h
— linalg_lu_native.h
— linalg_lu_ops.h
— linalg_lu_solve.h
— linalg_lu_solve_compositeexplicitautogradnonfunctional_dispatch.h
— linalg_lu_solve_cpu_dispatch.h
— linalg_lu_solve_cuda_dispatch.h
— linalg_lu_solve_meta.h
— linalg_lu_solve_meta_dispatch.h
— linalg_lu_solve_native.h
— linalg_lu_solve_ops.h
— linalg_matmul.h
— linalg_matmul_compositeimplicitautograd_dispatch.h
— linalg_matmul_native.h
— linalg_matmul_ops.h
— linalg_matrix_exp.h
— linalg_matrix_exp_compositeexplicitautograd_dispatch.h
— linalg_matrix_exp_cpu_dispatch.h
— linalg_matrix_exp_cuda_dispatch.h
— linalg_matrix_exp_native.h
— linalg_matrix_exp_ops.h
— linalg_matrix_norm.h
— linalg_matrix_norm_compositeimplicitautograd_dispatch.h
— linalg_matrix_norm_native.h
— linalg_matrix_norm_ops.h
— linalg_matrix_power.h
— linalg_matrix_power_compositeimplicitautograd_dispatch.h
— linalg_matrix_power_native.h
— linalg_matrix_power_ops.h
— linalg_matrix_rank.h
— linalg_matrix_rank_compositeimplicitautograd_dispatch.h
— linalg_matrix_rank_native.h
— linalg_matrix_rank_ops.h
— linalg_multi_dot.h
— linalg_multi_dot_compositeimplicitautograd_dispatch.h
— linalg_multi_dot_native.h
— linalg_multi_dot_ops.h
— linalg_norm.h
— linalg_norm_compositeimplicitautograd_dispatch.h
— linalg_norm_native.h
— linalg_norm_ops.h
— linalg_pinvc.h
— linalg_pinvc_compositeexplicitautograd_dispatch.h
— linalg_pinvc_compositeexplicitautogradnonfunctional_dispatch.h
— linalg_pinvc_compositeimplicitautograd_dispatch.h
— linalg_pinvc_native.h
— linalg_pinvc_ops.h
— linalg_qr.h
— linalg_qr_compositeexplicitautogradnonfunctional_dispatch.h
— linalg_qr_cpu_dispatch.h
— linalg_qr_cuda_dispatch.h
— linalg_qr_meta.h
— linalg_qr_meta_dispatch.h
— linalg_qr_native.h
— linalg_qr_ops.h
— linalg_slogdet.h
— linalg_slogdet_compositeimplicitautograd_dispatch.h
— linalg_slogdet_native.h
— linalg_slogdet_ops.h
— linalg_solve.h
— linalg_solve_compositeimplicitautograd_dispatch.h
— linalg_solve_ex.h
— linalg_solve_ex_compositeimplicitautograd_dispatch.h
— linalg_solve_ex_native.h
— linalg_solve_ex_ops.h
— linalg_solve_native.h
— linalg_solve_ops.h
— linalg_solve_triangular.h
— linalg_solve_triangular_cpu_dispatch.h
— linalg_solve_triangular_cuda_dispatch.h
— linalg_solve_triangular_native.h
— linalg_solve_triangular_ops.h
— linalg_svd.h
— linalg_svd_compositeimplicitautograd_dispatch.h

```



- linalg\_svd\_native.h
- linalg\_svd\_ops.h
- linalg\_svdvals.h
- linalg\_svdvals\_compositeimplicitautograd\_dispatch.h
- linalg\_svdvals\_native.h
- linalg\_svdvals\_ops.h
- linalg\_tensorinv.h
- linalg\_tensorinv\_compositeimplicitautograd\_dispatch.h
- linalg\_tensorinv\_native.h
- linalg\_tensorinv\_ops.h
- linalg\_tensorsolve.h
- linalg\_tensorsolve\_compositeimplicitautograd\_dispatch.h
- linalg\_tensorsolve\_native.h
- linalg\_tensorsolve\_ops.h
- linalg\_vander.h
- linalg\_vander\_compositeimplicitautograd\_dispatch.h
- linalg\_vander\_native.h
- linalg\_vander\_ops.h
- linalg\_vecdot.h
- linalg\_vecdot\_compositeimplicitautograd\_dispatch.h
- linalg\_vecdot\_native.h
- linalg\_vecdot\_ops.h
- linalg\_vector\_norm.h
- linalg\_vector\_norm\_compositeexplicitautogradnonfunctional\_dispatch.h
- linalg\_vector\_norm\_cpu\_dispatch.h
- linalg\_vector\_norm\_cuda\_dispatch.h
- linalg\_vector\_norm\_meta.h
- linalg\_vector\_norm\_meta\_dispatch.h
- linalg\_vector\_norm\_native.h
- linalg\_vector\_norm\_ops.h
- linear.h
- linear\_backward.h
- linear\_backward\_compositeexplicitautograd\_dispatch.h
- linear\_backward\_native.h
- linear\_backward\_ops.h
- linear\_compositeexplicitautograd\_dispatch.h
- linear\_compositeimplicitautograd\_dispatch.h
- linear\_native.h
- linear\_ops.h
- linspace.h
- linspace\_compositeexplicitautograd\_dispatch.h
- linspace\_cpu\_dispatch.h
- linspace\_cuda\_dispatch.h
- linspace\_meta\_dispatch.h
- linspace\_native.h
- linspace\_ops.h
- log.h
- log10.h
- log10\_compositeexplicitautogradnonfunctional\_dispatch.h
- log10\_cpu\_dispatch.h
- log10\_cuda\_dispatch.h
- log10\_meta.h
- log10\_meta\_dispatch.h
- log10\_native.h
- log10\_ops.h
- log1p.h
- log1p\_compositeexplicitautogradnonfunctional\_dispatch.h
- log1p\_cpu\_dispatch.h
- log1p\_cuda\_dispatch.h
- log1p\_meta.h
- log1p\_meta\_dispatch.h
- log1p\_native.h
- log1p\_ops.h
- log2.h
- log2\_compositeexplicitautogradnonfunctional\_dispatch.h
- log2\_cpu\_dispatch.h
- log2\_cuda\_dispatch.h
- log2\_meta.h
- log2\_meta\_dispatch.h
- log2\_native.h
- log2\_ops.h
- log\_compositeexplicitautogradnonfunctional\_dispatch.h
- log\_cpu\_dispatch.h
- log\_cuda\_dispatch.h
- log\_meta.h
- log\_meta\_dispatch.h
- log\_native.h
- log\_normal.h
- log\_normal\_compositeexplicitautograd\_dispatch.h
- log\_normal\_cpu\_dispatch.h
- log\_normal\_cuda\_dispatch.h
- log\_normal\_meta\_dispatch.h
- log\_normal\_native.h
- log\_normal\_ops.h
- log\_ops.h

```

log_sigmoid.h
log_sigmoid_backward.h
log_sigmoid_backward_cpu_dispatch.h
log_sigmoid_backward_cuda_dispatch.h
log_sigmoid_backward_native.h
log_sigmoid_backward_ops.h
log_sigmoid_compositeimplicitautograd_dispatch.h
log_sigmoid_forward.h
log_sigmoid_forward_cpu_dispatch.h
log_sigmoid_forward_cuda_dispatch.h
log_sigmoid_forward_native.h
log_sigmoid_forward_ops.h
log_sigmoid_native.h
log_sigmoid_ops.h
log_softmax.h
log_softmax_compositeexplicitautograd_dispatch.h
log_softmax_compositeimplicitautograd_dispatch.h
log_softmax_native.h
log_softmax_ops.h
logaddexp.h
logaddexp2.h
logaddexp2_compositeexplicitautogradnonfunctional_dispatch.h
logaddexp2_cpu_dispatch.h
logaddexp2_cuda_dispatch.h
logaddexp2_meta.h
logaddexp2_meta_dispatch.h
logaddexp2_native.h
logaddexp2_ops.h
logaddexp_compositeexplicitautogradnonfunctional_dispatch.h
logaddexp_cpu_dispatch.h
logaddexp_cuda_dispatch.h
logaddexp_meta.h
logaddexp_meta_dispatch.h
logaddexp_native.h
logaddexp_ops.h
logcumsumexp.h
logcumsumexp_compositeexplicitautograd_dispatch.h
logcumsumexp_compositeimplicitautograd_dispatch.h
logcumsumexp_native.h
logcumsumexp_ops.h
logdet.h
logdet_compositeimplicitautograd_dispatch.h
logdet_native.h
logdet_ops.h
logical_and.h
logical_and_compositeexplicitautograd_dispatch.h
logical_and_cpu_dispatch.h
logical_and_cuda_dispatch.h
logical_and_native.h
logical_and_ops.h
logical_not.h
logical_not_compositeexplicitautograd_dispatch.h
logical_not_cpu_dispatch.h
logical_not_cuda_dispatch.h
logical_not_native.h
logical_not_ops.h
logical_or.h
logical_or_compositeexplicitautograd_dispatch.h
logical_or_cpu_dispatch.h
logical_or_cuda_dispatch.h
logical_or_native.h
logical_or_ops.h
logical_xor.h
logical_xor_compositeexplicitautograd_dispatch.h
logical_xor_cpu_dispatch.h
logical_xor_cuda_dispatch.h
logical_xor_native.h
logical_xor_ops.h
logit.h
logit_backward.h
logit_backward_compositeexplicitautogradnonfunctional_dispatch.h
logit_backward_cpu_dispatch.h
logit_backward_cuda_dispatch.h
logit_backward_meta.h
logit_backward_meta_dispatch.h
logit_backward_native.h
logit_backward_ops.h
logit_cpu_dispatch.h
logit_cuda_dispatch.h
logit_meta_dispatch.h
logit_native.h
logit_ops.h
logspace.h
logspace_compositeexplicitautograd_dispatch.h
logspace_cpu_dispatch.h

```

- logspace\_cuda\_dispatch.h
- logspace\_meta\_dispatch.h
- logspace\_native.h
- logspace\_ops.h
- logsumexp.h
- logsumexp\_compositeexplicitautograd\_dispatch.h
- logsumexp\_compositeexplicitautogradnonfunctional\_dispatch.h
- logsumexp\_compositeimplicitautograd\_dispatch.h
- logsumexp\_native.h
- logsumexp\_ops.h
- lshift.h
- lshift\_compositeexplicitautograd\_dispatch.h
- lshift\_cpu\_dispatch.h
- lshift\_cuda\_dispatch.h
- lshift\_meta\_dispatch.h
- lshift\_native.h
- lshift\_ops.h
- lstm.h
- lstm\_cell.h
- lstm\_cell\_compositeimplicitautograd\_dispatch.h
- lstm\_cell\_native.h
- lstm\_cell\_ops.h
- lstm\_compositeimplicitautograd\_dispatch.h
- lstm\_mps\_backward.h
- lstm\_mps\_backward\_compositeexplicitautograd\_dispatch.h
- lstm\_mps\_backward\_native.h
- lstm\_mps\_backward\_ops.h
- lstm\_native.h
- lstm\_ops.h
- lt.h
- lt\_compositeexplicitautogradnonfunctional\_dispatch.h
- lt\_cpu\_dispatch.h
- lt\_cuda\_dispatch.h
- lt\_meta.h
- lt\_meta\_dispatch.h
- lt\_native.h
- lt\_ops.h
- lu\_solve.h
- lu\_solve\_compositeimplicitautograd\_dispatch.h
- lu\_solve\_native.h
- lu\_solve\_ops.h
- lu\_unpack.h
- lu\_unpack\_compositeexplicitautogradnonfunctional\_dispatch.h
- lu\_unpack\_cpu\_dispatch.h
- lu\_unpack\_cuda\_dispatch.h
- lu\_unpack\_meta.h
- lu\_unpack\_meta\_dispatch.h
- lu\_unpack\_native.h
- lu\_unpack\_ops.h
- margin\_ranking\_loss.h
- margin\_ranking\_loss\_compositeimplicitautograd\_dispatch.h
- margin\_ranking\_loss\_native.h
- margin\_ranking\_loss\_ops.h
- masked\_fill.h
- masked\_fill\_compositeexplicitautograd\_dispatch.h
- masked\_fill\_cpu\_dispatch.h
- masked\_fill\_cuda\_dispatch.h
- masked\_fill\_meta\_dispatch.h
- masked\_fill\_native.h
- masked\_fill\_ops.h
- masked\_scatter.h
- masked\_scatter\_backward.h
- masked\_scatter\_backward\_compositeexplicitautograd\_dispatch.h
- masked\_scatter\_backward\_native.h
- masked\_scatter\_backward\_ops.h
- masked\_scatter\_compositeexplicitautograd\_dispatch.h
- masked\_scatter\_cpu\_dispatch.h
- masked\_scatter\_cuda\_dispatch.h
- masked\_scatter\_meta\_dispatch.h
- masked\_scatter\_native.h
- masked\_scatter\_ops.h
- masked\_select.h
- masked\_select\_backward.h
- masked\_select\_backward\_compositeimplicitautograd\_dispatch.h
- masked\_select\_backward\_native.h
- masked\_select\_backward\_ops.h
- masked\_select\_cpu\_dispatch.h
- masked\_select\_cuda\_dispatch.h
- masked\_select\_native.h
- masked\_select\_ops.h
- matmul.h
- matmul\_backward.h
- matmul\_backward\_compositeexplicitautograd\_dispatch.h
- matmul\_backward\_native.h
- matmul\_backward\_ops.h

- matmul\_compositeimplicitautograd\_dispatch.h
- matmul\_native.h
- matmul\_ops.h
- matrix\_exp.h
- matrix\_exp\_backward.h
- matrix\_exp\_backward\_compositeimplicitautograd\_dispatch.h
- matrix\_exp\_backward\_native.h
- matrix\_exp\_backward\_ops.h
- matrix\_exp\_compositeimplicitautograd\_dispatch.h
- matrix\_exp\_native.h
- matrix\_exp\_ops.h
- matrix\_H.h
- matrix\_H\_compositeimplicitautograd\_dispatch.h
- matrix\_H\_native.h
- matrix\_H\_ops.h
- matrix\_power.h
- matrix\_power\_compositeimplicitautograd\_dispatch.h
- matrix\_power\_native.h
- matrix\_power\_ops.h
- max.h
- max\_compositeexplicitautogradnonfunctional\_dispatch.h
- max\_compositeimplicitautograd\_dispatch.h
- max\_cpu\_dispatch.h
- max\_cuda\_dispatch.h
- max\_meta.h
- max\_meta\_dispatch.h
- max\_native.h
- max\_ops.h
- max\_pool1d.h
- max\_pool1d\_compositeimplicitautograd\_dispatch.h
- max\_pool1d\_native.h
- max\_pool1d\_ops.h
- max\_pool1d\_with\_indices.h
- max\_pool1d\_with\_indices\_compositeimplicitautograd\_dispatch.h
- max\_pool1d\_with\_indices\_native.h
- max\_pool1d\_with\_indices\_ops.h
- max\_pool2d.h
- max\_pool2d\_backward.h
- max\_pool2d\_backward\_compositeexplicitautograd\_dispatch.h
- max\_pool2d\_backward\_native.h
- max\_pool2d\_backward\_ops.h
- max\_pool2d\_compositeimplicitautograd\_dispatch.h
- max\_pool2d\_native.h
- max\_pool2d\_ops.h
- max\_pool2d\_with\_indices.h
- max\_pool2d\_with\_indices\_backward.h
- max\_pool2d\_with\_indices\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- max\_pool2d\_with\_indices\_backward\_cpu\_dispatch.h
- max\_pool2d\_with\_indices\_backward\_cuda\_dispatch.h
- max\_pool2d\_with\_indices\_backward\_meta.h
- max\_pool2d\_with\_indices\_backward\_meta\_dispatch.h
- max\_pool2d\_with\_indices\_backward\_native.h
- max\_pool2d\_with\_indices\_backward\_ops.h
- max\_pool2d\_with\_indices\_compositeexplicitautogradnonfunctional\_dispatch.h
- max\_pool2d\_with\_indices\_cpu\_dispatch.h
- max\_pool2d\_with\_indices\_cuda\_dispatch.h
- max\_pool2d\_with\_indices\_meta.h
- max\_pool2d\_with\_indices\_meta\_dispatch.h
- max\_pool2d\_with\_indices\_native.h
- max\_pool2d\_with\_indices\_ops.h
- max\_pool3d.h
- max\_pool3d\_compositeimplicitautograd\_dispatch.h
- max\_pool3d\_native.h
- max\_pool3d\_ops.h
- max\_pool3d\_with\_indices.h
- max\_pool3d\_with\_indices\_backward.h
- max\_pool3d\_with\_indices\_backward\_cpu\_dispatch.h
- max\_pool3d\_with\_indices\_backward\_cuda\_dispatch.h
- max\_pool3d\_with\_indices\_backward\_native.h
- max\_pool3d\_with\_indices\_backward\_ops.h
- max\_pool3d\_with\_indices\_cpu\_dispatch.h
- max\_pool3d\_with\_indices\_cuda\_dispatch.h
- max\_pool3d\_with\_indices\_native.h
- max\_pool3d\_with\_indices\_ops.h
- max\_unpool2d.h
- max\_unpool2d\_cpu\_dispatch.h
- max\_unpool2d\_cuda\_dispatch.h
- max\_unpool2d\_native.h
- max\_unpool2d\_ops.h
- max\_unpool3d.h
- max\_unpool3d\_cpu\_dispatch.h
- max\_unpool3d\_cuda\_dispatch.h
- max\_unpool3d\_native.h
- max\_unpool3d\_ops.h
- maximum.h

— maximum\_compositeexplicitautogradnonfunctional\_dispatch.h  
— maximum\_cpu\_dispatch.h  
— maximum\_cuda\_dispatch.h  
— maximum\_meta.h  
— maximum\_meta\_dispatch.h  
— maximum\_native.h  
— maximum\_ops.h  
— mean.h  
— mean\_compositeexplicitautograd\_dispatch.h  
— mean\_compositeexplicitautogradnonfunctional\_dispatch.h  
— mean\_compositeimplicitautograd\_dispatch.h  
— mean\_cpu\_dispatch.h  
— mean\_cuda\_dispatch.h  
— mean\_meta.h  
— mean\_meta\_dispatch.h  
— mean\_native.h  
— mean\_ops.h  
— median.h  
— median\_compositeexplicitautograd\_dispatch.h  
— median\_compositeimplicitautograd\_dispatch.h  
— median\_cpu\_dispatch.h  
— median\_cuda\_dispatch.h  
— median\_native.h  
— median\_ops.h  
— meshgrid.h  
— meshgrid\_compositeimplicitautograd\_dispatch.h  
— meshgrid\_native.h  
— meshgrid\_ops.h  
— mH.h  
— mH\_compositeimplicitautograd\_dispatch.h  
— mH\_native.h  
— mH\_ops.h  
— min.h  
— min\_compositeexplicitautogradnonfunctional\_dispatch.h  
— min\_compositeimplicitautograd\_dispatch.h  
— min\_cpu\_dispatch.h  
— min\_cuda\_dispatch.h  
— min\_meta.h  
— min\_meta\_dispatch.h  
— min\_native.h  
— min\_ops.h  
— minimum.h  
— minimum\_compositeexplicitautogradnonfunctional\_dispatch.h  
— minimum\_cpu\_dispatch.h  
— minimum\_cuda\_dispatch.h  
— minimum\_meta.h  
— minimum\_meta\_dispatch.h  
— minimum\_native.h  
— minimum\_ops.h  
— miopen\_batch\_norm.h  
— miopen\_batch\_norm\_backward.h  
— miopen\_batch\_norm\_backward\_compositeexplicitautograd\_dispatch.h  
— miopen\_batch\_norm\_backward\_cuda\_dispatch.h  
— miopen\_batch\_norm\_backward\_native.h  
— miopen\_batch\_norm\_backward\_ops.h  
— miopen\_batch\_norm\_compositeexplicitautograd\_dispatch.h  
— miopen\_batch\_norm\_cuda\_dispatch.h  
— miopen\_batch\_norm\_native.h  
— miopen\_batch\_norm\_ops.h  
— miopen\_convolution.h  
— miopen\_convolution\_add\_relu.h  
— miopen\_convolution\_add\_relu\_cuda\_dispatch.h  
— miopen\_convolution\_add\_relu\_native.h  
— miopen\_convolution\_add\_relu\_ops.h  
— miopen\_convolution\_compositeexplicitautograd\_dispatch.h  
— miopen\_convolution\_cuda\_dispatch.h  
— miopen\_convolution\_native.h  
— miopen\_convolution\_ops.h  
— miopen\_convolution\_relu.h  
— miopen\_convolution\_relu\_cuda\_dispatch.h  
— miopen\_convolution\_relu\_native.h  
— miopen\_convolution\_relu\_ops.h  
— miopen\_convolution\_transpose.h  
— miopen\_convolution\_transpose\_compositeexplicitautograd\_dispatch.h  
— miopen\_convolution\_transpose\_cuda\_dispatch.h  
— miopen\_convolution\_transpose\_native.h  
— miopen\_convolution\_transpose\_ops.h  
— miopen\_ctc\_loss.h  
— miopen\_ctc\_loss\_compositeexplicitautograd\_dispatch.h  
— miopen\_ctc\_loss\_cuda\_dispatch.h  
— miopen\_ctc\_loss\_native.h  
— miopen\_ctc\_loss\_ops.h  
— miopen\_depthwise\_convolution.h  
— miopen\_depthwise\_convolution\_compositeexplicitautograd\_dispatch.h  
— miopen\_depthwise\_convolution\_cuda\_dispatch.h

- miopen\_depthwise\_convolution\_native.h
- miopen\_depthwise\_convolution\_ops.h
- miopen\_rnn.h
- miopen\_rnn\_backward.h
- miopen\_rnn\_backward\_compositeexplicitautograd\_dispatch.h
- miopen\_rnn\_backward\_cuda\_dispatch.h
- miopen\_rnn\_backward\_native.h
- miopen\_rnn\_backward\_ops.h
- miopen\_rnn\_compositeexplicitautograd\_dispatch.h
- miopen\_rnn\_cuda\_dispatch.h
- miopen\_rnn\_native.h
- miopen\_rnn\_ops.h
- mish.h
- mish\_backward.h
- mish\_backward\_compositeimplicitautograd\_dispatch.h
- mish\_backward\_cpu\_dispatch.h
- mish\_backward\_cuda\_dispatch.h
- mish\_backward\_native.h
- mish\_backward\_ops.h
- mish\_compositeexplicitautogradnonfunctional\_dispatch.h
- mish\_cpu\_dispatch.h
- mish\_cuda\_dispatch.h
- mish\_meta.h
- mish\_meta\_dispatch.h
- mish\_native.h
- mish\_ops.h
- mkldnn\_adaptive\_avg\_pool2d.h
- mkldnn\_adaptive\_avg\_pool2d\_backward.h
- mkldnn\_adaptive\_avg\_pool2d\_backward\_compositeexplicitautograd\_dispatch.h
- mkldnn\_adaptive\_avg\_pool2d\_backward\_native.h
- mkldnn\_adaptive\_avg\_pool2d\_backward\_ops.h
- mkldnn\_adaptive\_avg\_pool2d\_native.h
- mkldnn\_adaptive\_avg\_pool2d\_ops.h
- mkldnn\_convolution.h
- mkldnn\_convolution\_compositeexplicitautograd\_dispatch.h
- mkldnn\_convolution\_native.h
- mkldnn\_convolution\_ops.h
- mkldnn\_linear.h
- mkldnn\_linear\_backward.h
- mkldnn\_linear\_backward\_compositeexplicitautograd\_dispatch.h
- mkldnn\_linear\_backward\_input.h
- mkldnn\_linear\_backward\_input\_compositeexplicitautograd\_dispatch.h
- mkldnn\_linear\_backward\_input\_native.h
- mkldnn\_linear\_backward\_input\_ops.h
- mkldnn\_linear\_backward\_native.h
- mkldnn\_linear\_backward\_ops.h
- mkldnn\_linear\_backward\_weights.h
- mkldnn\_linear\_backward\_weights\_compositeexplicitautograd\_dispatch.h
- mkldnn\_linear\_backward\_weights\_native.h
- mkldnn\_linear\_backward\_weights\_ops.h
- mkldnn\_linear\_compositeexplicitautograd\_dispatch.h
- mkldnn\_linear\_native.h
- mkldnn\_linear\_ops.h
- mkldnn\_max\_pool2d.h
- mkldnn\_max\_pool2d\_backward.h
- mkldnn\_max\_pool2d\_backward\_compositeexplicitautograd\_dispatch.h
- mkldnn\_max\_pool2d\_backward\_native.h
- mkldnn\_max\_pool2d\_backward\_ops.h
- mkldnn\_max\_pool2d\_compositeexplicitautograd\_dispatch.h
- mkldnn\_max\_pool2d\_native.h
- mkldnn\_max\_pool2d\_ops.h
- mkldnn\_max\_pool3d.h
- mkldnn\_max\_pool3d\_backward.h
- mkldnn\_max\_pool3d\_backward\_compositeexplicitautograd\_dispatch.h
- mkldnn\_max\_pool3d\_backward\_native.h
- mkldnn\_max\_pool3d\_backward\_ops.h
- mkldnn\_max\_pool3d\_compositeexplicitautograd\_dispatch.h
- mkldnn\_max\_pool3d\_native.h
- mkldnn\_max\_pool3d\_ops.h
- mkldnn\_reorder\_conv2d\_weight.h
- mkldnn\_reorder\_conv2d\_weight\_compositeexplicitautograd\_dispatch.h
- mkldnn\_reorder\_conv2d\_weight\_native.h
- mkldnn\_reorder\_conv2d\_weight\_ops.h
- mkldnn\_reorder\_conv3d\_weight.h
- mkldnn\_reorder\_conv3d\_weight\_compositeexplicitautograd\_dispatch.h
- mkldnn\_reorder\_conv3d\_weight\_native.h
- mkldnn\_reorder\_conv3d\_weight\_ops.h
- mkldnn\_rnn\_layer.h
- mkldnn\_rnn\_layer\_backward.h
- mkldnn\_rnn\_layer\_backward\_compositeexplicitautograd\_dispatch.h
- mkldnn\_rnn\_layer\_backward\_cpu\_dispatch.h
- mkldnn\_rnn\_layer\_backward\_native.h
- mkldnn\_rnn\_layer\_backward\_ops.h
- mkldnn\_rnn\_layer\_compositeexplicitautograd\_dispatch.h
- mkldnn\_rnn\_layer\_cpu\_dispatch.h

- mklldnn\_rnn\_layer\_native.h
- mklldnn\_rnn\_layer\_ops.h
- mm.h
- mm\_compositeexplicitautogradnonfunctional\_dispatch.h
- mm\_cpu\_dispatch.h
- mm\_cuda\_dispatch.h
- mm\_meta.h
- mm\_meta\_dispatch.h
- mm\_native.h
- mm\_ops.h
- mode.h
- mode\_compositeexplicitautograd\_dispatch.h
- mode\_compositeimplicitautograd\_dispatch.h
- mode\_cpu\_dispatch.h
- mode\_cuda\_dispatch.h
- mode\_native.h
- mode\_ops.h
- moveaxis.h
- moveaxis\_compositeimplicitautograd\_dispatch.h
- moveaxis\_native.h
- moveaxis\_ops.h
- movedim.h
- movedim\_compositeimplicitautograd\_dispatch.h
- movedim\_native.h
- movedim\_ops.h
- mps\_convolution\_backward.h
- mps\_convolution\_backward\_compositeexplicitautograd\_dispatch.h
- mps\_convolution\_backward\_native.h
- mps\_convolution\_backward\_ops.h
- mps\_convolution\_transpose\_backward.h
- mps\_convolution\_transpose\_backward\_compositeexplicitautograd\_dispatch.h
- mps\_convolution\_transpose\_backward\_native.h
- mps\_convolution\_transpose\_backward\_ops.h
- mse\_loss.h
- mse\_loss\_backward.h
- mse\_loss\_backward\_cpu\_dispatch.h
- mse\_loss\_backward\_cuda\_dispatch.h
- mse\_loss\_backward\_native.h
- mse\_loss\_backward\_ops.h
- mse\_loss\_compositeexplicitautogradnonfunctional\_dispatch.h
- mse\_loss\_cpu\_dispatch.h
- mse\_loss\_cuda\_dispatch.h
- mse\_loss\_meta.h
- mse\_loss\_meta\_dispatch.h
- mse\_loss\_native.h
- mse\_loss\_ops.h
- msort.h
- msort\_compositeimplicitautograd\_dispatch.h
- msort\_native.h
- msort\_ops.h
- mT.h
- mT\_compositeimplicitautograd\_dispatch.h
- mT\_native.h
- mT\_ops.h
- mul.h
- mul\_compositeexplicitautograd\_dispatch.h
- mul\_compositeexplicitautogradnonfunctional\_dispatch.h
- mul\_cpu\_dispatch.h
- mul\_cuda\_dispatch.h
- mul\_meta.h
- mul\_meta\_dispatch.h
- mul\_native.h
- mul\_ops.h
- multi\_margin\_loss.h
- multi\_margin\_loss\_backward.h
- multi\_margin\_loss\_backward\_cpu\_dispatch.h
- multi\_margin\_loss\_backward\_cuda\_dispatch.h
- multi\_margin\_loss\_backward\_native.h
- multi\_margin\_loss\_backward\_ops.h
- multi\_margin\_loss\_cpu\_dispatch.h
- multi\_margin\_loss\_cuda\_dispatch.h
- multi\_margin\_loss\_native.h
- multi\_margin\_loss\_ops.h
- multilabel\_margin\_loss.h
- multilabel\_margin\_loss\_backward.h
- multilabel\_margin\_loss\_backward\_cpu\_dispatch.h
- multilabel\_margin\_loss\_backward\_cuda\_dispatch.h
- multilabel\_margin\_loss\_backward\_native.h
- multilabel\_margin\_loss\_backward\_ops.h
- multilabel\_margin\_loss\_compositeimplicitautograd\_dispatch.h
- multilabel\_margin\_loss\_forward.h
- multilabel\_margin\_loss\_forward\_cpu\_dispatch.h
- multilabel\_margin\_loss\_forward\_cuda\_dispatch.h
- multilabel\_margin\_loss\_forward\_native.h
- multilabel\_margin\_loss\_forward\_ops.h

- multilabel\_margin\_loss\_native.h
- multilabel\_margin\_loss\_ops.h
- multinomial.h
- multinomial\_cpu\_dispatch.h
- multinomial\_cuda\_dispatch.h
- multinomial\_native.h
- multinomial\_ops.h
- multiply.h
- multiply\_compositeimplicitautograd\_dispatch.h
- multiply\_native.h
- multiply\_ops.h
- mv.h
- mv\_compositeexplicitautograd\_dispatch.h
- mv\_native.h
- mv\_ops.h
- mvlgamma.h
- mvlgamma\_compositeexplicitautograd\_dispatch.h
- mvlgamma\_cpu\_dispatch.h
- mvlgamma\_cuda\_dispatch.h
- mvlgamma\_native.h
- mvlgamma\_ops.h
- nan\_to\_num.h
- nan\_to\_num\_compositeexplicitautograd\_dispatch.h
- nan\_to\_num\_cpu\_dispatch.h
- nan\_to\_num\_cuda\_dispatch.h
- nan\_to\_num\_native.h
- nan\_to\_num\_ops.h
- nanmean.h
- nanmean\_compositeimplicitautograd\_dispatch.h
- nanmean\_native.h
- nanmean\_ops.h
- nanmedian.h
- nanmedian\_compositeexplicitautograd\_dispatch.h
- nanmedian\_compositeimplicitautograd\_dispatch.h
- nanmedian\_cpu\_dispatch.h
- nanmedian\_cuda\_dispatch.h
- nanmedian\_native.h
- nanmedian\_ops.h
- nanquantile.h
- nanquantile\_compositeimplicitautograd\_dispatch.h
- nanquantile\_native.h
- nanquantile\_ops.h
- nansum.h
- nansum\_cpu\_dispatch.h
- nansum\_cuda\_dispatch.h
- nansum\_native.h
- nansum\_ops.h
- narrow.h
- narrow\_compositeimplicitautograd\_dispatch.h
- narrow\_copy.h
- narrow\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- narrow\_copy\_cpu\_dispatch.h
- narrow\_copy\_native.h
- narrow\_copy\_ops.h
- narrow\_native.h
- narrow\_ops.h
- native\_batch\_norm.h
- native\_batch\_norm\_backward.h
- native\_batch\_norm\_backward\_compositeexplicitautograd\_dispatch.h
- native\_batch\_norm\_backward\_cpu\_dispatch.h
- native\_batch\_norm\_backward\_cuda\_dispatch.h
- native\_batch\_norm\_backward\_native.h
- native\_batch\_norm\_backward\_ops.h
- native\_batch\_norm\_cpu\_dispatch.h
- native\_batch\_norm\_cuda\_dispatch.h
- native\_batch\_norm\_native.h
- native\_batch\_norm\_ops.h
- native\_channel\_shuffle.h
- native\_channel\_shuffle\_compositeimplicitautograd\_dispatch.h
- native\_channel\_shuffle\_cpu\_dispatch.h
- native\_channel\_shuffle\_native.h
- native\_channel\_shuffle\_ops.h
- native\_dropout.h
- native\_dropout\_backward.h
- native\_dropout\_backward\_compositeexplicitautograd\_dispatch.h
- native\_dropout\_backward\_cpu\_dispatch.h
- native\_dropout\_backward\_cuda\_dispatch.h
- native\_dropout\_backward\_native.h
- native\_dropout\_backward\_ops.h
- native\_dropout\_compositeexplicitautograd\_dispatch.h
- native\_dropout\_cpu\_dispatch.h
- native\_dropout\_cuda\_dispatch.h
- native\_dropout\_native.h
- native\_dropout\_ops.h
- native\_group\_norm.h



```

native_group_norm_backward.h
native_group_norm_backward_compositeexplicitautograd_dispatch.h
native_group_norm_backward_cpu_dispatch.h
native_group_norm_backward_cuda_dispatch.h
native_group_norm_backward_native.h
native_group_norm_backward_ops.h
native_group_norm_compositeexplicitautograd_dispatch.h
native_group_norm_cpu_dispatch.h
native_group_norm_cuda_dispatch.h
native_group_norm_native.h
native_group_norm_ops.h
native_layer_norm.h
native_layer_norm_backward.h
native_layer_norm_backward_compositeexplicitautograd_dispatch.h
native_layer_norm_backward_cpu_dispatch.h
native_layer_norm_backward_cuda_dispatch.h
native_layer_norm_backward_native.h
native_layer_norm_backward_ops.h
native_layer_norm_compositeexplicitautograd_dispatch.h
native_layer_norm_cpu_dispatch.h
native_layer_norm_cuda_dispatch.h
native_layer_norm_native.h
native_layer_norm_ops.h
native_norm.h
native_norm_compositeexplicitautograd_dispatch.h
native_norm_native.h
native_norm_ops.h
ne.h
ne_compositeexplicitautogradnonfunctional_dispatch.h
ne_cpu_dispatch.h
ne_cuda_dispatch.h
ne_meta.h
ne_meta_dispatch.h
ne_native.h
ne_ops.h
neg.h
neg_compositeexplicitautogradnonfunctional_dispatch.h
neg_cpu_dispatch.h
neg_cuda_dispatch.h
neg_meta.h
neg_meta_dispatch.h
neg_native.h
neg_ops.h
negative.h
negative_compositeimplicitautograd_dispatch.h
negative_native.h
negative_ops.h
nested_to_padded_tensor.h
nested_to_padded_tensor_compositeimplicitautograd_dispatch.h
nested_to_padded_tensor_native.h
nested_to_padded_tensor_ops.h
new_empty.h
new_empty_compositeexplicitautograd_dispatch.h
new_empty_native.h
new_empty_ops.h
new_empty_strided.h
new_empty_strided_compositeexplicitautograd_dispatch.h
new_empty_strided_compositeexplicitautogradnonfunctional_dispatch.h
new_empty_strided_native.h
new_empty_strided_ops.h
new_full.h
new_full_compositeexplicitautograd_dispatch.h
new_full_native.h
new_full_ops.h
new_ones.h
new_ones_compositeexplicitautograd_dispatch.h
new_ones_native.h
new_ones_ops.h
new_zeros.h
new_zeros_compositeexplicitautograd_dispatch.h
new_zeros_native.h
new_zeros_ops.h
nextafter.h
nextafter_compositeexplicitautogradnonfunctional_dispatch.h
nextafter_cpu_dispatch.h
nextafter_cuda_dispatch.h
nextafter_meta.h
nextafter_meta_dispatch.h
nextafter_native.h
nextafter_ops.h
nll_loss.h
nll_loss2d.h
nll_loss2d_backward.h
nll_loss2d_backward_cpu_dispatch.h
nll_loss2d_backward_cuda_dispatch.h

```

```

nll_loss2d_backward_native.h
nll_loss2d_backward_ops.h
nll_loss2d_compositeimplicitautograd_dispatch.h
nll_loss2d_forward.h
nll_loss2d_forward_cpu_dispatch.h
nll_loss2d_forward_cuda_dispatch.h
nll_loss2d_forward_native.h
nll_loss2d_forward_ops.h
nll_loss2d_native.h
nll_loss2d_ops.h
nll_loss_backward.h
nll_loss_backward_compositeexplicitautogradnonfunctional_dispatch.h
nll_loss_backward_cpu_dispatch.h
nll_loss_backward_cuda_dispatch.h
nll_loss_backward_meta.h
nll_loss_backward_meta_dispatch.h
nll_loss_backward_native.h
nll_loss_backward_ops.h
nll_loss_compositeimplicitautograd_dispatch.h
nll_loss_forward.h
nll_loss_forward_compositeexplicitautogradnonfunctional_dispatch.h
nll_loss_forward_cpu_dispatch.h
nll_loss_forward_cuda_dispatch.h
nll_loss_forward_meta.h
nll_loss_forward_meta_dispatch.h
nll_loss_forward_native.h
nll_loss_forward_ops.h
nll_loss_native.h
nll_loss_nd.h
nll_loss_nd_compositeimplicitautograd_dispatch.h
nll_loss_nd_native.h
nll_loss_nd_ops.h
nll_loss_ops.h
nonzero.h
nonzero_cpu_dispatch.h
nonzero_cuda_dispatch.h
nonzero_native.h
nonzero_numpy.h
nonzero_numpy_compositeimplicitautograd_dispatch.h
nonzero_numpy_native.h
nonzero_numpy_ops.h
nonzero_ops.h
nonzero_static.h
nonzero_static_cpu_dispatch.h
nonzero_static_cuda_dispatch.h
nonzero_static_native.h
nonzero_static_ops.h
norm.h
norm_compositeexplicitautograd_dispatch.h
norm_compositeexplicitautogradnonfunctional_dispatch.h
norm_compositeimplicitautograd_dispatch.h
norm_cpu_dispatch.h
norm_cuda_dispatch.h
norm_except_dim.h
norm_except_dim_compositeimplicitautograd_dispatch.h
norm_except_dim_native.h
norm_except_dim_ops.h
norm_meta.h
norm_meta_dispatch.h
norm_native.h
norm_ops.h
normal.h
normal_compositeexplicitautograd_dispatch.h
normal_cpu_dispatch.h
normal_cuda_dispatch.h
normal_meta_dispatch.h
normal_native.h
normal_ops.h
not_equal.h
not_equal_compositeimplicitautograd_dispatch.h
not_equal_native.h
not_equal_ops.h
nuclear_norm.h
nuclear_norm_compositeimplicitautograd_dispatch.h
nuclear_norm_native.h
nuclear_norm_ops.h
numel.h
numel_compositeimplicitautograd_dispatch.h
numel_native.h
numel_ops.h
numpy_T.h
numpy_T_compositeimplicitautograd_dispatch.h
numpy_T_native.h
numpy_T_ops.h
one_hot.h

```

- one\_hot\_compositeimplicitautograd\_dispatch.h
- one\_hot\_native.h
- one\_hot\_ops.h
- ones.h
- ones\_compositeexplicitautograd\_dispatch.h
- ones\_like.h
- ones\_like\_compositeexplicitautograd\_dispatch.h
- ones\_like\_native.h
- ones\_like\_ops.h
- ones\_native.h
- ones\_ops.h
- or.h
- or\_compositeimplicitautograd\_dispatch.h
- or\_native.h
- or\_ops.h
- orgqr.h
- orgqr\_compositeimplicitautograd\_dispatch.h
- orgqr\_native.h
- orgqr\_ops.h
- ormqr.h
- ormqr\_cpu\_dispatch.h
- ormqr\_cuda\_dispatch.h
- ormqr\_native.h
- ormqr\_ops.h
- outer.h
- outer\_compositeimplicitautograd\_dispatch.h
- outer\_native.h
- outer\_ops.h
- output\_nr.h
- output\_nr\_compositeimplicitautograd\_dispatch.h
- output\_nr\_native.h
- output\_nr\_ops.h
- pad.h
- pad\_compositeimplicitautograd\_dispatch.h
- pad\_native.h
- pad\_ops.h
- pad\_sequence.h
- pad\_sequence\_compositeimplicitautograd\_dispatch.h
- pad\_sequence\_native.h
- pad\_sequence\_ops.h
- pairwise\_distance.h
- pairwise\_distance\_compositeimplicitautograd\_dispatch.h
- pairwise\_distance\_native.h
- pairwise\_distance\_ops.h
- pdist.h
- pdist\_compositeimplicitautograd\_dispatch.h
- pdist\_native.h
- pdist\_ops.h
- permute.h
- permute\_compositeexplicitautograd\_dispatch.h
- permute\_copy.h
- permute\_copy\_compositeexplicitautograd\_dispatch.h
- permute\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- permute\_copy\_native.h
- permute\_copy\_ops.h
- permute\_native.h
- permute\_ops.h
- pin\_memory.h
- pin\_memory\_compositeimplicitautograd\_dispatch.h
- pin\_memory\_native.h
- pin\_memory\_ops.h
- pinverse.h
- pinverse\_compositeimplicitautograd\_dispatch.h
- pinverse\_native.h
- pinverse\_ops.h
- pixel\_shuffle.h
- pixel\_shuffle\_compositeexplicitautograd\_dispatch.h
- pixel\_shuffle\_compositeexplicitautogradnonfunctional\_dispatch.h
- pixel\_shuffle\_cpu\_dispatch.h
- pixel\_shuffle\_native.h
- pixel\_shuffle\_ops.h
- pixel\_unshuffle.h
- pixel\_unshuffle\_compositeexplicitautograd\_dispatch.h
- pixel\_unshuffle\_compositeexplicitautogradnonfunctional\_dispatch.h
- pixel\_unshuffle\_cpu\_dispatch.h
- pixel\_unshuffle\_native.h
- pixel\_unshuffle\_ops.h
- poisson.h
- poisson\_compositeexplicitautograd\_dispatch.h
- poisson\_cpu\_dispatch.h
- poisson\_cuda\_dispatch.h
- poisson\_native.h
- poisson\_nll\_loss.h
- poisson\_nll\_loss\_compositeimplicitautograd\_dispatch.h
- poisson\_nll\_loss\_native.h

poisson\_nll\_loss\_ops.h  
poisson\_ops.h  
polar.h  
polar\_compositeexplicitautograd\_dispatch.h  
polar\_cpu\_dispatch.h  
polar\_cuda\_dispatch.h  
polar\_native.h  
polar\_ops.h  
polygamma.h  
polygamma\_compositeexplicitautograd\_dispatch.h  
polygamma\_compositeexplicitautogradnonfunctional\_dispatch.h  
polygamma\_cpu\_dispatch.h  
polygamma\_cuda\_dispatch.h  
polygamma\_meta.h  
polygamma\_meta\_dispatch.h  
polygamma\_native.h  
polygamma\_ops.h  
positive.h  
positive\_compositeimplicitautograd\_dispatch.h  
positive\_native.h  
positive\_ops.h  
pow.h  
pow\_compositeexplicitautogradnonfunctional\_dispatch.h  
pow\_cpu\_dispatch.h  
pow\_cuda\_dispatch.h  
pow\_meta.h  
pow\_meta\_dispatch.h  
pow\_native.h  
pow\_ops.h  
prelu.h  
prelu\_compositeimplicitautograd\_dispatch.h  
prelu\_native.h  
prelu\_ops.h  
prod.h  
prod\_compositeexplicitautograd\_dispatch.h  
prod\_compositeexplicitautogradnonfunctional\_dispatch.h  
prod\_compositeimplicitautograd\_dispatch.h  
prod\_cpu\_dispatch.h  
prod\_cuda\_dispatch.h  
prod\_meta.h  
prod\_meta\_dispatch.h  
prod\_native.h  
prod\_ops.h  
promote\_types.h  
promote\_types\_compositeimplicitautograd\_dispatch.h  
promote\_types\_native.h  
promote\_types\_ops.h  
put.h  
put\_compositeexplicitautograd\_dispatch.h  
put\_cpu\_dispatch.h  
put\_cuda\_dispatch.h  
put\_meta\_dispatch.h  
put\_native.h  
put\_ops.h  
q\_per\_channel\_axis.h  
q\_per\_channel\_axis\_native.h  
q\_per\_channel\_axis\_ops.h  
q\_per\_channel\_scales.h  
q\_per\_channel\_scales\_compositeexplicitautograd\_dispatch.h  
q\_per\_channel\_scales\_native.h  
q\_per\_channel\_scales\_ops.h  
q\_per\_channel\_zero\_points.h  
q\_per\_channel\_zero\_points\_compositeexplicitautograd\_dispatch.h  
q\_per\_channel\_zero\_points\_native.h  
q\_per\_channel\_zero\_points\_ops.h  
q\_scale.h  
q\_scale\_native.h  
q\_scale\_ops.h  
q\_zero\_point.h  
q\_zero\_point\_native.h  
q\_zero\_point\_ops.h  
qr.h  
qr\_compositeimplicitautograd\_dispatch.h  
qr\_native.h  
qr\_ops.h  
qscheme.h  
qscheme\_native.h  
qscheme\_ops.h  
quantile.h  
quantile\_compositeimplicitautograd\_dispatch.h  
quantile\_native.h  
quantile\_ops.h  
quantize\_per\_channel.h  
quantize\_per\_channel\_compositeexplicitautograd\_dispatch.h  
quantize\_per\_channel\_cpu\_dispatch.h

```

quantize_per_channel_cuda_dispatch.h
quantize_per_channel_native.h
quantize_per_channel_ops.h
quantize_per_tensor.h
quantize_per_tensor_compositeexplicitautograd_dispatch.h
quantize_per_tensor_cpu_dispatch.h
quantize_per_tensor_cuda_dispatch.h
quantize_per_tensor_dynamic.h
quantize_per_tensor_dynamic_compositeexplicitautograd_dispatch.h
quantize_per_tensor_dynamic_cpu_dispatch.h
quantize_per_tensor_dynamic_cuda_dispatch.h
quantize_per_tensor_dynamic_native.h
quantize_per_tensor_dynamic_ops.h
quantize_per_tensor_native.h
quantize_per_tensor_ops.h
quantized_batch_norm.h
quantized_batch_norm_compositeexplicitautograd_dispatch.h
quantized_batch_norm_native.h
quantized_batch_norm_ops.h
quantized_gru_cell.h
quantized_gru_cell_compositeimplicitautograd_dispatch.h
quantized_gru_cell_native.h
quantized_gru_cell_ops.h
quantized_lstm_cell.h
quantized_lstm_cell_compositeimplicitautograd_dispatch.h
quantized_lstm_cell_native.h
quantized_lstm_cell_ops.h
quantized_max_pool1d.h
quantized_max_pool1d_compositeexplicitautograd_dispatch.h
quantized_max_pool1d_native.h
quantized_max_pool1d_ops.h
quantized_max_pool2d.h
quantized_max_pool2d_compositeexplicitautograd_dispatch.h
quantized_max_pool2d_native.h
quantized_max_pool2d_ops.h
quantized_max_pool3d.h
quantized_max_pool3d_compositeexplicitautograd_dispatch.h
quantized_max_pool3d_native.h
quantized_max_pool3d_ops.h
quantized_rnn_relu_cell.h
quantized_rnn_relu_cell_compositeimplicitautograd_dispatch.h
quantized_rnn_relu_cell_native.h
quantized_rnn_relu_cell_ops.h
quantized_rnn_tanh_cell.h
quantized_rnn_tanh_cell_compositeimplicitautograd_dispatch.h
quantized_rnn_tanh_cell_native.h
quantized_rnn_tanh_cell_ops.h
rad2deg.h
rad2deg_compositeexplicitautograd_dispatch.h
rad2deg_native.h
rad2deg_ops.h
rand.h
rand_compositeexplicitautograd_dispatch.h
rand_compositeimplicitautograd_dispatch.h
rand_like.h
rand_like_compositeexplicitautograd_dispatch.h
rand_like_native.h
rand_like_ops.h
rand_native.h
rand_ops.h
randint.h
randint_compositeexplicitautograd_dispatch.h
randint_like.h
randint_like_compositeexplicitautograd_dispatch.h
randint_like_native.h
randint_like_ops.h
randint_native.h
randint_ops.h
randn.h
randn_compositeexplicitautograd_dispatch.h
randn_compositeimplicitautograd_dispatch.h
randn_like.h
randn_like_compositeexplicitautograd_dispatch.h
randn_like_compositeimplicitautogradnestedtensor_dispatch.h
randn_like_native.h
randn_like_ops.h
randn_native.h
randn_ops.h
random.h
random_compositeexplicitautograd_dispatch.h
random_cpu_dispatch.h
random_cuda_dispatch.h
random_meta_dispatch.h
random_native.h
random_ops.h

```

— randperm.h  
— randperm\_compositeexplicitautograd\_dispatch.h  
— randperm\_cpu\_dispatch.h  
— randperm\_cuda\_dispatch.h  
— randperm\_native.h  
— randperm\_ops.h  
— range.h  
— range\_compositeexplicitautograd\_dispatch.h  
— range\_cpu\_dispatch.h  
— range\_cuda\_dispatch.h  
— range\_meta\_dispatch.h  
— range\_native.h  
— range\_ops.h  
— ravel.h  
— ravel\_compositeimplicitautograd\_dispatch.h  
— ravel\_native.h  
— ravel\_ops.h  
— real.h  
— real\_compositeimplicitautograd\_dispatch.h  
— real\_native.h  
— real\_ops.h  
— reciprocal.h  
— reciprocal\_compositeexplicitautogradnonfunctional\_dispatch.h  
— reciprocal\_cpu\_dispatch.h  
— reciprocal\_cuda\_dispatch.h  
— reciprocal\_meta.h  
— reciprocal\_meta\_dispatch.h  
— reciprocal\_native.h  
— reciprocal\_ops.h  
— record\_stream.h  
— record\_stream\_cuda\_dispatch.h  
— record\_stream\_native.h  
— record\_stream\_ops.h  
— refine\_names.h  
— refine\_names\_compositeimplicitautograd\_dispatch.h  
— refine\_names\_native.h  
— refine\_names\_ops.h  
— reflection\_pad1d.h  
— reflection\_pad1d\_backward.h  
— reflection\_pad1d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— reflection\_pad1d\_backward\_cpu\_dispatch.h  
— reflection\_pad1d\_backward\_cuda\_dispatch.h  
— reflection\_pad1d\_backward\_meta.h  
— reflection\_pad1d\_backward\_meta\_dispatch.h  
— reflection\_pad1d\_backward\_native.h  
— reflection\_pad1d\_backward\_ops.h  
— reflection\_pad1d\_compositeexplicitautogradnonfunctional\_dispatch.h  
— reflection\_pad1d\_cpu\_dispatch.h  
— reflection\_pad1d\_cuda\_dispatch.h  
— reflection\_pad1d\_meta.h  
— reflection\_pad1d\_meta\_dispatch.h  
— reflection\_pad1d\_native.h  
— reflection\_pad1d\_ops.h  
— reflection\_pad2d.h  
— reflection\_pad2d\_backward.h  
— reflection\_pad2d\_backward\_cpu\_dispatch.h  
— reflection\_pad2d\_backward\_cuda\_dispatch.h  
— reflection\_pad2d\_backward\_native.h  
— reflection\_pad2d\_backward\_ops.h  
— reflection\_pad2d\_cpu\_dispatch.h  
— reflection\_pad2d\_cuda\_dispatch.h  
— reflection\_pad2d\_native.h  
— reflection\_pad2d\_ops.h  
— reflection\_pad3d.h  
— reflection\_pad3d\_backward.h  
— reflection\_pad3d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— reflection\_pad3d\_backward\_cpu\_dispatch.h  
— reflection\_pad3d\_backward\_cuda\_dispatch.h  
— reflection\_pad3d\_backward\_meta.h  
— reflection\_pad3d\_backward\_meta\_dispatch.h  
— reflection\_pad3d\_backward\_native.h  
— reflection\_pad3d\_backward\_ops.h  
— reflection\_pad3d\_compositeexplicitautogradnonfunctional\_dispatch.h  
— reflection\_pad3d\_cpu\_dispatch.h  
— reflection\_pad3d\_cuda\_dispatch.h  
— reflection\_pad3d\_meta.h  
— reflection\_pad3d\_meta\_dispatch.h  
— reflection\_pad3d\_native.h  
— reflection\_pad3d\_ops.h  
— relu.h  
— relu6.h  
— relu6\_compositeimplicitautograd\_dispatch.h  
— relu6\_native.h  
— relu6\_ops.h  
— relu\_compositeexplicitautograd\_dispatch.h

```

— relu_cpu_dispatch.h
— relu_cuda_dispatch.h
— relu_meta_dispatch.h
— relu_native.h
— relu_ops.h
— remainder.h
— remainder_compositeexplicitautograd_dispatch.h
— remainder_compositeexplicitautogradnonfunctional_dispatch.h
— remainder_cpu_dispatch.h
— remainder_cuda_dispatch.h
— remainder_meta.h
— remainder_meta_dispatch.h
— remainder_native.h
— remainder_ops.h
— rename.h
— rename_compositeimplicitautograd_dispatch.h
— rename_native.h
— rename_ops.h
— renorm.h
— renorm_compositeexplicitautogradnonfunctional_dispatch.h
— renorm_cpu_dispatch.h
— renorm_cuda_dispatch.h
— renorm_meta.h
— renorm_meta_dispatch.h
— renorm_native.h
— renorm_ops.h
— repeat.h
— repeat_compositeexplicitautograd_dispatch.h
— repeat_interleave.h
— repeat_interleave_compositeexplicitautograd_dispatch.h
— repeat_interleave_compositeimplicitautograd_dispatch.h
— repeat_interleave_cpu_dispatch.h
— repeat_interleave_cuda_dispatch.h
— repeat_interleave_native.h
— repeat_interleave_ops.h
— repeat_native.h
— repeat_ops.h
— replication_pad1d.h
— replication_pad1d_backward.h
— replication_pad1d_backward_compositeexplicitautogradnonfunctional_dispatch.h
— replication_pad1d_backward_cpu_dispatch.h
— replication_pad1d_backward_cuda_dispatch.h
— replication_pad1d_backward_meta.h
— replication_pad1d_backward_meta_dispatch.h
— replication_pad1d_backward_native.h
— replication_pad1d_backward_ops.h
— replication_pad1d_compositeexplicitautogradnonfunctional_dispatch.h
— replication_pad1d_cpu_dispatch.h
— replication_pad1d_cuda_dispatch.h
— replication_pad1d_meta.h
— replication_pad1d_meta_dispatch.h
— replication_pad1d_native.h
— replication_pad1d_ops.h
— replication_pad2d.h
— replication_pad2d_backward.h
— replication_pad2d_backward_cpu_dispatch.h
— replication_pad2d_backward_cuda_dispatch.h
— replication_pad2d_backward_native.h
— replication_pad2d_backward_ops.h
— replication_pad2d_compositeexplicitautogradnonfunctional_dispatch.h
— replication_pad2d_cpu_dispatch.h
— replication_pad2d_cuda_dispatch.h
— replication_pad2d_meta.h
— replication_pad2d_meta_dispatch.h
— replication_pad2d_native.h
— replication_pad2d_ops.h
— replication_pad3d.h
— replication_pad3d_backward.h
— replication_pad3d_backward_cpu_dispatch.h
— replication_pad3d_backward_cuda_dispatch.h
— replication_pad3d_backward_native.h
— replication_pad3d_backward_ops.h
— replication_pad3d_compositeexplicitautogradnonfunctional_dispatch.h
— replication_pad3d_cpu_dispatch.h
— replication_pad3d_cuda_dispatch.h
— replication_pad3d_meta.h
— replication_pad3d_meta_dispatch.h
— replication_pad3d_native.h
— replication_pad3d_ops.h
— requires_grad.h
— requires_grad_compositeimplicitautograd_dispatch.h
— requires_grad_native.h
— requires_grad_ops.h
— reshape.h
— reshape_as.h

```

- reshape\_as\_compositeimplicitautograd\_dispatch.h
- reshape\_as\_compositeimplicitautogradnestedtensor\_dispatch.h
- reshape\_as\_native.h
- reshape\_as\_ops.h
- reshape\_compositeimplicitautograd\_dispatch.h
- reshape\_compositeimplicitautogradnestedtensor\_dispatch.h
- reshape\_native.h
- reshape\_ops.h
- resize.h
- resize\_as.h
- resize\_as\_compositeexplicitautograd\_dispatch.h
- resize\_as\_native.h
- resize\_as\_ops.h
- resize\_as\_sparse.h
- resize\_as\_sparse\_compositeexplicitautograd\_dispatch.h
- resize\_as\_sparse\_meta\_dispatch.h
- resize\_as\_sparse\_native.h
- resize\_as\_sparse\_ops.h
- resize\_compositeexplicitautograd\_dispatch.h
- resize\_cpu\_dispatch.h
- resize\_cuda\_dispatch.h
- resize\_meta\_dispatch.h
- resize\_native.h
- resize\_ops.h
- resolve\_conj.h
- resolve\_conj\_compositeimplicitautograd\_dispatch.h
- resolve\_conj\_native.h
- resolve\_conj\_ops.h
- resolve\_neg.h
- resolve\_neg\_compositeimplicitautograd\_dispatch.h
- resolve\_neg\_native.h
- resolve\_neg\_ops.h
- result\_type.h
- result\_type\_compositeimplicitautograd\_dispatch.h
- result\_type\_native.h
- result\_type\_ops.h
- retain\_grad.h
- retain\_grad\_compositeimplicitautograd\_dispatch.h
- retain\_grad\_native.h
- retain\_grad\_ops.h
- retains\_grad.h
- retains\_grad\_compositeimplicitautograd\_dispatch.h
- retains\_grad\_native.h
- retains\_grad\_ops.h
- rms\_norm.h
- rms\_norm\_compositeimplicitautograd\_dispatch.h
- rms\_norm\_native.h
- rms\_norm\_ops.h
- rnn\_relu.h
- rnn\_relu\_cell.h
- rnn\_relu\_cell\_compositeimplicitautograd\_dispatch.h
- rnn\_relu\_cell\_native.h
- rnn\_relu\_cell\_ops.h
- rnn\_relu\_compositeimplicitautograd\_dispatch.h
- rnn\_relu\_native.h
- rnn\_relu\_ops.h
- rnn\_tanh.h
- rnn\_tanh\_cell.h
- rnn\_tanh\_cell\_compositeimplicitautograd\_dispatch.h
- rnn\_tanh\_cell\_native.h
- rnn\_tanh\_cell\_ops.h
- rnn\_tanh\_compositeimplicitautograd\_dispatch.h
- rnn\_tanh\_native.h
- rnn\_tanh\_ops.h
- roll.h
- roll\_compositeexplicitautograd\_dispatch.h
- roll\_cpu\_dispatch.h
- roll\_cuda\_dispatch.h
- roll\_native.h
- roll\_ops.h
- rot90.h
- rot90\_compositeexplicitautograd\_dispatch.h
- rot90\_native.h
- rot90\_ops.h
- round.h
- round\_compositeexplicitautogradnonfunctional\_dispatch.h
- round\_cpu\_dispatch.h
- round\_cuda\_dispatch.h
- round\_meta.h
- round\_meta\_dispatch.h
- round\_native.h
- round\_ops.h
- row\_indices.h
- row\_indices\_compositeexplicitautograd\_dispatch.h
- row\_indices\_copy.h



- row\_indices\_copy\_compositeexplicitautograd\_dispatch.h
- row\_indices\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- row\_indices\_copy\_native.h
- row\_indices\_copy\_ops.h
- row\_indices\_native.h
- row\_indices\_ops.h
- row\_stack.h
- row\_stack\_compositeimplicitautograd\_dispatch.h
- row\_stack\_native.h
- row\_stack\_ops.h
- rrelu.h
- rrelu\_compositeimplicitautograd\_dispatch.h
- rrelu\_native.h
- rrelu\_ops.h
- rrelu\_with\_noise.h
- rrelu\_with\_noise\_backward.h
- rrelu\_with\_noise\_backward\_compositeexplicitautograd\_dispatch.h
- rrelu\_with\_noise\_backward\_native.h
- rrelu\_with\_noise\_backward\_ops.h
- rrelu\_with\_noise\_compositeexplicitautograd\_dispatch.h
- rrelu\_with\_noise\_cpu\_dispatch.h
- rrelu\_with\_noise\_cuda\_dispatch.h
- rrelu\_with\_noise\_meta\_dispatch.h
- rrelu\_with\_noise\_native.h
- rrelu\_with\_noise\_ops.h
- rshift.h
- rshift\_compositeexplicitautograd\_dispatch.h
- rshift\_cpu\_dispatch.h
- rshift\_cuda\_dispatch.h
- rshift\_meta\_dispatch.h
- rshift\_native.h
- rshift\_ops.h
- rsqrt.h
- rsqrt\_compositeexplicitautogradnonfunctional\_dispatch.h
- rsqrt\_cpu\_dispatch.h
- rsqrt\_cuda\_dispatch.h
- rsqrt\_meta.h
- rsqrt\_meta\_dispatch.h
- rsqrt\_native.h
- rsqrt\_ops.h
- rsub.h
- rsub\_compositeexplicitautograd\_dispatch.h
- rsub\_cpu\_dispatch.h
- rsub\_cuda\_dispatch.h
- rsub\_native.h
- rsub\_ops.h
- scalar\_tensor.h
- scalar\_tensor\_compositeexplicitautograd\_dispatch.h
- scalar\_tensor\_native.h
- scalar\_tensor\_ops.h
- scaled\_dot\_product\_attention.h
- scaled\_dot\_product\_attention\_compositeimplicitautograd\_dispatch.h
- scaled\_dot\_product\_attention\_native.h
- scaled\_dot\_product\_attention\_ops.h
- scatter.h
- scatter\_add.h
- scatter\_add\_compositeexplicitautogradnonfunctional\_dispatch.h
- scatter\_add\_compositeimplicitautograd\_dispatch.h
- scatter\_add\_cpu\_dispatch.h
- scatter\_add\_cuda\_dispatch.h
- scatter\_add\_meta.h
- scatter\_add\_meta\_dispatch.h
- scatter\_add\_native.h
- scatter\_add\_ops.h
- scatter\_compositeexplicitautogradnonfunctional\_dispatch.h
- scatter\_compositeimplicitautograd\_dispatch.h
- scatter\_cpu\_dispatch.h
- scatter\_cuda\_dispatch.h
- scatter\_meta.h
- scatter\_meta\_dispatch.h
- scatter\_native.h
- scatter\_ops.h
- scatter\_reduce.h
- scatter\_reduce\_compositeexplicitautogradnonfunctional\_dispatch.h
- scatter\_reduce\_cpu\_dispatch.h
- scatter\_reduce\_cuda\_dispatch.h
- scatter\_reduce\_meta.h
- scatter\_reduce\_meta\_dispatch.h
- scatter\_reduce\_native.h
- scatter\_reduce\_ops.h
- searchsorted.h
- searchsorted\_cpu\_dispatch.h
- searchsorted\_cuda\_dispatch.h
- searchsorted\_native.h
- searchsorted\_ops.h

- segment\_reduce.h
- segment\_reduce\_compositeexplicitautograd\_dispatch.h
- segment\_reduce\_cpu\_dispatch.h
- segment\_reduce\_cuda\_dispatch.h
- segment\_reduce\_native.h
- segment\_reduce\_ops.h
- select.h
- select\_backward.h
- select\_backward\_compositeexplicitautograd\_dispatch.h
- select\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- select\_backward\_native.h
- select\_backward\_ops.h
- select\_compositeexplicitautograd\_dispatch.h
- select\_compositeimplicitautograd\_dispatch.h
- select\_copy.h
- select\_copy\_compositeexplicitautograd\_dispatch.h
- select\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- select\_copy\_native.h
- select\_copy\_ops.h
- select\_native.h
- select\_ops.h
- select\_scatter.h
- select\_scatter\_compositeexplicitautograd\_dispatch.h
- select\_scatter\_compositeexplicitautogradnonfunctional\_dispatch.h
- select\_scatter\_native.h
- select\_scatter\_ops.h
- selu.h
- selu\_compositeimplicitautograd\_dispatch.h
- selu\_native.h
- selu\_ops.h
- set.h
- set\_compositeexplicitautograd\_dispatch.h
- set\_compositeimplicitautograd\_dispatch.h
- set\_cpu\_dispatch.h
- set\_cuda\_dispatch.h
- set\_data.h
- set\_data\_compositeimplicitautograd\_dispatch.h
- set\_data\_native.h
- set\_data\_ops.h
- set\_meta\_dispatch.h
- set\_native.h
- set\_ops.h
- sgn.h
- sgn\_compositeexplicitautogradnonfunctional\_dispatch.h
- sgn\_cpu\_dispatch.h
- sgn\_cuda\_dispatch.h
- sgn\_meta.h
- sgn\_meta\_dispatch.h
- sgn\_native.h
- sgn\_ops.h
- sigmoid.h
- sigmoid\_backward.h
- sigmoid\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- sigmoid\_backward\_cpu\_dispatch.h
- sigmoid\_backward\_cuda\_dispatch.h
- sigmoid\_backward\_meta.h
- sigmoid\_backward\_meta\_dispatch.h
- sigmoid\_backward\_native.h
- sigmoid\_backward\_ops.h
- sigmoid\_compositeexplicitautogradnonfunctional\_dispatch.h
- sigmoid\_cpu\_dispatch.h
- sigmoid\_cuda\_dispatch.h
- sigmoid\_meta.h
- sigmoid\_meta\_dispatch.h
- sigmoid\_native.h
- sigmoid\_ops.h
- sign.h
- sign\_compositeexplicitautogradnonfunctional\_dispatch.h
- sign\_cpu\_dispatch.h
- sign\_cuda\_dispatch.h
- sign\_meta.h
- sign\_meta\_dispatch.h
- sign\_native.h
- sign\_ops.h
- signbit.h
- signbit\_compositeexplicitautogradnonfunctional\_dispatch.h
- signbit\_cpu\_dispatch.h
- signbit\_cuda\_dispatch.h
- signbit\_meta.h
- signbit\_meta\_dispatch.h
- signbit\_native.h
- signbit\_ops.h
- silu.h
- silu\_backward.h
- silu\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h

- silu\_backward\_compositeimplicitautograd\_dispatch.h
- silu\_backward\_cpu\_dispatch.h
- silu\_backward\_cuda\_dispatch.h
- silu\_backward\_meta.h
- silu\_backward\_meta\_dispatch.h
- silu\_backward\_native.h
- silu\_backward\_ops.h
- silu\_compositeexplicitautogradnonfunctional\_dispatch.h
- silu\_cpu\_dispatch.h
- silu\_cuda\_dispatch.h
- silu\_meta.h
- silu\_meta\_dispatch.h
- silu\_native.h
- silu\_ops.h
- sin.h
- sin\_compositeexplicitautogradnonfunctional\_dispatch.h
- sin\_cpu\_dispatch.h
- sin\_cuda\_dispatch.h
- sin\_meta.h
- sin\_meta\_dispatch.h
- sin\_native.h
- sin\_ops.h
- sinc.h
- sinc\_compositeexplicitautogradnonfunctional\_dispatch.h
- sinc\_cpu\_dispatch.h
- sinc\_cuda\_dispatch.h
- sinc\_meta.h
- sinc\_meta\_dispatch.h
- sinc\_native.h
- sinc\_ops.h
- sinh.h
- sinh\_compositeexplicitautogradnonfunctional\_dispatch.h
- sinh\_cpu\_dispatch.h
- sinh\_cuda\_dispatch.h
- sinh\_meta.h
- sinh\_meta\_dispatch.h
- sinh\_native.h
- sinh\_ops.h
- size.h
- size\_compositeimplicitautograd\_dispatch.h
- size\_native.h
- size\_ops.h
- slice.h
- slice\_backward.h
- slice\_backward\_compositeexplicitautograd\_dispatch.h
- slice\_backward\_native.h
- slice\_backward\_ops.h
- slice\_compositeexplicitautograd\_dispatch.h
- slice\_copy.h
- slice\_copy\_compositeexplicitautograd\_dispatch.h
- slice\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- slice\_copy\_native.h
- slice\_copy\_ops.h
- slice\_inverse.h
- slice\_inverse\_compositeexplicitautograd\_dispatch.h
- slice\_inverse\_native.h
- slice\_inverse\_ops.h
- slice\_native.h
- slice\_ops.h
- slice\_scatter.h
- slice\_scatter\_compositeexplicitautograd\_dispatch.h
- slice\_scatter\_compositeexplicitautogradnonfunctional\_dispatch.h
- slice\_scatter\_native.h
- slice\_scatter\_ops.h
- slogdet.h
- slogdet\_compositeimplicitautograd\_dispatch.h
- slogdet\_native.h
- slogdet\_ops.h
- slow\_conv3d.h
- slow\_conv3d\_compositeimplicitautograd\_dispatch.h
- slow\_conv3d\_forward.h
- slow\_conv3d\_forward\_cpu\_dispatch.h
- slow\_conv3d\_forward\_native.h
- slow\_conv3d\_forward\_ops.h
- slow\_conv3d\_native.h
- slow\_conv3d\_ops.h
- slow\_conv\_dilated2d.h
- slow\_conv\_dilated2d\_compositeexplicitautograd\_dispatch.h
- slow\_conv\_dilated2d\_cpu\_dispatch.h
- slow\_conv\_dilated2d\_cuda\_dispatch.h
- slow\_conv\_dilated2d\_native.h
- slow\_conv\_dilated2d\_ops.h
- slow\_conv\_dilated3d.h
- slow\_conv\_dilated3d\_compositeexplicitautograd\_dispatch.h
- slow\_conv\_dilated3d\_cpu\_dispatch.h

— slow\_conv\_dilated3d\_cuda\_dispatch.h  
— slow\_conv\_dilated3d\_native.h  
— slow\_conv\_dilated3d\_ops.h  
— slow\_conv\_transpose2d.h  
— slow\_conv\_transpose2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
— slow\_conv\_transpose2d\_cpu\_dispatch.h  
— slow\_conv\_transpose2d\_cuda\_dispatch.h  
— slow\_conv\_transpose2d\_meta.h  
— slow\_conv\_transpose2d\_meta\_dispatch.h  
— slow\_conv\_transpose2d\_native.h  
— slow\_conv\_transpose2d\_ops.h  
— slow\_conv\_transpose3d.h  
— slow\_conv\_transpose3d\_cpu\_dispatch.h  
— slow\_conv\_transpose3d\_cuda\_dispatch.h  
— slow\_conv\_transpose3d\_native.h  
— slow\_conv\_transpose3d\_ops.h  
— smm.h  
— smm\_compositeimplicitautograd\_dispatch.h  
— smm\_native.h  
— smm\_ops.h  
— smooth\_l1\_loss.h  
— smooth\_l1\_loss\_backward.h  
— smooth\_l1\_loss\_backward\_compositeexplicitautograd\_dispatch.h  
— smooth\_l1\_loss\_backward\_cpu\_dispatch.h  
— smooth\_l1\_loss\_backward\_cuda\_dispatch.h  
— smooth\_l1\_loss\_backward\_native.h  
— smooth\_l1\_loss\_backward\_ops.h  
— smooth\_l1\_loss\_compositeexplicitautogradnonfunctional\_dispatch.h  
— smooth\_l1\_loss\_cpu\_dispatch.h  
— smooth\_l1\_loss\_cuda\_dispatch.h  
— smooth\_l1\_loss\_meta.h  
— smooth\_l1\_loss\_meta\_dispatch.h  
— smooth\_l1\_loss\_native.h  
— smooth\_l1\_loss\_ops.h  
— soft\_margin\_loss.h  
— soft\_margin\_loss\_backward.h  
— soft\_margin\_loss\_backward\_compositeexplicitautograd\_dispatch.h  
— soft\_margin\_loss\_backward\_native.h  
— soft\_margin\_loss\_backward\_ops.h  
— soft\_margin\_loss\_compositeexplicitautograd\_dispatch.h  
— soft\_margin\_loss\_native.h  
— soft\_margin\_loss\_ops.h  
— softmax.h  
— softmax\_compositeexplicitautograd\_dispatch.h  
— softmax\_compositeimplicitautograd\_dispatch.h  
— softmax\_native.h  
— softmax\_ops.h  
— softplus.h  
— softplus\_backward.h  
— softplus\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— softplus\_backward\_cpu\_dispatch.h  
— softplus\_backward\_cuda\_dispatch.h  
— softplus\_backward\_meta.h  
— softplus\_backward\_meta\_dispatch.h  
— softplus\_backward\_native.h  
— softplus\_backward\_ops.h  
— softplus\_compositeexplicitautogradnonfunctional\_dispatch.h  
— softplus\_cpu\_dispatch.h  
— softplus\_cuda\_dispatch.h  
— softplus\_meta.h  
— softplus\_meta\_dispatch.h  
— softplus\_native.h  
— softplus\_ops.h  
— softshrink.h  
— softshrink\_backward.h  
— softshrink\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— softshrink\_backward\_cpu\_dispatch.h  
— softshrink\_backward\_cuda\_dispatch.h  
— softshrink\_backward\_meta.h  
— softshrink\_backward\_meta\_dispatch.h  
— softshrink\_backward\_native.h  
— softshrink\_backward\_ops.h  
— softshrink\_compositeexplicitautogradnonfunctional\_dispatch.h  
— softshrink\_cpu\_dispatch.h  
— softshrink\_cuda\_dispatch.h  
— softshrink\_meta.h  
— softshrink\_meta\_dispatch.h  
— softshrink\_native.h  
— softshrink\_ops.h  
— sort.h  
— sort\_compositeexplicitautograd\_dispatch.h  
— sort\_compositeexplicitautogradnonfunctional\_dispatch.h  
— sort\_compositeimplicitautograd\_dispatch.h  
— sort\_cpu\_dispatch.h  
— sort\_cuda\_dispatch.h

— sort\_meta.h  
— sort\_meta\_dispatch.h  
— sort\_native.h  
— sort\_ops.h  
— sparse\_bsc\_tensor.h  
— sparse\_bsc\_tensor\_compositeimplicitautograd\_dispatch.h  
— sparse\_bsc\_tensor\_native.h  
— sparse\_bsc\_tensor\_ops.h  
— sparse\_bsr\_tensor.h  
— sparse\_bsr\_tensor\_compositeimplicitautograd\_dispatch.h  
— sparse\_bsr\_tensor\_native.h  
— sparse\_bsr\_tensor\_ops.h  
— sparse\_compressed\_tensor.h  
— sparse\_compressed\_tensor\_compositeexplicitautograd\_dispatch.h  
— sparse\_compressed\_tensor\_native.h  
— sparse\_compressed\_tensor\_ops.h  
— sparse\_coo\_tensor.h  
— sparse\_coo\_tensor\_compositeexplicitautograd\_dispatch.h  
— sparse\_coo\_tensor\_compositeimplicitautograd\_dispatch.h  
— sparse\_coo\_tensor\_native.h  
— sparse\_coo\_tensor\_ops.h  
— sparse\_csc\_tensor.h  
— sparse\_csc\_tensor\_compositeimplicitautograd\_dispatch.h  
— sparse\_csc\_tensor\_native.h  
— sparse\_csc\_tensor\_ops.h  
— sparse\_csr\_tensor.h  
— sparse\_csr\_tensor\_compositeimplicitautograd\_dispatch.h  
— sparse\_csr\_tensor\_native.h  
— sparse\_csr\_tensor\_ops.h  
— sparse\_dim.h  
— sparse\_dim\_compositeexplicitautograd\_dispatch.h  
— sparse\_dim\_native.h  
— sparse\_dim\_ops.h  
— sparse\_mask.h  
— sparse\_mask\_compositeexplicitautograd\_dispatch.h  
— sparse\_mask\_native.h  
— sparse\_mask\_ops.h  
— sparse\_resize.h  
— sparse\_resize\_and\_clear.h  
— sparse\_resize\_and\_clear\_compositeexplicitautograd\_dispatch.h  
— sparse\_resize\_and\_clear\_meta\_dispatch.h  
— sparse\_resize\_and\_clear\_native.h  
— sparse\_resize\_and\_clear\_ops.h  
— sparse\_resize\_compositeexplicitautograd\_dispatch.h  
— sparse\_resize\_meta\_dispatch.h  
— sparse\_resize\_native.h  
— sparse\_resize\_ops.h  
— sparse\_sampled\_addmm.h  
— sparse\_sampled\_addmm\_native.h  
— sparse\_sampled\_addmm\_ops.h  
— special\_airy\_ai.h  
— special\_airy\_ai\_compositeexplicitautogradnonfunctional\_dispatch.h  
— special\_airy\_ai\_cpu\_dispatch.h  
— special\_airy\_ai\_cuda\_dispatch.h  
— special\_airy\_ai\_meta.h  
— special\_airy\_ai\_meta\_dispatch.h  
— special\_airy\_ai\_native.h  
— special\_airy\_ai\_ops.h  
— special\_bessel\_j0.h  
— special\_bessel\_j0\_compositeexplicitautogradnonfunctional\_dispatch.h  
— special\_bessel\_j0\_cpu\_dispatch.h  
— special\_bessel\_j0\_cuda\_dispatch.h  
— special\_bessel\_j0\_meta.h  
— special\_bessel\_j0\_meta\_dispatch.h  
— special\_bessel\_j0\_native.h  
— special\_bessel\_j0\_ops.h  
— special\_bessel\_j1.h  
— special\_bessel\_j1\_compositeexplicitautogradnonfunctional\_dispatch.h  
— special\_bessel\_j1\_cpu\_dispatch.h  
— special\_bessel\_j1\_cuda\_dispatch.h  
— special\_bessel\_j1\_meta.h  
— special\_bessel\_j1\_meta\_dispatch.h  
— special\_bessel\_j1\_native.h  
— special\_bessel\_j1\_ops.h  
— special\_bessel\_y0.h  
— special\_bessel\_y0\_compositeexplicitautogradnonfunctional\_dispatch.h  
— special\_bessel\_y0\_cpu\_dispatch.h  
— special\_bessel\_y0\_cuda\_dispatch.h  
— special\_bessel\_y0\_meta.h  
— special\_bessel\_y0\_meta\_dispatch.h  
— special\_bessel\_y0\_native.h  
— special\_bessel\_y0\_ops.h  
— special\_bessel\_y1.h  
— special\_bessel\_y1\_compositeexplicitautogradnonfunctional\_dispatch.h  
— special\_bessel\_y1\_cpu\_dispatch.h

- special\_bessel\_y1\_cuda\_dispatch.h
- special\_bessel\_y1\_meta.h
- special\_bessel\_y1\_meta\_dispatch.h
- special\_bessel\_y1\_native.h
- special\_bessel\_y1\_ops.h
- special\_chebyshev\_polynomial\_t.h
- special\_chebyshev\_polynomial\_t\_compositeexplicitautograd\_dispatch.h
- special\_chebyshev\_polynomial\_t\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_chebyshev\_polynomial\_t\_cpu\_dispatch.h
- special\_chebyshev\_polynomial\_t\_cuda\_dispatch.h
- special\_chebyshev\_polynomial\_t\_meta.h
- special\_chebyshev\_polynomial\_t\_meta\_dispatch.h
- special\_chebyshev\_polynomial\_t\_native.h
- special\_chebyshev\_polynomial\_t\_ops.h
- special\_chebyshev\_polynomial\_u.h
- special\_chebyshev\_polynomial\_u\_compositeexplicitautograd\_dispatch.h
- special\_chebyshev\_polynomial\_u\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_chebyshev\_polynomial\_u\_cpu\_dispatch.h
- special\_chebyshev\_polynomial\_u\_cuda\_dispatch.h
- special\_chebyshev\_polynomial\_u\_meta.h
- special\_chebyshev\_polynomial\_u\_meta\_dispatch.h
- special\_chebyshev\_polynomial\_u\_native.h
- special\_chebyshev\_polynomial\_u\_ops.h
- special\_chebyshev\_polynomial\_v.h
- special\_chebyshev\_polynomial\_v\_compositeexplicitautograd\_dispatch.h
- special\_chebyshev\_polynomial\_v\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_chebyshev\_polynomial\_v\_cpu\_dispatch.h
- special\_chebyshev\_polynomial\_v\_cuda\_dispatch.h
- special\_chebyshev\_polynomial\_v\_meta.h
- special\_chebyshev\_polynomial\_v\_meta\_dispatch.h
- special\_chebyshev\_polynomial\_v\_native.h
- special\_chebyshev\_polynomial\_v\_ops.h
- special\_chebyshev\_polynomial\_w.h
- special\_chebyshev\_polynomial\_w\_compositeexplicitautograd\_dispatch.h
- special\_chebyshev\_polynomial\_w\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_chebyshev\_polynomial\_w\_cpu\_dispatch.h
- special\_chebyshev\_polynomial\_w\_cuda\_dispatch.h
- special\_chebyshev\_polynomial\_w\_meta.h
- special\_chebyshev\_polynomial\_w\_meta\_dispatch.h
- special\_chebyshev\_polynomial\_w\_native.h
- special\_chebyshev\_polynomial\_w\_ops.h
- special\_digamma.h
- special\_digamma\_compositeimplicitautograd\_dispatch.h
- special\_digamma\_native.h
- special\_digamma\_ops.h
- special\_entr.h
- special\_entr\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_entr\_cpu\_dispatch.h
- special\_entr\_cuda\_dispatch.h
- special\_entr\_meta.h
- special\_entr\_meta\_dispatch.h
- special\_entr\_native.h
- special\_entr\_ops.h
- special\_erf.h
- special\_erf\_compositeimplicitautograd\_dispatch.h
- special\_erf\_native.h
- special\_erf\_ops.h
- special\_erfc.h
- special\_erfc\_compositeimplicitautograd\_dispatch.h
- special\_erfc\_native.h
- special\_erfc\_ops.h
- special\_erfcx.h
- special\_erfcx\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_erfcx\_cpu\_dispatch.h
- special\_erfcx\_cuda\_dispatch.h
- special\_erfcx\_meta.h
- special\_erfcx\_meta\_dispatch.h
- special\_erfcx\_native.h
- special\_erfcx\_ops.h
- special\_erfinv.h
- special\_erfinv\_compositeimplicitautograd\_dispatch.h
- special\_erfinv\_native.h
- special\_erfinv\_ops.h
- special\_exp2.h
- special\_exp2\_compositeimplicitautograd\_dispatch.h
- special\_exp2\_native.h
- special\_exp2\_ops.h
- special\_expit.h
- special\_expit\_compositeimplicitautograd\_dispatch.h
- special\_expit\_native.h
- special\_expit\_ops.h
- special\_expm1.h
- special\_expm1\_compositeimplicitautograd\_dispatch.h
- special\_expm1\_native.h
- special\_expm1\_ops.h

- special\_gammainc.h
- special\_gammainc\_compositeimplicitautograd\_dispatch.h
- special\_gammainc\_native.h
- special\_gammainc\_ops.h
- special\_gammaincc.h
- special\_gammaincc\_compositeimplicitautograd\_dispatch.h
- special\_gammaincc\_native.h
- special\_gammaincc\_ops.h
- special\_gammaln.h
- special\_gammaln\_compositeimplicitautograd\_dispatch.h
- special\_gammaln\_native.h
- special\_gammaln\_ops.h
- special\_hermite\_polynomial\_h.h
- special\_hermite\_polynomial\_h\_compositeexplicitautograd\_dispatch.h
- special\_hermite\_polynomial\_h\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_hermite\_polynomial\_h\_cpu\_dispatch.h
- special\_hermite\_polynomial\_h\_cuda\_dispatch.h
- special\_hermite\_polynomial\_h\_meta.h
- special\_hermite\_polynomial\_h\_meta\_dispatch.h
- special\_hermite\_polynomial\_h\_native.h
- special\_hermite\_polynomial\_h\_ops.h
- special\_hermite\_polynomial\_he.h
- special\_hermite\_polynomial\_he\_compositeexplicitautograd\_dispatch.h
- special\_hermite\_polynomial\_he\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_hermite\_polynomial\_he\_cpu\_dispatch.h
- special\_hermite\_polynomial\_he\_cuda\_dispatch.h
- special\_hermite\_polynomial\_he\_meta.h
- special\_hermite\_polynomial\_he\_meta\_dispatch.h
- special\_hermite\_polynomial\_he\_native.h
- special\_hermite\_polynomial\_he\_ops.h
- special\_i0.h
- special\_i0\_compositeimplicitautograd\_dispatch.h
- special\_i0\_native.h
- special\_i0\_ops.h
- special\_i0e.h
- special\_i0e\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_i0e\_cpu\_dispatch.h
- special\_i0e\_cuda\_dispatch.h
- special\_i0e\_meta.h
- special\_i0e\_meta\_dispatch.h
- special\_i0e\_native.h
- special\_i0e\_ops.h
- special\_i1.h
- special\_i1\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_i1\_cpu\_dispatch.h
- special\_i1\_cuda\_dispatch.h
- special\_i1\_meta.h
- special\_i1\_meta\_dispatch.h
- special\_i1\_native.h
- special\_i1\_ops.h
- special\_i1e.h
- special\_i1e\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_i1e\_cpu\_dispatch.h
- special\_i1e\_cuda\_dispatch.h
- special\_i1e\_meta.h
- special\_i1e\_meta\_dispatch.h
- special\_i1e\_native.h
- special\_i1e\_ops.h
- special\_laguerre\_polynomial\_l.h
- special\_laguerre\_polynomial\_l\_compositeexplicitautograd\_dispatch.h
- special\_laguerre\_polynomial\_l\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_laguerre\_polynomial\_l\_cpu\_dispatch.h
- special\_laguerre\_polynomial\_l\_cuda\_dispatch.h
- special\_laguerre\_polynomial\_l\_meta.h
- special\_laguerre\_polynomial\_l\_meta\_dispatch.h
- special\_laguerre\_polynomial\_l\_native.h
- special\_laguerre\_polynomial\_l\_ops.h
- special\_legendre\_polynomial\_p.h
- special\_legendre\_polynomial\_p\_compositeexplicitautograd\_dispatch.h
- special\_legendre\_polynomial\_p\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_legendre\_polynomial\_p\_cpu\_dispatch.h
- special\_legendre\_polynomial\_p\_cuda\_dispatch.h
- special\_legendre\_polynomial\_p\_meta.h
- special\_legendre\_polynomial\_p\_meta\_dispatch.h
- special\_legendre\_polynomial\_p\_native.h
- special\_legendre\_polynomial\_p\_ops.h
- special\_log1p.h
- special\_log1p\_compositeimplicitautograd\_dispatch.h
- special\_log1p\_native.h
- special\_log1p\_ops.h
- special\_log\_ndtr.h
- special\_log\_ndtr\_compositeexplicitautogradnonfunctional\_dispatch.h
- special\_log\_ndtr\_cpu\_dispatch.h
- special\_log\_ndtr\_cuda\_dispatch.h
- special\_log\_ndtr\_meta.h

— special\_log\_ndtr\_meta\_dispatch.h  
— special\_log\_ndtr\_native.h  
— special\_log\_ndtr\_ops.h  
— special\_log\_softmax.h  
— special\_log\_softmax\_compositeimplicitautograd\_dispatch.h  
— special\_log\_softmax\_native.h  
— special\_log\_softmax\_ops.h  
— special\_logit.h  
— special\_logit\_compositeimplicitautograd\_dispatch.h  
— special\_logit\_native.h  
— special\_logit\_ops.h  
— special\_logsumexp.h  
— special\_logsumexp\_compositeimplicitautograd\_dispatch.h  
— special\_logsumexp\_native.h  
— special\_logsumexp\_ops.h  
— special\_modified\_bessel\_i0.h  
— special\_modified\_bessel\_i0\_compositeexplicitautogradnonfunctional\_dispatch.h  
— special\_modified\_bessel\_i0\_cpu\_dispatch.h  
— special\_modified\_bessel\_i0\_cuda\_dispatch.h  
— special\_modified\_bessel\_i0\_meta.h  
— special\_modified\_bessel\_i0\_meta\_dispatch.h  
— special\_modified\_bessel\_i0\_native.h  
— special\_modified\_bessel\_i0\_ops.h  
— special\_modified\_bessel\_i1.h  
— special\_modified\_bessel\_i1\_compositeexplicitautogradnonfunctional\_dispatch.h  
— special\_modified\_bessel\_i1\_cpu\_dispatch.h  
— special\_modified\_bessel\_i1\_cuda\_dispatch.h  
— special\_modified\_bessel\_i1\_meta.h  
— special\_modified\_bessel\_i1\_meta\_dispatch.h  
— special\_modified\_bessel\_i1\_native.h  
— special\_modified\_bessel\_i1\_ops.h  
— special\_modified\_bessel\_k0.h  
— special\_modified\_bessel\_k0\_compositeexplicitautogradnonfunctional\_dispatch.h  
— special\_modified\_bessel\_k0\_cpu\_dispatch.h  
— special\_modified\_bessel\_k0\_cuda\_dispatch.h  
— special\_modified\_bessel\_k0\_meta.h  
— special\_modified\_bessel\_k0\_meta\_dispatch.h  
— special\_modified\_bessel\_k0\_native.h  
— special\_modified\_bessel\_k0\_ops.h  
— special\_modified\_bessel\_k1.h  
— special\_modified\_bessel\_k1\_compositeexplicitautogradnonfunctional\_dispatch.h  
— special\_modified\_bessel\_k1\_cpu\_dispatch.h  
— special\_modified\_bessel\_k1\_cuda\_dispatch.h  
— special\_modified\_bessel\_k1\_meta.h  
— special\_modified\_bessel\_k1\_meta\_dispatch.h  
— special\_modified\_bessel\_k1\_native.h  
— special\_modified\_bessel\_k1\_ops.h  
— special\_multigammaln.h  
— special\_multigammaln\_compositeimplicitautograd\_dispatch.h  
— special\_multigammaln\_native.h  
— special\_multigammaln\_ops.h  
— special\_ndtr.h  
— special\_ndtr\_compositeimplicitautograd\_dispatch.h  
— special\_ndtr\_native.h  
— special\_ndtr\_ops.h  
— special\_ndtri.h  
— special\_ndtri\_compositeexplicitautogradnonfunctional\_dispatch.h  
— special\_ndtri\_cpu\_dispatch.h  
— special\_ndtri\_cuda\_dispatch.h  
— special\_ndtri\_meta.h  
— special\_ndtri\_meta\_dispatch.h  
— special\_ndtri\_native.h  
— special\_ndtri\_ops.h  
— special\_polygamma.h  
— special\_polygamma\_compositeimplicitautograd\_dispatch.h  
— special\_polygamma\_native.h  
— special\_polygamma\_ops.h  
— special\_psi.h  
— special\_psi\_compositeimplicitautograd\_dispatch.h  
— special\_psi\_native.h  
— special\_psi\_ops.h  
— special\_round.h  
— special\_round\_compositeimplicitautograd\_dispatch.h  
— special\_round\_native.h  
— special\_round\_ops.h  
— special\_scaled\_modified\_bessel\_k0.h  
— special\_scaled\_modified\_bessel\_k0\_compositeexplicitautogradnonfunctional\_dispatch.h  
— special\_scaled\_modified\_bessel\_k0\_cpu\_dispatch.h  
— special\_scaled\_modified\_bessel\_k0\_cuda\_dispatch.h  
— special\_scaled\_modified\_bessel\_k0\_meta.h  
— special\_scaled\_modified\_bessel\_k0\_meta\_dispatch.h  
— special\_scaled\_modified\_bessel\_k0\_native.h  
— special\_scaled\_modified\_bessel\_k0\_ops.h  
— special\_scaled\_modified\_bessel\_k1.h  
— special\_scaled\_modified\_bessel\_k1\_compositeexplicitautogradnonfunctional\_dispatch.h



|   |  |  |  |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---|--|--|--|--|--|--|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   |  |  |  |  |  |  |  | <ul style="list-style-type: none"> <li>special_scaled_modified_bessel_k1_cpu_dispatch.h</li> <li>special_scaled_modified_bessel_k1_cuda_dispatch.h</li> <li>special_scaled_modified_bessel_k1_meta.h</li> <li>special_scaled_modified_bessel_k1_meta_dispatch.h</li> <li>special_scaled_modified_bessel_k1_native.h</li> <li>special_scaled_modified_bessel_k1_ops.h</li> <li>special_shifted_chebyshev_polynomial_t.h</li> <li>special_shifted_chebyshev_polynomial_t_compositeexplicitautograd_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_t_compositeexplicitautogradnonfunctional_dispatch.h</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| h |  |  |  |  |  |  |  | <ul style="list-style-type: none"> <li>special_shifted_chebyshev_polynomial_t_cpu_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_t_cuda_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_t_meta.h</li> <li>special_shifted_chebyshev_polynomial_t_meta_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_t_native.h</li> <li>special_shifted_chebyshev_polynomial_t_ops.h</li> <li>special_shifted_chebyshev_polynomial_u.h</li> <li>special_shifted_chebyshev_polynomial_u_compositeexplicitautograd_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_u_compositeexplicitautogradnonfunctional_dispatch.h</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| h |  |  |  |  |  |  |  | <ul style="list-style-type: none"> <li>special_shifted_chebyshev_polynomial_u_cpu_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_u_cuda_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_u_meta.h</li> <li>special_shifted_chebyshev_polynomial_u_meta_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_u_native.h</li> <li>special_shifted_chebyshev_polynomial_u_ops.h</li> <li>special_shifted_chebyshev_polynomial_v.h</li> <li>special_shifted_chebyshev_polynomial_v_compositeexplicitautograd_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_v_compositeexplicitautogradnonfunctional_dispatch.h</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| h |  |  |  |  |  |  |  | <ul style="list-style-type: none"> <li>special_shifted_chebyshev_polynomial_v_cpu_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_v_cuda_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_v_meta.h</li> <li>special_shifted_chebyshev_polynomial_v_meta_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_v_native.h</li> <li>special_shifted_chebyshev_polynomial_v_ops.h</li> <li>special_shifted_chebyshev_polynomial_w.h</li> <li>special_shifted_chebyshev_polynomial_w_compositeexplicitautograd_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_w_compositeexplicitautogradnonfunctional_dispatch.h</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| h |  |  |  |  |  |  |  | <ul style="list-style-type: none"> <li>special_shifted_chebyshev_polynomial_w_cpu_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_w_cuda_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_w_meta.h</li> <li>special_shifted_chebyshev_polynomial_w_meta_dispatch.h</li> <li>special_shifted_chebyshev_polynomial_w_native.h</li> <li>special_shifted_chebyshev_polynomial_w_ops.h</li> <li>special_sinc.h</li> <li>special_sinc_compositeimplicitautograd_dispatch.h</li> <li>special_sinc_native.h</li> <li>special_sinc_ops.h</li> <li>special_softmax.h</li> <li>special_softmax_compositeimplicitautograd_dispatch.h</li> <li>special_softmax_native.h</li> <li>special_softmax_ops.h</li> <li>special_spherical_bessel_j0.h</li> <li>special_spherical_bessel_j0_compositeexplicitautogradnonfunctional_dispatch.h</li> <li>special_spherical_bessel_j0_cpu_dispatch.h</li> <li>special_spherical_bessel_j0_cuda_dispatch.h</li> <li>special_spherical_bessel_j0_meta.h</li> <li>special_spherical_bessel_j0_meta_dispatch.h</li> <li>special_spherical_bessel_j0_native.h</li> <li>special_spherical_bessel_j0_ops.h</li> <li>special_xloglpy.h</li> <li>special_xloglpy_compositeexplicitautograd_dispatch.h</li> <li>special_xloglpy_compositeexplicitautogradnonfunctional_dispatch.h</li> <li>special_xloglpy_cpu_dispatch.h</li> <li>special_xloglpy_cuda_dispatch.h</li> <li>special_xloglpy_meta.h</li> <li>special_xloglpy_meta_dispatch.h</li> <li>special_xloglpy_native.h</li> <li>special_xloglpy_ops.h</li> <li>special_xlogy.h</li> <li>special_xlogy_compositeimplicitautograd_dispatch.h</li> <li>special_xlogy_native.h</li> <li>special_xlogy_ops.h</li> <li>special_zeta.h</li> <li>special_zeta_compositeexplicitautograd_dispatch.h</li> <li>special_zeta_compositeexplicitautogradnonfunctional_dispatch.h</li> <li>special_zeta_cpu_dispatch.h</li> <li>special_zeta_cuda_dispatch.h</li> <li>special_zeta_meta.h</li> <li>special_zeta_meta_dispatch.h</li> <li>special_zeta_native.h</li> <li>special_zeta_ops.h</li> <li>split.h</li> </ul> |

- split\_compositeexplicitautograd\_dispatch.h
- split\_compositeimplicitautograd\_dispatch.h
- split\_copy.h
- split\_copy\_compositeexplicitautograd\_dispatch.h
- split\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- split\_copy\_native.h
- split\_copy\_ops.h
- split\_native.h
- split\_ops.h
- split\_with\_sizes.h
- split\_with\_sizes\_compositeexplicitautograd\_dispatch.h
- split\_with\_sizes\_copy.h
- split\_with\_sizes\_copy\_compositeexplicitautograd\_dispatch.h
- split\_with\_sizes\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- split\_with\_sizes\_copy\_cuda\_dispatch.h
- split\_with\_sizes\_copy\_native.h
- split\_with\_sizes\_copy\_ops.h
- split\_with\_sizes\_native.h
- split\_with\_sizes\_ops.h
- sqrt.h
- sqrt\_compositeexplicitautogradnonfunctional\_dispatch.h
- sqrt\_cpu\_dispatch.h
- sqrt\_cuda\_dispatch.h
- sqrt\_meta.h
- sqrt\_meta\_dispatch.h
- sqrt\_native.h
- sqrt\_ops.h
- square.h
- square\_compositeimplicitautograd\_dispatch.h
- square\_native.h
- square\_ops.h
- squeeze.h
- squeeze\_compositeexplicitautograd\_dispatch.h
- squeeze\_compositeimplicitautograd\_dispatch.h
- squeeze\_copy.h
- squeeze\_copy\_compositeexplicitautograd\_dispatch.h
- squeeze\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- squeeze\_copy\_native.h
- squeeze\_copy\_ops.h
- squeeze\_native.h
- squeeze\_ops.h
- sspaddmm.h
- sspaddmm\_compositeimplicitautograd\_dispatch.h
- sspaddmm\_cpu\_dispatch.h
- sspaddmm\_cuda\_dispatch.h
- sspaddmm\_native.h
- sspaddmm\_ops.h
- stack.h
- stack\_compositeexplicitautograd\_dispatch.h
- stack\_native.h
- stack\_ops.h
- std.h
- std\_compositeimplicitautograd\_dispatch.h
- std\_cpu\_dispatch.h
- std\_cuda\_dispatch.h
- std\_mean.h
- std\_mean\_compositeexplicitautograd\_dispatch.h
- std\_mean\_compositeimplicitautograd\_dispatch.h
- std\_mean\_cpu\_dispatch.h
- std\_mean\_cuda\_dispatch.h
- std\_mean\_native.h
- std\_mean\_ops.h
- std\_native.h
- std\_ops.h
- stft.h
- stft\_compositeimplicitautograd\_dispatch.h
- stft\_native.h
- stft\_ops.h
- storage\_offset.h
- storage\_offset\_compositeimplicitautograd\_dispatch.h
- storage\_offset\_native.h
- storage\_offset\_ops.h
- stride.h
- stride\_compositeimplicitautograd\_dispatch.h
- stride\_native.h
- stride\_ops.h
- sub.h
- sub\_compositeexplicitautograd\_dispatch.h
- sub\_compositeexplicitautogradnonfunctional\_dispatch.h
- sub\_cpu\_dispatch.h
- sub\_cuda\_dispatch.h
- sub\_meta.h
- sub\_meta\_dispatch.h
- sub\_native.h
- sub\_ops.h

- subtract.h
- subtract\_compositeimplicitautograd\_dispatch.h
- subtract\_native.h
- subtract\_ops.h
- sum.h
- sum\_compositeexplicitautograd\_dispatch.h
- sum\_compositeexplicitautogradnonfunctional\_dispatch.h
- sum\_compositeimplicitautograd\_dispatch.h
- sum\_cpu\_dispatch.h
- sum\_cuda\_dispatch.h
- sum\_meta.h
- sum\_meta\_dispatch.h
- sum\_native.h
- sum\_ops.h
- sum\_to\_size.h
- sum\_to\_size\_compositeimplicitautograd\_dispatch.h
- sum\_to\_size\_native.h
- sum\_to\_size\_ops.h
- svd.h
- svd\_compositeimplicitautograd\_dispatch.h
- svd\_native.h
- svd\_ops.h
- swapaxes.h
- swapaxes\_compositeimplicitautograd\_dispatch.h
- swapaxes\_native.h
- swapaxes\_ops.h
- swapdims.h
- swapdims\_compositeimplicitautograd\_dispatch.h
- swapdims\_native.h
- swapdims\_ops.h
- sym\_constrain\_range.h
- sym\_constrain\_range\_compositeexplicitautograd\_dispatch.h
- sym\_constrain\_range\_for\_size.h
- sym\_constrain\_range\_for\_size\_compositeexplicitautograd\_dispatch.h
- sym\_constrain\_range\_for\_size\_native.h
- sym\_constrain\_range\_for\_size\_ops.h
- sym\_constrain\_range\_native.h
- sym\_constrain\_range\_ops.h
- sym\_is\_contiguous.h
- sym\_is\_contiguous\_compositeimplicitautograd\_dispatch.h
- sym\_is\_contiguous\_native.h
- sym\_is\_contiguous\_ops.h
- sym\_numel.h
- sym\_numel\_compositeimplicitautograd\_dispatch.h
- sym\_numel\_native.h
- sym\_numel\_ops.h
- sym\_size.h
- sym\_size\_compositeimplicitautograd\_dispatch.h
- sym\_size\_native.h
- sym\_size\_ops.h
- sym\_storage\_offset.h
- sym\_storage\_offset\_compositeimplicitautograd\_dispatch.h
- sym\_storage\_offset\_native.h
- sym\_storage\_offset\_ops.h
- sym\_stride.h
- sym\_stride\_compositeimplicitautograd\_dispatch.h
- sym\_stride\_native.h
- sym\_stride\_ops.h
- t.h
- t\_compositeexplicitautograd\_dispatch.h
- t\_copy.h
- t\_copy\_compositeexplicitautograd\_dispatch.h
- t\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- t\_copy\_native.h
- t\_copy\_ops.h
- t\_native.h
- t\_ops.h
- take.h
- take\_along\_dim.h
- take\_along\_dim\_compositeimplicitautograd\_dispatch.h
- take\_along\_dim\_native.h
- take\_along\_dim\_ops.h
- take\_cpu\_dispatch.h
- take\_cuda\_dispatch.h
- take\_native.h
- take\_ops.h
- tan.h
- tan\_compositeexplicitautogradnonfunctional\_dispatch.h
- tan\_cpu\_dispatch.h
- tan\_cuda\_dispatch.h
- tan\_meta.h
- tan\_meta\_dispatch.h
- tan\_native.h
- tan\_ops.h
- tanh.h

```

- tanh_backward.h
- tanh_backward_compositeexplicitautogradnonfunctional_dispatch.h
- tanh_backward_cpu_dispatch.h
- tanh_backward_cuda_dispatch.h
- tanh_backward_meta.h
- tanh_backward_meta_dispatch.h
- tanh_backward_native.h
- tanh_backward_ops.h
- tanh_compositeexplicitautogradnonfunctional_dispatch.h
- tanh_cpu_dispatch.h
- tanh_cuda_dispatch.h
- tanh_meta.h
- tanh_meta_dispatch.h
- tanh_native.h
- tanh_ops.h
- tensor.h
- tensor_split.h
- tensor_split_compositeimplicitautograd_dispatch.h
- tensor_split_native.h
- tensor_split_ops.h
- tensordot.h
- tensordot_compositeimplicitautograd_dispatch.h
- tensordot_native.h
- tensordot_ops.h
- thnn_conv2d.h
- thnn_conv2d_compositeimplicitautograd_dispatch.h
- thnn_conv2d_native.h
- thnn_conv2d_ops.h
- threshold.h
- threshold_backward.h
- threshold_backward_compositeexplicitautogradnonfunctional_dispatch.h
- threshold_backward_cpu_dispatch.h
- threshold_backward_cuda_dispatch.h
- threshold_backward_meta.h
- threshold_backward_meta_dispatch.h
- threshold_backward_native.h
- threshold_backward_ops.h
- threshold_compositeexplicitautogradnonfunctional_dispatch.h
- threshold_cpu_dispatch.h
- threshold_cuda_dispatch.h
- threshold_meta.h
- threshold_meta_dispatch.h
- threshold_native.h
- threshold_ops.h
- tile.h
- tile_compositeimplicitautograd_dispatch.h
- tile_native.h
- tile_ops.h
- to.h
- to_compositeimplicitautograd_dispatch.h
- to_dense.h
- to_dense_backward.h
- to_dense_backward_compositeimplicitautograd_dispatch.h
- to_dense_backward_native.h
- to_dense_backward_ops.h
- to_dense_compositeimplicitautograd_dispatch.h
- to_dense_native.h
- to_dense_ops.h
- to_mkldnn.h
- to_mkldnn_backward.h
- to_mkldnn_backward_compositeimplicitautograd_dispatch.h
- to_mkldnn_backward_native.h
- to_mkldnn_backward_ops.h
- to_mkldnn_compositeexplicitautograd_dispatch.h
- to_mkldnn_cpu_dispatch.h
- to_mkldnn_native.h
- to_mkldnn_ops.h
- to_native.h
- to_ops.h
- to_padded_tensor.h
- to_padded_tensor_compositeexplicitautograd_dispatch.h
- to_padded_tensor_native.h
- to_padded_tensor_ops.h
- to_sparse.h
- to_sparse_bsc.h
- to_sparse_bsc_compositeimplicitautograd_dispatch.h
- to_sparse_bsc_native.h
- to_sparse_bsc_ops.h
- to_sparse_bsr.h
- to_sparse_bsr_compositeimplicitautograd_dispatch.h
- to_sparse_bsr_native.h
- to_sparse_bsr_ops.h
- to_sparse_compositeimplicitautograd_dispatch.h
- to_sparse_csc.h
- to_sparse_csc_compositeimplicitautograd_dispatch.h

```

- to\_sparse\_csc\_native.h
- to\_sparse\_csc\_ops.h
- to\_sparse\_csr.h
- to\_sparse\_csr\_compositeimplicitautograd\_dispatch.h
- to\_sparse\_csr\_native.h
- to\_sparse\_csr\_ops.h
- to\_sparse\_native.h
- to\_sparse\_ops.h
- topk.h
- topk\_compositeexplicitautogradnonfunctional\_dispatch.h
- topk\_cpu\_dispatch.h
- topk\_cuda\_dispatch.h
- topk\_meta.h
- topk\_meta\_dispatch.h
- topk\_native.h
- topk\_ops.h
- trace.h
- trace\_backward.h
- trace\_backward\_compositeimplicitautograd\_dispatch.h
- trace\_backward\_native.h
- trace\_backward\_ops.h
- trace\_compositeexplicitautograd\_dispatch.h
- trace\_cpu\_dispatch.h
- trace\_cuda\_dispatch.h
- trace\_native.h
- trace\_ops.h
- transpose.h
- transpose\_compositeexplicitautograd\_dispatch.h
- transpose\_compositeimplicitautograd\_dispatch.h
- transpose\_copy.h
- transpose\_copy\_compositeexplicitautograd\_dispatch.h
- transpose\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- transpose\_copy\_native.h
- transpose\_copy\_ops.h
- transpose\_native.h
- transpose\_ops.h
- trapezoid.h
- trapezoid\_compositeimplicitautograd\_dispatch.h
- trapezoid\_native.h
- trapezoid\_ops.h
- trapz.h
- trapz\_compositeimplicitautograd\_dispatch.h
- trapz\_native.h
- trapz\_ops.h
- triangular\_solve.h
- triangular\_solve\_compositeexplicitautogradnonfunctional\_dispatch.h
- triangular\_solve\_cpu\_dispatch.h
- triangular\_solve\_cuda\_dispatch.h
- triangular\_solve\_meta.h
- triangular\_solve\_meta\_dispatch.h
- triangular\_solve\_native.h
- triangular\_solve\_ops.h
- tril.h
- tril\_compositeexplicitautogradnonfunctional\_dispatch.h
- tril\_cpu\_dispatch.h
- tril\_cuda\_dispatch.h
- tril\_indices.h
- tril\_indices\_compositeexplicitautograd\_dispatch.h
- tril\_indices\_cpu\_dispatch.h
- tril\_indices\_cuda\_dispatch.h
- tril\_indices\_native.h
- tril\_indices\_ops.h
- tril\_meta.h
- tril\_meta\_dispatch.h
- tril\_native.h
- tril\_ops.h
- triplet\_margin\_loss.h
- triplet\_margin\_loss\_compositeimplicitautograd\_dispatch.h
- triplet\_margin\_loss\_native.h
- triplet\_margin\_loss\_ops.h
- triu.h
- triu\_compositeexplicitautogradnonfunctional\_dispatch.h
- triu\_cpu\_dispatch.h
- triu\_cuda\_dispatch.h
- triu\_indices.h
- triu\_indices\_compositeexplicitautograd\_dispatch.h
- triu\_indices\_cpu\_dispatch.h
- triu\_indices\_cuda\_dispatch.h
- triu\_indices\_native.h
- triu\_indices\_ops.h
- triu\_meta.h
- triu\_meta\_dispatch.h
- triu\_native.h
- triu\_ops.h
- true\_divide.h

```

true_divide_compositeimplicitautograd_dispatch.h
true_divide_native.h
true_divide_ops.h
trunc.h
trunc_compositeexplicitautogradnonfunctional_dispatch.h
trunc_cpu_dispatch.h
trunc_cuda_dispatch.h
trunc_meta.h
trunc_meta_dispatch.h
trunc_native.h
trunc_ops.h
type_as.h
type_as_compositeimplicitautograd_dispatch.h
type_as_native.h
type_as_ops.h
unbind.h
unbind_compositeexplicitautograd_dispatch.h
unbind_compositeimplicitautograd_dispatch.h
unbind_copy.h
unbind_copy_compositeexplicitautograd_dispatch.h
unbind_copy_compositeexplicitautogradnonfunctional_dispatch.h
unbind_copy_native.h
unbind_copy_ops.h
unbind_native.h
unbind_ops.h
unflatten.h
unflatten_compositeimplicitautograd_dispatch.h
unflatten_dense_tensors.h
unflatten_dense_tensors_compositeimplicitautograd_dispatch.h
unflatten_dense_tensors_native.h
unflatten_dense_tensors_ops.h
unflatten_native.h
unflatten_ops.h
unfold.h
unfold_backward.h
unfold_backward_compositeexplicitautograd_dispatch.h
unfold_backward_cpu_dispatch.h
unfold_backward_cuda_dispatch.h
unfold_backward_native.h
unfold_backward_ops.h
unfold_copy.h
unfold_copy_compositeexplicitautograd_dispatch.h
unfold_copy_compositeexplicitautogradnonfunctional_dispatch.h
unfold_copy_native.h
unfold_copy_ops.h
unfold_cpu_dispatch.h
unfold_cuda_dispatch.h
unfold_meta_dispatch.h
unfold_native.h
unfold_ops.h
uniform.h
uniform_compositeexplicitautograd_dispatch.h
uniform_cpu_dispatch.h
uniform_cuda_dispatch.h
uniform_meta_dispatch.h
uniform_native.h
uniform_ops.h
unique_consecutive.h
unique_consecutive_compositeexplicitautograd_dispatch.h
unique_consecutive_cpu_dispatch.h
unique_consecutive_cuda_dispatch.h
unique_consecutive_native.h
unique_consecutive_ops.h
unique_dim.h
unique_dim_compositeexplicitautograd_dispatch.h
unique_dim_consecutive.h
unique_dim_consecutive_compositeexplicitautograd_dispatch.h
unique_dim_consecutive_cpu_dispatch.h
unique_dim_consecutive_cuda_dispatch.h
unique_dim_consecutive_native.h
unique_dim_consecutive_ops.h
unique_dim_cpu_dispatch.h
unique_dim_cuda_dispatch.h
unique_dim_native.h
unique_dim_ops.h
unsafe_chunk.h
unsafe_chunk_compositeimplicitautograd_dispatch.h
unsafe_chunk_native.h
unsafe_chunk_ops.h
unsafe_split.h
unsafe_split_compositeexplicitautograd_dispatch.h
unsafe_split_native.h
unsafe_split_ops.h
unsafe_split_with_sizes.h
unsafe_split_with_sizes_compositeexplicitautograd_dispatch.h

```

— unsafe\_split\_with\_sizes\_native.h  
— unsafe\_split\_with\_sizes\_ops.h  
— unsqueeze.h  
— unsqueeze\_compositeexplicitautograd\_dispatch.h  
— unsqueeze\_copy.h  
— unsqueeze\_copy\_compositeexplicitautograd\_dispatch.h  
— unsqueeze\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h  
— unsqueeze\_copy\_native.h  
— unsqueeze\_copy\_ops.h  
— unsqueeze\_native.h  
— unsqueeze\_ops.h  
— upsample\_bicubic2d.h  
— upsample\_bicubic2d\_backward.h  
— upsample\_bicubic2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— upsample\_bicubic2d\_backward\_cpu\_dispatch.h  
— upsample\_bicubic2d\_backward\_cuda\_dispatch.h  
— upsample\_bicubic2d\_backward\_meta.h  
— upsample\_bicubic2d\_backward\_meta\_dispatch.h  
— upsample\_bicubic2d\_backward\_native.h  
— upsample\_bicubic2d\_backward\_ops.h  
— upsample\_bicubic2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
— upsample\_bicubic2d\_compositeimplicitautograd\_dispatch.h  
— upsample\_bicubic2d\_cpu\_dispatch.h  
— upsample\_bicubic2d\_cuda\_dispatch.h  
— upsample\_bicubic2d\_meta.h  
— upsample\_bicubic2d\_meta\_dispatch.h  
— upsample\_bicubic2d\_native.h  
— upsample\_bicubic2d\_ops.h  
— upsample\_bilinear2d.h  
— upsample\_bilinear2d\_backward.h  
— upsample\_bilinear2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— upsample\_bilinear2d\_backward\_cpu\_dispatch.h  
— upsample\_bilinear2d\_backward\_cuda\_dispatch.h  
— upsample\_bilinear2d\_backward\_meta.h  
— upsample\_bilinear2d\_backward\_meta\_dispatch.h  
— upsample\_bilinear2d\_backward\_native.h  
— upsample\_bilinear2d\_backward\_ops.h  
— upsample\_bilinear2d\_compositeexplicitautograd\_dispatch.h  
— upsample\_bilinear2d\_compositeexplicitautogradnonfunctional\_dispatch.h  
— upsample\_bilinear2d\_compositeimplicitautograd\_dispatch.h  
— upsample\_bilinear2d\_cpu\_dispatch.h  
— upsample\_bilinear2d\_cuda\_dispatch.h  
— upsample\_bilinear2d\_meta.h  
— upsample\_bilinear2d\_meta\_dispatch.h  
— upsample\_bilinear2d\_native.h  
— upsample\_bilinear2d\_ops.h  
— upsample\_linear1d.h  
— upsample\_linear1d\_backward.h  
— upsample\_linear1d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— upsample\_linear1d\_backward\_cpu\_dispatch.h  
— upsample\_linear1d\_backward\_cuda\_dispatch.h  
— upsample\_linear1d\_backward\_meta.h  
— upsample\_linear1d\_backward\_meta\_dispatch.h  
— upsample\_linear1d\_backward\_native.h  
— upsample\_linear1d\_backward\_ops.h  
— upsample\_linear1d\_compositeexplicitautogradnonfunctional\_dispatch.h  
— upsample\_linear1d\_compositeimplicitautograd\_dispatch.h  
— upsample\_linear1d\_cpu\_dispatch.h  
— upsample\_linear1d\_cuda\_dispatch.h  
— upsample\_linear1d\_meta.h  
— upsample\_linear1d\_meta\_dispatch.h  
— upsample\_linear1d\_native.h  
— upsample\_linear1d\_ops.h  
— upsample\_nearest1d.h  
— upsample\_nearest1d\_backward.h  
— upsample\_nearest1d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— upsample\_nearest1d\_backward\_cpu\_dispatch.h  
— upsample\_nearest1d\_backward\_cuda\_dispatch.h  
— upsample\_nearest1d\_backward\_meta.h  
— upsample\_nearest1d\_backward\_meta\_dispatch.h  
— upsample\_nearest1d\_backward\_native.h  
— upsample\_nearest1d\_backward\_ops.h  
— upsample\_nearest1d\_compositeexplicitautogradnonfunctional\_dispatch.h  
— upsample\_nearest1d\_compositeimplicitautograd\_dispatch.h  
— upsample\_nearest1d\_cpu\_dispatch.h  
— upsample\_nearest1d\_cuda\_dispatch.h  
— upsample\_nearest1d\_meta.h  
— upsample\_nearest1d\_meta\_dispatch.h  
— upsample\_nearest1d\_native.h  
— upsample\_nearest1d\_ops.h  
— upsample\_nearest2d.h  
— upsample\_nearest2d\_backward.h  
— upsample\_nearest2d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h  
— upsample\_nearest2d\_backward\_cpu\_dispatch.h  
— upsample\_nearest2d\_backward\_cuda\_dispatch.h

- upsample\_nearest2d\_backward\_meta.h
- upsample\_nearest2d\_backward\_meta\_dispatch.h
- upsample\_nearest2d\_backward\_native.h
- upsample\_nearest2d\_backward\_ops.h
- upsample\_nearest2d\_compositeexplicitautograd\_dispatch.h
- upsample\_nearest2d\_compositeexplicitautogradnonfunctional\_dispatch.h
- upsample\_nearest2d\_compositeimplicitautograd\_dispatch.h
- upsample\_nearest2d\_cpu\_dispatch.h
- upsample\_nearest2d\_cuda\_dispatch.h
- upsample\_nearest2d\_meta.h
- upsample\_nearest2d\_meta\_dispatch.h
- upsample\_nearest2d\_native.h
- upsample\_nearest2d\_ops.h
- upsample\_nearest3d.h
- upsample\_nearest3d\_backward.h
- upsample\_nearest3d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- upsample\_nearest3d\_backward\_cpu\_dispatch.h
- upsample\_nearest3d\_backward\_cuda\_dispatch.h
- upsample\_nearest3d\_backward\_meta.h
- upsample\_nearest3d\_backward\_meta\_dispatch.h
- upsample\_nearest3d\_backward\_native.h
- upsample\_nearest3d\_backward\_ops.h
- upsample\_nearest3d\_compositeexplicitautogradnonfunctional\_dispatch.h
- upsample\_nearest3d\_compositeimplicitautograd\_dispatch.h
- upsample\_nearest3d\_cpu\_dispatch.h
- upsample\_nearest3d\_cuda\_dispatch.h
- upsample\_nearest3d\_meta.h
- upsample\_nearest3d\_meta\_dispatch.h
- upsample\_nearest3d\_native.h
- upsample\_nearest3d\_ops.h
- upsample\_trilinear3d.h
- upsample\_trilinear3d\_backward.h
- upsample\_trilinear3d\_backward\_compositeexplicitautogradnonfunctional\_dispatch.h
- upsample\_trilinear3d\_backward\_cpu\_dispatch.h
- upsample\_trilinear3d\_backward\_cuda\_dispatch.h
- upsample\_trilinear3d\_backward\_meta.h
- upsample\_trilinear3d\_backward\_meta\_dispatch.h
- upsample\_trilinear3d\_backward\_native.h
- upsample\_trilinear3d\_backward\_ops.h
- upsample\_trilinear3d\_compositeexplicitautogradnonfunctional\_dispatch.h
- upsample\_trilinear3d\_compositeimplicitautograd\_dispatch.h
- upsample\_trilinear3d\_cpu\_dispatch.h
- upsample\_trilinear3d\_cuda\_dispatch.h
- upsample\_trilinear3d\_meta.h
- upsample\_trilinear3d\_meta\_dispatch.h
- upsample\_trilinear3d\_native.h
- upsample\_trilinear3d\_ops.h
- value\_selecting\_reduction\_backward.h
- value\_selecting\_reduction\_backward\_compositeimplicitautograd\_dispatch.h
- value\_selecting\_reduction\_backward\_native.h
- value\_selecting\_reduction\_backward\_ops.h
- values.h
- values\_compositeexplicitautograd\_dispatch.h
- values\_copy.h
- values\_copy\_compositeexplicitautograd\_dispatch.h
- values\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- values\_copy\_native.h
- values\_copy\_ops.h
- values\_native.h
- values\_ops.h
- vander.h
- vander\_compositeimplicitautograd\_dispatch.h
- vander\_native.h
- vander\_ops.h
- var.h
- var\_compositeimplicitautograd\_dispatch.h
- var\_cpu\_dispatch.h
- var\_cuda\_dispatch.h
- var\_mean.h
- var\_mean\_compositeexplicitautograd\_dispatch.h
- var\_mean\_compositeimplicitautograd\_dispatch.h
- var\_mean\_cpu\_dispatch.h
- var\_mean\_cuda\_dispatch.h
- var\_mean\_native.h
- var\_mean\_ops.h
- var\_native.h
- var\_ops.h
- vdot.h
- vdot\_compositeexplicitautograd\_dispatch.h
- vdot\_cpu\_dispatch.h
- vdot\_cuda\_dispatch.h
- vdot\_native.h
- vdot\_ops.h
- view.h
- view\_as.h



- view\_as\_complex.h
- view\_as\_complex\_copy.h
- view\_as\_complex\_copy\_compositeexplicitautograd\_dispatch.h
- view\_as\_complex\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- view\_as\_complex\_copy\_native.h
- view\_as\_complex\_copy\_ops.h
- view\_as\_complex\_cpu\_dispatch.h
- view\_as\_complex\_cuda\_dispatch.h
- view\_as\_complex\_meta\_dispatch.h
- view\_as\_complex\_native.h
- view\_as\_complex\_ops.h
- view\_as\_compositeimplicitautograd\_dispatch.h
- view\_as\_native.h
- view\_as\_ops.h
- view\_as\_real.h
- view\_as\_real\_copy.h
- view\_as\_real\_copy\_compositeexplicitautograd\_dispatch.h
- view\_as\_real\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- view\_as\_real\_copy\_native.h
- view\_as\_real\_copy\_ops.h
- view\_as\_real\_cpu\_dispatch.h
- view\_as\_real\_cuda\_dispatch.h
- view\_as\_real\_meta\_dispatch.h
- view\_as\_real\_native.h
- view\_as\_real\_ops.h
- view\_compositeexplicitautograd\_dispatch.h
- view\_copy.h
- view\_copy\_compositeexplicitautograd\_dispatch.h
- view\_copy\_compositeexplicitautogradnonfunctional\_dispatch.h
- view\_copy\_native.h
- view\_copy\_ops.h
- view\_cpu\_dispatch.h
- view\_cuda\_dispatch.h
- view\_meta\_dispatch.h
- view\_native.h
- view\_ops.h
- vsplit.h
- vsplit\_compositeimplicitautograd\_dispatch.h
- vsplit\_native.h
- vsplit\_ops.h
- vstack.h
- vstack\_compositeimplicitautograd\_dispatch.h
- vstack\_native.h
- vstack\_ops.h
- where.h
- where\_compositeimplicitautograd\_dispatch.h
- where\_cpu\_dispatch.h
- where\_cuda\_dispatch.h
- where\_native.h
- where\_ops.h
- xlogy.h
- xlogy\_compositeexplicitautograd\_dispatch.h
- xlogy\_compositeexplicitautogradnonfunctional\_dispatch.h
- xlogy\_cpu\_dispatch.h
- xlogy\_cuda\_dispatch.h
- xlogy\_meta.h
- xlogy\_meta\_dispatch.h
- xlogy\_native.h
- xlogy\_ops.h
- xor.h
- xor\_compositeimplicitautograd\_dispatch.h
- xor\_native.h
- xor\_ops.h
- zero.h
- zero\_compositeexplicitautograd\_dispatch.h
- zero\_cpu\_dispatch.h
- zero\_cuda\_dispatch.h
- zero\_meta\_dispatch.h
- zero\_native.h
- zero\_ops.h
- zeros.h
- zeros\_compositeexplicitautograd\_dispatch.h
- zeros\_like.h
- zeros\_like\_compositeexplicitautograd\_dispatch.h
- zeros\_like\_compositeimplicitautogradnestedtensor\_dispatch.h
- zeros\_like\_native.h
- zeros\_like\_ops.h
- zeros\_native.h
- zeros\_ops.h
- quantized/
  - QTensorImpl.h
  - Quantizer.h
- xpu/
  - detail/
    - LazyLevelZero.h

- └─ XPUHooks.h
- ─ CachingHostAllocator.h
- ─ EmptyTensor.h
- ─ PeerToPeerAccess.h
- ─ PhiloxXpuState.h
- ─ PinnedMemoryAllocator.h
- ─ XPUContext.h
- ─ XPUDevice.h
- ─ XPUEvent.h
- ─ XPUGeneratorImpl.h
- ─ XPUGraph.h
- ─ XPUGraphsUtils.h
- ─ XPUScaledBlas.h
- ─ XPUUtils.h
- ─ AccumulateType.h
- ─ ArrayRef.h
- ─ ATen.h
- ─ autocast\_mode.h
- ─ Backend.h
- ─ Backtrace.h
- ─ BlasBackend.h
- ─ CachedTensorUtils.h
- ─ ceil\_div.h
- ─ code\_template.h
- ─ CollapseDims.h
- ─ CompositeExplicitAutogradFunctions.h
- ─ CompositeExplicitAutogradFunctions\_inl.h
- ─ CompositeExplicitAutogradNonFunctionalFunctions.h
- ─ CompositeExplicitAutogradNonFunctionalFunctions\_inl.h
- ─ CompositeImplicitAutogradFunctions.h
- ─ CompositeImplicitAutogradFunctions\_inl.h
- ─ CompositeImplicitAutogradNestedTensorFunctions.h
- ─ CompositeImplicitAutogradNestedTensorFunctions\_inl.h
- ─ Config.h
- ─ Context.h
- ─ cpp\_custom\_type\_hack.h
- ─ CPUApplyUtils.h
- ─ CPUFixedAllocator.h
- ─ CPUFunctions.h
- ─ CPUFunctions\_inl.h
- ─ CPGeneratorImpl.h
- ─ CUDAFunctions.h
- ─ CUDAFunctions\_inl.h
- ─ Device.h
- ─ DeviceAccelerator.h
- ─ DeviceGuard.h
- ─ Dimname.h
- ─ DimVector.h
- ─ Dispatch.h
- ─ Dispatch\_v2.h
- ─ div\_rtn.h
- ─ DLConvertor.h
- ─ dlpack.h
- ─ DTensorState.h
- ─ DynamicLibrary.h
- ─ EmptyTensor.h
- ─ ExpandBase.h
- ─ ExpandUtils.h
- ─ Formatting.h
- ─ FunctionalizeFallbackKernel.h
- ─ FunctionalStorageImpl.h
- ─ FunctionalTensorWrapper.h
- ─ Functions.h
- ─ FuncTorchTLS.h
- ─ Generator.h
- ─ InferSize.h
- ─ InitialTensorOptions.h
- ─ jit\_macros.h
- ─ jiterator\_macros.h
- ─ Layout.h
- ─ LegacyBatchedFallback.h
- ─ LegacyBatchedTensorImpl.h
- ─ LegacyVmapMode.h
- ─ LegacyVmapTransforms.h
- ─ LinalgBackend.h
- ─ MapAllocator.h
- ─ MatrixRef.h
- ─ MemoryOverlap.h
- ─ MetaFunctions.h
- ─ MetaFunctions\_inl.h
- ─ MethodOperators.h
- ─ NamedTensor.h
- ─ NamedTensorUtils.h
- ─ NativeFunctions.h
- ─ NativeMetaFunctions.h

- NestedTensorImpl.h
- NumericUtils.h
- OpaqueTensorImpl.h
- Operators.h
- OpMathType.h
- PadNd.h
- Parallel-inl.h
- Parallel.h
- ParallelFuture.h
- ParallelNative.h
- ParallelOpenMP.h
- PThreadPool.h
- PythonTorchFunctionTLS.h
- record\_function.h
- RedispatchFunctions.h
- RegistrationDeclarations.h
- ROCmFABackend.h
- SavedTensorHooks.h
- Scalar.h
- ScalarOps.h
- ScalarType.h
- SDPBackend.h
- SequenceNumber.h
- SmallVector.h
- SparseCsrTensorImpl.h
- SparseCsrTensorUtils.h
- SparseTensorImpl.h
- Storage.h
- StorageUtils.h
- Tensor.h
- TensorAccessor.h
- TensorGeometry.h
- TensorIndexing.h
- TensorIterator.h
- TensorIteratorInternal.h
- TensorMeta.h
- TensorNames.h
- TensorOperators.h
- TensorOptions.h
- TensorSubclassLikeUtils.h
- TensorUtils.h
- ThreadLocalPythonObjects.h
- ThreadLocalState.h
- TracerMode.h
- TypeDefault.h
- Utils.h
- Version.h
- VmapGeneratedPlumbing.h
- WrapDimUtils.h
- WrapDimUtilsMulti.h
- c10/
  - core/
    - impl/
      - alloc\_cpu.h
      - COW.h
      - COWDeleter.h
      - DeviceGuardImplInterface.h
      - FakeGuardImpl.h
      - GPUTrace.h
      - HermeticPyObjectTLS.h
      - InlineDeviceGuard.h
      - InlineEvent.h
      - InlineStreamGuard.h
      - LocalDispatchKeySet.h
      - PyInterpreter.h
      - PyInterpreterHooks.h
      - PyObjectSlot.h
      - PythonDispatcherTLS.h
      - SizesAndStrides.h
      - TorchDispatchModeTLS.h
      - VirtualGuardImpl.h
    - alignment.h
    - Allocator.h
    - AllocatorConfig.h
    - AutogradState.h
    - Backend.h
    - CachingDeviceAllocator.h
    - CompileTimeFunctionPointer.h
    - ConstantSymNodeImpl.h
    - Contiguity.h
    - CopyBytes.h
    - CPUAllocator.h
    - DefaultDtype.h
    - DefaultTensorOptions.h
    - Device.h

- DeviceArray.h
- DeviceCapability.h
- DeviceGuard.h
- DeviceType.h
- DispatchKey.h
- DispatchKeySet.h
- DynamicCast.h
- Event.h
- GeneratorImpl.h
- GradMode.h
- InferenceMode.h
- Layout.h
- MemoryFormat.h
- OptionalRef.h
- PyHandleCache.h
- QEngine.h
- QScheme.h
- RefcountedDeleter.h
- SafePyObject.h
- Scalar.h
- ScalarType.h
- ScalarTypeToTypeMeta.h
- Storage.h
- StorageImpl.h
- Stream.h
- StreamGuard.h
- SymbolicShapeMeta.h
- SymBool.h
- SymFloat.h
- SymInt.h
- SymIntArrayRef.h
- SymNodeImpl.h
- TensorImpl.h
- TensorOptions.h
- thread\_pool.h
- UndefinedTensorImpl.h
- WrapDimMinimal.h
- cuda/
  - impl/
    - CUDAGuardImpl.h
    - CUDATest.h
  - CUDAAlgorithm.h
  - CUDAAAllocatorConfig.h
  - CUDACachingAllocator.h
  - CUDADeviceAssertion.h
  - CUDADeviceAssertionHost.h
  - CUDAEvent.h
  - CUDAException.h
  - CUDAFunctions.h
  - CUDAGraphsC10Utils.h
  - CUDAGuard.h
  - CUDAMacros.h
  - CUDAMathCompat.h
  - CUDAMiscFunctions.h
  - CUDASTream.h
  - driver\_api.h
  - PeerToPeerAccess.h
- macros/
  - cmake\_macros.h
  - Export.h
  - Macros.h
- metal/
  - atomic.h
  - common.h
  - error.h
  - expm1f.h
  - igamma.h
  - indexing.h
  - random.h
  - reduction\_utils.h
  - special\_math.h
  - utils.h
- mobile/
  - CPUCachingAllocator.h
  - CUPProfilingAllocator.h
- test/
  - util/
    - complex\_math\_test\_common.h
    - complex\_test\_common.h
    - Macros.h
- util/
  - AbortHandler.h
  - accumulate.h
  - AlignOf.h
  - ApproximateClock.h

— Array.h  
— ArrayRef.h  
— Backtrace.h  
— BFloat16-inl.h  
— BFloat16-math.h  
— BFloat16.h  
— bit\_cast.h  
— bits.h  
— Bitset.h  
— C++17.h  
— CallOnce.h  
— complex.h  
— complex\_math.h  
— complex\_utils.h  
— ConstexprCrc.h  
— copysign.h  
— DeadlockDetection.h  
— Deprecated.h  
— DimVector.h  
— DynamicCounter.h  
— Enumerate.h  
— env.h  
— error.h  
— Exception.h  
— ExclusivelyOwned.h  
— ExclusivelyOwnedTensorTraits.h  
— FbcodeMaps.h  
— FileSystem.h  
— Flags.h  
— flat\_hash\_map.h  
— Float4\_e2m1fn\_x2.h  
— Float8\_e4m3fn-inl.h  
— Float8\_e4m3fn.h  
— Float8\_e4m3fnuz-inl.h  
— Float8\_e4m3fnuz.h  
— Float8\_e5m2-inl.h  
— Float8\_e5m2.h  
— Float8\_e5m2fnuz-inl.h  
— Float8\_e5m2fnuz.h  
— Float8\_e8m0fnu-inl.h  
— Float8\_e8m0fnu.h  
— floating\_point\_utils.h  
— FunctionRef.h  
— Gauge.h  
— generic\_math.h  
— Half-inl.h  
— Half.h  
— hash.h  
— IdWrapper.h  
— int128.h  
— intrusive\_ptr.h  
— IntrusiveList.h  
— irange.h  
— Lazy.h  
— LeftRight.h  
— llvmMathExtras.h  
— Load.h  
— Logging.h  
— logging\_common.h  
— logging\_is\_google\_glog.h  
— logging\_is\_not\_google\_glog.h  
— MathConstants.h  
— MaybeOwned.h  
— Metaprogramming.h  
— NetworkFlow.h  
— numa.h  
— Optional.h  
— OptionalArrayRef.h  
— order\_preserving\_flat\_hash\_map.h  
— overflows.h  
— overloaded.h  
— ParallelGuard.h  
— python\_stub.h  
— quint32.h  
— quint8.h  
— quint2x4.h  
— quint4x2.h  
— quint8.h  
— Registry.h  
— safe\_numerics.h  
— ScopeExit.h  
— Semaphore.h  
— signal\_handler.h  
— SmallBuffer.h  
— SmallVector.h

- sparse\_bitset.h
- ssize.h
- static\_tracepoint.h
- static\_tracepoint\_elfx86.h
- strides.h
- string\_utils.h
- string\_view.h
- StringUtil.h
- strong\_type.h
- Synchronized.h
- tempfile.h
- thread\_name.h
- ThreadLocal.h
- ThreadLocalDebugInfo.h
- Type.h
- TypeCast.h
- typeid.h
- TypeIndex.h
- TypeList.h
- TypeSafeSignMath.h
- TypeTraits.h
- Unicode.h
- UniqueVoidPtr.h
- Unroll.h
- WaitCounter.h
- WaitCounterDynamicBackend.h
- win32-headers.h
- xpu/
  - impl/
    - XPUGuardImpl.h
  - test/
    - impl/
      - XPUTest.h
  - PeerToPeerAccess.h
  - XPUCachingAllocator.h
  - XPUDeviceProp.h
  - XPUEvent.h
  - XPUException.h
  - XPUEFunctions.h
  - XPUGraphsC10Utils.h
  - XPUMacros.h
  - XPUStream.h
- caffe2/
  - core/
    - common.h
    - macros.h
    - timer.h
  - perfkernels/
    - common.h
    - embedding\_lookup\_idx.h
  - serialize/
    - crc\_alt.h
    - file\_adapter.h
    - in\_memory\_adapter.h
    - inline\_container.h
    - istream\_adapter.h
    - read\_adapter\_interface.h
    - versions.h
  - utils/
    - threadpool/
      - pthreadpool-cpp.h
      - pthreadpool.h
      - thread\_pool\_guard.h
      - ThreadPool.h
      - ThreadPoolCommon.h
      - WorkersPool.h
    - fixed\_divisor.h
    - proto\_wrap.h
    - string\_utils.h
- fmt/
  - args.h
  - base.h
  - chrono.h
  - color.h
  - compile.h
  - core.h
  - format-inl.h
  - format.h
  - os.h
  - ostream.h
  - printf.h
  - ranges.h
  - std.h
  - xchar.h
- fp16/

- └─ bitcasts.h
- └─ fp16.h
- └─ psimd.h
- ─ google/
  - └─ protobuf/
    - └─ compiler/
      - └─ cpp/
        - └─ cpp\_generator.h
      - └─ csharp/
        - └─ csharp\_generator.h
        - └─ csharp\_names.h
      - └─ java/
        - └─ java\_generator.h
        - └─ java\_names.h
      - └─ js/
        - └─ js\_generator.h
        - └─ well\_known\_types\_embed.h
      - └─ objectivec/
        - └─ objectivec\_generator.h
        - └─ objectivec\_helpers.h
      - └─ php/
        - └─ php\_generator.h
      - └─ python/
        - └─ python\_generator.h
      - └─ ruby/
        - └─ ruby\_generator.h
      - └─ code\_generator.h
      - └─ command\_line\_interface.h
      - └─ importer.h
      - └─ parser.h
      - └─ plugin.h
      - └─ plugin.pb.h
    - └─ io/
      - └─ coded\_stream.h
      - └─ gzip\_stream.h
      - └─ io\_win32.h
      - └─ printer.h
      - └─ strtod.h
      - └─ tokenizer.h
      - └─ zero\_copy\_stream.h
      - └─ zero\_copy\_stream\_impl.h
      - └─ zero\_copy\_stream\_impl\_lite.h
    - └─ stubs/
      - └─ bytestream.h
      - └─ callback.h
      - └─ casts.h
      - └─ common.h
      - └─ fastmem.h
      - └─ hash.h
      - └─ logging.h
      - └─ macros.h
      - └─ map\_util.h
      - └─ mutex.h
      - └─ once.h
      - └─ platform\_macros.h
      - └─ port.h
      - └─ status.h
      - └─ stl\_util.h
      - └─ stringpiece.h
      - └─ strutil.h
      - └─ template\_util.h
    - └─ util/
      - └─ delimited\_message\_util.h
      - └─ field\_comparator.h
      - └─ field\_mask\_util.h
      - └─ json\_util.h
      - └─ message\_differencer.h
      - └─ time\_util.h
      - └─ type\_resolver.h
      - └─ type\_resolver\_util.h
    - └─ any.h
    - └─ any.pb.h
    - └─ api.pb.h
    - └─ arena.h
    - └─ arena\_impl.h
    - └─ arenastring.h
    - └─ descriptor.h
    - └─ descriptor.pb.h
    - └─ descriptor\_database.h
    - └─ duration.pb.h
    - └─ dynamic\_message.h
    - └─ empty.pb.h
    - └─ extension\_set.h
    - └─ extension\_set\_inl.h
    - └─ field\_mask.pb.h

- generated\_enum\_reflection.h
- generated\_enum\_util.h
- generated\_message\_reflection.h
- generated\_message\_table\_driven.h
- generated\_message\_util.h
- has\_bits.h
- implicit\_weak\_message.h
- inlined\_string\_field.h
- map.h
- map\_entry.h
- map\_entry\_lite.h
- map\_field.h
- map\_field\_inl.h
- map\_field\_lite.h
- map\_type\_handler.h
- message.h
- message\_lite.h
- metadata.h
- metadata\_lite.h
- parse\_context.h
- port.h
- reflection.h
- reflection\_ops.h
- repeated\_field.h
- service.h
- source\_context.pb.h
- struct.pb.h
- text\_format.h
- timestamp.pb.h
- type.pb.h
- unknown\_field\_set.h
- wire\_format.h
- wire\_format\_lite.h
- wrappers.pb.h
- kineto/
  - AbstractConfig.h
  - ActivityProfilerInterface.h
  - ActivityTraceInterface.h
  - ActivityType.h
  - ClientInterface.h
  - Config.h
  - GenericTraceActivity.h
  - IActivityProfiler.h
  - ILoggerObserver.h
  - ITraceActivity.h
  - libkineto.h
  - LoggingAPI.h
  - output\_base.h
  - ThreadUtil.h
  - time\_since\_epoch.h
  - TraceSpan.h
- legacy/
  - ittnotify.h
- mimalloc-2.2/
  - mimalloc-new-delete.h
  - mimalloc-override.h
  - mimalloc-stats.h
  - mimalloc.h
- oneapi/
  - dnnl/
    - dnnl.h
    - dnnl.hpp
    - dnnl\_common.h
    - dnnl\_common.hpp
    - dnnl\_common\_types.h
    - dnnl\_config.h
    - dnnl\_debug.h
    - dnnl\_graph.h
    - dnnl\_graph.hpp
    - dnnl\_graph\_ocl.h
    - dnnl\_graph\_ocl.hpp
    - dnnl\_graph\_sycl.h
    - dnnl\_graph\_sycl.hpp
    - dnnl\_graph\_types.h
    - dnnl\_ocl.h
    - dnnl\_ocl.hpp
    - dnnl\_ocl\_types.h
    - dnnl\_sycl.h
    - dnnl\_sycl.hpp
    - dnnl\_sycl\_types.h
    - dnnl\_threadpool.h
    - dnnl\_threadpool.hpp
    - dnnl\_threadpool\_iface.hpp
    - dnnl\_types.h
    - dnnl\_kernel.h



- dnnl\_ukernel.hpp
  - dnnl\_ukernel\_types.h
  - dnnl\_version.h
  - dnnl\_version\_hash.h
- pybind11/
  - conduit/
    - pybind11\_conduit\_v1.h
    - pybind11\_platform\_abi\_id.h
    - wrap\_include\_python\_h.h
  - detail/
    - class.h
    - common.h
    - cpp\_conduit.h
    - descr.h
    - dynamic\_raw\_ptr\_cast\_if\_possible.h
    - exception\_translation.h
    - function\_record\_pyobject.h
    - init.h
    - internals.h
    - native\_enum\_data.h
    - pybind11\_namespace\_macros.h
    - struct\_smart\_holder.h
    - type\_caster\_base.h
    - typeid.h
    - using\_smart\_holder.h
    - value\_and\_holder.h
  - eigen/
    - common.h
    - matrix.h
    - tensor.h
  - stl/
    - filesystem.h
  - attr.h
  - buffer\_info.h
  - cast.h
  - chrono.h
  - common.h
  - complex.h
  - critical\_section.h
  - eigen.h
  - embed.h
  - eval.h
  - functional.h
  - gil.h
  - gil\_safe\_call\_once.h
  - gil\_simple.h
  - iostream.h
  - native\_enum.h
  - numpy.h
  - operators.h
  - options.h
  - pybind11.h
  - pytypes.h
  - stl.h
  - stl\_bind.h
  - subinterpreter.h
  - trampoline\_self\_life\_support.h
  - type\_caster\_pyobject\_ptr.h
  - typing.h
  - warnings.h
- torch/
  - csrc/
    - acc/
      - Module.h
    - api/
      - include/
        - torch/
          - data/
            - dataloader/
              - base.h
              - stateful.h
              - stateless.h
            - datasets/
              - base.h
              - chunk.h
              - map.h
              - mnist.h
              - shared.h
              - stateful.h
              - tensor.h
            - detail/
              - data\_shuttle.h
              - queue.h
              - sequencers.h
          - samplers/

- base.h
- custom\_batch\_request.h
- distributed.h
- random.h
- sequential.h
- serialize.h
- stream.h
- transforms/
  - base.h
  - collate.h
  - lambda.h
  - stack.h
  - tensor.h
- dataloader.h
- dataloader\_options.h
- datasets.h
- example.h
- iterator.h
- samplers.h
- transforms.h
- worker\_exception.h
- detail/
  - static.h
  - TensorDataContainer.h
- nativert/
  - ModelRunnerHandle.h
- nn/
  - functional/
    - activation.h
    - batchnorm.h
    - conv.h
    - distance.h
    - dropout.h
    - embedding.h
    - fold.h
    - instancenorm.h
    - linear.h
    - loss.h
    - normalization.h
    - padding.h
    - pixelshuffle.h
    - pooling.h
    - upsampling.h
    - vision.h
  - modules/
    - container/
      - any.h
      - any\_module\_holder.h
      - any\_value.h
      - functional.h
      - moduledict.h
      - modulelist.h
      - named\_any.h
      - parameterdict.h
      - parameterlist.h
      - sequential.h
  - \_functions.h
  - activation.h
  - adaptive.h
  - batchnorm.h
  - common.h
  - conv.h
  - distance.h
  - dropout.h
  - embedding.h
  - fold.h
  - instancenorm.h
  - linear.h
  - loss.h
  - normalization.h
  - padding.h
  - pixelshuffle.h
  - pooling.h
  - rnn.h
  - transformer.h
  - transformercoder.h
  - transformerlayer.h
  - upsampling.h
  - utils.h
- options/
  - activation.h
  - adaptive.h
  - batchnorm.h
  - conv.h
  - distance.h

- dropout.h
- embedding.h
- fold.h
- instancenorm.h
- linear.h
- loss.h
- normalization.h
- padding.h
- pixelshuffle.h
- pooling.h
- rnn.h
- transformer.h
- transformercoder.h
- transformerlayer.h
- upsampling.h
- vision.h
- parallel/
  - data\_parallel.h
- utils/
  - clip\_grad.h
  - convert\_parameters.h
  - rnn.h
- cloneable.h
- functional.h
- init.h
- module.h
- modules.h
- options.h
- pimpl-inl.h
- pimpl.h
- utils.h
- optim/
  - schedulers/
    - lr\_scheduler.h
    - reduce\_on\_plateau\_scheduler.h
    - step\_lr.h
  - adagrad.h
  - adam.h
  - adamw.h
  - lbfgs.h
  - optimizer.h
  - rmsprop.h
  - serialize.h
  - sgd.h
- python/
  - init.h
- serialize/
  - archive.h
  - input-archive.h
  - output-archive.h
  - tensor.h
- all.h
- arg.h
- autograd.h
- cuda.h
- data.h
- enum.h
- expanding\_array.h
- fft.h
- imethod.h
- jit.h
- mps.h
- nested.h
- nn.h
- optim.h
- ordered\_dict.h
- python.h
- serialize.h
- sparse.h
- special.h
- torch.h
- types.h
- utils.h
- version.h
- xpu.h
- autograd/
  - functions/
    - accumulate\_grad.h
    - basic\_ops.h
    - comm.h
    - pybind.h
    - tensor.h
    - utils.h
  - generated/
    - Functions.h

- └─ python\_functions.h
- └─ python\_return\_types.h
- └─ variable\_factories.h
- └─ VariableType.h
- └─ ViewFuncs.h
- ─ utils/
  - └─ error\_messages.h
  - └─ grad\_layout\_contract.h
  - └─ lambda\_post\_hook.h
  - └─ python\_arg\_parsing.h
  - └─ warnings.h
  - └─ wrap\_outputs.h
- ─ anomaly\_mode.h
- ─ autograd.h
- ─ autograd\_not\_implemented\_fallback.h
- ─ cpp\_hook.h
- ─ custom\_function.h
- ─ edge.h
- ─ engine.h
- ─ forward\_grad.h
- ─ function.h
- ─ function\_hook.h
- ─ FunctionsManual.h
- ─ grad\_mode.h
- ─ graph\_task.h
- ─ InferenceMode.h
- ─ input\_buffer.h
- ─ input\_metadata.h
- ─ jit\_decomp\_interface.h
- ─ profiler.h
- ─ profiler\_kineto.h
- ─ profiler\_legacy.h
- ─ profiler\_python.h
- ─ python\_anomaly\_mode.h
- ─ python\_autograd.h
- ─ python\_cpp\_function.h
- ─ python\_engine.h
- ─ python\_enum\_tag.h
- ─ python\_fft\_functions.h
- ─ python\_function.h
- ─ python\_hook.h
- ─ python\_legacy\_variable.h
- ─ python\_linalg\_functions.h
- ─ python\_nested\_functions.h
- ─ python\_nn\_functions.h
- ─ python\_saved\_variable\_hooks.h
- ─ python\_sparse\_functions.h
- ─ python\_special\_functions.h
- ─ python\_torch\_functions.h
- ─ python\_variable.h
- ─ python\_variable\_indexing.h
- ─ record\_function\_ops.h
- ─ saved\_variable.h
- ─ saved\_variable\_hooks.h
- ─ symbolic.h
- ─ variable.h
- ─ variable\_info.h
- ─ VariableTypeUtils.h
- ─ cpu/
  - └─ Module.h
- ─ cuda/
  - └─ comm.h
  - └─ CUDAPluggableAllocator.h
  - └─ device\_set.h
  - └─ Event.h
  - └─ GdsFile.h
  - └─ memory\_snapshot.h
  - └─ Module.h
  - └─ nccl.h
  - └─ python\_comm.h
  - └─ python\_nccl.h
  - └─ Stream.h
  - └─ THCP.h
  - └─ utils.h
- ─ distributed/
  - ─ autograd/
    - └─ context/
      - └─ container.h
      - └─ context.h
    - └─ engine/
      - └─ dist\_engine.h
    - └─ functions/
      - └─ recvrpc\_backward.h
      - └─ sendrpc\_backward.h
    - └─ rpc\_messages/

- └─ autograd\_metadata.h
- └─ cleanup\_autograd\_context\_req.h
- └─ cleanup\_autograd\_context\_resp.h
- └─ propagate\_gradients\_req.h
- └─ propagate\_gradients\_resp.h
- └─ rpc\_with\_autograd.h
- └─ rpc\_with\_profiling\_req.h
- └─ rpc\_with\_profiling\_resp.h
- └─ rref\_backward\_req.h
- └─ rref\_backward\_resp.h
- └─ autograd.h
- └─ python\_autograd.h
- └─ utils.h
- └─ c10d/
  - └─ control\_collectives/
    - └─ ControlCollectives.hpp
    - └─ StoreCollectives.hpp
  - └─ control\_plane/
    - └─ Handlers.hpp
    - └─ WaitCounterHandler.hpp
    - └─ WorkerServer.hpp
  - └─ cuda/
    - └─ CUDAEventCache.hpp
    - └─ StreamBlock.hpp
    - └─ utils.hpp
  - └─ quantization/
    - └─ quantization.h
    - └─ quantization\_gpu.h
    - └─ quantization\_utils.h
  - └─ symm\_mem/
    - └─ CUDASymmetricMemory.hpp
    - └─ CUDASymmetricMemoryTypes.hpp
    - └─ CUDASymmetricMemoryUtils.hpp
    - └─ DMAConnectivity.hpp
    - └─ env.hpp
    - └─ intra\_node\_comm.hpp
    - └─ macros.hpp
    - └─ nccl\_dev\_cap.hpp
    - └─ nccl\_devcomm\_manager.hpp
    - └─ nccl\_extension.hpp
    - └─ NCCLSymmetricMemory.hpp
    - └─ nvshmem\_extension.hpp
    - └─ nvshmem\_team\_manager.hpp
    - └─ SymmetricMemory.hpp
- └─ Backend.hpp
- └─ Backoff.hpp
- └─ c10d.h
- └─ comm.hpp
- └─ debug.h
- └─ default\_comm\_hooks.hpp
- └─ error.h
- └─ exception.h
- └─ FakeProcessGroup.hpp
- └─ FileStore.hpp
- └─ FlightRecorder.hpp
- └─ FlightRecorderDetail.hpp
- └─ Functional.hpp
- └─ GlooDeviceFactory.hpp
- └─ GroupRegistry.hpp
- └─ HashStore.hpp
- └─ logger.hpp
- └─ logging.h
- └─ NanCheck.hpp
- └─ NCCLUtils.hpp
- └─ ParamCommsUtils.hpp
- └─ PrefixStore.hpp
- └─ ProcessGroup.hpp
- └─ ProcessGroupGloo.hpp
- └─ ProcessGroupGlooDetail.hpp
- └─ ProcessGroupMPI.hpp
- └─ ProcessGroupNCCL.hpp
- └─ ProcessGroupUCC.hpp
- └─ ProcessGroupWrapper.hpp
- └─ PyProcessGroup.hpp
- └─ python\_callback\_work.hpp
- └─ python\_comm\_hook.h
- └─ RankLocal.hpp
- └─ reducer.hpp
- └─ reducer\_timer.hpp
- └─ sequence\_num.hpp
- └─ socket.h
- └─ socket\_fmt.h
- └─ Store.hpp
- └─ TCPStore.hpp
- └─ TCPStoreBackend.hpp

- TraceUtils.h
- Types.hpp
- UCCTracing.hpp
- UCCUtils.hpp
- UnixSockUtils.hpp
- Utils.hpp
- WinSockUtils.hpp
- Work.hpp
- rpc/
  - metrics/
    - RpcMetricsHandler.h
  - profiler/
    - remote\_profiler\_manager.h
    - server\_process\_global\_profiler.h
  - testing/
    - faulty\_tensorpipe\_agent.h
    - testing.h
  - agent\_utils.h
  - message.h
  - py\_rref.h
  - python\_call.h
  - python\_functions.h
  - python\_remote\_call.h
  - python\_resp.h
  - python\_rpc\_handler.h
  - request\_callback.h
  - request\_callback\_impl.h
  - request\_callback\_no\_python.h
  - rpc.h
  - rpc\_agent.h
  - rpc\_command\_base.h
  - rref\_context.h
  - rref\_impl.h
  - rref\_proto.h
  - script\_call.h
  - script\_remote\_call.h
  - script\_resp.h
  - tensorpipe\_agent.h
  - tensorpipe\_utils.h
  - torchscript\_functions.h
  - types.h
  - unpickled\_python\_call.h
  - unpickled\_python\_remote\_call.h
  - utils.h
- Placement.h
- python\_placement.h
- dynamo/
  - cache\_entry.h
  - compiled\_autograd.h
  - cpp\_shim.h
  - cpython\_defs.h
  - cpython\_includes.h
  - debug\_macros.h
  - eval\_frame.h
  - eval\_frame\_cpp.h
  - extra\_state.h
  - framelocals\_mapping.h
  - guards.h
  - init.h
  - python\_compiled\_autograd.h
  - stackref\_bridge.h
  - utils.h
- export/
  - example\_upgraders.h
  - pt2\_archive\_constants.h
  - pybind.h
  - upgrader.h
- functionalization/
  - Module.h
- functorch/
  - init.h
- fx/
  - node.h
- inductor/
  - aoti\_eager/
    - kernel\_holder.h
    - kernel\_meta\_info.h
  - aoti\_include/
    - array\_ref.h
    - common.h
    - cpu.h
    - cuda.h
    - mps.h
    - xpu.h
- aoti\_package/

- └─ model\_package\_loader.h
- └─ pybind.h
- ─ aoti\_runner/
  - └─ model\_container\_runner.h
  - └─ model\_container\_runner\_cpu.h
  - └─ model\_container\_runner\_cuda.h
  - └─ model\_container\_runner\_mps.h
  - └─ model\_container\_runner\_xpu.h
  - └─ pybind.h
- ─ aoti\_runtime/
  - └─ arrayref\_tensor.h
  - └─ arrayref\_tensor\_conversion.h
  - └─ constant\_type.h
  - └─ device\_utils.h
  - └─ interface.h
  - └─ kernel\_context\_tls.h
  - └─ mini\_array\_ref.h
  - └─ model.h
  - └─ model\_base.h
  - └─ model\_container.h
  - └─ scalar\_to\_tensor.h
  - └─ sycl\_runtime\_wrappers.h
  - └─ thread\_local.h
  - └─ utils.h
  - └─ utils\_cuda.h
  - └─ utils\_xpu.h
- ─ aoti\_torch/
  - └─ c/
    - └─ macros.h
    - └─ shim.h
    - └─ shim\_cpu.h
    - └─ shim\_deprecated.h
    - └─ shim\_mps.h
    - └─ shim\_xpu.h
  - └─ generated/
    - └─ c\_shim\_aten.h
    - └─ c\_shim\_cpu.h
    - └─ c\_shim\_cuda.h
    - └─ c\_shim\_mps.h
    - └─ c\_shim\_xpu.h
  - └─ generated\_enum\_converters.h
  - └─ mkldnn\_tensor.h
  - └─ oss\_proxy\_executor.h
  - └─ proxy\_executor.h
  - └─ tensor\_converter.h
  - └─ utils.h
- ─ cpp\_wrapper/
  - └─ device\_internal/
    - └─ cpu.h
    - └─ cuda.h
    - └─ mps.h
    - └─ xpu.h
  - └─ array\_ref.h
  - └─ common.h
  - └─ cpu.h
  - └─ cuda.h
  - └─ lazy\_triton\_compile.h
  - └─ mps.h
  - └─ xpu.h
- ─ static\_launcher/
  - └─ cuda.h
  - └─ xpu.h
- ─ array\_ref\_impl.h
- ─ cpp\_prefix.h
- ─ inductor\_ops.h
- ─ instruction\_counter/
  - └─ Module.h
- ─ jit/
  - └─ api/
    - └─ compilation\_unit.h
    - └─ function\_impl.h
    - └─ method.h
    - └─ module.h
    - └─ object.h
  - └─ backends/
    - └─ coreml/
      - └─ cpp/
        - └─ context.h
      - └─ objc/
        - └─ PTMCoreMLCompiler.h
        - └─ PTMCoreMLExecutor.h
        - └─ PTMCoreMLFeatureProvider.h
        - └─ PTMCoreMLModelWrapper.h
        - └─ PTMCoreMLTensorSpec.h
- ─ xnnpack/

- compiler/
      - xnn\_compiler.h
    - executor/
      - xnn\_executor.h
    - serialization/
      - serializer.h
    - xnnpack\_graph\_builder.h
  - backend.h
  - backend\_debug\_handler.h
  - backend\_debug\_info.h
  - backend\_detail.h
  - backend\_exception.h
  - backend\_init.h
  - backend\_interface.h
  - backend\_preprocess.h
  - backend\_resolver.h
  - codegen/
    - cuda/
      - interface.h
    - fuser/
      - cpu/
        - fused\_kernel.h
        - resource\_strings.h
        - temp\_file.h
      - cuda/
        - fused\_kernel.h
        - resource\_strings.h
    - arg\_spec.h
    - codegen.h
    - compiler.h
    - executor.h
    - fallback.h
    - fused\_kernel.h
    - interface.h
    - kernel\_cache.h
    - kernel\_spec.h
    - partition\_desc.h
    - tensor\_desc.h
    - tensor\_info.h
    - onednn/
      - decompose\_silu.h
      - defer\_size\_check.h
      - graph\_fuser.h
      - graph\_helper.h
      - guard\_shape.h
      - interface.h
      - kernel.h
      - layout\_propagation.h
      - LlgaTensorImpl.h
      - operator.h
      - prepare\_binary.h
  - cuda/
    - cuda.h
  - frontend/
    - builtin\_functions.h
    - canonicalize\_modified\_loop.h
    - concrete\_module\_type.h
    - convert\_to\_ssa.h
    - edit\_distance.h
    - error\_report.h
    - exit\_transforms.h
    - function\_schema\_parser.h
    - inline\_loop\_condition.h
    - ir\_emitter.h
    - lexer.h
    - mini\_environment.h
    - name\_mangler.h
    - parse\_string\_literal.h
    - parser.h
    - parser\_constants.h
    - resolver.h
    - schema\_matching.h
    - schema\_type\_parser.h
    - script\_type\_parser.h
    - source\_range.h
    - source\_ref.h
    - strtod.h
    - sugared\_value.h
    - tracer.h
    - tree.h
    - tree\_views.h
    - versioned\_symbols.h
  - ir/
    - alias\_analysis.h
    - attributes.h



- constants.h
- graph\_node\_list.h
- graph\_utils.h
- ir.h
- ir\_views.h
- irparser.h
- named\_value.h
- node\_hashing.h
- scope.h
- subgraph\_matcher.h
- type\_hashing.h
- mobile/
  - compatibility/
    - backport.h
    - backport\_manager.h
    - model\_compatibility.h
    - runtime\_compatibility.h
  - model\_tracer/
    - BuildFeatureTracer.h
    - CustomClassTracer.h
    - KernelDTypeTracer.h
    - MobileModelRunner.h
    - OperatorCallTracer.h
    - TensorUtils.h
    - TracerRunner.h
  - nnc/
    - aot\_compiler.h
    - context.h
    - registry.h
  - train/
    - optim/
      - sgd.h
    - export\_data.h
    - random.h
    - sequential.h
- code.h
- debug\_info.h
- file\_format.h
- flatbuffer\_loader.h
- frame.h
- function.h
- import.h
- import\_data.h
- import\_export\_common.h
- interpreter.h
- method.h
- module.h
- observer.h
- parse\_bytecode.h
- parse\_operators.h
- prim\_ops\_registry.h
- profiler\_edge.h
- promoted\_prim\_ops.h
- quantization.h
- register\_ops\_common\_utils.h
- type\_parser.h
- upgrader\_mobile.h
- operator\_upgraders/
  - upgraders.h
  - upgraders\_entry.h
  - utils.h
  - version\_map.h
- passes/
  - dbr\_quantization/
    - remove\_redundant\_aliases.h
  - onnx/
    - pattern\_conversion/
      - autograd\_function\_process.h
      - common.h
      - pattern\_conversion.h
      - pattern\_encapsulation.h
    - cast\_all\_constant\_to\_floating.h
    - constant\_fold.h
    - constant\_map.h
    - deduplicate\_initializers.h
    - eliminate\_unused\_items.h
    - eval\_peephole.h
    - fixup\_onnx\_controlflow.h
    - function\_extraction.h
    - function\_substitution.h
    - helper.h
    - list\_model\_parameters.h
    - naming.h
    - onnx\_log.h
    - peephole.h

- prepare\_division\_for\_onnx.h
- preprocess\_for\_onnx.h
- remove\_inplace\_ops\_for\_onnx.h
- scalar\_type\_analysis.h
- shape\_type\_inference.h
- unpack\_quantized\_weights.h
- quantization/
  - dedup\_module\_uses.h
  - finalize.h
  - fusion\_passes.h
  - helper.h
  - insert\_observers.h
  - insert\_quant\_dequant.h
  - quantization\_patterns.h
  - quantization\_type.h
  - register\_packed\_params.h
- utils/
  - check\_alias\_annotation.h
  - memory\_dag.h
  - op\_registry.h
  - optimization\_utils.h
  - subgraph\_utils.h
- add\_if\_then\_else.h
- annotate\_warns.h
- autocast.h
- bailout\_graph.h
- batch\_mm.h
- canonicalize.h
- canonicalize\_graph\_fuser\_ops.h
- check\_strict\_fusion.h
- clear\_profiling.h
- clear\_undefinedness.h
- common\_subexpression\_elimination.h
- concat\_opt.h
- constant\_pooling.h
- constant\_propagation.h
- create\_autodiff\_subgraphs.h
- create\_functional\_graphs.h
- dead\_code\_elimination.h
- decompose\_ops.h
- device\_type\_analysis.h
- dtype\_analysis.h
- eliminate\_no\_ops.h
- erase\_number\_types.h
- fixup\_trace\_scope\_blocks.h
- fold\_conv\_bn.h
- fold\_linear\_bn.h
- freeze\_module.h
- frozen\_concat\_linear.h
- frozen\_conv\_add\_relu\_fusion.h
- frozen\_conv\_folding.h
- frozen\_graph\_optimizations.h
- frozen\_linear\_folding.h
- frozen\_linear\_transpose.h
- frozen\_ops\_to\_mkldnn.h
- fuse\_linear.h
- fuse\_relu.h
- graph\_fuser.h
- graph\_rewrite\_helper.h
- guard\_elimination.h
- hoist\_conv\_packed\_params.h
- inline\_autodiff\_subgraphs.h
- inline\_fork\_wait.h
- inline\_forked\_closures.h
- inliner.h
- inplace\_check.h
- insert\_guards.h
- integer\_value\_refinement.h
- lift\_closures.h
- liveness.h
- loop\_unrolling.h
- lower\_grad\_of.h
- lower\_graph.h
- lower\_tuples.h
- metal\_rewrite.h
- mkldnn\_rewrite.h
- mobile\_optimizer\_type.h
- normalize\_ops.h
- onednn\_graph\_fuser.h
- onnx.h
- pass\_manager.h
- peephole.h
- peephole\_alias\_sensitive.h
- peephole\_dict\_idioms.h
- peephole\_list\_idioms.h

- peephole\_non\_tensor.h
- prepack\_folding.h
- refine\_tuple\_types.h
- remove\_dropout.h
- remove\_exceptions.h
- remove\_expands.h
- remove\_inplace\_ops.h
- remove\_mutation.h
- remove\_redundant\_profiles.h
- replacement\_of\_old\_operators.h
- requires\_grad\_analysis.h
- restore\_mutation.h
- shape\_analysis.h
- specialize\_autogradzero.h
- subgraph\_rewrite.h
- symbolic\_shape\_analysis.h
- symbolic\_shape\_cache.h
- symbolic\_shape\_runtime\_fusion.h
- tensorexpr\_fuser.h
- update\_differentiable\_graph\_requires\_grad.h
- value\_refinement\_utils.h
- variadic\_ops.h
- vulkan\_rewrite.h
- xnnpack\_rewrite.h
- python/
  - init.h
  - module\_python.h
  - opaque\_obj.h
  - pybind.h
  - pybind\_utils.h
  - python\_arg\_flatten.h
  - python\_custom\_class.h
  - python\_dict.h
  - python\_ir.h
  - python\_ivalue.h
  - python\_list.h
  - python\_sugared\_value.h
  - python\_tracer.h
  - python\_tree\_views.h
  - script\_init.h
  - update\_graph\_executor\_opt.h
  - utf8\_decoding\_ignore.h
- runtime/
  - interpreter/
    - can\_emit\_inline.h
    - code\_impl.h
    - frame.h
    - preprocess\_graph.h
  - static/
    - fusion.h
    - impl.h
    - init.h
    - memory\_planner.h
    - ops.h
    - passes.h
    - processed\_node\_wrapper.h
    - ProcessedNodeInputs.h
    - static\_method.h
    - te\_wrapper.h
- argument\_spec.h
- autodiff.h
- calculate\_necessary\_args.h
- custom\_operator.h
- decomposition\_registry.h
- decomposition\_registry\_util.h
- exception\_message.h
- graph\_executor.h
- graph\_executor\_impl.h
- graph\_iterator.h
- instruction.h
- interpreter.h
- jit\_exception.h
- jit\_trace.h
- logging.h
- operator.h
- operator\_options.h
- print\_handler.h
- profiling\_graph\_executor\_impl.h
- profiling\_record.h
- register\_ops\_utils.h
- script\_profile.h
- serialized\_shape\_function\_registry.h
- shape\_function\_registry.h
- simple\_graph\_executor\_impl.h
- slice\_indices\_adjust.h

- symbolic\_script.h
- symbolic\_shape\_registry.h
- symbolic\_shape\_registry\_util.h
- vararg\_functions.h
- variable\_tensor\_list.h
- serialization/
  - callstack\_debug\_info\_serialization.h
  - export.h
  - export\_bytecode.h
  - flatbuffer\_serializer.h
  - flatbuffer\_serializer\_jit.h
  - import.h
  - import\_export\_constants.h
  - import\_export\_functions.h
  - import\_export\_helpers.h
  - import\_read.h
  - import\_source.h
  - mobile\_bytecode\_generated.h
  - onnx.h
  - pickle.h
  - pickler.h
  - pickler\_helper.h
  - python\_print.h
  - source\_range\_serialization.h
  - source\_range\_serialization\_impl.h
  - storage\_context.h
  - type\_name\_uniquer.h
  - unpickler.h
- tensorexpr/
  - operators/
    - conv2d.h
    - matmul.h
    - misc.h
    - norm.h
    - operators.h
    - pointwise.h
    - quantization.h
    - reduction.h
    - softmax.h
  - analysis.h
  - block\_codegen.h
  - bounds\_inference.h
  - bounds\_overlap.h
  - codegen.h
  - cpp\_codegen.h
  - cpp\_intrinsics.h
  - cuda\_codegen.h
  - cuda\_random.h
  - eval.h
  - exceptions.h
  - expr.h
  - external\_functions.h
  - external\_functions\_core.h
  - external\_functions\_registry.h
  - fwd\_decls.h
  - graph\_opt.h
  - half\_support.h
  - hash\_provider.h
  - intrinsic\_symbols.h
  - ir.h
  - ir\_cloner.h
  - ir\_mutator.h
  - ir\_printer.h
  - ir\_simplifier.h
  - ir\_verifier.h
  - ir\_visitor.h
  - kernel.h
  - llvm\_codegen.h
  - llvm\_jit.h
  - loopnest.h
  - loopnest\_randomization.h
  - lowerings.h
  - mem\_dependency\_checker.h
  - reduction.h
  - registerizer.h
  - stmt.h
  - tensor.h
  - tensorexpr\_init.h
  - types.h
  - unique\_name\_manager.h
  - var\_substitutor.h
- testing/
  - catch\_utils.hpp
  - file\_check.h
  - hooks\_for\_testing.h

- └─ jit\_log.h
- └─ jit\_opt\_limit.h
- └─ resource\_guard.h
- ─ lazy/
  - ─ backend/
    - └─ backend\_data.h
    - └─ backend\_device.h
    - └─ backend\_interface.h
    - └─ lowering\_context.h
  - ─ core/
    - └─ internal\_ops/
      - └─ ltc\_ops.h
    - └─ ops/
      - └─ arithmetic\_ir\_ops.h
      - └─ utils.h
    - └─ cache.h
    - └─ config.h
    - └─ debug\_util.h
    - └─ dynamic\_ir.h
    - └─ hash.h
    - └─ helpers.h
    - └─ ir.h
    - └─ ir\_builder.h
    - └─ ir\_dump\_util.h
    - └─ ir\_metadata.h
    - └─ ir\_util.h
    - └─ lazy\_graph\_executor.h
    - └─ metrics.h
    - └─ multi\_wait.h
    - └─ permutation\_util.h
    - └─ shape.h
    - └─ shape\_inference.h
    - └─ tensor.h
    - └─ tensor\_impl.h
    - └─ tensor\_util.h
    - └─ thread\_pool.h
    - └─ trie.h
    - └─ unique.h
    - └─ util.h
  - ─ generated/
    - └─ LazyIr.h
    - └─ LazyNativeFunctions.h
    - └─ LazyNonNativeIr.h
  - ─ python/
    - └─ init.h
    - └─ python\_util.h
  - ─ ts\_backend/
    - └─ ops/
      - └─ device\_data.h
      - └─ generic.h
      - └─ to\_copy.h
    - └─ config.h
    - └─ dynamic\_ir.h
    - └─ ir\_builder.h
    - └─ tensor\_aten\_ops.h
    - └─ ts\_autograd\_functions.h
    - └─ ts\_backend\_impl.h
    - └─ ts\_eager\_fallback.h
    - └─ ts\_lowering\_context.h
    - └─ ts\_node.h
    - └─ ts\_node\_lowering.h
- ─ monitor/
  - └─ counters.h
  - └─ events.h
  - └─ python\_init.h
- ─ mps/
  - └─ Module.h
- ─ mtia/
  - └─ profiler/
    - └─ MTIAMemoryProfiler.h
  - └─ Module.h
- ─ multiprocessing/
  - └─ init.h
- ─ onnx/
  - └─ back\_compat.h
  - └─ init.h
  - └─ onnx.h
- ─ profiler/
  - └─ orchestration/
    - └─ observer.h
    - └─ python\_tracer.h
    - └─ vulkan.h
  - └─ python/
    - └─ combined\_traceback.h
    - └─ init.h

- └─ pybind.h
- ─ standalone/
  - └─ execution\_trace\_observer.h
  - └─ itt\_observer.h
  - └─ nvtx\_observer.h
  - └─ privateuse1\_observer.h
  - └─ privateuse1\_profiler.h
- ─ stubs/
  - └─ base.h
- ─ unwind/
  - └─ action.h
  - └─ communicate.h
  - └─ debug\_info.h
  - └─ dwarf\_enums.h
  - └─ dwarf\_symbolize\_enums.h
  - └─ eh\_frame\_hdr.h
  - └─ fast\_symbolizer.h
  - └─ fde.h
  - └─ lexer.h
  - └─ line\_number\_program.h
  - └─ mem\_file.h
  - └─ range\_table.h
  - └─ sections.h
  - └─ unwind.h
  - └─ unwind\_error.h
  - └─ unwinder.h
- ─ api.h
- ─ collection.h
- ─ combined\_traceback.h
- ─ containers.h
- ─ data\_flow.h
- ─ events.h
- ─ kineto\_client\_interface.h
- ─ kineto\_shim.h
- ─ perf-inl.h
- ─ perf.h
- ─ util.h
- ─ stable/
  - └─ c/
    - └─ shim.h
  - ─ accelerator.h
  - ─ device.h
  - ─ device\_inl.h
  - ─ device\_struct.h
  - ─ library.h
  - ─ macros.h
  - ─ ops.h
  - ─ stablevalue\_conversions.h
  - ─ tensor.h
  - ─ tensor\_inl.h
  - ─ tensor\_struct.h
  - ─ version.h
- ─ tensor/
  - └─ python\_tensor.h
- ─ utils/
  - └─ byte\_order.h
  - └─ cpp\_stacktraces.h
  - └─ cuda\_enabled.h
  - └─ device\_lazy\_init.h
  - └─ disable\_torch\_function.h
  - └─ generated\_serialization\_types.h
  - └─ init.h
  - └─ invalid\_arguments.h
  - └─ nested.h
  - └─ numpy\_stub.h
  - └─ object\_ptr.h
  - └─ out\_types.h
  - └─ pybind.h
  - └─ pycfunction\_helpers.h
  - └─ pyobject\_preservation.h
  - └─ python\_arg\_parser.h
  - └─ python\_compat.h
  - └─ python\_dispatch.h
  - └─ python\_numbers.h
  - └─ python\_raii.h
  - └─ python\_scalars.h
  - └─ python\_strings.h
  - └─ python\_stub.h
  - └─ python\_symnode.h
  - └─ python\_torch\_function\_mode.h
  - └─ python\_tuples.h
  - └─ pythoncapi\_compat.h
  - └─ schema\_info.h
  - └─ structseq.h
  - └─ tensor\_apply.h

- tensor\_dtypes.h
- tensor\_flatten.h
- tensor\_layouts.h
- tensor\_list.h
- tensor\_memoryformats.h
- tensor\_new.h
- tensor\_numpy.h
- tensor\_qschemas.h
- tensor\_types.h
- throughput\_benchmark-inl.h
- throughput\_benchmark.h
- torch\_dispatch\_mode.h
- variadic.h
- verbose.h
- xpu/
  - Event.h
  - memory\_snapshot.h
  - Module.h
  - Stream.h
  - XPUPluggableAllocator.h
- copy\_utils.h
- CudaIPCTypes.h
- DataLoader.h
- Device.h
- DeviceAccelerator.h
- Dtype.h
- DynamicTypes.h
- Event.h
- Exceptions.h
- Export.h
- Generator.h
- itt.h
- itt\_wrapper.h
- Layout.h
- MemoryFormat.h
- Module.h
- PyInterpreter.h
- PyInterpreterHooks.h
- python\_dimname.h
- python\_headers.h
- QScheme.h
- serialization.h
- shim\_conversion\_utils.h
- Size.h
- Storage.h
- StorageMethods.h
- StorageSharing.h
- Stream.h
- THConcat.h
- THP.h
- TypeInfo.h
- Types.h
- utils.h
- headeronly/
  - core/
    - DeviceType.h
    - Dispatch.h
    - Dispatch\_v2.h
    - enum\_tag.h
    - Layout.h
    - MemoryFormat.h
    - ScalarType.h
    - TensorAccessor.h
  - cpu/
    - vec/
      - intrinsics.h
      - vec\_half.h
  - macros/
    - cmake\_macros.h
    - Export.h
    - Macros.h
  - util/
    - BFloat16.h
    - bit\_cast.h
    - bits.h
    - complex.h
    - Deprecated.h
    - Exception.h
    - Float4\_e2m1fn\_x2.h
    - Float8\_e4m3fn.h
    - Float8\_e4m3fnuz.h
    - Float8\_e5m2.h
    - Float8\_e5m2fnuz.h
    - Float8\_e8m0fnu.h
    - Float8\_fnuz\_cvt.h

- floating\_point\_utils.h
  - Half.h
  - HeaderOnlyArrayRef.h
  - Metaprogramming.h
  - qint32.h
  - qint8.h
  - quint2x4.h
  - quint4x2.h
  - quint8.h
  - shim\_utils.h
  - TypeList.h
  - TypeSafeSignMath.h
  - TypeTraits.h
  - version.h
- custom\_class.h
- custom\_class\_detail.h
- extension.h
- library.h
- script.h
- advisor-annotate.h
- cpuinfo.h
- dnnl.h
- dnnl.hpp
- dnnl\_config.h
- dnnl\_debug.h
- dnnl\_ocl.h
- dnnl\_ocl.hpp
- dnnl\_sycl.h
- dnnl\_sycl.hpp
- dnnl\_sycl\_types.h
- dnnl\_threadpool.h
- dnnl\_threadpool.hpp
- dnnl\_threadpool\_iface.hpp
- dnnl\_types.h
- dnnl\_version.h
- experiments-config.h
- fp16.h
- fxdiv.h
- ittnotify-zca.h
- ittnotify.h
- jitprofiling.h
- libittnotify.h
- libshm.h
- psimd.h
- pthreadpool.h
- sleef.h
- xnnpack.h
- jit/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_async.cpython-310.pyc
    - \_await.cpython-310.pyc
    - \_builtins.cpython-310.pyc
    - \_check.cpython-310.pyc
    - \_dataclass\_impls.cpython-310.pyc
    - \_decomposition\_utils.cpython-310.pyc
    - \_decompositions.cpython-310.pyc
    - \_freeze.cpython-310.pyc
    - \_fuser.cpython-310.pyc
    - \_ir\_utils.cpython-310.pyc
    - \_logging.cpython-310.pyc
    - \_monkeytype\_config.cpython-310.pyc
    - \_pickle.cpython-310.pyc
    - \_recursive.cpython-310.pyc
    - \_script.cpython-310.pyc
    - \_serialization.cpython-310.pyc
    - \_shape\_functions.cpython-310.pyc
    - \_state.cpython-310.pyc
    - \_trace.cpython-310.pyc
    - annotations.cpython-310.pyc
    - frontend.cpython-310.pyc
    - generate\_bytecode.cpython-310.pyc
    - quantized.cpython-310.pyc
    - supported\_ops.cpython-310.pyc
    - unsupported\_tensor\_ops.cpython-310.pyc
  - passes/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_property\_propagation.cpython-310.pyc
    - \_\_init\_\_.py
    - \_property\_propagation.py
  - mobile/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py



- `_init__.py`
- `_async.py`
- `_await.py`
- `_builtins.py`
- `_check.py`
- `_dataclass_impls.py`
- `_decomposition_utils.py`
- `_decompositions.py`
- `_freeze.py`
- `_fuser.py`
- `_ir_utils.py`
- `_logging.py`
- `_monkeytype_config.py`
- `_pickle.py`
- `_recursive.py`
- `_script.py`
- `_script.pyi`
- `_serialization.py`
- `_shape_functions.py`
- `_state.py`
- `_trace.py`
- `annotations.py`
- `frontend.py`
- `generate_bytecode.py`
- `quantized.py`
- `supported_ops.py`
- `unsupported_tensor_ops.py`
- `lib/`
  - `libshm/`
    - `alloc_info.h`
    - `err.h`
    - `libshm.h`
    - `socket.h`
  - `libshm_windows/`
    - `libshm.h`
  - `_C.lib`
  - `c10.dll`
  - `c10.lib`
  - `cpuinfo.lib`
  - `fmt.lib`
  - `libiomp5md.dll`
  - `libiompstubs5md.dll`
  - `libittnotify.lib`
  - `microkernels-prod.lib`
  - `pthreadpool.lib`
  - `shm.dll`
  - `shm.lib`
  - `sleef.lib`
  - `torch.dll`
  - `torch.lib`
  - `torch_cpu.dll`
  - `torch_cpu.lib`
  - `torch_global_deps.dll`
  - `torch_python.dll`
  - `torch_python.lib`
  - `uv.dll`
  - `XNNPACK.lib`
- `linalg/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
  - `__init__.py`
- `masked/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `_docs.cpython-310.pyc`
    - `_ops.cpython-310.pyc`
  - `maskedtensor/`
    - `__pycache__/`
      - `__init__.cpython-310.pyc`
      - `_ops_refs.cpython-310.pyc`
      - `binary.cpython-310.pyc`
      - `core.cpython-310.pyc`
      - `creation.cpython-310.pyc`
      - `passthrough.cpython-310.pyc`
      - `reductions.cpython-310.pyc`
      - `unary.cpython-310.pyc`
    - `__init__.py`
    - `_ops_refs.py`
    - `binary.py`
    - `core.py`
    - `creation.py`
    - `passthrough.py`
    - `reductions.py`
    - `unary.py`
  - `__init__.py`

- \_docs.py
  - \_ops.py
- monitor/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_init\_\_.py
- mps/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - event.cpython-310.pyc
    - profiler.cpython-310.pyc
  - \_init\_\_.py
  - event.py
  - profiler.py
- mtia/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - memory.cpython-310.pyc
    - mtia\_graph.cpython-310.pyc
  - \_init\_\_.py
  - \_utils.py
  - memory.py
  - mtia\_graph.py
- multiprocessing/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_atfork.cpython-310.pyc
    - pool.cpython-310.pyc
    - queue.cpython-310.pyc
    - reductions.cpython-310.pyc
    - spawn.cpython-310.pyc
  - \_init\_\_.py
  - \_atfork.py
  - pool.py
  - queue.py
  - reductions.py
  - spawn.py
- nativert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - backends/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_lower\_utils.cpython-310.pyc
      - \_lowered\_aoti\_module.cpython-310.pyc
    - \_init\_\_.py
    - \_lower\_utils.py
    - \_lowered\_aoti\_module.py
  - \_init\_\_.py
- nested/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - internal/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - nested\_int.cpython-310.pyc
      - nested\_tensor.cpython-310.pyc
      - ops.cpython-310.pyc
      - sdpa.cpython-310.pyc
    - \_init\_\_.py
    - nested\_int.py
    - nested\_tensor.py
    - ops.py
    - sdpa.py
  - \_init\_\_.py
- nn/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_reduction.cpython-310.pyc
    - common\_types.cpython-310.pyc
    - cpp.cpython-310.pyc
    - functional.cpython-310.pyc
    - grad.cpython-310.pyc
    - init.cpython-310.pyc
    - parameter.cpython-310.pyc
- attention/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_fa3.cpython-310.pyc
    - \_fa4.cpython-310.pyc
    - \_registry.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - bias.cpython-310.pyc
    - flex\_attention.cpython-310.pyc

```

└─ varlen.cpython-310.pyc
experimental/
└─ __pycache__/
    ├── __init__.cpython-310.pyc
    ├── _paged_attention.cpython-310.pyc
    └── _scaled_dot_product_attention_quantized.cpython-310.pyc
└─ __init__.py
└─ _paged_attention.py
└─ _scaled_dot_product_attention_quantized.py
__init__.py
_fa3.py
_fa4.py
_registry.py
_utils.py
_bias.py
_flex_attention.py
varlen.py
backends/
└─ __pycache__/
    ├── __init__.cpython-310.pyc
    └── thnn.cpython-310.pyc
└─ __init__.py
└─ thnn.py
intrinsic/
└─ __pycache__/
    └── __init__.cpython-310.pyc
modules/
└─ __pycache__/
    ├── __init__.cpython-310.pyc
    └── fused.cpython-310.pyc
└─ __init__.py
└─ fused.py
qat/
└─ __pycache__/
    └── __init__.cpython-310.pyc
modules/
└─ __pycache__/
    ├── __init__.cpython-310.pyc
    ├── conv_fused.cpython-310.pyc
    ├── linear_fused.cpython-310.pyc
    └── linear_relu.cpython-310.pyc
└─ __init__.py
└─ conv_fused.py
└─ linear_fused.py
└─ linear_relu.py
└─ __init__.py
quantized/
└─ __pycache__/
    └── __init__.cpython-310.pyc
dynamic/
└─ __pycache__/
    └── __init__.cpython-310.pyc
modules/
└─ __pycache__/
    ├── __init__.cpython-310.pyc
    └── linear_relu.cpython-310.pyc
└─ __init__.py
└─ linear_relu.py
└─ __init__.py
modules/
└─ __pycache__/
    ├── __init__.cpython-310.pyc
    ├── bn_relu.cpython-310.pyc
    ├── conv_relu.cpython-310.pyc
    └── linear_relu.cpython-310.pyc
└─ __init__.py
└─ bn_relu.py
└─ conv_relu.py
└─ linear_relu.py
└─ __init__.py
__init__.py
modules/
└─ __pycache__/
    ├── __init__.cpython-310.pyc
    ├── _functions.cpython-310.pyc
    ├── activation.cpython-310.pyc
    ├── adaptive.cpython-310.pyc
    ├── batchnorm.cpython-310.pyc
    ├── channelshuffle.cpython-310.pyc
    ├── container.cpython-310.pyc
    ├── conv.cpython-310.pyc
    ├── distance.cpython-310.pyc
    ├── dropout.cpython-310.pyc
    ├── flatten.cpython-310.pyc
    └── fold.cpython-310.pyc

```

- instancenorm.cpython-310.pyc
- lazy.cpython-310.pyc
- linear.cpython-310.pyc
- loss.cpython-310.pyc
- module.cpython-310.pyc
- normalization.cpython-310.pyc
- padding.cpython-310.pyc
- pixelshuffle.cpython-310.pyc
- pooling.cpython-310.pyc
- rnn.cpython-310.pyc
- sparse.cpython-310.pyc
- transformer.cpython-310.pyc
- upsampling.cpython-310.pyc
- utils.cpython-310.pyc
- \_\_init\_\_.py
- \_functions.py
- activation.py
- adaptive.py
- batchnorm.py
- channelshuffle.py
- container.py
- conv.py
- distance.py
- dropout.py
- flatten.py
- fold.py
- instancenorm.py
- lazy.py
- linear.py
- loss.py
- module.py
- normalization.py
- padding.py
- pixelshuffle.py
- pooling.py
- rnn.py
- sparse.py
- transformer.py
- upsampling.py
- utils.py
- parallel/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_functions.cpython-310.pyc
    - comm.cpython-310.pyc
    - data\_parallel.cpython-310.pyc
    - distributed.cpython-310.pyc
    - parallel\_apply.cpython-310.pyc
    - replicate.cpython-310.pyc
    - scatter\_gather.cpython-310.pyc
  - \_\_init\_\_.py
  - \_functions.py
  - comm.py
  - data\_parallel.py
  - distributed.py
  - parallel\_apply.py
  - replicate.py
  - scatter\_gather.py
- qat/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - dynamic/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - modules/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - linear.cpython-310.pyc
      - \_\_init\_\_.py
      - linear.py
    - \_\_init\_\_.py
  - modules/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - conv.cpython-310.pyc
      - embedding\_ops.cpython-310.pyc
      - linear.cpython-310.pyc
    - \_\_init\_\_.py
    - conv.py
    - embedding\_ops.py
    - linear.py
  - \_\_init\_\_.py
- quantizable/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc

```

modules/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── activation.cpython-310.pyc
│   └── rnn.cpython-310.pyc
├── __init__.py
├── activation.py
├── rnn.py
└── __init__.py
quantized/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   └── functional.cpython-310.pyc
├── reference/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   └── modules/
│       ├── pycache_/
│       │   ├── __init__.cpython-310.pyc
│       │   ├── conv.cpython-310.pyc
│       │   ├── linear.cpython-310.pyc
│       │   ├── rnn.cpython-310.pyc
│       │   ├── sparse.cpython-310.pyc
│       │   └── utils.cpython-310.pyc
│       ├── __init__.py
│       ├── conv.py
│       ├── linear.py
│       ├── rnn.py
│       ├── sparse.py
│       └── utils.py
│   └── __init__.py
├── dynamic/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   └── modules/
│       ├── pycache_/
│       │   ├── __init__.cpython-310.pyc
│       │   ├── conv.cpython-310.pyc
│       │   ├── linear.cpython-310.pyc
│       │   └── rnn.cpython-310.pyc
│       ├── __init__.py
│       ├── conv.py
│       ├── linear.py
│       └── rnn.py
│   └── __init__.py
├── modules/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── activation.cpython-310.pyc
│   │   ├── batchnorm.cpython-310.pyc
│   │   ├── conv.cpython-310.pyc
│   │   ├── dropout.cpython-310.pyc
│   │   ├── embedding_ops.cpython-310.pyc
│   │   ├── functional_modules.cpython-310.pyc
│   │   ├── linear.cpython-310.pyc
│   │   ├── normalization.cpython-310.pyc
│   │   ├── rnn.cpython-310.pyc
│   │   └── utils.cpython-310.pyc
│   ├── __init__.py
│   ├── activation.py
│   ├── batchnorm.py
│   ├── conv.py
│   ├── dropout.py
│   ├── embedding_ops.py
│   ├── functional_modules.py
│   ├── linear.py
│   ├── normalization.py
│   ├── rnn.py
│   └── utils.py
├── __init__.py
└── functional.py
utils/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── _deprecation_utils.cpython-310.pyc
│   ├── _named_member_accessor.cpython-310.pyc
│   ├── _per_sample_grad.cpython-310.pyc
│   ├── clip_grad.cpython-310.pyc
│   ├── convert_parameters.cpython-310.pyc
│   ├── fusion.cpython-310.pyc
│   ├── init.cpython-310.pyc
│   ├── memory_format.cpython-310.pyc
│   ├── parametrizations.cpython-310.pyc
│   ├── parametrize.cpython-310.pyc
│   └── prune.cpython-310.pyc
├── __init__.py
├── _deprecation_utils.py
├── _named_member_accessor.py
├── _per_sample_grad.py
├── clip_grad.py
├── convert_parameters.py
├── fusion.py
├── init.py
├── memory_format.py
├── parametrizations.py
├── parametrize.py
└── prune.py

```

- rnn.cpython-310.pyc
  - spectral\_norm.cpython-310.pyc
  - stateless.cpython-310.pyc
  - weight\_norm.cpython-310.pyc
- expanded\_weights/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - conv\_expanded\_weights.cpython-310.pyc
    - conv\_utils.cpython-310.pyc
    - embedding\_expanded\_weights.cpython-310.pyc
    - expanded\_weights\_impl.cpython-310.pyc
    - expanded\_weights\_utils.cpython-310.pyc
    - group\_norm\_expanded\_weights.cpython-310.pyc
    - instance\_norm\_expanded\_weights.cpython-310.pyc
    - layer\_norm\_expanded\_weights.cpython-310.pyc
    - linear\_expanded\_weights.cpython-310.pyc
  - \_\_init\_\_.py
  - conv\_expanded\_weights.py
  - conv\_utils.py
  - embedding\_expanded\_weights.py
  - expanded\_weights\_impl.py
  - expanded\_weights\_utils.py
  - group\_norm\_expanded\_weights.py
  - instance\_norm\_expanded\_weights.py
  - layer\_norm\_expanded\_weights.py
  - linear\_expanded\_weights.py
- \_\_init\_\_.py
- \_deprecation\_utils.py
- \_named\_member\_accessor.py
- \_per\_sample\_grad.py
- clip\_grad.py
- convert\_parameters.py
- fusion.py
- init.py
- memory\_format.py
- parametrizations.py
- parametrize.py
- prune.py
- rnn.py
- spectral\_norm.py
- stateless.py
- weight\_norm.py
- \_\_init\_\_.py
- \_reduction.py
- common\_types.py
- cpp.py
- functional.py
- functional.pyi
- grad.py
- init.py
- parameter.py
- parameter.pyi

- numa/
- \_pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - binding.cpython-310.pyc
- \_\_init\_\_.py
- binding.py
- onnx/
- \_pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - \_constants.cpython-310.pyc
  - \_flags.cpython-310.pyc
  - errors.cpython-310.pyc
  - operators.cpython-310.pyc
  - symbolic\_helper.cpython-310.pyc
  - symbolic\_opset10.cpython-310.pyc
  - symbolic\_opset11.cpython-310.pyc
  - symbolic\_opset12.cpython-310.pyc
  - symbolic\_opset13.cpython-310.pyc
  - symbolic\_opset14.cpython-310.pyc
  - symbolic\_opset15.cpython-310.pyc
  - symbolic\_opset16.cpython-310.pyc
  - symbolic\_opset17.cpython-310.pyc
  - symbolic\_opset18.cpython-310.pyc
  - symbolic\_opset19.cpython-310.pyc
  - symbolic\_opset20.cpython-310.pyc
  - symbolic\_opset7.cpython-310.pyc
  - symbolic\_opset8.cpython-310.pyc
  - symbolic\_opset9.cpython-310.pyc
  - testing.cpython-310.pyc
  - utils.cpython-310.pyc
  - verification.cpython-310.pyc
- internal/
- \_pycache\_/

- └─ \_\_init\_\_.cpython-310.pyc
- └─ \_lazy\_import.cpython-310.pyc
- exporter/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_analysis.cpython-310.pyc
    - └─ \_building.cpython-310.pyc
    - └─ \_capture\_strategies.cpython-310.pyc
    - └─ \_compat.cpython-310.pyc
    - └─ \_constants.cpython-310.pyc
    - └─ \_core.cpython-310.pyc
    - └─ \_decomp.cpython-310.pyc
    - └─ \_dispatching.cpython-310.pyc
    - └─ \_dynamic\_shapes.cpython-310.pyc
    - └─ \_errors.cpython-310.pyc
    - └─ \_exportable\_module.cpython-310.pyc
    - └─ \_flags.cpython-310.pyc
    - └─ \_fx\_passes.cpython-310.pyc
    - └─ \_input\_observer.cpython-310.pyc
    - └─ \_ir\_passes.cpython-310.pyc
    - └─ \_isolated.cpython-310.pyc
    - └─ \_onnx\_program.cpython-310.pyc
    - └─ \_registration.cpython-310.pyc
    - └─ \_reporting.cpython-310.pyc
    - └─ \_schemas.cpython-310.pyc
    - └─ \_tensors.cpython-310.pyc
    - └─ \_testing.cpython-310.pyc
    - └─ \_type\_casting.cpython-310.pyc
    - └─ \_verification.cpython-310.pyc
- torchlib/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_tensor\_typing.cpython-310.pyc
    - └─ \_torchlib\_registry.cpython-310.pyc
  - ops/
    - └─ \_\_pycache\_\_/
      - └─ \_\_init\_\_.cpython-310.pyc
      - └─ core.cpython-310.pyc
      - └─ hop.cpython-310.pyc
      - └─ nn.cpython-310.pyc
      - └─ symbolic.cpython-310.pyc
      - └─ symops.cpython-310.pyc
    - └─ \_\_init\_\_.py
    - └─ core.py
    - └─ hop.py
    - └─ nn.py
    - └─ symbolic.py
    - └─ symops.py
  - └─ \_\_init\_\_.py
  - └─ \_tensor\_typing.py
  - └─ \_torchlib\_registry.py
- └─ \_\_init\_\_.py
- └─ \_analysis.py
- └─ \_building.py
- └─ \_capture\_strategies.py
- └─ \_compat.py
- └─ \_constants.py
- └─ \_core.py
- └─ \_decomp.py
- └─ \_dispatching.py
- └─ \_dynamic\_shapes.py
- └─ \_errors.py
- └─ \_exportable\_module.py
- └─ \_flags.py
- └─ \_fx\_passes.py
- └─ \_input\_observer.py
- └─ \_ir\_passes.py
- └─ \_isolated.py
- └─ \_onnx\_program.py
- └─ \_registration.py
- └─ \_reporting.py
- └─ \_schemas.py
- └─ \_tensors.py
- └─ \_testing.py
- └─ \_type\_casting.py
- └─ \_verification.py

fx/

- └─ \_\_pycache\_\_/
  - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_pass.cpython-310.pyc
  - └─ \_type\_utils.cpython-310.pyc
- passes/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_type\_promotion.cpython-310.pyc

- `__init__.py`
  - `type_promotion.py`
- `__init__.py`
- `_pass.py`
- `type_utils.py`
- `torchscript_exporter/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `_experimental.cpython-310.pyc`
    - `_globals.cpython-310.pyc`
    - `_type_utils.cpython-310.pyc`
    - `jit_utils.cpython-310.pyc`
    - `onnx_proto_utils.cpython-310.pyc`
    - `registration.cpython-310.pyc`
    - `symbolic_helper.cpython-310.pyc`
    - `symbolic_opset10.cpython-310.pyc`
    - `symbolic_opset11.cpython-310.pyc`
    - `symbolic_opset12.cpython-310.pyc`
    - `symbolic_opset13.cpython-310.pyc`
    - `symbolic_opset14.cpython-310.pyc`
    - `symbolic_opset15.cpython-310.pyc`
    - `symbolic_opset16.cpython-310.pyc`
    - `symbolic_opset17.cpython-310.pyc`
    - `symbolic_opset18.cpython-310.pyc`
    - `symbolic_opset19.cpython-310.pyc`
    - `symbolic_opset20.cpython-310.pyc`
    - `symbolic_opset7.cpython-310.pyc`
    - `symbolic_opset8.cpython-310.pyc`
    - `symbolic_opset9.cpython-310.pyc`
    - `utils.cpython-310.pyc`
    - `verification.cpython-310.pyc`
  - `__init__.py`
  - `_experimental.py`
  - `_globals.py`
  - `_type_utils.py`
  - `jit_utils.py`
  - `onnx_proto_utils.py`
  - `registration.py`
  - `symbolic_helper.py`
  - `symbolic_opset10.py`
  - `symbolic_opset11.py`
  - `symbolic_opset12.py`
  - `symbolic_opset13.py`
  - `symbolic_opset14.py`
  - `symbolic_opset15.py`
  - `symbolic_opset16.py`
  - `symbolic_opset17.py`
  - `symbolic_opset18.py`
  - `symbolic_opset19.py`
  - `symbolic_opset20.py`
  - `symbolic_opset7.py`
  - `symbolic_opset8.py`
  - `symbolic_opset9.py`
  - `utils.py`
  - `verification.py`
- `__init__.py`
- `_lazy_import.py`
- `ops/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `_dtype_mappings.cpython-310.pyc`
    - `_impl.cpython-310.pyc`
    - `_symbolic_impl.cpython-310.pyc`
  - `__init__.py`
  - `_dtype_mappings.py`
  - `_impl.py`
  - `_symbolic_impl.py`
- `__init__.py`
- `_constants.py`
- `_flags.py`
- `errors.py`
- `operators.py`
- `symbolic_helper.py`
- `symbolic_opset10.py`
- `symbolic_opset11.py`
- `symbolic_opset12.py`
- `symbolic_opset13.py`
- `symbolic_opset14.py`
- `symbolic_opset15.py`
- `symbolic_opset16.py`
- `symbolic_opset17.py`
- `symbolic_opset18.py`
- `symbolic_opset19.py`
- `symbolic_opset20.py`
- `symbolic_opset7.py`



- symbolic\_opset8.py
- symbolic\_opset9.py
- testing.py
- utils.py
- verification.py
- optim/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - adafactor.cpython-310.pyc
    - functional.cpython-310.pyc
    - muon.cpython-310.pyc
    - adadelata.cpython-310.pyc
    - adagrad.cpython-310.pyc
    - adam.cpython-310.pyc
    - adamax.cpython-310.pyc
    - adamw.cpython-310.pyc
    - asgd.cpython-310.pyc
    - lbfgs.cpython-310.pyc
    - lr\_scheduler.cpython-310.pyc
    - nadam.cpython-310.pyc
    - optimizer.cpython-310.pyc
    - radam.cpython-310.pyc
    - rmsprop.cpython-310.pyc
    - rprop.cpython-310.pyc
    - sgd.cpython-310.pyc
    - sparse\_adam.cpython-310.pyc
    - swa\_utils.cpython-310.pyc
  - multi\_tensor/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - \_\_init\_\_.pyi
  - \_\_init\_\_.py
  - adafactor.py
  - functional.py
  - muon.py
  - adadelata.py
  - adagrad.py
  - adam.py
  - adamax.py
  - adamw.py
  - asgd.py
  - lbfgs.py
  - lr\_scheduler.py
  - nadam.py
  - optimizer.py
  - radam.py
  - rmsprop.py
  - rprop.py
  - sgd.py
  - sparse\_adam.py
  - swa\_utils.py
- package/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - digraph.cpython-310.pyc
    - directory\_reader.cpython-310.pyc
    - importlib.cpython-310.pyc
    - mangling.cpython-310.pyc
    - mock.cpython-310.pyc
    - package\_pickler.cpython-310.pyc
    - package\_unpickler.cpython-310.pyc
    - stdlib.cpython-310.pyc
    - file\_structure\_representation.cpython-310.pyc
    - find\_file\_dependencies.cpython-310.pyc
    - glob\_group.cpython-310.pyc
    - importer.cpython-310.pyc
    - package\_exporter.cpython-310.pyc
    - package\_importer.cpython-310.pyc
  - analyze/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - find\_first\_use\_of\_broken\_modules.cpython-310.pyc
      - is\_from\_package.cpython-310.pyc
      - trace\_dependencies.cpython-310.pyc
    - \_\_init\_\_.py
    - find\_first\_use\_of\_broken\_modules.py
    - is\_from\_package.py
    - trace\_dependencies.py
  - \_\_init\_\_.py
  - digraph.py
  - directory\_reader.py
  - importlib.py
  - mangling.py
  - mock.py

- \_package\_pickler.py
- \_package\_unpickler.py
- \_stdlib.py
- file\_structure\_representation.py
- find\_file\_dependencies.py
- glob\_group.py
- importer.py
- package\_exporter.py
- package\_importer.py
- profiler/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_memory\_profiler.cpython-310.pyc
    - \_pattern\_matcher.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - itt.cpython-310.pyc
    - profiler.cpython-310.pyc
    - python\_tracer.cpython-310.pyc
  - \_\_init\_\_.py
  - \_memory\_profiler.py
  - \_pattern\_matcher.py
  - \_utils.py
  - itt.py
  - profiler.py
  - python\_tracer.py
- quantization/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_numeric\_suite.cpython-310.pyc
    - \_numeric\_suite\_fx.cpython-310.pyc
    - \_quantized\_conversions.cpython-310.pyc
    - fake\_quantize.cpython-310.pyc
    - fuse\_modules.cpython-310.pyc
    - fuser\_method\_mappings.cpython-310.pyc
    - observer.cpython-310.pyc
    - qconfig.cpython-310.pyc
    - quant\_type.cpython-310.pyc
    - quantization\_mappings.cpython-310.pyc
    - quantize.cpython-310.pyc
    - quantize\_fx.cpython-310.pyc
    - quantize\_jit.cpython-310.pyc
    - stubs.cpython-310.pyc
    - utils.cpython-310.pyc
- fx/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_equalize.cpython-310.pyc
    - convert.cpython-310.pyc
    - fuse.cpython-310.pyc
    - fusion\_patterns.cpython-310.pyc
    - graph\_module.cpython-310.pyc
    - match\_utils.cpython-310.pyc
    - pattern\_utils.cpython-310.pyc
    - prepare.cpython-310.pyc
    - quantization\_patterns.cpython-310.pyc
    - quantization\_types.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_\_init\_\_.py
  - \_equalize.py
  - convert.py
  - fuse.py
  - fusion\_patterns.py
  - graph\_module.py
  - match\_utils.py
  - pattern\_utils.py
  - prepare.py
  - quantization\_patterns.py
  - quantization\_types.py
  - utils.py
- \_\_init\_\_.py
- \_numeric\_suite.py
- \_numeric\_suite\_fx.py
- \_quantized\_conversions.py
- fake\_quantize.py
- fuse\_modules.py
- fuser\_method\_mappings.py
- observer.py
- qconfig.py
- quant\_type.py
- quantization\_mappings.py
- quantize.py
- quantize\_fx.py
- quantize\_jit.py
- stubs.py
- utils.py

- share/
  - cmake/
    - ATen/
      - ATenConfig.cmake
    - Caffe2/
      - Modules\_CUDA\_fix/
        - upstream/
          - FindCUDA/
            - make2cmake.cmake
            - parse\_cubin.cmake
            - run\_nvcc.cmake
            - select\_compute\_arch.cmake
          - CMakeInitializeConfigs.cmake
          - FindCUDA.cmake
          - FindPackageMessage.cmake
        - FindCUDA.cmake
        - FindCUDNN.cmake
      - public/
        - cuda.cmake
        - gflags.cmake
        - glog.cmake
        - LoadHIP.cmake
        - mk1.cmake
        - mkldnn.cmake
        - protobuf.cmake
        - utils.cmake
        - xpu.cmake
      - Caffe2Config.cmake
      - Caffe2Targets-release.cmake
      - Caffe2Targets.cmake
      - FindCUDAToolkit.cmake
      - FindCUDSS.cmake
      - FindCUSPARSELT.cmake
      - FindSYCLToolkit.cmake
    - Torch/
      - TorchConfig.cmake
      - TorchConfigVersion.cmake
- signal/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - windows/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - windows.cpython-310.pyc
    - \_\_init\_\_.py
    - windows.py
  - \_\_init\_\_.py
- sparse/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_semi\_structured\_conversions.cpython-310.pyc
    - \_semi\_structured\_ops.cpython-310.pyc
    - \_triton\_ops.cpython-310.pyc
    - \_triton\_ops\_meta.cpython-310.pyc
    - semi\_structured.cpython-310.pyc
  - \_\_init\_\_.py
  - \_semi\_structured\_conversions.py
  - \_semi\_structured\_ops.py
  - \_triton\_ops.py
  - \_triton\_ops\_meta.py
  - semi\_structured.py
- special/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- testing/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_comparison.cpython-310.pyc
    - \_creation.cpython-310.pyc
    - \_utils.cpython-310.pyc
  - internal/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - autocast\_test\_lists.cpython-310.pyc
      - autograd\_function\_db.cpython-310.pyc
      - check\_kernel\_launches.cpython-310.pyc
      - common\_cuda.cpython-310.pyc
      - common\_device\_type.cpython-310.pyc
      - common\_dist\_composable.cpython-310.pyc
      - common\_distributed.cpython-310.pyc
      - common\_dtype.cpython-310.pyc
      - common\_fsdp.cpython-310.pyc
      - common\_jit.cpython-310.pyc
      - common\_methods\_invocations.cpython-310.pyc

- common\_mkldnn.cpython-310.pyc
- common\_modules.cpython-310.pyc
- common\_mps.cpython-310.pyc
- common\_nn.cpython-310.pyc
- common\_ops\_unbacked.cpython-310.pyc
- common\_optimizers.cpython-310.pyc
- common\_pruning.cpython-310.pyc
- common\_quantization.cpython-310.pyc
- common\_quantized.cpython-310.pyc
- common\_subclass.cpython-310.pyc
- common\_utils.cpython-310.pyc
- common\_xpu.cpython-310.pyc
- composite\_compliance.cpython-310.pyc
- custom\_op\_db.cpython-310.pyc
- custom\_tensor.cpython-310.pyc
- dist\_utils.cpython-310.pyc
- dynamo\_pytree\_test\_utils.cpython-310.pyc
- dynamo\_test\_failures.cpython-310.pyc
- fake\_config\_module.cpython-310.pyc
- fake\_config\_module2.cpython-310.pyc
- fake\_config\_module3.cpython-310.pyc
- hop\_db.cpython-310.pyc
- hypothesis\_utils.cpython-310.pyc
- inductor\_utils.cpython-310.pyc
- jit\_metaprogramming\_utils.cpython-310.pyc
- jit\_utils.cpython-310.pyc
- logging\_tensor.cpython-310.pyc
- logging\_utils.cpython-310.pyc
- quantization\_torch\_package\_models.cpython-310.pyc
- static\_module.cpython-310.pyc
- subclasses.cpython-310.pyc
- torchbind\_impls.cpython-310.pyc
- triton\_utils.cpython-310.pyc
- two\_tensor.cpython-310.pyc
- codegen/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- data/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - network1.cpython-310.pyc
    - network2.cpython-310.pyc
  - \_\_init\_\_.py
  - network1.py
  - network2.py
- distributed/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - checkpoint\_utils.cpython-310.pyc
    - common\_state\_dict.cpython-310.pyc
    - ddp\_under\_dist\_autograd\_test.cpython-310.pyc
    - distributed\_test.cpython-310.pyc
    - distributed\_utils.cpython-310.pyc
    - fake\_pg.cpython-310.pyc
    - multi\_threaded\_pg.cpython-310.pyc
    - rpc\_utils.cpython-310.pyc
  - shard/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - test\_common.cpython-310.pyc
    - sharded\_tensor/
      - \_pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_test\_ops\_common.cpython-310.pyc
        - \_test\_st\_common.cpython-310.pyc
      - \_\_init\_\_.py
      - \_test\_ops\_common.py
      - \_test\_st\_common.py
    - \_\_init\_\_.py
    - test\_common.py
- tensor/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - common\_dtensor.cpython-310.pyc
  - \_\_init\_\_.py
  - common\_dtensor.py
- nn/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - api/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - remote\_module\_test.cpython-310.pyc
    - \_\_init\_\_.py

```

└─ remote_module_test.py
└─ __init__.py
rpc/
└─ pycache_/
└─ __init__.cpython-310.pyc
└─ dist_autograd_test.cpython-310.pyc
└─ dist_optimizer_test.cpython-310.pyc
└─ faulty_agent_rpc_test.cpython-310.pyc
└─ faulty_rpc_agent_test_fixture.cpython-310.pyc
└─ rpc_agent_test_fixture.cpython-310.pyc
└─ rpc_test.cpython-310.pyc
└─ tensorpipe_rpc_agent_test_fixture.cpython-310.pyc
examples/
└─ pycache_/
└─ __init__.cpython-310.pyc
└─ parameter_server_test.cpython-310.pyc
└─ reinforcement_learning_rpc_test.cpython-310.pyc
└─ __init__.py
└─ parameter_server_test.py
└─ reinforcement_learning_rpc_test.py
jit/
└─ pycache_/
└─ __init__.cpython-310.pyc
└─ dist_autograd_test.cpython-310.pyc
└─ rpc_test.cpython-310.pyc
└─ rpc_test_faulty.cpython-310.pyc
└─ __init__.py
└─ dist_autograd_test.py
└─ rpc_test.py
└─ rpc_test_faulty.py
└─ __init__.py
└─ dist_autograd_test.py
└─ dist_optimizer_test.py
└─ faulty_agent_rpc_test.py
└─ faulty_rpc_agent_test_fixture.py
└─ rpc_agent_test_fixture.py
└─ rpc_test.py
└─ tensorpipe_rpc_agent_test_fixture.py
└─ __init__.py
└─ checkpoint_utils.py
└─ common_state_dict.py
└─ ddp_under_dist_autograd_test.py
└─ distributed_test.py
└─ distributed_utils.py
└─ fake_pg.py
└─ multi_threaded_pg.py
└─ rpc_utils.py
generated/
└─ pycache_/
└─ __init__.cpython-310.pyc
└─ annotated_fn_args.cpython-310.pyc
└─ __init__.py
└─ annotated_fn_args.py
opinfo/
└─ pycache_/
└─ __init__.cpython-310.pyc
└─ core.cpython-310.pyc
└─ refs.cpython-310.pyc
└─ utils.cpython-310.pyc
definitions/
└─ pycache_/
└─ __init__.cpython-310.pyc
└─ _masked.cpython-310.pyc
└─ fft.cpython-310.pyc
└─ linalg.cpython-310.pyc
└─ nested.cpython-310.pyc
└─ signal.cpython-310.pyc
└─ sparse.cpython-310.pyc
└─ special.cpython-310.pyc
└─ __init__.py
└─ _masked.py
└─ fft.py
└─ linalg.py
└─ nested.py
└─ signal.py
└─ sparse.py
└─ special.py
└─ __init__.py
└─ core.py
└─ refs.py
└─ utils.py
optests/
└─ pycache_/
└─ __init__.cpython-310.pyc
└─ aot_autograd.cpython-310.pyc

```

- autograd\_registration.cpython-310.pyc
    - fake\_tensor.cpython-310.pyc
    - generate\_tests.cpython-310.pyc
    - make\_fx.cpython-310.pyc
  - \_\_init\_\_.py
  - aot\_autograd.py
  - autograd\_registration.py
  - fake\_tensor.py
  - generate\_tests.py
  - make\_fx.py
- test\_module/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - future\_div.cpython-310.pyc
      - no\_future\_div.cpython-310.pyc
    - \_\_init\_\_.py
    - future\_div.py
    - no\_future\_div.py
  - \_\_init\_\_.py
  - autocast\_test\_lists.py
  - autograd\_function\_db.py
  - check\_kernel\_launches.py
  - common\_cuda.py
  - common\_device\_type.py
  - common\_dist\_composable.py
  - common\_distributed.py
  - common\_dtype.py
  - common\_fsdp.py
  - common\_jit.py
  - common\_methods\_invocations.py
  - common\_mkldnn.py
  - common\_modules.py
  - common\_mps.py
  - common\_nn.py
  - common\_ops\_unbacked.py
  - common\_optimizers.py
  - common\_pruning.py
  - common\_quantization.py
  - common\_quantized.py
  - common\_subclass.py
  - common\_utils.py
  - common\_xpu.py
  - composite\_compliance.py
  - custom\_op\_db.py
  - custom\_tensor.py
  - dist\_utils.py
  - dynamo\_pytree\_test\_utils.py
  - dynamo\_test\_failures.py
  - fake\_config\_module.py
  - fake\_config\_module2.py
  - fake\_config\_module3.py
  - hop\_db.py
  - hypothesis\_utils.py
  - inductor\_utils.py
  - jit\_metaprogramming\_utils.py
  - jit\_utils.py
  - logging\_tensor.py
  - logging\_utils.py
  - py312\_intrinsics.py
  - quantization\_torch\_package\_models.py
  - static\_module.py
  - subclasses.py
  - torchbind\_impls.py
  - triton\_utils.py
  - two\_tensor.py
- \_\_init\_\_.py
- \_comparison.py
- \_creation.py
- \_utils.py

- utils/
- \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - appending\_byte\_serializer.cpython-310.pyc
    - config\_module.cpython-310.pyc
    - content\_store.cpython-310.pyc
    - contextlib.cpython-310.pyc
    - cpp\_embed\_headers.cpython-310.pyc
    - cpp\_extension\_versioner.cpython-310.pyc
    - cxx\_pytree.cpython-310.pyc
    - device.cpython-310.pyc
    - dtype\_abbrs.cpython-310.pyc
    - exposed\_in.cpython-310.pyc
    - filelock.cpython-310.pyc
    - foreach\_utils.cpython-310.pyc
    - functools.cpython-310.pyc

- \_get\_clean\_triton.cpython-310.pyc
- helion.cpython-310.pyc
- import\_utils.cpython-310.pyc
- inspect.cpython-310.pyc
- mode\_utils.cpython-310.pyc
- ordered\_set.cpython-310.pyc
- pallas.cpython-310.pyc
- python\_dispatch.cpython-310.pyc
- pytree.cpython-310.pyc
- runtime\_estimation.cpython-310.pyc
- stats.cpython-310.pyc
- thunk.cpython-310.pyc
- traceback.cpython-310.pyc
- triton.cpython-310.pyc
- typing\_utils.cpython-310.pyc
- zip.cpython-310.pyc
- backend\_registration.cpython-310.pyc
- bundled\_inputs.cpython-310.pyc
- checkpoint.cpython-310.pyc
- collect\_env.cpython-310.pyc
- cpp\_backtrace.cpython-310.pyc
- cpp\_extension.cpython-310.pyc
- deterministic.cpython-310.pyc
- dlpack.cpython-310.pyc
- file\_baton.cpython-310.pyc
- flop\_counter.cpython-310.pyc
- hooks.cpython-310.pyc
- mkldnn.cpython-310.pyc
- mobile\_optimizer.cpython-310.pyc
- model\_zoo.cpython-310.pyc
- module\_tracker.cpython-310.pyc
- show\_pickle.cpython-310.pyc
- throughput\_benchmark.cpython-310.pyc
- weak.cpython-310.pyc
- debug\_mode/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_calls.cpython-310.pyc
    - \_mode.cpython-310.pyc
    - \_utils.cpython-310.pyc
  - \_init\_.py
  - \_calls.py
  - \_mode.py
  - \_utils.py
- strobelight/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - cli\_function\_profiler.cpython-310.pyc
  - \_init\_.py
  - cli\_function\_profiler.py
- sympy/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - functions.cpython-310.pyc
    - interp.cpython-310.pyc
    - numbers.cpython-310.pyc
    - printers.cpython-310.pyc
    - reference.cpython-310.pyc
    - singleton\_int.cpython-310.pyc
    - solve.cpython-310.pyc
    - symbol.cpython-310.pyc
    - value\_ranges.cpython-310.pyc
  - \_init\_.py
  - functions.py
  - interp.py
  - numbers.py
  - printers.py
  - reference.py
  - singleton\_int.py
  - solve.py
  - symbol.py
  - value\_ranges.py
- backcompat/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_init\_.py
- benchmark/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
- examples/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - compare.cpython-310.pyc
    - fuzzer.cpython-310.pyc
    - op\_benchmark.cpython-310.pyc

- simple\_timeit.cpython-310.pyc
    - spectral\_ops\_fuzz\_test.cpython-310.pyc
  - \_\_init\_\_.py
  - compare.py
  - fuzzer.py
  - op\_benchmark.py
  - simple\_timeit.py
  - spectral\_ops\_fuzz\_test.py
- op\_fuzzers/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - binary.cpython-310.pyc
      - sparse\_binary.cpython-310.pyc
      - sparse\_unary.cpython-310.pyc
      - spectral.cpython-310.pyc
      - unary.cpython-310.pyc
    - \_\_init\_\_.py
    - binary.py
    - sparse\_binary.py
    - sparse\_unary.py
    - spectral.py
    - unary.py
- utils/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_stubs.cpython-310.pyc
      - common.cpython-310.pyc
      - compare.cpython-310.pyc
      - compile.cpython-310.pyc
      - cpp\_jit.cpython-310.pyc
      - fuzzer.cpython-310.pyc
      - sparse\_fuzzer.cpython-310.pyc
      - timer.cpython-310.pyc
  - valgrind\_wrapper/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - timer\_interface.cpython-310.pyc
      - \_\_init\_\_.py
      - callgrind.h
      - compat\_bindings.cpp
      - timer\_callgrind\_template.cpp
      - timer\_interface.py
      - valgrind.h
  - \_\_init\_\_.py
  - \_stubs.py
  - common.py
  - compare.py
  - compile.py
  - cpp\_jit.py
  - fuzzer.py
  - sparse\_fuzzer.py
  - timeit\_template.cpp
  - timer.py
  - \_\_init\_\_.py
- data/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - backward\_compatibility.cpython-310.pyc
      - dataloader.cpython-310.pyc
      - dataset.cpython-310.pyc
      - distributed.cpython-310.pyc
      - graph.cpython-310.pyc
      - graph\_settings.cpython-310.pyc
      - sampler.cpython-310.pyc
  - utils/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - collate.cpython-310.pyc
        - fetch.cpython-310.pyc
        - pin\_memory.cpython-310.pyc
        - signal\_handling.cpython-310.pyc
        - worker.cpython-310.pyc
      - \_\_init\_\_.py
      - collate.py
      - fetch.py
      - pin\_memory.py
      - signal\_handling.py
      - worker.py
  - datapipes/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_decorator.cpython-310.pyc
        - \_hook\_iterator.cpython-310.pyc
        - \_typing.cpython-310.pyc
        - datapipe.cpython-310.pyc



- └─ gen\_pyi.cpython-310.pyc
- ─ dataframe/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ dataframe\_wrapper.cpython-310.pyc
    - └─ dataframes.cpython-310.pyc
    - └─ datapipes.cpython-310.pyc
    - └─ structures.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ dataframe\_wrapper.py
  - └─ dataframes.py
  - └─ datapipes.py
  - └─ structures.py
- ─ iter/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ callable.cpython-310.pyc
    - └─ combinatorics.cpython-310.pyc
    - └─ combining.cpython-310.pyc
    - └─ filelister.cpython-310.pyc
    - └─ fileopener.cpython-310.pyc
    - └─ grouping.cpython-310.pyc
    - └─ routeddecoder.cpython-310.pyc
    - └─ selecting.cpython-310.pyc
    - └─ sharding.cpython-310.pyc
    - └─ streamreader.cpython-310.pyc
    - └─ utils.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ callable.py
  - └─ combinatorics.py
  - └─ combining.py
  - └─ filelister.py
  - └─ fileopener.py
  - └─ grouping.py
  - └─ routeddecoder.py
  - └─ selecting.py
  - └─ sharding.py
  - └─ streamreader.py
  - └─ utils.py
- ─ map/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ callable.cpython-310.pyc
    - └─ combinatorics.cpython-310.pyc
    - └─ combining.cpython-310.pyc
    - └─ grouping.cpython-310.pyc
    - └─ utils.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ callable.py
  - └─ combinatorics.py
  - └─ combining.py
  - └─ grouping.py
  - └─ utils.py
- ─ utils/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ common.cpython-310.pyc
    - └─ decoder.cpython-310.pyc
    - └─ snapshot.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ common.py
  - └─ decoder.py
  - └─ snapshot.py
  - └─ \_\_init\_\_.py
  - └─ \_decorator.py
  - └─ \_hook\_iterator.py
  - └─ \_typing.py
  - └─ datapipe.py
  - └─ datapipe.pyi
  - └─ gen\_pyi.py
  - └─ \_\_init\_\_.py
  - └─ backward\_compatibility.py
  - └─ dataloader.py
  - └─ dataset.py
  - └─ distributed.py
  - └─ graph.py
  - └─ graph\_settings.py
  - └─ sampler.py
- ─ hipify/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ constants.cpython-310.pyc
    - └─ cuda\_to\_hip\_mappings.cpython-310.pyc
    - └─ hipify\_python.cpython-310.pyc
    - └─ version.cpython-310.pyc

- └─ \_\_init\_\_.py
- └─ constants.py
- └─ cuda\_to\_hip\_mappings.py
- └─ hipify\_python.py
- └─ version.py
- ─ jit/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ log\_extract.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ log\_extract.py
- ─ model\_dump/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_\_main\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ \_\_main\_\_.py
  - └─ code.js
  - └─ htm.mjs
  - └─ preact.mjs
  - └─ skeleton.html
- ─ serialization/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ config.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ config.py
- ─ tensorboard/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_convert\_np.cpython-310.pyc
    - └─ \_embedding.cpython-310.pyc
    - └─ \_onnx\_graph.cpython-310.pyc
    - └─ \_proto\_graph.cpython-310.pyc
    - └─ \_pytorch\_graph.cpython-310.pyc
    - └─ \_utils.cpython-310.pyc
    - └─ summary.cpython-310.pyc
    - └─ writer.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ \_convert\_np.py
  - └─ \_embedding.py
  - └─ \_onnx\_graph.py
  - └─ \_proto\_graph.py
  - └─ \_pytorch\_graph.py
  - └─ \_utils.py
  - └─ summary.py
  - └─ writer.py
- ─ viz/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ \_cycles.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ \_cycles.py
- ─ \_\_init\_\_.py
- ─ \_appending\_byte\_serializer.py
- ─ \_config\_module.py
- ─ \_config\_typing.pyi
- ─ \_content\_store.py
- ─ \_contextlib.py
- ─ \_cpp\_embed\_headers.py
- ─ \_cpp\_extension\_versioner.py
- ─ \_cxx\_pytree.py
- ─ \_device.py
- ─ \_dtype\_abbrs.py
- ─ \_exposed\_in.py
- ─ \_filelock.py
- ─ \_foreach\_utils.py
- ─ \_functools.py
- ─ \_get\_clean\_triton.py
- ─ \_helion.py
- ─ \_import\_utils.py
- ─ \_inspect.py
- ─ \_mode\_utils.py
- ─ \_ordered\_set.py
- ─ \_pallas.py
- ─ \_python\_dispatch.py
- ─ \_pytree.py
- ─ \_runtime\_estimation.py
- ─ \_stats.py
- ─ \_thunk.py
- ─ \_traceback.py
- ─ \_triton.py
- ─ \_typing\_utils.py
- ─ \_zip.py
- ─ backend\_registration.py

- bundled\_inputs.py
- checkpoint.py
- collect\_env.py
- cpp\_backtrace.py
- cpp\_extension.py
- deterministic.py
- dlpack.py
- file\_baton.py
- flop\_counter.py
- hooks.py
- mkldnn.py
- mobile\_optimizer.py
- model\_zoo.py
- module\_tracker.py
- show\_pickle.py
- throughput\_benchmark.py
- weak.py
- xpu/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_gpu\_trace.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - graphs.cpython-310.pyc
    - memory.cpython-310.pyc
    - random.cpython-310.pyc
    - streams.cpython-310.pyc
  - \_\_init\_\_.py
  - \_gpu\_trace.py
  - \_utils.py
  - graphs.py
  - memory.py
  - random.py
  - streams.py
- \_\_config\_\_.py
- \_\_future\_\_.py
- \_\_init\_\_.py
- \_appdirs.py
- \_C.cp310-win\_amd64.pyd
- \_classes.py
- \_compile.py
- \_custom\_ops.py
- \_environment.py
- \_guards.py
- \_jit\_internal.py
- \_linalg\_utils.py
- \_lobpcg.py
- \_lowrank.py
- \_meta\_registrations.py
- \_namedtensor\_internals.py
- \_opaque\_base.py
- \_ops.py
- \_python\_dispatcher.py
- \_size\_docs.py
- \_sources.py
- \_storage\_docs.py
- \_streambase.py
- \_tensor.py
- \_tensor\_docs.py
- \_tensor\_str.py
- \_thread\_safe\_fork.py
- \_torch\_docs.py
- \_utils.py
- \_utils\_internal.py
- \_VF.py
- \_VF.pyi
- \_vmap\_internals.py
- \_weights\_only\_unpickler.py
- functional.py
- hub.py
- library.py
- overrides.py
- py.typed
- quasirandom.py
- random.py
- return\_types.py
- return\_types.pyi
- serialization.py
- storage.py
- torch\_version.py
- types.py
- version.py
- torch-2.12.1.dist-info/
  - entry\_points.txt
  - INSTALLER
  - LICENSE

- METADATA
- NOTICE
- RECORD
- REQUESTED
- top\_level.txt
- WHEEL
- torchaudio/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_torchcodec.cpython-310.pyc
    - version.cpython-310.pyc
  - extension/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - utils.cpython-310.pyc
    - \_\_init\_\_.py
    - utils.py
  - internal/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - module\_utils.cpython-310.pyc
    - \_\_init\_\_.py
    - module\_utils.py
  - compliance/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - kaldi.cpython-310.pyc
    - \_\_init\_\_.py
    - kaldi.py
  - datasets/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - cmuarctic.cpython-310.pyc
      - cmudict.cpython-310.pyc
      - commonvoice.cpython-310.pyc
      - dr\_vctk.cpython-310.pyc
      - fluentcommands.cpython-310.pyc
      - gtzan.cpython-310.pyc
      - iemocap.cpython-310.pyc
      - librilight\_limited.cpython-310.pyc
      - librimix.cpython-310.pyc
      - librispeech.cpython-310.pyc
      - librispeech\_biasing.cpython-310.pyc
      - libritts.cpython-310.pyc
      - ljspeech.cpython-310.pyc
      - musdb\_hq.cpython-310.pyc
      - quesst14.cpython-310.pyc
      - snips.cpython-310.pyc
      - speechcommands.cpython-310.pyc
      - tedlium.cpython-310.pyc
      - utils.cpython-310.pyc
      - vctk.cpython-310.pyc
      - voxceleb1.cpython-310.pyc
      - yesno.cpython-310.pyc
    - \_\_init\_\_.py
    - cmuarctic.py
    - cmudict.py
    - commonvoice.py
    - dr\_vctk.py
    - fluentcommands.py
    - gtzan.py
    - iemocap.py
    - librilight\_limited.py
    - librimix.py
    - librispeech.py
    - librispeech\_biasing.py
    - libritts.py
    - ljspeech.py
    - musdb\_hq.py
    - quesst14.py
    - snips.py
    - speechcommands.py
    - tedlium.py
    - utils.py
    - vctk.py
    - voxceleb1.py
    - yesno.py
  - functional/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_alignment.cpython-310.pyc
      - filtering.cpython-310.pyc
      - functional.cpython-310.pyc
    - \_\_init\_\_.py
    - \_alignment.py

- filtering.py
  - functional.py
- lib/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - torchaudio.pyd
    - libtorchaudio.pyd
- models/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_hdemucs.cpython-310.pyc
      - conformer.cpython-310.pyc
      - conv\_tasnet.cpython-310.pyc
      - deepspeech.cpython-310.pyc
      - emformer.cpython-310.pyc
      - rnnt.cpython-310.pyc
      - rnnt\_decoder.cpython-310.pyc
      - tacotron2.cpython-310.pyc
      - wav2letter.cpython-310.pyc
      - wavernn.cpython-310.pyc
  - decoder/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - \_ctc\_decoder.cpython-310.pyc
        - \_cuda\_ctc\_decoder.cpython-310.pyc
      - \_\_init\_\_.py
      - \_ctc\_decoder.py
      - \_cuda\_ctc\_decoder.py
  - squim/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - objective.cpython-310.pyc
        - subjective.cpython-310.pyc
      - \_\_init\_\_.py
      - objective.py
      - subjective.py
  - wav2vec2/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - components.cpython-310.pyc
        - model.cpython-310.pyc
        - wavlm\_attention.cpython-310.pyc
    - utils/
      - \_\_pycache\_\_/
          - \_\_init\_\_.cpython-310.pyc
          - import\_fairseq.cpython-310.pyc
          - import\_huggingface.cpython-310.pyc
        - \_\_init\_\_.py
        - import\_fairseq.py
        - import\_huggingface.py
      - \_\_init\_\_.py
      - components.py
      - model.py
      - wavlm\_attention.py
  - \_\_init\_\_.py
  - \_hdemucs.py
  - conformer.py
  - conv\_tasnet.py
  - deepspeech.py
  - emformer.py
  - rnnt.py
  - rnnt\_decoder.py
  - tacotron2.py
  - wav2letter.py
  - wavernn.py
- pipelines/
  - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_source\_separation\_pipeline.cpython-310.pyc
      - \_squim\_pipeline.cpython-310.pyc
      - rnnt\_pipeline.cpython-310.pyc
  - tts/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
        - impl.cpython-310.pyc
        - interface.cpython-310.pyc
        - utils.cpython-310.pyc
      - \_\_init\_\_.py
      - impl.py
      - interface.py
      - utils.py
  - wav2vec2/
    - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc

- aligner.cpython-310.pyc
    - impl.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_\_init\_\_.py
  - aligner.py
  - impl.py
  - utils.py
- \_\_init\_\_.py
- \_source\_separation\_pipeline.py
- \_squim\_pipeline.py
- rnnt\_pipeline.py
- transforms/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_multi\_channel.cpython-310.pyc
    - \_transforms.cpython-310.pyc
  - \_\_init\_\_.py
  - \_multi\_channel.py
  - \_transforms.py
- utils/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - download.cpython-310.pyc
  - \_\_init\_\_.py
  - download.py
- \_\_init\_\_.py
- \_torchcodec.py
- version.py
- torchaudio-2.11.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- torchgen/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - code\_template.cpython-310.pyc
    - context.cpython-310.pyc
    - gen.cpython-310.pyc
    - gen\_aoti\_c\_shim.cpython-310.pyc
    - gen\_backend\_stubs.cpython-310.pyc
    - gen\_functionalization\_type.cpython-310.pyc
    - gen\_lazy\_tensor.cpython-310.pyc
    - gen\_schema\_utils.cpython-310.pyc
    - gen\_vmap\_plumbing.cpython-310.pyc
    - local.cpython-310.pyc
    - model.cpython-310.pyc
    - native\_function\_generation.cpython-310.pyc
    - utils.cpython-310.pyc
    - yaml\_utils.cpython-310.pyc
- aoti/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - fallback\_ops.cpython-310.pyc
  - \_\_init\_\_.py
  - fallback\_ops.py
- api/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - autograd.cpython-310.pyc
    - cxx.cpython-310.pyc
    - dispatcher.cpython-310.pyc
    - functionalization.cpython-310.pyc
    - lazy.cpython-310.pyc
    - meta.cpython-310.pyc
    - native.cpython-310.pyc
    - python.cpython-310.pyc
    - structured.cpython-310.pyc
    - translate.cpython-310.pyc
    - ufunc.cpython-310.pyc
    - unboxing.cpython-310.pyc
- types/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - signatures.cpython-310.pyc
    - types.cpython-310.pyc
    - types\_base.cpython-310.pyc
  - \_\_init\_\_.py
  - signatures.py
  - types.py
  - types\_base.py

- \_\_init\_\_.py
- autograd.py
- cpp.py
- dispatcher.py
- functionalization.py
- lazy.py
- meta.py
- native.py
- python.py
- structured.py
- translate.py
- ufunc.py
- unboxing.py
- dest/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - lazy\_ir.cpython-310.pyc
    - lazy\_ts\_lowering.cpython-310.pyc
    - native\_functions.cpython-310.pyc
    - register\_dispatch\_key.cpython-310.pyc
    - ufunc.cpython-310.pyc
  - \_\_init\_\_.py
  - lazy\_ir.py
  - lazy\_ts\_lowering.py
  - native\_functions.py
  - register\_dispatch\_key.py
  - ufunc.py
- operator\_versions/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - gen\_mobile\_upgraders.cpython-310.pyc
    - gen\_mobile\_upgraders\_constant.cpython-310.pyc
  - \_\_init\_\_.py
  - gen\_mobile\_upgraders.py
  - gen\_mobile\_upgraders\_constant.py
- packaged/
  - ATen/
    - native/
      - native\_functions.yaml
      - tags.yaml
    - templates/
      - aten\_interned\_strings.h
      - ATenOpList.cpp
      - CompositeViewCopyKernels.cpp
      - DispatchKeyFunction.h
      - DispatchKeyFunctions.h
      - DispatchKeyFunctions\_inl.h
      - DispatchKeyNativeFunctions.cpp
      - DispatchKeyNativeFunctions.h
      - enum\_tag.h
      - Function.h
      - FunctionalInverses.h
      - Functions.cpp
      - Functions.h
      - LazyIr.h
      - LazyNonNativeIr.h
      - MethodOperators.h
      - NativeFunction.h
      - NativeFunctions.h
      - NativeMetaFunction.h
      - NativeMetaFunctions.h
      - Operator.h
      - Operators.cpp
      - Operators.h
      - RedispachFunctions.cpp
      - RedispachFunctions.h
      - RegisterBackendSelect.cpp
      - RegisterCodegenUnboxedKernels.cpp
      - RegisterDispatchDefinitions.ini
      - RegisterDispatchKey.cpp
      - RegisterFunctionalization.cpp
      - RegisterSchema.cpp
      - RegistrationDeclarations.h
      - TensorBody.h
      - TensorMethods.cpp
      - UfuncCPU.cpp
      - UfuncCPUKernel.cpp
      - UfuncCUDA.cu
      - UnboxingFunctions.cpp
      - UnboxingFunctions.h
      - ViewMetaClasses.cpp
      - ViewMetaClasses.h
      - ViewMetaClassesPythonBinding.cpp
  - autograd/
    - \_pycache\_/

- `__init__.cpython-310.pyc`
- `context.cpython-310.pyc`
- `gen_annotated_fn_args.cpython-310.pyc`
- `gen_autograd.cpython-310.pyc`
- `gen_autograd_functions.cpython-310.pyc`
- `gen_inplace_or_view_type.cpython-310.pyc`
- `gen_python_functions.cpython-310.pyc`
- `gen_trace_type.cpython-310.pyc`
- `gen_variable_factories.cpython-310.pyc`
- `gen_variable_type.cpython-310.pyc`
- `gen_view_funcs.cpython-310.pyc`
- `load_derivatives.cpython-310.pyc`
- `templates/`
  - `ADInplaceOrViewType.cpp`
  - `annotated_fn_args.py.in`
  - `Functions.cpp`
  - `Functions.h`
  - `python_enum_tag.cpp`
  - `python_fft_functions.cpp`
  - `python_functions.cpp`
  - `python_functions.h`
  - `python_linalg_functions.cpp`
  - `python_nested_functions.cpp`
  - `python_nn_functions.cpp`
  - `python_return_types.cpp`
  - `python_return_types.h`
  - `python_sparse_functions.cpp`
  - `python_special_functions.cpp`
  - `python_torch_functions.cpp`
  - `python_variable_methods.cpp`
  - `TraceType.cpp`
  - `variable_factories.h`
  - `VariableType.cpp`
  - `VariableType.h`
  - `ViewFuncs.cpp`
  - `ViewFuncs.h`
- `__init__.py`
- `BUILD.bazel`
- `build.bzl`
- `context.py`
- `deprecated.yaml`
- `derivatives.yaml`
- `gen_annotated_fn_args.py`
- `gen_autograd.py`
- `gen_autograd_functions.py`
- `gen_inplace_or_view_type.py`
- `gen_python_functions.py`
- `gen_trace_type.py`
- `gen_variable_factories.py`
- `gen_variable_type.py`
- `gen_view_funcs.py`
- `load_derivatives.py`
- `README.md`
- `selective_build/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `operator.cpython-310.pyc`
    - `selector.cpython-310.pyc`
  - `__init__.py`
  - `operator.py`
  - `selector.py`
- `static_runtime/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `config.cpython-310.pyc`
    - `gen_static_runtime_ops.cpython-310.pyc`
    - `generator.cpython-310.pyc`
  - `__init__.py`
  - `config.py`
  - `gen_static_runtime_ops.py`
  - `generator.py`
- `__init__.py`
- `code_template.py`
- `context.py`
- `gen.py`
- `gen_aoti_c_shim.py`
- `gen_backend_stubs.py`
- `gen_functionalization_type.py`
- `gen_lazy_tensor.py`
- `gen_schema_utils.py`
- `gen_vmap_plumbing.py`
- `local.py`
- `model.py`
- `native_function_generation.py`
- `utils.py`



```

└─ yaml_utils.py
torchvision/
└─ __pycache__/
    ├── __init__.cpython-310.pyc
    ├── autograd_registrations.cpython-310.pyc
    ├── _internally_replaced_utils.cpython-310.pyc
    ├── _meta_registrations.cpython-310.pyc
    ├── _utils.cpython-310.pyc
    ├── extension.cpython-310.pyc
    ├── utils.cpython-310.pyc
    └── version.cpython-310.pyc
└─ datasets/
    └─ __pycache__/
        ├── __init__.cpython-310.pyc
        ├── _optical_flow.cpython-310.pyc
        ├── _stereo_matching.cpython-310.pyc
        ├── caltech.cpython-310.pyc
        ├── celeba.cpython-310.pyc
        ├── cifar.cpython-310.pyc
        ├── cityscapes.cpython-310.pyc
        ├── clevr.cpython-310.pyc
        ├── coco.cpython-310.pyc
        ├── country211.cpython-310.pyc
        ├── dtd.cpython-310.pyc
        ├── eurosat.cpython-310.pyc
        ├── fakedata.cpython-310.pyc
        ├── fer2013.cpython-310.pyc
        ├── fgvc_aircraft.cpython-310.pyc
        ├── flickr.cpython-310.pyc
        ├── flowers102.cpython-310.pyc
        ├── folder.cpython-310.pyc
        ├── food101.cpython-310.pyc
        ├── gtsrb.cpython-310.pyc
        ├── hmdb51.cpython-310.pyc
        ├── imagenet.cpython-310.pyc
        ├── imagenette.cpython-310.pyc
        ├── inaturalist.cpython-310.pyc
        ├── kinetics.cpython-310.pyc
        ├── kitti.cpython-310.pyc
        ├── lfw.cpython-310.pyc
        ├── lsun.cpython-310.pyc
        ├── mnist.cpython-310.pyc
        ├── moving_mnist.cpython-310.pyc
        ├── omniglot.cpython-310.pyc
        ├── oxford_iiit_pet.cpython-310.pyc
        ├── pcam.cpython-310.pyc
        ├── phototour.cpython-310.pyc
        ├── places365.cpython-310.pyc
        ├── rendered_sst2.cpython-310.pyc
        ├── sbd.cpython-310.pyc
        ├── sbu.cpython-310.pyc
        ├── semeion.cpython-310.pyc
        ├── stanford_cars.cpython-310.pyc
        ├── stl10.cpython-310.pyc
        ├── sun397.cpython-310.pyc
        ├── svhn.cpython-310.pyc
        ├── ucf101.cpython-310.pyc
        ├── usps.cpython-310.pyc
        ├── utils.cpython-310.pyc
        ├── video_utils.cpython-310.pyc
        ├── vision.cpython-310.pyc
        ├── voc.cpython-310.pyc
        └── widerface.cpython-310.pyc
    └─ samplers/
        └─ __pycache__/
            ├── __init__.cpython-310.pyc
            └── clip_sampler.cpython-310.pyc
        ├── __init__.py
        └── clip_sampler.py
└─ __init__.py
└─ _optical_flow.py
└─ _stereo_matching.py
└─ caltech.py
└─ celeba.py
└─ cifar.py
└─ cityscapes.py
└─ clevr.py
└─ coco.py
└─ country211.py
└─ dtd.py
└─ eurosat.py
└─ fakedata.py
└─ fer2013.py
└─ fgvc_aircraft.py
└─ flickr.py

```

- flowers102.py
- folder.py
- food101.py
- gtsrb.py
- hmdb51.py
- imagenet.py
- imagenette.py
- inaturalist.py
- kinetics.py
- kitti.py
- lfw.py
- lsun.py
- mnist.py
- moving\_mnist.py
- omniglot.py
- oxford\_iiit\_pet.py
- pcam.py
- phototour.py
- places365.py
- rendered\_sst2.py
- sbd.py
- sbu.py
- semeion.py
- stanford\_cars.py
- stl10.py
- sun397.py
- svhn.py
- ucf101.py
- usps.py
- utils.py
- video\_utils.py
- vision.py
- voc.py
- widerface.py
- io/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - image.cpython-310.pyc
  - \_\_init\_\_.py
  - image.py
- models/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_api.cpython-310.pyc
    - \_meta.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - alexnet.cpython-310.pyc
    - convnext.cpython-310.pyc
    - densenet.cpython-310.pyc
    - efficientnet.cpython-310.pyc
    - feature\_extraction.cpython-310.pyc
    - googlenet.cpython-310.pyc
    - inception.cpython-310.pyc
    - maxvit.cpython-310.pyc
    - mnasnet.cpython-310.pyc
    - mobilenet.cpython-310.pyc
    - mobilenetv2.cpython-310.pyc
    - mobilenetv3.cpython-310.pyc
    - regnet.cpython-310.pyc
    - resnet.cpython-310.pyc
    - shufflenetv2.cpython-310.pyc
    - squeezenet.cpython-310.pyc
    - swin\_transformer.cpython-310.pyc
    - vgg.cpython-310.pyc
    - vision\_transformer.cpython-310.pyc
  - detection/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_utils.cpython-310.pyc
      - anchor\_utils.cpython-310.pyc
      - backbone\_utils.cpython-310.pyc
      - faster\_rcnn.cpython-310.pyc
      - fcos.cpython-310.pyc
      - generalized\_rcnn.cpython-310.pyc
      - image\_list.cpython-310.pyc
      - keypoint\_rcnn.cpython-310.pyc
      - mask\_rcnn.cpython-310.pyc
      - retinanet.cpython-310.pyc
      - roi\_heads.cpython-310.pyc
      - rpn.cpython-310.pyc
      - ssd.cpython-310.pyc
      - ssdlite.cpython-310.pyc
      - transform.cpython-310.pyc
    - \_\_init\_\_.py
    - \_utils.py

- anchor\_utils.py
- backbone\_utils.py
- faster\_rcnn.py
- fcos.py
- generalized\_rcnn.py
- image\_list.py
- keypoint\_rcnn.py
- mask\_rcnn.py
- retinanet.py
- roi\_heads.py
- rpn.py
- ssd.py
- ssdlite.py
- transform.py
- optical\_flow/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - raft.cpython-310.pyc
  - \_\_init\_\_.py
  - \_utils.py
  - raft.py
- quantization/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - googlenet.cpython-310.pyc
    - inception.cpython-310.pyc
    - mobilenet.cpython-310.pyc
    - mobilenetv2.cpython-310.pyc
    - mobilenetv3.cpython-310.pyc
    - resnet.cpython-310.pyc
    - shufflenetv2.cpython-310.pyc
    - \_utils.cpython-310.pyc
  - \_\_init\_\_.py
  - googlenet.py
  - inception.py
  - mobilenet.py
  - mobilenetv2.py
  - mobilenetv3.py
  - resnet.py
  - shufflenetv2.py
  - \_utils.py
- segmentation/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - deeplabv3.cpython-310.pyc
    - fcn.cpython-310.pyc
    - lraspp.cpython-310.pyc
  - \_\_init\_\_.py
  - \_utils.py
  - deeplabv3.py
  - fcn.py
  - lraspp.py
- video/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - mvit.cpython-310.pyc
    - resnet.cpython-310.pyc
    - s3d.cpython-310.pyc
    - swin\_transformer.cpython-310.pyc
  - \_\_init\_\_.py
  - mvit.py
  - resnet.py
  - s3d.py
  - swin\_transformer.py
- \_\_init\_\_.py
- \_api.py
- \_meta.py
- \_utils.py
- alexnet.py
- convnext.py
- densenet.py
- efficientnet.py
- feature\_extraction.py
- googlenet.py
- inception.py
- maxvit.py
- mnasnet.py
- mobilenet.py
- mobilenetv2.py
- mobilenetv3.py
- regnet.py
- resnet.py
- shufflenetv2.py

- squeezeenet.py
- swin\_transformer.py
- vgg.py
- vision\_transformer.py
- ops/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - box\_convert.cpython-310.pyc
    - register\_onnx\_ops.cpython-310.pyc
    - utils.cpython-310.pyc
    - boxes.cpython-310.pyc
    - ciou\_loss.cpython-310.pyc
    - deform\_conv.cpython-310.pyc
    - diou\_loss.cpython-310.pyc
    - drop\_block.cpython-310.pyc
    - feature\_pyramid\_network.cpython-310.pyc
    - focal\_loss.cpython-310.pyc
    - giou\_loss.cpython-310.pyc
    - misc.cpython-310.pyc
    - poolers.cpython-310.pyc
    - ps\_roi\_align.cpython-310.pyc
    - ps\_roi\_pool.cpython-310.pyc
    - roi\_align.cpython-310.pyc
    - roi\_pool.cpython-310.pyc
    - stochastic\_depth.cpython-310.pyc
  - \_\_init\_\_.py
  - box\_convert.py
  - register\_onnx\_ops.py
  - utils.py
  - boxes.py
  - ciou\_loss.py
  - deform\_conv.py
  - diou\_loss.py
  - drop\_block.py
  - feature\_pyramid\_network.py
  - focal\_loss.py
  - giou\_loss.py
  - misc.py
  - poolers.py
  - ps\_roi\_align.py
  - ps\_roi\_pool.py
  - roi\_align.py
  - roi\_pool.py
  - stochastic\_depth.py
- transforms/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - functional\_pil.cpython-310.pyc
    - functional\_tensor.cpython-310.pyc
    - functional\_video.cpython-310.pyc
    - presets.cpython-310.pyc
    - transforms\_video.cpython-310.pyc
    - autoaugment.cpython-310.pyc
    - functional.cpython-310.pyc
    - transforms.cpython-310.pyc
- v2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - augment.cpython-310.pyc
    - auto\_augment.cpython-310.pyc
    - color.cpython-310.pyc
    - container.cpython-310.pyc
    - deprecated.cpython-310.pyc
    - geometry.cpython-310.pyc
    - meta.cpython-310.pyc
    - misc.cpython-310.pyc
    - temporal.cpython-310.pyc
    - transform.cpython-310.pyc
    - type\_conversion.cpython-310.pyc
    - utils.cpython-310.pyc
  - functional/
    - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - augment.cpython-310.pyc
      - color.cpython-310.pyc
      - deprecated.cpython-310.pyc
      - geometry.cpython-310.pyc
      - meta.cpython-310.pyc
      - misc.cpython-310.pyc
      - temporal.cpython-310.pyc
      - type\_conversion.cpython-310.pyc
      - utils.cpython-310.pyc
    - \_\_init\_\_.py
    - augment.py
    - color.py

- \_deprecated.py
    - \_geometry.py
    - \_meta.py
    - \_misc.py
    - \_temporal.py
    - \_type\_conversion.py
    - \_utils.py
  - \_init\_\_.py
  - augment.py
  - auto\_augment.py
  - color.py
  - container.py
  - deprecated.py
  - geometry.py
  - meta.py
  - misc.py
  - temporal.py
  - transform.py
  - type\_conversion.py
  - utils.py
- \_init\_\_.py
- functional\_pil.py
- functional\_tensor.py
- functional\_video.py
- presets.py
- transforms\_video.py
- autoaugment.py
- functional.py
- transforms.py
- tv\_tensors/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - bounding\_boxes.cpython-310.pyc
    - dataset\_wrapper.cpython-310.pyc
    - image.cpython-310.pyc
    - keypoints.cpython-310.pyc
    - mask.cpython-310.pyc
    - torch\_function\_helpers.cpython-310.pyc
    - tv\_tensor.cpython-310.pyc
    - video.cpython-310.pyc
  - \_\_init\_\_.py
  - bounding\_boxes.py
  - dataset\_wrapper.py
  - image.py
  - keypoints.py
  - mask.py
  - torch\_function\_helpers.py
  - tv\_tensor.py
  - video.py
- \_\_init\_\_.py
- autograd\_registrations.py
- \_C.pyd
- internally\_replaced\_utils.py
- meta\_registrations.py
- utils.py
- extension.py
- image.pyd
- jpeg8.dll
- libpng16.dll
- libsharpuyuv.dll
- libwebp.dll
- python310.dll
- utils.py
- version.py
- zlib.dll
- torchvision-0.27.1.dist-info/
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- tqdm/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - \_main.cpython-310.pyc
    - \_monitor.cpython-310.pyc
    - \_tqdm.cpython-310.pyc
    - \_tqdm\_gui.cpython-310.pyc
    - \_tqdm\_notebook.cpython-310.pyc
    - \_tqdm\_pandas.cpython-310.pyc
    - \_utils.cpython-310.pyc
    - asyncio.cpython-310.pyc

- auto.cpython-310.pyc
- autonotebook.cpython-310.pyc
- cli.cpython-310.pyc
- dask.cpython-310.pyc
- gui.cpython-310.pyc
- keras.cpython-310.pyc
- notebook.cpython-310.pyc
- rich.cpython-310.pyc
- std.cpython-310.pyc
- tk.cpython-310.pyc
- utils.cpython-310.pyc
- version.cpython-310.pyc
- contrib/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - bells.cpython-310.pyc
    - concurrent.cpython-310.pyc
    - discord.cpython-310.pyc
    - itertools.cpython-310.pyc
    - logging.cpython-310.pyc
    - slack.cpython-310.pyc
    - telegram.cpython-310.pyc
    - utils\_worker.cpython-310.pyc
  - \_\_init\_\_.py
  - bells.py
  - concurrent.py
  - discord.py
  - itertools.py
  - logging.py
  - slack.py
  - telegram.py
  - utils\_worker.py
- \_\_init\_\_.py
- \_\_main\_\_.py
- \_main.py
- \_monitor.py
- \_tqdm.py
- \_tqdm\_gui.py
- \_tqdm\_notebook.py
- \_tqdm\_pandas.py
- \_utils.py
- asyncio.py
- auto.py
- autonotebook.py
- cli.py
- completion.sh
- dask.py
- gui.py
- keras.py
- notebook.py
- rich.py
- std.py
- tk.py
- tqdm.1
- utils.py
- version.py
- tqdm-4.68.3.dist-info/
  - licenses/
    - LICENCE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- transformers/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_typing.cpython-310.pyc
    - activations.cpython-310.pyc
    - audio\_utils.cpython-310.pyc
    - backbone\_utils.cpython-310.pyc
    - cache\_utils.cpython-310.pyc
    - configuration\_utils.cpython-310.pyc
    - conversion\_mapping.cpython-310.pyc
    - convert\_slow\_tokenizer.cpython-310.pyc
    - convert\_slow\_tokenizers\_checkpoints\_to\_fast.cpython-310.pyc
    - core\_model\_loading.cpython-310.pyc
    - debug\_utils.cpython-310.pyc
    - dependency\_versions\_check.cpython-310.pyc
    - dependency\_versions\_table.cpython-310.pyc
    - dynamic\_module\_utils.cpython-310.pyc
    - feature\_extraction\_sequence\_utils.cpython-310.pyc
    - feature\_extraction\_utils.cpython-310.pyc

- file\_utils.cpython-310.pyc
- fusion\_mapping.cpython-310.pyc
- hf\_argparser.cpython-310.pyc
- hyperparameter\_search.cpython-310.pyc
- image\_processing\_backends.cpython-310.pyc
- image\_processing\_base.cpython-310.pyc
- image\_processing\_outputs.cpython-310.pyc
- image\_processing\_utils.cpython-310.pyc
- image\_transforms.cpython-310.pyc
- image\_utils.cpython-310.pyc
- initialization.cpython-310.pyc
- masking\_utils.cpython-310.pyc
- model\_debugging\_utils.cpython-310.pyc
- modelcard.cpython-310.pyc
- modeling\_attn\_mask\_utils.cpython-310.pyc
- modeling\_flash\_attention\_utils.cpython-310.pyc
- modeling\_gguf\_pytorch\_utils.cpython-310.pyc
- modeling\_layers.cpython-310.pyc
- modeling\_outputs.cpython-310.pyc
- modeling\_rope\_utils.cpython-310.pyc
- modeling\_utils.cpython-310.pyc
- monkey\_patching.cpython-310.pyc
- optimization.cpython-310.pyc
- processing\_utils.cpython-310.pyc
- pytorch\_utils.cpython-310.pyc
- safetensors\_conversion.cpython-310.pyc
- testing\_utils.cpython-310.pyc
- time\_series\_utils.cpython-310.pyc
- tokenization\_mistral\_common.cpython-310.pyc
- tokenization\_python.cpython-310.pyc
- tokenization\_utils\_base.cpython-310.pyc
- tokenization\_utils\_sentencepiece.cpython-310.pyc
- tokenization\_utils\_tokenizers.cpython-310.pyc
- trainer.cpython-310.pyc
- trainer\_callback.cpython-310.pyc
- trainer\_jit\_checkpoint.cpython-310.pyc
- trainer\_optimizer.cpython-310.pyc
- trainer\_pt\_utils.cpython-310.pyc
- trainer\_seq2seq.cpython-310.pyc
- trainer\_utils.cpython-310.pyc
- training\_args.cpython-310.pyc
- training\_args\_seq2seq.cpython-310.pyc
- video\_processing\_utils.cpython-310.pyc
- video\_utils.cpython-310.pyc
- vision\_utils.cpython-310.pyc

cli/

- \_\_pycache\_\_/
- \_\_init\_\_.cpython-310.pyc
- add\_new\_model\_like.cpython-310.pyc
- chat.cpython-310.pyc
- download.cpython-310.pyc
- serve.cpython-310.pyc
- system.cpython-310.pyc
- transformers.cpython-310.pyc
- serving/
- \_\_pycache\_\_/
- \_\_init\_\_.cpython-310.pyc
- chat\_completion.cpython-310.pyc
- completion.cpython-310.pyc
- model\_manager.cpython-310.pyc
- response.cpython-310.pyc
- server.cpython-310.pyc
- transcription.cpython-310.pyc
- utils.cpython-310.pyc
- \_\_init\_\_.py
- chat\_completion.py
- completion.py
- model\_manager.py
- response.py
- server.py
- transcription.py
- utils.py
- \_\_init\_\_.py
- add\_new\_model\_like.py
- chat.py
- download.py
- serve.py
- system.py
- transformers.py

data/

- \_\_pycache\_\_/
- \_\_init\_\_.cpython-310.pyc
- data\_collator.cpython-310.pyc
- datasets/
- \_\_pycache\_\_/

- \_\_init\_\_.cpython-310.pyc
    - glue.cpython-310.pyc
    - squad.cpython-310.pyc
  - \_\_init\_\_.py
  - glue.py
  - squad.py
- metrics/
  - \_\_init\_\_.cpython-310.pyc
    - squad\_metrics.cpython-310.pyc
  - \_\_init\_\_.py
  - squad\_metrics.py
- processors/
  - \_\_init\_\_.cpython-310.pyc
    - glue.cpython-310.pyc
    - squad.cpython-310.pyc
    - utils.cpython-310.pyc
    - xnli.cpython-310.pyc
  - \_\_init\_\_.py
  - glue.py
  - squad.py
  - utils.py
  - xnli.py
- \_\_init\_\_.py
- data\_collator.py
- distributed/
  - \_\_init\_\_.cpython-310.pyc
    - configuration\_utils.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_utils.py
- exporters/
  - \_\_init\_\_.cpython-310.pyc
    - auto.cpython-310.pyc
    - base.cpython-310.pyc
    - configs.cpython-310.pyc
    - exporter\_dynamo.cpython-310.pyc
    - exporter\_executorch.cpython-310.pyc
    - exporter\_onnx.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_\_init\_\_.py
  - auto.py
  - base.py
  - configs.py
  - exporter\_dynamo.py
  - exporter\_executorch.py
  - exporter\_onnx.py
  - utils.py
- generation/
  - \_\_init\_\_.cpython-310.pyc
    - candidate\_generator.cpython-310.pyc
    - configuration\_utils.cpython-310.pyc
    - logits\_process.cpython-310.pyc
    - stopping\_criteria.cpython-310.pyc
    - streamers.cpython-310.pyc
    - utils.cpython-310.pyc
    - watermarking.cpython-310.pyc
- continuous\_batching/
  - \_\_init\_\_.cpython-310.pyc
    - cache.cpython-310.pyc
    - cache\_manager.cpython-310.pyc
    - cb\_logits\_processors.cpython-310.pyc
    - continuous\_api.cpython-310.pyc
    - distributed.cpython-310.pyc
    - initialization.cpython-310.pyc
    - input\_outputs.cpython-310.pyc
    - model\_runner.cpython-310.pyc
    - offloading\_manager.cpython-310.pyc
    - requests.cpython-310.pyc
    - scheduler.cpython-310.pyc
    - utils.cpython-310.pyc
  - \_\_init\_\_.py
  - cache.py
  - cache\_manager.py
  - cb\_logits\_processors.py
  - continuous\_api.py
  - distributed.py
  - initialization.py
  - input\_outputs.py
  - model\_runner.py
  - offloading\_manager.py



- requests.py
- scheduler.py
- utils.py
- \_\_init\_\_.py
- candidate\_generator.py
- configuration\_utils.py
- logits\_process.py
- stopping\_criteria.py
- streamers.py
- utils.py
- watermarking.py
- integrations/
  - pycache/
  - \_\_init\_\_.cpython-310.pyc
  - accelerate.cpython-310.pyc
  - aqlm.cpython-310.pyc
  - awq.cpython-310.pyc
  - bitnet.cpython-310.pyc
  - bitsandbytes.cpython-310.pyc
  - compressed\_tensors.cpython-310.pyc
  - deepgemm.cpython-310.pyc
  - deepspeed.cpython-310.pyc
  - eager\_paged.cpython-310.pyc
  - eetq.cpython-310.pyc
  - executorch.cpython-310.pyc
  - fbgemm\_fp8.cpython-310.pyc
  - finegrained\_fp8.cpython-310.pyc
  - flash\_attention.cpython-310.pyc
  - flash\_paged.cpython-310.pyc
  - flex\_attention.cpython-310.pyc
  - fourversix.cpython-310.pyc
  - fp\_quant.cpython-310.pyc
  - fsdp.cpython-310.pyc
  - gemma\_quant.cpython-310.pyc
  - ggml.cpython-310.pyc
  - higgs.cpython-310.pyc
  - hqq.cpython-310.pyc
  - hub\_kernels.cpython-310.pyc
  - integration\_utils.cpython-310.pyc
  - liger.cpython-310.pyc
  - metal\_quantization.cpython-310.pyc
  - mistral.cpython-310.pyc
  - moe.cpython-310.pyc
  - msa\_attention.cpython-310.pyc
  - mxfp4.cpython-310.pyc
  - neftune.cpython-310.pyc
  - npu\_flash\_attention.cpython-310.pyc
  - peft.cpython-310.pyc
  - quanto.cpython-310.pyc
  - quark.cpython-310.pyc
  - sdpa\_attention.cpython-310.pyc
  - sdpa\_paged.cpython-310.pyc
  - sinq.cpython-310.pyc
  - sonicmoe.cpython-310.pyc
  - spqr.cpython-310.pyc
  - tensor\_parallel.cpython-310.pyc
  - tiktoken.cpython-310.pyc
  - torchao.cpython-310.pyc
  - tpu.cpython-310.pyc
  - vptq.cpython-310.pyc
- \_\_init\_\_.py
- accelerate.py
- aqlm.py
- awq.py
- bitnet.py
- bitsandbytes.py
- compressed\_tensors.py
- deepgemm.py
- deepspeed.py
- eager\_paged.py
- eetq.py
- executorch.py
- fbgemm\_fp8.py
- finegrained\_fp8.py
- flash\_attention.py
- flash\_paged.py
- flex\_attention.py
- fourversix.py
- fp\_quant.py
- fsdp.py
- gemma\_quant.py
- ggml.py
- higgs.py
- hqq.py
- hub\_kernels.py

- integration\_utils.py
- liger.py
- metal\_quantization.py
- mistral.py
- moe.py
- msa\_attention.py
- mxfp4.py
- neftune.py
- npu\_flash\_attention.py
- peft.py
- quanto.py
- quark.py
- sdpa\_attention.py
- sdpa\_paged.py
- sinq.py
- sonicmoe.py
- spqr.py
- tensor\_parallel.py
- tiktoken.py
- torchao.py
- tpu.py
- vptq.py
- loss/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - loss\_d\_fine.cpython-310.pyc
    - loss\_deformable\_detr.cpython-310.pyc
    - loss\_deimv2.cpython-310.pyc
    - loss\_for\_object\_detection.cpython-310.pyc
    - loss\_grounding\_dino.cpython-310.pyc
    - loss\_lw\_detr.cpython-310.pyc
    - loss\_rf\_detr.cpython-310.pyc
    - loss\_rnnt.cpython-310.pyc
    - loss\_rt\_detr.cpython-310.pyc
    - loss\_tdt.cpython-310.pyc
    - loss\_utils.cpython-310.pyc
  - \_\_init\_\_.py
  - loss\_d\_fine.py
  - loss\_deformable\_detr.py
  - loss\_deimv2.py
  - loss\_for\_object\_detection.py
  - loss\_grounding\_dino.py
  - loss\_lw\_detr.py
  - loss\_rf\_detr.py
  - loss\_rnnt.py
  - loss\_rt\_detr.py
  - loss\_tdt.py
  - loss\_utils.py
- models/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - afmoe/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - configuration\_afmoe.cpython-310.pyc
      - modeling\_afmoe.cpython-310.pyc
      - modular\_afmoe.cpython-310.pyc
    - \_\_init\_\_.py
    - configuration\_afmoe.py
    - modeling\_afmoe.py
    - modular\_afmoe.py
  - aimv2/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - configuration\_aimv2.cpython-310.pyc
      - modeling\_aimv2.cpython-310.pyc
      - modular\_aimv2.cpython-310.pyc
    - \_\_init\_\_.py
    - configuration\_aimv2.py
    - modeling\_aimv2.py
    - modular\_aimv2.py
  - albert/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - configuration\_albert.cpython-310.pyc
      - modeling\_albert.cpython-310.pyc
      - tokenization\_albert.cpython-310.pyc
    - \_\_init\_\_.py
    - configuration\_albert.py
    - modeling\_albert.py
    - tokenization\_albert.py
  - align/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - configuration\_align.cpython-310.pyc

- modeling\_align.cpython-310.pyc
  - processing\_align.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_align.py
  - modeling\_align.py
  - processing\_align.py
- altclip/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_altclip.cpython-310.pyc
    - modeling\_altclip.cpython-310.pyc
    - modular\_altclip.cpython-310.pyc
    - processing\_altclip.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_altclip.py
  - modeling\_altclip.py
  - modular\_altclip.py
  - processing\_altclip.py
- apertus/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_apertus.cpython-310.pyc
    - modeling\_apertus.cpython-310.pyc
    - modular\_apertus.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_apertus.py
  - modeling\_apertus.py
  - modular\_apertus.py
- arcee/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_arcee.cpython-310.pyc
    - modeling\_arcee.cpython-310.pyc
    - modular\_arcee.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_arcee.py
  - modeling\_arcee.py
  - modular\_arcee.py
- aria/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_aria.cpython-310.pyc
    - image\_processing\_aria.cpython-310.pyc
    - image\_processing\_pil\_aria.cpython-310.pyc
    - modeling\_aria.cpython-310.pyc
    - modular\_aria.cpython-310.pyc
    - processing\_aria.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_aria.py
  - image\_processing\_aria.py
  - image\_processing\_pil\_aria.py
  - modeling\_aria.py
  - modular\_aria.py
  - processing\_aria.py
- audio\_spectrogram\_transformer/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_audio\_spectrogram\_transformer.cpython-310.pyc
    - feature\_extraction\_audio\_spectrogram\_transformer.cpython-310.pyc
    - modeling\_audio\_spectrogram\_transformer.cpython-310.pyc
    - modular\_audio\_spectrogram\_transformer.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_audio\_spectrogram\_transformer.py
  - feature\_extraction\_audio\_spectrogram\_transformer.py
  - modeling\_audio\_spectrogram\_transformer.py
  - modular\_audio\_spectrogram\_transformer.py
- audioflamingo3/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_audioflamingo3.cpython-310.pyc
    - modeling\_audioflamingo3.cpython-310.pyc
    - modular\_audioflamingo3.cpython-310.pyc
    - processing\_audioflamingo3.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_audioflamingo3.py
  - modeling\_audioflamingo3.py
  - modular\_audioflamingo3.py
  - processing\_audioflamingo3.py
- auto/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - auto\_factory.cpython-310.pyc
    - auto\_mappings.cpython-310.pyc
    - configuration\_auto.cpython-310.pyc
    - feature\_extraction\_auto.cpython-310.pyc

- image\_processing\_auto.cpython-310.pyc
  - modeling\_auto.cpython-310.pyc
  - processing\_auto.cpython-310.pyc
  - tokenization\_auto.cpython-310.pyc
  - video\_processing\_auto.cpython-310.pyc
- \_\_init\_\_.py
- auto\_factory.py
- auto\_mappings.py
- configuration\_auto.py
- feature\_extraction\_auto.py
- image\_processing\_auto.py
- modeling\_auto.py
- processing\_auto.py
- tokenization\_auto.py
- video\_processing\_auto.py
- autoformer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_autoformer.cpython-310.pyc
    - modeling\_autoformer.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_autoformer.py
  - modeling\_autoformer.py
- aya\_vision/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_aya\_vision.cpython-310.pyc
    - modeling\_aya\_vision.cpython-310.pyc
    - modular\_aya\_vision.cpython-310.pyc
    - processing\_aya\_vision.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_aya\_vision.py
  - modeling\_aya\_vision.py
  - modular\_aya\_vision.py
  - processing\_aya\_vision.py
- bamba/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_bamba.cpython-310.pyc
    - modeling\_bamba.cpython-310.pyc
    - modular\_bamba.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_bamba.py
  - modeling\_bamba.py
  - modular\_bamba.py
- bark/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_bark.cpython-310.pyc
    - generation\_configuration\_bark.cpython-310.pyc
    - modeling\_bark.cpython-310.pyc
    - processing\_bark.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_bark.py
  - generation\_configuration\_bark.py
  - modeling\_bark.py
  - processing\_bark.py
- bart/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_bart.cpython-310.pyc
    - modeling\_bart.cpython-310.pyc
    - tokenization\_bart.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_bart.py
  - modeling\_bart.py
  - tokenization\_bart.py
- barthez/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - tokenization\_barthez.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_barthez.py
- bartpho/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - tokenization\_bartpho.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_bartpho.py
- beit/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_beit.cpython-310.pyc
    - image\_processing\_beit.cpython-310.pyc
    - image\_processing\_pil\_beit.cpython-310.pyc

- modeling\_beit.cpython-310.pyc
    - modular\_beit.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_beit.py
  - image\_processing\_beit.py
  - image\_processing\_pil\_beit.py
  - modeling\_beit.py
  - modular\_beit.py
- bert/
  - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - configuration\_bert.cpython-310.pyc
      - modeling\_bert.cpython-310.pyc
      - tokenization\_bert.cpython-310.pyc
      - tokenization\_bert\_legacy.cpython-310.pyc
    - \_\_init\_\_.py
    - configuration\_bert.py
    - modeling\_bert.py
    - tokenization\_bert.py
    - tokenization\_bert\_legacy.py
  - bert\_generation/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - configuration\_bert\_generation.cpython-310.pyc
        - modeling\_bert\_generation.cpython-310.pyc
        - tokenization\_bert\_generation.cpython-310.pyc
      - \_\_init\_\_.py
      - configuration\_bert\_generation.py
      - modeling\_bert\_generation.py
      - tokenization\_bert\_generation.py
  - bert\_japanese/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - tokenization\_bert\_japanese.cpython-310.pyc
      - \_\_init\_\_.py
      - tokenization\_bert\_japanese.py
  - bertweet/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - tokenization\_bertweet.cpython-310.pyc
      - \_\_init\_\_.py
      - tokenization\_bertweet.py
  - big\_bird/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - configuration\_big\_bird.cpython-310.pyc
        - modeling\_big\_bird.cpython-310.pyc
        - tokenization\_big\_bird.cpython-310.pyc
      - \_\_init\_\_.py
      - configuration\_big\_bird.py
      - modeling\_big\_bird.py
      - tokenization\_big\_bird.py
  - bigbird\_pegasus/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - configuration\_bigbird\_pegasus.cpython-310.pyc
        - modeling\_bigbird\_pegasus.cpython-310.pyc
      - \_\_init\_\_.py
      - configuration\_bigbird\_pegasus.py
      - modeling\_bigbird\_pegasus.py
  - biogpt/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - configuration\_biogpt.cpython-310.pyc
        - modeling\_biogpt.cpython-310.pyc
        - modular\_biogpt.cpython-310.pyc
        - tokenization\_biogpt.cpython-310.pyc
      - \_\_init\_\_.py
      - configuration\_biogpt.py
      - modeling\_biogpt.py
      - modular\_biogpt.py
      - tokenization\_biogpt.py
  - bit/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - configuration\_bit.cpython-310.pyc
        - image\_processing\_bit.cpython-310.pyc
        - image\_processing\_pil\_bit.cpython-310.pyc
        - modeling\_bit.cpython-310.pyc
      - \_\_init\_\_.py
      - configuration\_bit.py
      - image\_processing\_bit.py
      - image\_processing\_pil\_bit.py
      - modeling\_bit.py
- bitnet/

- pycache\_/
  - \_\_init\_\_.cpython-310.pyc
  - configuration\_bitnet.cpython-310.pyc
  - modeling\_bitnet.cpython-310.pyc
  - modular\_bitnet.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_bitnet.py
- modeling\_bitnet.py
- modular\_bitnet.py
- blenderbot/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_blenderbot.cpython-310.pyc
    - modeling\_blenderbot.cpython-310.pyc
    - tokenization\_blenderbot.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_blenderbot.py
  - modeling\_blenderbot.py
  - tokenization\_blenderbot.py
- blenderbot\_small/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_blenderbot\_small.cpython-310.pyc
    - modeling\_blenderbot\_small.cpython-310.pyc
    - tokenization\_blenderbot\_small.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_blenderbot\_small.py
  - modeling\_blenderbot\_small.py
  - tokenization\_blenderbot\_small.py
- blip/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_blip.cpython-310.pyc
    - image\_processing\_blip.cpython-310.pyc
    - image\_processing\_pil\_blip.cpython-310.pyc
    - modeling\_blip.cpython-310.pyc
    - modeling\_blip\_text.cpython-310.pyc
    - processing\_blip.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_blip.py
  - image\_processing\_blip.py
  - image\_processing\_pil\_blip.py
  - modeling\_blip.py
  - modeling\_blip\_text.py
  - processing\_blip.py
- blip\_2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_blip\_2.cpython-310.pyc
    - modeling\_blip\_2.cpython-310.pyc
    - processing\_blip\_2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_blip\_2.py
  - modeling\_blip\_2.py
  - processing\_blip\_2.py
- bloom/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_bloom.cpython-310.pyc
    - modeling\_bloom.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_bloom.py
  - modeling\_bloom.py
- blt/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_blt.cpython-310.pyc
    - modeling\_blt.cpython-310.pyc
    - modular\_blt.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_blt.py
  - modeling\_blt.py
  - modular\_blt.py
- bridgetower/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_bridgetower.cpython-310.pyc
    - image\_processing\_bridgetower.cpython-310.pyc
    - image\_processing\_pil\_bridgetower.cpython-310.pyc
    - modeling\_bridgetower.cpython-310.pyc
    - processing\_bridgetower.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_bridgetower.py
  - image\_processing\_bridgetower.py
  - image\_processing\_pil\_bridgetower.py

- modeling\_bridgetower.py
  - processing\_bridgetower.py
- bros/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_bros.cpython-310.pyc
    - modeling\_bros.cpython-310.pyc
    - processing\_bros.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_bros.py
  - modeling\_bros.py
  - processing\_bros.py
- byt5/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - tokenization\_byt5.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_byt5.py
- camembert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_camembert.cpython-310.pyc
    - modeling\_camembert.cpython-310.pyc
    - modular\_camembert.cpython-310.pyc
    - tokenization\_camembert.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_camembert.py
  - modeling\_camembert.py
  - modular\_camembert.py
  - tokenization\_camembert.py
- canine/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_canine.cpython-310.pyc
    - modeling\_canine.cpython-310.pyc
    - tokenization\_canine.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_canine.py
  - modeling\_canine.py
  - tokenization\_canine.py
- chameleon/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_chameleon.cpython-310.pyc
    - image\_processing\_chameleon.cpython-310.pyc
    - image\_processing\_pil\_chameleon.cpython-310.pyc
    - modeling\_chameleon.cpython-310.pyc
    - processing\_chameleon.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_chameleon.py
  - image\_processing\_chameleon.py
  - image\_processing\_pil\_chameleon.py
  - modeling\_chameleon.py
  - processing\_chameleon.py
- chinese\_clip/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_chinese\_clip.cpython-310.pyc
    - image\_processing\_chinese\_clip.cpython-310.pyc
    - image\_processing\_pil\_chinese\_clip.cpython-310.pyc
    - modeling\_chinese\_clip.cpython-310.pyc
    - modular\_chinese\_clip.cpython-310.pyc
    - processing\_chinese\_clip.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_chinese\_clip.py
  - image\_processing\_chinese\_clip.py
  - image\_processing\_pil\_chinese\_clip.py
  - modeling\_chinese\_clip.py
  - modular\_chinese\_clip.py
  - processing\_chinese\_clip.py
- chmv2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_chmv2.cpython-310.pyc
    - image\_processing\_chmv2.cpython-310.pyc
    - modeling\_chmv2.cpython-310.pyc
    - modular\_chmv2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_chmv2.py
  - image\_processing\_chmv2.py
  - modeling\_chmv2.py
  - modular\_chmv2.py
- clap/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc

- configuration\_clap.cpython-310.pyc
  - feature\_extraction\_clap.cpython-310.pyc
  - modeling\_clap.cpython-310.pyc
  - processing\_clap.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_clap.py
- feature\_extraction\_clap.py
- modeling\_clap.py
- processing\_clap.py
- clip/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_clip.cpython-310.pyc
    - image\_processing\_clip.cpython-310.pyc
    - image\_processing\_pil\_clip.cpython-310.pyc
    - modeling\_clip.cpython-310.pyc
    - processing\_clip.cpython-310.pyc
    - tokenization\_clip.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_clip.py
  - image\_processing\_clip.py
  - image\_processing\_pil\_clip.py
  - modeling\_clip.py
  - processing\_clip.py
  - tokenization\_clip.py
- clipseg/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_clipseg.cpython-310.pyc
    - modeling\_clipseg.cpython-310.pyc
    - modular\_clipseg.cpython-310.pyc
    - processing\_clipseg.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_clipseg.py
  - modeling\_clipseg.py
  - modular\_clipseg.py
  - processing\_clipseg.py
- clvp/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_clvp.cpython-310.pyc
    - feature\_extraction\_clvp.cpython-310.pyc
    - modeling\_clvp.cpython-310.pyc
    - number\_normalizer.cpython-310.pyc
    - processing\_clvp.cpython-310.pyc
    - tokenization\_clvp.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_clvp.py
  - feature\_extraction\_clvp.py
  - modeling\_clvp.py
  - number\_normalizer.py
  - processing\_clvp.py
  - tokenization\_clvp.py
- code\_llama/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - tokenization\_code\_llama.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_code\_llama.py
- codegen/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_codegen.cpython-310.pyc
    - modeling\_codegen.cpython-310.pyc
    - tokenization\_codegen.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_codegen.py
  - modeling\_codegen.py
  - tokenization\_codegen.py
- cohere/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_cohere.cpython-310.pyc
    - modeling\_cohere.cpython-310.pyc
    - modular\_cohere.cpython-310.pyc
    - tokenization\_cohere.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_cohere.py
  - modeling\_cohere.py
  - modular\_cohere.py
  - tokenization\_cohere.py
- cohere2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_cohere2.cpython-310.pyc



- modeling\_cohere2.cpython-310.pyc
  - modular\_cohere2.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_cohere2.py
- modeling\_cohere2.py
- modular\_cohere2.py
- cohere2\_moe/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_cohere2\_moe.cpython-310.pyc
    - modeling\_cohere2\_moe.cpython-310.pyc
    - modular\_cohere2\_moe.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_cohere2\_moe.py
  - modeling\_cohere2\_moe.py
  - modular\_cohere2\_moe.py
- cohere2\_vision/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_cohere2\_vision.cpython-310.pyc
    - image\_processing\_cohere2\_vision.cpython-310.pyc
    - modeling\_cohere2\_vision.cpython-310.pyc
    - modular\_cohere2\_vision.cpython-310.pyc
    - processing\_cohere2\_vision.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_cohere2\_vision.py
  - image\_processing\_cohere2\_vision.py
  - modeling\_cohere2\_vision.py
  - modular\_cohere2\_vision.py
  - processing\_cohere2\_vision.py
- cohere\_asr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_cohere\_asr.cpython-310.pyc
    - feature\_extraction\_cohere\_asr.cpython-310.pyc
    - modeling\_cohere\_asr.cpython-310.pyc
    - modular\_cohere\_asr.cpython-310.pyc
    - processing\_cohere\_asr.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_cohere\_asr.py
  - feature\_extraction\_cohere\_asr.py
  - modeling\_cohere\_asr.py
  - modular\_cohere\_asr.py
  - processing\_cohere\_asr.py
- colmodernvbert/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_colmodernvbert.cpython-310.pyc
    - modeling\_colmodernvbert.cpython-310.pyc
    - modular\_colmodernvbert.cpython-310.pyc
    - processing\_colmodernvbert.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_colmodernvbert.py
  - modeling\_colmodernvbert.py
  - modular\_colmodernvbert.py
  - processing\_colmodernvbert.py
- colpali/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_colpali.cpython-310.pyc
    - modeling\_colpali.cpython-310.pyc
    - modular\_colpali.cpython-310.pyc
    - processing\_colpali.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_colpali.py
  - modeling\_colpali.py
  - modular\_colpali.py
  - processing\_colpali.py
- colqwen2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_colqwen2.cpython-310.pyc
    - modeling\_colqwen2.cpython-310.pyc
    - modular\_colqwen2.cpython-310.pyc
    - processing\_colqwen2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_colqwen2.py
  - modeling\_colqwen2.py
  - modular\_colqwen2.py
  - processing\_colqwen2.py
- conditional\_detr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_conditional\_detr.cpython-310.pyc
    - image\_processing\_conditional\_detr.cpython-310.pyc

- image\_processing\_pil\_conditional\_detr.cpython-310.pyc
  - modeling\_conditional\_detr.cpython-310.pyc
  - modular\_conditional\_detr.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_conditional\_detr.py
- image\_processing\_conditional\_detr.py
- image\_processing\_pil\_conditional\_detr.py
- modeling\_conditional\_detr.py
- modular\_conditional\_detr.py
- convbert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_convbert.cpython-310.pyc
    - modeling\_convbert.cpython-310.pyc
    - tokenization\_convbert.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_convbert.py
  - modeling\_convbert.py
  - tokenization\_convbert.py
- convnext/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_convnext.cpython-310.pyc
    - image\_processing\_convnext.cpython-310.pyc
    - image\_processing\_pil\_convnext.cpython-310.pyc
    - modeling\_convnext.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_convnext.py
  - image\_processing\_convnext.py
  - image\_processing\_pil\_convnext.py
  - modeling\_convnext.py
- convnextv2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_convnextv2.cpython-310.pyc
    - modeling\_convnextv2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_convnextv2.py
  - modeling\_convnextv2.py
- cosmos3\_omni/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_cosmos3\_omni.cpython-310.pyc
    - modeling\_cosmos3\_omni.cpython-310.pyc
    - modular\_cosmos3\_omni.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_cosmos3\_omni.py
  - modeling\_cosmos3\_omni.py
  - modular\_cosmos3\_omni.py
- cpm/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - tokenization\_cpm.cpython-310.pyc
    - tokenization\_cpm\_fast.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_cpm.py
  - tokenization\_cpm\_fast.py
- cpmant/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_cpmant.cpython-310.pyc
    - modeling\_cpmant.cpython-310.pyc
    - tokenization\_cpmant.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_cpmant.py
  - modeling\_cpmant.py
  - tokenization\_cpmant.py
- csm/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_csm.cpython-310.pyc
    - generation\_csm.cpython-310.pyc
    - modeling\_csm.cpython-310.pyc
    - modular\_csm.cpython-310.pyc
    - processing\_csm.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_csm.py
  - generation\_csm.py
  - modeling\_csm.py
  - modular\_csm.py
  - processing\_csm.py
- ctrl/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_ctrl.cpython-310.pyc

- modeling\_ctrl.cpython-310.pyc
    - tokenization\_ctrl.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_ctrl.py
  - modeling\_ctrl.py
  - tokenization\_ctrl.py
- cvt/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_cvt.cpython-310.pyc
      - modeling\_cvt.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_cvt.py
  - modeling\_cvt.py
- cwm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_cwm.cpython-310.pyc
      - modeling\_cwm.cpython-310.pyc
      - modular\_cwm.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_cwm.py
  - modeling\_cwm.py
  - modular\_cwm.py
- d\_fine/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_d\_fine.cpython-310.pyc
      - modeling\_d\_fine.cpython-310.pyc
      - modular\_d\_fine.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_d\_fine.py
  - modeling\_d\_fine.py
  - modular\_d\_fine.py
- dab\_detr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_dab\_detr.cpython-310.pyc
      - modeling\_dab\_detr.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_dab\_detr.py
  - modeling\_dab\_detr.py
- dac/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_dac.cpython-310.pyc
      - feature\_extraction\_dac.cpython-310.pyc
      - modeling\_dac.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_dac.py
  - feature\_extraction\_dac.py
  - modeling\_dac.py
- data2vec/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_data2vec\_audio.cpython-310.pyc
      - configuration\_data2vec\_text.cpython-310.pyc
      - configuration\_data2vec\_vision.cpython-310.pyc
      - modeling\_data2vec\_audio.cpython-310.pyc
      - modeling\_data2vec\_text.cpython-310.pyc
      - modeling\_data2vec\_vision.cpython-310.pyc
      - modular\_data2vec\_audio.cpython-310.pyc
      - modular\_data2vec\_text.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_data2vec\_audio.py
  - configuration\_data2vec\_text.py
  - configuration\_data2vec\_vision.py
  - modeling\_data2vec\_audio.py
  - modeling\_data2vec\_text.py
  - modeling\_data2vec\_vision.py
  - modular\_data2vec\_audio.py
  - modular\_data2vec\_text.py
- dbrx/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_dbrx.cpython-310.pyc
      - modeling\_dbrx.cpython-310.pyc
      - modular\_dbrx.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_dbrx.py
  - modeling\_dbrx.py
  - modular\_dbrx.py
- deberta/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc

- configuration\_deberta.cpython-310.pyc
  - modeling\_deberta.cpython-310.pyc
  - tokenization\_deberta.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_deberta.py
- modeling\_deberta.py
- tokenization\_deberta.py
- deberta\_v2/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_deberta\_v2.cpython-310.pyc
    - modeling\_deberta\_v2.cpython-310.pyc
    - tokenization\_deberta\_v2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_deberta\_v2.py
  - modeling\_deberta\_v2.py
  - tokenization\_deberta\_v2.py
- decision\_transformer/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_decision\_transformer.cpython-310.pyc
    - modeling\_decision\_transformer.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_decision\_transformer.py
  - modeling\_decision\_transformer.py
- deepseek\_ocr2/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_deepseek\_ocr2.cpython-310.pyc
    - image\_processing\_deepseek\_ocr2.cpython-310.pyc
    - image\_processing\_pil\_deepseek\_ocr2.cpython-310.pyc
    - modeling\_deepseek\_ocr2.cpython-310.pyc
    - modular\_deepseek\_ocr2.cpython-310.pyc
    - processing\_deepseek\_ocr2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_deepseek\_ocr2.py
  - image\_processing\_deepseek\_ocr2.py
  - image\_processing\_pil\_deepseek\_ocr2.py
  - modeling\_deepseek\_ocr2.py
  - modular\_deepseek\_ocr2.py
  - processing\_deepseek\_ocr2.py
- deepseek\_v2/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_deepseek\_v2.cpython-310.pyc
    - modeling\_deepseek\_v2.cpython-310.pyc
    - modular\_deepseek\_v2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_deepseek\_v2.py
  - modeling\_deepseek\_v2.py
  - modular\_deepseek\_v2.py
- deepseek\_v3/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_deepseek\_v3.cpython-310.pyc
    - modeling\_deepseek\_v3.cpython-310.pyc
    - modular\_deepseek\_v3.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_deepseek\_v3.py
  - modeling\_deepseek\_v3.py
  - modular\_deepseek\_v3.py
- deepseek\_v32/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_deepseek\_v32.cpython-310.pyc
    - modeling\_deepseek\_v32.cpython-310.pyc
    - modular\_deepseek\_v32.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_deepseek\_v32.py
  - modeling\_deepseek\_v32.py
  - modular\_deepseek\_v32.py
- deepseek\_v4/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_deepseek\_v4.cpython-310.pyc
    - modeling\_deepseek\_v4.cpython-310.pyc
    - modular\_deepseek\_v4.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_deepseek\_v4.py
  - modeling\_deepseek\_v4.py
  - modular\_deepseek\_v4.py
- deepseek\_v1/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_deepseek\_v1.cpython-310.pyc

- image\_processing\_deepseek\_v1.cpython-310.pyc
- image\_processing\_pil\_deepseek\_v1.cpython-310.pyc
- modeling\_deepseek\_v1.cpython-310.pyc
- modular\_deepseek\_v1.cpython-310.pyc
- processing\_deepseek\_v1.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_deepseek\_v1.py
- image\_processing\_deepseek\_v1.py
- image\_processing\_pil\_deepseek\_v1.py
- modeling\_deepseek\_v1.py
- modular\_deepseek\_v1.py
- processing\_deepseek\_v1.py
- deepseek\_v1\_hybrid/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_deepseek\_v1\_hybrid.cpython-310.pyc
    - image\_processing\_deepseek\_v1\_hybrid.cpython-310.pyc
    - image\_processing\_pil\_deepseek\_v1\_hybrid.cpython-310.pyc
    - modeling\_deepseek\_v1\_hybrid.cpython-310.pyc
    - modular\_deepseek\_v1\_hybrid.cpython-310.pyc
    - processing\_deepseek\_v1\_hybrid.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_deepseek\_v1\_hybrid.py
  - image\_processing\_deepseek\_v1\_hybrid.py
  - image\_processing\_pil\_deepseek\_v1\_hybrid.py
  - modeling\_deepseek\_v1\_hybrid.py
  - modular\_deepseek\_v1\_hybrid.py
  - processing\_deepseek\_v1\_hybrid.py
- deformable\_detr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_deformable\_detr.cpython-310.pyc
    - image\_processing\_deformable\_detr.cpython-310.pyc
    - image\_processing\_pil\_deformable\_detr.cpython-310.pyc
    - modeling\_deformable\_detr.cpython-310.pyc
    - modular\_deformable\_detr.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_deformable\_detr.py
  - image\_processing\_deformable\_detr.py
  - image\_processing\_pil\_deformable\_detr.py
  - modeling\_deformable\_detr.py
  - modular\_deformable\_detr.py
- deimv2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_deimv2.cpython-310.pyc
    - modeling\_deimv2.cpython-310.pyc
    - modular\_deimv2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_deimv2.py
  - modeling\_deimv2.py
  - modular\_deimv2.py
- deit/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_deit.cpython-310.pyc
    - image\_processing\_deit.cpython-310.pyc
    - image\_processing\_pil\_deit.cpython-310.pyc
    - modeling\_deit.cpython-310.pyc
    - modular\_deit.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_deit.py
  - image\_processing\_deit.py
  - image\_processing\_pil\_deit.py
  - modeling\_deit.py
  - modular\_deit.py
- deprecated/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- depth\_anything/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_depth\_anything.cpython-310.pyc
    - modeling\_depth\_anything.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_depth\_anything.py
  - modeling\_depth\_anything.py
- depth\_pro/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_depth\_pro.cpython-310.pyc
    - image\_processing\_depth\_pro.cpython-310.pyc
    - modeling\_depth\_pro.cpython-310.pyc
  - \_\_init\_\_.py

- └─ configuration\_depth\_pro.py
- └─ image\_processing\_depth\_pro.py
- └─ modeling\_depth\_pro.py
- ─ detr/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_detr.cpython-310.pyc
    - └─ image\_processing\_detr.cpython-310.pyc
    - └─ image\_processing\_pil\_detr.cpython-310.pyc
    - └─ modeling\_detr.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_detr.py
  - └─ image\_processing\_detr.py
  - └─ image\_processing\_pil\_detr.py
  - └─ modeling\_detr.py
- ─ dia/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_dia.cpython-310.pyc
    - └─ feature\_extraction\_dia.cpython-310.pyc
    - └─ generation\_dia.cpython-310.pyc
    - └─ modeling\_dia.cpython-310.pyc
    - └─ modular\_dia.cpython-310.pyc
    - └─ processing\_dia.cpython-310.pyc
    - └─ tokenization\_dia.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_dia.py
  - └─ feature\_extraction\_dia.py
  - └─ generation\_dia.py
  - └─ modeling\_dia.py
  - └─ modular\_dia.py
  - └─ processing\_dia.py
  - └─ tokenization\_dia.py
- ─ dialogpt/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
  - └─ \_\_init\_\_.py
- ─ diffllama/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_diffllama.cpython-310.pyc
    - └─ modeling\_diffllama.cpython-310.pyc
    - └─ modular\_diffllama.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_diffllama.py
  - └─ modeling\_diffllama.py
  - └─ modular\_diffllama.py
- ─ diffusion\_gemma/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_diffusion\_gemma.cpython-310.pyc
    - └─ generation\_diffusion\_gemma.cpython-310.pyc
    - └─ modeling\_diffusion\_gemma.cpython-310.pyc
    - └─ modular\_diffusion\_gemma.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_diffusion\_gemma.py
  - └─ generation\_diffusion\_gemma.py
  - └─ modeling\_diffusion\_gemma.py
  - └─ modular\_diffusion\_gemma.py
- ─ dinat/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_dinat.cpython-310.pyc
    - └─ modeling\_dinat.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_dinat.py
  - └─ modeling\_dinat.py
- ─ dinov2/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_dinov2.cpython-310.pyc
    - └─ modeling\_dinov2.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_dinov2.py
  - └─ modeling\_dinov2.py
- ─ dinov2\_with\_registers/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_dinov2\_with\_registers.cpython-310.pyc
    - └─ modeling\_dinov2\_with\_registers.cpython-310.pyc
    - └─ modular\_dinov2\_with\_registers.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_dinov2\_with\_registers.py
  - └─ modeling\_dinov2\_with\_registers.py
  - └─ modular\_dinov2\_with\_registers.py

- dinov3\_convnext/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_dinov3\_convnext.cpython-310.pyc
    - modeling\_dinov3\_convnext.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_dinov3\_convnext.py
  - modeling\_dinov3\_convnext.py
- dinov3\_vit/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_dinov3\_vit.cpython-310.pyc
    - image\_processing\_dinov3\_vit.cpython-310.pyc
    - modeling\_dinov3\_vit.cpython-310.pyc
    - modular\_dinov3\_vit.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_dinov3\_vit.py
  - image\_processing\_dinov3\_vit.py
  - modeling\_dinov3\_vit.py
  - modular\_dinov3\_vit.py
- distilbert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_distilbert.cpython-310.pyc
    - modeling\_distilbert.cpython-310.pyc
    - tokenization\_distilbert.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_distilbert.py
  - modeling\_distilbert.py
  - tokenization\_distilbert.py
- dit/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
- doge/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_doge.cpython-310.pyc
    - modeling\_doge.cpython-310.pyc
    - modular\_doge.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_doge.py
  - modeling\_doge.py
  - modular\_doge.py
- donut/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_donut\_swin.cpython-310.pyc
    - image\_processing\_donut.cpython-310.pyc
    - image\_processing\_pil\_donut.cpython-310.pyc
    - modeling\_donut\_swin.cpython-310.pyc
    - processing\_donut.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_donut\_swin.py
  - image\_processing\_donut.py
  - image\_processing\_pil\_donut.py
  - modeling\_donut\_swin.py
  - processing\_donut.py
- dots1/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_dots1.cpython-310.pyc
    - modeling\_dots1.cpython-310.pyc
    - modular\_dots1.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_dots1.py
  - modeling\_dots1.py
  - modular\_dots1.py
- dpr/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_dpr.cpython-310.pyc
    - modeling\_dpr.cpython-310.pyc
    - tokenization\_dpr.cpython-310.pyc
    - tokenization\_dpr\_fast.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_dpr.py
  - modeling\_dpr.py
  - tokenization\_dpr.py
  - tokenization\_dpr\_fast.py
- dpt/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_dpt.cpython-310.pyc
    - image\_processing\_dpt.cpython-310.pyc

- image\_processing\_pil\_dpt.cpython-310.pyc
  - modeling\_dpt.cpython-310.pyc
  - modular\_dpt.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_dpt.py
- image\_processing\_dpt.py
- image\_processing\_pil\_dpt.py
- modeling\_dpt.py
- modular\_dpt.py
- edgetam/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_edgetam.cpython-310.pyc
    - modeling\_edgetam.cpython-310.pyc
    - modular\_edgetam.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_edgetam.py
  - modeling\_edgetam.py
  - modular\_edgetam.py
- edgetam\_video/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_edgetam\_video.cpython-310.pyc
    - modeling\_edgetam\_video.cpython-310.pyc
    - modular\_edgetam\_video.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_edgetam\_video.py
  - modeling\_edgetam\_video.py
  - modular\_edgetam\_video.py
- efficientloftr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_efficientloftr.cpython-310.pyc
    - image\_processing\_efficientloftr.cpython-310.pyc
    - image\_processing\_pil\_efficientloftr.cpython-310.pyc
    - modeling\_efficientloftr.cpython-310.pyc
    - modular\_efficientloftr.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_efficientloftr.py
  - image\_processing\_efficientloftr.py
  - image\_processing\_pil\_efficientloftr.py
  - modeling\_efficientloftr.py
  - modular\_efficientloftr.py
- efficientnet/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_efficientnet.cpython-310.pyc
    - image\_processing\_efficientnet.cpython-310.pyc
    - image\_processing\_pil\_efficientnet.cpython-310.pyc
    - modeling\_efficientnet.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_efficientnet.py
  - image\_processing\_efficientnet.py
  - image\_processing\_pil\_efficientnet.py
  - modeling\_efficientnet.py
- electra/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_electra.cpython-310.pyc
    - modeling\_electra.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_electra.py
  - modeling\_electra.py
- emu3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_emu3.cpython-310.pyc
    - image\_processing\_emu3.cpython-310.pyc
    - modeling\_emu3.cpython-310.pyc
    - modular\_emu3.cpython-310.pyc
    - processing\_emu3.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_emu3.py
  - image\_processing\_emu3.py
  - modeling\_emu3.py
  - modular\_emu3.py
  - processing\_emu3.py
- encodec/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_encodec.cpython-310.pyc
    - feature\_extraction\_encodec.cpython-310.pyc
    - modeling\_encodec.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_encodec.py



- └─ feature\_extraction\_encoder.py
- └─ modeling\_encoder.py
- ─ encoder\_decoder/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_encoder\_decoder.cpython-310.pyc
    - └─ modeling\_encoder\_decoder.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_encoder\_decoder.py
  - └─ modeling\_encoder\_decoder.py
- ─ eomt/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_eomt.cpython-310.pyc
    - └─ image\_processing\_eomt.cpython-310.pyc
    - └─ image\_processing\_pil\_eomt.cpython-310.pyc
    - └─ modeling\_eomt.cpython-310.pyc
    - └─ modular\_eomt.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_eomt.py
  - └─ image\_processing\_eomt.py
  - └─ image\_processing\_pil\_eomt.py
  - └─ modeling\_eomt.py
  - └─ modular\_eomt.py
- ─ eomt\_dinov3/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_eomt\_dinov3.cpython-310.pyc
    - └─ modeling\_eomt\_dinov3.cpython-310.pyc
    - └─ modular\_eomt\_dinov3.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_eomt\_dinov3.py
  - └─ modeling\_eomt\_dinov3.py
  - └─ modular\_eomt\_dinov3.py
- ─ ernie/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_ernie.cpython-310.pyc
    - └─ modeling\_ernie.cpython-310.pyc
    - └─ modular\_ernie.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_ernie.py
  - └─ modeling\_ernie.py
  - └─ modular\_ernie.py
- ─ ernie4\_5/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_ernie4\_5.cpython-310.pyc
    - └─ modeling\_ernie4\_5.cpython-310.pyc
    - └─ modular\_ernie4\_5.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_ernie4\_5.py
  - └─ modeling\_ernie4\_5.py
  - └─ modular\_ernie4\_5.py
- ─ ernie4\_5\_moe/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_ernie4\_5\_moe.cpython-310.pyc
    - └─ modeling\_ernie4\_5\_moe.cpython-310.pyc
    - └─ modular\_ernie4\_5\_moe.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_ernie4\_5\_moe.py
  - └─ modeling\_ernie4\_5\_moe.py
  - └─ modular\_ernie4\_5\_moe.py
- ─ ernie4\_5\_vl\_moe/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_ernie4\_5\_vl\_moe.cpython-310.pyc
    - └─ image\_processing\_ernie4\_5\_vl\_moe.cpython-310.pyc
    - └─ image\_processing\_pil\_ernie4\_5\_vl\_moe.cpython-310.pyc
    - └─ modeling\_ernie4\_5\_vl\_moe.cpython-310.pyc
    - └─ modular\_ernie4\_5\_vl\_moe.cpython-310.pyc
    - └─ processing\_ernie4\_5\_vl\_moe.cpython-310.pyc
    - └─ video\_processing\_ernie4\_5\_vl\_moe.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_ernie4\_5\_vl\_moe.py
  - └─ image\_processing\_ernie4\_5\_vl\_moe.py
  - └─ image\_processing\_pil\_ernie4\_5\_vl\_moe.py
  - └─ modeling\_ernie4\_5\_vl\_moe.py
  - └─ modular\_ernie4\_5\_vl\_moe.py
  - └─ processing\_ernie4\_5\_vl\_moe.py
  - └─ video\_processing\_ernie4\_5\_vl\_moe.py
- ─ esm/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc

- configuration\_esm.cpython-310.pyc
- modeling\_esm.cpython-310.pyc
- modeling\_esmfold.cpython-310.pyc
- tokenization\_esm.cpython-310.pyc
- openfold\_utils/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - chunk\_utils.cpython-310.pyc
    - data\_transforms.cpython-310.pyc
    - feats.cpython-310.pyc
    - loss.cpython-310.pyc
    - protein.cpython-310.pyc
    - residue\_constants.cpython-310.pyc
    - rigid\_utils.cpython-310.pyc
    - tensor\_utils.cpython-310.pyc
  - \_\_init\_\_.py
  - chunk\_utils.py
  - data\_transforms.py
  - feats.py
  - loss.py
  - protein.py
  - residue\_constants.py
  - rigid\_utils.py
  - tensor\_utils.py
- \_\_init\_\_.py
- configuration\_esm.py
- modeling\_esm.py
- modeling\_esmfold.py
- tokenization\_esm.py
- eurobert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_eurobert.cpython-310.pyc
    - modeling\_eurobert.cpython-310.pyc
    - modular\_eurobert.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_eurobert.py
  - modeling\_eurobert.py
  - modular\_eurobert.py
- evolla/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_evolla.cpython-310.pyc
    - modeling\_evolla.cpython-310.pyc
    - modular\_evolla.cpython-310.pyc
    - processing\_evolla.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_evolla.py
  - modeling\_evolla.py
  - modular\_evolla.py
  - processing\_evolla.py
- exaone4/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_exaone4.cpython-310.pyc
    - modeling\_exaone4.cpython-310.pyc
    - modular\_exaone4.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_exaone4.py
  - modeling\_exaone4.py
  - modular\_exaone4.py
- exaone4\_5/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_exaone4\_5.cpython-310.pyc
    - modeling\_exaone4\_5.cpython-310.pyc
    - modular\_exaone4\_5.cpython-310.pyc
    - processing\_exaone4\_5.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_exaone4\_5.py
  - modeling\_exaone4\_5.py
  - modular\_exaone4\_5.py
  - processing\_exaone4\_5.py
- exaone\_moe/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_exaone\_moe.cpython-310.pyc
    - modeling\_exaone\_moe.cpython-310.pyc
    - modular\_exaone\_moe.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_exaone\_moe.py
  - modeling\_exaone\_moe.py
  - modular\_exaone\_moe.py
- falcon/
  - pycache\_/

- `__init__.cpython-310.pyc`
  - `configuration_falcon.cpython-310.pyc`
  - `modeling_falcon.cpython-310.pyc`
- `__init__.py`
- `configuration_falcon.py`
- `modeling_falcon.py`
- `falcon_h1/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_falcon_h1.cpython-310.pyc`
    - `modeling_falcon_h1.cpython-310.pyc`
    - `modular_falcon_h1.cpython-310.pyc`
  - `__init__.py`
  - `configuration_falcon_h1.py`
  - `modeling_falcon_h1.py`
  - `modular_falcon_h1.py`
- `falcon_mamba/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_falcon_mamba.cpython-310.pyc`
    - `modeling_falcon_mamba.cpython-310.pyc`
    - `modular_falcon_mamba.cpython-310.pyc`
  - `__init__.py`
  - `configuration_falcon_mamba.py`
  - `modeling_falcon_mamba.py`
  - `modular_falcon_mamba.py`
- `fast_vlm/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_fast_vlm.cpython-310.pyc`
    - `modeling_fast_vlm.cpython-310.pyc`
    - `modular_fast_vlm.cpython-310.pyc`
  - `__init__.py`
  - `configuration_fast_vlm.py`
  - `modeling_fast_vlm.py`
  - `modular_fast_vlm.py`
- `fastspeech2_conformer/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_fastspeech2_conformer.cpython-310.pyc`
    - `modeling_fastspeech2_conformer.cpython-310.pyc`
    - `tokenization_fastspeech2_conformer.cpython-310.pyc`
  - `__init__.py`
  - `configuration_fastspeech2_conformer.py`
  - `modeling_fastspeech2_conformer.py`
  - `tokenization_fastspeech2_conformer.py`
- `flaubert/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_flaubert.cpython-310.pyc`
    - `modeling_flaubert.cpython-310.pyc`
    - `tokenization_flaubert.cpython-310.pyc`
  - `__init__.py`
  - `configuration_flaubert.py`
  - `modeling_flaubert.py`
  - `tokenization_flaubert.py`
- `flava/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_flava.cpython-310.pyc`
    - `image_processing_flava.cpython-310.pyc`
    - `image_processing_pil_flava.cpython-310.pyc`
    - `modeling_flava.cpython-310.pyc`
    - `processing_flava.cpython-310.pyc`
  - `__init__.py`
  - `configuration_flava.py`
  - `image_processing_flava.py`
  - `image_processing_pil_flava.py`
  - `modeling_flava.py`
  - `processing_flava.py`
- `flex_olmo/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_flex_olmo.cpython-310.pyc`
    - `modeling_flex_olmo.cpython-310.pyc`
    - `modular_flex_olmo.cpython-310.pyc`
  - `__init__.py`
  - `configuration_flex_olmo.py`
  - `modeling_flex_olmo.py`
  - `modular_flex_olmo.py`
- `florence2/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_florence2.cpython-310.pyc`
    - `modeling_florence2.cpython-310.pyc`

- modular\_florence2.cpython-310.pyc
    - processing\_florence2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_florence2.py
  - modeling\_florence2.py
  - modular\_florence2.py
  - processing\_florence2.py
- fnet/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_fnet.cpython-310.pyc
      - modeling\_fnet.cpython-310.pyc
      - tokenization\_fnet.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_fnet.py
  - modeling\_fnet.py
  - tokenization\_fnet.py
- focalnet/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_focalnet.cpython-310.pyc
      - modeling\_focalnet.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_focalnet.py
  - modeling\_focalnet.py
- fsmt/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_fsmt.cpython-310.pyc
      - modeling\_fsmt.cpython-310.pyc
      - tokenization\_fsmt.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_fsmt.py
  - modeling\_fsmt.py
  - tokenization\_fsmt.py
- funnel/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_funnel.cpython-310.pyc
      - modeling\_funnel.cpython-310.pyc
      - tokenization\_funnel.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_funnel.py
  - modeling\_funnel.py
  - tokenization\_funnel.py
- fuyu/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_fuyu.cpython-310.pyc
      - image\_processing\_fuyu.cpython-310.pyc
      - image\_processing\_pil\_fuyu.cpython-310.pyc
      - modeling\_fuyu.cpython-310.pyc
      - processing\_fuyu.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_fuyu.py
  - image\_processing\_fuyu.py
  - image\_processing\_pil\_fuyu.py
  - modeling\_fuyu.py
  - processing\_fuyu.py
- gemma/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_gemma.cpython-310.pyc
      - modeling\_gemma.cpython-310.pyc
      - modular\_gemma.cpython-310.pyc
      - tokenization\_gemma.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gemma.py
  - modeling\_gemma.py
  - modular\_gemma.py
  - tokenization\_gemma.py
- gemma2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_gemma2.cpython-310.pyc
      - modeling\_gemma2.cpython-310.pyc
      - modular\_gemma2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gemma2.py
  - modeling\_gemma2.py
  - modular\_gemma2.py
- gemma3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
      - configuration\_gemma3.cpython-310.pyc

- image\_processing\_gemma3.cpython-310.pyc
- image\_processing\_pil\_gemma3.cpython-310.pyc
- modeling\_gemma3.cpython-310.pyc
- modular\_gemma3.cpython-310.pyc
- processing\_gemma3.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_gemma3.py
- image\_processing\_gemma3.py
- image\_processing\_pil\_gemma3.py
- modeling\_gemma3.py
- modular\_gemma3.py
- processing\_gemma3.py
- gemma3n/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gemma3n.cpython-310.pyc
    - feature\_extraction\_gemma3n.cpython-310.pyc
    - modeling\_gemma3n.cpython-310.pyc
    - modular\_gemma3n.cpython-310.pyc
    - processing\_gemma3n.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gemma3n.py
  - feature\_extraction\_gemma3n.py
  - modeling\_gemma3n.py
  - modular\_gemma3n.py
  - processing\_gemma3n.py
- gemma4/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gemma4.cpython-310.pyc
    - feature\_extraction\_gemma4.cpython-310.pyc
    - image\_processing\_gemma4.cpython-310.pyc
    - image\_processing\_pil\_gemma4.cpython-310.pyc
    - modeling\_gemma4.cpython-310.pyc
    - modular\_gemma4.cpython-310.pyc
    - processing\_gemma4.cpython-310.pyc
    - video\_processing\_gemma4.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gemma4.py
  - feature\_extraction\_gemma4.py
  - image\_processing\_gemma4.py
  - image\_processing\_pil\_gemma4.py
  - modeling\_gemma4.py
  - modular\_gemma4.py
  - processing\_gemma4.py
  - video\_processing\_gemma4.py
- gemma4\_assistant/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gemma4\_assistant.cpython-310.pyc
    - modeling\_gemma4\_assistant.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gemma4\_assistant.py
  - modeling\_gemma4\_assistant.py
- gemma4\_unified/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gemma4\_unified.cpython-310.pyc
    - feature\_extraction\_gemma4\_unified.cpython-310.pyc
    - image\_processing\_gemma4\_unified.cpython-310.pyc
    - modeling\_gemma4\_unified.cpython-310.pyc
    - modular\_gemma4\_unified.cpython-310.pyc
    - processing\_gemma4\_unified.cpython-310.pyc
    - video\_processing\_gemma4\_unified.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gemma4\_unified.py
  - feature\_extraction\_gemma4\_unified.py
  - image\_processing\_gemma4\_unified.py
  - modeling\_gemma4\_unified.py
  - modular\_gemma4\_unified.py
  - processing\_gemma4\_unified.py
  - video\_processing\_gemma4\_unified.py
- gemma4\_unified\_assistant/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gemma4\_unified\_assistant.cpython-310.pyc
    - modeling\_gemma4\_unified\_assistant.cpython-310.pyc
    - modular\_gemma4\_unified\_assistant.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gemma4\_unified\_assistant.py
  - modeling\_gemma4\_unified\_assistant.py
  - modular\_gemma4\_unified\_assistant.py
- git/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc

- configuration\_git.cpython-310.pyc
  - modeling\_git.cpython-310.pyc
  - processing\_git.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_git.py
- modeling\_git.py
- processing\_git.py
- glm/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_glm.cpython-310.pyc
    - modeling\_glm.cpython-310.pyc
    - modular\_glm.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_glm.py
  - modeling\_glm.py
  - modular\_glm.py
- glm4/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_glm4.cpython-310.pyc
    - modeling\_glm4.cpython-310.pyc
    - modular\_glm4.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_glm4.py
  - modeling\_glm4.py
  - modular\_glm4.py
- glm46v/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_glm46v.cpython-310.pyc
    - image\_processing\_glm46v.cpython-310.pyc
    - image\_processing\_pil\_glm46v.cpython-310.pyc
    - modeling\_glm46v.cpython-310.pyc
    - modular\_glm46v.cpython-310.pyc
    - processing\_glm46v.cpython-310.pyc
    - video\_processing\_glm46v.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_glm46v.py
  - image\_processing\_glm46v.py
  - image\_processing\_pil\_glm46v.py
  - modeling\_glm46v.py
  - modular\_glm46v.py
  - processing\_glm46v.py
  - video\_processing\_glm46v.py
- glm4\_moe/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_glm4\_moe.cpython-310.pyc
    - modeling\_glm4\_moe.cpython-310.pyc
    - modular\_glm4\_moe.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_glm4\_moe.py
  - modeling\_glm4\_moe.py
  - modular\_glm4\_moe.py
- glm4\_moe\_lite/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_glm4\_moe\_lite.cpython-310.pyc
    - modeling\_glm4\_moe\_lite.cpython-310.pyc
    - modular\_glm4\_moe\_lite.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_glm4\_moe\_lite.py
  - modeling\_glm4\_moe\_lite.py
  - modular\_glm4\_moe\_lite.py
- glm4v/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_glm4v.cpython-310.pyc
    - image\_processing\_glm4v.cpython-310.pyc
    - image\_processing\_pil\_glm4v.cpython-310.pyc
    - modeling\_glm4v.cpython-310.pyc
    - modular\_glm4v.cpython-310.pyc
    - processing\_glm4v.cpython-310.pyc
    - video\_processing\_glm4v.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_glm4v.py
  - image\_processing\_glm4v.py
  - image\_processing\_pil\_glm4v.py
  - modeling\_glm4v.py
  - modular\_glm4v.py
  - processing\_glm4v.py
  - video\_processing\_glm4v.py
- glm4v\_moe/
  - pycache\_/

- `__init__.cpython-310.pyc`
  - `configuration_glm4v_moe.cpython-310.pyc`
  - `modeling_glm4v_moe.cpython-310.pyc`
  - `modular_glm4v_moe.cpython-310.pyc`
- `__init__.py`
- `configuration_glm4v_moe.py`
- `modeling_glm4v_moe.py`
- `modular_glm4v_moe.py`
- `glm_image/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_glm_image.cpython-310.pyc`
    - `image_processing_glm_image.cpython-310.pyc`
    - `image_processing_pil_glm_image.cpython-310.pyc`
    - `modeling_glm_image.cpython-310.pyc`
    - `modular_glm_image.cpython-310.pyc`
    - `processing_glm_image.cpython-310.pyc`
  - `__init__.py`
  - `configuration_glm_image.py`
  - `image_processing_glm_image.py`
  - `image_processing_pil_glm_image.py`
  - `modeling_glm_image.py`
  - `modular_glm_image.py`
  - `processing_glm_image.py`
- `glm_moe_dsa/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_glm_moe_dsa.cpython-310.pyc`
    - `modeling_glm_moe_dsa.cpython-310.pyc`
    - `modular_glm_moe_dsa.cpython-310.pyc`
  - `__init__.py`
  - `configuration_glm_moe_dsa.py`
  - `modeling_glm_moe_dsa.py`
  - `modular_glm_moe_dsa.py`
- `glm_ocr/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_glm_ocr.cpython-310.pyc`
    - `modeling_glm_ocr.cpython-310.pyc`
    - `modular_glm_ocr.cpython-310.pyc`
  - `__init__.py`
  - `configuration_glm_ocr.py`
  - `modeling_glm_ocr.py`
  - `modular_glm_ocr.py`
- `glmasr/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_glmasr.cpython-310.pyc`
    - `modeling_glmasr.cpython-310.pyc`
    - `modular_glmasr.cpython-310.pyc`
    - `processing_glmasr.cpython-310.pyc`
  - `__init__.py`
  - `configuration_glmasr.py`
  - `modeling_glmasr.py`
  - `modular_glmasr.py`
  - `processing_glmasr.py`
- `glmga/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_glmga.cpython-310.pyc`
    - `image_processing_glmga.cpython-310.pyc`
    - `image_processing_pil_glmga.cpython-310.pyc`
    - `modular_glmga.cpython-310.pyc`
    - `video_processing_glmga.cpython-310.pyc`
  - `__init__.py`
  - `configuration_glmga.py`
  - `image_processing_glmga.py`
  - `image_processing_pil_glmga.py`
  - `modular_glmga.py`
  - `video_processing_glmga.py`
- `glpn/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_glpn.cpython-310.pyc`
    - `image_processing_glpn.cpython-310.pyc`
    - `image_processing_pil_glpn.cpython-310.pyc`
    - `modeling_glpn.cpython-310.pyc`
  - `__init__.py`
  - `configuration_glpn.py`
  - `image_processing_glpn.py`
  - `image_processing_pil_glpn.py`
  - `modeling_glpn.py`
- `got_ocr2/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`

- configuration\_got\_ocr2.cpython-310.pyc
- image\_processing\_got\_ocr2.cpython-310.pyc
- image\_processing\_pil\_got\_ocr2.cpython-310.pyc
- modeling\_got\_ocr2.cpython-310.pyc
- modular\_got\_ocr2.cpython-310.pyc
- processing\_got\_ocr2.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_got\_ocr2.py
- image\_processing\_got\_ocr2.py
- image\_processing\_pil\_got\_ocr2.py
- modeling\_got\_ocr2.py
- modular\_got\_ocr2.py
- processing\_got\_ocr2.py
- gpt2/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gpt2.cpython-310.pyc
    - modeling\_gpt2.cpython-310.pyc
    - tokenization\_gpt2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gpt2.py
  - modeling\_gpt2.py
  - tokenization\_gpt2.py
- gpt\_bigcode/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gpt\_bigcode.cpython-310.pyc
    - modeling\_gpt\_bigcode.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gpt\_bigcode.py
  - modeling\_gpt\_bigcode.py
- gpt\_neo/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gpt\_neo.cpython-310.pyc
    - modeling\_gpt\_neo.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gpt\_neo.py
  - modeling\_gpt\_neo.py
- gpt\_neox/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gpt\_neox.cpython-310.pyc
    - modeling\_gpt\_neox.cpython-310.pyc
    - modular\_gpt\_neox.cpython-310.pyc
    - tokenization\_gpt\_neox.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gpt\_neox.py
  - modeling\_gpt\_neox.py
  - modular\_gpt\_neox.py
  - tokenization\_gpt\_neox.py
- gpt\_neox\_japanese/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gpt\_neox\_japanese.cpython-310.pyc
    - modeling\_gpt\_neox\_japanese.cpython-310.pyc
    - tokenization\_gpt\_neox\_japanese.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gpt\_neox\_japanese.py
  - modeling\_gpt\_neox\_japanese.py
  - tokenization\_gpt\_neox\_japanese.py
- gpt\_oss/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gpt\_oss.cpython-310.pyc
    - modeling\_gpt\_oss.cpython-310.pyc
    - modular\_gpt\_oss.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gpt\_oss.py
  - modeling\_gpt\_oss.py
  - modular\_gpt\_oss.py
- gpt\_sw3/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - tokenization\_gpt\_sw3.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_gpt\_sw3.py
- gptj/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_gptj.cpython-310.pyc
    - modeling\_gptj.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_gptj.py
  - modeling\_gptj.py



- granite/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_granite.cpython-310.pyc
    - modeling\_granite.cpython-310.pyc
    - modular\_granite.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_granite.py
  - modeling\_granite.py
  - modular\_granite.py
- granite4\_vision/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_granite4\_vision.cpython-310.pyc
    - modeling\_granite4\_vision.cpython-310.pyc
    - modular\_granite4\_vision.cpython-310.pyc
    - processing\_granite4\_vision.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_granite4\_vision.py
  - modeling\_granite4\_vision.py
  - modular\_granite4\_vision.py
  - processing\_granite4\_vision.py
- granite\_speech/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_granite\_speech.cpython-310.pyc
    - feature\_extraction\_granite\_speech.cpython-310.pyc
    - modeling\_granite\_speech.cpython-310.pyc
    - processing\_granite\_speech.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_granite\_speech.py
  - feature\_extraction\_granite\_speech.py
  - modeling\_granite\_speech.py
  - processing\_granite\_speech.py
- granite\_speech\_plus/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_granite\_speech\_plus.cpython-310.pyc
    - modeling\_granite\_speech\_plus.cpython-310.pyc
    - modular\_granite\_speech\_plus.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_granite\_speech\_plus.py
  - modeling\_granite\_speech\_plus.py
  - modular\_granite\_speech\_plus.py
- granitemoe/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_granitemoe.cpython-310.pyc
    - modeling\_granitemoe.cpython-310.pyc
    - modular\_granitemoe.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_granitemoe.py
  - modeling\_granitemoe.py
  - modular\_granitemoe.py
- granitemoehybrid/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_granitemoehybrid.cpython-310.pyc
    - modeling\_granitemoehybrid.cpython-310.pyc
    - modular\_granitemoehybrid.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_granitemoehybrid.py
  - modeling\_granitemoehybrid.py
  - modular\_granitemoehybrid.py
- granitemoeshared/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_granitemoeshared.cpython-310.pyc
    - modeling\_granitemoeshared.cpython-310.pyc
    - modular\_granitemoeshared.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_granitemoeshared.py
  - modeling\_granitemoeshared.py
  - modular\_granitemoeshared.py
- grounding\_dino/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_grounding\_dino.cpython-310.pyc
    - image\_processing\_grounding\_dino.cpython-310.pyc
    - image\_processing\_pil\_grounding\_dino.cpython-310.pyc
    - modeling\_grounding\_dino.cpython-310.pyc
    - modular\_grounding\_dino.cpython-310.pyc
    - processing\_grounding\_dino.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_grounding\_dino.py

- image\_processing\_grounding\_dino.py
- image\_processing\_pil\_grounding\_dino.py
- modeling\_grounding\_dino.py
- modular\_grounding\_dino.py
- processing\_grounding\_dino.py
- groupvit/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_groupvit.cpython-310.pyc
    - modeling\_groupvit.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_groupvit.py
  - modeling\_groupvit.py
- helium/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_helium.cpython-310.pyc
    - modeling\_helium.cpython-310.pyc
    - modular\_helium.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_helium.py
  - modeling\_helium.py
  - modular\_helium.py
- herbert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - tokenization\_herbert.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_herbert.py
- hgnet\_v2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_hgnet\_v2.cpython-310.pyc
    - modeling\_hgnet\_v2.cpython-310.pyc
    - modular\_hgnet\_v2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_hgnet\_v2.py
  - modeling\_hgnet\_v2.py
  - modular\_hgnet\_v2.py
- hiera/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_hiera.cpython-310.pyc
    - modeling\_hiera.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_hiera.py
  - modeling\_hiera.py
- higgs\_audio\_v2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_higgs\_audio\_v2.cpython-310.pyc
    - generation\_higgs\_audio\_v2.cpython-310.pyc
    - modeling\_higgs\_audio\_v2.cpython-310.pyc
    - modular\_higgs\_audio\_v2.cpython-310.pyc
    - processing\_higgs\_audio\_v2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_higgs\_audio\_v2.py
  - generation\_higgs\_audio\_v2.py
  - modeling\_higgs\_audio\_v2.py
  - modular\_higgs\_audio\_v2.py
  - processing\_higgs\_audio\_v2.py
- higgs\_audio\_v2\_tokenizer/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_higgs\_audio\_v2\_tokenizer.cpython-310.pyc
    - modeling\_higgs\_audio\_v2\_tokenizer.cpython-310.pyc
    - modular\_higgs\_audio\_v2\_tokenizer.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_higgs\_audio\_v2\_tokenizer.py
  - modeling\_higgs\_audio\_v2\_tokenizer.py
  - modular\_higgs\_audio\_v2\_tokenizer.py
- hrm\_text/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_hrm\_text.cpython-310.pyc
    - modeling\_hrm\_text.cpython-310.pyc
    - modular\_hrm\_text.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_hrm\_text.py
  - modeling\_hrm\_text.py
  - modular\_hrm\_text.py
- hubert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_hubert.cpython-310.pyc

- modeling\_hubert.cpython-310.pyc
  - modular\_hubert.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_hubert.py
- modeling\_hubert.py
- modular\_hubert.py
- hunyuan\_v1\_dense/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_hunyuan\_v1\_dense.cpython-310.pyc
    - modeling\_hunyuan\_v1\_dense.cpython-310.pyc
    - modular\_hunyuan\_v1\_dense.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_hunyuan\_v1\_dense.py
  - modeling\_hunyuan\_v1\_dense.py
  - modular\_hunyuan\_v1\_dense.py
- hunyuan\_v1\_moe/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_hunyuan\_v1\_moe.cpython-310.pyc
    - modeling\_hunyuan\_v1\_moe.cpython-310.pyc
    - modular\_hunyuan\_v1\_moe.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_hunyuan\_v1\_moe.py
  - modeling\_hunyuan\_v1\_moe.py
  - modular\_hunyuan\_v1\_moe.py
- hunyuan\_v1/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_hunyuan\_v1.cpython-310.pyc
    - image\_processing\_hunyuan\_v1.cpython-310.pyc
    - image\_processing\_pil\_hunyuan\_v1.cpython-310.pyc
    - modeling\_hunyuan\_v1.cpython-310.pyc
    - modular\_hunyuan\_v1.cpython-310.pyc
    - processing\_hunyuan\_v1.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_hunyuan\_v1.py
  - image\_processing\_hunyuan\_v1.py
  - image\_processing\_pil\_hunyuan\_v1.py
  - modeling\_hunyuan\_v1.py
  - modular\_hunyuan\_v1.py
  - processing\_hunyuan\_v1.py
- hy\_v3/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_hy\_v3.cpython-310.pyc
    - modeling\_hy\_v3.cpython-310.pyc
    - modular\_hy\_v3.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_hy\_v3.py
  - modeling\_hy\_v3.py
  - modular\_hy\_v3.py
- hyperclovax/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_hyperclovax.cpython-310.pyc
    - modeling\_hyperclovax.cpython-310.pyc
    - modular\_hyperclovax.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_hyperclovax.py
  - modeling\_hyperclovax.py
  - modular\_hyperclovax.py
- ibert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_ibert.cpython-310.pyc
    - modeling\_ibert.cpython-310.pyc
    - quant\_modules.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_ibert.py
  - modeling\_ibert.py
  - quant\_modules.py
- idefics/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_idefics.cpython-310.pyc
    - image\_processing\_idefics.cpython-310.pyc
    - image\_processing\_pil\_idefics.cpython-310.pyc
    - modeling\_idefics.cpython-310.pyc
    - perceiver.cpython-310.pyc
    - processing\_idefics.cpython-310.pyc
    - vision.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_idefics.py
  - image\_processing\_idefics.py

- image\_processing\_pil\_idefics.py
- modeling\_idefics.py
- perceiver.py
- processing\_idefics.py
- vision.py
- idefics2/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_idefics2.cpython-310.pyc
    - image\_processing\_idefics2.cpython-310.pyc
    - image\_processing\_pil\_idefics2.cpython-310.pyc
    - modeling\_idefics2.cpython-310.pyc
    - processing\_idefics2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_idefics2.py
  - image\_processing\_idefics2.py
  - image\_processing\_pil\_idefics2.py
  - modeling\_idefics2.py
  - processing\_idefics2.py
- idefics3/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_idefics3.cpython-310.pyc
    - image\_processing\_idefics3.cpython-310.pyc
    - image\_processing\_pil\_idefics3.cpython-310.pyc
    - modeling\_idefics3.cpython-310.pyc
    - processing\_idefics3.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_idefics3.py
  - image\_processing\_idefics3.py
  - image\_processing\_pil\_idefics3.py
  - modeling\_idefics3.py
  - processing\_idefics3.py
- ijepa/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_ijepa.cpython-310.pyc
    - modeling\_ijepa.cpython-310.pyc
    - modular\_ijepa.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_ijepa.py
  - modeling\_ijepa.py
  - modular\_ijepa.py
- imagegpt/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_imagegpt.cpython-310.pyc
    - image\_processing\_imagegpt.cpython-310.pyc
    - image\_processing\_pil\_imagegpt.cpython-310.pyc
    - modeling\_imagegpt.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_imagegpt.py
  - image\_processing\_imagegpt.py
  - image\_processing\_pil\_imagegpt.py
  - modeling\_imagegpt.py
- informer/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_informer.cpython-310.pyc
    - modeling\_informer.cpython-310.pyc
    - modular\_informer.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_informer.py
  - modeling\_informer.py
  - modular\_informer.py
- instructblip/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_instructblip.cpython-310.pyc
    - modeling\_instructblip.cpython-310.pyc
    - processing\_instructblip.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_instructblip.py
  - modeling\_instructblip.py
  - processing\_instructblip.py
- instructblipvideo/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_instructblipvideo.cpython-310.pyc
    - modeling\_instructblipvideo.cpython-310.pyc
    - modular\_instructblipvideo.cpython-310.pyc
    - processing\_instructblipvideo.cpython-310.pyc
    - video\_processing\_instructblipvideo.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_instructblipvideo.py

- modeling\_instructblipvideo.py
- modular\_instructblipvideo.py
- processing\_instructblipvideo.py
- video\_processing\_instructblipvideo.py
- internvl/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_internvl.cpython-310.pyc
    - modeling\_internvl.cpython-310.pyc
    - modular\_internvl.cpython-310.pyc
    - processing\_internvl.cpython-310.pyc
    - video\_processing\_internvl.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_internvl.py
  - modeling\_internvl.py
  - modular\_internvl.py
  - processing\_internvl.py
  - video\_processing\_internvl.py
- jais2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_jais2.cpython-310.pyc
    - modeling\_jais2.cpython-310.pyc
    - modular\_jais2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_jais2.py
  - modeling\_jais2.py
  - modular\_jais2.py
- jamba/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_jamba.cpython-310.pyc
    - modeling\_jamba.cpython-310.pyc
    - modular\_jamba.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_jamba.py
  - modeling\_jamba.py
  - modular\_jamba.py
- janus/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_janus.cpython-310.pyc
    - image\_processing\_janus.cpython-310.pyc
    - image\_processing\_pil\_janus.cpython-310.pyc
    - modeling\_janus.cpython-310.pyc
    - modular\_janus.cpython-310.pyc
    - processing\_janus.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_janus.py
  - image\_processing\_janus.py
  - image\_processing\_pil\_janus.py
  - modeling\_janus.py
  - modular\_janus.py
  - processing\_janus.py
- jetmoe/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_jetmoe.cpython-310.pyc
    - modeling\_jetmoe.cpython-310.pyc
    - modular\_jetmoe.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_jetmoe.py
  - modeling\_jetmoe.py
  - modular\_jetmoe.py
- jina\_embeddings\_v3/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_jina\_embeddings\_v3.cpython-310.pyc
    - modeling\_jina\_embeddings\_v3.cpython-310.pyc
    - modular\_jina\_embeddings\_v3.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_jina\_embeddings\_v3.py
  - modeling\_jina\_embeddings\_v3.py
  - modular\_jina\_embeddings\_v3.py
- kimi\_k25/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_kimi\_k25.cpython-310.pyc
    - image\_processing\_kimi\_k25.cpython-310.pyc
    - modeling\_kimi\_k25.cpython-310.pyc
    - modular\_kimi\_k25.cpython-310.pyc
    - processing\_kimi\_k25.cpython-310.pyc
    - video\_processing\_kimi\_k25.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_kimi\_k25.py

- image\_processing\_kimi\_k25.py
- modeling\_kimi\_k25.py
- modular\_kimi\_k25.py
- processing\_kimi\_k25.py
- video\_processing\_kimi\_k25.py
- kosmos2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_kosmos2.cpython-310.pyc
    - modeling\_kosmos2.cpython-310.pyc
    - processing\_kosmos2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_kosmos2.py
  - modeling\_kosmos2.py
  - processing\_kosmos2.py
- kosmos2\_5/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_kosmos2\_5.cpython-310.pyc
    - image\_processing\_kosmos2\_5.cpython-310.pyc
    - image\_processing\_pil\_kosmos2\_5.cpython-310.pyc
    - modeling\_kosmos2\_5.cpython-310.pyc
    - processing\_kosmos2\_5.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_kosmos2\_5.py
  - image\_processing\_kosmos2\_5.py
  - image\_processing\_pil\_kosmos2\_5.py
  - modeling\_kosmos2\_5.py
  - processing\_kosmos2\_5.py
- kyutai\_speech\_to\_text/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_kyutai\_speech\_to\_text.cpython-310.pyc
    - feature\_extraction\_kyutai\_speech\_to\_text.cpython-310.pyc
    - modeling\_kyutai\_speech\_to\_text.cpython-310.pyc
    - modular\_kyutai\_speech\_to\_text.cpython-310.pyc
    - processing\_kyutai\_speech\_to\_text.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_kyutai\_speech\_to\_text.py
  - feature\_extraction\_kyutai\_speech\_to\_text.py
  - modeling\_kyutai\_speech\_to\_text.py
  - modular\_kyutai\_speech\_to\_text.py
  - processing\_kyutai\_speech\_to\_text.py
- laguna/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_laguna.cpython-310.pyc
    - modeling\_laguna.cpython-310.pyc
    - modular\_laguna.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_laguna.py
  - modeling\_laguna.py
  - modular\_laguna.py
- lasr/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_lasr.cpython-310.pyc
    - feature\_extraction\_lasr.cpython-310.pyc
    - modeling\_lasr.cpython-310.pyc
    - modular\_lasr.cpython-310.pyc
    - processing\_lasr.cpython-310.pyc
    - tokenization\_lasr.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_lasr.py
  - feature\_extraction\_lasr.py
  - modeling\_lasr.py
  - modular\_lasr.py
  - processing\_lasr.py
  - tokenization\_lasr.py
- layoutlm/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_layoutlm.cpython-310.pyc
    - modeling\_layoutlm.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_layoutlm.py
  - modeling\_layoutlm.py
- layoutlmv2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_layoutlmv2.cpython-310.pyc
    - image\_processing\_layoutlmv2.cpython-310.pyc
    - image\_processing\_pil\_layoutlmv2.cpython-310.pyc
    - modeling\_layoutlmv2.cpython-310.pyc
    - processing\_layoutlmv2.cpython-310.pyc

- └─ tokenization\_layoutlmv2.cpython-310.pyc
- └─ \_\_init\_\_.py
- └─ configuration\_layoutlmv2.py
- └─ image\_processing\_layoutlmv2.py
- └─ image\_processing\_pil\_layoutlmv2.py
- └─ modeling\_layoutlmv2.py
- └─ processing\_layoutlmv2.py
- └─ tokenization\_layoutlmv2.py
- layoutlmv3/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_layoutlmv3.cpython-310.pyc
    - └─ image\_processing\_layoutlmv3.cpython-310.pyc
    - └─ image\_processing\_pil\_layoutlmv3.cpython-310.pyc
    - └─ modeling\_layoutlmv3.cpython-310.pyc
    - └─ processing\_layoutlmv3.cpython-310.pyc
    - └─ tokenization\_layoutlmv3.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_layoutlmv3.py
  - └─ image\_processing\_layoutlmv3.py
  - └─ image\_processing\_pil\_layoutlmv3.py
  - └─ modeling\_layoutlmv3.py
  - └─ processing\_layoutlmv3.py
  - └─ tokenization\_layoutlmv3.py
- layoutxlm/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_layoutxlm.cpython-310.pyc
    - └─ modular\_layoutxlm.cpython-310.pyc
    - └─ processing\_layoutxlm.cpython-310.pyc
    - └─ tokenization\_layoutxlm.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_layoutxlm.py
  - └─ modular\_layoutxlm.py
  - └─ processing\_layoutxlm.py
  - └─ tokenization\_layoutxlm.py
- led/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_led.cpython-310.pyc
    - └─ modeling\_led.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_led.py
  - └─ modeling\_led.py
- levit/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_levit.cpython-310.pyc
    - └─ image\_processing\_levit.cpython-310.pyc
    - └─ image\_processing\_pil\_levit.cpython-310.pyc
    - └─ modeling\_levit.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_levit.py
  - └─ image\_processing\_levit.py
  - └─ image\_processing\_pil\_levit.py
  - └─ modeling\_levit.py
- lfm2/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_lfm2.cpython-310.pyc
    - └─ modeling\_lfm2.cpython-310.pyc
    - └─ modular\_lfm2.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_lfm2.py
  - └─ modeling\_lfm2.py
  - └─ modular\_lfm2.py
- lfm2\_moe/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_lfm2\_moe.cpython-310.pyc
    - └─ modeling\_lfm2\_moe.cpython-310.pyc
    - └─ modular\_lfm2\_moe.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_lfm2\_moe.py
  - └─ modeling\_lfm2\_moe.py
  - └─ modular\_lfm2\_moe.py
- lfm2\_v1/
  - └─ pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_lfm2\_v1.cpython-310.pyc
    - └─ image\_processing\_lfm2\_v1.cpython-310.pyc
    - └─ modeling\_lfm2\_v1.cpython-310.pyc
    - └─ modular\_lfm2\_v1.cpython-310.pyc
    - └─ processing\_lfm2\_v1.cpython-310.pyc
  - └─ \_\_init\_\_.py

- configuration\_lfm2\_v1.py
- image\_processing\_lfm2\_v1.py
- modeling\_lfm2\_v1.py
- modular\_lfm2\_v1.py
- processing\_lfm2\_v1.py
- lightglue/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_lightglue.cpython-310.pyc
    - image\_processing\_lightglue.cpython-310.pyc
    - image\_processing\_pil\_lightglue.cpython-310.pyc
    - modeling\_lightglue.cpython-310.pyc
    - modular\_lightglue.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_lightglue.py
  - image\_processing\_lightglue.py
  - image\_processing\_pil\_lightglue.py
  - modeling\_lightglue.py
  - modular\_lightglue.py
- lighton\_ocr/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_lighton\_ocr.cpython-310.pyc
    - modeling\_lighton\_ocr.cpython-310.pyc
    - modular\_lighton\_ocr.cpython-310.pyc
    - processing\_lighton\_ocr.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_lighton\_ocr.py
  - modeling\_lighton\_ocr.py
  - modular\_lighton\_ocr.py
  - processing\_lighton\_ocr.py
- lilt/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_lilt.cpython-310.pyc
    - modeling\_lilt.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_lilt.py
  - modeling\_lilt.py
- llama/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_llama.cpython-310.pyc
    - modeling\_llama.cpython-310.pyc
    - tokenization\_llama.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_llama.py
  - modeling\_llama.py
  - tokenization\_llama.py
- llama4/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_llama4.cpython-310.pyc
    - image\_processing\_llama4.cpython-310.pyc
    - modeling\_llama4.cpython-310.pyc
    - processing\_llama4.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_llama4.py
  - image\_processing\_llama4.py
  - modeling\_llama4.py
  - processing\_llama4.py
- llava/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_llava.cpython-310.pyc
    - image\_processing\_llava.cpython-310.pyc
    - image\_processing\_pil\_llava.cpython-310.pyc
    - modeling\_llava.cpython-310.pyc
    - processing\_llava.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_llava.py
  - image\_processing\_llava.py
  - image\_processing\_pil\_llava.py
  - modeling\_llava.py
  - processing\_llava.py
- llava\_next/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_llava\_next.cpython-310.pyc
    - image\_processing\_llava\_next.cpython-310.pyc
    - image\_processing\_pil\_llava\_next.cpython-310.pyc
    - modeling\_llava\_next.cpython-310.pyc
    - processing\_llava\_next.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_llava\_next.py



- image\_processing\_llava\_next.py
- image\_processing\_pil\_llava\_next.py
- modeling\_llava\_next.py
- processing\_llava\_next.py
- llava\_next\_video/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_llava\_next\_video.cpython-310.pyc
    - modeling\_llava\_next\_video.cpython-310.pyc
    - modular\_llava\_next\_video.cpython-310.pyc
    - processing\_llava\_next\_video.cpython-310.pyc
    - video\_processing\_llava\_next\_video.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_llava\_next\_video.py
  - modeling\_llava\_next\_video.py
  - modular\_llava\_next\_video.py
  - processing\_llava\_next\_video.py
  - video\_processing\_llava\_next\_video.py
- llava\_onevision/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_llava\_onevision.cpython-310.pyc
    - image\_processing\_llava\_onevision.cpython-310.pyc
    - image\_processing\_pil\_llava\_onevision.cpython-310.pyc
    - modeling\_llava\_onevision.cpython-310.pyc
    - modular\_llava\_onevision.cpython-310.pyc
    - processing\_llava\_onevision.cpython-310.pyc
    - video\_processing\_llava\_onevision.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_llava\_onevision.py
  - image\_processing\_llava\_onevision.py
  - image\_processing\_pil\_llava\_onevision.py
  - modeling\_llava\_onevision.py
  - modular\_llava\_onevision.py
  - processing\_llava\_onevision.py
  - video\_processing\_llava\_onevision.py
- longcat\_flash/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_longcat\_flash.cpython-310.pyc
    - modeling\_longcat\_flash.cpython-310.pyc
    - modular\_longcat\_flash.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_longcat\_flash.py
  - modeling\_longcat\_flash.py
  - modular\_longcat\_flash.py
- longformer/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_longformer.cpython-310.pyc
    - modeling\_longformer.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_longformer.py
  - modeling\_longformer.py
- longt5/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_longt5.cpython-310.pyc
    - modeling\_longt5.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_longt5.py
  - modeling\_longt5.py
- luke/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_luke.cpython-310.pyc
    - modeling\_luke.cpython-310.pyc
    - tokenization\_luke.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_luke.py
  - modeling\_luke.py
  - tokenization\_luke.py
- lw\_detr/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_lw\_detr.cpython-310.pyc
    - modeling\_lw\_detr.cpython-310.pyc
    - modular\_lw\_detr.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_lw\_detr.py
  - modeling\_lw\_detr.py
  - modular\_lw\_detr.py
- lxmert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc

- configuration\_lxmert.cpython-310.pyc
  - modeling\_lxmert.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_lxmert.py
- modeling\_lxmert.py
- m2m\_100/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_m2m\_100.cpython-310.pyc
    - modeling\_m2m\_100.cpython-310.pyc
    - tokenization\_m2m\_100.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_m2m\_100.py
  - modeling\_m2m\_100.py
  - tokenization\_m2m\_100.py
- mamba/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_mamba.cpython-310.pyc
    - modeling\_mamba.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mamba.py
  - modeling\_mamba.py
- mamba2/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_mamba2.cpython-310.pyc
    - modeling\_mamba2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mamba2.py
  - modeling\_mamba2.py
- marian/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_marian.cpython-310.pyc
    - modeling\_marian.cpython-310.pyc
    - tokenization\_marian.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_marian.py
  - modeling\_marian.py
  - tokenization\_marian.py
- markuplm/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_markuplm.cpython-310.pyc
    - feature\_extraction\_markuplm.cpython-310.pyc
    - modeling\_markuplm.cpython-310.pyc
    - processing\_markuplm.cpython-310.pyc
    - tokenization\_markuplm.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_markuplm.py
  - feature\_extraction\_markuplm.py
  - modeling\_markuplm.py
  - processing\_markuplm.py
  - tokenization\_markuplm.py
- mask2former/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_mask2former.cpython-310.pyc
    - image\_processing\_mask2former.cpython-310.pyc
    - image\_processing\_pil\_mask2former.cpython-310.pyc
    - modeling\_mask2former.cpython-310.pyc
    - modular\_mask2former.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mask2former.py
  - image\_processing\_mask2former.py
  - image\_processing\_pil\_mask2former.py
  - modeling\_mask2former.py
  - modular\_mask2former.py
- maskformer/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_maskformer.cpython-310.pyc
    - configuration\_maskformer\_swin.cpython-310.pyc
    - image\_processing\_maskformer.cpython-310.pyc
    - image\_processing\_pil\_maskformer.cpython-310.pyc
    - modeling\_maskformer.cpython-310.pyc
    - modeling\_maskformer\_swin.cpython-310.pyc
    - modular\_maskformer.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_maskformer.py
  - configuration\_maskformer\_swin.py
  - image\_processing\_maskformer.py
  - image\_processing\_pil\_maskformer.py
  - modeling\_maskformer.py

- modeling\_maskformer\_swin.py
  - modular\_maskformer.py
- mbart/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_mbart.cpython-310.pyc
    - modeling\_mbart.cpython-310.pyc
    - tokenization\_mbart.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mbart.py
  - modeling\_mbart.py
  - tokenization\_mbart.py
- mbart50/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - tokenization\_mbart50.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_mbart50.py
- megatron\_bert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_megatron\_bert.cpython-310.pyc
    - modeling\_megatron\_bert.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_megatron\_bert.py
  - modeling\_megatron\_bert.py
- megatron\_gpt2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - checkpoint\_resaping\_and\_interoperability.cpython-310.pyc
  - \_\_init\_\_.py
  - checkpoint\_resaping\_and\_interoperability.py
- mellum/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_mellum.cpython-310.pyc
    - modeling\_mellum.cpython-310.pyc
    - modular\_mellum.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mellum.py
  - modeling\_mellum.py
  - modular\_mellum.py
- metacclip\_2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_metacclip\_2.cpython-310.pyc
    - modeling\_metacclip\_2.cpython-310.pyc
    - modular\_metacclip\_2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_metacclip\_2.py
  - modeling\_metacclip\_2.py
  - modular\_metacclip\_2.py
- mgp\_str/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_mgp\_str.cpython-310.pyc
    - modeling\_mgp\_str.cpython-310.pyc
    - processing\_mgp\_str.cpython-310.pyc
    - tokenization\_mgp\_str.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mgp\_str.py
  - modeling\_mgp\_str.py
  - processing\_mgp\_str.py
  - tokenization\_mgp\_str.py
- mimi/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_mimi.cpython-310.pyc
    - modeling\_mimi.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mimi.py
  - modeling\_mimi.py
- mimo\_v2\_flash/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_mimo\_v2\_flash.cpython-310.pyc
    - modeling\_mimo\_v2\_flash.cpython-310.pyc
    - modular\_mimo\_v2\_flash.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mimo\_v2\_flash.py
  - modeling\_mimo\_v2\_flash.py
  - modular\_mimo\_v2\_flash.py
- minicpm3/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc

- configuration\_minicpm3.cpython-310.pyc
  - modeling\_minicpm3.cpython-310.pyc
  - modular\_minicpm3.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_minicpm3.py
- modeling\_minicpm3.py
- modular\_minicpm3.py
- minicpmv4\_6/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_minicpmv4\_6.cpython-310.pyc
    - image\_processing\_minicpmv4\_6.cpython-310.pyc
    - image\_processing\_pil\_minicpmv4\_6.cpython-310.pyc
    - modeling\_minicpmv4\_6.cpython-310.pyc
    - modular\_minicpmv4\_6.cpython-310.pyc
    - processing\_minicpmv4\_6.cpython-310.pyc
    - video\_processing\_minicpmv4\_6.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_minicpmv4\_6.py
  - image\_processing\_minicpmv4\_6.py
  - image\_processing\_pil\_minicpmv4\_6.py
  - modeling\_minicpmv4\_6.py
  - modular\_minicpmv4\_6.py
  - processing\_minicpmv4\_6.py
  - video\_processing\_minicpmv4\_6.py
- minimax/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_minimax.cpython-310.pyc
    - modeling\_minimax.cpython-310.pyc
    - modular\_minimax.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_minimax.py
  - modeling\_minimax.py
  - modular\_minimax.py
- minimax\_m2/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_minimax\_m2.cpython-310.pyc
    - modeling\_minimax\_m2.cpython-310.pyc
    - modular\_minimax\_m2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_minimax\_m2.py
  - modeling\_minimax\_m2.py
  - modular\_minimax\_m2.py
- minimax\_m3\_v1/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_minimax\_m3\_v1.cpython-310.pyc
    - image\_processing\_minimax\_m3\_v1.cpython-310.pyc
    - modeling\_minimax\_m3\_v1.cpython-310.pyc
    - modular\_minimax\_m3\_v1.cpython-310.pyc
    - processing\_minimax\_m3\_v1.cpython-310.pyc
    - video\_processing\_minimax\_m3\_v1.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_minimax\_m3\_v1.py
  - image\_processing\_minimax\_m3\_v1.py
  - modeling\_minimax\_m3\_v1.py
  - modular\_minimax\_m3\_v1.py
  - processing\_minimax\_m3\_v1.py
  - video\_processing\_minimax\_m3\_v1.py
- ministral/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_ministral.cpython-310.pyc
    - modeling\_ministral.cpython-310.pyc
    - modular\_ministral.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_ministral.py
  - modeling\_ministral.py
  - modular\_ministral.py
- ministral3/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_ministral3.cpython-310.pyc
    - modeling\_ministral3.cpython-310.pyc
    - modular\_ministral3.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_ministral3.py
  - modeling\_ministral3.py
  - modular\_ministral3.py
- mistral/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_mistral.cpython-310.pyc

- modeling\_mistral.cpython-310.pyc
    - modular\_mistral.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mistral.py
  - modeling\_mistral.py
  - modular\_mistral.py
- mistral3/
  - \_\_init\_\_.cpython-310.pyc
    - configuration\_mistral3.cpython-310.pyc
    - modeling\_mistral3.cpython-310.pyc
    - modular\_mistral3.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mistral3.py
  - modeling\_mistral3.py
  - modular\_mistral3.py
- mistral4/
  - \_\_init\_\_.cpython-310.pyc
    - configuration\_mistral4.cpython-310.pyc
    - modeling\_mistral4.cpython-310.pyc
    - modular\_mistral4.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mistral4.py
  - modeling\_mistral4.py
  - modular\_mistral4.py
- mixtral/
  - \_\_init\_\_.cpython-310.pyc
    - configuration\_mixtral.cpython-310.pyc
    - modeling\_mixtral.cpython-310.pyc
    - modular\_mixtral.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mixtral.py
  - modeling\_mixtral.py
  - modular\_mixtral.py
- mlcd/
  - \_\_init\_\_.cpython-310.pyc
    - configuration\_mlcd.cpython-310.pyc
    - modeling\_mlcd.cpython-310.pyc
    - modular\_mlcd.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mlcd.py
  - modeling\_mlcd.py
  - modular\_mlcd.py
- mllama/
  - \_\_init\_\_.cpython-310.pyc
    - configuration\_mllama.cpython-310.pyc
    - image\_processing\_mllama.cpython-310.pyc
    - image\_processing\_pil\_mllama.cpython-310.pyc
    - modeling\_mllama.cpython-310.pyc
    - processing\_mllama.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mllama.py
  - image\_processing\_mllama.py
  - image\_processing\_pil\_mllama.py
  - modeling\_mllama.py
  - processing\_mllama.py
- mluke/
  - \_\_init\_\_.cpython-310.pyc
    - tokenization\_mluke.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_mluke.py
- mm\_grounding\_dino/
  - \_\_init\_\_.cpython-310.pyc
    - configuration\_mm\_grounding\_dino.cpython-310.pyc
    - modeling\_mm\_grounding\_dino.cpython-310.pyc
    - modular\_mm\_grounding\_dino.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mm\_grounding\_dino.py
  - modeling\_mm\_grounding\_dino.py
  - modular\_mm\_grounding\_dino.py
- mobilebert/
  - \_\_init\_\_.cpython-310.pyc
    - configuration\_mobilebert.cpython-310.pyc
    - modeling\_mobilebert.cpython-310.pyc
    - tokenization\_mobilebert.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mobilebert.py
  - modeling\_mobilebert.py

- └─ tokenization\_mobilebert.py
- mobilenet\_v1/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_mobilenet\_v1.cpython-310.pyc
    - └─ image\_processing\_mobilenet\_v1.cpython-310.pyc
    - └─ image\_processing\_pil\_mobilenet\_v1.cpython-310.pyc
    - └─ modeling\_mobilenet\_v1.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_mobilenet\_v1.py
  - └─ image\_processing\_mobilenet\_v1.py
  - └─ image\_processing\_pil\_mobilenet\_v1.py
  - └─ modeling\_mobilenet\_v1.py
- mobilenet\_v2/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_mobilenet\_v2.cpython-310.pyc
    - └─ image\_processing\_mobilenet\_v2.cpython-310.pyc
    - └─ image\_processing\_pil\_mobilenet\_v2.cpython-310.pyc
    - └─ modeling\_mobilenet\_v2.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_mobilenet\_v2.py
  - └─ image\_processing\_mobilenet\_v2.py
  - └─ image\_processing\_pil\_mobilenet\_v2.py
  - └─ modeling\_mobilenet\_v2.py
- mobilevit/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_mobilevit.cpython-310.pyc
    - └─ image\_processing\_mobilevit.cpython-310.pyc
    - └─ image\_processing\_pil\_mobilevit.cpython-310.pyc
    - └─ modeling\_mobilevit.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_mobilevit.py
  - └─ image\_processing\_mobilevit.py
  - └─ image\_processing\_pil\_mobilevit.py
  - └─ modeling\_mobilevit.py
- mobilevitv2/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_mobilevitv2.cpython-310.pyc
    - └─ modeling\_mobilevitv2.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_mobilevitv2.py
  - └─ modeling\_mobilevitv2.py
- modernbert/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_modernbert.cpython-310.pyc
    - └─ modeling\_modernbert.cpython-310.pyc
    - └─ modular\_modernbert.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_modernbert.py
  - └─ modeling\_modernbert.py
  - └─ modular\_modernbert.py
- modernbert\_decoder/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_modernbert\_decoder.cpython-310.pyc
    - └─ modeling\_modernbert\_decoder.cpython-310.pyc
    - └─ modular\_modernbert\_decoder.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_modernbert\_decoder.py
  - └─ modeling\_modernbert\_decoder.py
  - └─ modular\_modernbert\_decoder.py
- modernvbert/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_modernvbert.cpython-310.pyc
    - └─ modeling\_modernvbert.cpython-310.pyc
    - └─ modular\_modernvbert.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_modernvbert.py
  - └─ modeling\_modernvbert.py
  - └─ modular\_modernvbert.py
- moonshine/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_moonshine.cpython-310.pyc
    - └─ modeling\_moonshine.cpython-310.pyc
    - └─ modular\_moonshine.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_moonshine.py
  - └─ modeling\_moonshine.py
  - └─ modular\_moonshine.py

```
moonshine_streaming/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_moonshine_streaming.cpython-310.pyc
│   ├── modeling_moonshine_streaming.cpython-310.pyc
│   ├── modular_moonshine_streaming.cpython-310.pyc
│   └── processing_moonshine_streaming.cpython-310.pyc
├── __init__.py
├── configuration_moonshine_streaming.py
├── modeling_moonshine_streaming.py
├── modular_moonshine_streaming.py
└── processing_moonshine_streaming.py
moshi/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_moshi.cpython-310.pyc
│   └── modeling_moshi.cpython-310.pyc
├── __init__.py
├── configuration_moshi.py
└── modeling_moshi.py
mpnet/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_mpnet.cpython-310.pyc
│   ├── modeling_mpnet.cpython-310.pyc
│   └── tokenization_mpnet.cpython-310.pyc
├── __init__.py
├── configuration_mpnet.py
├── modeling_mpnet.py
└── tokenization_mpnet.py
mpt/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_mpt.cpython-310.pyc
│   └── modeling_mpt.cpython-310.pyc
├── __init__.py
├── configuration_mpt.py
└── modeling_mpt.py
mra/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_mra.cpython-310.pyc
│   └── modeling_mra.cpython-310.pyc
├── __init__.py
├── configuration_mra.py
└── modeling_mra.py
mt5/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_mt5.cpython-310.pyc
│   └── modeling_mt5.cpython-310.pyc
├── __init__.py
├── configuration_mt5.py
└── modeling_mt5.py
musicflamingo/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_musicflamingo.cpython-310.pyc
│   ├── modeling_musicflamingo.cpython-310.pyc
│   ├── modular_musicflamingo.cpython-310.pyc
│   └── processing_musicflamingo.cpython-310.pyc
├── __init__.py
├── configuration_musicflamingo.py
├── modeling_musicflamingo.py
├── modular_musicflamingo.py
└── processing_musicflamingo.py
musicgen/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_musicgen.cpython-310.pyc
│   ├── modeling_musicgen.cpython-310.pyc
│   └── processing_musicgen.cpython-310.pyc
├── __init__.py
├── configuration_musicgen.py
├── modeling_musicgen.py
└── processing_musicgen.py
musicgen_melody/
├── pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_musicgen_melody.cpython-310.pyc
│   ├── feature_extraction_musicgen_melody.cpython-310.pyc
│   ├── modeling_musicgen_melody.cpython-310.pyc
│   └── processing_musicgen_melody.cpython-310.pyc
├── __init__.py
└── configuration_musicgen_melody.py
```

- feature\_extraction\_musicgen\_melody.py
  - modeling\_musicgen\_melody.py
  - processing\_musicgen\_melody.py
- mvp/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_mvp.cpython-310.pyc
    - modeling\_mvp.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_mvp.py
  - modeling\_mvp.py
- myt5/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - tokenization\_myT5.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_myT5.py
- nanochat/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_nanochat.cpython-310.pyc
    - modeling\_nanochat.cpython-310.pyc
    - modular\_nanochat.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_nanochat.py
  - modeling\_nanochat.py
  - modular\_nanochat.py
- nemotron/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_nemotron.cpython-310.pyc
    - modeling\_nemotron.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_nemotron.py
  - modeling\_nemotron.py
- nemotron3\_5\_asr/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_nemotron3\_5\_asr.cpython-310.pyc
    - generation\_nemotron3\_5\_asr.cpython-310.pyc
    - modeling\_nemotron3\_5\_asr.cpython-310.pyc
    - modular\_nemotron3\_5\_asr.cpython-310.pyc
    - processing\_nemotron3\_5\_asr.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_nemotron3\_5\_asr.py
  - generation\_nemotron3\_5\_asr.py
  - modeling\_nemotron3\_5\_asr.py
  - modular\_nemotron3\_5\_asr.py
  - processing\_nemotron3\_5\_asr.py
- nemotron\_asr\_streaming/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_nemotron\_asr\_streaming.cpython-310.pyc
    - feature\_extraction\_nemotron\_asr\_streaming.cpython-310.pyc
    - generation\_nemotron\_asr\_streaming.cpython-310.pyc
    - modeling\_nemotron\_asr\_streaming.cpython-310.pyc
    - modular\_nemotron\_asr\_streaming.cpython-310.pyc
    - processing\_nemotron\_asr\_streaming.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_nemotron\_asr\_streaming.py
  - feature\_extraction\_nemotron\_asr\_streaming.py
  - generation\_nemotron\_asr\_streaming.py
  - modeling\_nemotron\_asr\_streaming.py
  - modular\_nemotron\_asr\_streaming.py
  - processing\_nemotron\_asr\_streaming.py
- nemotron\_h/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_nemotron\_h.cpython-310.pyc
    - modeling\_nemotron\_h.cpython-310.pyc
    - modular\_nemotron\_h.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_nemotron\_h.py
  - modeling\_nemotron\_h.py
  - modular\_nemotron\_h.py
- nllb/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - tokenization\_nllb.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_nllb.py
- nllb\_moe/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_nllb\_moe.cpython-310.pyc



```
├── modeling_nllb_moe.cpython-310.pyc
├── __init__.py
├── configuration_nllb_moe.py
├── modeling_nllb_moe.py
├── nomic_bert/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_nomic_bert.cpython-310.pyc
│   │   ├── modeling_nomic_bert.cpython-310.pyc
│   │   └── modular_nomic_bert.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_nomic_bert.py
│   ├── modeling_nomic_bert.py
│   └── modular_nomic_bert.py
├── nougat/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_nougat.cpython-310.pyc
│   │   ├── image_processing_nougat.cpython-310.pyc
│   │   ├── image_processing_pil_nougat.cpython-310.pyc
│   │   ├── processing_nougat.cpython-310.pyc
│   │   └── tokenization_nougat.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_nougat.py
│   ├── image_processing_nougat.py
│   ├── image_processing_pil_nougat.py
│   ├── processing_nougat.py
│   └── tokenization_nougat.py
├── nystromformer/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_nystromformer.cpython-310.pyc
│   │   └── modeling_nystromformer.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_nystromformer.py
│   └── modeling_nystromformer.py
├── olmo/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_olmo.cpython-310.pyc
│   │   ├── modeling_olmo.cpython-310.pyc
│   │   └── modular_olmo.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_olmo.py
│   ├── modeling_olmo.py
│   └── modular_olmo.py
├── olmo2/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_olmo2.cpython-310.pyc
│   │   ├── modeling_olmo2.cpython-310.pyc
│   │   └── modular_olmo2.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_olmo2.py
│   ├── modeling_olmo2.py
│   └── modular_olmo2.py
├── olmo3/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_olmo3.cpython-310.pyc
│   │   ├── modeling_olmo3.cpython-310.pyc
│   │   └── modular_olmo3.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_olmo3.py
│   ├── modeling_olmo3.py
│   └── modular_olmo3.py
├── olmo_hybrid/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_olmo_hybrid.cpython-310.pyc
│   │   ├── modeling_olmo_hybrid.cpython-310.pyc
│   │   └── modular_olmo_hybrid.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_olmo_hybrid.py
│   ├── modeling_olmo_hybrid.py
│   └── modular_olmo_hybrid.py
├── olmoe/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_olmoe.cpython-310.pyc
│   │   ├── modeling_olmoe.cpython-310.pyc
│   │   └── modular_olmoe.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_olmoe.py
│   └── modeling_olmoe.py
```

- └─ modular\_olmoe.py
- omdet\_turbo/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_omdet\_turbo.cpython-310.pyc
    - └─ modeling\_omdet\_turbo.cpython-310.pyc
    - └─ processing\_omdet\_turbo.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_omdet\_turbo.py
  - └─ modeling\_omdet\_turbo.py
  - └─ processing\_omdet\_turbo.py
- oneformer/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_oneformer.cpython-310.pyc
    - └─ image\_processing\_oneformer.cpython-310.pyc
    - └─ image\_processing\_pil\_oneformer.cpython-310.pyc
    - └─ modeling\_oneformer.cpython-310.pyc
    - └─ processing\_oneformer.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_oneformer.py
  - └─ image\_processing\_oneformer.py
  - └─ image\_processing\_pil\_oneformer.py
  - └─ modeling\_oneformer.py
  - └─ processing\_oneformer.py
- openai/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_openai.cpython-310.pyc
    - └─ modeling\_openai.cpython-310.pyc
    - └─ tokenization\_openai.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_openai.py
  - └─ modeling\_openai.py
  - └─ tokenization\_openai.py
- openai\_privacy\_filter/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_openai\_privacy\_filter.cpython-310.pyc
    - └─ modeling\_openai\_privacy\_filter.cpython-310.pyc
    - └─ modular\_openai\_privacy\_filter.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_openai\_privacy\_filter.py
  - └─ modeling\_openai\_privacy\_filter.py
  - └─ modular\_openai\_privacy\_filter.py
- opt/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_opt.cpython-310.pyc
    - └─ modeling\_opt.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_opt.py
  - └─ modeling\_opt.py
- ovis2/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_ovis2.cpython-310.pyc
    - └─ image\_processing\_ovis2.cpython-310.pyc
    - └─ image\_processing\_pil\_ovis2.cpython-310.pyc
    - └─ modeling\_ovis2.cpython-310.pyc
    - └─ modular\_ovis2.cpython-310.pyc
    - └─ processing\_ovis2.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_ovis2.py
  - └─ image\_processing\_ovis2.py
  - └─ image\_processing\_pil\_ovis2.py
  - └─ modeling\_ovis2.py
  - └─ modular\_ovis2.py
  - └─ processing\_ovis2.py
- owlv2/
  - └─ pycache/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_owlv2.cpython-310.pyc
    - └─ image\_processing\_owlv2.cpython-310.pyc
    - └─ image\_processing\_pil\_owlv2.cpython-310.pyc
    - └─ modeling\_owlv2.cpython-310.pyc
    - └─ modular\_owlv2.cpython-310.pyc
    - └─ processing\_owlv2.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_owlv2.py
  - └─ image\_processing\_owlv2.py
  - └─ image\_processing\_pil\_owlv2.py
  - └─ modeling\_owlv2.py
  - └─ modular\_owlv2.py
  - └─ processing\_owlv2.py

```
owlvit/
├── __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_owlvit.cpython-310.pyc
│   ├── image_processing_owlvit.cpython-310.pyc
│   ├── image_processing_pil_owlvit.cpython-310.pyc
│   ├── modeling_owlvit.cpython-310.pyc
│   └── processing_owlvit.cpython-310.pyc
├── __init__.py
├── configuration_owlvit.py
├── image_processing_owlvit.py
├── image_processing_pil_owlvit.py
├── modeling_owlvit.py
└── processing_owlvit.py
paddleocr_v1/
├── __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_paddleocr_v1.cpython-310.pyc
│   ├── image_processing_paddleocr_v1.cpython-310.pyc
│   ├── image_processing_pil_paddleocr_v1.cpython-310.pyc
│   ├── modeling_paddleocr_v1.cpython-310.pyc
│   ├── modular_paddleocr_v1.cpython-310.pyc
│   └── processing_paddleocr_v1.cpython-310.pyc
├── __init__.py
├── configuration_paddleocr_v1.py
├── image_processing_paddleocr_v1.py
├── image_processing_pil_paddleocr_v1.py
├── modeling_paddleocr_v1.py
├── modular_paddleocr_v1.py
└── processing_paddleocr_v1.py
paligemma/
├── __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_paligemma.cpython-310.pyc
│   ├── modeling_paligemma.cpython-310.pyc
│   └── processing_paligemma.cpython-310.pyc
├── __init__.py
├── configuration_paligemma.py
├── modeling_paligemma.py
└── processing_paligemma.py
parakeet/
├── __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_parakeet.cpython-310.pyc
│   ├── feature_extraction_parakeet.cpython-310.pyc
│   ├── generation_parakeet.cpython-310.pyc
│   ├── modeling_parakeet.cpython-310.pyc
│   ├── modular_parakeet.cpython-310.pyc
│   ├── processing_parakeet.cpython-310.pyc
│   └── tokenization_parakeet.cpython-310.pyc
├── __init__.py
├── configuration_parakeet.py
├── feature_extraction_parakeet.py
├── generation_parakeet.py
├── modeling_parakeet.py
├── modular_parakeet.py
├── processing_parakeet.py
└── tokenization_parakeet.py
patchtsmixer/
├── __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_patchtsmixer.cpython-310.pyc
│   └── modeling_patchtsmixer.cpython-310.pyc
├── __init__.py
├── configuration_patchtsmixer.py
└── modeling_patchtsmixer.py
patchtst/
├── __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_patchtst.cpython-310.pyc
│   └── modeling_patchtst.cpython-310.pyc
├── __init__.py
├── configuration_patchtst.py
└── modeling_patchtst.py
pe_audio/
├── __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_pe_audio.cpython-310.pyc
│   ├── feature_extraction_pe_audio.cpython-310.pyc
│   ├── modeling_pe_audio.cpython-310.pyc
│   ├── modular_pe_audio.cpython-310.pyc
│   └── processing_pe_audio.cpython-310.pyc
├── __init__.py
├── configuration_pe_audio.py
└── feature_extraction_pe_audio.py
```

- modeling\_pe\_audio.py
- modular\_pe\_audio.py
- processing\_pe\_audio.py
- pe\_audio\_video/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pe\_audio\_video.cpython-310.pyc
    - modeling\_pe\_audio\_video.cpython-310.pyc
    - modular\_pe\_audio\_video.cpython-310.pyc
    - processing\_pe\_audio\_video.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pe\_audio\_video.py
  - modeling\_pe\_audio\_video.py
  - modular\_pe\_audio\_video.py
  - processing\_pe\_audio\_video.py
- pe\_video/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pe\_video.cpython-310.pyc
    - modeling\_pe\_video.cpython-310.pyc
    - modular\_pe\_video.cpython-310.pyc
    - processing\_pe\_video.cpython-310.pyc
    - video\_processing\_pe\_video.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pe\_video.py
  - modeling\_pe\_video.py
  - modular\_pe\_video.py
  - processing\_pe\_video.py
  - video\_processing\_pe\_video.py
- pegasus/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pegasus.cpython-310.pyc
    - modeling\_pegasus.cpython-310.pyc
    - tokenization\_pegasus.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pegasus.py
  - modeling\_pegasus.py
  - tokenization\_pegasus.py
- pegasus\_x/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pegasus\_x.cpython-310.pyc
    - modeling\_pegasus\_x.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pegasus\_x.py
  - modeling\_pegasus\_x.py
- perceiver/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_perceiver.cpython-310.pyc
    - image\_processing\_perceiver.cpython-310.pyc
    - image\_processing\_pil\_perceiver.cpython-310.pyc
    - modeling\_perceiver.cpython-310.pyc
    - tokenization\_perceiver.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_perceiver.py
  - image\_processing\_perceiver.py
  - image\_processing\_pil\_perceiver.py
  - modeling\_perceiver.py
  - tokenization\_perceiver.py
- perception\_lm/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_perception\_lm.cpython-310.pyc
    - image\_processing\_perception\_lm.cpython-310.pyc
    - modeling\_perception\_lm.cpython-310.pyc
    - modular\_perception\_lm.cpython-310.pyc
    - processing\_perception\_lm.cpython-310.pyc
    - video\_processing\_perception\_lm.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_perception\_lm.py
  - image\_processing\_perception\_lm.py
  - modeling\_perception\_lm.py
  - modular\_perception\_lm.py
  - processing\_perception\_lm.py
  - video\_processing\_perception\_lm.py
- persimmon/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_persimmon.cpython-310.pyc
    - modeling\_persimmon.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_persimmon.py
  - modeling\_persimmon.py

- phi/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_phi.cpython-310.pyc
    - modeling\_phi.cpython-310.pyc
    - modular\_phi.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_phi.py
  - modeling\_phi.py
  - modular\_phi.py
- phi3/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_phi3.cpython-310.pyc
    - modeling\_phi3.cpython-310.pyc
    - modular\_phi3.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_phi3.py
  - modeling\_phi3.py
  - modular\_phi3.py
- phi4\_multimodal/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_phi4\_multimodal.cpython-310.pyc
    - feature\_extraction\_phi4\_multimodal.cpython-310.pyc
    - image\_processing\_phi4\_multimodal.cpython-310.pyc
    - modeling\_phi4\_multimodal.cpython-310.pyc
    - modular\_phi4\_multimodal.cpython-310.pyc
    - processing\_phi4\_multimodal.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_phi4\_multimodal.py
  - feature\_extraction\_phi4\_multimodal.py
  - image\_processing\_phi4\_multimodal.py
  - modeling\_phi4\_multimodal.py
  - modular\_phi4\_multimodal.py
  - processing\_phi4\_multimodal.py
- phimoe/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_phimoe.cpython-310.pyc
    - modeling\_phimoe.cpython-310.pyc
    - modular\_phimoe.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_phimoe.py
  - modeling\_phimoe.py
  - modular\_phimoe.py
- phobert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - tokenization\_phobert.cpython-310.pyc
  - \_\_init\_\_.py
  - tokenization\_phobert.py
- pi0/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pi0.cpython-310.pyc
    - image\_processing\_pi0.cpython-310.pyc
    - modeling\_pi0.cpython-310.pyc
    - modular\_pi0.cpython-310.pyc
    - processing\_pi0.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pi0.py
  - image\_processing\_pi0.py
  - modeling\_pi0.py
  - modular\_pi0.py
  - processing\_pi0.py
- pix2struct/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pix2struct.cpython-310.pyc
    - image\_processing\_pil\_pix2struct.cpython-310.pyc
    - image\_processing\_pix2struct.cpython-310.pyc
    - modeling\_pix2struct.cpython-310.pyc
    - processing\_pix2struct.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pix2struct.py
  - image\_processing\_pil\_pix2struct.py
  - image\_processing\_pix2struct.py
  - modeling\_pix2struct.py
  - processing\_pix2struct.py
- pixio/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pixio.cpython-310.pyc
    - modeling\_pixio.cpython-310.pyc

- └─ modular\_pixio.cpython-310.pyc
- └─ \_\_init\_\_.py
- └─ configuration\_pixio.py
- └─ modeling\_pixio.py
- └─ modular\_pixio.py
- pixtral/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_pixtral.cpython-310.pyc
    - └─ image\_processing\_pil\_pixtral.cpython-310.pyc
    - └─ image\_processing\_pixtral.cpython-310.pyc
    - └─ modeling\_pixtral.cpython-310.pyc
    - └─ processing\_pixtral.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_pixtral.py
  - └─ image\_processing\_pil\_pixtral.py
  - └─ image\_processing\_pixtral.py
  - └─ modeling\_pixtral.py
  - └─ processing\_pixtral.py
- plbart/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_plbart.cpython-310.pyc
    - └─ modeling\_plbart.cpython-310.pyc
    - └─ modular\_plbart.cpython-310.pyc
    - └─ tokenization\_plbart.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_plbart.py
  - └─ modeling\_plbart.py
  - └─ modular\_plbart.py
  - └─ tokenization\_plbart.py
- poolformer/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_poolformer.cpython-310.pyc
    - └─ image\_processing\_pil\_poolformer.cpython-310.pyc
    - └─ image\_processing\_poolformer.cpython-310.pyc
    - └─ modeling\_poolformer.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_poolformer.py
  - └─ image\_processing\_pil\_poolformer.py
  - └─ image\_processing\_poolformer.py
  - └─ modeling\_poolformer.py
- pop2piano/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_pop2piano.cpython-310.pyc
    - └─ feature\_extraction\_pop2piano.cpython-310.pyc
    - └─ modeling\_pop2piano.cpython-310.pyc
    - └─ processing\_pop2piano.cpython-310.pyc
    - └─ tokenization\_pop2piano.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_pop2piano.py
  - └─ feature\_extraction\_pop2piano.py
  - └─ modeling\_pop2piano.py
  - └─ processing\_pop2piano.py
  - └─ tokenization\_pop2piano.py
- pp\_chart2table/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_pp\_chart2table.cpython-310.pyc
    - └─ image\_processing\_pil\_pp\_chart2table.cpython-310.pyc
    - └─ image\_processing\_pp\_chart2table.cpython-310.pyc
    - └─ modular\_pp\_chart2table.cpython-310.pyc
    - └─ processing\_pp\_chart2table.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_pp\_chart2table.py
  - └─ image\_processing\_pil\_pp\_chart2table.py
  - └─ image\_processing\_pp\_chart2table.py
  - └─ modular\_pp\_chart2table.py
  - └─ processing\_pp\_chart2table.py
- pp\_doclayout\_v2/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_pp\_doclayout\_v2.cpython-310.pyc
    - └─ image\_processing\_pp\_doclayout\_v2.cpython-310.pyc
    - └─ modeling\_pp\_doclayout\_v2.cpython-310.pyc
    - └─ modular\_pp\_doclayout\_v2.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_pp\_doclayout\_v2.py
  - └─ image\_processing\_pp\_doclayout\_v2.py
  - └─ modeling\_pp\_doclayout\_v2.py
  - └─ modular\_pp\_doclayout\_v2.py
- pp\_doclayout\_v3/
  - └─ \_\_pycache\_\_/

- `__init__.cpython-310.pyc`
  - `configuration_pp_doclayout_v3.cpython-310.pyc`
  - `image_processing_pp_doclayout_v3.cpython-310.pyc`
  - `modeling_pp_doclayout_v3.cpython-310.pyc`
  - `modular_pp_doclayout_v3.cpython-310.pyc`
- `__init__.py`
- `configuration_pp_doclayout_v3.py`
- `image_processing_pp_doclayout_v3.py`
- `modeling_pp_doclayout_v3.py`
- `modular_pp_doclayout_v3.py`
- `pp_formulanet/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_pp_formulanet.cpython-310.pyc`
    - `image_processing_pp_formulanet.cpython-310.pyc`
    - `modeling_pp_formulanet.cpython-310.pyc`
    - `modular_pp_formulanet.cpython-310.pyc`
    - `processing_pp_formulanet.cpython-310.pyc`
  - `__init__.py`
  - `configuration_pp_formulanet.py`
  - `image_processing_pp_formulanet.py`
  - `modeling_pp_formulanet.py`
  - `modular_pp_formulanet.py`
  - `processing_pp_formulanet.py`
- `pp_lcnet/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_pp_lcnet.cpython-310.pyc`
    - `image_processing_pp_lcnet.cpython-310.pyc`
    - `modeling_pp_lcnet.cpython-310.pyc`
    - `modular_pp_lcnet.cpython-310.pyc`
  - `__init__.py`
  - `configuration_pp_lcnet.py`
  - `image_processing_pp_lcnet.py`
  - `modeling_pp_lcnet.py`
  - `modular_pp_lcnet.py`
- `pp_lcnet_v3/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_pp_lcnet_v3.cpython-310.pyc`
    - `modeling_pp_lcnet_v3.cpython-310.pyc`
    - `modular_pp_lcnet_v3.cpython-310.pyc`
  - `__init__.py`
  - `configuration_pp_lcnet_v3.py`
  - `modeling_pp_lcnet_v3.py`
  - `modular_pp_lcnet_v3.py`
- `pp_lcnet_v4/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_pp_lcnet_v4.cpython-310.pyc`
    - `modeling_pp_lcnet_v4.cpython-310.pyc`
    - `modular_pp_lcnet_v4.cpython-310.pyc`
  - `__init__.py`
  - `configuration_pp_lcnet_v4.py`
  - `modeling_pp_lcnet_v4.py`
  - `modular_pp_lcnet_v4.py`
- `pp_ocrv5_mobile_det/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_pp_ocrv5_mobile_det.cpython-310.pyc`
    - `modeling_pp_ocrv5_mobile_det.cpython-310.pyc`
    - `modular_pp_ocrv5_mobile_det.cpython-310.pyc`
  - `__init__.py`
  - `configuration_pp_ocrv5_mobile_det.py`
  - `modeling_pp_ocrv5_mobile_det.py`
  - `modular_pp_ocrv5_mobile_det.py`
- `pp_ocrv5_mobile_rec/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_pp_ocrv5_mobile_rec.cpython-310.pyc`
    - `modeling_pp_ocrv5_mobile_rec.cpython-310.pyc`
    - `modular_pp_ocrv5_mobile_rec.cpython-310.pyc`
  - `__init__.py`
  - `configuration_pp_ocrv5_mobile_rec.py`
  - `modeling_pp_ocrv5_mobile_rec.py`
  - `modular_pp_ocrv5_mobile_rec.py`
- `pp_ocrv5_server_det/`
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
    - `configuration_pp_ocrv5_server_det.cpython-310.pyc`
    - `image_processing_pp_ocrv5_server_det.cpython-310.pyc`
    - `modeling_pp_ocrv5_server_det.cpython-310.pyc`
    - `modular_pp_ocrv5_server_det.cpython-310.pyc`
  - `__init__.py`
  - `configuration_pp_ocrv5_server_det.py`

- image\_processing\_pp\_ocrv5\_server\_det.py
- modeling\_pp\_ocrv5\_server\_det.py
- modular\_pp\_ocrv5\_server\_det.py
- pp\_ocrv5\_server\_rec/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pp\_ocrv5\_server\_rec.cpython-310.pyc
    - image\_processing\_pp\_ocrv5\_server\_rec.cpython-310.pyc
    - modeling\_pp\_ocrv5\_server\_rec.cpython-310.pyc
    - modular\_pp\_ocrv5\_server\_rec.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_ocrv5\_server\_rec.py
  - image\_processing\_pp\_ocrv5\_server\_rec.py
  - modeling\_pp\_ocrv5\_server\_rec.py
  - modular\_pp\_ocrv5\_server\_rec.py
- pp\_ocrv6\_medium\_det/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pp\_ocrv6\_medium\_det.cpython-310.pyc
    - modeling\_pp\_ocrv6\_medium\_det.cpython-310.pyc
    - modular\_pp\_ocrv6\_medium\_det.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_ocrv6\_medium\_det.py
  - modeling\_pp\_ocrv6\_medium\_det.py
  - modular\_pp\_ocrv6\_medium\_det.py
- pp\_ocrv6\_small\_det/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pp\_ocrv6\_small\_det.cpython-310.pyc
    - modeling\_pp\_ocrv6\_small\_det.cpython-310.pyc
    - modular\_pp\_ocrv6\_small\_det.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_ocrv6\_small\_det.py
  - modeling\_pp\_ocrv6\_small\_det.py
  - modular\_pp\_ocrv6\_small\_det.py
- pp\_ocrv6\_small\_rec/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pp\_ocrv6\_small\_rec.cpython-310.pyc
    - image\_processing\_pp\_ocrv6\_small\_rec.cpython-310.pyc
    - modeling\_pp\_ocrv6\_small\_rec.cpython-310.pyc
    - modular\_pp\_ocrv6\_small\_rec.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_ocrv6\_small\_rec.py
  - image\_processing\_pp\_ocrv6\_small\_rec.py
  - modeling\_pp\_ocrv6\_small\_rec.py
  - modular\_pp\_ocrv6\_small\_rec.py
- pp\_ocrv6\_tiny\_rec/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pp\_ocrv6\_tiny\_rec.cpython-310.pyc
    - modeling\_pp\_ocrv6\_tiny\_rec.cpython-310.pyc
    - modular\_pp\_ocrv6\_tiny\_rec.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pp\_ocrv6\_tiny\_rec.py
  - modeling\_pp\_ocrv6\_tiny\_rec.py
  - modular\_pp\_ocrv6\_tiny\_rec.py
- prompt\_depth\_anything/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_prompt\_depth\_anything.cpython-310.pyc
    - image\_processing\_pil\_prompt\_depth\_anything.cpython-310.pyc
    - image\_processing\_prompt\_depth\_anything.cpython-310.pyc
    - modeling\_prompt\_depth\_anything.cpython-310.pyc
    - modular\_prompt\_depth\_anything.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_prompt\_depth\_anything.py
  - image\_processing\_pil\_prompt\_depth\_anything.py
  - image\_processing\_prompt\_depth\_anything.py
  - modeling\_prompt\_depth\_anything.py
  - modular\_prompt\_depth\_anything.py
- prophetnet/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_prophetnet.cpython-310.pyc
    - modeling\_prophetnet.cpython-310.pyc
    - tokenization\_prophetnet.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_prophetnet.py
  - modeling\_prophetnet.py
  - tokenization\_prophetnet.py
- pvt/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pvt.cpython-310.pyc



- image\_processing\_pvt.cpython-310.pyc
  - image\_processing\_pvt.cpython-310.pyc
  - modeling\_pvt.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_pvt.py
- image\_processing\_pvt.py
- image\_processing\_pvt.py
- modeling\_pvt.py
- pvt\_v2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_pvt\_v2.cpython-310.pyc
    - modeling\_pvt\_v2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_pvt\_v2.py
  - modeling\_pvt\_v2.py
- qianfan\_ocr/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_qianfan\_ocr.cpython-310.pyc
    - modeling\_qianfan\_ocr.cpython-310.pyc
    - modular\_qianfan\_ocr.cpython-310.pyc
    - processing\_qianfan\_ocr.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_qianfan\_ocr.py
  - modeling\_qianfan\_ocr.py
  - modular\_qianfan\_ocr.py
  - processing\_qianfan\_ocr.py
- qwen2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_qwen2.cpython-310.pyc
    - modeling\_qwen2.cpython-310.pyc
    - modular\_qwen2.cpython-310.pyc
    - tokenization\_qwen2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_qwen2.py
  - modeling\_qwen2.py
  - modular\_qwen2.py
  - tokenization\_qwen2.py
- qwen2\_5\_omni/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_qwen2\_5\_omni.cpython-310.pyc
    - modeling\_qwen2\_5\_omni.cpython-310.pyc
    - modular\_qwen2\_5\_omni.cpython-310.pyc
    - processing\_qwen2\_5\_omni.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_qwen2\_5\_omni.py
  - modeling\_qwen2\_5\_omni.py
  - modular\_qwen2\_5\_omni.py
  - processing\_qwen2\_5\_omni.py
- qwen2\_5\_v1/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_qwen2\_5\_v1.cpython-310.pyc
    - modeling\_qwen2\_5\_v1.cpython-310.pyc
    - modular\_qwen2\_5\_v1.cpython-310.pyc
    - processing\_qwen2\_5\_v1.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_qwen2\_5\_v1.py
  - modeling\_qwen2\_5\_v1.py
  - modular\_qwen2\_5\_v1.py
  - processing\_qwen2\_5\_v1.py
- qwen2\_audio/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_qwen2\_audio.cpython-310.pyc
    - modeling\_qwen2\_audio.cpython-310.pyc
    - processing\_qwen2\_audio.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_qwen2\_audio.py
  - modeling\_qwen2\_audio.py
  - processing\_qwen2\_audio.py
- qwen2\_moe/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_qwen2\_moe.cpython-310.pyc
    - modeling\_qwen2\_moe.cpython-310.pyc
    - modular\_qwen2\_moe.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_qwen2\_moe.py
  - modeling\_qwen2\_moe.py
  - modular\_qwen2\_moe.py
- qwen2\_v1/

```
├── _pycache_/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_qwen2_v1.cpython-310.pyc
│   ├── image_processing_pil_qwen2_v1.cpython-310.pyc
│   ├── image_processing_qwen2_v1.cpython-310.pyc
│   ├── modeling_qwen2_v1.cpython-310.pyc
│   ├── processing_qwen2_v1.cpython-310.pyc
│   └── video_processing_qwen2_v1.cpython-310.pyc
├── __init__.py
├── configuration_qwen2_v1.py
├── image_processing_pil_qwen2_v1.py
├── image_processing_qwen2_v1.py
├── modeling_qwen2_v1.py
├── processing_qwen2_v1.py
├── video_processing_qwen2_v1.py
├── qwen3/
│   ├── _pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_qwen3.cpython-310.pyc
│   │   ├── modeling_qwen3.cpython-310.pyc
│   │   └── modular_qwen3.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_qwen3.py
│   ├── modeling_qwen3.py
│   └── modular_qwen3.py
├── qwen3_5/
│   ├── _pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_qwen3_5.cpython-310.pyc
│   │   ├── modeling_qwen3_5.cpython-310.pyc
│   │   ├── modular_qwen3_5.cpython-310.pyc
│   │   └── tokenization_qwen3_5.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_qwen3_5.py
│   ├── modeling_qwen3_5.py
│   ├── modular_qwen3_5.py
│   └── tokenization_qwen3_5.py
├── qwen3_5_moe/
│   ├── _pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_qwen3_5_moe.cpython-310.pyc
│   │   ├── modeling_qwen3_5_moe.cpython-310.pyc
│   │   └── modular_qwen3_5_moe.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_qwen3_5_moe.py
│   ├── modeling_qwen3_5_moe.py
│   └── modular_qwen3_5_moe.py
├── qwen3_asr/
│   ├── _pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_qwen3_asr.cpython-310.pyc
│   │   ├── feature_extraction_qwen3_asr.cpython-310.pyc
│   │   ├── modeling_qwen3_asr.cpython-310.pyc
│   │   ├── modular_qwen3_asr.cpython-310.pyc
│   │   └── processing_qwen3_asr.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_qwen3_asr.py
│   ├── feature_extraction_qwen3_asr.py
│   ├── modeling_qwen3_asr.py
│   ├── modular_qwen3_asr.py
│   └── processing_qwen3_asr.py
├── qwen3_moe/
│   ├── _pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_qwen3_moe.cpython-310.pyc
│   │   ├── modeling_qwen3_moe.cpython-310.pyc
│   │   └── modular_qwen3_moe.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_qwen3_moe.py
│   ├── modeling_qwen3_moe.py
│   └── modular_qwen3_moe.py
├── qwen3_next/
│   ├── _pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_qwen3_next.cpython-310.pyc
│   │   ├── modeling_qwen3_next.cpython-310.pyc
│   │   └── modular_qwen3_next.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_qwen3_next.py
│   ├── modeling_qwen3_next.py
│   └── modular_qwen3_next.py
├── qwen3_omni_moe/
│   ├── _pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   └── configuration_qwen3_omni_moe.cpython-310.pyc
```

- modeling\_qwen3\_omni\_moe.cpython-310.pyc
  - modular\_qwen3\_omni\_moe.cpython-310.pyc
  - processing\_qwen3\_omni\_moe.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_qwen3\_omni\_moe.py
- modeling\_qwen3\_omni\_moe.py
- modular\_qwen3\_omni\_moe.py
- processing\_qwen3\_omni\_moe.py
- qwen3\_v1/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_qwen3\_v1.cpython-310.pyc
    - modeling\_qwen3\_v1.cpython-310.pyc
    - modular\_qwen3\_v1.cpython-310.pyc
    - processing\_qwen3\_v1.cpython-310.pyc
    - video\_processing\_qwen3\_v1.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_qwen3\_v1.py
  - modeling\_qwen3\_v1.py
  - modular\_qwen3\_v1.py
  - processing\_qwen3\_v1.py
  - video\_processing\_qwen3\_v1.py
- qwen3\_v1\_moe/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_qwen3\_v1\_moe.cpython-310.pyc
    - modeling\_qwen3\_v1\_moe.cpython-310.pyc
    - modular\_qwen3\_v1\_moe.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_qwen3\_v1\_moe.py
  - modeling\_qwen3\_v1\_moe.py
  - modular\_qwen3\_v1\_moe.py
- radio/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_radio.cpython-310.pyc
    - modeling\_radio.cpython-310.pyc
    - modular\_radio.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_radio.py
  - modeling\_radio.py
  - modular\_radio.py
- rag/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_rag.cpython-310.pyc
    - modeling\_rag.cpython-310.pyc
    - retrieval\_rag.cpython-310.pyc
    - tokenization\_rag.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_rag.py
  - modeling\_rag.py
  - retrieval\_rag.py
  - tokenization\_rag.py
- recurrent\_gemma/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_recurrent\_gemma.cpython-310.pyc
    - modeling\_recurrent\_gemma.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_recurrent\_gemma.py
  - modeling\_recurrent\_gemma.py
- reformer/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_reformer.cpython-310.pyc
    - modeling\_reformer.cpython-310.pyc
    - tokenization\_reformer.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_reformer.py
  - modeling\_reformer.py
  - tokenization\_reformer.py
- regnet/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_regnet.cpython-310.pyc
    - modeling\_regnet.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_regnet.py
  - modeling\_regnet.py
- rembert/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_rembert.cpython-310.pyc
    - modeling\_rembert.cpython-310.pyc

- └─ tokenization\_rembert.cpython-310.pyc
- ─ \_\_init\_\_.py
- ─ configuration\_rembert.py
- ─ modeling\_rembert.py
- ─ tokenization\_rembert.py
- ─ resnet/
  - └─ pycache/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_resnet.cpython-310.pyc
    - ─ modeling\_resnet.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_resnet.py
  - ─ modeling\_resnet.py
- ─ rf\_detr/
  - └─ pycache/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_rf\_detr.cpython-310.pyc
    - ─ image\_processing\_rf\_detr.cpython-310.pyc
    - ─ modeling\_rf\_detr.cpython-310.pyc
    - ─ modular\_rf\_detr.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_rf\_detr.py
  - ─ image\_processing\_rf\_detr.py
  - ─ modeling\_rf\_detr.py
  - ─ modular\_rf\_detr.py
- ─ roberta/
  - └─ pycache/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_roberta.cpython-310.pyc
    - ─ modeling\_roberta.cpython-310.pyc
    - ─ modular\_roberta.cpython-310.pyc
    - ─ tokenization\_roberta.cpython-310.pyc
    - ─ tokenization\_roberta\_old.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_roberta.py
  - ─ modeling\_roberta.py
  - ─ modular\_roberta.py
  - ─ tokenization\_roberta.py
  - ─ tokenization\_roberta\_old.py
- ─ roberta\_prelayernorm/
  - └─ pycache/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_roberta\_prelayernorm.cpython-310.pyc
    - ─ modeling\_roberta\_prelayernorm.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_roberta\_prelayernorm.py
  - ─ modeling\_roberta\_prelayernorm.py
- ─ roc\_bert/
  - └─ pycache/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_roc\_bert.cpython-310.pyc
    - ─ modeling\_roc\_bert.cpython-310.pyc
    - ─ tokenization\_roc\_bert.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_roc\_bert.py
  - ─ modeling\_roc\_bert.py
  - ─ tokenization\_roc\_bert.py
- ─ roformer/
  - └─ pycache/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_roformer.cpython-310.pyc
    - ─ modeling\_roformer.cpython-310.pyc
    - ─ tokenization\_roformer.cpython-310.pyc
    - ─ tokenization\_utils.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_roformer.py
  - ─ modeling\_roformer.py
  - ─ tokenization\_roformer.py
  - ─ tokenization\_utils.py
- ─ rt\_detr/
  - └─ pycache/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_rt\_detr.cpython-310.pyc
    - ─ configuration\_rt\_detr\_resnet.cpython-310.pyc
    - ─ image\_processing\_pil\_rt\_detr.cpython-310.pyc
    - ─ image\_processing\_rt\_detr.cpython-310.pyc
    - ─ modeling\_rt\_detr.cpython-310.pyc
    - ─ modeling\_rt\_detr\_resnet.cpython-310.pyc
    - ─ modular\_rt\_detr.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_rt\_detr.py
  - ─ configuration\_rt\_detr\_resnet.py
  - ─ image\_processing\_pil\_rt\_detr.py
  - ─ image\_processing\_rt\_detr.py
  - ─ modeling\_rt\_detr.py

- modeling\_rt\_detr\_resnet.py
  - modular\_rt\_detr.py
- rt\_detr\_v2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_rt\_detr\_v2.cpython-310.pyc
    - modeling\_rt\_detr\_v2.cpython-310.pyc
    - modular\_rt\_detr\_v2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_rt\_detr\_v2.py
  - modeling\_rt\_detr\_v2.py
  - modular\_rt\_detr\_v2.py
- rwkv/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_rwkv.cpython-310.pyc
    - modeling\_rwkv.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_rwkv.py
  - modeling\_rwkv.py
- sam/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_sam.cpython-310.pyc
    - image\_processing\_pil\_sam.cpython-310.pyc
    - image\_processing\_sam.cpython-310.pyc
    - modeling\_sam.cpython-310.pyc
    - processing\_sam.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_sam.py
  - image\_processing\_pil\_sam.py
  - image\_processing\_sam.py
  - modeling\_sam.py
  - processing\_sam.py
- sam2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_sam2.cpython-310.pyc
    - image\_processing\_sam2.cpython-310.pyc
    - modeling\_sam2.cpython-310.pyc
    - modular\_sam2.cpython-310.pyc
    - processing\_sam2.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_sam2.py
  - image\_processing\_sam2.py
  - modeling\_sam2.py
  - modular\_sam2.py
  - processing\_sam2.py
- sam2\_video/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_sam2\_video.cpython-310.pyc
    - modeling\_sam2\_video.cpython-310.pyc
    - modular\_sam2\_video.cpython-310.pyc
    - processing\_sam2\_video.cpython-310.pyc
    - video\_processing\_sam2\_video.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_sam2\_video.py
  - modeling\_sam2\_video.py
  - modular\_sam2\_video.py
  - processing\_sam2\_video.py
  - video\_processing\_sam2\_video.py
- sam3/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_sam3.cpython-310.pyc
    - image\_processing\_sam3.cpython-310.pyc
    - modeling\_sam3.cpython-310.pyc
    - modular\_sam3.cpython-310.pyc
    - processing\_sam3.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_sam3.py
  - image\_processing\_sam3.py
  - modeling\_sam3.py
  - modular\_sam3.py
  - processing\_sam3.py
- sam3\_lite\_text/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_sam3\_lite\_text.cpython-310.pyc
    - modeling\_sam3\_lite\_text.cpython-310.pyc
    - modular\_sam3\_lite\_text.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_sam3\_lite\_text.py
  - modeling\_sam3\_lite\_text.py

```
└─ modular_sam3_lite_text.py
sam3_tracker/
├─ __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_sam3_tracker.cpython-310.pyc
│   ├── modeling_sam3_tracker.cpython-310.pyc
│   ├── modular_sam3_tracker.cpython-310.pyc
│   └── processing_sam3_tracker.cpython-310.pyc
├─ __init__.py
├─ configuration_sam3_tracker.py
├─ modeling_sam3_tracker.py
├─ modular_sam3_tracker.py
└─ processing_sam3_tracker.py
sam3_tracker_video/
├─ __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_sam3_tracker_video.cpython-310.pyc
│   ├── modeling_sam3_tracker_video.cpython-310.pyc
│   ├── modular_sam3_tracker_video.cpython-310.pyc
│   └── processing_sam3_tracker_video.cpython-310.pyc
├─ __init__.py
├─ configuration_sam3_tracker_video.py
├─ modeling_sam3_tracker_video.py
├─ modular_sam3_tracker_video.py
└─ processing_sam3_tracker_video.py
sam3_video/
├─ __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_sam3_video.cpython-310.pyc
│   ├── modeling_sam3_video.cpython-310.pyc
│   └── processing_sam3_video.cpython-310.pyc
├─ __init__.py
├─ configuration_sam3_video.py
├─ modeling_sam3_video.py
└─ processing_sam3_video.py
sam_hq/
├─ __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_sam_hq.cpython-310.pyc
│   ├── modeling_sam_hq.cpython-310.pyc
│   ├── modular_sam_hq.cpython-310.pyc
│   └── processing_sam_hq.cpython-310.pyc
├─ __init__.py
├─ configuration_sam_hq.py
├─ modeling_sam_hq.py
├─ modular_sam_hq.py
└─ processing_sam_hq.py
sapiens2/
├─ __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_sapiens2.cpython-310.pyc
│   ├── image_processing_sapiens2.cpython-310.pyc
│   ├── modeling_sapiens2.cpython-310.pyc
│   └── modular_sapiens2.cpython-310.pyc
├─ __init__.py
├─ configuration_sapiens2.py
├─ image_processing_sapiens2.py
├─ modeling_sapiens2.py
└─ modular_sapiens2.py
seamless_m4t/
├─ __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_seamless_m4t.cpython-310.pyc
│   ├── feature_extraction_seamless_m4t.cpython-310.pyc
│   ├── modeling_seamless_m4t.cpython-310.pyc
│   ├── processing_seamless_m4t.cpython-310.pyc
│   └── tokenization_seamless_m4t.cpython-310.pyc
├─ __init__.py
├─ configuration_seamless_m4t.py
├─ feature_extraction_seamless_m4t.py
├─ modeling_seamless_m4t.py
├─ processing_seamless_m4t.py
└─ tokenization_seamless_m4t.py
seamless_m4t_v2/
├─ __pycache__/
│   ├── __init__.cpython-310.pyc
│   ├── configuration_seamless_m4t_v2.cpython-310.pyc
│   └── modeling_seamless_m4t_v2.cpython-310.pyc
├─ __init__.py
├─ configuration_seamless_m4t_v2.py
└─ modeling_seamless_m4t_v2.py
seed_oss/
├─ __pycache__/
│   ├── __init__.cpython-310.pyc
│   └── configuration_seed_oss.cpython-310.pyc
```

- modeling\_seed\_oss.cpython-310.pyc
  - modular\_seed\_oss.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_seed\_oss.py
- modeling\_seed\_oss.py
- modular\_seed\_oss.py
- segformer/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_segformer.cpython-310.pyc
    - image\_processing\_pil\_segformer.cpython-310.pyc
    - image\_processing\_segformer.cpython-310.pyc
    - modeling\_segformer.cpython-310.pyc
    - modular\_segformer.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_segformer.py
- image\_processing\_pil\_segformer.py
- image\_processing\_segformer.py
- modeling\_segformer.py
- modular\_segformer.py
- seggpt/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_seggpt.cpython-310.pyc
    - image\_processing\_pil\_seggpt.cpython-310.pyc
    - image\_processing\_seggpt.cpython-310.pyc
    - modeling\_seggpt.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_seggpt.py
- image\_processing\_pil\_seggpt.py
- image\_processing\_seggpt.py
- modeling\_seggpt.py
- sew/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_sew.cpython-310.pyc
    - modeling\_sew.cpython-310.pyc
    - modular\_sew.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_sew.py
- modeling\_sew.py
- modular\_sew.py
- sew\_d/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_sew\_d.cpython-310.pyc
    - modeling\_sew\_d.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_sew\_d.py
- modeling\_sew\_d.py
- shieldgemma2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_shieldgemma2.cpython-310.pyc
    - modeling\_shieldgemma2.cpython-310.pyc
    - processing\_shieldgemma2.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_shieldgemma2.py
- modeling\_shieldgemma2.py
- processing\_shieldgemma2.py
- siglip/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_siglip.cpython-310.pyc
    - image\_processing\_pil\_siglip.cpython-310.pyc
    - image\_processing\_siglip.cpython-310.pyc
    - modeling\_siglip.cpython-310.pyc
    - processing\_siglip.cpython-310.pyc
    - tokenization\_siglip.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_siglip.py
- image\_processing\_pil\_siglip.py
- image\_processing\_siglip.py
- modeling\_siglip.py
- processing\_siglip.py
- tokenization\_siglip.py
- siglip2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_siglip2.cpython-310.pyc
    - image\_processing\_pil\_siglip2.cpython-310.pyc
    - image\_processing\_siglip2.cpython-310.pyc
    - modeling\_siglip2.cpython-310.pyc
    - modular\_siglip2.cpython-310.pyc
    - processing\_siglip2.cpython-310.pyc

- └─ tokenization\_siglip2.cpython-310.pyc
- ─ \_\_init\_\_.py
- ─ configuration\_siglip2.py
- ─ image\_processing\_pil\_siglip2.py
- ─ image\_processing\_siglip2.py
- ─ modeling\_siglip2.py
- ─ modular\_siglip2.py
- ─ processing\_siglip2.py
- ─ tokenization\_siglip2.py
- ─ slanelt/
  - ─ pycache\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_slanelt.cpython-310.pyc
    - ─ modeling\_slanelt.cpython-310.pyc
    - ─ modular\_slanelt.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_slanelt.py
  - ─ modeling\_slanelt.py
  - ─ modular\_slanelt.py
- ─ slanext/
  - ─ pycache\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_slanext.cpython-310.pyc
    - ─ image\_processing\_slanext.cpython-310.pyc
    - ─ modeling\_slanext.cpython-310.pyc
    - ─ modular\_slanext.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_slanext.py
  - ─ image\_processing\_slanext.py
  - ─ modeling\_slanext.py
  - ─ modular\_slanext.py
- ─ smollm3/
  - ─ pycache\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_smollm3.cpython-310.pyc
    - ─ modeling\_smollm3.cpython-310.pyc
    - ─ modular\_smollm3.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_smollm3.py
  - ─ modeling\_smollm3.py
  - ─ modular\_smollm3.py
- ─ smolvlm/
  - ─ pycache\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_smolvlm.cpython-310.pyc
    - ─ image\_processing\_pil\_smolvlm.cpython-310.pyc
    - ─ image\_processing\_smolvlm.cpython-310.pyc
    - ─ modeling\_smolvlm.cpython-310.pyc
    - ─ modular\_smolvlm.cpython-310.pyc
    - ─ processing\_smolvlm.cpython-310.pyc
    - ─ video\_processing\_smolvlm.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_smolvlm.py
  - ─ image\_processing\_pil\_smolvlm.py
  - ─ image\_processing\_smolvlm.py
  - ─ modeling\_smolvlm.py
  - ─ modular\_smolvlm.py
  - ─ processing\_smolvlm.py
  - ─ video\_processing\_smolvlm.py
- ─ solar\_open/
  - ─ pycache\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_solar\_open.cpython-310.pyc
    - ─ modeling\_solar\_open.cpython-310.pyc
    - ─ modular\_solar\_open.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_solar\_open.py
  - ─ modeling\_solar\_open.py
  - ─ modular\_solar\_open.py
- ─ speech\_encoder\_decoder/
  - ─ pycache\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_speech\_encoder\_decoder.cpython-310.pyc
    - ─ modeling\_speech\_encoder\_decoder.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ configuration\_speech\_encoder\_decoder.py
  - ─ modeling\_speech\_encoder\_decoder.py
- ─ speech\_to\_text/
  - ─ pycache\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ configuration\_speech\_to\_text.cpython-310.pyc
    - ─ feature\_extraction\_speech\_to\_text.cpython-310.pyc
    - ─ modeling\_speech\_to\_text.cpython-310.pyc
    - ─ processing\_speech\_to\_text.cpython-310.pyc
    - ─ tokenization\_speech\_to\_text.cpython-310.pyc



- `__init__.py`
- `configuration_speech_to_text.py`
- `feature_extraction_speech_to_text.py`
- `modeling_speech_to_text.py`
- `processing_speech_to_text.py`
- `tokenization_speech_to_text.py`
- `speecht5/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_speecht5.cpython-310.pyc`
    - `feature_extraction_speecht5.cpython-310.pyc`
    - `modeling_speecht5.cpython-310.pyc`
    - `number_normalizer.cpython-310.pyc`
    - `processing_speecht5.cpython-310.pyc`
    - `tokenization_speecht5.cpython-310.pyc`
  - `__init__.py`
  - `configuration_speecht5.py`
  - `feature_extraction_speecht5.py`
  - `modeling_speecht5.py`
  - `number_normalizer.py`
  - `processing_speecht5.py`
  - `tokenization_speecht5.py`
- `splinter/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_splinter.cpython-310.pyc`
    - `modeling_splinter.cpython-310.pyc`
    - `tokenization_splinter.cpython-310.pyc`
  - `__init__.py`
  - `configuration_splinter.py`
  - `modeling_splinter.py`
  - `tokenization_splinter.py`
- `squeezebert/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_squeezebert.cpython-310.pyc`
    - `modeling_squeezebert.cpython-310.pyc`
    - `tokenization_squeezebert.cpython-310.pyc`
  - `__init__.py`
  - `configuration_squeezebert.py`
  - `modeling_squeezebert.py`
  - `tokenization_squeezebert.py`
- `stablelm/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_stablelm.cpython-310.pyc`
    - `modeling_stablelm.cpython-310.pyc`
  - `__init__.py`
  - `configuration_stablelm.py`
  - `modeling_stablelm.py`
- `starcoder2/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_starcoder2.cpython-310.pyc`
    - `modeling_starcoder2.cpython-310.pyc`
    - `modular_starcoder2.cpython-310.pyc`
  - `__init__.py`
  - `configuration_starcoder2.py`
  - `modeling_starcoder2.py`
  - `modular_starcoder2.py`
- `superglue/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_superglue.cpython-310.pyc`
    - `image_processing_pil_superglue.cpython-310.pyc`
    - `image_processing_superglue.cpython-310.pyc`
    - `modeling_superglue.cpython-310.pyc`
  - `__init__.py`
  - `configuration_superglue.py`
  - `image_processing_pil_superglue.py`
  - `image_processing_superglue.py`
  - `modeling_superglue.py`
- `superpoint/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_superpoint.cpython-310.pyc`
    - `image_processing_pil_superpoint.cpython-310.pyc`
    - `image_processing_superpoint.cpython-310.pyc`
    - `modeling_superpoint.cpython-310.pyc`
  - `__init__.py`
  - `configuration_superpoint.py`
  - `image_processing_pil_superpoint.py`
  - `image_processing_superpoint.py`
  - `modeling_superpoint.py`
- `swiftformer/`

- pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_swiftformer.cpython-310.pyc
    - modeling\_swiftformer.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_swiftformer.py
  - modeling\_swiftformer.py
- swin/
  - pycache\_/
      - \_\_init\_\_.cpython-310.pyc
      - configuration\_swin.cpython-310.pyc
      - modeling\_swin.cpython-310.pyc
      - modular\_swin.cpython-310.pyc
    - \_\_init\_\_.py
    - configuration\_swin.py
    - modeling\_swin.py
    - modular\_swin.py
  - swin2sr/
    - pycache\_/
        - \_\_init\_\_.cpython-310.pyc
        - configuration\_swin2sr.cpython-310.pyc
        - image\_processing\_pil\_swin2sr.cpython-310.pyc
        - image\_processing\_swin2sr.cpython-310.pyc
        - modeling\_swin2sr.cpython-310.pyc
      - \_\_init\_\_.py
      - configuration\_swin2sr.py
      - image\_processing\_pil\_swin2sr.py
      - image\_processing\_swin2sr.py
      - modeling\_swin2sr.py
    - swinv2/
      - pycache\_/
          - \_\_init\_\_.cpython-310.pyc
          - configuration\_swinv2.cpython-310.pyc
          - modeling\_swinv2.cpython-310.pyc
        - \_\_init\_\_.py
        - configuration\_swinv2.py
        - modeling\_swinv2.py
      - switch\_transformers/
        - pycache\_/
            - \_\_init\_\_.cpython-310.pyc
            - configuration\_switch\_transformers.cpython-310.pyc
            - modeling\_switch\_transformers.cpython-310.pyc
            - modular\_switch\_transformers.cpython-310.pyc
          - \_\_init\_\_.py
          - configuration\_switch\_transformers.py
          - modeling\_switch\_transformers.py
          - modular\_switch\_transformers.py
        - t5/
          - pycache\_/
              - \_\_init\_\_.cpython-310.pyc
              - configuration\_t5.cpython-310.pyc
              - modeling\_t5.cpython-310.pyc
              - tokenization\_t5.cpython-310.pyc
            - \_\_init\_\_.py
            - configuration\_t5.py
            - modeling\_t5.py
            - tokenization\_t5.py
          - t5gemma/
            - pycache\_/
                - \_\_init\_\_.cpython-310.pyc
                - configuration\_t5gemma.cpython-310.pyc
                - modeling\_t5gemma.cpython-310.pyc
                - modular\_t5gemma.cpython-310.pyc
              - \_\_init\_\_.py
              - configuration\_t5gemma.py
              - modeling\_t5gemma.py
              - modular\_t5gemma.py
            - t5gemma2/
              - pycache\_/
                  - \_\_init\_\_.cpython-310.pyc
                  - configuration\_t5gemma2.cpython-310.pyc
                  - modeling\_t5gemma2.cpython-310.pyc
                  - modular\_t5gemma2.cpython-310.pyc
                - \_\_init\_\_.py
                - configuration\_t5gemma2.py
                - modeling\_t5gemma2.py
                - modular\_t5gemma2.py
              - table\_transformer/
                - pycache\_/
                    - \_\_init\_\_.cpython-310.pyc
                    - configuration\_table\_transformer.cpython-310.pyc
                    - modeling\_table\_transformer.cpython-310.pyc
                  - \_\_init\_\_.py
                  - configuration\_table\_transformer.py
                  - modeling\_table\_transformer.py

- tapas/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_tapas.cpython-310.pyc
    - modeling\_tapas.cpython-310.pyc
    - tokenization\_tapas.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_tapas.py
  - modeling\_tapas.py
  - tokenization\_tapas.py
- textnet/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_textnet.cpython-310.pyc
    - image\_processing\_pil\_textnet.cpython-310.pyc
    - image\_processing\_textnet.cpython-310.pyc
    - modeling\_textnet.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_textnet.py
  - image\_processing\_pil\_textnet.py
  - image\_processing\_textnet.py
  - modeling\_textnet.py
- time\_series\_transformer/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_time\_series\_transformer.cpython-310.pyc
    - modeling\_time\_series\_transformer.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_time\_series\_transformer.py
  - modeling\_time\_series\_transformer.py
- timesfm/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_timesfm.cpython-310.pyc
    - modeling\_timesfm.cpython-310.pyc
    - modular\_timesfm.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_timesfm.py
  - modeling\_timesfm.py
  - modular\_timesfm.py
- timesfm2\_5/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_timesfm2\_5.cpython-310.pyc
    - modeling\_timesfm2\_5.cpython-310.pyc
    - modular\_timesfm2\_5.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_timesfm2\_5.py
  - modeling\_timesfm2\_5.py
  - modular\_timesfm2\_5.py
- timesformer/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_timesformer.cpython-310.pyc
    - modeling\_timesformer.cpython-310.pyc
    - video\_processing\_timesformer.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_timesformer.py
  - modeling\_timesformer.py
  - video\_processing\_timesformer.py
- timm\_backbone/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_timm\_backbone.cpython-310.pyc
    - modeling\_timm\_backbone.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_timm\_backbone.py
  - modeling\_timm\_backbone.py
- timm\_wrapper/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_timm\_wrapper.cpython-310.pyc
    - image\_processing\_timm\_wrapper.cpython-310.pyc
    - modeling\_timm\_wrapper.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_timm\_wrapper.py
  - image\_processing\_timm\_wrapper.py
  - modeling\_timm\_wrapper.py
- trocr/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_trocr.cpython-310.pyc
    - modeling\_trocr.cpython-310.pyc
    - processing\_trocr.cpython-310.pyc
  - \_\_init\_\_.py

- configuration\_trocr.py
- modeling\_trocr.py
- processing\_trocr.py
- tvp/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_tvp.cpython-310.pyc
    - image\_processing\_pil\_tvp.cpython-310.pyc
    - image\_processing\_tvp.cpython-310.pyc
    - modeling\_tvp.cpython-310.pyc
    - processing\_tvp.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_tvp.py
  - image\_processing\_pil\_tvp.py
  - image\_processing\_tvp.py
  - modeling\_tvp.py
  - processing\_tvp.py
- udop/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_udop.cpython-310.pyc
    - modeling\_udop.cpython-310.pyc
    - processing\_udop.cpython-310.pyc
    - tokenization\_udop.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_udop.py
  - modeling\_udop.py
  - processing\_udop.py
  - tokenization\_udop.py
- umt5/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_umt5.cpython-310.pyc
    - modeling\_umt5.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_umt5.py
  - modeling\_umt5.py
- unispeech/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_unispeech.cpython-310.pyc
    - modeling\_unispeech.cpython-310.pyc
    - modular\_unispeech.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_unispeech.py
  - modeling\_unispeech.py
  - modular\_unispeech.py
- unispeech\_sat/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_unispeech\_sat.cpython-310.pyc
    - modeling\_unispeech\_sat.cpython-310.pyc
    - modular\_unispeech\_sat.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_unispeech\_sat.py
  - modeling\_unispeech\_sat.py
  - modular\_unispeech\_sat.py
- univnet/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_univnet.cpython-310.pyc
    - feature\_extraction\_univnet.cpython-310.pyc
    - modeling\_univnet.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_univnet.py
  - feature\_extraction\_univnet.py
  - modeling\_univnet.py
- upernet/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_upernet.cpython-310.pyc
    - modeling\_upernet.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_upernet.py
  - modeling\_upernet.py
- uvdod/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_uvdod.cpython-310.pyc
    - image\_processing\_uvdod.cpython-310.pyc
    - modeling\_uvdod.cpython-310.pyc
    - modular\_uvdod.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_uvdod.py
  - image\_processing\_uvdod.py

- └─ modeling\_uvdoc.py
- └─ modular\_uvdoc.py
- ─ vaultgemma/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_vaultgemma.cpython-310.pyc
    - └─ modeling\_vaultgemma.cpython-310.pyc
    - └─ modular\_vaultgemma.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_vaultgemma.py
  - └─ modeling\_vaultgemma.py
  - └─ modular\_vaultgemma.py
- ─ vibevoice\_acoustic\_tokenizer/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_vibevoice\_acoustic\_tokenizer.cpython-310.pyc
    - └─ feature\_extraction\_vibevoice\_acoustic\_tokenizer.cpython-310.pyc
    - └─ modeling\_vibevoice\_acoustic\_tokenizer.cpython-310.pyc
    - └─ modular\_vibevoice\_acoustic\_tokenizer.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_vibevoice\_acoustic\_tokenizer.py
  - └─ feature\_extraction\_vibevoice\_acoustic\_tokenizer.py
  - └─ modeling\_vibevoice\_acoustic\_tokenizer.py
  - └─ modular\_vibevoice\_acoustic\_tokenizer.py
- ─ vibevoice\_asr/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_vibevoice\_asr.cpython-310.pyc
    - └─ modeling\_vibevoice\_asr.cpython-310.pyc
    - └─ modular\_vibevoice\_asr.cpython-310.pyc
    - └─ processing\_vibevoice\_asr.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_vibevoice\_asr.py
  - └─ modeling\_vibevoice\_asr.py
  - └─ modular\_vibevoice\_asr.py
  - └─ processing\_vibevoice\_asr.py
- ─ video\_llama\_3/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_video\_llama\_3.cpython-310.pyc
    - └─ image\_processing\_pil\_video\_llama\_3.cpython-310.pyc
    - └─ image\_processing\_video\_llama\_3.cpython-310.pyc
    - └─ modeling\_video\_llama\_3.cpython-310.pyc
    - └─ modular\_video\_llama\_3.cpython-310.pyc
    - └─ processing\_video\_llama\_3.cpython-310.pyc
    - └─ video\_processing\_video\_llama\_3.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_video\_llama\_3.py
  - └─ image\_processing\_pil\_video\_llama\_3.py
  - └─ image\_processing\_video\_llama\_3.py
  - └─ modeling\_video\_llama\_3.py
  - └─ modular\_video\_llama\_3.py
  - └─ processing\_video\_llama\_3.py
  - └─ video\_processing\_video\_llama\_3.py
- ─ video\_llava/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_video\_llava.cpython-310.pyc
    - └─ image\_processing\_video\_llava.cpython-310.pyc
    - └─ modeling\_video\_llava.cpython-310.pyc
    - └─ processing\_video\_llava.cpython-310.pyc
    - └─ video\_processing\_video\_llava.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_video\_llava.py
  - └─ image\_processing\_video\_llava.py
  - └─ modeling\_video\_llava.py
  - └─ processing\_video\_llava.py
  - └─ video\_processing\_video\_llava.py
- ─ videomae/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_videomae.cpython-310.pyc
    - └─ image\_processing\_pil\_videomae.cpython-310.pyc
    - └─ image\_processing\_videomae.cpython-310.pyc
    - └─ modeling\_videomae.cpython-310.pyc
    - └─ video\_processing\_videomae.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_videomae.py
  - └─ image\_processing\_pil\_videomae.py
  - └─ image\_processing\_videomae.py
  - └─ modeling\_videomae.py
  - └─ video\_processing\_videomae.py
- ─ videomt/
  - └─ \_\_pycache\_\_/
    - └─ \_\_init\_\_.cpython-310.pyc

- configuration\_videomt.cpython-310.pyc
- modeling\_videomt.cpython-310.pyc
- modular\_videomt.cpython-310.pyc
- video\_processing\_videomt.cpython-310.pyc
- \_\_init\_\_.py
- configuration\_videomt.py
- modeling\_videomt.py
- modular\_videomt.py
- video\_processing\_videomt.py
- videoprism/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_videoprism.cpython-310.pyc
    - modeling\_videoprism.cpython-310.pyc
    - modular\_videoprism.cpython-310.pyc
    - processing\_videoprism.cpython-310.pyc
    - tokenization\_videoprism.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_videoprism.py
  - modeling\_videoprism.py
  - modular\_videoprism.py
  - processing\_videoprism.py
  - tokenization\_videoprism.py
- vilt/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vilt.cpython-310.pyc
    - image\_processing\_pil\_vilt.cpython-310.pyc
    - image\_processing\_vilt.cpython-310.pyc
    - modeling\_vilt.cpython-310.pyc
    - processing\_vilt.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vilt.py
  - image\_processing\_pil\_vilt.py
  - image\_processing\_vilt.py
  - modeling\_vilt.py
  - processing\_vilt.py
- vipllava/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vipllava.cpython-310.pyc
    - modeling\_vipllava.cpython-310.pyc
    - modular\_vipllava.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vipllava.py
  - modeling\_vipllava.py
  - modular\_vipllava.py
- vision\_encoder\_decoder/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vision\_encoder\_decoder.cpython-310.pyc
    - modeling\_vision\_encoder\_decoder.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vision\_encoder\_decoder.py
  - modeling\_vision\_encoder\_decoder.py
- vision\_text\_dual\_encoder/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vision\_text\_dual\_encoder.cpython-310.pyc
    - modeling\_vision\_text\_dual\_encoder.cpython-310.pyc
    - processing\_vision\_text\_dual\_encoder.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vision\_text\_dual\_encoder.py
  - modeling\_vision\_text\_dual\_encoder.py
  - processing\_vision\_text\_dual\_encoder.py
- visual\_bert/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_visual\_bert.cpython-310.pyc
    - modeling\_visual\_bert.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_visual\_bert.py
  - modeling\_visual\_bert.py
- vit/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vit.cpython-310.pyc
    - image\_processing\_pil\_vit.cpython-310.pyc
    - image\_processing\_vit.cpython-310.pyc
    - modeling\_vit.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vit.py
  - image\_processing\_pil\_vit.py
  - image\_processing\_vit.py
  - modeling\_vit.py

- vit\_mae/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vit\_mae.cpython-310.pyc
    - modeling\_vit\_mae.cpython-310.pyc
    - modular\_vit\_mae.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vit\_mae.py
  - modeling\_vit\_mae.py
  - modular\_vit\_mae.py
- vit\_msn/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vit\_msn.cpython-310.pyc
    - modeling\_vit\_msn.cpython-310.pyc
    - modular\_vit\_msn.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vit\_msn.py
  - modeling\_vit\_msn.py
  - modular\_vit\_msn.py
- vitdet/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vitdet.cpython-310.pyc
    - modeling\_vitdet.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vitdet.py
  - modeling\_vitdet.py
- vitmatte/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vitmatte.cpython-310.pyc
    - image\_processing\_pil\_vitmatte.cpython-310.pyc
    - image\_processing\_vitmatte.cpython-310.pyc
    - modeling\_vitmatte.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vitmatte.py
  - image\_processing\_pil\_vitmatte.py
  - image\_processing\_vitmatte.py
  - modeling\_vitmatte.py
- vitpose/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vitpose.cpython-310.pyc
    - image\_processing\_pil\_vitpose.cpython-310.pyc
    - image\_processing\_vitpose.cpython-310.pyc
    - modeling\_vitpose.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vitpose.py
  - image\_processing\_pil\_vitpose.py
  - image\_processing\_vitpose.py
  - modeling\_vitpose.py
- vitpose\_backbone/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vitpose\_backbone.cpython-310.pyc
    - modeling\_vitpose\_backbone.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vitpose\_backbone.py
  - modeling\_vitpose\_backbone.py
- vits/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vits.cpython-310.pyc
    - modeling\_vits.cpython-310.pyc
    - tokenization\_vits.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vits.py
  - modeling\_vits.py
  - tokenization\_vits.py
- vivit/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - configuration\_vivit.cpython-310.pyc
    - image\_processing\_vivit.cpython-310.pyc
    - modeling\_vivit.cpython-310.pyc
    - modular\_vivit.cpython-310.pyc
    - video\_processing\_vivit.cpython-310.pyc
  - \_\_init\_\_.py
  - configuration\_vivit.py
  - image\_processing\_vivit.py
  - modeling\_vivit.py
  - modular\_vivit.py
  - video\_processing\_vivit.py
- vjepa2/

- └─ \_pycache\_/
  - └─ \_\_init\_\_.cpython-310.pyc
  - └─ configuration\_vjepa2.cpython-310.pyc
  - └─ modeling\_vjepa2.cpython-310.pyc
  - └─ video\_processing\_vjepa2.cpython-310.pyc
- └─ \_\_init\_\_.py
- └─ configuration\_vjepa2.py
- └─ modeling\_vjepa2.py
- └─ video\_processing\_vjepa2.py
- voxtral/
  - └─ \_pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_voxtral.cpython-310.pyc
    - └─ modeling\_voxtral.cpython-310.pyc
    - └─ modular\_voxtral.cpython-310.pyc
    - └─ processing\_voxtral.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_voxtral.py
  - └─ modeling\_voxtral.py
  - └─ modular\_voxtral.py
  - └─ processing\_voxtral.py
- voxtral\_realtime/
  - └─ \_pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_voxtral\_realtime.cpython-310.pyc
    - └─ feature\_extraction\_voxtral\_realtime.cpython-310.pyc
    - └─ modeling\_voxtral\_realtime.cpython-310.pyc
    - └─ modular\_voxtral\_realtime.cpython-310.pyc
    - └─ processing\_voxtral\_realtime.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_voxtral\_realtime.py
  - └─ feature\_extraction\_voxtral\_realtime.py
  - └─ modeling\_voxtral\_realtime.py
  - └─ modular\_voxtral\_realtime.py
  - └─ processing\_voxtral\_realtime.py
- wav2vec2/
  - └─ \_pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_wav2vec2.cpython-310.pyc
    - └─ feature\_extraction\_wav2vec2.cpython-310.pyc
    - └─ modeling\_wav2vec2.cpython-310.pyc
    - └─ processing\_wav2vec2.cpython-310.pyc
    - └─ tokenization\_wav2vec2.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_wav2vec2.py
  - └─ feature\_extraction\_wav2vec2.py
  - └─ modeling\_wav2vec2.py
  - └─ processing\_wav2vec2.py
  - └─ tokenization\_wav2vec2.py
- wav2vec2\_bert/
  - └─ \_pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_wav2vec2\_bert.cpython-310.pyc
    - └─ modeling\_wav2vec2\_bert.cpython-310.pyc
    - └─ modular\_wav2vec2\_bert.cpython-310.pyc
    - └─ processing\_wav2vec2\_bert.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_wav2vec2\_bert.py
  - └─ modeling\_wav2vec2\_bert.py
  - └─ modular\_wav2vec2\_bert.py
  - └─ processing\_wav2vec2\_bert.py
- wav2vec2\_conformer/
  - └─ \_pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ configuration\_wav2vec2\_conformer.cpython-310.pyc
    - └─ modeling\_wav2vec2\_conformer.cpython-310.pyc
    - └─ modular\_wav2vec2\_conformer.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ configuration\_wav2vec2\_conformer.py
  - └─ modeling\_wav2vec2\_conformer.py
  - └─ modular\_wav2vec2\_conformer.py
- wav2vec2\_phoneme/
  - └─ \_pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ tokenization\_wav2vec2\_phoneme.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ tokenization\_wav2vec2\_phoneme.py
- wav2vec2\_with\_lm/
  - └─ \_pycache\_/
    - └─ \_\_init\_\_.cpython-310.pyc
    - └─ processing\_wav2vec2\_with\_lm.cpython-310.pyc
  - └─ \_\_init\_\_.py
  - └─ processing\_wav2vec2\_with\_lm.py
- wavlm/
  - └─ \_pycache\_/



- `__init__.cpython-310.pyc`
  - `configuration_wavlm.cpython-310.pyc`
  - `modeling_wavlm.cpython-310.pyc`
  - `modular_wavlm.cpython-310.pyc`
- `__init__.py`
- `configuration_wavlm.py`
- `modeling_wavlm.py`
- `modular_wavlm.py`
- `whisper/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_whisper.cpython-310.pyc`
    - `english_normalizer.cpython-310.pyc`
    - `feature_extraction_whisper.cpython-310.pyc`
    - `generation_whisper.cpython-310.pyc`
    - `modeling_whisper.cpython-310.pyc`
    - `processing_whisper.cpython-310.pyc`
    - `tokenization_whisper.cpython-310.pyc`
  - `__init__.py`
  - `configuration_whisper.py`
  - `english_normalizer.py`
  - `feature_extraction_whisper.py`
  - `generation_whisper.py`
  - `modeling_whisper.py`
  - `processing_whisper.py`
  - `tokenization_whisper.py`
- `x_clip/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_x_clip.cpython-310.pyc`
    - `modeling_x_clip.cpython-310.pyc`
    - `modular_x_clip.cpython-310.pyc`
    - `processing_x_clip.cpython-310.pyc`
  - `__init__.py`
  - `configuration_x_clip.py`
  - `modeling_x_clip.py`
  - `modular_x_clip.py`
  - `processing_x_clip.py`
- `xcodec/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_xcodec.cpython-310.pyc`
    - `modeling_xcodec.cpython-310.pyc`
  - `__init__.py`
  - `configuration_xcodec.py`
  - `modeling_xcodec.py`
- `xcodec2/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_xcodec2.cpython-310.pyc`
    - `feature_extraction_xcodec2.cpython-310.pyc`
    - `modeling_xcodec2.cpython-310.pyc`
    - `modular_xcodec2.cpython-310.pyc`
  - `__init__.py`
  - `configuration_xcodec2.py`
  - `feature_extraction_xcodec2.py`
  - `modeling_xcodec2.py`
  - `modular_xcodec2.py`
- `xglm/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_xglm.cpython-310.pyc`
    - `modeling_xglm.cpython-310.pyc`
    - `tokenization_xglm.cpython-310.pyc`
  - `__init__.py`
  - `configuration_xglm.py`
  - `modeling_xglm.py`
  - `tokenization_xglm.py`
- `xlm/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_xlm.cpython-310.pyc`
    - `modeling_xlm.cpython-310.pyc`
    - `tokenization_xlm.cpython-310.pyc`
  - `__init__.py`
  - `configuration_xlm.py`
  - `modeling_xlm.py`
  - `tokenization_xlm.py`
- `xlm_roberta/`
  - `pycache_/`
    - `__init__.cpython-310.pyc`
    - `configuration_xlm_roberta.cpython-310.pyc`
    - `modeling_xlm_roberta.cpython-310.pyc`
    - `modular_xlm_roberta.cpython-310.pyc`
    - `tokenization_xlm_roberta.cpython-310.pyc`

- `__init__.py`
  - `configuration_xlm_roberta.py`
  - `modeling_xlm_roberta.py`
  - `modular_xlm_roberta.py`
  - `tokenization_xlm_roberta.py`
- `xlm_roberta_xl/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_xlm_roberta_xl.cpython-310.pyc`
    - `modeling_xlm_roberta_xl.cpython-310.pyc`
    - `modular_xlm_roberta_xl.cpython-310.pyc`
  - `__init__.py`
  - `configuration_xlm_roberta_xl.py`
  - `modeling_xlm_roberta_xl.py`
  - `modular_xlm_roberta_xl.py`
- `xlnet/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_xlnet.cpython-310.pyc`
    - `modeling_xlnet.cpython-310.pyc`
    - `tokenization_xlnet.cpython-310.pyc`
  - `__init__.py`
  - `configuration_xlnet.py`
  - `modeling_xlnet.py`
  - `tokenization_xlnet.py`
- `xlstm/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_xlstm.cpython-310.pyc`
    - `modeling_xlstm.cpython-310.pyc`
  - `__init__.py`
  - `configuration_xlstm.py`
  - `modeling_xlstm.py`
- `xmod/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_xmod.cpython-310.pyc`
    - `modeling_xmod.cpython-310.pyc`
  - `__init__.py`
  - `configuration_xmod.py`
  - `modeling_xmod.py`
- `yolos/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_yolos.cpython-310.pyc`
    - `image_processing_pil_yolos.cpython-310.pyc`
    - `image_processing_yolos.cpython-310.pyc`
    - `modeling_yolos.cpython-310.pyc`
    - `modular_yolos.cpython-310.pyc`
  - `__init__.py`
  - `configuration_yolos.py`
  - `image_processing_pil_yolos.py`
  - `image_processing_yolos.py`
  - `modeling_yolos.py`
  - `modular_yolos.py`
- `yoso/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_yoso.cpython-310.pyc`
    - `modeling_yoso.cpython-310.pyc`
  - `__init__.py`
  - `configuration_yoso.py`
  - `modeling_yoso.py`
- `youtu/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_youtu.cpython-310.pyc`
    - `modeling_youtu.cpython-310.pyc`
    - `modular_youtu.cpython-310.pyc`
  - `__init__.py`
  - `configuration_youtu.py`
  - `modeling_youtu.py`
  - `modular_youtu.py`
- `zamba/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_zamba.cpython-310.pyc`
    - `modeling_zamba.cpython-310.pyc`
  - `__init__.py`
  - `configuration_zamba.py`
  - `modeling_zamba.py`
- `zamba2/`
  - `pycache/`
    - `__init__.cpython-310.pyc`
    - `configuration_zamba2.cpython-310.pyc`

```

├── modeling_zamba2.cpython-310.pyc
├── modular_zamba2.cpython-310.pyc
├── __init__.py
├── configuration_zamba2.py
├── modeling_zamba2.py
├── modular_zamba2.py
├── zaya/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_zaya.cpython-310.pyc
│   │   ├── modeling_zaya.cpython-310.pyc
│   │   └── modular_zaya.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_zaya.py
│   ├── modeling_zaya.py
│   └── modular_zaya.py
├── zoedepth/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── configuration_zoedepth.cpython-310.pyc
│   │   ├── image_processing_pil_zoedepth.cpython-310.pyc
│   │   ├── image_processing_zoedepth.cpython-310.pyc
│   │   └── modeling_zoedepth.cpython-310.pyc
│   ├── __init__.py
│   ├── configuration_zoedepth.py
│   ├── image_processing_pil_zoedepth.py
│   ├── image_processing_zoedepth.py
│   └── modeling_zoedepth.py
├── __init__.py
├── pipelines/
│   ├── pycache_/
│   │   ├── __init__.cpython-310.pyc
│   │   ├── any_to_any.cpython-310.pyc
│   │   ├── audio_classification.cpython-310.pyc
│   │   ├── audio_utils.cpython-310.pyc
│   │   ├── automatic_speech_recognition.cpython-310.pyc
│   │   ├── base.cpython-310.pyc
│   │   ├── depth_estimation.cpython-310.pyc
│   │   ├── document_question_answering.cpython-310.pyc
│   │   ├── feature_extraction.cpython-310.pyc
│   │   ├── fill_mask.cpython-310.pyc
│   │   ├── image_classification.cpython-310.pyc
│   │   ├── image_feature_extraction.cpython-310.pyc
│   │   ├── image_segmentation.cpython-310.pyc
│   │   ├── image_text_to_text.cpython-310.pyc
│   │   ├── keypoint_matching.cpython-310.pyc
│   │   ├── mask_generation.cpython-310.pyc
│   │   ├── object_detection.cpython-310.pyc
│   │   ├── pt_utils.cpython-310.pyc
│   │   ├── table_question_answering.cpython-310.pyc
│   │   ├── text_classification.cpython-310.pyc
│   │   ├── text_generation.cpython-310.pyc
│   │   ├── text_to_audio.cpython-310.pyc
│   │   ├── token_classification.cpython-310.pyc
│   │   ├── video_classification.cpython-310.pyc
│   │   ├── zero_shot_audio_classification.cpython-310.pyc
│   │   ├── zero_shot_classification.cpython-310.pyc
│   │   ├── zero_shot_image_classification.cpython-310.pyc
│   │   └── zero_shot_object_detection.cpython-310.pyc
│   ├── __init__.py
│   ├── any_to_any.py
│   ├── audio_classification.py
│   ├── audio_utils.py
│   ├── automatic_speech_recognition.py
│   ├── base.py
│   ├── depth_estimation.py
│   ├── document_question_answering.py
│   ├── feature_extraction.py
│   ├── fill_mask.py
│   ├── image_classification.py
│   ├── image_feature_extraction.py
│   ├── image_segmentation.py
│   ├── image_text_to_text.py
│   ├── keypoint_matching.py
│   ├── mask_generation.py
│   ├── object_detection.py
│   ├── pt_utils.py
│   ├── table_question_answering.py
│   ├── text_classification.py
│   ├── text_generation.py
│   ├── text_to_audio.py
│   ├── token_classification.py
│   ├── video_classification.py
│   ├── zero_shot_audio_classification.py
│   ├── zero_shot_classification.py

```

- zero\_shot\_image\_classification.py
- zero\_shot\_object\_detection.py
- quantizers/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - auto.cpython-310.pyc
    - base.cpython-310.pyc
    - quantizer\_aqlm.cpython-310.pyc
    - quantizer\_auto\_round.cpython-310.pyc
    - quantizer\_awq.cpython-310.pyc
    - quantizer\_bitnet.cpython-310.pyc
    - quantizer\_bnb\_4bit.cpython-310.pyc
    - quantizer\_bnb\_8bit.cpython-310.pyc
    - quantizer\_compressed\_tensors.cpython-310.pyc
    - quantizer\_eetq.cpython-310.pyc
    - quantizer\_fbgemm\_fp8.cpython-310.pyc
    - quantizer\_finegrained\_fp8.cpython-310.pyc
    - quantizer\_fouroversix.cpython-310.pyc
    - quantizer\_fp\_quant.cpython-310.pyc
    - quantizer\_gemma.cpython-310.pyc
    - quantizer\_gptq.cpython-310.pyc
    - quantizer\_higgs.cpython-310.pyc
    - quantizer\_hqq.cpython-310.pyc
    - quantizer\_metal.cpython-310.pyc
    - quantizer\_mxfp4.cpython-310.pyc
    - quantizer\_quanto.cpython-310.pyc
    - quantizer\_quark.cpython-310.pyc
    - quantizer\_sinq.cpython-310.pyc
    - quantizer\_spqr.cpython-310.pyc
    - quantizer\_torchao.cpython-310.pyc
    - quantizer\_vptq.cpython-310.pyc
    - quantizers\_utils.cpython-310.pyc
  - \_\_init\_\_.py
  - auto.py
  - base.py
  - quantizer\_aqlm.py
  - quantizer\_auto\_round.py
  - quantizer\_awq.py
  - quantizer\_bitnet.py
  - quantizer\_bnb\_4bit.py
  - quantizer\_bnb\_8bit.py
  - quantizer\_compressed\_tensors.py
  - quantizer\_eetq.py
  - quantizer\_fbgemm\_fp8.py
  - quantizer\_finegrained\_fp8.py
  - quantizer\_fouroversix.py
  - quantizer\_fp\_quant.py
  - quantizer\_gemma.py
  - quantizer\_gptq.py
  - quantizer\_higgs.py
  - quantizer\_hqq.py
  - quantizer\_metal.py
  - quantizer\_mxfp4.py
  - quantizer\_quanto.py
  - quantizer\_quark.py
  - quantizer\_sinq.py
  - quantizer\_spqr.py
  - quantizer\_torchao.py
  - quantizer\_vptq.py
  - quantizers\_utils.py
- utils/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - attention\_visualizer.cpython-310.pyc
    - auto\_docstring.cpython-310.pyc
    - backbone\_utils.cpython-310.pyc
    - chat\_parsing\_utils.cpython-310.pyc
    - chat\_template\_utils.cpython-310.pyc
    - constants.cpython-310.pyc
    - deprecation.cpython-310.pyc
    - doc.cpython-310.pyc
    - dummy\_detectron2\_objects.cpython-310.pyc
    - dummy\_essentia\_and\_librosa\_and\_pretty\_midi\_and\_scipy\_and\_torch\_objects.cpython-310.pyc
    - dummy\_mistral\_common\_objects.cpython-310.pyc
    - dummy\_music\_objects.cpython-310.pyc
    - dummy\_pt\_objects.cpython-310.pyc
    - dummy\_sentencepiece\_and\_tokenizers\_objects.cpython-310.pyc
    - dummy\_speech\_objects.cpython-310.pyc
    - dummy\_timm\_and\_torchvision\_objects.cpython-310.pyc
    - dummy\_tokenizers\_objects.cpython-310.pyc
    - dummy\_torchaudio\_objects.cpython-310.pyc
    - dummy\_torchvision\_objects.cpython-310.pyc
    - dummy\_vision\_objects.cpython-310.pyc
    - generic.cpython-310.pyc
    - hp\_naming.cpython-310.pyc

- hub.cpython-310.pyc
- import\_utils.cpython-310.pyc
- kernel\_config.cpython-310.pyc
- loading\_report.cpython-310.pyc
- logging.cpython-310.pyc
- network\_logging.cpython-310.pyc
- notebook.cpython-310.pyc
- output\_capturing.cpython-310.pyc
- peft\_utils.cpython-310.pyc
- pytest\_helpers.cpython-310.pyc
- quantization\_config.cpython-310.pyc
- sentencepiece\_model\_pb2.cpython-310.pyc
- sentencepiece\_model\_pb2\_new.cpython-310.pyc
- type\_validators.cpython-310.pyc
- versions.cpython-310.pyc
- chat\_parsing/
  - pycache/
    - \_\_init\_\_.cpython-310.pyc
    - content\_parsers.cpython-310.pyc
    - response\_parser.cpython-310.pyc
    - response\_templates.cpython-310.pyc
  - \_\_init\_\_.py
  - content\_parsers.py
  - response\_parser.py
  - response\_templates.py
- \_\_init\_\_.py
- attention\_visualizer.py
- auto\_docstring.py
- backbone\_utils.py
- chat\_parsing\_utils.py
- chat\_template\_utils.py
- constants.py
- deprecation.py
- doc.py
- dummy\_detectron2\_objects.py
- dummy\_essentia\_and\_librosa\_and\_pretty\_midi\_and\_scipy\_and\_torch\_objects.py
- dummy\_mistral\_common\_objects.py
- dummy\_music\_objects.py
- dummy\_pt\_objects.py
- dummy\_sentencepiece\_and\_tokenizers\_objects.py
- dummy\_speech\_objects.py
- dummy\_timm\_and\_torchvision\_objects.py
- dummy\_tokenizers\_objects.py
- dummy\_torchaudio\_objects.py
- dummy\_torchvision\_objects.py
- dummy\_vision\_objects.py
- generic.py
- hp\_naming.py
- hub.py
- import\_utils.py
- kernel\_config.py
- loading\_report.py
- logging.py
- network\_logging.py
- notebook.py
- output\_capturing.py
- peft\_utils.py
- pytest\_helpers.py
- quantization\_config.py
- sentencepiece\_model\_pb2.py
- sentencepiece\_model\_pb2\_new.py
- type\_validators.py
- versions.py
- \_\_init\_\_.py
- \_typing.py
- activations.py
- audio\_utils.py
- backbone\_utils.py
- cache\_utils.py
- configuration\_utils.py
- conversion\_mapping.py
- convert\_slow\_tokenizer.py
- convert\_slow\_tokenizers\_checkpoints\_to\_fast.py
- core\_model\_loading.py
- debug\_utils.py
- dependency\_versions\_check.py
- dependency\_versions\_table.py
- dynamic\_module\_utils.py
- feature\_extraction\_sequence\_utils.py
- feature\_extraction\_utils.py
- file\_utils.py
- fusion\_mapping.py
- hf\_argparser.py
- hyperparameter\_search.py
- image\_processing\_backends.py

- image\_processing\_base.py
- image\_processing\_outputs.py
- image\_processing\_utils.py
- image\_transforms.py
- image\_utils.py
- initialization.py
- masking\_utils.py
- model\_debugging\_utils.py
- modelcard.py
- modeling\_attn\_mask\_utils.py
- modeling\_flash\_attention\_utils.py
- modeling\_gguf\_pytorch\_utils.py
- modeling\_layers.py
- modeling\_outputs.py
- modeling\_rope\_utils.py
- modeling\_utils.py
- monkey\_patching.py
- optimization.py
- processing\_utils.py
- py.typed
- pytorch\_utils.py
- safetensors\_conversion.py
- testing\_utils.py
- time\_series\_utils.py
- tokenization\_mistral\_common.py
- tokenization\_python.py
- tokenization\_utils\_base.py
- tokenization\_utils\_sentencepiece.py
- tokenization\_utils\_tokenizers.py
- trainer.py
- trainer\_callback.py
- trainer\_jit\_checkpoint.py
- trainer\_optimizer.py
- trainer\_pt\_utils.py
- trainer\_seq2seq.py
- trainer\_utils.py
- training\_args.py
- training\_args\_seq2seq.py
- video\_processing\_utils.py
- video\_utils.py
- vision\_utils.py
- transformers-5.13.0.dist-info/
  - licenses/
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- typer/
  - .agents/
    - skills/
      - typer/
        - SKILL.md
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - \_completion\_classes.cpython-310.pyc
    - \_completion\_shared.cpython-310.pyc
    - \_types.cpython-310.pyc
    - \_typing.cpython-310.pyc
    - cli.cpython-310.pyc
    - colors.cpython-310.pyc
    - completion.cpython-310.pyc
    - core.cpython-310.pyc
    - main.cpython-310.pyc
    - models.cpython-310.pyc
    - params.cpython-310.pyc
    - rich\_utils.cpython-310.pyc
    - testing.cpython-310.pyc
    - utils.cpython-310.pyc
  - click/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - \_compat.cpython-310.pyc
      - \_termui\_impl.cpython-310.pyc
      - \_textwrap.cpython-310.pyc
      - \_winconsole.cpython-310.pyc
      - core.cpython-310.pyc
      - decorators.cpython-310.pyc
      - exceptions.cpython-310.pyc
      - formatting.cpython-310.pyc
      - globals.cpython-310.pyc

- parser.cpython-310.pyc
  - shell\_completion.cpython-310.pyc
  - termui.cpython-310.pyc
  - types.cpython-310.pyc
  - utils.cpython-310.pyc
- \_\_init\_\_.py
- compat.py
- termui\_impl.py
- textwrap.py
- winconsole.py
- core.py
- decorators.py
- exceptions.py
- formatting.py
- globals.py
- LICENSE.txt
- parser.py
- py.typed
- shell\_completion.py
- termui.py
- types.py
- utils.py
- \_\_init\_\_.py
- \_\_main\_\_.py
- \_completion\_classes.py
- \_completion\_shared.py
- \_types.py
- \_typing.py
- cli.py
- colors.py
- completion.py
- core.py
- main.py
- models.py
- params.py
- py.typed
- rich\_utils.py
- testing.py
- utils.py
- typer-0.26.8.dist-info/
  - licenses/
    - LICENSE
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- typing\_extensions-4.16.0.dist-info/
  - licenses/
    - LICENSE
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- tzdata/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
  - zoneinfo/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
    - Africa/
      - \_\_pycache\_\_/
        - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
      - Abidjan
      - Accra
      - Addis\_Ababa
      - Algiers
      - Asmara
      - Asmera
      - Bamako
      - Bangui
      - Banjul
      - Bissau
      - Blantyre
      - Brazzaville
      - Bujumbura
      - Cairo
      - Casablanca
      - Ceuta
      - Conakry
      - Dakar
      - Dar\_es\_Salaam
      - Djibouti
      - Douala

- El\_Aaiun
- Freetown
- Gaborone
- Harare
- Johannesburg
- Juba
- Kampala
- Khartoum
- Kigali
- Kinshasa
- Lagos
- Libreville
- Lome
- Luanda
- Lubumbashi
- Lusaka
- Malabo
- Maputo
- Maseru
- Mbabane
- Mogadishu
- Monrovia
- Nairobi
- Ndjamena
- Niamey
- Nouakchott
- Ouagadougou
- Porto-Novo
- Sao\_Tome
- Timbuktu
- Tripoli
- Tunis
- Windhoek
- America/
  - \_pycache\_/
    - \_\_init\_\_.cpython-310.pyc
  - Argentina/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - Buenos\_Aires
    - Catamarca
    - ComodRivadavia
    - Cordoba
    - Jujuy
    - La\_Rioja
    - Mendoza
    - Rio\_Gallegos
    - Salta
    - San\_Juan
    - San\_Luis
    - Tucuman
    - Ushuaia
  - Indiana/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - Indianapolis
    - Knox
    - Marengo
    - Petersburg
    - Tell\_City
    - Vevay
    - Vincennes
    - Winamac
  - Kentucky/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - Louisville
    - Monticello
  - North\_Dakota/
    - \_pycache\_/
      - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
    - Beulah
    - Center
    - New\_Salem
  - \_\_init\_\_.py
  - Adak
  - Anchorage
  - Anguilla
  - Antigua
  - Araguaina
  - Aruba



|  |                |
|--|----------------|
|  | Asuncion       |
|  | Atikokan       |
|  | Atka           |
|  | Bahia          |
|  | Bahia_Banderas |
|  | Barbados       |
|  | Belem          |
|  | Belize         |
|  | Blanc-Sablon   |
|  | Boa_Vista      |
|  | Bogota         |
|  | Boise          |
|  | Buenos_Aires   |
|  | Cambridge_Bay  |
|  | Campo_Grande   |
|  | Cancun         |
|  | Caracas        |
|  | Catamarca      |
|  | Cayenne        |
|  | Cayman         |
|  | Chicago        |
|  | Chihuahua      |
|  | Ciudad_Juarez  |
|  | Coral_Harbour  |
|  | Cordoba        |
|  | Costa_Rica     |
|  | Coyhaique      |
|  | Creston        |
|  | Cuiaba         |
|  | Curacao        |
|  | Danmarkshavn   |
|  | Dawson         |
|  | Dawson_Creek   |
|  | Denver         |
|  | Detroit        |
|  | Dominica       |
|  | Edmonton       |
|  | Eirunepe       |
|  | El_Salvador    |
|  | Ensenada       |
|  | Fort_Nelson    |
|  | Fort_Wayne     |
|  | Fortaleza      |
|  | Glace_Bay      |
|  | Godthab        |
|  | Goose_Bay      |
|  | Grand_Turk     |
|  | Grenada        |
|  | Guadeloupe     |
|  | Guatemala      |
|  | Guayaquil      |
|  | Guyana         |
|  | Halifax        |
|  | Havana         |
|  | Hermosillo     |
|  | Indianapolis   |
|  | Inuvik         |
|  | Iqaluit        |
|  | Jamaica        |
|  | Jujuy          |
|  | Juneau         |
|  | Knox_IN        |
|  | Kralendijk     |
|  | La_Paz         |
|  | Lima           |
|  | Los_Angeles    |
|  | Louisville     |
|  | Lower_Princes  |
|  | Maceio         |
|  | Managua        |
|  | Manaus         |
|  | Marigot        |
|  | Martinique     |
|  | Matamoros      |
|  | Mazatlan       |
|  | Mendoza        |
|  | Menominee      |
|  | Merida         |
|  | Metlakatla     |
|  | Mexico_City    |
|  | Miquelon       |
|  | Moncton        |
|  | Monterrey      |
|  | Montevideo     |
|  | Montreal       |

- Montserrat
- Nassau
- New\_York
- Nipigon
- Nome
- Noronha
- Nuuk
- Ojinaga
- Panama
- Pangnirtung
- Paramaribo
- Phoenix
- Port-au-Prince
- Port\_of\_Spain
- Porto\_Acre
- Porto\_Velho
- Puerto\_Rico
- Punta\_Arenas
- Rainy\_River
- Rankin\_Inlet
- Recife
- Regina
- Resolute
- Rio\_Branco
- Rosario
- Santa\_Isabel
- Santarem
- Santiago
- Santo\_Domingo
- Sao\_Paulo
- Scoresbysund
- Shiprock
- Sitka
- St\_Barthelemy
- St\_Johns
- St\_Kitts
- St\_Lucia
- St\_Thomas
- St\_Vincent
- Swift\_Current
- Tegucigalpa
- Thule
- Thunder\_Bay
- Tijuana
- Toronto
- Tortola
- Vancouver
- Virgin
- Whitehorse
- Winnipeg
- Yakutat
- Yellowknife
- Antarctica/
  - - pycache\_\_/
      - - \_\_init\_\_.cpython-310.pyc
    - \_\_init\_\_.py
  - Casey
  - Davis
  - DumontDURville
  - Macquarie
  - Mawson
  - McMurdo
  - Palmer
  - Rothera
  - South\_Pole
  - Syowa
  - Troll
  - Vostok
  - Arctic/
    - - pycache\_\_/
        - - \_\_init\_\_.cpython-310.pyc
      - \_\_init\_\_.py
    - Longyearbyen
    - Asia/
      - - pycache\_\_/
          - - \_\_init\_\_.cpython-310.pyc
        - \_\_init\_\_.py
      - Aden
      - Almaty
      - Amman
      - Anadyr
      - Aqtau
      - Aqtobe
      - Ashgabat
      - Ashkhabad

|  |   |               |
|--|---|---------------|
|  | — | Atyrau        |
|  | — | Baghdad       |
|  | — | Bahrain       |
|  | — | Baku          |
|  | — | Bangkok       |
|  | — | Barnaul       |
|  | — | Beirut        |
|  | — | Bishkek       |
|  | — | Brunei        |
|  | — | Calcutta      |
|  | — | Chita         |
|  | — | Choibalsan    |
|  | — | Chongqing     |
|  | — | Chungking     |
|  | — | Colombo       |
|  | — | Dacca         |
|  | — | Damascus      |
|  | — | Dhaka         |
|  | — | Dili          |
|  | — | Dubai         |
|  | — | Dushanbe      |
|  | — | Famagusta     |
|  | — | Gaza          |
|  | — | Harbin        |
|  | — | Hebron        |
|  | — | Ho_Chi_Minh   |
|  | — | Hong_Kong     |
|  | — | Hovd          |
|  | — | Irkutsk       |
|  | — | Istanbul      |
|  | — | Jakarta       |
|  | — | Jayapura      |
|  | — | Jerusalem     |
|  | — | Kabul         |
|  | — | Kamchatka     |
|  | — | Karachi       |
|  | — | Kashgar       |
|  | — | Kathmandu     |
|  | — | Katmandu      |
|  | — | Khandyga      |
|  | — | Kolkata       |
|  | — | Krasnoyarsk   |
|  | — | Kuala_Lumpur  |
|  | — | Kuching       |
|  | — | Kuwait        |
|  | — | Macao         |
|  | — | Macau         |
|  | — | Magadan       |
|  | — | Makassar      |
|  | — | Manila        |
|  | — | Muscat        |
|  | — | Nicosia       |
|  | — | Novokuznetsk  |
|  | — | Novosibirsk   |
|  | — | Omsk          |
|  | — | Oral          |
|  | — | Phnom_Penh    |
|  | — | Pontianak     |
|  | — | Pyongyang     |
|  | — | Qatar         |
|  | — | Qostanay      |
|  | — | Qyzylorda     |
|  | — | Rangoon       |
|  | — | Riyadh        |
|  | — | Saigon        |
|  | — | Sakhalin      |
|  | — | Samarkand     |
|  | — | Seoul         |
|  | — | Shanghai      |
|  | — | Singapore     |
|  | — | Srednekolymsk |
|  | — | Taipei        |
|  | — | Tashkent      |
|  | — | Tbilisi       |
|  | — | Tehran        |
|  | — | Tel_Aviv      |
|  | — | Thimbu        |
|  | — | Thimphu       |
|  | — | Tokyo         |
|  | — | Tomsk         |
|  | — | Ujung_Pandang |
|  | — | Ulaanbaatar   |
|  | — | Ulan_Bator    |
|  | — | Urumqi        |
|  | — | Ust-Nera      |

- Vientiane
- Vladivostok
- Yakutsk
- Yangon
- Yekaterinburg
- Yerevan
- Atlantic/
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
  - `__init__.py`
  - Azores
  - Bermuda
  - Canary
  - Cape\_Verde
  - Faeroe
  - Faroe
  - Jan\_Mayen
  - Madeira
  - Reykjavik
  - South\_Georgia
  - St\_Helena
  - Stanley
- Australia/
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
  - `__init__.py`
  - ACT
  - Adelaide
  - Brisbane
  - Broken\_Hill
  - Canberra
  - Currie
  - Darwin
  - Eucla
  - Hobart
  - LHI
  - Lindeman
  - Lord\_Howe
  - Melbourne
  - North
  - NSW
  - Perth
  - Queensland
  - South
  - Sydney
  - Tasmania
  - Victoria
  - West
  - Yancowinna
- Brazil/
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
  - `__init__.py`
  - Acre
  - DeNoronha
  - East
  - West
- Canada/
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
  - `__init__.py`
  - Atlantic
  - Central
  - Eastern
  - Mountain
  - Newfoundland
  - Pacific
  - Saskatchewan
  - Yukon
- Chile/
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
  - `__init__.py`
  - Continental
  - EasterIsland
- Etc/
  - `__pycache__/`
    - `__init__.cpython-310.pyc`
  - `__init__.py`
  - GMT
  - GMT+0
  - GMT+1
  - GMT+10
  - GMT+11
  - GMT+12

- GMT+2
- GMT+3
- GMT+4
- GMT+5
- GMT+6
- GMT+7
- GMT+8
- GMT+9
- GMT-0
- GMT-1
- GMT-10
- GMT-11
- GMT-12
- GMT-13
- GMT-14
- GMT-2
- GMT-3
- GMT-4
- GMT-5
- GMT-6
- GMT-7
- GMT-8
- GMT-9
- GMT0
- Greenwich
- UCT
- Universal
- UTC
- Zulu
- Europe/
  - pycache\_
    - \_\_init\_\_.cpython-310.pyc
  - \_\_init\_\_.py
  - Amsterdam
  - Andorra
  - Astrakhan
  - Athens
  - Belfast
  - Belgrade
  - Berlin
  - Bratislava
  - Brussels
  - Bucharest
  - Budapest
  - Busingen
  - Chisinau
  - Copenhagen
  - Dublin
  - Gibraltar
  - Guernsey
  - Helsinki
  - Isle\_of\_Man
  - Istanbul
  - Jersey
  - Kaliningrad
  - Kiev
  - Kirov
  - Kyiv
  - Lisbon
  - Ljubljana
  - London
  - Luxembourg
  - Madrid
  - Malta
  - Mariehamn
  - Minsk
  - Monaco
  - Moscow
  - Nicosia
  - Oslo
  - Paris
  - Podgorica
  - Prague
  - Riga
  - Rome
  - Samara
  - San\_Marino
  - Sarajevo
  - Saratov
  - Simferopol
  - Skopje
  - Sofia
  - Stockholm
  - Tallinn
  - Tirane

```
— Tiraspol
— Ulyanovsk
— Uzhgorod
— Vaduz
— Vatican
— Vienna
— Vilnius
— Volgograd
— Warsaw
— Zagreb
— Zaporozhye
— Zurich
— Indian/
  — __pycache__/
    — __init__.cpython-310.pyc
  — __init__.py
  — Antananarivo
  — Chagos
  — Christmas
  — Cocos
  — Comoro
  — Kerguelen
  — Mahe
  — Maldives
  — Mauritius
  — Mayotte
  — Reunion
— Mexico/
  — __pycache__/
    — __init__.cpython-310.pyc
  — __init__.py
  — BajaNorte
  — BajaSur
  — General
— Pacific/
  — __pycache__/
    — __init__.cpython-310.pyc
  — __init__.py
  — Apia
  — Auckland
  — Bougainville
  — Chatham
  — Chuuk
  — Easter
  — Efate
  — Enderbury
  — Fakaofu
  — Fiji
  — Funafuti
  — Galapagos
  — Gambier
  — Guadalcanal
  — Guam
  — Honolulu
  — Johnston
  — Kanton
  — Kiritimati
  — Kosrae
  — Kwajalein
  — Majuro
  — Marquesas
  — Midway
  — Nauru
  — Niue
  — Norfolk
  — Noumea
  — Pago_Pago
  — Palau
  — Pitcairn
  — Pohnpei
  — Ponape
  — Port_Moresby
  — Rarotonga
  — Saipan
  — Samoa
  — Tahiti
  — Tarawa
  — Tongatapu
  — Truk
  — Wake
  — Wallis
  — Yap
— US/
  — __pycache__/
    — __init__.cpython-310.pyc
```

- \_\_init\_\_.py
    - Alaska
    - Aleutian
    - Arizona
    - Central
    - East-Indiana
    - Eastern
    - Hawaii
    - Indiana-Starke
    - Michigan
    - Mountain
    - Pacific
    - Samoa
  - \_\_init\_\_.py
  - CET
  - CST6CDT
  - Cuba
  - EET
  - Egypt
  - Eire
  - EST
  - EST5EDT
  - Factory
  - GB
  - GB-Eire
  - GMT
  - GMT+0
  - GMT-0
  - GMT0
  - Greenwich
  - Hongkong
  - HST
  - Iceland
  - Iran
  - iso3166.tab
  - Israel
  - Jamaica
  - Japan
  - Kwajalein
  - leapseconds
  - Libya
  - MET
  - MST
  - MST7MDT
  - Navajo
  - NZ
  - NZ-CHAT
  - Poland
  - Portugal
  - PRC
  - PST8PDT
  - ROC
  - ROK
  - Singapore
  - Turkey
  - tzdata.zi
  - UCT
  - Universal
  - UTC
  - W-SU
  - WET
  - zone.tab
  - zone1970.tab
  - zonenow.tab
  - Zulu
- \_\_init\_\_.py
- zones

- tzdata-2026.2.dist-info/
- licenses/
  - LICENSE\_APACHE
  - LICENSE
- INSTALLER
- METADATA
- RECORD
- top\_level.txt
- WHEEL
- unicode/
- \_\_pycache\_\_/
  - \_\_init\_\_.cpython-310.pyc
  - \_\_main\_\_.cpython-310.pyc
  - util.cpython-310.pyc
  - x000.cpython-310.pyc
  - x001.cpython-310.pyc
  - x002.cpython-310.pyc

|  |                      |
|--|----------------------|
|  | x003.cpython-310.pyc |
|  | x004.cpython-310.pyc |
|  | x005.cpython-310.pyc |
|  | x006.cpython-310.pyc |
|  | x007.cpython-310.pyc |
|  | x009.cpython-310.pyc |
|  | x00a.cpython-310.pyc |
|  | x00b.cpython-310.pyc |
|  | x00c.cpython-310.pyc |
|  | x00d.cpython-310.pyc |
|  | x00e.cpython-310.pyc |
|  | x00f.cpython-310.pyc |
|  | x010.cpython-310.pyc |
|  | x011.cpython-310.pyc |
|  | x012.cpython-310.pyc |
|  | x013.cpython-310.pyc |
|  | x014.cpython-310.pyc |
|  | x015.cpython-310.pyc |
|  | x016.cpython-310.pyc |
|  | x017.cpython-310.pyc |
|  | x018.cpython-310.pyc |
|  | x01d.cpython-310.pyc |
|  | x01e.cpython-310.pyc |
|  | x01f.cpython-310.pyc |
|  | x020.cpython-310.pyc |
|  | x021.cpython-310.pyc |
|  | x022.cpython-310.pyc |
|  | x023.cpython-310.pyc |
|  | x024.cpython-310.pyc |
|  | x025.cpython-310.pyc |
|  | x026.cpython-310.pyc |
|  | x027.cpython-310.pyc |
|  | x028.cpython-310.pyc |
|  | x029.cpython-310.pyc |
|  | x02a.cpython-310.pyc |
|  | x02c.cpython-310.pyc |
|  | x02e.cpython-310.pyc |
|  | x02f.cpython-310.pyc |
|  | x030.cpython-310.pyc |
|  | x031.cpython-310.pyc |
|  | x032.cpython-310.pyc |
|  | x033.cpython-310.pyc |
|  | x04d.cpython-310.pyc |
|  | x04e.cpython-310.pyc |
|  | x04f.cpython-310.pyc |
|  | x050.cpython-310.pyc |
|  | x051.cpython-310.pyc |
|  | x052.cpython-310.pyc |
|  | x053.cpython-310.pyc |
|  | x054.cpython-310.pyc |
|  | x055.cpython-310.pyc |
|  | x056.cpython-310.pyc |
|  | x057.cpython-310.pyc |
|  | x058.cpython-310.pyc |
|  | x059.cpython-310.pyc |
|  | x05a.cpython-310.pyc |
|  | x05b.cpython-310.pyc |
|  | x05c.cpython-310.pyc |
|  | x05d.cpython-310.pyc |
|  | x05e.cpython-310.pyc |
|  | x05f.cpython-310.pyc |
|  | x060.cpython-310.pyc |
|  | x061.cpython-310.pyc |
|  | x062.cpython-310.pyc |
|  | x063.cpython-310.pyc |
|  | x064.cpython-310.pyc |
|  | x065.cpython-310.pyc |
|  | x066.cpython-310.pyc |
|  | x067.cpython-310.pyc |
|  | x068.cpython-310.pyc |
|  | x069.cpython-310.pyc |
|  | x06a.cpython-310.pyc |
|  | x06b.cpython-310.pyc |
|  | x06c.cpython-310.pyc |
|  | x06d.cpython-310.pyc |
|  | x06e.cpython-310.pyc |
|  | x06f.cpython-310.pyc |
|  | x070.cpython-310.pyc |
|  | x071.cpython-310.pyc |
|  | x072.cpython-310.pyc |
|  | x073.cpython-310.pyc |
|  | x074.cpython-310.pyc |
|  | x075.cpython-310.pyc |
|  | x076.cpython-310.pyc |
|  | x077.cpython-310.pyc |



|  |                      |
|--|----------------------|
|  | x078.cpython-310.pyc |
|  | x079.cpython-310.pyc |
|  | x07a.cpython-310.pyc |
|  | x07b.cpython-310.pyc |
|  | x07c.cpython-310.pyc |
|  | x07d.cpython-310.pyc |
|  | x07e.cpython-310.pyc |
|  | x07f.cpython-310.pyc |
|  | x080.cpython-310.pyc |
|  | x081.cpython-310.pyc |
|  | x082.cpython-310.pyc |
|  | x083.cpython-310.pyc |
|  | x084.cpython-310.pyc |
|  | x085.cpython-310.pyc |
|  | x086.cpython-310.pyc |
|  | x087.cpython-310.pyc |
|  | x088.cpython-310.pyc |
|  | x089.cpython-310.pyc |
|  | x08a.cpython-310.pyc |
|  | x08b.cpython-310.pyc |
|  | x08c.cpython-310.pyc |
|  | x08d.cpython-310.pyc |
|  | x08e.cpython-310.pyc |
|  | x08f.cpython-310.pyc |
|  | x090.cpython-310.pyc |
|  | x091.cpython-310.pyc |
|  | x092.cpython-310.pyc |
|  | x093.cpython-310.pyc |
|  | x094.cpython-310.pyc |
|  | x095.cpython-310.pyc |
|  | x096.cpython-310.pyc |
|  | x097.cpython-310.pyc |
|  | x098.cpython-310.pyc |
|  | x099.cpython-310.pyc |
|  | x09a.cpython-310.pyc |
|  | x09b.cpython-310.pyc |
|  | x09c.cpython-310.pyc |
|  | x09d.cpython-310.pyc |
|  | x09e.cpython-310.pyc |
|  | x09f.cpython-310.pyc |
|  | x0a0.cpython-310.pyc |
|  | x0a1.cpython-310.pyc |
|  | x0a2.cpython-310.pyc |
|  | x0a3.cpython-310.pyc |
|  | x0a4.cpython-310.pyc |
|  | x0ac.cpython-310.pyc |
|  | x0ad.cpython-310.pyc |
|  | x0ae.cpython-310.pyc |
|  | x0af.cpython-310.pyc |
|  | x0b0.cpython-310.pyc |
|  | x0b1.cpython-310.pyc |
|  | x0b2.cpython-310.pyc |
|  | x0b3.cpython-310.pyc |
|  | x0b4.cpython-310.pyc |
|  | x0b5.cpython-310.pyc |
|  | x0b6.cpython-310.pyc |
|  | x0b7.cpython-310.pyc |
|  | x0b8.cpython-310.pyc |
|  | x0b9.cpython-310.pyc |
|  | x0ba.cpython-310.pyc |
|  | x0bb.cpython-310.pyc |
|  | x0bc.cpython-310.pyc |
|  | x0bd.cpython-310.pyc |
|  | x0be.cpython-310.pyc |
|  | x0bf.cpython-310.pyc |
|  | x0c0.cpython-310.pyc |
|  | x0c1.cpython-310.pyc |
|  | x0c2.cpython-310.pyc |
|  | x0c3.cpython-310.pyc |
|  | x0c4.cpython-310.pyc |
|  | x0c5.cpython-310.pyc |
|  | x0c6.cpython-310.pyc |
|  | x0c7.cpython-310.pyc |
|  | x0c8.cpython-310.pyc |
|  | x0c9.cpython-310.pyc |
|  | x0ca.cpython-310.pyc |
|  | x0cb.cpython-310.pyc |
|  | x0cc.cpython-310.pyc |
|  | x0cd.cpython-310.pyc |
|  | x0ce.cpython-310.pyc |
|  | x0cf.cpython-310.pyc |
|  | x0d0.cpython-310.pyc |
|  | x0d1.cpython-310.pyc |
|  | x0d2.cpython-310.pyc |
|  | x0d3.cpython-310.pyc |

```

| x0d4.cpython-310.pyc
| x0d5.cpython-310.pyc
| x0d6.cpython-310.pyc
| x0d7.cpython-310.pyc
| x0f9.cpython-310.pyc
| x0fa.cpython-310.pyc
| x0fb.cpython-310.pyc
| x0fc.cpython-310.pyc
| x0fd.cpython-310.pyc
| x0fe.cpython-310.pyc
| x0ff.cpython-310.pyc
| x1d4.cpython-310.pyc
| x1d5.cpython-310.pyc
| x1d6.cpython-310.pyc
| x1d7.cpython-310.pyc
| x1f1.cpython-310.pyc
| x1f6.cpython-310.pyc
|
| __init__.py
| __main__.py
| py.typed
| util.py
| x000.py
| x001.py
| x002.py
| x003.py
| x004.py
| x005.py
| x006.py
| x007.py
| x009.py
| x00a.py
| x00b.py
| x00c.py
| x00d.py
| x00e.py
| x00f.py
| x010.py
| x011.py
| x012.py
| x013.py
| x014.py
| x015.py
| x016.py
| x017.py
| x018.py
| x01d.py
| x01e.py
| x01f.py
| x020.py
| x021.py
| x022.py
| x023.py
| x024.py
| x025.py
| x026.py
| x027.py
| x028.py
| x029.py
| x02a.py
| x02c.py
| x02e.py
| x02f.py
| x030.py
| x031.py
| x032.py
| x033.py
| x04d.py
| x04e.py
| x04f.py
| x050.py
| x051.py
| x052.py
| x053.py
| x054.py
| x055.py
| x056.py
| x057.py
| x058.py
| x059.py
| x05a.py
| x05b.py
| x05c.py
| x05d.py
| x05e.py
| x05f.py

```

|  |  |  |  |  |         |
|--|--|--|--|--|---------|
|  |  |  |  |  | x060.py |
|  |  |  |  |  | x061.py |
|  |  |  |  |  | x062.py |
|  |  |  |  |  | x063.py |
|  |  |  |  |  | x064.py |
|  |  |  |  |  | x065.py |
|  |  |  |  |  | x066.py |
|  |  |  |  |  | x067.py |
|  |  |  |  |  | x068.py |
|  |  |  |  |  | x069.py |
|  |  |  |  |  | x06a.py |
|  |  |  |  |  | x06b.py |
|  |  |  |  |  | x06c.py |
|  |  |  |  |  | x06d.py |
|  |  |  |  |  | x06e.py |
|  |  |  |  |  | x06f.py |
|  |  |  |  |  | x070.py |
|  |  |  |  |  | x071.py |
|  |  |  |  |  | x072.py |
|  |  |  |  |  | x073.py |
|  |  |  |  |  | x074.py |
|  |  |  |  |  | x075.py |
|  |  |  |  |  | x076.py |
|  |  |  |  |  | x077.py |
|  |  |  |  |  | x078.py |
|  |  |  |  |  | x079.py |
|  |  |  |  |  | x07a.py |
|  |  |  |  |  | x07b.py |
|  |  |  |  |  | x07c.py |
|  |  |  |  |  | x07d.py |
|  |  |  |  |  | x07e.py |
|  |  |  |  |  | x07f.py |
|  |  |  |  |  | x080.py |
|  |  |  |  |  | x081.py |
|  |  |  |  |  | x082.py |
|  |  |  |  |  | x083.py |
|  |  |  |  |  | x084.py |
|  |  |  |  |  | x085.py |
|  |  |  |  |  | x086.py |
|  |  |  |  |  | x087.py |
|  |  |  |  |  | x088.py |
|  |  |  |  |  | x089.py |
|  |  |  |  |  | x08a.py |
|  |  |  |  |  | x08b.py |
|  |  |  |  |  | x08c.py |
|  |  |  |  |  | x08d.py |
|  |  |  |  |  | x08e.py |
|  |  |  |  |  | x08f.py |
|  |  |  |  |  | x090.py |
|  |  |  |  |  | x091.py |
|  |  |  |  |  | x092.py |
|  |  |  |  |  | x093.py |
|  |  |  |  |  | x094.py |
|  |  |  |  |  | x095.py |
|  |  |  |  |  | x096.py |
|  |  |  |  |  | x097.py |
|  |  |  |  |  | x098.py |
|  |  |  |  |  | x099.py |
|  |  |  |  |  | x09a.py |
|  |  |  |  |  | x09b.py |
|  |  |  |  |  | x09c.py |
|  |  |  |  |  | x09d.py |
|  |  |  |  |  | x09e.py |
|  |  |  |  |  | x09f.py |
|  |  |  |  |  | x0a0.py |
|  |  |  |  |  | x0a1.py |
|  |  |  |  |  | x0a2.py |
|  |  |  |  |  | x0a3.py |
|  |  |  |  |  | x0a4.py |
|  |  |  |  |  | x0ac.py |
|  |  |  |  |  | x0ad.py |
|  |  |  |  |  | x0ae.py |
|  |  |  |  |  | x0af.py |
|  |  |  |  |  | x0b0.py |
|  |  |  |  |  | x0b1.py |
|  |  |  |  |  | x0b2.py |
|  |  |  |  |  | x0b3.py |
|  |  |  |  |  | x0b4.py |
|  |  |  |  |  | x0b5.py |
|  |  |  |  |  | x0b6.py |
|  |  |  |  |  | x0b7.py |
|  |  |  |  |  | x0b8.py |
|  |  |  |  |  | x0b9.py |
|  |  |  |  |  | x0ba.py |
|  |  |  |  |  | x0bb.py |

- x0bc.py
- x0bd.py
- x0be.py
- x0bf.py
- x0c0.py
- x0c1.py
- x0c2.py
- x0c3.py
- x0c4.py
- x0c5.py
- x0c6.py
- x0c7.py
- x0c8.py
- x0c9.py
- x0ca.py
- x0cb.py
- x0cc.py
- x0cd.py
- x0ce.py
- x0cf.py
- x0d0.py
- x0d1.py
- x0d2.py
- x0d3.py
- x0d4.py
- x0d5.py
- x0d6.py
- x0d7.py
- x0f9.py
- x0fa.py
- x0fb.py
- x0fc.py
- x0fd.py
- x0fe.py
- x0ff.py
- x1d4.py
- x1d5.py
- x1d6.py
- x1d7.py
- x1f1.py
- x1f6.py
- Unicode-1.4.0.dist-info/
  - entry\_points.txt
  - INSTALLER
  - LICENSE
  - METADATA
  - RECORD
  - REQUESTED
  - top\_level.txt
  - WHEEL
- urllib3/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_base\_connection.cpython-310.pyc
    - \_collections.cpython-310.pyc
    - \_request\_methods.cpython-310.pyc
    - \_version.cpython-310.pyc
    - connection.cpython-310.pyc
    - connectionpool.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - fields.cpython-310.pyc
    - filepost.cpython-310.pyc
    - poolmanager.cpython-310.pyc
    - response.cpython-310.pyc
- contrib/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - pyopenssl.cpython-310.pyc
    - socks.cpython-310.pyc
  - emscripten/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - connection.cpython-310.pyc
      - fetch.cpython-310.pyc
      - request.cpython-310.pyc
      - response.cpython-310.pyc
    - \_\_init\_\_.py
    - connection.py
    - emscripten\_fetch\_worker.js
    - fetch.py
    - request.py
    - response.py
  - \_\_init\_\_.py
  - pyopenssl.py
  - socks.py

- http2/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - connection.cpython-310.pyc
    - probe.cpython-310.pyc
  - \_\_init\_\_.py
  - connection.py
  - probe.py
- util/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - connection.cpython-310.pyc
    - proxy.cpython-310.pyc
    - request.cpython-310.pyc
    - response.cpython-310.pyc
    - retry.cpython-310.pyc
    - ssl\_.cpython-310.pyc
    - ssl\_match\_hostname.cpython-310.pyc
    - ssltransport.cpython-310.pyc
    - timeout.cpython-310.pyc
    - url.cpython-310.pyc
    - util.cpython-310.pyc
    - wait.cpython-310.pyc
  - \_\_init\_\_.py
  - connection.py
  - proxy.py
  - request.py
  - response.py
  - retry.py
  - ssl\_.py
  - ssl\_match\_hostname.py
  - ssltransport.py
  - timeout.py
  - url.py
  - util.py
  - wait.py
- \_\_init\_\_.py
- \_base\_connection.py
- \_collections.py
- \_request\_methods.py
- \_version.py
- connection.py
- connectionpool.py
- exceptions.py
- fields.py
- filepost.py
- poolmanager.py
- py.typed
- response.py

- urllib3-2.7.0.dist-info/
  - licenses/
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL

- werkzeug/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_internal.cpython-310.pyc
    - \_reloader.cpython-310.pyc
    - exceptions.cpython-310.pyc
    - formparser.cpython-310.pyc
    - http.cpython-310.pyc
    - local.cpython-310.pyc
    - security.cpython-310.pyc
    - serving.cpython-310.pyc
    - test.cpython-310.pyc
    - testapp.cpython-310.pyc
    - urls.cpython-310.pyc
    - user\_agent.cpython-310.pyc
    - utils.cpython-310.pyc
    - wsgi.cpython-310.pyc

- datastructures/
  - pycache\_/
    - \_\_init\_\_.cpython-310.pyc
    - accept.cpython-310.pyc
    - auth.cpython-310.pyc
    - cache\_control.cpython-310.pyc
    - csp.cpython-310.pyc
    - etag.cpython-310.pyc
    - file\_storage.cpython-310.pyc
    - headers.cpython-310.pyc
    - mixins.cpython-310.pyc
    - range.cpython-310.pyc

- └─ structures.cpython-310.pyc
- ─ \_\_init\_\_.py
- ─ accept.py
- ─ auth.py
- ─ cache\_control.py
- ─ csp.py
- ─ etag.py
- ─ file\_storage.py
- ─ headers.py
- ─ mixins.py
- ─ range.py
- ─ structures.py
- ─ debug/
  - └─ \_\_pycache\_\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ console.cpython-310.pyc
    - ─ repr.cpython-310.pyc
    - ─ tbtools.cpython-310.pyc
  - ─ shared/
    - ─ console.png
    - ─ debugger.js
    - ─ ICON\_LICENSE.md
    - ─ less.png
    - ─ more.png
    - ─ style.css
  - ─ \_\_init\_\_.py
  - ─ console.py
  - ─ repr.py
  - ─ tbtools.py
- ─ middleware/
  - └─ \_\_pycache\_\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ dispatcher.cpython-310.pyc
    - ─ http\_proxy.cpython-310.pyc
    - ─ lint.cpython-310.pyc
    - ─ profiler.cpython-310.pyc
    - ─ proxy\_fix.cpython-310.pyc
    - ─ shared\_data.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ dispatcher.py
  - ─ http\_proxy.py
  - ─ lint.py
  - ─ profiler.py
  - ─ proxy\_fix.py
  - ─ shared\_data.py
- ─ routing/
  - └─ \_\_pycache\_\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ converters.cpython-310.pyc
    - ─ exceptions.cpython-310.pyc
    - ─ map.cpython-310.pyc
    - ─ matcher.cpython-310.pyc
    - ─ rules.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ converters.py
  - ─ exceptions.py
  - ─ map.py
  - ─ matcher.py
  - ─ rules.py
- ─ sansio/
  - └─ \_\_pycache\_\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ http.cpython-310.pyc
    - ─ multipart.cpython-310.pyc
    - ─ request.cpython-310.pyc
    - ─ response.cpython-310.pyc
    - ─ utils.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ http.py
  - ─ multipart.py
  - ─ request.py
  - ─ response.py
  - ─ utils.py
- ─ wrappers/
  - └─ \_\_pycache\_\_/
    - ─ \_\_init\_\_.cpython-310.pyc
    - ─ request.cpython-310.pyc
    - ─ response.cpython-310.pyc
  - ─ \_\_init\_\_.py
  - ─ request.py
  - ─ response.py
- ─ \_\_init\_\_.py
- ─ \_internal.py
- ─ \_reloader.py
- ─ exceptions.py

- formparser.py
- http.py
- local.py
- py.typed
- security.py
- serving.py
- test.py
- testapp.py
- urls.py
- user\_agent.py
- utils.py
- wsgi.py
- werkzeug-3.1.8.dist-info/
  - licenses/
    - LICENSE.txt
  - INSTALLER
  - METADATA
  - RECORD
  - WHEEL
- wheel/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - \_\_main\_\_.cpython-310.pyc
    - \_bdist\_wheel.cpython-310.pyc
    - \_metadata.cpython-310.pyc
    - \_setuptools\_logging.cpython-310.pyc
    - bdist\_wheel.cpython-310.pyc
    - macosx\_libfile.cpython-310.pyc
    - metadata.cpython-310.pyc
    - wheelfile.cpython-310.pyc
  - commands/
    - \_\_pycache\_\_/
      - \_\_init\_\_.cpython-310.pyc
      - convert.cpython-310.pyc
      - info.cpython-310.pyc
      - pack.cpython-310.pyc
      - tags.cpython-310.pyc
      - unpack.cpython-310.pyc
    - \_\_init\_\_.py
    - convert.py
    - info.py
    - pack.py
    - tags.py
    - unpack.py
  - \_\_init\_\_.py
  - \_\_main\_\_.py
  - \_bdist\_wheel.py
  - \_metadata.py
  - \_setuptools\_logging.py
  - bdist\_wheel.py
  - macosx\_libfile.py
  - metadata.py
  - wheelfile.py
- wheel-0.47.0.dist-info/
  - licenses/
    - LICENSE.txt
  - entry\_points.txt
  - INSTALLER
  - METADATA
  - RECORD
  - REQUESTED
  - WHEEL
- yaml/
  - \_\_pycache\_\_/
    - \_\_init\_\_.cpython-310.pyc
    - composer.cpython-310.pyc
    - constructor.cpython-310.pyc
    - cyaml.cpython-310.pyc
    - dumper.cpython-310.pyc
    - emitter.cpython-310.pyc
    - error.cpython-310.pyc
    - events.cpython-310.pyc
    - loader.cpython-310.pyc
    - nodes.cpython-310.pyc
    - parser.cpython-310.pyc
    - reader.cpython-310.pyc
    - representer.cpython-310.pyc
    - resolver.cpython-310.pyc
    - scanner.cpython-310.pyc
    - serializer.cpython-310.pyc
    - tokens.cpython-310.pyc
  - \_\_init\_\_.py
  - \_yaml.cp310-win\_amd64.pyd
  - composer.py
  - constructor.py

- cyaml.py
- dumper.py
- emitter.py
- error.py
- events.py
- loader.py
- nodes.py
- parser.py
- reader.py
- representer.py
- resolver.py
- scanner.py
- serializer.py
- tokens.py
- \_cffi\_backend.cp310-win\_amd64.pyd
- \_soundfile.py
- ada92cb5d92a588d1b93\_\_mypyc.cp310-win\_amd64.pyd
- distutils-precedence.pth
- isympy.py
- numpy-2.2.6-cp310-cp310-win\_amd64.whl
- pylab.py
- scipy-1.15.3-cp310-cp310-win\_amd64.whl
- six.py
- soundfile.py
- threadpoolctl.py
- typing\_extensions.py
- Scripts/
  - activate
  - activate.bat
  - Activate.ps1
  - deactivate.bat
  - f2py.exe
  - fonttools.exe
  - hf.exe
  - httpx.exe
  - huggingface-cli.exe
  - idna.exe
  - isympy.exe
  - markdown-it.exe
  - markdown\_py.exe
  - normalizer.exe
  - numba
  - numpy-config.exe
  - pip.exe
  - pip3.10.exe
  - pip3.exe
  - pyftmerge.exe
  - pyftsubset.exe
  - pygmentize.exe
  - python.exe
  - pythonw.exe
  - tensorboard.exe
  - tiny-agents.exe
  - torchfrtrace.exe
  - torchrun.exe
  - tqdm.exe
  - transformers.exe
  - ttx.exe
  - typer.exe
  - unicodecode.exe
  - wheel.exe
- share/
  - man/
    - man1/
      - isympy.1
      - ttx.1
- pyvenv.cfg
- LJSpeech-1.1/
  - training.txt
  - validation.txt
- config\_v1.json
- config\_v2.json
- config\_v3.json
- env.py
- inference.py
- inference\_e2e.py
- LICENSE
- meldataset.py
- models.py
- README.md
- requirements.txt
- requirements\_windows\_py310.txt
- train.py
- utils.py
- validation\_loss.png



input\_full/

DE\_HC\_001.wav  
DE\_HC\_002.wav  
DE\_HC\_003.wav  
DE\_HC\_004.wav  
DE\_HC\_005.wav  
DE\_HC\_006.wav  
DE\_HC\_007.wav  
DE\_HC\_008.wav  
DE\_HC\_009.wav  
DE\_HC\_010.wav  
DE\_HC\_011.wav  
DE\_HC\_012.wav  
DE\_HC\_013.wav  
DE\_HC\_014.wav  
DE\_HC\_015.wav  
DE\_HC\_016.wav  
DE\_HC\_017.wav  
DE\_HC\_018.wav  
DE\_HC\_019.wav  
DE\_HC\_020.wav  
DE\_HC\_021.wav  
DE\_HC\_022.wav  
DE\_HC\_023.wav  
DE\_HC\_024.wav  
DE\_HC\_025.wav  
DE\_HC\_026.wav  
DE\_HC\_027.wav  
DE\_HC\_028.wav  
DE\_HC\_029.wav  
DE\_HC\_030.wav  
DE\_HC\_031.wav  
DE\_HC\_032.wav  
DE\_HC\_033.wav  
DE\_HC\_034.wav  
DE\_HC\_035.wav  
DE\_HC\_036.wav  
DE\_HC\_037.wav  
DE\_HC\_038.wav  
DE\_HC\_039.wav  
DE\_HC\_040.wav  
DE\_HC\_041.wav  
DE\_HC\_042.wav  
DE\_HC\_043.wav  
DE\_HC\_044.wav  
DE\_HC\_045.wav  
DE\_HC\_046.wav  
DE\_HC\_047.wav  
DE\_HC\_048.wav  
DE\_HC\_049.wav  
DE\_HC\_050.wav  
DE\_HC\_051.wav  
DE\_HC\_052.wav  
DE\_HC\_053.wav  
DE\_HC\_054.wav  
DE\_HC\_055.wav  
DE\_HC\_056.wav  
DE\_HC\_057.wav  
DE\_HC\_058.wav  
DE\_HC\_059.wav  
DE\_HC\_060.wav  
DE\_HC\_061.wav  
DE\_HC\_062.wav  
DE\_HC\_063.wav  
DE\_HC\_064.wav  
DE\_HC\_065.wav  
DE\_HC\_066.wav  
DE\_HC\_067.wav  
DE\_HC\_068.wav  
DE\_HC\_069.wav  
DE\_HC\_070.wav  
DE\_HC\_071.wav  
DE\_HC\_072.wav  
DE\_HC\_073.wav  
DE\_HC\_074.wav  
DE\_HC\_075.wav  
DE\_HC\_076.wav  
DE\_HC\_077.wav  
DE\_HC\_078.wav  
DE\_HC\_079.wav  
DE\_HC\_080.wav  
DE\_HC\_081.wav  
DE\_HC\_082.wav  
DE\_HC\_083.wav  
DE\_HC\_084.wav

DE\_HC\_085.wav  
DE\_HC\_086.wav  
DE\_HC\_087.wav  
DE\_HC\_088.wav  
DE\_PD\_001.wav  
DE\_PD\_002.wav  
DE\_PD\_003.wav  
DE\_PD\_004.wav  
DE\_PD\_005.wav  
DE\_PD\_006.wav  
DE\_PD\_007.wav  
DE\_PD\_008.wav  
DE\_PD\_009.wav  
DE\_PD\_010.wav  
DE\_PD\_011.wav  
DE\_PD\_012.wav  
DE\_PD\_013.wav  
DE\_PD\_014.wav  
DE\_PD\_015.wav  
DE\_PD\_016.wav  
DE\_PD\_017.wav  
DE\_PD\_018.wav  
DE\_PD\_019.wav  
DE\_PD\_020.wav  
DE\_PD\_021.wav  
DE\_PD\_022.wav  
DE\_PD\_023.wav  
DE\_PD\_024.wav  
DE\_PD\_025.wav  
DE\_PD\_026.wav  
DE\_PD\_027.wav  
DE\_PD\_028.wav  
DE\_PD\_029.wav  
DE\_PD\_030.wav  
DE\_PD\_031.wav  
DE\_PD\_032.wav  
DE\_PD\_033.wav  
DE\_PD\_034.wav  
DE\_PD\_035.wav  
DE\_PD\_036.wav  
DE\_PD\_037.wav  
DE\_PD\_038.wav  
DE\_PD\_039.wav  
DE\_PD\_040.wav  
DE\_PD\_041.wav  
DE\_PD\_042.wav  
DE\_PD\_043.wav  
DE\_PD\_044.wav  
DE\_PD\_045.wav  
DE\_PD\_046.wav  
DE\_PD\_047.wav  
DE\_PD\_048.wav  
DE\_PD\_049.wav  
DE\_PD\_050.wav  
DE\_PD\_051.wav  
DE\_PD\_052.wav  
DE\_PD\_053.wav  
DE\_PD\_054.wav  
DE\_PD\_055.wav  
DE\_PD\_056.wav  
DE\_PD\_057.wav  
DE\_PD\_058.wav  
DE\_PD\_059.wav  
DE\_PD\_060.wav  
DE\_PD\_061.wav  
DE\_PD\_062.wav  
DE\_PD\_063.wav  
DE\_PD\_064.wav  
DE\_PD\_065.wav  
DE\_PD\_066.wav  
DE\_PD\_067.wav  
DE\_PD\_068.wav  
DE\_PD\_069.wav  
DE\_PD\_070.wav  
DE\_PD\_071.wav  
DE\_PD\_072.wav  
DE\_PD\_073.wav  
DE\_PD\_074.wav  
DE\_PD\_075.wav  
DE\_PD\_076.wav  
DE\_PD\_077.wav  
DE\_PD\_078.wav  
DE\_PD\_079.wav  
DE\_PD\_080.wav  
DE\_PD\_081.wav

— DE\_PD\_082.wav  
— DE\_PD\_083.wav  
— DE\_PD\_084.wav  
— DE\_PD\_085.wav  
— DE\_PD\_086.wav  
— DE\_PD\_087.wav  
— DE\_PD\_088.wav  
— SP\_HC\_001.wav  
— SP\_HC\_002.wav  
— SP\_HC\_003.wav  
— SP\_HC\_004.wav  
— SP\_HC\_005.wav  
— SP\_HC\_006.wav  
— SP\_HC\_007.wav  
— SP\_HC\_008.wav  
— SP\_HC\_009.wav  
— SP\_HC\_010.wav  
— SP\_HC\_011.wav  
— SP\_HC\_012.wav  
— SP\_HC\_013.wav  
— SP\_HC\_014.wav  
— SP\_HC\_015.wav  
— SP\_HC\_016.wav  
— SP\_HC\_017.wav  
— SP\_HC\_018.wav  
— SP\_HC\_019.wav  
— SP\_HC\_020.wav  
— SP\_HC\_021.wav  
— SP\_HC\_022.wav  
— SP\_HC\_023.wav  
— SP\_HC\_024.wav  
— SP\_HC\_025.wav  
— SP\_HC\_026.wav  
— SP\_HC\_027.wav  
— SP\_HC\_028.wav  
— SP\_HC\_029.wav  
— SP\_HC\_030.wav  
— SP\_HC\_031.wav  
— SP\_HC\_032.wav  
— SP\_HC\_033.wav  
— SP\_HC\_034.wav  
— SP\_HC\_035.wav  
— SP\_HC\_036.wav  
— SP\_HC\_037.wav  
— SP\_HC\_038.wav  
— SP\_HC\_039.wav  
— SP\_HC\_040.wav  
— SP\_HC\_041.wav  
— SP\_HC\_042.wav  
— SP\_HC\_043.wav  
— SP\_HC\_044.wav  
— SP\_HC\_045.wav  
— SP\_HC\_046.wav  
— SP\_HC\_047.wav  
— SP\_HC\_048.wav  
— SP\_HC\_049.wav  
— SP\_HC\_050.wav  
— SP\_PD\_001.wav  
— SP\_PD\_002.wav  
— SP\_PD\_003.wav  
— SP\_PD\_004.wav  
— SP\_PD\_005.wav  
— SP\_PD\_006.wav  
— SP\_PD\_007.wav  
— SP\_PD\_008.wav  
— SP\_PD\_009.wav  
— SP\_PD\_010.wav  
— SP\_PD\_011.wav  
— SP\_PD\_012.wav  
— SP\_PD\_013.wav  
— SP\_PD\_014.wav  
— SP\_PD\_015.wav  
— SP\_PD\_016.wav  
— SP\_PD\_017.wav  
— SP\_PD\_018.wav  
— SP\_PD\_019.wav  
— SP\_PD\_020.wav  
— SP\_PD\_021.wav  
— SP\_PD\_022.wav  
— SP\_PD\_023.wav  
— SP\_PD\_024.wav  
— SP\_PD\_025.wav  
— SP\_PD\_026.wav  
— SP\_PD\_027.wav  
— SP\_PD\_028.wav

- SP\_PD\_029.wav
- SP\_PD\_030.wav
- SP\_PD\_031.wav
- SP\_PD\_032.wav
- SP\_PD\_033.wav
- SP\_PD\_034.wav
- SP\_PD\_035.wav
- SP\_PD\_036.wav
- SP\_PD\_037.wav
- SP\_PD\_038.wav
- SP\_PD\_039.wav
- SP\_PD\_040.wav
- SP\_PD\_041.wav
- SP\_PD\_042.wav
- SP\_PD\_043.wav
- SP\_PD\_044.wav
- SP\_PD\_045.wav
- SP\_PD\_046.wav
- SP\_PD\_047.wav
- SP\_PD\_048.wav
- SP\_PD\_049.wav
- SP\_PD\_050.wav

— input\_full\_22050/

- DE\_HC\_001.wav
- DE\_HC\_002.wav
- DE\_HC\_003.wav
- DE\_HC\_004.wav
- DE\_HC\_005.wav
- DE\_HC\_006.wav
- DE\_HC\_007.wav
- DE\_HC\_008.wav
- DE\_HC\_009.wav
- DE\_HC\_010.wav
- DE\_HC\_011.wav
- DE\_HC\_012.wav
- DE\_HC\_013.wav
- DE\_HC\_014.wav
- DE\_HC\_015.wav
- DE\_HC\_016.wav
- DE\_HC\_017.wav
- DE\_HC\_018.wav
- DE\_HC\_019.wav
- DE\_HC\_020.wav
- DE\_HC\_021.wav
- DE\_HC\_022.wav
- DE\_HC\_023.wav
- DE\_HC\_024.wav
- DE\_HC\_025.wav
- DE\_HC\_026.wav
- DE\_HC\_027.wav
- DE\_HC\_028.wav
- DE\_HC\_029.wav
- DE\_HC\_030.wav
- DE\_HC\_031.wav
- DE\_HC\_032.wav
- DE\_HC\_033.wav
- DE\_HC\_034.wav
- DE\_HC\_035.wav
- DE\_HC\_036.wav
- DE\_HC\_037.wav
- DE\_HC\_038.wav
- DE\_HC\_039.wav
- DE\_HC\_040.wav
- DE\_HC\_041.wav
- DE\_HC\_042.wav
- DE\_HC\_043.wav
- DE\_HC\_044.wav
- DE\_HC\_045.wav
- DE\_HC\_046.wav
- DE\_HC\_047.wav
- DE\_HC\_048.wav
- DE\_HC\_049.wav
- DE\_HC\_050.wav
- DE\_HC\_051.wav
- DE\_HC\_052.wav
- DE\_HC\_053.wav
- DE\_HC\_054.wav
- DE\_HC\_055.wav
- DE\_HC\_056.wav
- DE\_HC\_057.wav
- DE\_HC\_058.wav
- DE\_HC\_059.wav
- DE\_HC\_060.wav
- DE\_HC\_061.wav
- DE\_HC\_062.wav

DE\_HC\_063.wav  
DE\_HC\_064.wav  
DE\_HC\_065.wav  
DE\_HC\_066.wav  
DE\_HC\_067.wav  
DE\_HC\_068.wav  
DE\_HC\_069.wav  
DE\_HC\_070.wav  
DE\_HC\_071.wav  
DE\_HC\_072.wav  
DE\_HC\_073.wav  
DE\_HC\_074.wav  
DE\_HC\_075.wav  
DE\_HC\_076.wav  
DE\_HC\_077.wav  
DE\_HC\_078.wav  
DE\_HC\_079.wav  
DE\_HC\_080.wav  
DE\_HC\_081.wav  
DE\_HC\_082.wav  
DE\_HC\_083.wav  
DE\_HC\_084.wav  
DE\_HC\_085.wav  
DE\_HC\_086.wav  
DE\_HC\_087.wav  
DE\_HC\_088.wav  
DE\_PD\_001.wav  
DE\_PD\_002.wav  
DE\_PD\_003.wav  
DE\_PD\_004.wav  
DE\_PD\_005.wav  
DE\_PD\_006.wav  
DE\_PD\_007.wav  
DE\_PD\_008.wav  
DE\_PD\_009.wav  
DE\_PD\_010.wav  
DE\_PD\_011.wav  
DE\_PD\_012.wav  
DE\_PD\_013.wav  
DE\_PD\_014.wav  
DE\_PD\_015.wav  
DE\_PD\_016.wav  
DE\_PD\_017.wav  
DE\_PD\_018.wav  
DE\_PD\_019.wav  
DE\_PD\_020.wav  
DE\_PD\_021.wav  
DE\_PD\_022.wav  
DE\_PD\_023.wav  
DE\_PD\_024.wav  
DE\_PD\_025.wav  
DE\_PD\_026.wav  
DE\_PD\_027.wav  
DE\_PD\_028.wav  
DE\_PD\_029.wav  
DE\_PD\_030.wav  
DE\_PD\_031.wav  
DE\_PD\_032.wav  
DE\_PD\_033.wav  
DE\_PD\_034.wav  
DE\_PD\_035.wav  
DE\_PD\_036.wav  
DE\_PD\_037.wav  
DE\_PD\_038.wav  
DE\_PD\_039.wav  
DE\_PD\_040.wav  
DE\_PD\_041.wav  
DE\_PD\_042.wav  
DE\_PD\_043.wav  
DE\_PD\_044.wav  
DE\_PD\_045.wav  
DE\_PD\_046.wav  
DE\_PD\_047.wav  
DE\_PD\_048.wav  
DE\_PD\_049.wav  
DE\_PD\_050.wav  
DE\_PD\_051.wav  
DE\_PD\_052.wav  
DE\_PD\_053.wav  
DE\_PD\_054.wav  
DE\_PD\_055.wav  
DE\_PD\_056.wav  
DE\_PD\_057.wav  
DE\_PD\_058.wav  
DE\_PD\_059.wav

— DE\_PD\_060.wav  
— DE\_PD\_061.wav  
— DE\_PD\_062.wav  
— DE\_PD\_063.wav  
— DE\_PD\_064.wav  
— DE\_PD\_065.wav  
— DE\_PD\_066.wav  
— DE\_PD\_067.wav  
— DE\_PD\_068.wav  
— DE\_PD\_069.wav  
— DE\_PD\_070.wav  
— DE\_PD\_071.wav  
— DE\_PD\_072.wav  
— DE\_PD\_073.wav  
— DE\_PD\_074.wav  
— DE\_PD\_075.wav  
— DE\_PD\_076.wav  
— DE\_PD\_077.wav  
— DE\_PD\_078.wav  
— DE\_PD\_079.wav  
— DE\_PD\_080.wav  
— DE\_PD\_081.wav  
— DE\_PD\_082.wav  
— DE\_PD\_083.wav  
— DE\_PD\_084.wav  
— DE\_PD\_085.wav  
— DE\_PD\_086.wav  
— DE\_PD\_087.wav  
— DE\_PD\_088.wav  
— SP\_HC\_001.wav  
— SP\_HC\_002.wav  
— SP\_HC\_003.wav  
— SP\_HC\_004.wav  
— SP\_HC\_005.wav  
— SP\_HC\_006.wav  
— SP\_HC\_007.wav  
— SP\_HC\_008.wav  
— SP\_HC\_009.wav  
— SP\_HC\_010.wav  
— SP\_HC\_011.wav  
— SP\_HC\_012.wav  
— SP\_HC\_013.wav  
— SP\_HC\_014.wav  
— SP\_HC\_015.wav  
— SP\_HC\_016.wav  
— SP\_HC\_017.wav  
— SP\_HC\_018.wav  
— SP\_HC\_019.wav  
— SP\_HC\_020.wav  
— SP\_HC\_021.wav  
— SP\_HC\_022.wav  
— SP\_HC\_023.wav  
— SP\_HC\_024.wav  
— SP\_HC\_025.wav  
— SP\_HC\_026.wav  
— SP\_HC\_027.wav  
— SP\_HC\_028.wav  
— SP\_HC\_029.wav  
— SP\_HC\_030.wav  
— SP\_HC\_031.wav  
— SP\_HC\_032.wav  
— SP\_HC\_033.wav  
— SP\_HC\_034.wav  
— SP\_HC\_035.wav  
— SP\_HC\_036.wav  
— SP\_HC\_037.wav  
— SP\_HC\_038.wav  
— SP\_HC\_039.wav  
— SP\_HC\_040.wav  
— SP\_HC\_041.wav  
— SP\_HC\_042.wav  
— SP\_HC\_043.wav  
— SP\_HC\_044.wav  
— SP\_HC\_045.wav  
— SP\_HC\_046.wav  
— SP\_HC\_047.wav  
— SP\_HC\_048.wav  
— SP\_HC\_049.wav  
— SP\_HC\_050.wav  
— SP\_PD\_001.wav  
— SP\_PD\_002.wav  
— SP\_PD\_003.wav  
— SP\_PD\_004.wav  
— SP\_PD\_005.wav  
— SP\_PD\_006.wav

- SP\_PD\_007.wav
- SP\_PD\_008.wav
- SP\_PD\_009.wav
- SP\_PD\_010.wav
- SP\_PD\_011.wav
- SP\_PD\_012.wav
- SP\_PD\_013.wav
- SP\_PD\_014.wav
- SP\_PD\_015.wav
- SP\_PD\_016.wav
- SP\_PD\_017.wav
- SP\_PD\_018.wav
- SP\_PD\_019.wav
- SP\_PD\_020.wav
- SP\_PD\_021.wav
- SP\_PD\_022.wav
- SP\_PD\_023.wav
- SP\_PD\_024.wav
- SP\_PD\_025.wav
- SP\_PD\_026.wav
- SP\_PD\_027.wav
- SP\_PD\_028.wav
- SP\_PD\_029.wav
- SP\_PD\_030.wav
- SP\_PD\_031.wav
- SP\_PD\_032.wav
- SP\_PD\_033.wav
- SP\_PD\_034.wav
- SP\_PD\_035.wav
- SP\_PD\_036.wav
- SP\_PD\_037.wav
- SP\_PD\_038.wav
- SP\_PD\_039.wav
- SP\_PD\_040.wav
- SP\_PD\_041.wav
- SP\_PD\_042.wav
- SP\_PD\_043.wav
- SP\_PD\_044.wav
- SP\_PD\_045.wav
- SP\_PD\_046.wav
- SP\_PD\_047.wav
- SP\_PD\_048.wav
- SP\_PD\_049.wav
- SP\_PD\_050.wav

— input\_pilot/

- DE\_HC\_001.wav
- DE\_HC\_002.wav
- DE\_HC\_003.wav
- DE\_PD\_001.wav
- DE\_PD\_002.wav
- DE\_PD\_003.wav
- SP\_HC\_001.wav
- SP\_HC\_002.wav
- SP\_HC\_003.wav
- SP\_PD\_001.wav
- SP\_PD\_002.wav
- SP\_PD\_003.wav

— input\_pilot\_22050/

- DE\_HC\_001.wav
- DE\_HC\_002.wav
- DE\_HC\_003.wav
- DE\_PD\_001.wav
- DE\_PD\_002.wav
- DE\_PD\_003.wav
- SP\_HC\_001.wav
- SP\_HC\_002.wav
- SP\_HC\_003.wav
- SP\_PD\_001.wav
- SP\_PD\_002.wav
- SP\_PD\_003.wav

— input\_subset\_80/

- DE\_HC\_001.wav
- DE\_HC\_002.wav
- DE\_HC\_003.wav
- DE\_HC\_004.wav
- DE\_HC\_005.wav
- DE\_HC\_006.wav
- DE\_HC\_007.wav
- DE\_HC\_008.wav
- DE\_HC\_009.wav
- DE\_HC\_010.wav
- DE\_HC\_011.wav
- DE\_HC\_012.wav
- DE\_HC\_013.wav
- DE\_HC\_014.wav

- DE\_HC\_015.wav
- DE\_HC\_016.wav
- DE\_HC\_017.wav
- DE\_HC\_018.wav
- DE\_HC\_019.wav
- DE\_HC\_020.wav
- DE\_PD\_001.wav
- DE\_PD\_002.wav
- DE\_PD\_003.wav
- DE\_PD\_004.wav
- DE\_PD\_005.wav
- DE\_PD\_006.wav
- DE\_PD\_007.wav
- DE\_PD\_008.wav
- DE\_PD\_009.wav
- DE\_PD\_010.wav
- DE\_PD\_011.wav
- DE\_PD\_012.wav
- DE\_PD\_013.wav
- DE\_PD\_014.wav
- DE\_PD\_015.wav
- DE\_PD\_016.wav
- DE\_PD\_017.wav
- DE\_PD\_018.wav
- DE\_PD\_019.wav
- DE\_PD\_020.wav
- SP\_HC\_001.wav
- SP\_HC\_002.wav
- SP\_HC\_003.wav
- SP\_HC\_004.wav
- SP\_HC\_005.wav
- SP\_HC\_006.wav
- SP\_HC\_007.wav
- SP\_HC\_008.wav
- SP\_HC\_009.wav
- SP\_HC\_010.wav
- SP\_HC\_011.wav
- SP\_HC\_012.wav
- SP\_HC\_013.wav
- SP\_HC\_014.wav
- SP\_HC\_015.wav
- SP\_HC\_016.wav
- SP\_HC\_017.wav
- SP\_HC\_018.wav
- SP\_HC\_019.wav
- SP\_HC\_020.wav
- SP\_PD\_001.wav
- SP\_PD\_002.wav
- SP\_PD\_003.wav
- SP\_PD\_004.wav
- SP\_PD\_005.wav
- SP\_PD\_006.wav
- SP\_PD\_007.wav
- SP\_PD\_008.wav
- SP\_PD\_009.wav
- SP\_PD\_010.wav
- SP\_PD\_011.wav
- SP\_PD\_012.wav
- SP\_PD\_013.wav
- SP\_PD\_014.wav
- SP\_PD\_015.wav
- SP\_PD\_016.wav
- SP\_PD\_017.wav
- SP\_PD\_018.wav
- SP\_PD\_019.wav
- SP\_PD\_020.wav

input\_subset\_80\_22050/

- DE\_HC\_001.wav
- DE\_HC\_002.wav
- DE\_HC\_003.wav
- DE\_HC\_004.wav
- DE\_HC\_005.wav
- DE\_HC\_006.wav
- DE\_HC\_007.wav
- DE\_HC\_008.wav
- DE\_HC\_009.wav
- DE\_HC\_010.wav
- DE\_HC\_011.wav
- DE\_HC\_012.wav
- DE\_HC\_013.wav
- DE\_HC\_014.wav
- DE\_HC\_015.wav
- DE\_HC\_016.wav
- DE\_HC\_017.wav
- DE\_HC\_018.wav



- DE\_HC\_019.wav
- DE\_HC\_020.wav
- DE\_PD\_001.wav
- DE\_PD\_002.wav
- DE\_PD\_003.wav
- DE\_PD\_004.wav
- DE\_PD\_005.wav
- DE\_PD\_006.wav
- DE\_PD\_007.wav
- DE\_PD\_008.wav
- DE\_PD\_009.wav
- DE\_PD\_010.wav
- DE\_PD\_011.wav
- DE\_PD\_012.wav
- DE\_PD\_013.wav
- DE\_PD\_014.wav
- DE\_PD\_015.wav
- DE\_PD\_016.wav
- DE\_PD\_017.wav
- DE\_PD\_018.wav
- DE\_PD\_019.wav
- DE\_PD\_020.wav
- SP\_HC\_001.wav
- SP\_HC\_002.wav
- SP\_HC\_003.wav
- SP\_HC\_004.wav
- SP\_HC\_005.wav
- SP\_HC\_006.wav
- SP\_HC\_007.wav
- SP\_HC\_008.wav
- SP\_HC\_009.wav
- SP\_HC\_010.wav
- SP\_HC\_011.wav
- SP\_HC\_012.wav
- SP\_HC\_013.wav
- SP\_HC\_014.wav
- SP\_HC\_015.wav
- SP\_HC\_016.wav
- SP\_HC\_017.wav
- SP\_HC\_018.wav
- SP\_HC\_019.wav
- SP\_HC\_020.wav
- SP\_PD\_001.wav
- SP\_PD\_002.wav
- SP\_PD\_003.wav
- SP\_PD\_004.wav
- SP\_PD\_005.wav
- SP\_PD\_006.wav
- SP\_PD\_007.wav
- SP\_PD\_008.wav
- SP\_PD\_009.wav
- SP\_PD\_010.wav
- SP\_PD\_011.wav
- SP\_PD\_012.wav
- SP\_PD\_013.wav
- SP\_PD\_014.wav
- SP\_PD\_015.wav
- SP\_PD\_016.wav
- SP\_PD\_017.wav
- SP\_PD\_018.wav
- SP\_PD\_019.wav
- SP\_PD\_020.wav
- logs/
  - environment\_check.txt
  - generated\_audio\_inspection\_summary.csv
  - hifigan\_inference\_script\_review.md
  - hifigan\_stage1\_experiment\_log.md
  - hifigan\_stage2\_evaluation\_log.md
  - original\_vs\_generated\_duration\_comparison.csv
  - pilot\_evaluation\_comparison\_summary.csv
  - pilot\_inspection\_summary.csv
  - pilot\_preprocessing\_log.csv
  - pilot\_selection\_log.csv
  - requirements\_windows\_py310\_freeze.txt
- logs\_full/
  - full\_evaluation\_comparison\_summary.csv
  - full\_inspection\_summary.csv
  - full\_original\_vs\_generated\_duration\_comparison.csv
  - full\_preprocessing\_log.csv
  - full\_selection\_log.csv
  - generated\_full\_audio\_inspection\_summary.csv
  - hifigan\_stage4\_evaluation\_report.md
  - hifigan\_stage4\_experiment\_log.md
- logs\_subset\_80/
  - generated\_subset\_80\_audio\_inspection\_summary.csv

- └─ hifigan\_stage3\_evaluation\_report.md
- └─ hifigan\_stage3\_experiment\_log.md
- └─ subset\_80\_evaluation\_comparison\_summary.csv
- └─ subset\_80\_inspection\_summary.csv
- └─ subset\_80\_original\_vs\_generated\_duration\_comparison.csv
- └─ subset\_80\_preprocessing\_log.csv
- └─ subset\_80\_selection\_log.csv
- ─ metadata\_full/
  - └─ dataset\_index\_generated\_full.csv
  - └─ dataset\_index\_original\_full.csv
- ─ metadata\_generated\_pilot/
  - └─ dataset\_index\_generated\_pilot.csv
  - └─ dataset\_index\_original\_pilot.csv
- ─ metadata\_subset\_80/
  - └─ dataset\_index\_generated\_subset\_80.csv
  - └─ dataset\_index\_original\_subset\_80.csv
- ─ outputs\_generated\_full/
  - └─ tables/
    - └─ classification\_results\_wav2vec2\_readtext\_layer0.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer11.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer4.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer8.csv
    - └─ classification\_results\_wavlm\_readtext\_layer0.csv
    - └─ classification\_results\_wavlm\_readtext\_layer11.csv
    - └─ classification\_results\_wavlm\_readtext\_layer4.csv
    - └─ classification\_results\_wavlm\_readtext\_layer8.csv
    - └─ classification\_results\_xlsr\_readtext\_layer0.csv
    - └─ classification\_results\_xlsr\_readtext\_layer11.csv
    - └─ classification\_results\_xlsr\_readtext\_layer4.csv
    - └─ classification\_results\_xlsr\_readtext\_layer8.csv
    - └─ model\_layer\_comparison\_wav2vec2.csv
    - └─ model\_layer\_comparison\_wavlm.csv
    - └─ model\_layer\_comparison\_xlsr.csv
- ─ outputs\_generated\_pilot/
  - └─ tables/
    - └─ classification\_results\_wav2vec2\_readtext\_layer0.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer11.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer4.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer8.csv
    - └─ classification\_results\_wavlm\_readtext\_layer0.csv
    - └─ classification\_results\_wavlm\_readtext\_layer11.csv
    - └─ classification\_results\_wavlm\_readtext\_layer4.csv
    - └─ classification\_results\_wavlm\_readtext\_layer8.csv
    - └─ classification\_results\_xlsr\_readtext\_layer0.csv
    - └─ classification\_results\_xlsr\_readtext\_layer11.csv
    - └─ classification\_results\_xlsr\_readtext\_layer4.csv
    - └─ classification\_results\_xlsr\_readtext\_layer8.csv
    - └─ model\_layer\_comparison\_wav2vec2.csv
    - └─ model\_layer\_comparison\_wavlm.csv
    - └─ model\_layer\_comparison\_xlsr.csv
- ─ outputs\_generated\_subset\_80/
  - └─ tables/
    - └─ classification\_results\_wav2vec2\_readtext\_layer0.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer11.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer4.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer8.csv
    - └─ classification\_results\_wavlm\_readtext\_layer0.csv
    - └─ classification\_results\_wavlm\_readtext\_layer11.csv
    - └─ classification\_results\_wavlm\_readtext\_layer4.csv
    - └─ classification\_results\_wavlm\_readtext\_layer8.csv
    - └─ classification\_results\_xlsr\_readtext\_layer0.csv
    - └─ classification\_results\_xlsr\_readtext\_layer11.csv
    - └─ classification\_results\_xlsr\_readtext\_layer4.csv
    - └─ classification\_results\_xlsr\_readtext\_layer8.csv
    - └─ model\_layer\_comparison\_wav2vec2.csv
    - └─ model\_layer\_comparison\_wavlm.csv
    - └─ model\_layer\_comparison\_xlsr.csv
- ─ outputs\_original\_full/
  - └─ tables/
    - └─ classification\_results\_wav2vec2\_readtext\_layer0.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer11.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer4.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer8.csv
    - └─ classification\_results\_wavlm\_readtext\_layer0.csv
    - └─ classification\_results\_wavlm\_readtext\_layer11.csv
    - └─ classification\_results\_wavlm\_readtext\_layer4.csv
    - └─ classification\_results\_wavlm\_readtext\_layer8.csv
    - └─ classification\_results\_xlsr\_readtext\_layer0.csv
    - └─ classification\_results\_xlsr\_readtext\_layer11.csv
    - └─ classification\_results\_xlsr\_readtext\_layer4.csv
    - └─ classification\_results\_xlsr\_readtext\_layer8.csv
    - └─ model\_layer\_comparison\_wav2vec2.csv
    - └─ model\_layer\_comparison\_wavlm.csv
    - └─ model\_layer\_comparison\_xlsr.csv
- ─ outputs\_original\_pilot/

- └─ tables/
  - └─ classification\_results\_wav2vec2\_readtext\_layer0.csv
  - └─ classification\_results\_wav2vec2\_readtext\_layer11.csv
  - └─ classification\_results\_wav2vec2\_readtext\_layer4.csv
  - └─ classification\_results\_wav2vec2\_readtext\_layer8.csv
  - └─ classification\_results\_wavlm\_readtext\_layer0.csv
  - └─ classification\_results\_wavlm\_readtext\_layer11.csv
  - └─ classification\_results\_wavlm\_readtext\_layer4.csv
  - └─ classification\_results\_wavlm\_readtext\_layer8.csv
  - └─ classification\_results\_xlsr\_readtext\_layer0.csv
  - └─ classification\_results\_xlsr\_readtext\_layer11.csv
  - └─ classification\_results\_xlsr\_readtext\_layer4.csv
  - └─ classification\_results\_xlsr\_readtext\_layer8.csv
  - └─ model\_layer\_comparison\_wav2vec2.csv
  - └─ model\_layer\_comparison\_wavlm.csv
  - └─ model\_layer\_comparison\_xlsr.csv
- └─ outputs\_original\_subset\_80/
  - └─ tables/
    - └─ classification\_results\_wav2vec2\_readtext\_layer0.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer11.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer4.csv
    - └─ classification\_results\_wav2vec2\_readtext\_layer8.csv
    - └─ classification\_results\_wavlm\_readtext\_layer0.csv
    - └─ classification\_results\_wavlm\_readtext\_layer11.csv
    - └─ classification\_results\_wavlm\_readtext\_layer4.csv
    - └─ classification\_results\_wavlm\_readtext\_layer8.csv
    - └─ classification\_results\_xlsr\_readtext\_layer0.csv
    - └─ classification\_results\_xlsr\_readtext\_layer11.csv
    - └─ classification\_results\_xlsr\_readtext\_layer4.csv
    - └─ classification\_results\_xlsr\_readtext\_layer8.csv
    - └─ model\_layer\_comparison\_wav2vec2.csv
    - └─ model\_layer\_comparison\_wavlm.csv
    - └─ model\_layer\_comparison\_xlsr.csv
- └─ scripts/
  - └─ \_\_pycache\_\_/
    - └─ inspect\_audio\_folder.cpython-310.pyc
    - └─ prepare\_hifigan\_full\_audio.cpython-310.pyc
    - └─ prepare\_hifigan\_pilot\_audio.cpython-310.pyc
    - └─ prepare\_hifigan\_subset\_80\_audio.cpython-310.pyc
  - └─ evaluate\_reconstructed\_full.py
  - └─ evaluate\_reconstructed\_pilot.py
  - └─ evaluate\_reconstructed\_subset\_80.py
  - └─ inspect\_and\_compare\_generated.py
  - └─ inspect\_and\_compare\_generated\_full.py
  - └─ inspect\_and\_compare\_generated\_subset\_80.py
  - └─ inspect\_audio\_folder.py
  - └─ prepare\_hifigan\_full\_audio.py
  - └─ prepare\_hifigan\_pilot\_audio.py
  - └─ prepare\_hifigan\_subset\_80\_audio.py
  - └─ run\_full\_stage.py
  - └─ run\_pilot\_stage.py
  - └─ run\_subset\_80\_stage.py
- └─ stage5\_embedding\_conditioned\_vc/
  - └─ converted\_german\_to\_spanish/
    - └─ DE\_HC\_001\_to\_SP\_domain.wav
    - └─ DE\_HC\_002\_to\_SP\_domain.wav
    - └─ DE\_HC\_003\_to\_SP\_domain.wav
    - └─ DE\_PD\_001\_to\_SP\_domain.wav
    - └─ DE\_PD\_002\_to\_SP\_domain.wav
    - └─ DE\_PD\_003\_to\_SP\_domain.wav
  - └─ converted\_mels\_stage5/
    - └─ DE\_HC\_001\_to\_SP\_domain.npy
    - └─ DE\_HC\_002\_to\_SP\_domain.npy
    - └─ DE\_HC\_003\_to\_SP\_domain.npy
    - └─ DE\_PD\_001\_to\_SP\_domain.npy
    - └─ DE\_PD\_002\_to\_SP\_domain.npy
    - └─ DE\_PD\_003\_to\_SP\_domain.npy
    - └─ SP\_HC\_001\_to\_DE\_domain.npy
    - └─ SP\_HC\_002\_to\_DE\_domain.npy
    - └─ SP\_HC\_003\_to\_DE\_domain.npy
    - └─ SP\_PD\_001\_to\_DE\_domain.npy
    - └─ SP\_PD\_002\_to\_DE\_domain.npy
    - └─ SP\_PD\_003\_to\_DE\_domain.npy
  - └─ converted\_spanish\_to\_german/
    - └─ SP\_HC\_001\_to\_DE\_domain.wav
    - └─ SP\_HC\_002\_to\_DE\_domain.wav
    - └─ SP\_HC\_003\_to\_DE\_domain.wav
    - └─ SP\_PD\_001\_to\_DE\_domain.wav
    - └─ SP\_PD\_002\_to\_DE\_domain.wav
    - └─ SP\_PD\_003\_to\_DE\_domain.wav
- └─ features\_converted\_stage5/
  - └─ wav2vec2/
    - └─ wav2vec2\_layer0\_converted.csv
    - └─ wav2vec2\_layer11\_converted.csv
    - └─ wav2vec2\_layer4\_converted.csv

- └─ wav2vec2\_layer8\_converted.csv
- ─ wavlm/
  - └─ wavlm\_layer0\_converted.csv
  - └─ wavlm\_layer11\_converted.csv
  - └─ wavlm\_layer4\_converted.csv
  - └─ wavlm\_layer8\_converted.csv
- ─ xlsr/
  - └─ xlsr\_layer0\_converted.csv
  - └─ xlsr\_layer11\_converted.csv
  - └─ xlsr\_layer4\_converted.csv
  - └─ xlsr\_layer8\_converted.csv
- ─ features\_original\_stage5/
  - ─ wav2vec2/
    - └─ wav2vec2\_layer0\_original.csv
    - └─ wav2vec2\_layer11\_original.csv
    - └─ wav2vec2\_layer4\_original.csv
    - └─ wav2vec2\_layer8\_original.csv
  - ─ wavlm/
    - └─ wavlm\_layer0\_original.csv
    - └─ wavlm\_layer11\_original.csv
    - └─ wavlm\_layer4\_original.csv
    - └─ wavlm\_layer8\_original.csv
  - ─ xlsr/
    - └─ xlsr\_layer0\_original.csv
    - └─ xlsr\_layer11\_original.csv
    - └─ xlsr\_layer4\_original.csv
    - └─ xlsr\_layer8\_original.csv
- ─ input\_pilot\_12/
  - └─ DE\_HC\_001.wav
  - └─ DE\_HC\_002.wav
  - └─ DE\_HC\_003.wav
  - └─ DE\_PD\_001.wav
  - └─ DE\_PD\_002.wav
  - └─ DE\_PD\_003.wav
  - └─ SP\_HC\_001.wav
  - └─ SP\_HC\_002.wav
  - └─ SP\_HC\_003.wav
  - └─ SP\_PD\_001.wav
  - └─ SP\_PD\_002.wav
  - └─ SP\_PD\_003.wav
- ─ logs\_stage5/
  - └─ stage5a\_conditioned\_generation\_log.csv
  - └─ stage5a\_converted\_audio\_validation.csv
  - └─ stage5a\_converted\_audio\_validation\_summary.md
  - └─ stage5a\_domain\_condition\_summary.csv
  - └─ stage5a\_embedding\_conditioned\_conversion\_report.md
  - └─ stage5a\_embedding\_extraction\_log.csv
  - └─ stage5a\_original\_vs\_converted\_classification\_summary.csv
  - └─ stage5a\_pilot\_12\_selection\_log.csv
  - └─ stage5a\_pilot\_12\_selection\_summary.md
- ─ outputs\_converted\_stage5/
  - ─ tables/
    - └─ classification\_results\_wav2vec2\_layer0.csv
    - └─ classification\_results\_wav2vec2\_layer11.csv
    - └─ classification\_results\_wav2vec2\_layer4.csv
    - └─ classification\_results\_wav2vec2\_layer8.csv
    - └─ classification\_results\_wavlm\_layer0.csv
    - └─ classification\_results\_wavlm\_layer11.csv
    - └─ classification\_results\_wavlm\_layer4.csv
    - └─ classification\_results\_wavlm\_layer8.csv
    - └─ classification\_results\_xlsr\_layer0.csv
    - └─ classification\_results\_xlsr\_layer11.csv
    - └─ classification\_results\_xlsr\_layer4.csv
    - └─ classification\_results\_xlsr\_layer8.csv
- ─ outputs\_original\_stage5/
  - ─ tables/
    - └─ classification\_results\_wav2vec2\_layer0.csv
    - └─ classification\_results\_wav2vec2\_layer11.csv
    - └─ classification\_results\_wav2vec2\_layer4.csv
    - └─ classification\_results\_wav2vec2\_layer8.csv
    - └─ classification\_results\_wavlm\_layer0.csv
    - └─ classification\_results\_wavlm\_layer11.csv
    - └─ classification\_results\_wavlm\_layer4.csv
    - └─ classification\_results\_wavlm\_layer8.csv
    - └─ classification\_results\_xlsr\_layer0.csv
    - └─ classification\_results\_xlsr\_layer11.csv
    - └─ classification\_results\_xlsr\_layer4.csv
    - └─ classification\_results\_xlsr\_layer8.csv
- ─ scripts/
  - └─ 01\_prepare\_stage5a\_pilot\_12.py
  - └─ 02\_extract\_stage5a\_condition\_embeddings.py
  - └─ 03\_create\_stage5a\_domain\_conditions.py
  - └─ 04\_generate\_stage5a\_conditioned\_audio.py
  - └─ 05\_validate\_stage5a\_converted\_audio.py
  - └─ 06\_evaluate\_stage5a\_classification.py

[illegible]

[illegible]

- SP\_PD\_003\_to\_Ge\_domain\_wavlm\_layer8\_alpha\_1\_00.wav
- xlsr\_layer11/
  - alpha\_0\_10/
    - german\_to\_spanish/
      - DE\_HC\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
      - DE\_HC\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
      - DE\_HC\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
      - DE\_PD\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
      - DE\_PD\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
      - DE\_PD\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
    - spanish\_to\_german/
      - SP\_HC\_001\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
      - SP\_HC\_002\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
      - SP\_HC\_003\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
      - SP\_PD\_001\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
      - SP\_PD\_002\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
      - SP\_PD\_003\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_10.wav
  - alpha\_0\_25/
    - german\_to\_spanish/
      - DE\_HC\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
      - DE\_HC\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
      - DE\_HC\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
      - DE\_PD\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
      - DE\_PD\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
      - DE\_PD\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
    - spanish\_to\_german/
      - SP\_HC\_001\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
      - SP\_HC\_002\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
      - SP\_HC\_003\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
      - SP\_PD\_001\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
      - SP\_PD\_002\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
      - SP\_PD\_003\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_25.wav
  - alpha\_0\_50/
    - german\_to\_spanish/
      - DE\_HC\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
      - DE\_HC\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
      - DE\_HC\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
      - DE\_PD\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
      - DE\_PD\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
      - DE\_PD\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
    - spanish\_to\_german/
      - SP\_HC\_001\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
      - SP\_HC\_002\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
      - SP\_HC\_003\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
      - SP\_PD\_001\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
      - SP\_PD\_002\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
      - SP\_PD\_003\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_50.wav
  - alpha\_0\_75/
    - german\_to\_spanish/
      - DE\_HC\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
      - DE\_HC\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
      - DE\_HC\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
      - DE\_PD\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
      - DE\_PD\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
      - DE\_PD\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
    - spanish\_to\_german/
      - SP\_HC\_001\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
      - SP\_HC\_002\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
      - SP\_HC\_003\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
      - SP\_PD\_001\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
      - SP\_PD\_002\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
      - SP\_PD\_003\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_0\_75.wav
  - alpha\_1\_00/
    - german\_to\_spanish/
      - DE\_HC\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_PD\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_PD\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_PD\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
    - spanish\_to\_german/
      - SP\_HC\_001\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - SP\_HC\_002\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - SP\_HC\_003\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - SP\_PD\_001\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - SP\_PD\_002\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - SP\_PD\_003\_to\_Ge\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
- converted\_mels\_refinement/
  - DE\_HC\_001\_to\_Sp\_domain\_wavlm\_layer11\_alpha\_0\_10.npy
  - DE\_HC\_001\_to\_Sp\_domain\_wavlm\_layer11\_alpha\_0\_25.npy
  - DE\_HC\_001\_to\_Sp\_domain\_wavlm\_layer11\_alpha\_0\_50.npy
  - DE\_HC\_001\_to\_Sp\_domain\_wavlm\_layer11\_alpha\_0\_75.npy
  - DE\_HC\_001\_to\_Sp\_domain\_wavlm\_layer11\_alpha\_1\_00.npy
  - DE\_HC\_001\_to\_Sp\_domain\_wavlm\_layer8\_alpha\_0\_10.npy
  - DE\_HC\_001\_to\_Sp\_domain\_wavlm\_layer8\_alpha\_0\_25.npy

[illegible]



[illegible]

[illegible]



- xlsr\_layer4\_converted\_xlsr\_layer11\_alpha\_0\_75.csv
  - xlsr\_layer4\_converted\_xlsr\_layer11\_alpha\_1\_00.csv
  - xlsr\_layer8\_converted\_wavlm\_layer11\_alpha\_0\_10.csv
  - xlsr\_layer8\_converted\_wavlm\_layer11\_alpha\_0\_25.csv
  - xlsr\_layer8\_converted\_wavlm\_layer11\_alpha\_0\_50.csv
  - xlsr\_layer8\_converted\_wavlm\_layer11\_alpha\_0\_75.csv
  - xlsr\_layer8\_converted\_wavlm\_layer11\_alpha\_1\_00.csv
  - xlsr\_layer8\_converted\_wavlm\_layer8\_alpha\_0\_10.csv
  - xlsr\_layer8\_converted\_wavlm\_layer8\_alpha\_0\_25.csv
  - xlsr\_layer8\_converted\_wavlm\_layer8\_alpha\_0\_50.csv
  - xlsr\_layer8\_converted\_wavlm\_layer8\_alpha\_0\_75.csv
  - xlsr\_layer8\_converted\_wavlm\_layer8\_alpha\_1\_00.csv
  - xlsr\_layer8\_converted\_xlsr\_layer11\_alpha\_0\_10.csv
  - xlsr\_layer8\_converted\_xlsr\_layer11\_alpha\_0\_25.csv
  - xlsr\_layer8\_converted\_xlsr\_layer11\_alpha\_0\_50.csv
  - xlsr\_layer8\_converted\_xlsr\_layer11\_alpha\_0\_75.csv
  - xlsr\_layer8\_converted\_xlsr\_layer11\_alpha\_1\_00.csv
- features\_original\_refinement/
  - wav2vec2/
  - wavlm/
    - wavlm\_layer11\_original.csv
    - wavlm\_layer8\_original.csv
  - xlsr/
    - xlsr\_layer11\_original.csv
- input\_pilot\_12\_refinement/
  - DE\_HC\_001.wav
  - DE\_HC\_002.wav
  - DE\_HC\_003.wav
  - DE\_PD\_001.wav
  - DE\_PD\_002.wav
  - DE\_PD\_003.wav
  - SP\_HC\_001.wav
  - SP\_HC\_002.wav
  - SP\_HC\_003.wav
  - SP\_PD\_001.wav
  - SP\_PD\_002.wav
  - SP\_PD\_003.wav
- logs\_refinement/
  - stage5a\_refinement\_audio\_validation.csv
  - stage5a\_refinement\_audio\_validation\_summary.md
  - stage5a\_refinement\_best\_setting.md
  - stage5a\_refinement\_best\_setting\_summary.csv
  - stage5a\_refinement\_classification\_summary.csv
  - stage5a\_refinement\_domain\_condition\_summary.csv
  - stage5a\_refinement\_embedding\_log.csv
  - stage5a\_refinement\_generation\_grid\_log.csv
  - stage5a\_refinement\_input\_copy\_log.csv
  - stage5a\_refinement\_input\_summary.md
  - stage5a\_refinement\_report.md
- outputs\_converted\_refinement/
- outputs\_original\_refinement/
- scripts/
  - 01\_prepare\_stage5a\_refinement\_inputs.py
  - 02\_prepare\_stage5a\_refinement\_embeddings.py
  - 03\_generate\_stage5a\_refinement\_grid.py
  - 04\_validate\_stage5a\_refinement\_audio.py
  - 05\_evaluate\_stage5a\_refinement\_classification.py
  - 06\_select\_best\_stage5a\_refinement\_setting.py
  - 07\_write\_stage5a\_refinement\_report.py
- source\_embeddings\_refinement/
  - wavlm/
    - wavlm\_layer11\_stage5a.csv
    - wavlm\_layer8\_stage5a.csv
  - xlsr/
    - xlsr\_layer11\_stage5a.csv
- target\_domain\_embeddings\_refinement/
  - wavlm/
    - wavlm\_layer11\_german\_domain\_condition.csv
    - wavlm\_layer11\_spanish\_domain\_condition.csv
    - wavlm\_layer8\_german\_domain\_condition.csv
    - wavlm\_layer8\_spanish\_domain\_condition.csv
  - xlsr/
    - xlsr\_layer11\_german\_domain\_condition.csv
    - xlsr\_layer11\_spanish\_domain\_condition.csv
- stage5b\_subset\_80/
  - converted\_audio\_stage5b/
    - german\_to\_spanish/
      - DE\_HC\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_004\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_005\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_006\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_007\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_008\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav





- features\_original\_stage5b/
  - wav2vec2/
    - wav2vec2\_layer0\_original.csv
    - wav2vec2\_layer11\_original.csv
    - wav2vec2\_layer4\_original.csv
    - wav2vec2\_layer8\_original.csv
  - wavlm/
    - wavlm\_layer0\_original.csv
    - wavlm\_layer11\_original.csv
    - wavlm\_layer4\_original.csv
    - wavlm\_layer8\_original.csv
  - xlsr/
    - xlsr\_layer0\_original.csv
    - xlsr\_layer11\_original.csv
    - xlsr\_layer4\_original.csv
    - xlsr\_layer8\_original.csv
- input\_subset\_80\_stage5b/
  - DE\_HC\_001.wav
  - DE\_HC\_002.wav
  - DE\_HC\_003.wav
  - DE\_HC\_004.wav
  - DE\_HC\_005.wav
  - DE\_HC\_006.wav
  - DE\_HC\_007.wav
  - DE\_HC\_008.wav
  - DE\_HC\_009.wav
  - DE\_HC\_010.wav
  - DE\_HC\_011.wav
  - DE\_HC\_012.wav
  - DE\_HC\_013.wav
  - DE\_HC\_014.wav
  - DE\_HC\_015.wav
  - DE\_HC\_016.wav
  - DE\_HC\_017.wav
  - DE\_HC\_018.wav
  - DE\_HC\_019.wav
  - DE\_HC\_020.wav
  - DE\_PD\_001.wav
  - DE\_PD\_002.wav
  - DE\_PD\_003.wav
  - DE\_PD\_004.wav
  - DE\_PD\_005.wav
  - DE\_PD\_006.wav
  - DE\_PD\_007.wav
  - DE\_PD\_008.wav
  - DE\_PD\_009.wav
  - DE\_PD\_010.wav
  - DE\_PD\_011.wav
  - DE\_PD\_012.wav
  - DE\_PD\_013.wav
  - DE\_PD\_014.wav
  - DE\_PD\_015.wav
  - DE\_PD\_016.wav
  - DE\_PD\_017.wav
  - DE\_PD\_018.wav
  - DE\_PD\_019.wav
  - DE\_PD\_020.wav
  - SP\_HC\_001.wav
  - SP\_HC\_002.wav
  - SP\_HC\_003.wav
  - SP\_HC\_004.wav
  - SP\_HC\_005.wav
  - SP\_HC\_006.wav
  - SP\_HC\_007.wav
  - SP\_HC\_008.wav
  - SP\_HC\_009.wav
  - SP\_HC\_010.wav
  - SP\_HC\_011.wav
  - SP\_HC\_012.wav
  - SP\_HC\_013.wav
  - SP\_HC\_014.wav
  - SP\_HC\_015.wav
  - SP\_HC\_016.wav
  - SP\_HC\_017.wav
  - SP\_HC\_018.wav
  - SP\_HC\_019.wav
  - SP\_HC\_020.wav
  - SP\_PD\_001.wav
  - SP\_PD\_002.wav
  - SP\_PD\_003.wav
  - SP\_PD\_004.wav
  - SP\_PD\_005.wav
  - SP\_PD\_006.wav
  - SP\_PD\_007.wav
  - SP\_PD\_008.wav

- SP\_PD\_009.wav
- SP\_PD\_010.wav
- SP\_PD\_011.wav
- SP\_PD\_012.wav
- SP\_PD\_013.wav
- SP\_PD\_014.wav
- SP\_PD\_015.wav
- SP\_PD\_016.wav
- SP\_PD\_017.wav
- SP\_PD\_018.wav
- SP\_PD\_019.wav
- SP\_PD\_020.wav
- logs\_stage5b/
  - stage5b\_conditioned\_generation\_log.csv
  - stage5b\_converted\_audio\_validation.csv
  - stage5b\_converted\_audio\_validation\_summary.md
  - stage5b\_domain\_condition\_summary.csv
  - stage5b\_embedding\_extraction\_log.csv
  - stage5b\_input\_copy\_log.csv
  - stage5b\_input\_summary.md
  - stage5b\_original\_vs\_converted\_classification\_summary.csv
  - stage5b\_subset\_80\_report.md
- outputs\_converted\_stage5b/
- outputs\_original\_stage5b/
- scripts/
  - 01\_prepare\_stage5b\_subset\_80\_inputs.py
  - 02\_extract\_stage5b\_xlsr\_layer11\_embeddings.py
  - 03\_create\_stage5b\_domain\_conditions.py
  - 04\_generate\_stage5b\_converted\_audio.py
  - 05\_validate\_stage5b\_converted\_audio.py
  - 06\_evaluate\_stage5b\_classification.py
  - 07\_write\_stage5b\_report.py
- source\_embeddings\_stage5b/
  - xlsr\_layer11\_stage5b.csv
- target\_domain\_embeddings\_stage5b/
  - xlsr\_layer11\_german\_domain\_condition.csv
  - xlsr\_layer11\_spanish\_domain\_condition.csv
- stage5c\_full\_276/
  - converted\_audio\_stage5c/
    - german\_to\_spanish/
      - DE\_HC\_001\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_002\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_003\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_004\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_005\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_006\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_007\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_008\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_009\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_010\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_011\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_012\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_013\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_014\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_015\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_016\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_017\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_018\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_019\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_020\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_021\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_022\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_023\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_024\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_025\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_026\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_027\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_028\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_029\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_030\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_031\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_032\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_033\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_034\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_035\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_036\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_037\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_038\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_039\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_040\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_041\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_042\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_043\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_044\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav
      - DE\_HC\_045\_to\_Sp\_domain\_xlsr\_layer11\_alpha\_1\_00.wav



[illegible]





[illegible]

[illegible]



- wav2vec2/
  - wav2vec2\_layer0\_converted.csv
  - wav2vec2\_layer11\_converted.csv
  - wav2vec2\_layer4\_converted.csv
  - wav2vec2\_layer8\_converted.csv
- wavlm/
  - wavlm\_layer0\_converted.csv
  - wavlm\_layer11\_converted.csv
  - wavlm\_layer4\_converted.csv
  - wavlm\_layer8\_converted.csv
- xlsr/
  - xlsr\_layer0\_converted.csv
  - xlsr\_layer11\_converted.csv
  - xlsr\_layer4\_converted.csv
  - xlsr\_layer8\_converted.csv
- features\_original\_stage5c/
  - wav2vec2/
    - wav2vec2\_layer0\_original.csv
    - wav2vec2\_layer11\_original.csv
    - wav2vec2\_layer4\_original.csv
    - wav2vec2\_layer8\_original.csv
  - wavlm/
    - wavlm\_layer0\_original.csv
    - wavlm\_layer11\_original.csv
    - wavlm\_layer4\_original.csv
    - wavlm\_layer8\_original.csv
  - xlsr/
    - xlsr\_layer0\_original.csv
    - xlsr\_layer11\_original.csv
    - xlsr\_layer4\_original.csv
    - xlsr\_layer8\_original.csv
- input\_full\_276\_stage5c/
  - DE\_HC\_001.wav
  - DE\_HC\_002.wav
  - DE\_HC\_003.wav
  - DE\_HC\_004.wav
  - DE\_HC\_005.wav
  - DE\_HC\_006.wav
  - DE\_HC\_007.wav
  - DE\_HC\_008.wav
  - DE\_HC\_009.wav
  - DE\_HC\_010.wav
  - DE\_HC\_011.wav
  - DE\_HC\_012.wav
  - DE\_HC\_013.wav
  - DE\_HC\_014.wav
  - DE\_HC\_015.wav
  - DE\_HC\_016.wav
  - DE\_HC\_017.wav
  - DE\_HC\_018.wav
  - DE\_HC\_019.wav
  - DE\_HC\_020.wav
  - DE\_HC\_021.wav
  - DE\_HC\_022.wav
  - DE\_HC\_023.wav
  - DE\_HC\_024.wav
  - DE\_HC\_025.wav
  - DE\_HC\_026.wav
  - DE\_HC\_027.wav
  - DE\_HC\_028.wav
  - DE\_HC\_029.wav
  - DE\_HC\_030.wav
  - DE\_HC\_031.wav
  - DE\_HC\_032.wav
  - DE\_HC\_033.wav
  - DE\_HC\_034.wav
  - DE\_HC\_035.wav
  - DE\_HC\_036.wav
  - DE\_HC\_037.wav
  - DE\_HC\_038.wav
  - DE\_HC\_039.wav
  - DE\_HC\_040.wav
  - DE\_HC\_041.wav
  - DE\_HC\_042.wav
  - DE\_HC\_043.wav
  - DE\_HC\_044.wav
  - DE\_HC\_045.wav
  - DE\_HC\_046.wav
  - DE\_HC\_047.wav
  - DE\_HC\_048.wav
  - DE\_HC\_049.wav
  - DE\_HC\_050.wav
  - DE\_HC\_051.wav
  - DE\_HC\_052.wav
  - DE\_HC\_053.wav

|  |               |
|--|---------------|
|  | DE_HC_054.wav |
|  | DE_HC_055.wav |
|  | DE_HC_056.wav |
|  | DE_HC_057.wav |
|  | DE_HC_058.wav |
|  | DE_HC_059.wav |
|  | DE_HC_060.wav |
|  | DE_HC_061.wav |
|  | DE_HC_062.wav |
|  | DE_HC_063.wav |
|  | DE_HC_064.wav |
|  | DE_HC_065.wav |
|  | DE_HC_066.wav |
|  | DE_HC_067.wav |
|  | DE_HC_068.wav |
|  | DE_HC_069.wav |
|  | DE_HC_070.wav |
|  | DE_HC_071.wav |
|  | DE_HC_072.wav |
|  | DE_HC_073.wav |
|  | DE_HC_074.wav |
|  | DE_HC_075.wav |
|  | DE_HC_076.wav |
|  | DE_HC_077.wav |
|  | DE_HC_078.wav |
|  | DE_HC_079.wav |
|  | DE_HC_080.wav |
|  | DE_HC_081.wav |
|  | DE_HC_082.wav |
|  | DE_HC_083.wav |
|  | DE_HC_084.wav |
|  | DE_HC_085.wav |
|  | DE_HC_086.wav |
|  | DE_HC_087.wav |
|  | DE_HC_088.wav |
|  | DE_PD_001.wav |
|  | DE_PD_002.wav |
|  | DE_PD_003.wav |
|  | DE_PD_004.wav |
|  | DE_PD_005.wav |
|  | DE_PD_006.wav |
|  | DE_PD_007.wav |
|  | DE_PD_008.wav |
|  | DE_PD_009.wav |
|  | DE_PD_010.wav |
|  | DE_PD_011.wav |
|  | DE_PD_012.wav |
|  | DE_PD_013.wav |
|  | DE_PD_014.wav |
|  | DE_PD_015.wav |
|  | DE_PD_016.wav |
|  | DE_PD_017.wav |
|  | DE_PD_018.wav |
|  | DE_PD_019.wav |
|  | DE_PD_020.wav |
|  | DE_PD_021.wav |
|  | DE_PD_022.wav |
|  | DE_PD_023.wav |
|  | DE_PD_024.wav |
|  | DE_PD_025.wav |
|  | DE_PD_026.wav |
|  | DE_PD_027.wav |
|  | DE_PD_028.wav |
|  | DE_PD_029.wav |
|  | DE_PD_030.wav |
|  | DE_PD_031.wav |
|  | DE_PD_032.wav |
|  | DE_PD_033.wav |
|  | DE_PD_034.wav |
|  | DE_PD_035.wav |
|  | DE_PD_036.wav |
|  | DE_PD_037.wav |
|  | DE_PD_038.wav |
|  | DE_PD_039.wav |
|  | DE_PD_040.wav |
|  | DE_PD_041.wav |
|  | DE_PD_042.wav |
|  | DE_PD_043.wav |
|  | DE_PD_044.wav |
|  | DE_PD_045.wav |
|  | DE_PD_046.wav |
|  | DE_PD_047.wav |
|  | DE_PD_048.wav |
|  | DE_PD_049.wav |
|  | DE_PD_050.wav |



|  |               |
|--|---------------|
|  | DE_PD_051.wav |
|  | DE_PD_052.wav |
|  | DE_PD_053.wav |
|  | DE_PD_054.wav |
|  | DE_PD_055.wav |
|  | DE_PD_056.wav |
|  | DE_PD_057.wav |
|  | DE_PD_058.wav |
|  | DE_PD_059.wav |
|  | DE_PD_060.wav |
|  | DE_PD_061.wav |
|  | DE_PD_062.wav |
|  | DE_PD_063.wav |
|  | DE_PD_064.wav |
|  | DE_PD_065.wav |
|  | DE_PD_066.wav |
|  | DE_PD_067.wav |
|  | DE_PD_068.wav |
|  | DE_PD_069.wav |
|  | DE_PD_070.wav |
|  | DE_PD_071.wav |
|  | DE_PD_072.wav |
|  | DE_PD_073.wav |
|  | DE_PD_074.wav |
|  | DE_PD_075.wav |
|  | DE_PD_076.wav |
|  | DE_PD_077.wav |
|  | DE_PD_078.wav |
|  | DE_PD_079.wav |
|  | DE_PD_080.wav |
|  | DE_PD_081.wav |
|  | DE_PD_082.wav |
|  | DE_PD_083.wav |
|  | DE_PD_084.wav |
|  | DE_PD_085.wav |
|  | DE_PD_086.wav |
|  | DE_PD_087.wav |
|  | DE_PD_088.wav |
|  | SP_HC_001.wav |
|  | SP_HC_002.wav |
|  | SP_HC_003.wav |
|  | SP_HC_004.wav |
|  | SP_HC_005.wav |
|  | SP_HC_006.wav |
|  | SP_HC_007.wav |
|  | SP_HC_008.wav |
|  | SP_HC_009.wav |
|  | SP_HC_010.wav |
|  | SP_HC_011.wav |
|  | SP_HC_012.wav |
|  | SP_HC_013.wav |
|  | SP_HC_014.wav |
|  | SP_HC_015.wav |
|  | SP_HC_016.wav |
|  | SP_HC_017.wav |
|  | SP_HC_018.wav |
|  | SP_HC_019.wav |
|  | SP_HC_020.wav |
|  | SP_HC_021.wav |
|  | SP_HC_022.wav |
|  | SP_HC_023.wav |
|  | SP_HC_024.wav |
|  | SP_HC_025.wav |
|  | SP_HC_026.wav |
|  | SP_HC_027.wav |
|  | SP_HC_028.wav |
|  | SP_HC_029.wav |
|  | SP_HC_030.wav |
|  | SP_HC_031.wav |
|  | SP_HC_032.wav |
|  | SP_HC_033.wav |
|  | SP_HC_034.wav |
|  | SP_HC_035.wav |
|  | SP_HC_036.wav |
|  | SP_HC_037.wav |
|  | SP_HC_038.wav |
|  | SP_HC_039.wav |
|  | SP_HC_040.wav |
|  | SP_HC_041.wav |
|  | SP_HC_042.wav |
|  | SP_HC_043.wav |
|  | SP_HC_044.wav |
|  | SP_HC_045.wav |
|  | SP_HC_046.wav |
|  | SP_HC_047.wav |

- SP\_HC\_048.wav
- SP\_HC\_049.wav
- SP\_HC\_050.wav
- SP\_PD\_001.wav
- SP\_PD\_002.wav
- SP\_PD\_003.wav
- SP\_PD\_004.wav
- SP\_PD\_005.wav
- SP\_PD\_006.wav
- SP\_PD\_007.wav
- SP\_PD\_008.wav
- SP\_PD\_009.wav
- SP\_PD\_010.wav
- SP\_PD\_011.wav
- SP\_PD\_012.wav
- SP\_PD\_013.wav
- SP\_PD\_014.wav
- SP\_PD\_015.wav
- SP\_PD\_016.wav
- SP\_PD\_017.wav
- SP\_PD\_018.wav
- SP\_PD\_019.wav
- SP\_PD\_020.wav
- SP\_PD\_021.wav
- SP\_PD\_022.wav
- SP\_PD\_023.wav
- SP\_PD\_024.wav
- SP\_PD\_025.wav
- SP\_PD\_026.wav
- SP\_PD\_027.wav
- SP\_PD\_028.wav
- SP\_PD\_029.wav
- SP\_PD\_030.wav
- SP\_PD\_031.wav
- SP\_PD\_032.wav
- SP\_PD\_033.wav
- SP\_PD\_034.wav
- SP\_PD\_035.wav
- SP\_PD\_036.wav
- SP\_PD\_037.wav
- SP\_PD\_038.wav
- SP\_PD\_039.wav
- SP\_PD\_040.wav
- SP\_PD\_041.wav
- SP\_PD\_042.wav
- SP\_PD\_043.wav
- SP\_PD\_044.wav
- SP\_PD\_045.wav
- SP\_PD\_046.wav
- SP\_PD\_047.wav
- SP\_PD\_048.wav
- SP\_PD\_049.wav
- SP\_PD\_050.wav
- logs\_stage5c/
  - stage5c\_conditioned\_generation\_log.csv
  - stage5c\_converted\_audio\_validation.csv
  - stage5c\_converted\_audio\_validation\_summary.md
  - stage5c\_domain\_condition\_summary.csv
  - stage5c\_embedding\_extraction\_log.csv
  - stage5c\_full\_276\_report.md
  - stage5c\_input\_copy\_log.csv
  - stage5c\_input\_summary.md
  - stage5c\_original\_vs\_converted\_classification\_summary.csv
- outputs\_converted\_stage5c/
- outputs\_original\_stage5c/
- scripts/
  - 01\_prepare\_stage5c\_full\_276\_inputs.py
  - 02\_extract\_stage5c\_xlsr\_layer11\_embeddings.py
  - 03\_create\_stage5c\_domain\_conditions.py
  - 04\_generate\_stage5c\_converted\_audio.py
  - 05\_validate\_stage5c\_converted\_audio.py
  - 06\_evaluate\_stage5c\_classification.py
  - 07\_write\_stage5c\_report.py
- source\_embeddings\_stage5c/
  - xlsr\_layer11\_stage5c.csv
- target\_domain\_embeddings\_stage5c/
  - xlsr\_layer11\_german\_domain\_condition.csv
  - xlsr\_layer11\_spanish\_domain\_condition.csv
- target\_domain\_embeddings/
  - wav2vec2/
    - wav2vec2\_layer0\_german\_domain\_condition.csv
    - wav2vec2\_layer0\_spanish\_domain\_condition.csv
    - wav2vec2\_layer11\_german\_domain\_condition.csv
    - wav2vec2\_layer11\_spanish\_domain\_condition.csv
    - wav2vec2\_layer4\_german\_domain\_condition.csv

```
├── wav2vec2_layer4_spanish_domain_condition.csv
├── wav2vec2_layer8_german_domain_condition.csv
├── wav2vec2_layer8_spanish_domain_condition.csv
├── wavlm/
│   ├── wavlm_layer0_german_domain_condition.csv
│   ├── wavlm_layer0_spanish_domain_condition.csv
│   ├── wavlm_layer11_german_domain_condition.csv
│   ├── wavlm_layer11_spanish_domain_condition.csv
│   ├── wavlm_layer4_german_domain_condition.csv
│   ├── wavlm_layer4_spanish_domain_condition.csv
│   ├── wavlm_layer8_german_domain_condition.csv
│   └── wavlm_layer8_spanish_domain_condition.csv
├── xlsr/
│   ├── xlsr_layer0_german_domain_condition.csv
│   ├── xlsr_layer0_spanish_domain_condition.csv
│   ├── xlsr_layer11_german_domain_condition.csv
│   ├── xlsr_layer11_spanish_domain_condition.csv
│   ├── xlsr_layer4_german_domain_condition.csv
│   ├── xlsr_layer4_spanish_domain_condition.csv
│   ├── xlsr_layer8_german_domain_condition.csv
│   └── xlsr_layer8_spanish_domain_condition.csv
├── README_voice_conversion.md
├── .gitignore
├── 01_generate_project_tree.py
├── 02_count_project_files.py
├── baseline_outputs_for_tomas.zip
├── full_baseline_outputs_for_tomas.zip
├── powershell.cmd
├── README.md
├── requirements.txt
├── staged_files_check.txt
└── tatus --ignored
```