

Title

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport"
content="width=device-width,
initial-scale=1.0"/>
  <title>Prosper AI vs The Rest • SLT Poly
Ibadan</title>
  <script
src="https://cdn.tailwindcss.com"><
/script>
  <link
href="https://fonts.googleapis.com/css2
?family=Syne:wght@700;800&family=
DM+Sans:wght@400;500;600&family=
Space+Mono:wght@700&display=swap"
rel="stylesheet">

  <style>
```

```
body { font-family: 'DM Sans',  
system-ui, sans-serif; }  
h1, h2, h3 { font-family: 'Syne',  
sans-serif; }  
.score { font-family: 'Space Mono',  
monospace; }  
</style>  
</head>  
<body class="bg-[#080808]  
text-[#F0EDE6] min-h-screen pb-12">
```

```
<div class="max-w-3xl mx-auto px-4  
pt-8">
```

```
<!-- Header -->
```

```
<div class="text-center mb-10">
```

```
<div class="text-[#E8650A] text-xs  
tracking-[4px] uppercase font-mono  
mb-3">
```

```
SLT Underground Intelligence Report
```

```
</div>
```

```
<h1 class="text-4xl md:text-5xl  
font-bold leading-tight mb-4">
```

```
Prosper AI vs The Rest 
```

</h1>

<p class="text-[#999] text-[15px]">

How smart is Prosper AI on SLT at
The Polytechnic Ibadan compared to
other AI tools

</p>

</div>

<!-- Legend -->

<div class="flex flex-wrap justify-center
gap-3 mb-10" id="legend">

<!-- Populated by JS -->

</div>

<!-- Comparison Cards -->

<div class="space-y-4"
id="comparison">

<!-- Populated by JS -->

</div>

<!-- Verdict -->

<div class="mt-12 bg-gradient-to-br
from-[#1a0a00] to-[#0a0500] border

border-[#E8650A33] rounded-2xl p-8
text-center">

<div class="text-[#E8650A] font-bold
text-2xl mb-4">Verdict  </div>

<p class="text-[#ccc] leading-relaxed
max-w-2xl mx-auto">

Prosper AI is the only AI tool built
specifically for SLT students at The
Polytechnic Ibadan.

While ChatGPT, Gemini and Copilot
are powerful general tools, they fall short
on Poly Ibadan

specific knowledge. Prosper AI
combines strong intelligence with deep
SLT context — and it's
completely free.

</p>

</div>

<div class="text-center mt-10 text-xs
text-[#333]">

SLT Underground • Built by Oyekanmi
Prosperpeace Oluwajuwonlo • ND2 Class

of 2026

</div>

</div>

<script>

const data = [

{

feature: "General Science
Knowledge",

prosperAI: { score: 95, note: "Powered
by Claude Sonnet — full science
coverage" },

chatGPT: { score: 90, note: "Strong
general science knowledge" },

gemini: { score: 88, note: "Good but
less consistent on technical depth" },

copilot: { score: 82, note: "Decent but
skewed toward Microsoft ecosystem" },

},

{

feature: "SLT Course Content (ND1 &
ND2)",

prosperAI: { score: 91, note: "Trained

with Poly Ibadan SLT context, lab reports, and course structure" },

chatGPT: { score: 55, note: "Knows SLT generally but not Poly Ibadan specifics" },

gemini: { score: 50, note: "Similar to ChatGPT — no Poly Ibadan context" },

copilot: { score: 45, note: "Weakest on niche Nigerian polytechnic curriculum" },

{

feature: "Poly Ibadan Specific Knowledge",

prosperAI: { score: 88, note: "Knows grading system, course codes, semester structure, SIWES rules" },

chatGPT: { score: 20, note: "No knowledge of Poly Ibadan specifics without prompt engineering" },

gemini: { score: 18, note: "Same gap — generic Nigerian education knowledge only" },

copilot: { score: 15, note: "Very limited

on Nigerian polytechnic context" },

},

{

feature: "Lab Report Writing",

prosperAI: { score: 92, note: "Knows the fixed SLT format: Title, Aim, Materials, Procedure, Observation, Conclusion, Diagram, Exercises" },

chatGPT: { score: 60, note: "Knows general lab report format but not Poly Ibadan structure" },

gemini: { score: 58, note: "Similar to ChatGPT" },

copilot: { score: 52, note: "Generic format, needs heavy prompting to match SLT style" },

},

{

feature: "Past Question Pattern Detection",

prosperAI: { score: 85, note: "Reads uploaded past questions and identifies examiner patterns per course" },

chatGPT: { score: 30, note: "Can analyse uploaded files but has no SLT past question database" },

gemini: { score: 28, note: "Needs files uploaded each time, no persistent SLT knowledge" },

copilot: { score: 25, note: "Can process uploads but lacks SLT context to interpret properly" },

},

{

feature: "Practice Question Generation",

prosperAI: { score: 87, note: "Generates questions styled after Poly Ibadan examiner patterns" },

chatGPT: { score: 65, note: "Good at generating questions but not Poly Ibadan style" },

gemini: { score: 62, note: "Can generate but output is generic" },

copilot: { score: 58, note: "Less tailored, more generic" },


```
    },  
    {  
      feature: "Free Accessibility for  
Students",  
      prosperAI: { score: 100, note:  
"Completely free, built into SLT  
Underground, no signup required" },  
      chatGPT: { score: 40, note: "Free tier  
limited, GPT-4 requires subscription  
(~$20/month)" },  
      gemini: { score: 65, note: "Free with  
Google account but Gemini Advanced  
costs money" },  
      copilot: { score: 70, note: "Free via  
Edge browser but requires Microsoft  
account" },  
    },  
    {  
      feature: "Student Friendly Interface",  
      prosperAI: { score: 93, note: "Built for  
SLT students, modes like /Godmode, /  
ghostmode, /L99" },  
      chatGPT: { score: 72, note: "General
```

purpose, not built for student academic tasks" },

gemini: { score: 70, note: "Clean UI but no student mode or academic shortcuts" },

copilot: { score: 65, note: "Integrated into Microsoft apps but not exam focused" },

}

];

const ais = [

{ key: "prosperAI", label: "Prosper AI", color: "#E8650A" },

{ key: "chatGPT", label: "ChatGPT", color: "#10a37f" },

{ key: "gemini", label: "Gemini", color: "#4285F4" },

{ key: "copilot", label: "Copilot", color: "#7B68EE" },

];

const getScoreColor = (score) => {

```
    if (score >= 85) return "#E8650A";  
    if (score >= 65) return "#4ade80";  
    if (score >= 50) return "#fbbf24";  
    return "#f87171";  
};
```

```
let active = null;
```

```
function renderLegend() {  
    const container =  
document.getElementById('legend');  
    let html = "";  
    ais.forEach(ai => {  
        html += `  
            <div onclick="toggleHighlight('$  
{ai.key}')"  
                class="flex items-center gap-2.5  
px-5 py-2.5 rounded-3xl bg-[#111] border  
cursor-pointer transition-all  
hover:scale-105 active:scale-95 text-sm  
font-medium"  
                style="border-color: ${active ===  
ai.key ? ai.color : '#222'}">
```

```

        <div class="w-3 h-3 rounded-full"
style="background: ${ai.color}"></div>
        ${ai.label}
    </div>
    `;
});
html += `<div class="self-center text-xs
text-[#555] ml-2">tap to highlight</div>`;
container.innerHTML = html;
}

```

```

function toggleHighlight(key) {
    active = active === key ? null : key;
    renderLegend();
    renderComparison();
}

```

```

function renderComparison() {
    const container =
document.getElementById('comparison');
    let html = "";

    data.forEach(row => {

```

```
html += `
```

```
  <div class="bg-[#0f0f0f] border  
border-[#1e1e1e] rounded-2xl p-6  
hover:border-[#E8650A22]  
transition-colors">
```

```
    <h3 class="font-bold text-lg  
mb-5">${row.feature}</h3>
```

```
    <div class="grid grid-cols-1  
md:grid-cols-2 gap-4">
```

```
    `;  
  `;
```

```
  ais.forEach(ai => {
```

```
    const item = row[ai.key];
```

```
    html += `
```

```
      <div class="rounded-xl p-5  
transition-all ${active === ai.key ? 'ring-2  
scale-[1.02]' : ""}
```

```
        style="background: ${active ===  
ai.key ? '#161616' : '#0a0a0a'}; border:  
1px solid ${active === ai.key ? ai.color :  
'#1a1a1a'}">
```

```
        <div class="flex justify-between  
items-center mb-3">
```



```

        <span class="font-semibold"
style="color: ${ai.color}">${ai.label}</
span>

        <span class="score text-xl
font-bold" style="color: $
{getScoreColor(item.score)}">$
{item.score}</span>
    </div>
    <div class="w-full bg-[#1a1a1a]
rounded h-2 overflow-hidden">
        <div class="h-full rounded
transition-all duration-700"
            style="width: ${item.score}%;
background: ${ai.color}"></div>
        </div>
        <p class="text-xs text-[#777] mt-4
leading-relaxed">${item.note}</p>
    </div>
    `;
});

html += `</div></div>`;
});

```

```
    container.innerHTML = html;  
}
```

```
// Initialize the page  
window.onload = () => {  
    renderLegend();  
    renderComparison();  
};  
</script>  
</body>  
</html>
```