

Here the docker steps to verify if everything is working for first -timer:

If we do not want to use MS build

Has a Docker Desktop or pods; Run the commands in terminal in the same root of the Dockerfile.dev

RUN backend

Delete the previous bin/, /obj folders of publish folder

Build-Rebuild the project

Publish the project

Has the Docker file in the ~/root of the project folder

Now check if all the necessary environment set-up has been completed or not?

For the first time in initial set-up always check this:

```
# 1. Where you are
Get-Location

# 2. What's in your folder (top level)
Get-ChildItem -Force | Select-Object Mode, Length, Name

# 3. Whether key support files exist
Test-Path Dockerfile, Dockerfile.dev, .dockerignore, .gitignore,
.gitlab-ci.yml

# 4. Repo origin
git remote -v
git status

# 5. Total size of context
(Get-ChildItem -Recurse -File | Measure-Object Length -Sum).Sum / 1MB
```

Instructions to run it may varies per requirements:

>> docker build -f Dockerfile.dev -t ImageName .

// if has EOF error

>>docker build --no-cache -t testbuild .

>>docker run -d -p 8080:80 --name

// test if it is running

>>docker stop testing

// remove it

>>docker rm testing

// log in to the remote server if required to tag the image

>>docker login URL

Tag the image

```
>>docker tag image:latest URL/name:unique-identifier
// push the image in server
>>docker push URL /name:unique-identifier
```

Power shell for error in EOF

Check if you are correctly using the .gitignore file as a standard production level project?

```
>>Remove-Item Dockerfile -ErrorAction SilentlyContinue
```

If you have any EOF error or to reduce it in windows

1. Open the Dockerfile in VSCode editor
2. Change the CRLF to LF [bottom right corner in editor]

Tips:

Tons of time will be safe if you just ask questions and be curious about starting with what the error message says to me? Do I understand it? If not then how?

Read the error message and ask why? how? What?

Template to ask in assistant

****What I'm trying to do:****

[goal]

****What I expected:****

[expected behavior]

****What actually happened:****

[paste full error]

****Environment:****

- OS: Windows 11 23H2
- Tool versions: docker 24.x, gitlab-runner X.Y
- Project type: ASP.NET 4.8 on IIS

****Project state:****

- Fresh clone? Yes/No
- Files present: [paste output of Get-ChildItem]
- Project size: XX MB

****What I've already tried:****

1. [thing 1] — result
2. [thing 2] — result

****Specific question:****

[the one specific thing you want answered]

Git-lab-runner steps:

<https://gitlab-runner-downloads.s3.amazonaws.com/latest/binaries/gitlab-runner-windows-amd64.exe>

Run PowerShell:

<https://docs.microsoft.com/en-us/powershell/scripting/windows-powershell/starting-windows-powershell?view=powershell-7#with-administrative-privileges-run-as-administrator>

Create a folder somewhere on your system, for example: C:\GitLab-Runner

New-Item -Path 'C:\GitLab-Runner' -ItemType Directory

Change to the folder

cd 'C:\GitLab-Runner'

Download binary

Invoke-WebRequest -Uri

"<https://gitlab-runner-downloads.s3.amazonaws.com/latest/binaries/gitlab-runner-windows-amd64.exe>" -OutFile "gitlab-runner.exe"

Register the runner (steps below), then run

.\gitlab-runner.exe install

.\gitlab-runner.exe start

learn.microsoft.com

[Starting Windows PowerShell - PowerShell](#)

This article explains the ways of starting various versions of PowerShell.