

6



# <sup>1</sup>Univers

# Primary Lung Fibroblasts (PLF) Plating/Freezing Protocol

## Morrisey Lab<sup>1</sup>

<sup>1</sup>University of Pennsylvania

1 Works for me

This protocol is published without a DOI.

LungMap2 Consortium
Tech. support email: lungmap2dcc@gmail.com
Click here to message tech. support

Chelseahortman

SUBMIT TO PLOS ONE

ABSTRACT

#### **PLF Media**

90 mL DMEM NUTRIENT MIX F12 (Invitrogen/Cell Center, cat# 11320033)
10 mL 10% FBS (Invitrogen, cat#10437-028)
1 mL ANTIBIOTIC ANTIMYCOTIC-Anti-Anti 100x (Invitrogen/Cell Center, cat#15240096)

### Freeze Media

40 mL PLF Media

5 mL 10% FBS (Invitrogen, cat# 10437-028)

5 mL DMSO (Sigma, cat#D2650-100ml)

Nunc™ EasYFlask™ Cell Culture Flasks, T75, filter (hermo/ Life Tech, cat#156499)
TRYPSIN 0.05% EDTA (Invitrogen/Cell Center, cat#25300054)
CryoVials (Neta Sci, cat#430659)

## PROTOCOL CITATION

Morrisey Lab 2021. Primary Lung Fibroblasts (PLF) Plating/Freezing Protocol. **protocols.io** https://protocols.io/view/primary-lung-fibroblasts-plf-plating-freezing-prot-bsyrnfv6

LICENSE

This is an open access protocol distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

CREATED

Mar 03, 2021

LAST MODIFIED

Mar 12, 2021

PROTOCOL INTEGER ID

47857

- 1 In TC hood label 1-2 T75 flasks with lung ID, date, disease or NI (normal), initials, and number of cells.
- Obtain single cell suspension from lung, count cells, and keep on ice.

3	Spin down 10-12 million cells in 4C centrifuge for 5 min at 300xg(rcf).
4	Using a 10mL serological pipette (slow settings), resuspend cells with 10 mL of cold PLF media in T-75 flaks/s and put in incubator.
5	a. It is important to mix the cells evenly
6	After ~24 hours, change PLF media on the cells.
7	Change PLF media 2-3 times a week until cells are relatively confluent. They grow very patchy, so it is sometimes hard to tell, but this usually takes about 3 weeks.
8	Once confluent, split the cells out into more flasks. Usually 1:6 is OK for the first split, but depending on confluency, this might change.
9	a. If you started with 2 plates of cells, can split them each out 1:12
10	Once those flaks are confluent (usually 3-4 days later), split 1:4 so you end up with 24 flasks total.
11	Once the 24 flasks are confluent (usually 3-4 days later) freeze down cells by trypsinizing the flasks with 0.05% trypsin and resuspending cells in 1 mL of Freeze Media/vial.
12	a. It is easiest to label cryo vials, with lung ID, disease/NI, date, initials, before trypsinizing flasks.
13	b. There will be a total of 50 vials (resuspend pellet in 50 mL of Freeze media).
14	c. There is approx. 1 million cells per vial. Can count cells if you want ,but is not necessary for freezing.
15	10. Put vials in a Mr. Freezy and put in -80 for at least 24 hours.
16	11. Transfer vials to liquid nitrogen tank and update google sheetàHuman Samples-à liquid nitrogen tank