



VERSION 2

FEB 06, 2023

OPEN  ACCESS

Protocol Citation: Andreas Sagen 2023. Calcium chloride transformation buffer.

protocols.io
<https://protocols.io/view/calcium-chloride-transformation-buffer-cnu8vezw>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Feb 05, 2023

Last Modified: Feb 06, 2023


PROTOCOL integer ID:
 76416

Keywords: Transformation buffer, heat transformation, chemical transformation, calcium chloride, cacl2

Calcium chloride transformation buffer V.2

Andreas Sagen¹

¹University of Oslo



Andreas Sagen

University of Oslo, The National Institute of Occupational H...

ABSTRACT

Calcium chloride (CaCl₂) transformation is a laboratory technique in prokaryotic (bacterial) cell biology. The addition of calcium chloride to a cell suspension promotes the binding of plasmid DNA to lipopolysaccharides (LPS). Positively charged calcium ions attract both the negatively charged DNA backbone and the negatively charged groups in the LPS inner core. The plasmid DNA can then pass into the cell upon heat shock, where chilled cells (+4°C) are heated to a higher temperature (+42°C) for a short time.


MATERIALS


Filter

LAF bench

Scale


5 M Calcium chloride transformation buffer


1 Add 40 mL distilled water to a  50 mL tube

2 Measure and add  36.7525 g Calcium chloride dihydrate

Materials:

 Calcium chloride dihydrate **Sigma-aldrich Catalog #C3881**

3 Adjust pH to  7.4 with concentrated sodium hydroxide or hydrogen chloride

4 Add distilled water to  50 mL

5 Filter sterilize with a 0.2 μ m pore-size filter