

WORKS FOR ME 1

UPitt TriState SenNet TMC Lung Procurement

COMMENTS 0

DOI

dx.doi.org/10.17504/protocols.io.81wgbyr83vpk/v1

John Sembrat¹, Alison Morris¹, <u>koenigshoffm</u>¹, Oliver Eickelberg¹

¹Division of Pulmonary and Critical Care Medicine. Department of Medicine. School of Medicine Univers ity of Pittsburgh

TriState SenNet

Cellular Senescence Network (SenNet) Method Development Community



Marta Bueno
Division of Pulmonary and Critical Care Medicine. Department...

ABSTRACT

This document outlines the request for specimen procurement before arrival at the TriState SenNet TMC Biospecimen Core at the University of Pittsburgh, as part of the Cellular Senescence Network Program (SenNet).

DOI

dx.doi.org/10.17504/protocols.io.81wgbyr83vpk/v1

PROTOCOL CITATION

John Sembrat, Alison Morris, koenigshoffm, Oliver Eickelberg 2022. UPitt TriState SenNet TMC Lung Procurement. **protocols.io**https://dx.doi.org/10.17504/protocols.io.21wgbyr93ypk/y1

https://dx.doi.org/10.17504/protocols.io.81wgbyr83vpk/v1

FUNDERS ACKNOWLEDGEMENT

TriState SenNET (Lung and Heart) Tissue Map and Atlas consortium - NIA Grant ID: U54AG075931

LICENSE

This is an open access protocol distributed under the terms of the <u>Creative Commons</u>

<u>Attribution License</u>, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

CREATED

Dec 18, 2022

LAST MODIFIED

Dec 19, 2022

PROTOCOL INTEGER ID

74181



1

Citation: John Sembrat, Alison Morris, koenigshoffm, Oliver Eickelberg UPitt TriState SenNet TMC Lung Procurement https://dx.doi.org/10.17504/protocols.io.81wgbyr83vpk/v1

Requested processing protocol for Donation following Brain Death D

Organ Procurement Organization Recovery Team prepares for organ recovery as consistent with organ transplant protocol with cross clamp and in situ cold flush body cooling with minimal warm ischemic time.

Includes flush with Perfadex or similar organ transplant buffer, until solution runs clear

2 Complete a minimum back-table lung flush with transplant buffer of 500ml into the pulmonary artery and 500ml into the pulmonary vein.

Do not flush with saline.

Do not wrap in surgical towel.

3 Staple, clamp, or tie the trachea closed prior to shipping.

4 Place Lung(s) in a Specimen Bag and submerge with chilled Perfadex or similar. Triple bag the tissue.

Requested processing protocol for Donation following Cardiac Death

- Organ Procurement Organization / Recovery Team prepares for organ recovery as quickly following Cardiac Arrest while in comfort care as authorized by next of kin.
- 6 Remainder of organ / tissue recovery should be as consistent with organ transplant protocol (section above) as possible.

Includes organ flush with Perfadex or similar organ transplant buffer until solution runs clear.

All warm ischemic time is to be minimized and reported. Tissues may be accepted up to 6 hours WIT. Other WIT may be evaluated depending of the circumstances.