ELISA for quantification of CXC motif chemokine ligand 2 (CXCL2) in human serum or plasma.

Angel A Justiz-Vaillant[1], Belkis Ferrer-Cosme[2]

[1]University of the West Indies St. Augustine; [2]"Saturnino Lora Torres" Provincial Teaching Clinical Surgical Hospital. Cuba

Aug 23, 2020

In Development dx.doi.org/10.17504/protocols.io.bj7dkri6

University of the West Indies angel.vaillant@sta.uwi.edu

Angel Justiz-Vaillant
University of the West Indies St. Augustine

DOI

dx.doi.org/10.17504/protocols.io.bj7dkri6

PROTOCOL CITATION

Angel A Justiz-Vaillant, Belkis Ferrer-Cosme 2020. ELISA for quantification of CXC motif chemokine ligand 2 (CXCL2) in human serum or plasma.. **protocols.io** https://dx.doi.org/10.17504/protocols.io.bj7dkri6

CREATED

Aug 23, 2020

LAST MODIFIED

Aug 23, 2020

PROTOCOL INTEGER ID

40901

1 An anti-human CXCL2 coating antibody is adsorbed onto the microwells by incubation overnight at 4°C with carbonate-bicarbonate buffer.

2 Add 50 µl of human serum or plasma. Human CXCL2 present in the serum or plasma binds to antibodies adsorbed into the microwells.

3 The microplate is blocked with 3% non-fat milk-PBS buffer and later wash to remove unbound proteins.

4 Fifty (50) µl of biotin-conjugated anti-CXCL2 antibody is added. The optimal dilution must be investigated.

5 The microplate is rewashed with PBS-Tween 20 buffer, pH 7.4.

6 One hundred µl of streptavidin-HRP conjugate is added and it binds to the biotin-conjugated anti-CXCL2 antibody. The optimal dilution of this conjugate must be investigated.

7 The plate is washed following incubation to remove the unbound Streptavidin-HRP.

8 Add 100 µl of 3',3',5',5'- tetramethylbenzidine (TMB; Sigma-Aldrich) into each well.

9 Incubate the microwells in the dark for 20 min.

10 A colored product is formed in proportion to the quantity of CXCL2 present in the sample or standard.

11 The reaction is terminated by addition of 100 µl 3M H_2SO_4 and the absorbance is measured at 450 nm.

12 A standard curve is made from 7 human CXCL2 standard dilutions and the human CXCL2 sample concentration is determined.

13 For better results place the microplate on a microplate shaker in every incubation.

Citation: Angel A Justiz-Vaillant, Belkis Ferrer-Cosme (08/23/2020). ELISA for quantification of CXC motif chemokine ligand 2 (CXCL2) in human serum or plasma.. https://dx.doi.org/10.17504/protocols.io.bj7dkri6